



# Open Source Used In AppDynamics\_Cloud\_Alerting\_Health\_Rule\_API 2.0-310

**Cisco Systems, Inc.**

[www.cisco.com](http://www.cisco.com)

Cisco has more than 200 offices worldwide.  
Addresses, phone numbers, and fax numbers  
are listed on the Cisco website at  
[www.cisco.com/go/offices](http://www.cisco.com/go/offices).

Text Part Number: 78EE117C99-1340069696

**This document contains licenses and notices for open source software used in this product. With respect to the free/open source software listed in this document, if you have any questions or wish to receive a copy of any source code to which you may be entitled under the applicable free/open source license(s) (such as the GNU Lesser/General Public License), please contact us at [external-opensource-requests@cisco.com](mailto:external-opensource-requests@cisco.com).**

**In your requests please include the following reference number 78EE117C99-1340069696**

## Contents

- 1.1 swagger-core 2.1.6**
  - 1.1.1 Available under license
- 1.2 wire-multiplatform-runtime-(experimental) 3.6.0**
  - 1.2.1 Available under license
- 1.3 google-guice 4.1.0**
  - 1.3.1 Available under license
- 1.4 apache-commons-jexl 3.1**
  - 1.4.1 Available under license
- 1.5 unboundid-scim2-sdk-common 2.3.6**
  - 1.5.1 Available under license
- 1.6 hystrix-core 1.5.18**
  - 1.6.1 Available under license
- 1.7 checker-qual 2.5.5**
  - 1.7.1 Available under license
- 1.8 micronaut-rxjava-3 2.2.1**
  - 1.8.1 Available under license
- 1.9 jersey-container-servlet-core 2.33**
  - 1.9.1 Available under license
- 1.10 dropwizard-validation-support 2.0.25**
  - 1.10.1 Available under license
- 1.11 mockito 4.5.0**
  - 1.11.1 Available under license
- 1.12 micronaut-oracle-cloud 2.1.1**
  - 1.12.1 Available under license
- 1.13 jetbrains-kotlin-kotlin-stdlib-jdk7 1.6.10**
  - 1.13.1 Available under license

- 1.14 mozilla-rhino 1.7.7.2**
  - 1.14.1 Available under license
- 1.15 google-guice 4.2.3**
  - 1.15.1 Available under license
- 1.16 javassist 3.28.0**
  - 1.16.1 Available under license
- 1.17 micronaut-problem-json 2.2.0**
  - 1.17.1 Available under license
- 1.18 jersey-container-servlet 2.33**
  - 1.18.1 Available under license
- 1.19 rxjava 2.2.21**
  - 1.19.1 Available under license
- 1.20 metrics-health-checks 4.1.25**
  - 1.20.1 Available under license
- 1.21 micronaut-cache 3.1.1**
  - 1.21.1 Available under license
- 1.22 jaxb-xml-binding-code-generator-package 2.3.3**
  - 1.22.1 Available under license
- 1.23 junit-5-bill-of-materials 5.7.2**
  - 1.23.1 Available under license
- 1.24 micrometer-bom 1.8.3**
  - 1.24.1 Available under license
- 1.25 metrics-integration-with-jmx 4.1.25**
  - 1.25.1 Available under license
- 1.26 apache-velocity---jsr-223-scripting 2.2**
  - 1.26.1 Available under license
- 1.27 netty-transport-native-unix-common 4.1.76.Final**
  - 1.27.1 Available under license
- 1.28 apache-velocity-engine 2.3**
  - 1.28.1 Available under license
- 1.29 jul-to-slf4j-bridge 1.7.32**
  - 1.29.1 Available under license
- 1.30 bom 4.1.73.Final**
  - 1.30.1 Available under license
- 1.31 micronaut-jax-rs 3.2.0**
  - 1.31.1 Available under license
- 1.32 micronaut-sql-libraries 4.1.1**
  - 1.32.1 Available under license
- 1.33 apache-commons-lang 3.7**

- 1.33.1 Available under license
- 1.34 feign-slf4j 8.18.0**
  - 1.34.1 Available under license
- 1.35 java-vault-driver 4.1.0**
  - 1.35.1 Available under license
- 1.36 jackson-xc 2.13.2**
  - 1.36.1 Available under license
- 1.37 hamcrest v2.2**
  - 1.37.1 Available under license
- 1.38 javax-ws-rs-api 2.1.1**
  - 1.38.1 Available under license
- 1.39 micronaut-rxjava-2 1.2.1**
  - 1.39.1 Available under license
- 1.40 appdynamics-java-agent-api 4.5.13.27526**
  - 1.40.1 Available under license
- 1.41 apache-commons-pool 2.4.3**
  - 1.41.1 Available under license
- 1.42 lz4-and-xxhash 1.7.1**
  - 1.42.1 Available under license
- 1.43 picocli 4.5.2**
  - 1.43.1 Available under license
- 1.44 metrics-integration-for-apache-httpasyncclient 4.0.5**
  - 1.44.1 Available under license
- 1.45 micronaut-kotlin-integrations 3.2.2**
  - 1.45.1 Available under license
- 1.46 asm-tree 8.0.1**
  - 1.46.1 Available under license
- 1.47 logback-access-module 1.2.5**
  - 1.47.1 Available under license
- 1.48 micronaut-groovy 3.1.0**
  - 1.48.1 Available under license
- 1.49 dropwizard-request-logging-support 2.0.25**
  - 1.49.1 Available under license
- 1.50 metrics-utility-servlets 4.1.25**
  - 1.50.1 Available under license
- 1.51 swagger-models 2.1.12**
  - 1.51.1 Available under license
- 1.52 json-schema-core 1.2.14**
  - 1.52.1 Available under license

### **1.53 mongodb-driver 4.3.4**

1.53.1 Available under license

### **1.54 netty/tomcatnative-[openssl---classes] 2.0.46.Final**

1.54.1 Available under license

### **1.55 dropwizard-lifecycle-support 2.0.25**

1.55.1 Available under license

### **1.56 libphonenumber v8.11.1**

1.56.1 Available under license

### **1.57 metrics-core-library 2.2.0**

1.57.1 Available under license

### **1.58 asm-analysis 8.0.1**

1.58.1 Available under license

### **1.59 dropwizard 2.0.25**

1.59.1 Available under license

### **1.60 zstd-jni 1.4.9-1**

1.60.1 Available under license

### **1.61 spring-framework 5.3.19**

1.61.1 Available under license

### **1.62 scala-logging\_2.12 3.9.3**

1.62.1 Available under license

### **1.63 zookeeper 3.6.3**

1.63.1 Available under license

### **1.64 micronaut-views 3.2.0**

1.64.1 Available under license

### **1.65 swagger-jaxrs2 2.1.6**

1.65.1 Available under license

### **1.66 rocksdb-jni 6.19.3**

1.66.1 Available under license

### **1.67 dropwizard-jetty-support 2.0.25**

1.67.1 Available under license

### **1.68 java-architecture-for-xml-binding 2.4.0-b180830.0359**

1.68.1 Available under license

### **1.69 jakarta-expression-language-3.0-api 3.0.3**

1.69.1 Available under license

### **1.70 byte-buddy byte-buddy-1.9.10**

1.70.1 Available under license

### **1.71 metrics-integration-with-jmx 4.0.5**

1.71.1 Available under license

### **1.72 metrics---dropwizard v4.0.5**

- 1.72.1 Available under license
- 1.73 utils 6.2.1**
  - 1.73.1 Available under license
- 1.74 metrics-integration-for-jersey-2.x 4.1.25**
  - 1.74.1 Available under license
- 1.75 swagger-models 2.1.7**
  - 1.75.1 Available under license
- 1.76 google-api-grpc-proto-google-common-protos 2.0.1**
  - 1.76.1 Available under license
- 1.77 micronaut-flyway 5.1.3**
  - 1.77.1 Available under license
- 1.78 annotations-for-metrics 4.1.25**
  - 1.78.1 Available under license
- 1.79 lettuce 6.1.6.RELEASE**
  - 1.79.1 Available under license
- 1.80 jetbrains-kotlin-kotlin-stdlib-jdk8 1.6.10**
  - 1.80.1 Available under license
- 1.81 java-architecture-for-xml-binding 2.3.2**
  - 1.81.1 Available under license
- 1.82 micronaut-data 3.2.2**
  - 1.82.1 Available under license
- 1.83 swagger-parser 2.0.26**
  - 1.83.1 Available under license
- 1.84 jetty-java-based-http-1-x-http-2-servlet-websocket-server 9.4.44.20210927**
  - 1.84.1 Available under license
- 1.85 json-path 2.4.0**
  - 1.85.1 Available under license
- 1.86 javabeans-activation-framework-api 1.2.2**
  - 1.86.1 Available under license
- 1.87 xml-path 4.3.3**
  - 1.87.1 Available under license
- 1.88 metrics-integration-for-logback 4.1.25**
  - 1.88.1 Available under license
- 1.89 swagger-parser-v2-converter 2.0.26**
  - 1.89.1 Available under license
- 1.90 apache-http-client 4.5.13**
  - 1.90.1 Available under license
- 1.91 scala v2.12.14**
  - 1.91.1 Available under license

- 1.92 kqueue 4.1.73.Final**
  - 1.92.1 Available under license
- 1.93 kotlin-stdlib-common 1.6.10**
  - 1.93.1 Available under license
- 1.94 io-grpc-grpc-protobuf 1.39.0**
  - 1.94.1 Available under license
- 1.95 wire-protocol-buffer-runtime 3.6.0**
  - 1.95.1 Available under license
- 1.96 jersey-ext-entity-filtering 2.31**
  - 1.96.1 Available under license
- 1.97 micronaut-email 1.2.0**
  - 1.97.1 Available under license
- 1.98 jcl-1-2-implemented-over-slf4j 1.7.32**
  - 1.98.1 Available under license
- 1.99 error\_prone\_annotations 2.5.1**
  - 1.99.1 Available under license
- 1.100 jackson-datatype-joda 2.13.2**
  - 1.100.1 Available under license
- 1.101 micronaut-sql-libraries 4.2.2**
  - 1.101.1 Available under license
- 1.102 org.xmlunit:xmlunit-placeholders 2.8.0**
  - 1.102.1 Available under license
- 1.103 io-swagger-swagger-annotations 1.6.2**
  - 1.103.1 Available under license
- 1.104 micronaut-tracing 4.1.1**
  - 1.104.1 Available under license
- 1.105 hk2-implementation-utilities 2.6.1**
  - 1.105.1 Available under license
- 1.106 guava 30.1-jre**
  - 1.106.1 Available under license
- 1.107 apache-commons-beanutils 1.9.4**
  - 1.107.1 Available under license
- 1.108 jersey-inject-hk2 2.33**
  - 1.108.1 Available under license
- 1.109 micronaut 3.4.0**
  - 1.109.1 Available under license
- 1.110 micronaut-servlet 3.2.1**
  - 1.110.1 Available under license
- 1.111 commons-io 2.11.0**



- 1.111.1 Available under license
- 1.112 apache-commons-collections 4.4**
  - 1.112.1 Available under license
- 1.113 mongo-java-driver 4.2.3**
  - 1.113.1 Available under license
- 1.114 io-grpc-grpc-api 1.39.0**
  - 1.114.1 Available under license
- 1.115 jackson-jaxrs-base 2.13.2**
  - 1.115.1 Available under license
- 1.116 guava-listenablefuture-only 9999.0-empty-to-avoid-conflict-with-guava**
  - 1.116.1 Available under license
- 1.117 mock-server-client 5.11.2**
  - 1.117.1 Available under license
- 1.118 netty/transport/classes/kqueue 4.1.73.Final**
  - 1.118.1 Available under license
- 1.119 jackson-integration-for-metrics 4.1.25**
  - 1.119.1 Available under license
- 1.120 micronaut-azure 3.2.3**
  - 1.120.1 Available under license
- 1.121 io.grpc:grpc-bom 1.39.0**
  - 1.121.1 Available under license
- 1.122 snake-yaml 1.30**
  - 1.122.1 Available under license
- 1.123 testng 6.14.3**
- 1.124 couchbase-jvm-core-io 1.7.18**
  - 1.124.1 Available under license
- 1.125 jvm-integration-for-metrics 4.1.25**
  - 1.125.1 Available under license
- 1.126 javassist 3.22.0-GA**
  - 1.126.1 Available under license
- 1.127 micronaut 1.3.5**
  - 1.127.1 Available under license
- 1.128 java-architecture-for-xml-binding 2.3.3**
  - 1.128.1 Available under license
- 1.129 jackson-integration-for-metrics 4.0.5**
  - 1.129.1 Available under license
- 1.130 jvm-integration-for-metrics 4.0.5**
  - 1.130.1 Available under license
- 1.131 bson 4.2.3**

- 1.131.1 Available under license
- 1.132 spring-commons-logging-bridge 5.3.19**
  - 1.132.1 Available under license
- 1.133 micronaut-redis 5.2.0**
  - 1.133.1 Available under license
- 1.134 google-guice 4.2.2**
  - 1.134.1 Available under license
- 1.135 jackson-bom 2.13.2**
  - 1.135.1 Available under license
- 1.136 google-gson 2.8.6**
  - 1.136.1 Available under license
- 1.137 dropwizard-servlet-support 2.0.25**
  - 1.137.1 Available under license
- 1.138 asm-commons 8.0.1**
  - 1.138.1 Available under license
- 1.139 guava v30.0**
  - 1.139.1 Available under license
- 1.140 io-grpc-grpc-protobuf-lite 1.39.0**
  - 1.140.1 Available under license
- 1.141 spock-framework---bill-of-materials 2.0-groovy-3.0**
  - 1.141.1 Available under license
- 1.142 guava 31.0.1-jre**
  - 1.142.1 Available under license
- 1.143 swagger-core 2.1.12**
  - 1.143.1 Available under license
- 1.144 micronaut-views 3.1.3**
  - 1.144.1 Available under license
- 1.145 json-unit-core 2.19.0**
  - 1.145.1 Available under license
- 1.146 hibernate-validator 6.1.7.Final**
  - 1.146.1 Available under license
- 1.147 swagger-models 2.1.6**
  - 1.147.1 Available under license
- 1.148 checker-qual 3.10.0**
  - 1.148.1 Available under license
- 1.149 jopt-simple 5.0.4**
  - 1.149.1 Available under license
- 1.150 jackson-databind 2.13.2.2**
  - 1.150.1 Available under license

- 1.151 asm-based-accessors-helper-used-by-json-smart 2.4.8**
  - 1.151.1 Available under license
- 1.152 java-architecture-for-xml-binding 2.3.1**
  - 1.152.1 Available under license
- 1.153 apache-httmime 4.5.13**
  - 1.153.1 Available under license
- 1.154 jakarta-expression-language-3.0-implementation 3.0.4**
  - 1.154.1 Available under license
- 1.155 dropwizard-metrics-support 2.0.25**
  - 1.155.1 Available under license
- 1.156 micronaut-test 3.1.1**
  - 1.156.1 Available under license
- 1.157 kafka-schema-registry-client 6.2.1**
  - 1.157.1 Available under license
- 1.158 slf4j-api-module 1.7.32**
  - 1.158.1 Available under license
- 1.159 jersey-media-jaxb 2.31**
  - 1.159.1 Available under license
- 1.160 jakarta-annotations-api 2.0.0**
  - 1.160.1 Available under license
- 1.161 okio 2.8.0**
  - 1.161.1 Available under license
- 1.162 bean-validation-api 2.0.2**
  - 1.162.1 Available under license
- 1.163 javabeans-activation-framework-api 1.2.1**
  - 1.163.1 Available under license
- 1.164 mockito 4.3.1**
  - 1.164.1 Available under license
- 1.165 jcommander-library 1.72**
  - 1.165.1 Available under license
- 1.166 jboss-logging 3.3.2.Final**
  - 1.166.1 Available under license
- 1.167 javax-annotation-api 1.3.2**
  - 1.167.1 Available under license
- 1.168 jdbc3-bom 3.20.1**
  - 1.168.1 Available under license
- 1.169 swagger-core v1.6.2**
  - 1.169.1 Available under license
- 1.170 scala 2.12.15**

- 1.170.1 Available under license
- 1.171 metrics-health-checks 4.0.5**
  - 1.171.1 Available under license
- 1.172 lettuce 5.2.1.RELEASE**
  - 1.172.1 Available under license
- 1.173 jersey-ext-bean-validation 2.33**
  - 1.173.1 Available under license
- 1.174 micronaut-security 3.3.0**
  - 1.174.1 Available under license
- 1.175 antlr 4.8-1**
  - 1.175.1 Available under license
- 1.176 apache-commons-configuration 1.8**
  - 1.176.1 Available under license
- 1.177 metrics-core 4.0.5**
  - 1.177.1 Available under license
- 1.178 reactive-streams v1.0.3**
  - 1.178.1 Available under license
- 1.179 micronaut 3.3.4**
  - 1.179.1 Available under license
- 1.180 antlr 2.7.7**
  - 1.180.1 Available under license
- 1.181 caffeine-cache 2.9.2**
  - 1.181.1 Available under license
- 1.182 netty/transport/classes/epoll 4.1.76.Final**
  - 1.182.1 Available under license
- 1.183 disruptor-framework 3.4.2**
  - 1.183.1 Available under license
- 1.184 jul-to-slf4j-bridge 1.7.26**
  - 1.184.1 Available under license
- 1.185 xmlunit-xmlunit-core 2.8.0**
  - 1.185.1 Available under license
- 1.186 apache-commons-lang 2.6**
  - 1.186.1 Available under license
- 1.187 javax-inject1-as-osgi-bundle 2.6.1**
  - 1.187.1 Available under license
- 1.188 saxon-xslt-and-xquery-processor 10.3**
  - 1.188.1 Available under license
- 1.189 micronaut-kubernetes 3.4.0**
  - 1.189.1 Available under license

- 1.190 apache-commons-math 3.4.1**
  - 1.190.1 Available under license
- 1.191 beanshell 2.0b6**
  - 1.191.1 Available under license
- 1.192 micronaut-oracle-cloud 2.0.4**
  - 1.192.1 Available under license
- 1.193 protocol-buffer-java-api 3.19.3**
  - 1.193.1 Available under license
- 1.194 jetbrains-annotations 13.0**
  - 1.194.1 Available under license
- 1.195 byte-buddy-agent 1.9.10**
  - 1.195.1 Available under license
- 1.196 micronaut-r2dbc 2.1.0**
  - 1.196.1 Available under license
- 1.197 apache-zookeeper-jute 3.6.3**
  - 1.197.1 Available under license
- 1.198 micronaut-test 3.0.5**
  - 1.198.1 Available under license
- 1.199 javamail-api-no-providers 1.6.2**
  - 1.199.1 Available under license
- 1.200 rxjava 1.2.9**
  - 1.200.1 Available under license
- 1.201 jackson-module-scala 2.13.2**
  - 1.201.1 Available under license
- 1.202 kafka-protobuf-provider 5.5.5**
  - 1.202.1 Available under license
- 1.203 jackson-core 2.13.2**
  - 1.203.1 Available under license
- 1.204 feign-core 8.18.0**
  - 1.204.1 Available under license
- 1.205 objenesis 2.6**
  - 1.205.1 Available under license
- 1.206 rxjava 2.1.10**
  - 1.206.1 Available under license
- 1.207 netty-project 4.1.73.Final**
  - 1.207.1 Available under license
- 1.208 jta 1.3.3**
  - 1.208.1 Available under license
- 1.209 micronaut-cache 3.3.0**

- 1.209.1 Available under license
- 1.210 micronaut-security 3.5.0**
  - 1.210.1 Available under license
- 1.211 kotlin-stdlib 1.6.10**
  - 1.211.1 Available under license
- 1.212 micronaut-aws 3.2.1**
  - 1.212.1 Available under license
- 1.213 swagger-parser-v3 2.0.26**
  - 1.213.1 Available under license
- 1.214 checker-qual 3.5.0**
  - 1.214.1 Available under license
- 1.215 slf4j-api-module 1.7.25**
- 1.216 rxjava 1.3.8**
  - 1.216.1 Available under license
- 1.217 micronaut-kubernetes 3.3.0**
  - 1.217.1 Available under license
- 1.218 hk2-api-module 2.6.1**
  - 1.218.1 Available under license
- 1.219 io-swagger-swagger-annotations 2.1.6**
  - 1.219.1 Available under license
- 1.220 servicelocator-default-implementation 2.6.1**
  - 1.220.1 Available under license
- 1.221 kafka-avro-serializer 6.2.1**
  - 1.221.1 Available under license
- 1.222 asm 8.0.1**
  - 1.222.1 Available under license
- 1.223 kotlinx-coroutines-bom 1.5.1**
  - 1.223.1 Available under license
- 1.224 micronaut-tracing 4.0.3**
  - 1.224.1 Available under license
- 1.225 jackson-datatype-guava 2.13.2**
  - 1.225.1 Available under license
- 1.226 okio 2.8.0**
  - 1.226.1 Available under license
- 1.227 jakarta-dependency-injection 2.0.1**
  - 1.227.1 Available under license
- 1.228 micronaut-data 3.3.0**
  - 1.228.1 Available under license
- 1.229 rest-assured-common 4.3.3**

- 1.229.1 Available under license
- 1.230 bson 4.3.4**
  - 1.230.1 Available under license
- 1.231 metrics-utility-servlets 4.0.5**
  - 1.231.1 Available under license
- 1.232 joda-time v2.10.10**
  - 1.232.1 Available under license
- 1.233 ktor-bom 1.6.1**
  - 1.233.1 Available under license
- 1.234 jackson-jaxrs 2.13.2**
  - 1.234.1 Available under license
- 1.235 stringtemplate4 4.0.8**
  - 1.235.1 Available under license
- 1.236 micronaut-aws 3.1.1**
  - 1.236.1 Available under license
- 1.237 hdrhistogram 2.1.9**
  - 1.237.1 Available under license
- 1.238 asm 9.1**
  - 1.238.1 Available under license
- 1.239 swagger-core 2.1.7**
  - 1.239.1 Available under license
- 1.240 paranamer-core 2.8**
  - 1.240.1 Available under license
- 1.241 tagsoup 1.2.1**
  - 1.241.1 Available under license
- 1.242 jackson-datatype-jsr310 2.13.2**
  - 1.242.1 Available under license
- 1.243 checker-qual 3.12.0**
  - 1.243.1 Available under license
- 1.244 micronaut-reactor 2.2.2**
  - 1.244.1 Available under license
- 1.245 jackson-dataformat-yaml 2.13.2**
  - 1.245.1 Available under license
- 1.246 micronaut-micrometer 4.2.0**
  - 1.246.1 Available under license
- 1.247 scala-collection-compat 2.4.4**
  - 1.247.1 Available under license
- 1.248 jackson-datatype-jdk8 2.13.2**
  - 1.248.1 Available under license

- 1.249 findbugs-annotations 2.0.1**
  - 1.249.1 Available under license
- 1.250 cloudevents---api 2.1.1**
  - 1.250.1 Available under license
- 1.251 jedis jedis-3.0.1**
  - 1.251.1 Available under license
- 1.252 mockserver-core 5.11.2**
  - 1.252.1 Available under license
- 1.253 kafka-protobuf-serializer 5.5.5**
  - 1.253.1 Available under license
- 1.254 apache-commons-lang 3.12.0**
  - 1.254.1 Available under license
- 1.255 junit-5-bill-of-materials 5.8.2**
  - 1.255.1 Available under license
- 1.256 google-gson 2.8.5**
  - 1.256.1 Available under license
- 1.257 java-servlet-api 4.0.1**
  - 1.257.1 Available under license
- 1.258 micronaut-problem-json 2.2.2**
  - 1.258.1 Available under license
- 1.259 joda-time v2.10.8**
  - 1.259.1 Available under license
- 1.260 jackson-module-afterburner 2.13.2**
  - 1.260.1 Available under license
- 1.261 jackson-coreutils 2.0**
  - 1.261.1 Available under license
- 1.262 io-grpc-grpc-context 1.30.2**
  - 1.262.1 Available under license
- 1.263 j2objc-annotations 1.3**
  - 1.263.1 Available under license
- 1.264 rest-assured 4.3.3**
  - 1.264.1 Available under license
- 1.265 checkstyle 8.39**
  - 1.265.1 Available under license
- 1.266 findbugs-jsr305 3.0.2**
  - 1.266.1 Available under license
- 1.267 guava 30.1.1-jre**
  - 1.267.1 Available under license
- 1.268 metrics-jetty 4.1.25**



- 1.268.1 Available under license
- 1.269 jackson-annotations 2.13.2**
  - 1.269.1 Available under license
- 1.270 kafka-schema-serializer 6.2.1**
  - 1.270.1 Available under license
- 1.271 apache-kafka 6.2.1-ccs**
  - 1.271.1 Available under license
- 1.272 trove-for-java 3.0.3**
  - 1.272.1 Available under license
- 1.273 jersey-ext-metainf-services 2.33**
  - 1.273.1 Available under license
- 1.274 apache-groovy 3.0.10**
  - 1.274.1 Available under license
- 1.275 jackson-module:-guice 2.13.2**
  - 1.275.1 Available under license
- 1.276 apache-commons-collections 3.2.2**
  - 1.276.1 Available under license
- 1.277 micronaut-flyway 5.2.0**
  - 1.277.1 Available under license
- 1.278 apache-commons-text 1.9**
  - 1.278.1 Available under license
- 1.279 apache-commons-cli 1.4**
  - 1.279.1 Available under license
- 1.280 jakarta-persistence-api 3.0.0**
  - 1.280.1 Available under license
- 1.281 apache-httpcomponents-asyncclient 4.1.4**
  - 1.281.1 Available under license
- 1.282 json-smart 2.4.8**
  - 1.282.1 Available under license
- 1.283 log4j-over-slf4j 1.7.32**
  - 1.283.1 Available under license
- 1.284 reactive-relational-database-connectivity-bill-of-materials Arabba-SR9**
  - 1.284.1 Available under license
- 1.285 jersey's-jersey 2.35**
  - 1.285.1 Available under license
- 1.286 reactor-core 3.4.15**
  - 1.286.1 Available under license
- 1.287 jersey-core-server 2.33**
  - 1.287.1 Available under license

- 1.288 micronaut-micrometer 4.1.1**
  - 1.288.1 Available under license
- 1.289 dropwizard-jackson-support 2.0.25**
  - 1.289.1 Available under license
- 1.290 apache-kafka 2.8.1**
  - 1.290.1 Available under license
- 1.291 apache-groovy 3.0.10**
  - 1.291.1 Available under license
- 1.292 antlr 4.7.1**
  - 1.292.1 Available under license
- 1.293 slf4j-api-module 1.7.29**
  - 1.293.1 Available under license
- 1.294 micronaut 2.0.0**
  - 1.294.1 Available under license
- 1.295 jackson-module-parameter-names 2.13.2**
  - 1.295.1 Available under license
- 1.296 mockserver 5.11.2**
  - 1.296.1 Available under license
- 1.297 reactive-relational-database-connectivity-bill-of-materials Arabba-SR11**
  - 1.297.1 Available under license
- 1.298 apache-httpcomponents-core 4.4.13**
  - 1.298.1 Available under license
- 1.299 java-servlet-api 4.0.4**
  - 1.299.1 Available under license
- 1.300 mockito 3.0.0**
  - 1.300.1 Available under license
- 1.301 metrics-core 4.1.25**
  - 1.301.1 Available under license
- 1.302 protocol-buffers-[bom] 3.17.2**
  - 1.302.1 Available under license
- 1.303 cloudevents---kafka-transport-binding 2.1.1**
  - 1.303.1 Available under license
- 1.304 bean-validation-api 2.0.1**
  - 1.304.1 Available under license
- 1.305 netty-project 4.1.76.Final**
  - 1.305.1 Available under license
- 1.306 protocol-buffer-java-util-package 3.17.2**
  - 1.306.1 Available under license
- 1.307 swagger-parser 2.0.26**

- 1.307.1 Available under license
- 1.308 micronaut-kafka 4.3.0**
  - 1.308.1 Available under license
- 1.309 jax-rs-core-api 3.0.12.Final**
  - 1.309.1 Available under license
- 1.310 feign-httpclient 8.18.0**
  - 1.310.1 Available under license
- 1.311 kotlin-libraries-bill-of-materials 1.6.10**
  - 1.311.1 Available under license
- 1.312 swagger-integration 2.1.6**
  - 1.312.1 Available under license
- 1.313 io-grpc-grpc-context 1.39.0**
  - 1.313.1 Available under license
- 1.314 rxjava 2.2.10**
  - 1.314.1 Available under license
- 1.315 dropwizard-logging-support 2.0.25**
  - 1.315.1 Available under license
- 1.316 micronaut-mqtt 2.1.0**
  - 1.316.1 Available under license
- 1.317 io-swagger-swagger-annotations 2.1.7**
  - 1.317.1 Available under license
- 1.318 feign-jaxrs 8.18.0**
  - 1.318.1 Available under license
- 1.319 reactor-core 3.4.14**
  - 1.319.1 Available under license
- 1.320 dropwizard-jersey-support 2.0.25**
  - 1.320.1 Available under license
- 1.321 objenesis 3.2**
  - 1.321.1 Available under license
- 1.322 error\_prone\_annotations 2.3.4**
  - 1.322.1 Available under license
- 1.323 apache-groovy 3.0.9**
  - 1.323.1 Available under license
- 1.324 btf 1.3**
  - 1.324.1 Available under license
- 1.325 feign-jackson 8.18.0**
  - 1.325.1 Available under license
- 1.326 micronaut-groovy 3.0.0**
  - 1.326.1 Available under license

### **1.327 openapi/swagger-support 4.0.0**

1.327.1 Available under license

### **1.328 jakarta-annotations-api 1.3.5**

1.328.1 Available under license

### **1.329 antlr 3.5.2**

1.329.1 Available under license

### **1.330 error\_prone\_annotations 2.7.1**

1.330.1 Available under license

### **1.331 icu4j 68.2**

1.331.1 Available under license

### **1.332 antlr-4-tool 4.7.1**

1.332.1 Available under license

### **1.333 hibernate-validator 6.1.5.Final**

1.333.1 Available under license

### **1.334 expression-language 3.0.1-b11**

1.334.1 Available under license

### **1.335 micronaut 3.4.1**

1.335.1 Available under license

### **1.336 json-schema-validator 2.2.14**

1.336.1 Available under license

### **1.337 apache-groovy 3.0.7**

1.337.1 Available under license

### **1.338 mongo-java-driver 4.3.4**

1.338.1 Available under license

### **1.339 kqueue 4.1.48.Final**

1.339.1 Available under license

### **1.340 micronaut-mongodb 4.1.0**

1.340.1 Available under license

### **1.341 io-swagger-swagger-annotations 2.1.12**

1.341.1 Available under license

### **1.342 java-classmate classmate-1.5.1**

1.342.1 Available under license

### **1.343 jakarta-ws-rs-api 2.1.6**

1.343.1 Available under license

### **1.344 netty-project 4.1.72**

1.344.1 Available under license

### **1.345 dropwizard-configuration-support 2.0.25**

1.345.1 Available under license

### **1.346 jackson-dataformat-csv 2.13.2**

- 1.346.1 Available under license
- 1.347 kafka-streams-avro-serde 6.2.1**
  - 1.347.1 Available under license
- 1.348 logback-core 1.2.10**
  - 1.348.1 Available under license
- 1.349 micronaut-data 3.3.0**
  - 1.349.1 Available under license
- 1.350 dropwizard-utility-classes 2.0.25**
  - 1.350.1 Available under license
- 1.351 json-path 4.3.3**
  - 1.351.1 Available under license
- 1.352 cloudevents---core 2.1.1**
  - 1.352.1 Available under license
- 1.353 apache-kafka 3.0.0**
  - 1.353.1 Available under license
- 1.354 spring-data-commons 2.5.1**
  - 1.354.1 Available under license
- 1.355 classgraph 4.8.65**
  - 1.355.1 Available under license
- 1.356 java-uuid-generator java-uuid-generator-4.0.1**
  - 1.356.1 Available under license
- 1.357 micrometer-bom 1.8.0**
  - 1.357.1 Available under license
- 1.358 micronaut-r2dbc 2.0.0**
  - 1.358.1 Available under license
- 1.359 javassist 3\_26\_0\_ga**
  - 1.359.1 Available under license
- 1.360 micronaut-gcp 4.1.1**
  - 1.360.1 Available under license
- 1.361 wire-schema 3.6.0**
  - 1.361.1 Available under license
- 1.362 commons-compress 1.21**
  - 1.362.1 Available under license
- 1.363 spring-data-mongodb 3.2.1**
  - 1.363.1 Available under license
- 1.364 jersey-media-json-jackson 2.31**
  - 1.364.1 Available under license
- 1.365 micronaut-coherence 3.0.1**
  - 1.365.1 Available under license

## **1.366 apache-kafka 3.0.0**

1.366.1 Available under license

## **1.367 swagger-models 1.6.2**

1.367.1 Available under license

## **1.368 google-guice 4.0**

1.368.1 Available under license

## **1.369 jacoco v0.8.6**

1.369.1 Available under license

## **1.370 apache-commons-lang 3.11**

1.370.1 Available under license

# **1.1 swagger-core 2.1.6**

## **1.1.1 Available under license :**

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but

not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their

Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with



the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.  
Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.
6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. **Disclaimer of Warranty.** Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. **Limitation of Liability.** In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. **Accepting Warranty or Additional Liability.** While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright 2020 SmartBear Software Inc.

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

# 1.2 wire-multiplatform-runtime-(experimental)

## 3.6.0

### 1.2.1 Available under license :

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity

on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
  - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
  - (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
  - (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
  - (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one

of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a

result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

## 1.3 google-guice 4.1.0

## 1.3.1 Available under license :

Google Guice - Core Library  
Copyright 2006-2016 Google, Inc.

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object

form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.



4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a

file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

## 1.4 apache-commons-jexl 3.1

### 1.4.1 Available under license :

Apache Commons JEXL  
Copyright 2001-2017 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

#### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

##### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the

outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable

copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and

do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

# 1.5 unboundid-scim2-sdk-common 2.3.6

## 1.5.1 Available under license :

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2016-2020 Ping Identity Corporation

\*

\* This program is free software; you can redistribute it and/or modify

\* it under the terms of the GNU General Public License (GPLv2 only)  
\* or the terms of the GNU Lesser General Public License (LGPLv2.1 only)  
\* as published by the Free Software Foundation.  
\*  
\* This program is distributed in the hope that it will be useful,  
\* but WITHOUT ANY WARRANTY; without even the implied warranty of  
\* MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the  
\* GNU General Public License for more details.  
\*  
\* You should have received a copy of the GNU General Public License  
\* along with this program; if not, see <<http://www.gnu.org/licenses>>.  
\*/

Found in path(s):

\* /opt/cola/permits/1340031433\_1654671331.583195/0/scim2-sdk-common-2-3-6-sources-jar/com/unboundid/scim2/common/utils/MapperFactory.java  
\* /opt/cola/permits/1340031433\_1654671331.583195/0/scim2-sdk-common-2-3-6-sources-jar/com/unboundid/scim2/common/utils/JsonDiff.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2019-2020 Ping Identity Corporation  
\*  
\* This program is free software; you can redistribute it and/or modify  
\* it under the terms of the GNU General Public License (GPLv2 only)  
\* or the terms of the GNU Lesser General Public License (LGPLv2.1 only)  
\* as published by the Free Software Foundation.  
\*  
\* This program is distributed in the hope that it will be useful,  
\* but WITHOUT ANY WARRANTY; without even the implied warranty of  
\* MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the  
\* GNU General Public License for more details.  
\*  
\* You should have received a copy of the GNU General Public License  
\* along with this program; if not, see <<http://www.gnu.org/licenses>>.  
\*/

Found in path(s):

\* /opt/cola/permits/1340031433\_1654671331.583195/0/scim2-sdk-common-2-3-6-sources-jar/com/unboundid/scim2/common/utils/DateSerializer.java  
\* /opt/cola/permits/1340031433\_1654671331.583195/0/scim2-sdk-common-2-3-6-sources-jar/com/unboundid/scim2/common/types/GroupResource.java  
\* /opt/cola/permits/1340031433\_1654671331.583195/0/scim2-sdk-common-2-3-6-sources-jar/com/unboundid/scim2/common/utils/DateTimeUtils.java  
\* /opt/cola/permits/1340031433\_1654671331.583195/0/scim2-sdk-common-2-3-6-sources-jar/com/unboundid/scim2/common/utils/DateDeserializer.java  
\* /opt/cola/permits/1340031433\_1654671331.583195/0/scim2-sdk-common-2-3-6-sources-jar/com/unboundid/scim2/common/utils/CalendarDeserializer.java



```
* /opt/cola/permits/1340031433_1654671331.583195/0/scim2-sdk-common-2-3-6-sources-
jar/com/unboundid/scim2/common/utils/CalendarSerializer.java
* /opt/cola/permits/1340031433_1654671331.583195/0/scim2-sdk-common-2-3-6-sources-
jar/com/unboundid/scim2/common/types/Member.java
No license file was found, but licenses were detected in source scan.
```

```
/*
* Copyright 2015-2020 Ping Identity Corporation
*
* This program is free software; you can redistribute it and/or modify
* it under the terms of the GNU General Public License (GPLv2 only)
* or the terms of the GNU Lesser General Public License (LGPLv2.1 only)
* as published by the Free Software Foundation.
*
* This program is distributed in the hope that it will be useful,
* but WITHOUT ANY WARRANTY; without even the implied warranty of
* MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
* GNU General Public License for more details.
*
* You should have received a copy of the GNU General Public License
* along with this program; if not, see <http://www.gnu.org/licenses>.
*/
```

Found in path(s):

```
* /opt/cola/permits/1340031433_1654671331.583195/0/scim2-sdk-common-2-3-6-sources-
jar/com/unboundid/scim2/common/utils/GenericScimObjectSerializer.java
* /opt/cola/permits/1340031433_1654671331.583195/0/scim2-sdk-common-2-3-6-sources-
jar/com/unboundid/scim2/common/types/SchemaResource.java
* /opt/cola/permits/1340031433_1654671331.583195/0/scim2-sdk-common-2-3-6-sources-
jar/com/unboundid/scim2/common/filters/package-info.java
* /opt/cola/permits/1340031433_1654671331.583195/0/scim2-sdk-common-2-3-6-sources-
jar/com/unboundid/scim2/common/exceptions/ScimException.java
* /opt/cola/permits/1340031433_1654671331.583195/0/scim2-sdk-common-2-3-6-sources-
jar/com/unboundid/scim2/common/types/BulkConfig.java
* /opt/cola/permits/1340031433_1654671331.583195/0/scim2-sdk-common-2-3-6-sources-
jar/com/unboundid/scim2/common/types/ChangePasswordConfig.java
* /opt/cola/permits/1340031433_1654671331.583195/0/scim2-sdk-common-2-3-6-sources-
jar/com/unboundid/scim2/common/exceptions/ForbiddenException.java
* /opt/cola/permits/1340031433_1654671331.583195/0/scim2-sdk-common-2-3-6-sources-
jar/com/unboundid/scim2/common/messages/SortOrder.java
* /opt/cola/permits/1340031433_1654671331.583195/0/scim2-sdk-common-2-3-6-sources-
jar/com/unboundid/scim2/common/filters/OrFilter.java
* /opt/cola/permits/1340031433_1654671331.583195/0/scim2-sdk-common-2-3-6-sources-
jar/com/unboundid/scim2/common/messages/ErrorResponse.java
* /opt/cola/permits/1340031433_1654671331.583195/0/scim2-sdk-common-2-3-6-sources-
jar/com/unboundid/scim2/common/filters/LessThanFilter.java
* /opt/cola/permits/1340031433_1654671331.583195/0/scim2-sdk-common-2-3-6-sources-
jar/com/unboundid/scim2/common/utils/StaticUtils.java
```

\* /opt/cola/permits/1340031433\_1654671331.583195/0/scim2-sdk-common-2-3-6-sources-jar/com/unboundid/scim2/common/utils/ScimFilterJsonParser.java

\* /opt/cola/permits/1340031433\_1654671331.583195/0/scim2-sdk-common-2-3-6-sources-jar/com/unboundid/scim2/common/filters/NotEqualFilter.java

\* /opt/cola/permits/1340031433\_1654671331.583195/0/scim2-sdk-common-2-3-6-sources-jar/com/unboundid/scim2/common/types/ETagConfig.java

\* /opt/cola/permits/1340031433\_1654671331.583195/0/scim2-sdk-common-2-3-6-sources-jar/com/unboundid/scim2/common/messages/PatchOperation.java

\* /opt/cola/permits/1340031433\_1654671331.583195/0/scim2-sdk-common-2-3-6-sources-jar/com/unboundid/scim2/common/utils/JsonUtils.java

\* /opt/cola/permits/1340031433\_1654671331.583195/0/scim2-sdk-common-2-3-6-sources-jar/com/unboundid/scim2/common/utils/JsonRefBeanSerializer.java

\* /opt/cola/permits/1340031433\_1654671331.583195/0/scim2-sdk-common-2-3-6-sources-jar/com/unboundid/scim2/common/utils/ScimJsonFactory.java

\* /opt/cola/permits/1340031433\_1654671331.583195/0/scim2-sdk-common-2-3-6-sources-jar/com/unboundid/scim2/common/BaseScimResource.java

\* /opt/cola/permits/1340031433\_1654671331.583195/0/scim2-sdk-common-2-3-6-sources-jar/com/unboundid/scim2/common/filters/NotFilter.java

\* /opt/cola/permits/1340031433\_1654671331.583195/0/scim2-sdk-common-2-3-6-sources-jar/com/unboundid/scim2/common/utils/SchemaUtils.java

\* /opt/cola/permits/1340031433\_1654671331.583195/0/scim2-sdk-common-2-3-6-sources-jar/com/unboundid/scim2/common/exceptions/NotModifiedException.java

\* /opt/cola/permits/1340031433\_1654671331.583195/0/scim2-sdk-common-2-3-6-sources-jar/com/unboundid/scim2/common/exceptions/NotImplementedException.java

\* /opt/cola/permits/1340031433\_1654671331.583195/0/scim2-sdk-common-2-3-6-sources-jar/com/unboundid/scim2/common/filters/GreaterThanFilter.java

\* /opt/cola/permits/1340031433\_1654671331.583195/0/scim2-sdk-common-2-3-6-sources-jar/com/unboundid/scim2/common/types/X509Certificate.java

\* /opt/cola/permits/1340031433\_1654671331.583195/0/scim2-sdk-common-2-3-6-sources-jar/com/unboundid/scim2/common/exceptions/UnauthorizedException.java

\* /opt/cola/permits/1340031433\_1654671331.583195/0/scim2-sdk-common-2-3-6-sources-jar/com/unboundid/scim2/common/types/JsonReference.java

\* /opt/cola/permits/1340031433\_1654671331.583195/0/scim2-sdk-common-2-3-6-sources-jar/com/unboundid/scim2/common/types/Meta.java

\* /opt/cola/permits/1340031433\_1654671331.583195/0/scim2-sdk-common-2-3-6-sources-jar/com/unboundid/scim2/common/exceptions/ResourceNotFoundException.java

\* /opt/cola/permits/1340031433\_1654671331.583195/0/scim2-sdk-common-2-3-6-sources-jar/com/unboundid/scim2/common/types/Role.java

\* /opt/cola/permits/1340031433\_1654671331.583195/0/scim2-sdk-common-2-3-6-sources-jar/com/unboundid/scim2/common/utils/DebugType.java

\* /opt/cola/permits/1340031433\_1654671331.583195/0/scim2-sdk-common-2-3-6-sources-jar/com/unboundid/scim2/common/types/PhoneNumber.java

\* /opt/cola/permits/1340031433\_1654671331.583195/0/scim2-sdk-common-2-3-6-sources-jar/com/unboundid/scim2/common/filters/CombiningFilter.java

\* /opt/cola/permits/1340031433\_1654671331.583195/0/scim2-sdk-common-2-3-6-sources-jar/com/unboundid/scim2/common/utils/GenericScimObjectDeserializer.java

\* /opt/cola/permits/1340031433\_1654671331.583195/0/scim2-sdk-common-2-3-6-sources-jar/com/unboundid/scim2/common/exceptions/package-info.java

\* /opt/cola/permits/1340031433\_1654671331.583195/0/scim2-sdk-common-2-3-6-sources-jar/com/unboundid/scim2/common/types/InstantMessagingAddress.java  
\* /opt/cola/permits/1340031433\_1654671331.583195/0/scim2-sdk-common-2-3-6-sources-jar/com/unboundid/scim2/common/filters/GreaterThanOrEqualToFilter.java  
\* /opt/cola/permits/1340031433\_1654671331.583195/0/scim2-sdk-common-2-3-6-sources-jar/com/unboundid/scim2/common/types/Manager.java  
\* /opt/cola/permits/1340031433\_1654671331.583195/0/scim2-sdk-common-2-3-6-sources-jar/com/unboundid/scim2/common/types/Photo.java  
\* /opt/cola/permits/1340031433\_1654671331.583195/0/scim2-sdk-common-2-3-6-sources-jar/com/unboundid/scim2/common/filters/LessThanOrEqualToFilter.java  
\* /opt/cola/permits/1340031433\_1654671331.583195/0/scim2-sdk-common-2-3-6-sources-jar/com/unboundid/scim2/common/types/EnterpriseUserExtension.java  
\* /opt/cola/permits/1340031433\_1654671331.583195/0/scim2-sdk-common-2-3-6-sources-jar/com/unboundid/scim2/common/GenericScimResource.java  
\* /opt/cola/permits/1340031433\_1654671331.583195/0/scim2-sdk-common-2-3-6-sources-jar/com/unboundid/scim2/common/package-info.java  
\* /opt/cola/permits/1340031433\_1654671331.583195/0/scim2-sdk-common-2-3-6-sources-jar/com/unboundid/scim2/common/types/FilterConfig.java  
\* /opt/cola/permits/1340031433\_1654671331.583195/0/scim2-sdk-common-2-3-6-sources-jar/com/unboundid/scim2/common/types/UserResource.java  
\* /opt/cola/permits/1340031433\_1654671331.583195/0/scim2-sdk-common-2-3-6-sources-jar/com/unboundid/scim2/common/filters/StartsWithFilter.java  
\* /opt/cola/permits/1340031433\_1654671331.583195/0/scim2-sdk-common-2-3-6-sources-jar/com/unboundid/scim2/common/utils/StatusDeserializer.java  
\* /opt/cola/permits/1340031433\_1654671331.583195/0/scim2-sdk-common-2-3-6-sources-jar/com/unboundid/scim2/common/utils/CaseIgnoreMap.java  
\* /opt/cola/permits/1340031433\_1654671331.583195/0/scim2-sdk-common-2-3-6-sources-jar/com/unboundid/scim2/common/utils/ScimDateFormat.java  
\* /opt/cola/permits/1340031433\_1654671331.583195/0/scim2-sdk-common-2-3-6-sources-jar/com/unboundid/scim2/common/utils/StatusSerializer.java  
\* /opt/cola/permits/1340031433\_1654671331.583195/0/scim2-sdk-common-2-3-6-sources-jar/com/unboundid/scim2/common/exceptions/ServerErrorException.java  
\* /opt/cola/permits/1340031433\_1654671331.583195/0/scim2-sdk-common-2-3-6-sources-jar/com/unboundid/scim2/common/filters/Filter.java  
\* /opt/cola/permits/1340031433\_1654671331.583195/0/scim2-sdk-common-2-3-6-sources-jar/com/unboundid/scim2/common/exceptions/PreconditionFailedException.java  
\* /opt/cola/permits/1340031433\_1654671331.583195/0/scim2-sdk-common-2-3-6-sources-jar/com/unboundid/scim2/common/messages/package-info.java  
\* /opt/cola/permits/1340031433\_1654671331.583195/0/scim2-sdk-common-2-3-6-sources-jar/com/unboundid/scim2/common/types/package-info.java  
\* /opt/cola/permits/1340031433\_1654671331.583195/0/scim2-sdk-common-2-3-6-sources-jar/com/unboundid/scim2/common/utils/Parser.java  
\* /opt/cola/permits/1340031433\_1654671331.583195/0/scim2-sdk-common-2-3-6-sources-jar/com/unboundid/scim2/common/messages/PatchRequest.java  
\* /opt/cola/permits/1340031433\_1654671331.583195/0/scim2-sdk-common-2-3-6-sources-jar/com/unboundid/scim2/common/types/Name.java  
\* /opt/cola/permits/1340031433\_1654671331.583195/0/scim2-sdk-common-2-3-6-sources-jar/com/unboundid/scim2/common/types/ResourceTypeResource.java

\* /opt/cola/permits/1340031433\_1654671331.583195/0/scim2-sdk-common-2-3-6-sources-jar/com/unboundid/scim2/common/messages/PatchOpType.java

\* /opt/cola/permits/1340031433\_1654671331.583195/0/scim2-sdk-common-2-3-6-sources-jar/com/unboundid/scim2/common/filters/FilterVisitor.java

\* /opt/cola/permits/1340031433\_1654671331.583195/0/scim2-sdk-common-2-3-6-sources-jar/com/unboundid/scim2/common/annotations/Schema.java

\* /opt/cola/permits/1340031433\_1654671331.583195/0/scim2-sdk-common-2-3-6-sources-jar/com/unboundid/scim2/common/Path.java

\* /opt/cola/permits/1340031433\_1654671331.583195/0/scim2-sdk-common-2-3-6-sources-jar/com/unboundid/scim2/common/ScimResource.java

\* /opt/cola/permits/1340031433\_1654671331.583195/0/scim2-sdk-common-2-3-6-sources-jar/com/unboundid/scim2/common/exceptions/ResourceConflictException.java

\* /opt/cola/permits/1340031433\_1654671331.583195/0/scim2-sdk-common-2-3-6-sources-jar/com/unboundid/scim2/common/types/Entitlement.java

\* /opt/cola/permits/1340031433\_1654671331.583195/0/scim2-sdk-common-2-3-6-sources-jar/com/unboundid/scim2/common/types/Group.java

\* /opt/cola/permits/1340031433\_1654671331.583195/0/scim2-sdk-common-2-3-6-sources-jar/com/unboundid/scim2/common/annotations/Attribute.java

\* /opt/cola/permits/1340031433\_1654671331.583195/0/scim2-sdk-common-2-3-6-sources-jar/com/unboundid/scim2/common/filters/PresentFilter.java

\* /opt/cola/permits/1340031433\_1654671331.583195/0/scim2-sdk-common-2-3-6-sources-jar/com/unboundid/scim2/common/filters/FilterType.java

\* /opt/cola/permits/1340031433\_1654671331.583195/0/scim2-sdk-common-2-3-6-sources-jar/com/unboundid/scim2/common/messages/ListResponse.java

\* /opt/cola/permits/1340031433\_1654671331.583195/0/scim2-sdk-common-2-3-6-sources-jar/com/unboundid/scim2/common/exceptions/BadRequestException.java

\* /opt/cola/permits/1340031433\_1654671331.583195/0/scim2-sdk-common-2-3-6-sources-jar/com/unboundid/scim2/common/utils/ApiConstants.java

\* /opt/cola/permits/1340031433\_1654671331.583195/0/scim2-sdk-common-2-3-6-sources-jar/com/unboundid/scim2/common/annotations/package-info.java

\* /opt/cola/permits/1340031433\_1654671331.583195/0/scim2-sdk-common-2-3-6-sources-jar/com/unboundid/scim2/common/filters/EqualFilter.java

\* /opt/cola/permits/1340031433\_1654671331.583195/0/scim2-sdk-common-2-3-6-sources-jar/com/unboundid/scim2/common/utils/ScimJsonNodeFactory.java

\* /opt/cola/permits/1340031433\_1654671331.583195/0/scim2-sdk-common-2-3-6-sources-jar/com/unboundid/scim2/common/filters/AndFilter.java

\* /opt/cola/permits/1340031433\_1654671331.583195/0/scim2-sdk-common-2-3-6-sources-jar/com/unboundid/scim2/common/types/SortConfig.java

\* /opt/cola/permits/1340031433\_1654671331.583195/0/scim2-sdk-common-2-3-6-sources-jar/com/unboundid/scim2/common/types/AuthenticationScheme.java

\* /opt/cola/permits/1340031433\_1654671331.583195/0/scim2-sdk-common-2-3-6-sources-jar/com/unboundid/scim2/common/utils/Debug.java

\* /opt/cola/permits/1340031433\_1654671331.583195/0/scim2-sdk-common-2-3-6-sources-jar/com/unboundid/scim2/common/messages/SearchRequest.java

\* /opt/cola/permits/1340031433\_1654671331.583195/0/scim2-sdk-common-2-3-6-sources-jar/com/unboundid/scim2/common/types/AttributeDefinition.java

\* /opt/cola/permits/1340031433\_1654671331.583195/0/scim2-sdk-common-2-3-6-sources-jar/com/unboundid/scim2/common/filters/ContainsFilter.java

\* /opt/cola/permits/1340031433\_1654671331.583195/0/scim2-sdk-common-2-3-6-sources-jar/com/unboundid/scim2/common/filters/ComplexValueFilter.java  
\* /opt/cola/permits/1340031433\_1654671331.583195/0/scim2-sdk-common-2-3-6-sources-jar/com/unboundid/scim2/common/types/PatchConfig.java  
\* /opt/cola/permits/1340031433\_1654671331.583195/0/scim2-sdk-common-2-3-6-sources-jar/com/unboundid/scim2/common/utils/FilterEvaluator.java  
\* /opt/cola/permits/1340031433\_1654671331.583195/0/scim2-sdk-common-2-3-6-sources-jar/com/unboundid/scim2/common/utils/CaseIgnoreObjectNode.java  
\* /opt/cola/permits/1340031433\_1654671331.583195/0/scim2-sdk-common-2-3-6-sources-jar/com/unboundid/scim2/common/utils/package-info.java  
\* /opt/cola/permits/1340031433\_1654671331.583195/0/scim2-sdk-common-2-3-6-sources-jar/com/unboundid/scim2/common/types/Address.java  
\* /opt/cola/permits/1340031433\_1654671331.583195/0/scim2-sdk-common-2-3-6-sources-jar/com/unboundid/scim2/common/types/Email.java  
\* /opt/cola/permits/1340031433\_1654671331.583195/0/scim2-sdk-common-2-3-6-sources-jar/com/unboundid/scim2/common/types/ServiceProviderConfigResource.java  
\* /opt/cola/permits/1340031433\_1654671331.583195/0/scim2-sdk-common-2-3-6-sources-jar/com/unboundid/scim2/common/filters/ComparisonFilter.java  
\* /opt/cola/permits/1340031433\_1654671331.583195/0/scim2-sdk-common-2-3-6-sources-jar/com/unboundid/scim2/common/exceptions/MethodNotAllowedException.java  
\* /opt/cola/permits/1340031433\_1654671331.583195/0/scim2-sdk-common-2-3-6-sources-jar/com/unboundid/scim2/common/filters/EndsWithFilter.java

## 1.6 hystrix-core 1.5.18

### 1.6.1 Available under license :

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

#### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

##### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source

code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

You must give any other recipients of the Work or Derivative Works a copy of this License; and

You must cause any modified files to carry prominent notices stating that You changed the files; and

You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by

reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

### APPENDIX: How to apply the Apache License to your work

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software  
distributed under the License is distributed on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.

## 1.7 checker-qual 2.5.5



## 1.7.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (c) 2005 Brian Goetz and Tim Peierls
 * Released under the Creative Commons Attribution License
 * (http://creativecommons.org/licenses/by/2.5)
 * Official home: http://www.jcip.net
 *
 * Any republication or derived work distributed in source code form
 * must include this copyright and license notice.
 */
```

Found in path(s):

```
*/opt/ws_local/PERMITS_SQL/1046386584_1590042070.56/0/checker-qual-2-5-5-sources-
jar/org/checkerframework/checker/lock/qual/GuardedBy.java
```

# 1.8 micronaut-rxjava-3 2.2.1

## 1.8.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2017-2020 original authors
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * https://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
*/opt/cola/permits/1331474197_1653513200.9120781/0/micronaut-rxjava3-2-2-1-sources-
jar/io/micronaut/rxjava3/instrument/RxInstrumentedComponent.java
*/opt/cola/permits/1331474197_1653513200.9120781/0/micronaut-rxjava3-2-2-1-sources-
jar/io/micronaut/rxjava3/instrument/RxInstrumentedCompletableObserver.java
*/opt/cola/permits/1331474197_1653513200.9120781/0/micronaut-rxjava3-2-2-1-sources-
jar/io/micronaut/rxjava3/converters/RxJava2ToRxJava3ConveterRegistrar.java
*/opt/cola/permits/1331474197_1653513200.9120781/0/micronaut-rxjava3-2-2-1-sources-
jar/io/micronaut/rxjava3/instrument/RxInstrumentedParallelFlowable.java
```

\* /opt/cola/permits/1331474197\_1653513200.9120781/0/micronaut-rxjava3-2-2-1-sources-jar/io/micronaut/rxjava3/instrument/RxInstrumentedSingleObserver.java  
\* /opt/cola/permits/1331474197\_1653513200.9120781/0/micronaut-rxjava3-2-2-1-sources-jar/io/micronaut/rxjava3/instrument/RxInstrumentedConnectableFlowable.java  
\* /opt/cola/permits/1331474197\_1653513200.9120781/0/micronaut-rxjava3-2-2-1-sources-jar/io/micronaut/rxjava3/instrument/RxInstrumentedObserver.java  
\* /opt/cola/permits/1331474197\_1653513200.9120781/0/micronaut-rxjava3-2-2-1-sources-jar/io/micronaut/rxjava3/instrument/RxInstrumentedObservable.java  
\* /opt/cola/permits/1331474197\_1653513200.9120781/0/micronaut-rxjava3-2-2-1-sources-jar/io/micronaut/rxjava3/converters/RxJava3ConverterRegistrar.java  
\* /opt/cola/permits/1331474197\_1653513200.9120781/0/micronaut-rxjava3-2-2-1-sources-jar/io/micronaut/rxjava3/instrument/RxInstrumentedCompletable.java  
\* /opt/cola/permits/1331474197\_1653513200.9120781/0/micronaut-rxjava3-2-2-1-sources-jar/io/micronaut/rxjava3/instrument/RxInstrumentedMaybeObserver.java  
\* /opt/cola/permits/1331474197\_1653513200.9120781/0/micronaut-rxjava3-2-2-1-sources-jar/io/micronaut/rxjava3/instrument/RxInstrumentedConnectableObservable.java  
\* /opt/cola/permits/1331474197\_1653513200.9120781/0/micronaut-rxjava3-2-2-1-sources-jar/io/micronaut/rxjava3/instrument/RxJava3Instrumentation.java  
\* /opt/cola/permits/1331474197\_1653513200.9120781/0/micronaut-rxjava3-2-2-1-sources-jar/io/micronaut/rxjava3/instrument/RxInstrumentedWrappers.java  
\* /opt/cola/permits/1331474197\_1653513200.9120781/0/micronaut-rxjava3-2-2-1-sources-jar/io/micronaut/rxjava3/instrument/RxInstrumentedFlowableSubscriber.java  
\* /opt/cola/permits/1331474197\_1653513200.9120781/0/micronaut-rxjava3-2-2-1-sources-jar/io/micronaut/rxjava3/instrument/RxInstrumentedFlowable.java  
\* /opt/cola/permits/1331474197\_1653513200.9120781/0/micronaut-rxjava3-2-2-1-sources-jar/io/micronaut/rxjava3/instrument/RxInstrumentedSubscriber.java  
\* /opt/cola/permits/1331474197\_1653513200.9120781/0/micronaut-rxjava3-2-2-1-sources-jar/io/micronaut/rxjava3/instrument/RxInstrumentedMaybe.java  
\* /opt/cola/permits/1331474197\_1653513200.9120781/0/micronaut-rxjava3-2-2-1-sources-jar/io/micronaut/rxjava3/instrument/RxInstrumentedSingle.java  
\* /opt/cola/permits/1331474197\_1653513200.9120781/0/micronaut-rxjava3-2-2-1-sources-jar/io/micronaut/rxjava3/instrument/RxInstrumenterFactory.java  
\* /opt/cola/permits/1331474197\_1653513200.9120781/0/micronaut-rxjava3-2-2-1-sources-jar/io/micronaut/rxjava3/instrument/package-info.java

## 1.9 jersey-container-servlet-core 2.33

### 1.9.1 Available under license :

# Notice for Jersey

This content is produced and maintained by the Eclipse Jersey project.

\* Project home: <https://projects.eclipse.org/projects/ee4j.jersey>

## Trademarks

Eclipse Jersey is a trademark of the Eclipse Foundation.

## Copyright

All content is the property of the respective authors or their employers. For more information regarding authorship of content, please consult the listed source code repository logs.

## ## Declared Project Licenses

This program and the accompanying materials are made available under the terms of the Eclipse Public License v. 2.0 which is available at <http://www.eclipse.org/legal/epl-2.0>. This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License v. 2.0 are satisfied: GNU General Public License, version 2 with the GNU Classpath Exception which is available at <https://www.gnu.org/software/classpath/license.html>.

SPDX-License-Identifier: EPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0

## ## Source Code

The project maintains the following source code repositories:

- \* <https://github.com/eclipse-ee4j/jersey>

## ## Third-party Content

Angular JS, v1.6.6

- \* License MIT (<http://www.opensource.org/licenses/mit-license.php>)
- \* Project: <http://angularjs.org>
- \* Copyright: (c) 2010-2017 Google, Inc.

aopalliance Version 1

- \* License: all the source code provided by AOP Alliance is Public Domain.
- \* Project: <http://aopalliance.sourceforge.net>
- \* Copyright: Material in the public domain is not protected by copyright

Bean Validation API 2.0.2

- \* License: Apache License, 2.0
- \* Project: <http://beanvalidation.org/1.1/>
- \* Copyright: 2009, Red Hat, Inc. and/or its affiliates, and individual contributors
- \* by the @authors tag.

Hibernate Validator CDI, 6.1.2.Final

- \* License: Apache License, 2.0
- \* Project: <https://beanvalidation.org/>
- \* Repackaged in `org.glassfish.jersey.server.validation.internal.hibernate`

Bootstrap v3.3.7

- \* License: MIT license (<https://github.com/twbs/bootstrap/blob/master/LICENSE>)
- \* Project: <http://getbootstrap.com>

\* Copyright: 2011-2016 Twitter, Inc

Google Guava Version 18.0

\* License: Apache License, 2.0

\* Copyright (C) 2009 The Guava Authors

javax.inject Version: 1

\* License: Apache License, 2.0

\* Copyright (C) 2009 The JSR-330 Expert Group

Javassist Version 3.25.0-GA

\* License: Apache License, 2.0

\* Project: <http://www.javassist.org/>

\* Copyright (C) 1999- Shigeru Chiba. All Rights Reserved.

Jackson JAX-RS Providers Version 2.10.1

\* License: Apache License, 2.0

\* Project: <https://github.com/FasterXML/jackson-jaxrs-providers>

\* Copyright: (c) 2009-2011 FasterXML, LLC. All rights reserved unless otherwise indicated.

jQuery v1.12.4

\* License: [jquery.org/license](http://jquery.org/license)

\* Project: [jquery.org](http://jquery.org)

\* Copyright: (c) jQuery Foundation

jQuery Barcode plugin 0.3

\* License: MIT & GPL (<http://www.opensource.org/licenses/mit-license.php> & <http://www.gnu.org/licenses/gpl.html>)

\* Project: <http://www.pasella.it/projects/jquery/barcode>

\* Copyright: (c) 2009 Antonello Pasella [antonello.pasella@gmail.com](mailto:antonello.pasella@gmail.com)

JSR-166 Extension - JEP 266

\* License: CC0

\* No copyright

\* Written by Doug Lea with assistance from members of JCP JSR-166 Expert Group and released to the public domain, as explained at <http://creativecommons.org/publicdomain/zero/1.0/>

KineticJS, v4.7.1

\* License: MIT license (<http://www.opensource.org/licenses/mit-license.php>)

\* Project: <http://www.kineticjs.com>, <https://github.com/ericdrowell/KineticJS>

\* Copyright: Eric Rowell

org.objectweb.asm Version 8.0

\* License: Modified BSD (<http://asm.objectweb.org/license.html>)

\* Copyright (c) 2000-2011 INRIA, France Telecom. All rights reserved.

org.osgi.core version 6.0.0

\* License: Apache License, 2.0

\* Copyright (c) OSGi Alliance (2005, 2008). All Rights Reserved.

org.glassfish.jersey.server.internal.monitoring.core

\* License: Apache License, 2.0

\* Copyright (c) 2015-2018 Oracle and/or its affiliates. All rights reserved.

\* Copyright 2010-2013 Coda Hale and Yammer, Inc.

W3.org documents

\* License: W3C License

\* Copyright: Copyright (c) 1994-2001 World Wide Web Consortium, (Massachusetts Institute of Technology, Institut National de Recherche en Informatique et en Automatique, Keio University). All Rights Reserved.

<http://www.w3.org/Consortium/Legal/>

# Eclipse Public License - v 2.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

## 1. DEFINITIONS

"Contribution" means:

a) in the case of the initial Contributor, the initial content Distributed under this Agreement, and

b) in the case of each subsequent Contributor:

- i) changes to the Program, and
- ii) additions to the Program;

where such changes and/or additions to the Program originate from and are Distributed by that particular Contributor. A Contribution "originates" from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include changes or additions to the Program that are not Modified Works.

"Contributor" means any person or entity that Distributes the Program.

"Licensed Patents" mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions Distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement or any Secondary License (as applicable), including Contributors.

"Derivative Works" shall mean any work, whether in Source Code or other

form, that is based on (or derived from) the Program and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship.

"Modified Works" shall mean any work in Source Code or other form that results from an addition to, deletion from, or modification of the contents of the Program, including, for purposes of clarity any new file in Source Code form that contains any contents of the Program. Modified Works shall not include works that contain only declarations, interfaces, types, classes, structures, or files of the Program solely in each case in order to link to, bind by name, or subclass the Program or Modified Works thereof.

"Distribute" means the acts of a) distributing or b) making available in any manner that enables the transfer of a copy.

"Source Code" means the form of a Program preferred for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Secondary License" means either the GNU General Public License, Version 2.0, or any later versions of that license, including any exceptions or additional permissions as identified by the initial Contributor.

## 2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, Distribute and sublicense the Contribution of such Contributor, if any, and such Derivative Works.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in Source Code or other form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the

patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to Distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

e) Notwithstanding the terms of any Secondary License, no Contributor makes additional grants to any Recipient (other than those set forth in this Agreement) as a result of such Recipient's receipt of the Program under the terms of a Secondary License (if permitted under the terms of Section 3).

### 3. REQUIREMENTS

3.1 If a Contributor Distributes the Program in any form, then:

a) the Program must also be made available as Source Code, in accordance with section 3.2, and the Contributor must accompany the Program with a statement that the Source Code for the Program is available under this Agreement, and informs Recipients how to obtain it in a reasonable manner on or through a medium customarily used for software exchange; and

b) the Contributor may Distribute the Program under a license different than this Agreement, provided that such license:

i) effectively disclaims on behalf of all other Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;

ii) effectively excludes on behalf of all other Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;

iii) does not attempt to limit or alter the recipients' rights in the Source Code under section 3.2; and

iv) requires any subsequent distribution of the Program by any

party to be under a license that satisfies the requirements of this section 3.

### 3.2 When the Program is Distributed as Source Code:

- a) it must be made available under this Agreement, or if the Program (i) is combined with other material in a separate file or files made available under a Secondary License, and (ii) the initial Contributor attached to the Source Code the notice described in Exhibit A of this Agreement, then the Program may be made available under the terms of such Secondary Licenses, and
- b) a copy of this Agreement must be included with each copy of the Program.

3.3 Contributors may not remove or alter any copyright, patent, trademark, attribution notices, disclaimers of warranty, or limitations of liability ("notices") contained within the Program from any copy of the Program which they Distribute, provided that Contributors may add their own appropriate notices.

## 4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance



claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

## 5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

## 6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

## 7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be Distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to Distribute the Program (including its Contributions) under the new version.

Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved. Nothing in this Agreement is intended to be enforceable by any entity that is not a Contributor or Recipient. No third-party beneficiary rights are created under this Agreement.

Exhibit A - Form of Secondary Licenses Notice

"This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License, v. 2.0 are satisfied: {name license(s), version(s), and exceptions or additional permissions here}."

Simply including a copy of this Agreement, including this Exhibit A is not sufficient to license the Source Code under Secondary Licenses.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.

---

## The GNU General Public License (GPL) Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.  
51 Franklin Street, Fifth Floor  
Boston, MA 02110-1335  
USA

Everyone is permitted to copy and distribute verbatim copies  
of this license document, but changing it is not allowed.

#### Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free

software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

## TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

- a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.
  
- b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.
  
- c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

- a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
  
- b) Accompany it with a written offer, valid for at least three

years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the

original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

#### NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

#### END OF TERMS AND CONDITIONS

#### How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to



attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.  
Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1335 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type
`show w'. This is free software, and you are welcome to redistribute
it under certain conditions; type `show c' for details.
```

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

```
Yoyodyne, Inc., hereby disclaims all copyright interest in the
program `Gnomovision' (which makes passes at compilers) written by
James Hacker.
```

```
signature of Ty Coon, 1 April 1989
Ty Coon, President of Vice
```

This General Public License does not permit incorporating your program

into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

---

#### ## CLASSPATH EXCEPTION

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License version 2 cover the whole combination.

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module. An independent module is a module which is not derived from or based on this library. If you modify this library, you may extend this exception to your version of the library, but you are not obligated to do so. If you do not wish to do so, delete this exception statement from your version.

## 1.10 dropwizard-validation-support 2.0.25

### 1.10.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
 * Hibernate Validator, declare and validate application constraints
 *
 * License: Apache License, Version 2.0
 * See the license.txt file in the root directory or <http://www.apache.org/licenses/LICENSE-2.0>.
 */
```

Found in path(s):

```
*/opt/cola/permits/1300428395_1650627620.63/0/dropwizard-validation-2-0-25-sources-
jar/io/dropwizard/validation/InterpolationHelper.java
```

## 1.11 mockito 4.5.0

## 1.11.1 Available under license :

OpenEJB :: Utils :: Mockito  
Copyright 1999-2012 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object

form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a

file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

## 1.12 micronaut-oracle-cloud 2.1.1

### 1.12.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*  
* Copyright 2017-2020 original authors  
*  
* Licensed under the Apache License, Version 2.0 (the "License");  
* you may not use this file except in compliance with the License.  
* You may obtain a copy of the License at  
*  
* https://www.apache.org/licenses/LICENSE-2.0  
*  
* Unless required by applicable law or agreed to in writing, software  
* distributed under the License is distributed on an "AS IS" BASIS,  
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
* See the License for the specific language governing permissions and  
* limitations under the License.  
*/
```

Found in path(s):

```
* /opt/cola/permits/1331474080_1653514413.2292626/0/micronaut-oraclecloud-sdk-2-1-1-sources-  
jar/io/micronaut/oraclecloud/clients/SdkClients.java  
* /opt/cola/permits/1331474080_1653514413.2292626/0/micronaut-oraclecloud-sdk-2-1-1-sources-  
jar/io/micronaut/oraclecloud/clients/SdkAutomaticFeature.java  
* /opt/cola/permits/1331474080_1653514413.2292626/0/micronaut-oraclecloud-sdk-2-1-1-sources-  
jar/io/micronaut/oraclecloud/clients/BouncyCastleFeature.java
```

# 1.13 jetbrains-kotlin-kotlin-stdlib-jdk7 1.6.10

## 1.13.1 Available under license :

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications



represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without

modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. **Trademarks.** This License does not grant permission to use the trade

names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier

identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software  
distributed under the License is distributed on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.

## 1.14 mozilla-rhino 1.7.7.2

### 1.14.1 Available under license :

The majority of Rhino is licensed under the MPL 2.0:

Mozilla Public License Version 2.0

=====

#### 1. Definitions

-----

##### 1.1. "Contributor"

means each individual or legal entity that creates, contributes to  
the creation of, or owns Covered Software.

##### 1.2. "Contributor Version"

means the combination of the Contributions of others (if any) used  
by a Contributor and that particular Contributor's Contribution.

##### 1.3. "Contribution"

means Covered Software of a particular Contributor.

##### 1.4. "Covered Software"

means Source Code Form to which the initial Contributor has attached  
the notice in Exhibit A, the Executable Form of such Source Code  
Form, and Modifications of such Source Code Form, in each case  
including portions thereof.

##### 1.5. "Incompatible With Secondary Licenses"

means

- (a) that the initial Contributor has attached the notice described in Exhibit B to the Covered Software; or
- (b) that the Covered Software was made available under the terms of version 1.1 or earlier of the License, but not also under the terms of a Secondary License.

1.6. "Executable Form"

means any form of the work other than Source Code Form.

1.7. "Larger Work"

means a work that combines Covered Software with other material, in a separate file or files, that is not Covered Software.

1.8. "License"

means this document.

1.9. "Licensable"

means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently, any and all of the rights conveyed by this License.

1.10. "Modifications"

means any of the following:

- (a) any file in Source Code Form that results from an addition to, deletion from, or modification of the contents of Covered Software; or
- (b) any new file in Source Code Form that contains any Covered Software.

1.11. "Patent Claims" of a Contributor

means any patent claim(s), including without limitation, method, process, and apparatus claims, in any patent Licensable by such Contributor that would be infringed, but for the grant of the License, by the making, using, selling, offering for sale, having made, import, or transfer of either its Contributions or its Contributor Version.

1.12. "Secondary License"

means either the GNU General Public License, Version 2.0, the GNU Lesser General Public License, Version 2.1, the GNU Affero General Public License, Version 3.0, or any later versions of those licenses.

1.13. "Source Code Form"

means the form of the work preferred for making modifications.

#### 1.14. "You" (or "Your")

means an individual or a legal entity exercising rights under this License. For legal entities, "You" includes any entity that controls, is controlled by, or is under common control with You. For purposes of this definition, "control" means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

## 2. License Grants and Conditions

-----

### 2.1. Grants

Each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

- (a) under intellectual property rights (other than patent or trademark) Licensable by such Contributor to use, reproduce, make available, modify, display, perform, distribute, and otherwise exploit its Contributions, either on an unmodified basis, with Modifications, or as part of a Larger Work; and
- (b) under Patent Claims of such Contributor to make, use, sell, offer for sale, have made, import, and otherwise transfer either its Contributions or its Contributor Version.

### 2.2. Effective Date

The licenses granted in Section 2.1 with respect to any Contribution become effective for each Contribution on the date the Contributor first distributes such Contribution.

### 2.3. Limitations on Grant Scope

The licenses granted in this Section 2 are the only rights granted under this License. No additional rights or licenses will be implied from the distribution or licensing of Covered Software under this License. Notwithstanding Section 2.1(b) above, no patent license is granted by a Contributor:

- (a) for any code that a Contributor has removed from Covered Software; or
- (b) for infringements caused by: (i) Your and any other third party's modifications of Covered Software, or (ii) the combination of its

Contributions with other software (except as part of its Contributor Version); or

(c) under Patent Claims infringed by Covered Software in the absence of its Contributions.

This License does not grant any rights in the trademarks, service marks, or logos of any Contributor (except as may be necessary to comply with the notice requirements in Section 3.4).

#### 2.4. Subsequent Licenses

No Contributor makes additional grants as a result of Your choice to distribute the Covered Software under a subsequent version of this License (see Section 10.2) or under the terms of a Secondary License (if permitted under the terms of Section 3.3).

#### 2.5. Representation

Each Contributor represents that the Contributor believes its Contributions are its original creation(s) or it has sufficient rights to grant the rights to its Contributions conveyed by this License.

#### 2.6. Fair Use

This License is not intended to limit any rights You have under applicable copyright doctrines of fair use, fair dealing, or other equivalents.

#### 2.7. Conditions

Sections 3.1, 3.2, 3.3, and 3.4 are conditions of the licenses granted in Section 2.1.

### 3. Responsibilities

-----

#### 3.1. Distribution of Source Form

All distribution of Covered Software in Source Code Form, including any Modifications that You create or to which You contribute, must be under the terms of this License. You must inform recipients that the Source Code Form of the Covered Software is governed by the terms of this License, and how they can obtain a copy of this License. You may not attempt to alter or restrict the recipients' rights in the Source Code Form.

#### 3.2. Distribution of Executable Form

If You distribute Covered Software in Executable Form then:

- (a) such Covered Software must also be made available in Source Code Form, as described in Section 3.1, and You must inform recipients of the Executable Form how they can obtain a copy of such Source Code Form by reasonable means in a timely manner, at a charge no more than the cost of distribution to the recipient; and
- (b) You may distribute such Executable Form under the terms of this License, or sublicense it under different terms, provided that the license for the Executable Form does not attempt to limit or alter the recipients' rights in the Source Code Form under this License.

### 3.3. Distribution of a Larger Work

You may create and distribute a Larger Work under terms of Your choice, provided that You also comply with the requirements of this License for the Covered Software. If the Larger Work is a combination of Covered Software with a work governed by one or more Secondary Licenses, and the Covered Software is not Incompatible With Secondary Licenses, this License permits You to additionally distribute such Covered Software under the terms of such Secondary License(s), so that the recipient of the Larger Work may, at their option, further distribute the Covered Software under the terms of either this License or such Secondary License(s).

### 3.4. Notices

You may not remove or alter the substance of any license notices (including copyright notices, patent notices, disclaimers of warranty, or limitations of liability) contained within the Source Code Form of the Covered Software, except that You may alter any license notices to the extent required to remedy known factual inaccuracies.

### 3.5. Application of Additional Terms

You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, You may do so only on Your own behalf, and not on behalf of any Contributor. You must make it absolutely clear that any such warranty, support, indemnity, or liability obligation is offered by You alone, and You hereby agree to indemnify every Contributor for any liability incurred by such Contributor as a result of warranty, support, indemnity or liability terms You offer. You may include additional disclaimers of warranty and limitations of liability specific to any jurisdiction.



#### 4. Inability to Comply Due to Statute or Regulation

-----

If it is impossible for You to comply with any of the terms of this License with respect to some or all of the Covered Software due to statute, judicial order, or regulation then You must: (a) comply with the terms of this License to the maximum extent possible; and (b) describe the limitations and the code they affect. Such description must be placed in a text file included with all distributions of the Covered Software under this License. Except to the extent prohibited by statute or regulation, such description must be sufficiently detailed for a recipient of ordinary skill to be able to understand it.

#### 5. Termination

-----

5.1. The rights granted under this License will terminate automatically if You fail to comply with any of its terms. However, if You become compliant, then the rights granted under this License from a particular Contributor are reinstated (a) provisionally, unless and until such Contributor explicitly and finally terminates Your grants, and (b) on an ongoing basis, if such Contributor fails to notify You of the non-compliance by some reasonable means prior to 60 days after You have come back into compliance. Moreover, Your grants from a particular Contributor are reinstated on an ongoing basis if such Contributor notifies You of the non-compliance by some reasonable means, this is the first time You have received notice of non-compliance with this License from such Contributor, and You become compliant prior to 30 days after Your receipt of the notice.

5.2. If You initiate litigation against any entity by asserting a patent infringement claim (excluding declaratory judgment actions, counter-claims, and cross-claims) alleging that a Contributor Version directly or indirectly infringes any patent, then the rights granted to You by any and all Contributors for the Covered Software under Section 2.1 of this License shall terminate.

5.3. In the event of termination under Sections 5.1 or 5.2 above, all end user license agreements (excluding distributors and resellers) which have been validly granted by You or Your distributors under this License prior to termination shall survive termination.

\*\*\*\*\*

\* \* \* \* \*  
\* 6. Disclaimer of Warranty \*  
\* ----- \*  
\* \* \* \* \*  
\* Covered Software is provided under this License on an "as is" \*

\* basis, without warranty of any kind, either expressed, implied, or \*  
 \* statutory, including, without limitation, warranties that the \*  
 \* Covered Software is free of defects, merchantable, fit for a \*  
 \* particular purpose or non-infringing. The entire risk as to the \*  
 \* quality and performance of the Covered Software is with You. \*  
 \* Should any Covered Software prove defective in any respect, You \*  
 \* (not any Contributor) assume the cost of any necessary servicing, \*  
 \* repair, or correction. This disclaimer of warranty constitutes an \*  
 \* essential part of this License. No use of any Covered Software is \*  
 \* authorized under this License except under this disclaimer. \*

\*\*\*\*\*

\*\*\*\*\*

\* 7. Limitation of Liability \*

\* ----- \*

\* Under no circumstances and under no legal theory, whether tort \*  
 \* (including negligence), contract, or otherwise, shall any \*  
 \* Contributor, or anyone who distributes Covered Software as \*  
 \* permitted above, be liable to You for any direct, indirect, \*  
 \* special, incidental, or consequential damages of any character \*  
 \* including, without limitation, damages for lost profits, loss of \*  
 \* goodwill, work stoppage, computer failure or malfunction, or any \*  
 \* and all other commercial damages or losses, even if such party \*  
 \* shall have been informed of the possibility of such damages. This \*  
 \* limitation of liability shall not apply to liability for death or \*  
 \* personal injury resulting from such party's negligence to the \*  
 \* extent applicable law prohibits such limitation. Some \*  
 \* jurisdictions do not allow the exclusion or limitation of \*  
 \* incidental or consequential damages, so this exclusion and \*  
 \* limitation may not apply to You. \*

\*\*\*\*\*

8. Litigation

-----

Any litigation relating to this License may be brought only in the  
 courts of a jurisdiction where the defendant maintains its principal  
 place of business and such litigation shall be governed by laws of that  
 jurisdiction, without reference to its conflict-of-law provisions.  
 Nothing in this Section shall prevent a party's ability to bring  
 cross-claims or counter-claims.

9. Miscellaneous

-----

This License represents the complete agreement concerning the subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not be used to construe this License against a Contributor.

## 10. Versions of the License

-----

### 10.1. New Versions

Mozilla Foundation is the license steward. Except as provided in Section 10.3, no one other than the license steward has the right to modify or publish new versions of this License. Each version will be given a distinguishing version number.

### 10.2. Effect of New Versions

You may distribute the Covered Software under the terms of the version of the License under which You originally received the Covered Software, or under the terms of any subsequent version published by the license steward.

### 10.3. Modified Versions

If you create software not governed by this License, and you want to create a new license for such software, you may create and use a modified version of this License if you rename the license and remove any references to the name of the license steward (except to note that such modified license differs from this License).

### 10.4. Distributing Source Code Form that is Incompatible With Secondary Licenses

If You choose to distribute Source Code Form that is Incompatible With Secondary Licenses under the terms of this version of the License, the notice described in Exhibit B of this License must be attached.

#### Exhibit A - Source Code Form License Notice

-----

This Source Code Form is subject to the terms of the Mozilla Public License, v. 2.0. If a copy of the MPL was not distributed with this file, You can obtain one at <http://mozilla.org/MPL/2.0/>.

If it is not possible or desirable to put the notice in a particular

file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.

Exhibit B - "Incompatible With Secondary Licenses" Notice

-----

This Source Code Form is "Incompatible With Secondary Licenses", as defined by the Mozilla Public License, v. 2.0.

## 1.15 google-guice 4.2.3

### 1.15.1 Available under license :

Google Guice - Core Library  
Copyright 2006-2020 Google, Inc.

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

#### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

##### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of

this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only

on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

## 1.16 javassist 3.28.0

### 1.16.1 Available under license :

Found license 'GNU Lesser General Public License' in '\* Copyright (C) 1999- Shigeru Chiba. All Rights Reserved.  
\* The contents of this file are subject to the Mozilla Public License Version \* 1.1 (the "License"); you may not use this file except in compliance with \* the License. Alternatively, the contents of this file may be used under \* the terms of the GNU Lesser General Public License Version 2.1 or later, \* or the Apache License Version 2.0. \*  
Software distributed under the License is distributed on an "AS IS" basis,'  
Found license 'GNU Lesser General Public License' in '\* Copyright (C) 1999- Shigeru Chiba. All Rights Reserved.  
\* The contents of this file are subject to the Mozilla Public License Version \* 1.1 (the "License"); you may not use this file except in compliance with \* the License. Alternatively, the contents of this file may be used under \* the terms of the GNU Lesser General Public License Version 2.1 or later, \* or the Apache License Version 2.0. \*  
Software distributed under the License is distributed on an "AS IS" basis, + " All Rights Reserved.");'



# 1.17 micronaut-problem-json 2.2.0

## 1.17.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2017-2021 original authors
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * https://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1340076361_1654622423.2072294/0/micronaut-problem-json-2-2-0-sources-
jar/io/micronaut/problem/violations/Violation.java
* /opt/cola/permits/1340076361_1654622423.2072294/0/micronaut-problem-json-2-2-0-sources-
jar/io/micronaut/problem/violations/ProblemConstraintViolationExceptionHandler.java
* /opt/cola/permits/1340076361_1654622423.2072294/0/micronaut-problem-json-2-2-0-sources-
jar/io/micronaut/problem/conf/MixinThrowableProblem.java
* /opt/cola/permits/1340076361_1654622423.2072294/0/micronaut-problem-json-2-2-0-sources-
jar/io/micronaut/problem/HttpStatusType.java
* /opt/cola/permits/1340076361_1654622423.2072294/0/micronaut-problem-json-2-2-0-sources-
jar/io/micronaut/problem/ThrowableProblemHandler.java
* /opt/cola/permits/1340076361_1654622423.2072294/0/micronaut-problem-json-2-2-0-sources-
jar/io/micronaut/problem/serde/ProblemSerdeImport.java
* /opt/cola/permits/1340076361_1654622423.2072294/0/micronaut-problem-json-2-2-0-sources-
jar/io/micronaut/problem/conf/ProblemConfigurationProperties.java
* /opt/cola/permits/1340076361_1654622423.2072294/0/micronaut-problem-json-2-2-0-sources-
jar/io/micronaut/problem/conf/ProblemConfiguration.java
* /opt/cola/permits/1340076361_1654622423.2072294/0/micronaut-problem-json-2-2-0-sources-
jar/io/micronaut/problem/violations/ConstraintViolationThrowableProblem.java
* /opt/cola/permits/1340076361_1654622423.2072294/0/micronaut-problem-json-2-2-0-sources-
jar/io/micronaut/problem/ProblemErrorResponseProcessor.java
* /opt/cola/permits/1340076361_1654622423.2072294/0/micronaut-problem-json-2-2-0-sources-
jar/io/micronaut/problem/conf/ThrowableProblemObjectMapperBeanCreatedEventListener.java
No license file was found, but licenses were detected in source scan.
```

```
/*
 * Copyright 2017-2020 original authors
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * https://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1340076361_1654622423.2072294/0/micronaut-problem-json-2-2-0-sources-
jar/io/micronaut/problem/package-info.java
* /opt/cola/permits/1340076361_1654622423.2072294/0/micronaut-problem-json-2-2-0-sources-
jar/io/micronaut/problem/conf/package-info.java
* /opt/cola/permits/1340076361_1654622423.2072294/0/micronaut-problem-json-2-2-0-sources-
jar/io/micronaut/problem/violations/package-info.java
```

## 1.18 jersey-container-servlet 2.33

### 1.18.1 Available under license :

# Notice for Jersey

This content is produced and maintained by the Eclipse Jersey project.

\* Project home: <https://projects.eclipse.org/projects/ee4j.jersey>

## Trademarks

Eclipse Jersey is a trademark of the Eclipse Foundation.

## Copyright

All content is the property of the respective authors or their employers. For more information regarding authorship of content, please consult the listed source code repository logs.

## Declared Project Licenses

This program and the accompanying materials are made available under the terms of the Eclipse Public License v. 2.0 which is available at <http://www.eclipse.org/legal/epl-2.0>. This Source Code may also be made available under the following Secondary Licenses when the conditions for such

availability set forth in the Eclipse Public License v. 2.0 are satisfied: GNU General Public License, version 2 with the GNU Classpath Exception which is available at <https://www.gnu.org/software/classpath/license.html>.

SPDX-License-Identifier: EPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0

### ## Source Code

The project maintains the following source code repositories:

- \* <https://github.com/eclipse-ee4j/jersey>

### ## Third-party Content

Angular JS, v1.6.6

- \* License MIT (<http://www.opensource.org/licenses/mit-license.php>)
- \* Project: <http://angularjs.org>
- \* Copyright: (c) 2010-2017 Google, Inc.

aopalliance Version 1

- \* License: all the source code provided by AOP Alliance is Public Domain.
- \* Project: <http://aopalliance.sourceforge.net>
- \* Copyright: Material in the public domain is not protected by copyright

Bean Validation API 2.0.2

- \* License: Apache License, 2.0
- \* Project: <http://beanvalidation.org/1.1/>
- \* Copyright: 2009, Red Hat, Inc. and/or its affiliates, and individual contributors
- \* by the @authors tag.

Hibernate Validator CDI, 6.1.2.Final

- \* License: Apache License, 2.0
- \* Project: <https://beanvalidation.org/>
- \* Repackaged in `org.glassfish.jersey.server.validation.internal.hibernate`

Bootstrap v3.3.7

- \* License: MIT license (<https://github.com/twbs/bootstrap/blob/master/LICENSE>)
- \* Project: <http://getbootstrap.com>
- \* Copyright: 2011-2016 Twitter, Inc

Google Guava Version 18.0

- \* License: Apache License, 2.0
- \* Copyright (C) 2009 The Guava Authors

javax.inject Version: 1

- \* License: Apache License, 2.0
- \* Copyright (C) 2009 The JSR-330 Expert Group

Javassist Version 3.25.0-GA

- \* License: Apache License, 2.0
- \* Project: <http://www.javassist.org/>
- \* Copyright (C) 1999- Shigeru Chiba. All Rights Reserved.

#### Jackson JAX-RS Providers Version 2.10.1

- \* License: Apache License, 2.0
- \* Project: <https://github.com/FasterXML/jackson-jaxrs-providers>
- \* Copyright: (c) 2009-2011 FasterXML, LLC. All rights reserved unless otherwise indicated.

#### jQuery v1.12.4

- \* License: [jquery.org/license](http://jquery.org/license)
- \* Project: [jquery.org](http://jquery.org)
- \* Copyright: (c) jQuery Foundation

#### jQuery Barcode plugin 0.3

- \* License: MIT & GPL (<http://www.opensource.org/licenses/mit-license.php> & <http://www.gnu.org/licenses/gpl.html>)
- \* Project: <http://www.pasella.it/projects/jquery/barcode>
- \* Copyright: (c) 2009 Antonello Pasella [antonello.pasella@gmail.com](mailto:antonello.pasella@gmail.com)

#### JSR-166 Extension - JEP 266

- \* License: CC0
- \* No copyright
- \* Written by Doug Lea with assistance from members of JCP JSR-166 Expert Group and released to the public domain, as explained at <http://creativecommons.org/publicdomain/zero/1.0/>

#### KineticJS, v4.7.1

- \* License: MIT license (<http://www.opensource.org/licenses/mit-license.php>)
- \* Project: <http://www.kineticjs.com>, <https://github.com/ericdrowell/KineticJS>
- \* Copyright: Eric Rowell

#### org.objectweb.asm Version 8.0

- \* License: Modified BSD (<http://asm.objectweb.org/license.html>)
- \* Copyright (c) 2000-2011 INRIA, France Telecom. All rights reserved.

#### org.osgi.core version 6.0.0

- \* License: Apache License, 2.0
- \* Copyright (c) OSGi Alliance (2005, 2008). All Rights Reserved.

#### org.glassfish.jersey.server.internal.monitoring.core

- \* License: Apache License, 2.0
- \* Copyright (c) 2015-2018 Oracle and/or its affiliates. All rights reserved.
- \* Copyright 2010-2013 Coda Hale and Yammer, Inc.

#### W3.org documents

- \* License: W3C License
- \* Copyright: Copyright (c) 1994-2001 World Wide Web Consortium, (Massachusetts Institute of Technology, Institut National de Recherche en Informatique et en Automatique, Keio University). All Rights Reserved.

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

## 1. DEFINITIONS

"Contribution" means:

a) in the case of the initial Contributor, the initial content Distributed under this Agreement, and

b) in the case of each subsequent Contributor:

- i) changes to the Program, and
- ii) additions to the Program;

where such changes and/or additions to the Program originate from and are Distributed by that particular Contributor. A Contribution "originates" from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include changes or additions to the Program that are not Modified Works.

"Contributor" means any person or entity that Distributes the Program.

"Licensed Patents" mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions Distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement or any Secondary License (as applicable), including Contributors.

"Derivative Works" shall mean any work, whether in Source Code or other form, that is based on (or derived from) the Program and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship.

"Modified Works" shall mean any work in Source Code or other form that results from an addition to, deletion from, or modification of the contents of the Program, including, for purposes of clarity any new file in Source Code form that contains any contents of the Program. Modified Works shall not include works that contain only declarations, interfaces, types, classes, structures, or files of the Program solely in each case in order to link to, bind by name, or subclass the Program

or Modified Works thereof.

"Distribute" means the acts of a) distributing or b) making available in any manner that enables the transfer of a copy.

"Source Code" means the form of a Program preferred for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Secondary License" means either the GNU General Public License, Version 2.0, or any later versions of that license, including any exceptions or additional permissions as identified by the initial Contributor.

## 2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, Distribute and sublicense the Contribution of such Contributor, if any, and such Derivative Works.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in Source Code or other form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to Distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

e) Notwithstanding the terms of any Secondary License, no Contributor makes additional grants to any Recipient (other than those set forth in this Agreement) as a result of such Recipient's receipt of the Program under the terms of a Secondary License (if permitted under the terms of Section 3).

### 3. REQUIREMENTS

3.1 If a Contributor Distributes the Program in any form, then:

a) the Program must also be made available as Source Code, in accordance with section 3.2, and the Contributor must accompany the Program with a statement that the Source Code for the Program is available under this Agreement, and informs Recipients how to obtain it in a reasonable manner on or through a medium customarily used for software exchange; and

b) the Contributor may Distribute the Program under a license different than this Agreement, provided that such license:

i) effectively disclaims on behalf of all other Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;

ii) effectively excludes on behalf of all other Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;

iii) does not attempt to limit or alter the recipients' rights in the Source Code under section 3.2; and

iv) requires any subsequent distribution of the Program by any party to be under a license that satisfies the requirements of this section 3.

3.2 When the Program is Distributed as Source Code:

a) it must be made available under this Agreement, or if the Program (i) is combined with other material in a separate file or files made available under a Secondary License, and (ii) the initial Contributor attached to the Source Code the notice described in Exhibit A of this Agreement, then the Program may be made available under the terms of such Secondary Licenses, and

b) a copy of this Agreement must be included with each copy of the Program.

3.3 Contributors may not remove or alter any copyright, patent, trademark, attribution notices, disclaimers of warranty, or limitations of liability ("notices") contained within the Program from any copy of the Program which they Distribute, provided that Contributors may add their own appropriate notices.

#### 4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

#### 5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT



PERMITTED BY APPLICABLE LAW, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

## 6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

## 7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement,

but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be Distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to Distribute the Program (including its Contributions) under the new version.

Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved. Nothing in this Agreement is intended to be enforceable by any entity that is not a Contributor or Recipient. No third-party beneficiary rights are created under this Agreement.

#### Exhibit A - Form of Secondary Licenses Notice

"This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License, v. 2.0 are satisfied: {name license(s), version(s), and exceptions or additional permissions here}."

Simply including a copy of this Agreement, including this Exhibit A is not sufficient to license the Source Code under Secondary Licenses.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.

---

## The GNU General Public License (GPL) Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.  
51 Franklin Street, Fifth Floor  
Boston, MA 02110-1335  
USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

## Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

## TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an

announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and

any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the

author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

## NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

## END OF TERMS AND CONDITIONS

### How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.  
Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.



This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1335 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type
`show w'. This is free software, and you are welcome to redistribute
it under certain conditions; type `show c' for details.
```

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

```
Yoyodyne, Inc., hereby disclaims all copyright interest in the
program `Gnomovision' (which makes passes at compilers) written by
James Hacker.
```

```
signature of Ty Coon, 1 April 1989
Ty Coon, President of Vice
```

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

---

```
## CLASSPATH EXCEPTION
```

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and

conditions of the GNU General Public License version 2 cover the whole combination.

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module. An independent module is a module which is not derived from or based on this library. If you modify this library, you may extend this exception to your version of the library, but you are not obligated to do so. If you do not wish to do so, delete this exception statement from your version.

## 1.19 rxjava 2.2.21

### 1.19.1 Available under license :

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

#### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

##### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made,

use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability

incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

## 1.20 metrics-health-checks 4.1.25

### 1.20.1 Available under license :

Apache-2.0

## 1.21 micronaut-cache 3.1.1

### 1.21.1 Available under license :

Apache License  
Version 2.0, January 2004  
<https://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems,

and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
  - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
  - (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
  - (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and



(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. **Disclaimer of Warranty.** Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and

limitations under the License.

## 1.22 jaxb-xml-binding-code-generator- package 2.3.3

### 1.22.1 Available under license :

Copyright (c) 2018 Oracle and/or its affiliates. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- Neither the name of the Eclipse Foundation, Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

# Notices for Eclipse Implementation of JAXB

This content is produced and maintained by the Eclipse Implementation of JAXB project.

\* Project home: <https://projects.eclipse.org/projects/ee4j.jaxb-impl>

## Trademarks

Eclipse Implementation of JAXB is a trademark of the Eclipse Foundation.

## Copyright

All content is the property of the respective authors or their employers. For more information regarding authorship of content, please consult the listed source code repository logs.

## ## Declared Project Licenses

This program and the accompanying materials are made available under the terms of the Eclipse Distribution License v. 1.0 which is available at <http://www.eclipse.org/org/documents/edl-v10.php>.

SPDX-License-Identifier: BSD-3-Clause

## ## Source Code

The project maintains the following source code repositories:

- \* <https://github.com/eclipse-ee4j/jaxb-ri>
- \* <https://github.com/eclipse-ee4j/jaxb-istack-commons>
- \* <https://github.com/eclipse-ee4j/jaxb-dtd-parser>
- \* <https://github.com/eclipse-ee4j/jaxb-fi>
- \* <https://github.com/eclipse-ee4j/jaxb-stax-ex>
- \* <https://github.com/eclipse-ee4j/jax-rpc-ri>

## ## Third-party Content

This project leverages the following third party content.

Apache Ant (1.10.2)

- \* License: Apache-2.0 AND W3C AND LicenseRef-Public-Domain

Apache Ant (1.10.2)

- \* License: Apache-2.0 AND W3C AND LicenseRef-Public-Domain

Apache Felix (1.2.0)

- \* License: Apache License, 2.0

args4j (2.33)

- \* License: MIT License

dom4j (1.6.1)

- \* License: Custom license based on Apache 1.1

file-management (3.0.0)

- \* License: Apache-2.0
- \* Project: <https://maven.apache.org/shared/file-management/>
- \* Source: <https://svn.apache.org/viewvc/maven/shared/tags/file-management-3.0.0/>

JUnit (4.12)

- \* License: Eclipse Public License

JUnit (4.12)

- \* License: Eclipse Public License

maven-compat (3.5.2)

- \* License: Apache-2.0
- \* Project: <https://maven.apache.org/ref/3.5.2/maven-compat/>
- \* Source: <https://mvnrepository.com/artifact/org.apache.maven/maven-compat/3.5.2>

maven-core (3.5.2)

- \* License: Apache-2.0
- \* Project: <https://maven.apache.org/ref/3.5.2/maven-core/index.html>
- \* Source: <https://mvnrepository.com/artifact/org.apache.maven/maven-core/3.5.2>

maven-plugin-annotations (3.5)

- \* License: Apache-2.0
- \* Project: <https://maven.apache.org/plugin-tools/maven-plugin-annotations/>
- \* Source: <https://github.com/apache/maven-plugin-tools/tree/master/maven-plugin-annotations>

maven-plugin-api (3.5.2)

- \* License: Apache-2.0

maven-resolver-api (1.1.1)

- \* License: Apache-2.0

maven-resolver-api (1.1.1)

- \* License: Apache-2.0

maven-resolver-connector-basic (1.1.1)

\* License: Apache-2.0

maven-resolver-impl (1.1.1)

\* License: Apache-2.0

maven-resolver-spi (1.1.1)

\* License: Apache-2.0

maven-resolver-transport-file (1.1.1)

\* License: Apache-2.0

\* Project: <https://maven.apache.org/resolver/maven-resolver-transport-file/>

\* Source:

<https://github.com/apache/maven-resolver/tree/master/maven-resolver-transport-file>

maven-resolver-util (1.1.1)

\* License: Apache-2.0

maven-settings (3.5.2)

\* License: Apache-2.0

\* Source:

<https://mvnrepository.com/artifact/org.apache.maven/maven-settings/3.5.2>

OSGi Service Platform Core Companion Code (6.0)

\* License: Apache License, 2.0

plexus-archiver (3.5)

\* License: Apache-2.0

\* Project: <https://codehaus-plexus.github.io/plexus-archiver/>

\* Source: <https://github.com/codehaus-plexus/plexus-archiver>

plexus-io (3.0.0)

\* License: Apache-2.0

plexus-utils (3.1.0)

\* License: Apache- 2.0 or Apache- 1.1 or BSD or Public Domain or Indiana University Extreme! Lab Software License V1.1.1 (Apache 1.1 style)

relaxng-datatype (1.0)

\* License: New BSD license

Sax (0.2)

\* License: SAX-PD

\* Project: <http://www.megginson.com/downloads/SAX/>

\* Source: [http://sourceforge.net/project/showfiles.php?group\\_id=29449](http://sourceforge.net/project/showfiles.php?group_id=29449)

testng (6.14.2)

\* License: Apache-2.0 AND (MIT OR GPL-1.0+)

\* Project: <https://testng.org/doc/index.html>

\* Source: <https://github.com/cbeust/testng>

wagon-http-lightweight (3.0.0)

\* License: Pending

\* Project: <https://maven.apache.org/wagon/>

\* Source:

<https://mvnrepository.com/artifact/org.apache.maven.wagon/wagon-http-lightweight/3.0.0>

xz for java (1.8)

\* License: LicenseRef-Public-Domain

## Cryptography

Content may contain encryption software. The country in which you are currently may have restrictions on the import, possession, and use, and/or re-export to another country, of encryption software. BEFORE using any encryption software, please check the country's laws, regulations and policies concerning the import, possession, or use, and re-export of encryption software, to see if this is permitted.

## 1.23 junit-5-bill-of-materials 5.7.2

### 1.23.1 Available under license :

```
import java.io.File
import java.net.URI
```

```
data class License(val name: String, val url: URI, val headerFile: File)
```

```
Apache License
```

```
=====
```

```
_Version 2.0, January 2004_
```

```
_&lt;<https://www.apache.org/licenses/>>&gt;_
```

### ### Terms and Conditions for use, reproduction, and distribution

#### #### 1. Definitions

License shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

Licensor shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

Legal Entity shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, control means **(i)** the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or **(ii)** ownership of fifty percent (50%) or more of the outstanding shares, or **(iii)** beneficial ownership of such entity.

You (or Your) shall mean an individual or Legal Entity exercising permissions granted by this License.

Source form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

Object form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

Work shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

Derivative Works shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

Contribution shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, submitted means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and



issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as Not a Contribution.

Contributor shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

#### #### 2. Grant of Copyright License

Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

#### #### 3. Grant of Patent License

Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

#### #### 4. Redistribution

You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- \* **(a)** You must give any other recipients of the Work or Derivative Works a copy of this License; and
- \* **(b)** You must cause any modified files to carry prominent notices stating that You changed the files; and
- \* **(c)** You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- \* **(d)** If the Work includes a NOTICE text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the

attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

#### #### 5. Submission of Contributions

Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

#### #### 6. Trademarks

This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

#### #### 7. Disclaimer of Warranty

Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an AS IS BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

#### #### 8. Limitation of Liability

In no event and under no legal theory, whether in tort (including negligence),

contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

#### ### 9. Accepting Warranty or Additional Liability

While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

Eclipse Public License - v 2.0

=====

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE (AGREEMENT). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

#### ### 1. Definitions

Contribution means:

\* \*\*a)\*\*\* in the case of the initial Contributor, the initial content Distributed under this Agreement, and

\* \*\*b)\*\*\* in the case of each subsequent Contributor:

\* \*\*i)\*\*\* changes to the Program, and

\* \*\*ii)\*\*\* additions to the Program;

where such changes and/or additions to the Program originate from and are Distributed by that particular Contributor. A Contribution originates from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include changes or additions to the Program that are not Modified Works.

Contributor means any person or entity that Distributes the Program.

Licensed Patents mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

Program means the Contributions Distributed in accordance with this Agreement.

Recipient means anyone who receives the Program under this Agreement or any Secondary License (as applicable), including Contributors.

Derivative Works shall mean any work, whether in Source Code or other form, that is based on (or derived from) the Program and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship.

Modified Works shall mean any work in Source Code or other form that results from an addition to, deletion from, or modification of the contents of the Program, including, for purposes of clarity any new file in Source Code form that contains any contents of the Program. Modified Works shall not include works that contain only declarations, interfaces, types, classes, structures, or files of the Program solely in each case in order to link to, bind by name, or subclass the Program or Modified Works thereof.

Distribute means the acts of **\*\*a)\*\*** distributing or **\*\*b)\*\*** making available in any manner that enables the transfer of a copy.

Source Code means the form of a Program preferred for making modifications, including but not limited to software source code, documentation source, and configuration files.

Secondary License means either the GNU General Public License, Version 2.0, or any later versions of that license, including any exceptions or additional permissions as identified by the initial Contributor.

### ### 2. Grant of Rights

**\*\*a)\*\*** Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, Distribute and sublicense the Contribution of such Contributor, if any, and such Derivative Works.

**\*\*b)\*\*** Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in Source Code or other form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

**\*\*c)\*\*** Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to Distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

**\*\*d)\*\*** Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

**\*\*e)\*\*** Notwithstanding the terms of any Secondary License, no Contributor makes additional grants to any Recipient (other than those set forth in this Agreement) as a result of such Recipient's receipt of the Program under the terms of a Secondary License (if permitted under the terms of Section 3).

### ### 3. Requirements

**\*\*3.1\*\*** If a Contributor Distributes the Program in any form, then:

**\*\*a)\*\*** the Program must also be made available as Source Code, in accordance with section 3.2, and the Contributor must accompany the Program with a statement that the Source Code for the Program is available under this Agreement, and informs Recipients how to obtain it in a reasonable manner on or through a medium customarily used for software exchange; and

**\*\*b)\*\*** the Contributor may Distribute the Program under a license different than this Agreement, provided that such license:

**\*\*i)\*\*** effectively disclaims on behalf of all other Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;

**\*\*ii)\*\*** effectively excludes on behalf of all other Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;

**\*\*iii)\*\*** does not attempt to limit or alter the recipients' rights in the Source Code under section 3.2; and

**\*\*iv)\*\*** requires any subsequent distribution of the Program by any party to be under a license that satisfies the requirements of this section 3.

**\*\*3.2\*\*** When the Program is Distributed as Source Code:

**\*\*a)\*\*** it must be made available under this Agreement, or if the Program **\*\*i)\*\*** is combined with other material in a separate file or files made available under a Secondary License, and **\*\*ii)\*\*** the initial Contributor attached to the Source Code the notice described in Exhibit A of this Agreement, then the Program may be made available under the terms of such Secondary Licenses, and

**\*\*b)\*\*** a copy of this Agreement must be included with each copy of the Program.

**\*\*3.3\*\*** Contributors may not remove or alter any copyright, patent, trademark, attribution notices, disclaimers of warranty, or limitations of liability (notices) contained within the Program from any copy of the Program which they Distribute, provided that Contributors may add their own appropriate notices.

#### **### 4. Commercial Distribution**

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor (Commercial Contributor) hereby agrees to defend and indemnify every other Contributor (Indemnified Contributor) against any losses, damages and costs (collectively Losses) arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: **\*\*a)\*\*** promptly notify the Commercial Contributor in writing of such claim, and **\*\*b)\*\*** allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That

Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

#### ### 5. No Warranty

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, THE PROGRAM IS PROVIDED ON AN AS IS BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

#### ### 6. Disclaimer of Liability

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

#### ### 7. General

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the

Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be Distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to Distribute the Program (including its Contributions) under the new version.

Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved. Nothing in this Agreement is intended to be enforceable by any entity that is not a Contributor or Recipient. No third-party beneficiary rights are created under this Agreement.

#### #### Exhibit A - Form of Secondary Licenses Notice

> This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License, v. 2.0 are satisfied: {name license(s), version(s), and exceptions or additional permissions here}.

Simply including a copy of this Agreement, including this Exhibit A is not sufficient to license the Source Code under Secondary Licenses.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.

Apache License

=====

\_Version 2.0, January 2004\_

\_&lt;<<https://www.apache.org/licenses/>>>&gt;\_

### Terms and Conditions for use, reproduction, and distribution

#### #### 1. Definitions

License shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

Licensors shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

Legal Entity shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, control means **(i)** the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or **(ii)** ownership of fifty percent (50%) or more of the outstanding shares, or **(iii)** beneficial ownership of such entity.

You (or Your) shall mean an individual or Legal Entity exercising permissions granted by this License.

Source form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

Object form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

Work shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

Derivative Works shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

Contribution shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, submitted means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as Not a Contribution.

Contributor shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

## #### 2. Grant of Copyright License

Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.



### #### 3. Grant of Patent License

Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

### #### 4. Redistribution

You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- \* **(a)** You must give any other recipients of the Work or Derivative Works a copy of this License; and
- \* **(b)** You must cause any modified files to carry prominent notices stating that You changed the files; and
- \* **(c)** You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- \* **(d)** If the Work includes a NOTICE text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

#### #### 5. Submission of Contributions

Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

#### #### 6. Trademarks

This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

#### #### 7. Disclaimer of Warranty

Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an AS IS BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

#### #### 8. Limitation of Liability

In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

#### #### 9. Accepting Warranty or Additional Liability

While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability

incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

`_END OF TERMS AND CONDITIONS_`

`### APPENDIX: How to apply the Apache License to your work`

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets ``[]`` replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same printed page as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<https://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Open Source Licenses

=====

This product may include a number of subcomponents with separate copyright notices and license terms. Your use of the source code for these subcomponents is subject to the terms and conditions of the subcomponent's license, as noted in the LICENSE-<subcomponent>.md files.

[[contributors]]

== Contributors

Browse the {junit5-repo}/graphs/contributors[current list of contributors] directly on GitHub.

## 1.24 micrometer-bom 1.8.3

### 1.24.1 Available under license :

-----

This product includes 'ANTLR', which is released under the following license(s):

BSD-3 <<http://opensource.org/licenses/BSD-3-Clause>>

-----  
This product includes 'ASM', which is released under the following license(s):

ASM (BSD-3) <<http://asm.ow2.org/license.html>>

-----  
This product includes 'Apache Cassandra', which is released under the following license(s):

Apache License 2.0 <<http://www.apache.org/licenses/LICENSE-2.0>>

-----  
This product includes 'Apache Commons CLI', which is released under the following license(s):

Apache License 2.0 <<http://www.apache.org/licenses/LICENSE-2.0>>

-----  
This product includes 'Apache Commons Codec', which is released under the following license(s):

Apache License 2.0 <<http://www.apache.org/licenses/LICENSE-2.0>>

-----  
This product includes 'Apache Commons Logging', which is released under the following license(s):

Apache License 2.0 <<http://www.apache.org/licenses/LICENSE-2.0>>

-----  
This product includes 'GSON', which is released under the following license(s):

Apache License 2.0 <<http://www.apache.org/licenses/LICENSE-2.0>>

-----  
This product includes 'Guava', which is released under the following license(s):

Apache License 2.0 <<http://www.apache.org/licenses/LICENSE-2.0>>

-----  
This product includes 'HttpClient', which is released under the following license(s):

Apache License 2.0 <<http://www.apache.org/licenses/LICENSE-2.0>>

-----  
This product includes 'JAXB', which is released under the following license(s):

CDDL-1.0 <<https://opensource.org/licenses/CDDL-1.0>>

This product includes 'JRegex', which is released under the following license(s):

BSD-3 <<http://opensource.org/licenses/BSD-3-Clause>>

-----

This product includes 'JSON.simple', which is released under the following license(s):

Apache License 2.0 <<http://www.apache.org/licenses/LICENSE-2.0>>

-----

This product includes 'Jackson', which is released under the following license(s):

Apache License 2.0 <<http://www.apache.org/licenses/LICENSE-2.0>>

-----

This product includes 'Javassist', which is released under the following license(s):

Apache License 2.0 <<http://www.apache.org/licenses/LICENSE-2.0>>

-----

This product includes 'LogBack', which is released under the following license(s):

Eclipse Public License 1.0 <<http://www.eclipse.org/legal/epl-v10.html>>

-----

This product includes 'Reflections', which is released under the following license(s):

Do What The Fuck You Want To Public License (WTFPL) <<http://www.wtfpl.net>>

-----

This product includes 'SLF4J', which is released under the following license(s):

The MIT License (MIT) <<http://opensource.org/licenses/MIT>>

-----

This product includes 'SnakeYAML', which is released under the following license(s):

Apache License 2.0 <<http://www.apache.org/licenses/LICENSE-2.0>>

-----

All other components of this product are: Copyright (c) 2010-2017 New Relic, Inc. All rights reserved.

Certain inventions disclosed in this file may be claimed within patents owned or patent applications filed by New Relic, Inc. or third parties. Subject to the terms of this notice, New Relic grants you a nonexclusive, nontransferable license, without the right to sublicense, to (a) install and execute one copy of these files on any number of workstations owned or controlled by you and (b) distribute verbatim copies of these files to third parties. As a condition to the foregoing grant, you must

provide this notice along with each copy you distribute and you must not remove, alter, or obscure this notice.

All other use, reproduction, modification, distribution, or other exploitation of these files is strictly prohibited, except as may be set forth in a separate written license agreement between you and New Relic. The terms of any such license agreement will control over this notice. The license stated above will be automatically terminated and revoked if you exceed its scope or violate any of the terms of this notice.

This License does not grant permission to use the trade names, trademarks, service marks, or product names of New Relic, except as required for reasonable and customary use in describing the origin of this file and reproducing the content of this notice. You may not mark or brand this file with any trade name, trademarks, service marks, or product names other than the original brand (if any) provided by New Relic.

Unless otherwise expressly agreed by New Relic in a separate written license agreement, these files are provided AS IS, WITHOUT WARRANTY OF ANY KIND, including without any implied warranties of MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, TITLE, or NON-INFRINGEMENT. As a condition to your use of these files, you are solely responsible for such use. New Relic will have no liability to you for direct, indirect, consequential, incidental, special, or punitive damages or for lost profits or data.

Micrometer

Copyright (c) 2017-Present VMware, Inc. All Rights Reserved.

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<https://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

-----  
This product contains a modified portion of 'io.netty.util.internal.logging',  
in the Netty/Common library distributed by The Netty Project:

- \* Copyright 2013 The Netty Project
- \* License: Apache License v2.0
- \* Homepage: <https://netty.io>

This product contains a modified portion of 'StringUtils.isBlank()',

in the Commons Lang library distributed by The Apache Software Foundation:

- \* Copyright 2001-2019 The Apache Software Foundation
- \* License: Apache License v2.0
- \* Homepage: <https://commons.apache.org/proper/commons-lang/>

This product contains a modified portion of 'JsonUtf8Writer',  
in the Moshi library distributed by Square, Inc:

- \* Copyright 2010 Google Inc.
- \* License: Apache License v2.0
- \* Homepage: <https://github.com/square/moshi>

This product contains a modified portion of the 'org.springframework.lang'  
package in the Spring Framework library, distributed by VMware, Inc:

- \* Copyright 2002-2019 the original author or authors.
- \* License: Apache License v2.0
- \* Homepage: <https://spring.io/projects/spring-framework>

All components of this product are: Copyright (c) 2010-2015 New Relic, Inc. All rights reserved.

Certain inventions disclosed in this file may be claimed within patents owned or patent applications filed by New Relic, Inc. or third parties. Subject to the terms of this notice, New Relic grants you a nonexclusive, nontransferable license, without the right to sublicense, to (a) install and execute one copy of these files on any number of workstations owned or controlled by you and (b) distribute verbatim copies of these files to third parties. As a condition to the foregoing grant, you must provide this notice along with each copy you distribute and you must not remove, alter, or obscure this notice.

All other use, reproduction, modification, distribution, or other exploitation of these files is strictly prohibited, except as may be set forth in a separate written license agreement between you and New Relic. The terms of any such license agreement will control over this notice. The license stated above will be automatically terminated and revoked if you exceed its scope or violate any of the terms of this notice.

This License does not grant permission to use the trade names, trademarks, service marks, or product names of New Relic, except as required for reasonable and customary use in describing the origin of this file and reproducing the content of this notice. You may not mark or brand this file with any trade name, trademarks, service marks, or product names other than the original brand (if any) provided by New Relic.

Unless otherwise expressly agreed by New Relic in a separate written license agreement, these files are provided AS IS, WITHOUT WARRANTY OF ANY KIND, including without any implied warranties of MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, TITLE, or NON-INFRINGEMENT. As a condition to your use of these files, you are solely responsible for such use. New Relic will have no liability to you for direct, indirect, consequential, incidental, special, or punitive damages or for lost profits or data.

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including



the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
  - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.
6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. **Disclaimer of Warranty.** Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each

Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "{}" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright {yyyy} {name of copyright owner}

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License.

You may obtain a copy of the License at

<https://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

## 1.25 metrics-integration-with-jmx 4.1.25

### 1.25.1 Available under license :

No license file was found, but licenses were detected in source scan.

Manifest-Version: 1.0  
Automatic-Module-Name: com.codahale.metrics.jmx  
Build-Jdk: 1.8.0\_292  
Built-By: runner  
Bundle-Description: A set of classes which allow you to report metrics via JMX.  
Bundle-License: <https://www.apache.org/licenses/LICENSE-2.0.html>  
Bundle-ManifestVersion: 2  
Bundle-Name: Metrics Integration with JMX  
Bundle-SymbolicName: io.dropwizard.metrics.jmx  
Bundle-Version: 4.1.25  
Created-By: Apache Maven Bundle Plugin  
Export-Package: com.codahale.metrics.jmx;uses:="com.codahale.metrics,javax.management";version="4.1.25"  
Implementation-Title: Metrics Integration with JMX  
Implementation-URL: <https://metrics.dropwizard.io/metrics-jmx>  
Implementation-Vendor-Id: io.dropwizard.metrics  
Implementation-Version: 4.1.25  
Import-Package: org.slf4j;version="[1.6.0,2.0.0)",com.codahale.metrics;version="[4.1,5)",javax.management  
Private-Package: com.codahale.metrics.jmx  
Require-Capability: osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=1.8))"  
Tool: Bnd-5.1.1.202006162103

Found in path(s):

\* /opt/cola/permits/1300428274\_1649930643.63/0/metrics-jmx-4-1-25-jar/META-INF/MANIFEST.MF

## 1.26 apache-velocity---jsr-223-scripting 2.2

## 1.26.1 Available under license :

Apache Velocity - JSR 223 Scripting  
Copyright 2000-2020 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object

form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a



file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software  
distributed under the License is distributed on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.

## 1.27 netty-transport-native-unix-common

### 4.1.76.Final

#### 1.27.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2014 The Netty Project
 *
 * The Netty Project licenses this file to you under the Apache License,
 * version 2.0 (the "License"); you may not use this file except in compliance
 * with the License. You may obtain a copy of the License at:
 *
 * https://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
 * WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
 * License for the specific language governing permissions and limitations
 * under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1340031451_1654618462.9426582/0/netty-transport-native-unix-common-4-1-76-final-sources-2-jar/io/netty/channel/unix/IovArray.java
* /opt/cola/permits/1340031451_1654618462.9426582/0/netty-transport-native-unix-common-4-1-76-final-sources-2-jar/io/netty/channel/unix/UnixChannelOption.java
* /opt/cola/permits/1340031451_1654618462.9426582/0/netty-transport-native-unix-common-4-1-76-final-sources-
```

2-jar/io/netty/channel/unix/Unix.java

\* /opt/cola/permits/1340031451\_1654618462.9426582/0/netty-transport-native-unix-common-4-1-76-final-sources-

2-jar/io/netty/channel/unix/package-info.java

No license file was found, but licenses were detected in source scan.

<!--

~ Copyright 2016 The Netty Project

~

~ The Netty Project licenses this file to you under the Apache License,

~ version 2.0 (the "License"); you may not use this file except in compliance

~ with the License. You may obtain a copy of the License at:

~

~ <https://www.apache.org/licenses/LICENSE-2.0>

~

~ Unless required by applicable law or agreed to in writing, software

~ distributed under the License is distributed on an "AS IS" BASIS, WITHOUT

~ WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the

~ License for the specific language governing permissions and limitations

~ under the License.

-->

Found in path(s):

\* /opt/cola/permits/1340031451\_1654618462.9426582/0/netty-transport-native-unix-common-4-1-76-final-sources-

2-jar/META-INF/maven/io.netty/netty-transport-native-unix-common/pom.xml

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2017 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License,

\* version 2.0 (the "License"); you may not use this file except in compliance

\* with the License. You may obtain a copy of the License at:

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT

\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the

\* License for the specific language governing permissions and limitations

\* under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1340031451\_1654618462.9426582/0/netty-transport-native-unix-common-4-1-76-final-sources-

2-jar/io/netty/channel/unix/UnixChannelUtil.java

\* /opt/cola/permits/1340031451\_1654618462.9426582/0/netty-transport-native-unix-common-4-1-76-final-sources-

2-jar/netty\_unix\_jni.h

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2022 The Netty Project
 *
 * The Netty Project licenses this file to you under the Apache License,
 * version 2.0 (the "License"); you may not use this file except in compliance
 * with the License. You may obtain a copy of the License at:
 *
 * https://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
 * WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
 * License for the specific language governing permissions and limitations
 * under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1340031451_1654618462.9426582/0/netty-transport-native-unix-common-4-1-76-final-sources-2-jar/io/netty/channel/unix/IntegerUnixChannelOption.java
* /opt/cola/permits/1340031451_1654618462.9426582/0/netty-transport-native-unix-common-4-1-76-final-sources-2-jar/io/netty/channel/unix/GenericUnixChannelOption.java
* /opt/cola/permits/1340031451_1654618462.9426582/0/netty-transport-native-unix-common-4-1-76-final-sources-2-jar/io/netty/channel/unix/RawUnixChannelOption.java
```

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2018 The Netty Project
 *
 * The Netty Project licenses this file to you under the Apache License,
 * version 2.0 (the "License"); you may not use this file except in compliance
 * with the License. You may obtain a copy of the License at:
 *
 * https://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
 * WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
 * License for the specific language governing permissions and limitations
 * under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1340031451_1654618462.9426582/0/netty-transport-native-unix-common-4-1-76-final-sources-2-jar/io/netty/channel/unix/Buffer.java
* /opt/cola/permits/1340031451_1654618462.9426582/0/netty-transport-native-unix-common-4-1-76-final-sources-2-jar/netty_unix_buffer.c
```

\* /opt/cola/permits/1340031451\_1654618462.9426582/0/netty-transport-native-unix-common-4-1-76-final-sources-2-jar/netty\_unix\_buffer.h  
\* /opt/cola/permits/1340031451\_1654618462.9426582/0/netty-transport-native-unix-common-4-1-76-final-sources-2-jar/io/netty/channel/unix/PreferredDirectByteBufferAllocator.java  
No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2020 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License,  
\* version 2.0 (the "License"); you may not use this file except in compliance  
\* with the License. You may obtain a copy of the License at:

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1340031451\_1654618462.9426582/0/netty-transport-native-unix-common-4-1-76-final-sources-2-jar/netty\_unix.c  
\* /opt/cola/permits/1340031451\_1654618462.9426582/0/netty-transport-native-unix-common-4-1-76-final-sources-2-jar/netty\_unix.h

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2021 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License,  
\* version 2.0 (the "License"); you may not use this file except in compliance  
\* with the License. You may obtain a copy of the License at:

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1340031451\_1654618462.9426582/0/netty-transport-native-unix-common-4-1-76-final-sources-2-jar/io/netty/channel/unix/DomainDatagramSocketAddress.java

```
* /opt/cola/permits/1340031451_1654618462.9426582/0/netty-transport-native-unix-common-4-1-76-final-sources-2-jar/io/netty/channel/unix/DomainDatagramChannel.java
* /opt/cola/permits/1340031451_1654618462.9426582/0/netty-transport-native-unix-common-4-1-76-final-sources-2-jar/io/netty/channel/unix/DomainDatagramChannelConfig.java
* /opt/cola/permits/1340031451_1654618462.9426582/0/netty-transport-native-unix-common-4-1-76-final-sources-2-jar/io/netty/channel/unix/SegmentedDatagramPacket.java
* /opt/cola/permits/1340031451_1654618462.9426582/0/netty-transport-native-unix-common-4-1-76-final-sources-2-jar/io/netty/channel/unix/DomainDatagramPacket.java
```

No license file was found, but licenses were detected in source scan.

```
/*
```

```
* Copyright 2015 The Netty Project
```

```
*
```

```
* The Netty Project licenses this file to you under the Apache License,
```

```
* version 2.0 (the "License"); you may not use this file except in compliance
```

```
* with the License. You may obtain a copy of the License at:
```

```
*
```

```
* https://www.apache.org/licenses/LICENSE-2.0
```

```
*
```

```
* Unless required by applicable law or agreed to in writing, software
```

```
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
```

```
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
```

```
* License for the specific language governing permissions and limitations
```

```
* under the License.
```

```
*/
```

Found in path(s):

```
* /opt/cola/permits/1340031451_1654618462.9426582/0/netty-transport-native-unix-common-4-1-76-final-sources-2-jar/netty_unix_filedescriptor.h
```

```
* /opt/cola/permits/1340031451_1654618462.9426582/0/netty-transport-native-unix-common-4-1-76-final-sources-2-jar/io/netty/channel/unix/DomainSocketAddress.java
```

```
* /opt/cola/permits/1340031451_1654618462.9426582/0/netty-transport-native-unix-common-4-1-76-final-sources-2-jar/io/netty/channel/unix/Socket.java
```

```
* /opt/cola/permits/1340031451_1654618462.9426582/0/netty-transport-native-unix-common-4-1-76-final-sources-2-jar/io/netty/channel/unix/DomainSocketReadMode.java
```

```
* /opt/cola/permits/1340031451_1654618462.9426582/0/netty-transport-native-unix-common-4-1-76-final-sources-2-jar/io/netty/channel/unix/Errors.java
```

```
* /opt/cola/permits/1340031451_1654618462.9426582/0/netty-transport-native-unix-common-4-1-76-final-sources-2-jar/io/netty/channel/unix/DomainSocketChannelConfig.java
```

```
* /opt/cola/permits/1340031451_1654618462.9426582/0/netty-transport-native-unix-common-4-1-76-final-sources-2-jar/netty_unix_socket.c
```

```
* /opt/cola/permits/1340031451_1654618462.9426582/0/netty-transport-native-unix-common-4-1-76-final-sources-2-jar/io/netty/channel/unix/UnixChannel.java
```

```
* /opt/cola/permits/1340031451_1654618462.9426582/0/netty-transport-native-unix-common-4-1-76-final-sources-2-jar/netty_unix_errors.c
```

```
* /opt/cola/permits/1340031451_1654618462.9426582/0/netty-transport-native-unix-common-4-1-76-final-sources-2-jar/io/netty/channel/unix/DatagramSocketAddress.java
```

```
* /opt/cola/permits/1340031451_1654618462.9426582/0/netty-transport-native-unix-common-4-1-76-final-sources-
```

2-jar/netty\_unix\_filedescriptor.c  
\* /opt/cola/permits/1340031451\_1654618462.9426582/0/netty-transport-native-unix-common-4-1-76-final-sources-2-jar/io/netty/channel/unix/FileDescriptor.java  
\* /opt/cola/permits/1340031451\_1654618462.9426582/0/netty-transport-native-unix-common-4-1-76-final-sources-2-jar/io/netty/channel/unix/NativeInetAddress.java  
\* /opt/cola/permits/1340031451\_1654618462.9426582/0/netty-transport-native-unix-common-4-1-76-final-sources-2-jar/netty\_unix\_socket.h  
\* /opt/cola/permits/1340031451\_1654618462.9426582/0/netty-transport-native-unix-common-4-1-76-final-sources-2-jar/netty\_unix\_errors.h  
\* /opt/cola/permits/1340031451\_1654618462.9426582/0/netty-transport-native-unix-common-4-1-76-final-sources-2-jar/io/netty/channel/unix/ServerDomainSocketChannel.java  
\* /opt/cola/permits/1340031451\_1654618462.9426582/0/netty-transport-native-unix-common-4-1-76-final-sources-2-jar/io/netty/channel/unix/DomainSocketChannel.java  
No license file was found, but licenses were detected in source scan.

```
/*  
* Copyright 2016 The Netty Project  
*  
* The Netty Project licenses this file to you under the Apache License,  
* version 2.0 (the "License"); you may not use this file except in compliance  
* with the License. You may obtain a copy of the License at:  
*  
* https://www.apache.org/licenses/LICENSE-2.0  
*  
* Unless required by applicable law or agreed to in writing, software  
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
* License for the specific language governing permissions and limitations  
* under the License.  
*/
```

Found in path(s):

\* /opt/cola/permits/1340031451\_1654618462.9426582/0/netty-transport-native-unix-common-4-1-76-final-sources-2-jar/io/netty/channel/unix/Limits.java  
\* /opt/cola/permits/1340031451\_1654618462.9426582/0/netty-transport-native-unix-common-4-1-76-final-sources-2-jar/io/netty/channel/unix/ErrorsStaticallyReferencedJniMethods.java  
\* /opt/cola/permits/1340031451\_1654618462.9426582/0/netty-transport-native-unix-common-4-1-76-final-sources-2-jar/netty\_unix\_util.h  
\* /opt/cola/permits/1340031451\_1654618462.9426582/0/netty-transport-native-unix-common-4-1-76-final-sources-2-jar/io/netty/channel/unix/SocketWritableByteChannel.java  
\* /opt/cola/permits/1340031451\_1654618462.9426582/0/netty-transport-native-unix-common-4-1-76-final-sources-2-jar/io/netty/channel/unix/PeerCredentials.java  
\* /opt/cola/permits/1340031451\_1654618462.9426582/0/netty-transport-native-unix-common-4-1-76-final-sources-2-jar/netty\_unix\_limits.h  
\* /opt/cola/permits/1340031451\_1654618462.9426582/0/netty-transport-native-unix-common-4-1-76-final-sources-2-jar/netty\_unix\_util.c  
\* /opt/cola/permits/1340031451\_1654618462.9426582/0/netty-transport-native-unix-common-4-1-76-final-sources-2-jar/io/netty/channel/unix/LimitsStaticallyReferencedJniMethods.java

\* /opt/cola/permits/1340031451\_1654618462.9426582/0/netty-transport-native-unix-common-4-1-76-final-sources-2-jar/netty\_unix\_limits.c

# 1.28 apache-velocity-engine 2.3

## 1.28.1 Available under license :

Apache Commons IO  
Copyright 2002-2020 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<https://www.apache.org/>).

Apache Velocity - Engine  
Copyright 2000-2020 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work,



where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
  - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
  - (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
  - (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
  - (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or

for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason

of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

# 1.29 jul-to-slf4j-bridge 1.7.32

## 1.29.1 Available under license :

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity

on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
  - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
  - (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
  - (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
  - (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one

of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a

result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. **Accepting Warranty or Additional Liability.** While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright 1999-2005 The Apache Software Foundation

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Copyright (c) 2004-2007 QOS.ch  
All rights reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the

"Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Copyright (c) 2004-2013 QOS.ch

All rights reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.



"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise

designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. **Grant of Copyright License.** Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. **Grant of Patent License.** Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. **Redistribution.** You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
  - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
  - (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
  - (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
  - (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must

include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly

negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

#### END OF TERMS AND CONDITIONS

This product includes software developed by  
The Apache Software Foundation (<http://www.apache.org/>).  
Copyright (c) 2004-2017 QOS.ch  
All rights reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.30 bom 4.1.73.Final

## 1.30.1 Available under license :

Copyright (c) 2003-2008 Yuta Mori All Rights Reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

The person or persons who have associated work with this document (the "Dedicator" or "Certifier") hereby either (a) certifies that, to the best of his knowledge, the work of authorship identified is in the public domain of the country from which the work is published, or (b) hereby dedicates whatever copyright the dedicators holds in the work of authorship identified below (the "Work") to the public domain. A certifier, moreover, dedicates any copyright interest he may have in the associated work, and for these purposes, is described as a "dedicator" below.

A certifier has taken reasonable steps to verify the copyright status of this work. Certifier recognizes that his good faith efforts may not shield him from liability if in fact the work certified is not in the public domain.

Dedicator makes this dedication for the benefit of the public at large and to the detriment of the Dedicator's heirs and successors. Dedicator intends this dedication to be an overt act of relinquishment in perpetuity of all present and future rights under copyright law, whether vested or contingent, in the Work. Dedicator understands that such relinquishment of all rights includes the relinquishment of all rights to enforce (by lawsuit or otherwise) those copyrights in the Work.

Dedicator recognizes that, once placed in the public domain, the Work may be

freely reproduced, distributed, transmitted, used, modified, built upon, or otherwise exploited by anyone for any purpose, commercial or non-commercial, and in any way, including by methods that have not yet been invented or conceived.

Apache License  
Version 2.0, January 2004  
<https://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain

separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the



origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

Apache License  
Version 2.0, January 2004  
<https://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise

designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. **Grant of Copyright License.** Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. **Grant of Patent License.** Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. **Redistribution.** You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
  - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
  - (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
  - (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
  - (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must

include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly

negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<https://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

The MIT License

Copyright (c) 2009 William Kinney

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Apache License  
Version 2.0, January 2004  
<https://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of

this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.



You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only

on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

#### END OF TERMS AND CONDITIONS

Copyright 2009-2010 Ning, Inc.

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at <https://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

/\*

\* Copyright (c) 2004-2006, 2008, 2009, 2011 Apple Inc. All rights reserved.

\*

\* @APPLE\_LICENSE\_HEADER\_START@

\*

\* This file contains Original Code and/or Modifications of Original Code

\* as defined in and that are subject to the Apple Public Source License

\* Version 2.0 (the 'License'). You may not use this file except in

\* compliance with the License. Please obtain a copy of the License at

\* <https://www.opensource.apple.com/apsl/> and read it before using this

\* file.

\*

\* The Original Code and all software distributed under the License are

\* distributed on an 'AS IS' basis, WITHOUT WARRANTY OF ANY KIND, EITHER

\* EXPRESS OR IMPLIED, AND APPLE HEREBY DISCLAIMS ALL SUCH WARRANTIES,

\* INCLUDING WITHOUT LIMITATION, ANY WARRANTIES OF MERCHANTABILITY,

\* FITNESS FOR A PARTICULAR PURPOSE, QUIET ENJOYMENT OR NON-INFRINGEMENT.

\* Please see the License for the specific language governing rights and

\* limitations under the License.

\*

\* @APPLE\_LICENSE\_HEADER\_END@

\*/

The MIT License (MIT)

Copyright (c) 2014 Cory Benfield

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell

copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Copyright 2011, Google Inc.

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- \* Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Copyright (c) 2010-2011 Matthew J. Francis and Contributors of the jbzip2 Project

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is

furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

The person or persons who have associated work with this document (the "Dedicator" or "Certifier") hereby either (a) certifies that, to the best of his knowledge, the work of authorship identified is in the public domain of the country from which the work is published, or (b) hereby dedicates whatever copyright the dedicators holds in the work of authorship identified below (the "Work") to the public domain. A certifier, moreover, dedicates any copyright interest he may have in the associated work, and for these purposes, is described as a "dedicator" below.

A certifier has taken reasonable steps to verify the copyright status of this work. Certifier recognizes that his good faith efforts may not shield him from liability if in fact the work certified is not in the public domain.

Dedicator makes this dedication for the benefit of the public at large and to the detriment of the Dedicator's heirs and successors. Dedicator intends this dedication to be an overt act of relinquishment in perpetuate of all present and future rights under copyright law, whether vested or contingent, in the Work. Dedicator understands that such relinquishment of all rights includes the relinquishment of all rights to enforce (by lawsuit or otherwise) those copyrights in the Work.

Dedicator recognizes that, once placed in the public domain, the Work may be freely reproduced, distributed, transmitted, used, modified, built upon, or otherwise exploited by anyone for any purpose, commercial or non-commercial, and in any way, including by methods that have not yet been invented or conceived.

Apache License  
Version 2.0, January 2004  
<https://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but

excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. **Grant of Copyright License.** Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. **Grant of Patent License.** Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. **Redistribution.** You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
  - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
  - (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
  - (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
  - (d) If the Work includes a "NOTICE" text file as part of its

distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. **Disclaimer of Warranty.** Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. **Limitation of Liability.** In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise,

unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. **Accepting Warranty or Additional Liability.** While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<https://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.



## The MIT License

Copyright (c) 2012, 2014, 2015, 2016 Tatsuhiro Tsujikawa

Copyright (c) 2012, 2014, 2015, 2016 nghttp2 contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Apache License

Version 2.0, January 2004

<https://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of

this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only

on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "{}" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright {yyyy} {name of copyright owner}

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<https://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

(BSD License: <https://www.opensource.org/licenses/bsd-license>)

Copyright (c) 2011, Joe Walnes, Aslak Hellesøy and contributors  
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

\* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

\* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other

materials provided with the distribution.

\* Neither the name of the Webbit nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

The MIT License (MIT)

Copyright (c) 2000 - 2013 The Legion of the Bouncy Castle Inc.

(<https://www.bouncycastle.org>)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Copyright (c) 2000,2001,2002,2003,2004 ymnk, JCraft,Inc. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The names of the authors may not be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL JCRAFT, INC. OR ANY CONTRIBUTORS TO THIS SOFTWARE BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

The Netty Project

=====

Please visit the Netty web site for more information:

\* <https://netty.io/>

Copyright 2014 The Netty Project

The Netty Project licenses this file to you under the Apache License, version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at:

<https://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Also, please refer to each LICENSE.<component>.txt file, which is located in the 'license' directory of the distribution file, for the license terms of the components that this product depends on.

-----  
This product contains the extensions to Java Collections Framework which has

been derived from the works by JSR-166 EG, Doug Lea, and Jason T. Greene:

\* LICENSE:

\* license/LICENSE.jsr166y.txt (Public Domain)

\* HOMEPAGE:

\* <http://gee.cs.oswego.edu/cgi-bin/viewcvs.cgi/jsr166/>

\* <http://viewvc.jboss.org/cgi-bin/viewvc.cgi/jboss/cache/experimental/jsr166/>

This product contains a modified version of Robert Harder's Public Domain Base64 Encoder and Decoder, which can be obtained at:

\* LICENSE:

\* license/LICENSE.base64.txt (Public Domain)

\* HOMEPAGE:

\* <http://iharder.sourceforge.net/current/java/base64/>

This product contains a modified portion of 'Webbit', an event based WebSocket and HTTP server, which can be obtained at:

\* LICENSE:

\* license/LICENSE.webbit.txt (BSD License)

\* HOMEPAGE:

\* <https://github.com/joewalnes/webbit>

This product contains a modified portion of 'SLF4J', a simple logging facade for Java, which can be obtained at:

\* LICENSE:

\* license/LICENSE.slf4j.txt (MIT License)

\* HOMEPAGE:

\* <https://www.slf4j.org/>

This product contains a modified portion of 'Apache Harmony', an open source Java SE, which can be obtained at:

\* NOTICE:

\* license/NOTICE.harmony.txt

\* LICENSE:

\* license/LICENSE.harmony.txt (Apache License 2.0)

\* HOMEPAGE:

\* <https://archive.apache.org/dist/harmony/>

This product contains a modified portion of 'jzip2', a Java bzip2 compression and decompression library written by Matthew J. Francis. It can be obtained at:

\* LICENSE:

\* license/LICENSE.jbzip2.txt (MIT License)

\* HOMEPAGE:



\* <https://code.google.com/p/jbzip2/>

This product contains a modified portion of 'libdivsufsort', a C API library to construct the suffix array and the Burrows-Wheeler transformed string for any input string of a constant-size alphabet written by Yuta Mori. It can be obtained at:

\* LICENSE:

\* [license/LICENSE.libdivsufsort.txt](#) (MIT License)

\* HOMEPAGE:

\* <https://github.com/y-256/libdivsufsort>

This product contains a modified portion of Nitsan Wakart's 'JCTools', Java Concurrency Tools for the JVM, which can be obtained at:

\* LICENSE:

\* [license/LICENSE.jctools.txt](#) (ASL2 License)

\* HOMEPAGE:

\* <https://github.com/JCTools/JCTools>

This product optionally depends on 'JZlib', a re-implementation of zlib in pure Java, which can be obtained at:

\* LICENSE:

\* [license/LICENSE.jzlib.txt](#) (BSD style License)

\* HOMEPAGE:

\* <http://www.jcraft.com/jzlib/>

This product optionally depends on 'Compress-LZF', a Java library for encoding and decoding data in LZF format, written by Tatu Saloranta. It can be obtained at:

\* LICENSE:

\* [license/LICENSE.compress-lzf.txt](#) (Apache License 2.0)

\* HOMEPAGE:

\* <https://github.com/ning/compress>

This product optionally depends on 'lz4', a LZ4 Java compression and decompression library written by Adrien Grand. It can be obtained at:

\* LICENSE:

\* [license/LICENSE.lz4.txt](#) (Apache License 2.0)

\* HOMEPAGE:

\* <https://github.com/jpountz/lz4-java>

This product optionally depends on 'lzma-java', a LZMA Java compression and decompression library, which can be obtained at:

\* LICENSE:

\* [license/LICENSE.lzma-java.txt](#) (Apache License 2.0)

\* HOMEPAGE:

\* <https://github.com/jponge/lzma-java>

This product optionally depends on 'zstd-jni', a zstd-jni Java compression and decompression library, which can be obtained at:

\* LICENSE:

\* [license/LICENSE.zstd-jni.txt](#) (Apache License 2.0)

\* HOMEPAGE:

\* <https://github.com/luben/zstd-jni>

This product contains a modified portion of 'jfastlz', a Java port of FastLZ compression and decompression library written by William Kinney. It can be obtained at:

\* LICENSE:

\* [license/LICENSE.jfastlz.txt](#) (MIT License)

\* HOMEPAGE:

\* <https://code.google.com/p/jfastlz/>

This product contains a modified portion of and optionally depends on 'Protocol Buffers', Google's data interchange format, which can be obtained at:

\* LICENSE:

\* [license/LICENSE.protobuf.txt](#) (New BSD License)

\* HOMEPAGE:

\* <https://github.com/google/protobuf>

This product optionally depends on 'Bouncy Castle Crypto APIs' to generate a temporary self-signed X.509 certificate when the JVM does not provide the equivalent functionality. It can be obtained at:

\* LICENSE:

\* [license/LICENSE.bouncycastle.txt](#) (MIT License)

\* HOMEPAGE:

\* <https://www.bouncycastle.org/>

This product optionally depends on 'Snappy', a compression library produced by Google Inc, which can be obtained at:

\* LICENSE:

\* [license/LICENSE.snappy.txt](#) (New BSD License)

\* HOMEPAGE:

\* <https://github.com/google/snappy>

This product optionally depends on 'JBoss Marshalling', an alternative Java serialization API, which can be obtained at:

\* LICENSE:

- \* license/LICENSE.jboss-marshalling.txt (Apache License 2.0)

- \* HOMEPAGE:

- \* <https://github.com/jboss-remoting/jboss-marshalling>

This product optionally depends on 'Caliper', Google's micro-benchmarking framework, which can be obtained at:

- \* LICENSE:

- \* license/LICENSE.caliper.txt (Apache License 2.0)

- \* HOMEPAGE:

- \* <https://github.com/google/caliper>

This product optionally depends on 'Apache Commons Logging', a logging framework, which can be obtained at:

- \* LICENSE:

- \* license/LICENSE.commons-logging.txt (Apache License 2.0)

- \* HOMEPAGE:

- \* <https://commons.apache.org/logging/>

This product optionally depends on 'Apache Log4J', a logging framework, which can be obtained at:

- \* LICENSE:

- \* license/LICENSE.log4j.txt (Apache License 2.0)

- \* HOMEPAGE:

- \* <https://logging.apache.org/log4j/>

This product optionally depends on 'Aalto XML', an ultra-high performance non-blocking XML processor, which can be obtained at:

- \* LICENSE:

- \* license/LICENSE.aalto-xml.txt (Apache License 2.0)

- \* HOMEPAGE:

- \* <https://wiki.fasterxml.com/AaltoHome>

This product contains a modified version of 'HPACK', a Java implementation of the HTTP/2 HPACK algorithm written by Twitter. It can be obtained at:

- \* LICENSE:

- \* license/LICENSE.hpack.txt (Apache License 2.0)

- \* HOMEPAGE:

- \* <https://github.com/twitter/hpack>

This product contains a modified version of 'HPACK', a Java implementation of the HTTP/2 HPACK algorithm written by Cory Benfield. It can be obtained at:

- \* LICENSE:

- \* license/LICENSE.hyper-hpack.txt (MIT License)

- \* HOMEPAGE:

- \* <https://github.com/python-hyper/hpack/>

This product contains a modified version of 'HPACK', a Java implementation of the HTTP/2 HPACK algorithm written by Tatsuhiro Tsujikawa. It can be obtained at:

- \* LICENSE:

- \* license/LICENSE.nghttp2-hpack.txt (MIT License)

- \* HOMEPAGE:

- \* <https://github.com/nghttp2/nghttp2/>

This product contains a modified portion of 'Apache Commons Lang', a Java library provides utilities for the java.lang API, which can be obtained at:

- \* LICENSE:

- \* license/LICENSE.commons-lang.txt (Apache License 2.0)

- \* HOMEPAGE:

- \* <https://commons.apache.org/proper/commons-lang/>

This product contains the Maven wrapper scripts from 'Maven Wrapper', that provides an easy way to ensure a user has everything necessary to run the Maven build.

- \* LICENSE:

- \* license/LICENSE.mvn-wrapper.txt (Apache License 2.0)

- \* HOMEPAGE:

- \* <https://github.com/takari/maven-wrapper>

This product contains the dnsinfo.h header file, that provides a way to retrieve the system DNS configuration on MacOS.

This private header is also used by Apple's open source mDNSResponder (<https://opensource.apple.com/tarballs/mDNSResponder/>).

- \* LICENSE:

- \* license/LICENSE.dnsinfo.txt (Apple Public Source License 2.0)

- \* HOMEPAGE:

- \* <https://www.opensource.apple.com/source/configd/configd-453.19/dnsinfo/dnsinfo.h>

This product optionally depends on 'Brotli4j', Brotli compression and decompression for Java., which can be obtained at:

- \* LICENSE:

- \* license/LICENSE.brotli4j.txt (Apache License 2.0)

- \* HOMEPAGE:

- \* <https://github.com/hyperxpro/Brotli4j>

Protocol Buffers - Google's data interchange format

Copyright 2013 Google Inc. All rights reserved.

<https://developers.google.com/protocol-buffers/>

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

- \* Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Code generated by the Protocol Buffer compiler is owned by the owner of the input file used when generating it. This code is not standalone and requires a support library to be linked with it. This support library is itself covered by the above license.

/\*

- \* Copyright (c) 2004-2007 QOS.ch

- \* All rights reserved.

- \*

- \* Permission is hereby granted, free of charge, to any person obtaining

- \* a copy of this software and associated documentation files (the

- \* "Software"), to deal in the Software without restriction, including

- \* without limitation the rights to use, copy, modify, merge, publish,

- \* distribute, sublicense, and/or sell copies of the Software, and to

- \* permit persons to whom the Software is furnished to do so, subject to

- \* the following conditions:

- \*

- \* The above copyright notice and this permission notice shall be

- \* included in all copies or substantial portions of the Software.

- \*

- \* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,

\* EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF  
\* MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND  
\* NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE  
\* LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION  
\* OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION  
\* WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.  
\*/

This copy of Aalto XML processor is licensed under the  
Apache (Software) License, version 2.0 ("the License").  
See the License for details about distribution rights, and the  
specific rights regarding derivate works.

You may obtain a copy of the License at:

<https://www.apache.org/licenses/>

A copy is also included with both the the downloadable source code package  
and jar that contains class bytecodes, as file "ASL 2.0". In both cases,  
that file should be located next to this file: in source distribution  
the location should be "release-notes/asl"; and in jar "META-INF/"  
Apache Harmony

Copyright 2006, 2010 The Apache Software Foundation.

This product includes software developed at  
The Apache Software Foundation (<https://www.apache.org/>).

## 1.31 micronaut-jax-rs 3.2.0

### 1.31.1 Available under license :

Apache License  
Version 2.0, January 2004  
<https://www.apache.org/licenses/>

#### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

##### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,  
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by  
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all  
other entities that control, are controlled by, or are under common  
control with that entity. For the purposes of this definition,

"control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
  
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
  
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
  - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
  
  - (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
  
  - (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
  
  - (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or,



within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all

other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

# 1.32 micronaut-sql-libraries 4.1.1

## 1.32.1 Available under license :

Apache License

Version 2.0, January 2004

<https://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner

or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
  - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
  - (b) You must cause any modified files to carry prominent notices stating that You changed the files; and

- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.
6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions

of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

## 1.33 apache-commons-lang 3.7

### 1.33.1 Available under license :

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

#### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

##### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a

copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct



or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of

this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following

boilerplate notice, with the fields enclosed by brackets "[ ]"  
replaced with your own identifying information. (Don't include  
the brackets!) The text should be enclosed in the appropriate  
comment syntax for the file format. We also recommend that a  
file or class name and description of purpose be included on the  
same "printed page" as the copyright notice for easier  
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software  
distributed under the License is distributed on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.

Apache Commons Lang

Copyright 2001-2017 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

This product includes software from the Spring Framework,  
under the Apache License 2.0 (see: `StringUtils.containsWhitespace()`)

## 1.34 feign-slf4j 8.18.0

### 1.34.1 Available under license :

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2013 Netflix, Inc.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

- \* See the License for the specific language governing permissions and
- \* limitations under the License.
- \*/

Found in path(s):

\* /opt/cola/permits/1274703681\_1645234024.72/0/feign-slf4j-8-18-0-sources-jar/feign/slf4j/Slf4jLogger.java

## 1.35 java-vault-driver 4.1.0

### 1.35.1 Available under license :

No license file was found, but licenses were detected in source scan.

/\*  
 \*\*\*\*  
 \*/

```

* Copyright (c) 2015 EclipseSource.
*
* Permission is hereby granted, free of charge, to any person obtaining a copy
* of this software and associated documentation files (the "Software"), to deal
* in the Software without restriction, including without limitation the rights
* to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
* copies of the Software, and to permit persons to whom the Software is
* furnished to do so, subject to the following conditions:
*
* The above copyright notice and this permission notice shall be included in all
* copies or substantial portions of the Software.
*
* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
* IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
* FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
* AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
* LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
* OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE
* SOFTWARE.
  
```

Found in path(s):

\* /opt/cola/permits/1274699816\_1650662458.87/0/vault-java-driver-4-1-0-sources-jar/com/bettercloud/vault/json/WritingBuffer.java  
 \* /opt/cola/permits/1274699816\_1650662458.87/0/vault-java-driver-4-1-0-sources-jar/com/bettercloud/vault/json/PrettyPrint.java  
 \* /opt/cola/permits/1274699816\_1650662458.87/0/vault-java-driver-4-1-0-sources-jar/com/bettercloud/vault/json/WriterConfig.java  
 \* /opt/cola/permits/1274699816\_1650662458.87/0/vault-java-driver-4-1-0-sources-jar/com/bettercloud/vault/json/Json.java

No license file was found, but licenses were detected in source scan.

```

/**
 * <p>Intended for internal use by other classes within the Vault driver library.</p>
  
```

\*  
\* <p>JSON parsing functionality. The classes in this package are adapted from Ralf Sternberg's excellent  
\* <a href="https://github.com/ralfstx/minimal-json">"minimal-json"</a> library, available under the MIT License.  
\* The package names have all been changed, to prevent any conflicts should you happen to be using a different  
\* version of this library elsewhere in your project dependencies.</p>  
\*/

Found in path(s):

\* /opt/cola/permits/1274699816\_1650662458.87/0/vault-java-driver-4-1-0-sources-  
jar/com/bettercloud/vault/json/package-info.java

No license file was found, but licenses were detected in source scan.

/\*  
\*\*\*\*\*

\* Copyright (c) 2013, 2015 EclipseSource.

\*

\* Permission is hereby granted, free of charge, to any person obtaining a copy  
\* of this software and associated documentation files (the "Software"), to deal  
\* in the Software without restriction, including without limitation the rights  
\* to use, copy, modify, merge, publish, distribute, sublicense, and/or sell  
\* copies of the Software, and to permit persons to whom the Software is  
\* furnished to do so, subject to the following conditions:

\*

\* The above copyright notice and this permission notice shall be included in all  
\* copies or substantial portions of the Software.

\*

\* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR  
\* IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,  
\* FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE  
\* AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER  
\* LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,  
\* OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE  
\* SOFTWARE.

\*\*\*\*\*

Found in path(s):

\* /opt/cola/permits/1274699816\_1650662458.87/0/vault-java-driver-4-1-0-sources-  
jar/com/bettercloud/vault/json/JsonLiteral.java

\* /opt/cola/permits/1274699816\_1650662458.87/0/vault-java-driver-4-1-0-sources-  
jar/com/bettercloud/vault/json/JsonString.java

\* /opt/cola/permits/1274699816\_1650662458.87/0/vault-java-driver-4-1-0-sources-  
jar/com/bettercloud/vault/json/JsonArray.java

\* /opt/cola/permits/1274699816\_1650662458.87/0/vault-java-driver-4-1-0-sources-  
jar/com/bettercloud/vault/json/ParseException.java

\* /opt/cola/permits/1274699816\_1650662458.87/0/vault-java-driver-4-1-0-sources-  
jar/com/bettercloud/vault/json/JsonValue.java

\* /opt/cola/permits/1274699816\_1650662458.87/0/vault-java-driver-4-1-0-sources-  
jar/com/bettercloud/vault/json/JsonParser.java

\* /opt/cola/permits/1274699816\_1650662458.87/0/vault-java-driver-4-1-0-sources-

```
jar/com/bettercloud/vault/json/JsonNumber.java
* /opt/cola/permits/1274699816_1650662458.87/0/vault-java-driver-4-1-0-sources-
jar/com/bettercloud/vault/json/JsonObject.java
* /opt/cola/permits/1274699816_1650662458.87/0/vault-java-driver-4-1-0-sources-
jar/com/bettercloud/vault/json/JsonWriter.java
```

## 1.36 jackson-xc 2.13.2

### 1.36.1 Available under license :

# Jackson JSON processor

Jackson is a high-performance, Free/Open Source JSON processing library. It was originally written by Tatu Saloranta (tatu.saloranta@iki.fi), and has been in development since 2007.

It is currently developed by a community of developers, as well as supported commercially by FasterXML.com.

## Licensing

Jackson core and extension components may be licensed under different licenses. To find the details that apply to this artifact see the accompanying LICENSE file. For more information, including possible other licensing options, contact FasterXML.com (<http://fasterxml.com>).

## Credits

A list of contributors may be found from CREDITS file, which is included in some artifacts (usually source distributions); but is always available from the source code management (SCM) system project uses.

This copy of Jackson JSON processor `jackson-module-jaxb-annotations` module is licensed under the Apache (Software) License, version 2.0 ("the License").

See the License for details about distribution rights, and the specific rights regarding derivative works.

You may obtain a copy of the License at:

<http://www.apache.org/licenses/LICENSE-2.0>

## 1.37 hamcrest v2.2

### 1.37.1 Available under license :

BSD License

Copyright (c) 2000-2015 [www.hamcrest.org](http://www.hamcrest.org)

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

Neither the name of Hamcrest nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

## 1.38 javax-ws-rs-api 2.1.1

### 1.38.1 Available under license :

Found license 'General Public License 2.0' in '\* Copyright (c) 2013, 2017 Oracle and/or its affiliates. All rights reserved. \* This program and the accompanying materials are made available under the \* terms of the Eclipse Public License v. 2.0, which is available at \* Eclipse Public License v. 2.0 are satisfied: GNU General Public License,'

Found license 'Eclipse Public License 1.0' in '\* Copyright (c) 2010, 2017 Oracle and/or its affiliates. All rights reserved. \* This program and the accompanying materials are made available under the \* terms of the Eclipse Public License v. 2.0, which is available at \* Eclipse Public License v. 2.0 are satisfied: GNU General Public License,'

Found license 'General Public License 2.0' in '\* Copyright (c) 2017 Oracle and/or its affiliates. All rights reserved. \* This program and the accompanying materials are made available under the \* terms of the Eclipse Public License v. 2.0, which is available at \* Eclipse Public License v. 2.0 are satisfied: GNU General Public License,'

Found license 'Eclipse Public License 1.0' in '\* Copyright (c) 2012, 2017 Oracle and/or its affiliates. All rights reserved. \* This program and the accompanying materials are made available under the \* terms of the Eclipse Public License v. 2.0, which is available at \* Eclipse Public License v. 2.0 are satisfied: GNU General Public License, \*

This method is reserved for future use. Proprietary JAX-RS extensions may leverage the method.'

Found license 'Eclipse Public License 1.0' in '\* Copyright (c) 2012, 2017 Oracle and/or its affiliates. All rights reserved. \* This program and the accompanying materials are made available under the \* terms of the Eclipse Public License v. 2.0, which is available at \* Eclipse Public License v. 2.0 are satisfied: GNU General Public License,'

Found license 'Eclipse Public License 1.0' in '\* Copyright (c) 2015, 2017 Oracle and/or its affiliates. All rights reserved. \* This program and the accompanying materials are made available under the \* terms of the Eclipse Public License v. 2.0, which is available at \* Eclipse Public License v. 2.0 are satisfied: GNU General Public License,'

Found license 'Eclipse Public License 1.0' in '\* Copyright (c) 2011, 2017 Oracle and/or its affiliates. All rights reserved. \* This program and the accompanying materials are made available under the \* terms of the Eclipse Public License v. 2.0, which is available at \* Eclipse Public License v. 2.0 are satisfied: GNU General Public License,'

Found license 'Eclipse Public License 1.0' in '\* Copyright (c) 2013, 2017 Oracle and/or its affiliates. All rights reserved. \* This program and the accompanying materials are made available under the \* terms of the Eclipse Public License v. 2.0, which is available at \* Eclipse Public License v. 2.0 are satisfied: GNU General Public License,'

Found license 'General Public License 2.0' in '\* Copyright (c) 2012, 2017 Oracle and/or its affiliates. All rights reserved. \* This program and the accompanying materials are made available under the \* terms of the Eclipse Public License v. 2.0, which is available at \* Eclipse Public License v. 2.0 are satisfied: GNU General Public License, \* This method is reserved for future use. Proprietary JAX-RS extensions may leverage the method.'

Found license 'General Public License 2.0' in '\* Copyright (c) 2011, 2017 Oracle and/or its affiliates. All rights reserved. \* This program and the accompanying materials are made available under the \* terms of the Eclipse Public License v. 2.0, which is available at \* Eclipse Public License v. 2.0 are satisfied: GNU General Public License,'

Found license 'General Public License 2.0' in '\* Copyright (c) 2010, 2017 Oracle and/or its affiliates. All rights reserved. \* This program and the accompanying materials are made available under the \* terms of the Eclipse Public License v. 2.0, which is available at \* Eclipse Public License v. 2.0 are satisfied: GNU General Public License,'

Found license 'General Public License 2.0' in '\* Copyright (c) 2012, 2017 Oracle and/or its affiliates. All rights reserved. \* This program and the accompanying materials are made available under the \* terms of the Eclipse Public License v. 2.0, which is available at \* Eclipse Public License v. 2.0 are satisfied: GNU General Public License,'

Found license 'General Public License 2.0' in '\* Copyright (c) 2015, 2017 Oracle and/or its affiliates. All rights reserved. \* This program and the accompanying materials are made available under the \* terms of the Eclipse Public License v. 2.0, which is available at \* Eclipse Public License v. 2.0 are satisfied: GNU General Public License,'

Found license 'Eclipse Public License 1.0' in '\* Copyright (c) 2017 Oracle and/or its affiliates. All rights reserved. \* This program and the accompanying materials are made available under the \* terms of the Eclipse Public License v. 2.0, which is available at \* Eclipse Public License v. 2.0 are satisfied: GNU General Public License,'

## 1.39 micronaut-rxjava-2 1.2.1

### 1.39.1 Available under license :

Apache License  
Version 2.0, January 2004  
<https://www.apache.org/licenses/>

#### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

##### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all



other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and

subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
  - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
  - (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
  - (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
  - (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed

as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the

Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

# 1.40 appdynamics-java-agent-api 4.5.13.27526

## 1.40.1 Available under license :

No license file was found, but licenses were detected in source scan.

<div class="aboutLanguage">Copyright 2019 AppDynamics Inc. All rights reserved.</div>

Found in path(s):

- \* /opt/cola/permits/1337070300\_1654792344.40951/0/java-agent-api-4-5-13-27526-zip/agent-api-javadoc-jar/overview-tree.html
- \* /opt/cola/permits/1337070300\_1654792344.40951/0/java-agent-api-4-5-13-27526-zip/agent-api-javadoc-jar/com/appdynamics/agent/api/package-tree.html
- \* /opt/cola/permits/1337070300\_1654792344.40951/0/java-agent-api-4-5-13-27526-zip/agent-api-javadoc-jar/com/appdynamics/agent/api/ExitCall.html
- \* /opt/cola/permits/1337070300\_1654792344.40951/0/java-agent-api-4-5-13-27526-zip/agent-api-javadoc-jar/deprecated-list.html
- \* /opt/cola/permits/1337070300\_1654792344.40951/0/java-agent-api-4-5-13-27526-zip/agent-api-javadoc-jar/com/appdynamics/agent/api/impl/NoOpTransaction.html
- \* /opt/cola/permits/1337070300\_1654792344.40951/0/java-agent-api-4-5-13-27526-zip/agent-api-javadoc-jar/com/appdynamics/agent/api/Transaction.html
- \* /opt/cola/permits/1337070300\_1654792344.40951/0/java-agent-api-4-5-13-27526-zip/agent-api-javadoc-jar/com/appdynamics/instrumentation/sdk/logging/package-tree.html
- \* /opt/cola/permits/1337070300\_1654792344.40951/0/java-agent-api-4-5-13-27526-zip/agent-api-javadoc-jar/com/appdynamics/instrumentation/sdk/logging/package-summary.html
- \* /opt/cola/permits/1337070300\_1654792344.40951/0/java-agent-api-4-5-13-27526-zip/agent-api-javadoc-jar/com/appdynamics/agent/api/AppdynamicsAgent.html
- \* /opt/cola/permits/1337070300\_1654792344.40951/0/java-agent-api-4-5-13-27526-zip/agent-api-javadoc-jar/com/appdynamics/instrumentation/sdk/logging/ISDKLogger.html
- \* /opt/cola/permits/1337070300\_1654792344.40951/0/java-agent-api-4-5-13-27526-zip/agent-api-javadoc-jar/com/appdynamics/agent/api/EventPublisher.html
- \* /opt/cola/permits/1337070300\_1654792344.40951/0/java-agent-api-4-5-13-27526-zip/agent-api-javadoc-jar/com/appdynamics/agent/api/impl/package-summary.html
- \* /opt/cola/permits/1337070300\_1654792344.40951/0/java-agent-api-4-5-13-27526-zip/agent-api-javadoc-jar/com/appdynamics/agent/api/EntryTypes.html
- \* /opt/cola/permits/1337070300\_1654792344.40951/0/java-agent-api-4-5-13-27526-zip/agent-api-javadoc-jar/overview-summary.html
- \* /opt/cola/permits/1337070300\_1654792344.40951/0/java-agent-api-4-5-13-27526-zip/agent-api-javadoc-jar/constant-values.html
- \* /opt/cola/permits/1337070300\_1654792344.40951/0/java-agent-api-4-5-13-27526-zip/agent-api-javadoc-jar/com/appdynamics/agent/api/package-summary.html
- \* /opt/cola/permits/1337070300\_1654792344.40951/0/java-agent-api-4-5-13-27526-zip/agent-api-javadoc-jar/index-all.html
- \* /opt/cola/permits/1337070300\_1654792344.40951/0/java-agent-api-4-5-13-27526-zip/agent-api-javadoc-jar/com/appdynamics/agent/api/ExitTypes.html
- \* /opt/cola/permits/1337070300\_1654792344.40951/0/java-agent-api-4-5-13-27526-zip/agent-api-javadoc-jar/help-doc.html
- \* /opt/cola/permits/1337070300\_1654792344.40951/0/java-agent-api-4-5-13-27526-zip/agent-api-javadoc-jar/com/appdynamics/agent/api/impl/NoOpExitCall.html
- \* /opt/cola/permits/1337070300\_1654792344.40951/0/java-agent-api-4-5-13-27526-zip/agent-api-javadoc-jar/com/appdynamics/agent/api/impl/package-tree.html

\* /opt/cola/permits/1337070300\_1654792344.40951/0/java-agent-api-4-5-13-27526-zip/agent-api-javadoc-jar/com/appdynamics/agent/api/MetricPublisher.html

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (c) AppDynamics, Inc., and its affiliates

\* 2018

\* All Rights Reserved

\* THIS IS UNPUBLISHED PROPRIETARY CODE OF APPDYNAMICS, INC.

\* The copyright notice above does not evidence any actual or intended publication of such source code

\*/

Found in path(s):

\* /opt/cola/permits/1337070300\_1654792344.40951/0/java-agent-api-4-5-13-27526-zip/agent-api-sources-jar/com/appdynamics/agent/api/impl/NoOpTransaction.java

\* /opt/cola/permits/1337070300\_1654792344.40951/0/java-agent-api-4-5-13-27526-zip/agent-api-sources-jar/com/appdynamics/agent/api/EumDelegate.java

\* /opt/cola/permits/1337070300\_1654792344.40951/0/java-agent-api-4-5-13-27526-zip/agent-api-sources-jar/com/appdynamics/agent/api/impl/NoOpExitCall.java

\* /opt/cola/permits/1337070300\_1654792344.40951/0/java-agent-api-4-5-13-27526-zip/agent-api-sources-jar/com/appdynamics/agent/api/AppdynamicsAgent.java

\* /opt/cola/permits/1337070300\_1654792344.40951/0/java-agent-api-4-5-13-27526-zip/agent-api-sources-jar/com/appdynamics/agent/api/ExitCall.java

\* /opt/cola/permits/1337070300\_1654792344.40951/0/java-agent-api-4-5-13-27526-zip/agent-api-sources-jar/com/appdynamics/agent/api/EventPublisher.java

\* /opt/cola/permits/1337070300\_1654792344.40951/0/java-agent-api-4-5-13-27526-zip/agent-api-sources-jar/com/appdynamics/agent/api/MetricPublisher.java

\* /opt/cola/permits/1337070300\_1654792344.40951/0/java-agent-api-4-5-13-27526-zip/agent-api-sources-jar/com/appdynamics/agent/api/Transaction.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (c) AppDynamics, Inc., and its affiliates

\* 2019

\* All Rights Reserved

\* THIS IS UNPUBLISHED PROPRIETARY CODE OF APPDYNAMICS, INC.

\* The copyright notice above does not evidence any actual or intended publication of such source code

\*/

Found in path(s):

\* /opt/cola/permits/1337070300\_1654792344.40951/0/java-agent-api-4-5-13-27526-zip/agent-api-sources-jar/com/appdynamics/agent/api/bootstrap/NoOpTransactionDelegate.java

\* /opt/cola/permits/1337070300\_1654792344.40951/0/java-agent-api-4-5-13-27526-zip/agent-api-sources-jar/com/appdynamics/agent/api/ExitTypes.java

\* /opt/cola/permits/1337070300\_1654792344.40951/0/java-agent-api-4-5-13-27526-zip/agent-api-sources-jar/com/appdynamics/agent/api/EntryTypes.java

\* /opt/cola/permits/1337070300\_1654792344.40951/0/java-agent-api-4-5-13-27526-zip/agent-api-sources-jar/com/appdynamics/agent/api/bootstrap/IApiBootstrapFacade.java

\* /opt/cola/permits/1337070300\_1654792344.40951/0/java-agent-api-4-5-13-27526-zip/agent-api-sources-jar/com/appdynamics/agent/api/bootstrap/IApiTransactionDelegate.java

# 1.41 apache-commons-pool 2.4.3

## 1.41.1 Available under license :

```
/*
 * Licensed to the Apache Software Foundation (ASF) under one or more
 * contributor license agreements. See the NOTICE file distributed with
 * this work for additional information regarding copyright ownership.
 * The ASF licenses this file to You under the Apache License, Version 2.0
 * (the "License"); you may not use this file except in compliance with
 * the License. You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Apache Commons Pool  
Copyright 2001-2017 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or

otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual,



worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
  - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
  - (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
  - (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
  - (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents

of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

## APACHE COMMONS POOL DERIVATIVE WORKS:

The LinkedBlockingDeque implementation is based on an implementation written by Doug Lea with assistance from members of JCP JSR-166 Expert Group and released to the public domain, as explained at <http://creativecommons.org/licenses/publicdomain>

# 1.42 lz4-and-xxhash 1.7.1

## 1.42.1 Available under license :

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes

of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You

meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor,

except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software  
distributed under the License is distributed on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.

## 1.43 picocli 4.5.2

### 1.43.1 Available under license :

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

#### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

##### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,  
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by  
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all  
other entities that control, are controlled by, or are under common  
control with that entity. For the purposes of this definition,  
"control" means (i) the power, direct or indirect, to cause the  
direction or management of such entity, whether by contract or  
otherwise, or (ii) ownership of fifty percent (50%) or more of the  
outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity  
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,  
including but not limited to software source code, documentation  
source, and configuration files.



"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work,

where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
  - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
  - (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
  - (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
  - (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or

for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason

of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "{}" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright {yyyy} {name of copyright owner}

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

# 1.44 metrics-integration-for-apache- httpasyncclient 4.0.5

## 1.44.1 Available under license :

No license file was found, but licenses were detected in source scan.

Manifest-Version: 1.0

Bnd-LastModified: 1545937994519

Build-Jdk: 1.8.0\_191

Built-By: artem

Bundle-Description: An Apache HttpAsyncClient wrapper providing Metrics instrumentation of connection pools, request durations and rates, and other useful information.

Bundle-License: <http://www.apache.org/licenses/LICENSE-2.0.html>

Bundle-ManifestVersion: 2

Bundle-Name: Metrics Integration for Apache HttpAsyncClient

Bundle-SymbolicName: io.dropwizard.metrics.httpasyncclient

Bundle-Version: 4.0.5  
Created-By: Apache Maven Bundle Plugin  
Export-Package: com.codahale.metrics.httpasyncclient;uses:="com.codahale.metrics,com.codahale.metrics.httpclient,org.apache.http.config,org.apache.http.conn,org.apache.http.impl.nio.client,org.apache.http.impl.nio.conn,org.apache.http.nio.conn,org.apache.http.nio.reactor";version="4.0.5"  
Implementation-Title: Metrics Integration for Apache HttpAsyncClient  
Implementation-URL: http://metrics.dropwizard.io/metrics-httpasyncclient  
Implementation-Vendor-Id: io.dropwizard.metrics  
Implementation-Version: 4.0.5  
Import-Package: com.codahale.metrics;version="[4.0,5)",com.codahale.metrics.httpclient;version="[4.0,5)",org.apache.http,org.apache.http.concurrent,org.apache.http.config,org.apache.http.conn,org.apache.http.impl.nio.client,org.apache.http.impl.nio.conn,org.apache.http.nio.conn,org.apache.http.nio.protocol,org.apache.http.nio.reactor,org.apache.http.pool,org.apache.http.protocol  
Require-Capability: osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=1.8))"  
Tool: Bnd-3.3.0.201609221906

Found in path(s):

\* /opt/cola/permits/1340031649\_1654689479.4970224/0/metrics-httpasyncclient-4-0-5-jar/META-INF/MANIFEST.MF

## 1.45 micronaut-kotlin-integrations 3.2.2

### 1.45.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*  
* Copyright 2017-2020 original authors  
*  
* Licensed under the Apache License, Version 2.0 (the "License");  
* you may not use this file except in compliance with the License.  
* You may obtain a copy of the License at  
*  
* https://www.apache.org/licenses/LICENSE-2.0  
*  
* Unless required by applicable law or agreed to in writing, software  
* distributed under the License is distributed on an "AS IS" BASIS,  
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
* See the License for the specific language governing permissions and  
* limitations under the License.  
*/
```

Found in path(s):

```

* /opt/cola/permits/1331473908_1653514800.6790595/0/micronaut-ktor-3-2-2-sources-
jar/io/micronaut/ktor/KtorApplicationBuilder.kt
* /opt/cola/permits/1331473908_1653514800.6790595/0/micronaut-ktor-3-2-2-sources-
jar/io/micronaut/ktor/KtorApplication.kt
* /opt/cola/permits/1331473908_1653514800.6790595/0/micronaut-ktor-3-2-2-sources-
jar/io/micronaut/ktor/server/AbstractKtorEmbeddedServer.kt
* /opt/cola/permits/1331473908_1653514800.6790595/0/micronaut-ktor-3-2-2-sources-
jar/io/micronaut/ktor/KtorRoutingBuilder.kt
* /opt/cola/permits/1331473908_1653514800.6790595/0/micronaut-ktor-3-2-2-sources-
jar/io/micronaut/ktor/server/KtorTomcatEmbeddedServer.kt
* /opt/cola/permits/1331473908_1653514800.6790595/0/micronaut-ktor-3-2-2-sources-
jar/io/micronaut/ktor/env/MicronautKtorEnvironmentConfig.kt
* /opt/cola/permits/1331473908_1653514800.6790595/0/micronaut-ktor-3-2-2-sources-
jar/io/micronaut/ktor/server/KtorNettyEmbeddedServer.kt
* /opt/cola/permits/1331473908_1653514800.6790595/0/micronaut-ktor-3-2-2-sources-
jar/io/micronaut/ktor/factory/MicronautKtorApplicationFactory.kt
* /opt/cola/permits/1331473908_1653514800.6790595/0/micronaut-ktor-3-2-2-sources-
jar/io/micronaut/ktor/server/KtorJettyEmbeddedServer.kt

```

## 1.46 asm-tree 8.0.1

### 1.46.1 Available under license :

No license file was found, but licenses were detected in source scan.

```

// All rights reserved.
// Redistribution and use in source and binary forms, with or without
// modification, are permitted provided that the following conditions
// are met:
// 1. Redistributions of source code must retain the above copyright
// notice, this list of conditions and the following disclaimer.
// 2. Redistributions in binary form must reproduce the above copyright
// notice, this list of conditions and the following disclaimer in the
// documentation and/or other materials provided with the distribution.
// 3. Neither the name of the copyright holders nor the names of its
// this software without specific prior written permission.

```

Found in path(s):

```

* /opt/cola/permits/1104664895_1604644145.26/0/asm-tree-8-0-1-sources-1-
jar/org/objectweb/asm/tree/MethodInsnNode.java
* /opt/cola/permits/1104664895_1604644145.26/0/asm-tree-8-0-1-sources-1-
jar/org/objectweb/asm/tree/LocalVariableNode.java
* /opt/cola/permits/1104664895_1604644145.26/0/asm-tree-8-0-1-sources-1-
jar/org/objectweb/asm/tree/TypeInsnNode.java
* /opt/cola/permits/1104664895_1604644145.26/0/asm-tree-8-0-1-sources-1-jar/org/objectweb/asm/tree/Util.java
* /opt/cola/permits/1104664895_1604644145.26/0/asm-tree-8-0-1-sources-1-
jar/org/objectweb/asm/tree/FieldNode.java
* /opt/cola/permits/1104664895_1604644145.26/0/asm-tree-8-0-1-sources-1-

```

jar/org/objectweb/asm/tree/TypeAnnotationNode.java  
\* /opt/cola/permits/1104664895\_1604644145.26/0/asm-tree-8-0-1-sources-1-  
jar/org/objectweb/asm/tree/MethodNode.java  
\* /opt/cola/permits/1104664895\_1604644145.26/0/asm-tree-8-0-1-sources-1-  
jar/org/objectweb/asm/tree/ModuleProvideNode.java  
\* /opt/cola/permits/1104664895\_1604644145.26/0/asm-tree-8-0-1-sources-1-  
jar/org/objectweb/asm/tree/InvokeDynamicInsnNode.java  
\* /opt/cola/permits/1104664895\_1604644145.26/0/asm-tree-8-0-1-sources-1-  
jar/org/objectweb/asm/tree/LookupSwitchInsnNode.java  
\* /opt/cola/permits/1104664895\_1604644145.26/0/asm-tree-8-0-1-sources-1-  
jar/org/objectweb/asm/tree/ClassNode.java  
\* /opt/cola/permits/1104664895\_1604644145.26/0/asm-tree-8-0-1-sources-1-  
jar/org/objectweb/asm/tree/LdcInsnNode.java  
\* /opt/cola/permits/1104664895\_1604644145.26/0/asm-tree-8-0-1-sources-1-  
jar/org/objectweb/asm/tree/ModuleNode.java  
\* /opt/cola/permits/1104664895\_1604644145.26/0/asm-tree-8-0-1-sources-1-  
jar/org/objectweb/asm/tree/IncInsnNode.java  
\* /opt/cola/permits/1104664895\_1604644145.26/0/asm-tree-8-0-1-sources-1-  
jar/org/objectweb/asm/tree/VarInsnNode.java  
\* /opt/cola/permits/1104664895\_1604644145.26/0/asm-tree-8-0-1-sources-1-  
jar/org/objectweb/asm/tree/FrameNode.java  
\* /opt/cola/permits/1104664895\_1604644145.26/0/asm-tree-8-0-1-sources-1-  
jar/org/objectweb/asm/tree/TableSwitchInsnNode.java  
\* /opt/cola/permits/1104664895\_1604644145.26/0/asm-tree-8-0-1-sources-1-  
jar/org/objectweb/asm/tree/JumpInsnNode.java  
\* /opt/cola/permits/1104664895\_1604644145.26/0/asm-tree-8-0-1-sources-1-  
jar/org/objectweb/asm/tree/FieldInsnNode.java  
\* /opt/cola/permits/1104664895\_1604644145.26/0/asm-tree-8-0-1-sources-1-  
jar/org/objectweb/asm/tree/MultiANewArrayInsnNode.java  
\* /opt/cola/permits/1104664895\_1604644145.26/0/asm-tree-8-0-1-sources-1-  
jar/org/objectweb/asm/tree/ModuleOpenNode.java  
\* /opt/cola/permits/1104664895\_1604644145.26/0/asm-tree-8-0-1-sources-1-  
jar/org/objectweb/asm/tree/IntInsnNode.java  
\* /opt/cola/permits/1104664895\_1604644145.26/0/asm-tree-8-0-1-sources-1-  
jar/org/objectweb/asm/tree/LineNumberNode.java  
\* /opt/cola/permits/1104664895\_1604644145.26/0/asm-tree-8-0-1-sources-1-  
jar/org/objectweb/asm/tree/InsnNode.java  
\* /opt/cola/permits/1104664895\_1604644145.26/0/asm-tree-8-0-1-sources-1-  
jar/org/objectweb/asm/tree/AnnotationNode.java  
\* /opt/cola/permits/1104664895\_1604644145.26/0/asm-tree-8-0-1-sources-1-  
jar/org/objectweb/asm/tree/LabelNode.java  
\* /opt/cola/permits/1104664895\_1604644145.26/0/asm-tree-8-0-1-sources-1-  
jar/org/objectweb/asm/tree/LocalVariableAnnotationNode.java  
\* /opt/cola/permits/1104664895\_1604644145.26/0/asm-tree-8-0-1-sources-1-  
jar/org/objectweb/asm/tree/AbstractInsnNode.java  
\* /opt/cola/permits/1104664895\_1604644145.26/0/asm-tree-8-0-1-sources-1-  
jar/org/objectweb/asm/tree/InnerClassNode.java  
\* /opt/cola/permits/1104664895\_1604644145.26/0/asm-tree-8-0-1-sources-1-

jar/org/objectweb/asm/tree/ModuleRequireNode.java  
\* /opt/cola/permits/1104664895\_1604644145.26/0/asm-tree-8-0-1-sources-1-  
jar/org/objectweb/asm/tree/InsnList.java  
\* /opt/cola/permits/1104664895\_1604644145.26/0/asm-tree-8-0-1-sources-1-  
jar/org/objectweb/asm/tree/ModuleExportNode.java  
\* /opt/cola/permits/1104664895\_1604644145.26/0/asm-tree-8-0-1-sources-1-  
jar/org/objectweb/asm/tree/TryCatchBlockNode.java  
\* /opt/cola/permits/1104664895\_1604644145.26/0/asm-tree-8-0-1-sources-1-  
jar/org/objectweb/asm/tree/ParameterNode.java  
\* /opt/cola/permits/1104664895\_1604644145.26/0/asm-tree-8-0-1-sources-1-  
jar/org/objectweb/asm/tree/RecordComponentNode.java  
No license file was found, but licenses were detected in source scan.

2011 INRIA, France Telecom

\* All rights reserved.  
\*  
\* Redistribution and use in source and binary forms, with or without  
\* modification, are permitted provided that the following conditions  
\* are met:  
\* 1. Redistributions of source code must retain the above copyright  
\* notice, this list of conditions and the following disclaimer.  
\* 2. Redistributions in binary form must reproduce the above copyright  
\* notice, this list of conditions and the following disclaimer in the  
\* documentation and/or other materials provided with the distribution.  
\* 3. Neither the name of the copyright holders nor the names of its  
\* contributors may be used to endorse or promote products derived from  
\* this software without specific prior written permission.  
\*  
\* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS"  
\* AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE  
\* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE  
\* ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE  
\* LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR  
\* CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF  
\* SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS  
\* INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN  
\* CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF  
\* THE POSSIBILITY OF SUCH DAMAGE.

Found in path(s):

\* /opt/cola/permits/1104664895\_1604644145.26/0/asm-tree-8-0-1-sources-1-  
jar/org/objectweb/asm/tree/package.html

## 1.47 logback-access-module 1.2.5



## 1.47.1 Available under license :

No license file was found, but licenses were detected in source scan.

-- Copyright (C) 1999-2010, QOS.ch. All rights reserved.

Found in path(s):

\* /opt/cola/permits/1300428375\_1649930881.34/0/logback-access-1-2-5-

jar/ch/qos/logback/access/db/script/msSQLServer.sql

\* /opt/cola/permits/1300428375\_1649930881.34/0/logback-access-1-2-5-

jar/ch/qos/logback/access/db/script/oracle.sql

No license file was found, but licenses were detected in source scan.

# Logback: the reliable, generic, fast and flexible logging framework.

# Copyright (C) 1999-2010, QOS.ch. All rights reserved.

#

# See <http://logback.qos.ch/license.html> for the applicable licensing

# conditions.

# This SQL script creates the required tables by ch.qos.logback.access.db.DBAppender.

#

# It is intended for MySQL databases. It has been tested on MySQL 5.5.31 with

# INNODB tables.

BEGIN;

DROP TABLE IF EXISTS access\_event\_header;

DROP TABLE IF EXISTS access\_event;

COMMIT;

BEGIN;

CREATE TABLE access\_event

(

timestamp BIGINT NOT NULL,

requestURI VARCHAR(254),

requestURL VARCHAR(254),

remoteHost VARCHAR(254),

remoteUser VARCHAR(254),

remoteAddr VARCHAR(254),

protocol VARCHAR(254),

method VARCHAR(254),

serverName VARCHAR(254),

postContent VARCHAR(254),

event\_id BIGINT NOT NULL AUTO\_INCREMENT PRIMARY KEY

);

COMMIT;

BEGIN;

CREATE TABLE access\_event\_header

```
(
  event_id    BIGINT NOT NULL,
  header_key  VARCHAR(254) NOT NULL,
  header_value VARCHAR(1024),
  PRIMARY KEY(event_id, header_key),
  FOREIGN KEY (event_id) REFERENCES access_event(event_id)
);
COMMIT;
```

Found in path(s):

```
* /opt/cola/permits/1300428375_1649930881.34/0/logback-access-1-2-5-
jar/ch/qos/logback/access/db/script/mysql.sql
```

No license file was found, but licenses were detected in source scan.

# Logback: the reliable, generic, fast and flexible logging framework.

# Copyright (C) 1999-2010, QOS.ch. All rights reserved.

#

# See <http://logback.qos.ch/license.html> for the applicable licensing

# conditions.

# This SQL script creates the required tables by ch.qos.logback.classic.db.DBAppender

#

# It is intended for PostgreSQL databases.

```
DROP TABLE access_event_exception;
```

```
DROP SEQUENCE access_event_id_seq;
```

```
DROP TABLE access_event;
```

```
CREATE SEQUENCE access_event_id_seq MINVALUE 1 START 1;
```

```
CREATE TABLE access_event
```

```
(
  timestmp    BIGINT NOT NULL,
  requestURI   VARCHAR(254),
  requestURL   VARCHAR(254),
  remoteHost   VARCHAR(254),
  remoteUser   VARCHAR(254),
  remoteAddr   VARCHAR(254),
  protocol     VARCHAR(254),
  method       VARCHAR(254),
  serverName   VARCHAR(254),
  postContent  VARCHAR(254),
  event_id     BIGINT DEFAULT nextval('access_event_id_seq') PRIMARY KEY
);
```

```
CREATE TABLE access_event_header
```

```
(
  event_id    BIGINT NOT NULL,
```

```
header_key    VARCHAR(254) NOT NULL,  
header_value  VARCHAR(1024),  
PRIMARY KEY(event_id, header_key),  
FOREIGN KEY (event_id) REFERENCES access_event(event_id)  
);
```

Found in path(s):

```
* /opt/cola/permits/1300428375_1649930881.34/0/logback-access-1-2-5-  
jar/ch/qos/logback/access/db/script/postgresql.sql
```

No license file was found, but licenses were detected in source scan.

Manifest-Version: 1.0

Bundle-Description: logback-access module

Bundle-License: <http://www.eclipse.org/legal/epl-v10.html>, <http://www.gnu.org/licenses/old-licenses/lgpl-2.1.html>

Bundle-SymbolicName: ch.qos.logback.access

Archiver-Version: Plexus Archiver

Built-By: ceki

Bnd-LastModified: 1627313967221

Bundle-ManifestVersion: 2

Bundle-RequiredExecutionEnvironment: JavaSE-1.6

Bundle-DocURL: <http://www.qos.ch>

Bundle-Vendor: QOS.ch

```
Import-Package: javax.servlet;version="2.5";resolution:=optional,javax  
.servlet.http;version="2.5";resolution:=optional,javax.management;res  
olution:=optional,org.apache.catalina;version="8.5.9";resolution:=opt  
ional,org.apache.catalina.connector;version="8.5.9";resolution:=optio  
nal,org.apache.catalina.valves;version="8.5.9";resolution:=optional,o  
rg.eclipse.jetty.http;version="8.2.0.v20160908";resolution:=optional,  
org.eclipse.jetty.server;version="8.2.0.v20160908";resolution:=option  
al,org.eclipse.jetty.util.component;version="8.2.0.v20160908";resolut  
ion:=optional,ch.qos.logback.core;version="[1.2,2)",ch.qos.logback.co  
re.boolex;version="[1.2,2)",ch.qos.logback.core.db;version="[1.2,2)",  
ch.qos.logback.core.filter;version="[1.2,2)",ch.qos.logback.core.help  
ers;version="[1.2,2)",ch.qos.logback.core.html;version="[1.2,2)",ch.q  
os.logback.core.joran;version="[1.2,2)",ch.qos.logback.core.joran.act  
ion;version="[1.2,2)",ch.qos.logback.core.joran.conditional;version="  
[1.2,2)",ch.qos.logback.core.joran.event;version="[1.2,2)",ch.qos.log  
back.core.joran.spi;version="[1.2,2)",ch.qos.logback.core.net;version  
="[1.2,2)",ch.qos.logback.core.net.server;version="[1.2,2)",ch.qos.lo  
gback.core.net.ssl;version="[1.2,2)",ch.qos.logback.core.pattern;vers  
ion="[1.2,2)",ch.qos.logback.core.pattern.color;version="[1.2,2)",ch.  
qos.logback.core.pattern.parser;version="[1.2,2)",ch.qos.logback.core  
.sift;version="[1.2,2)",ch.qos.logback.core.spi;version="[1.2,2)",ch.  
qos.logback.core.status;version="[1.2,2)",ch.qos.logback.core.util;ve  
rsion="[1.2,2)",org.apache.coyote;resolution:=optional,org.xml.sax,ch  
.qos.logback.core.rolling;version="[1.2,2)",ch.qos.logback.core.rolli  
ng.helper;version="[1.2,2)"]
```

Require-Capability: osgi.ee;filter="(&(osgi.ee=JavaSE)(version=1.6))"

Tool: Bnd-2.4.1.201501161923

Originally-Created-By: Apache Maven Bundle Plugin

Export-Package: ch.qos.logback.access;version="1.2.5";uses="ch.qos.logback.access.spi,ch.qos.logback.core.pattern,ch.qos.logback.core.status,javax.servlet.http",ch.qos.logback.access.boolex;version="1.2.5";uses="ch.qos.logback.access.spi,ch.qos.logback.core.boolex",ch.qos.logback.access.db;version="1.2.5";uses="ch.qos.logback.access.spi,ch.qos.logback.core.db",ch.qos.logback.access.db.script;version="1.2.5",ch.qos.logback.access.filter;version="1.2.5";uses="ch.qos.logback.core.filter,ch.qos.logback.core.spi",ch.qos.logback.access.html;version="1.2.5";uses="ch.qos.logback.access.spi,ch.qos.logback.core.html",ch.qos.logback.access.jetty;version="1.2.5";uses="ch.qos.logback.access.spi,ch.qos.logback.core,ch.qos.logback.core.filter,ch.qos.logback.core.spi,org.eclipse.jetty.server,org.eclipse.jetty.util.component",ch.qos.logback.access.joran;version="1.2.5";uses="ch.qos.logback.access.spi,ch.qos.logback.core.joran,ch.qos.logback.core.joran.spi",ch.qos.logback.access.joran.action;version="1.2.5";uses="ch.qos.logback.core.joran.action,ch.qos.logback.core.joran.spi,org.xml.sax",ch.qos.logback.access.net;version="1.2.5";uses="ch.qos.logback.access,ch.qos.logback.access.spi,ch.qos.logback.core,ch.qos.logback.core.boolex,ch.qos.logback.core.helpers,ch.qos.logback.core.net,ch.qos.logback.core.pattern,ch.qos.logback.core.spi",ch.qos.logback.access.net.server;version="1.2.5";uses="ch.qos.logback.access.spi,ch.qos.logback.core.net.server,ch.qos.logback.core.spi",ch.qos.logback.access.pattern;version="1.2.5";uses="ch.qos.logback.access.spi,ch.qos.logback.core,ch.qos.logback.core.pattern,ch.qos.logback.core.spi,ch.qos.logback.core.status",ch.qos.logback.access.servlet;version="1.2.5";uses="javax.servlet,javax.servlet.http",ch.qos.logback.access.sift;version="1.2.5";uses="ch.qos.logback.access.spi,ch.qos.logback.core,ch.qos.logback.core.joran.action,ch.qos.logback.core.joran.event,ch.qos.logback.core.joran.spi,ch.qos.logback.core.sift,org.xml.sax",ch.qos.logback.access.spi;version="1.2.5";uses="ch.qos.logback.core,ch.qos.logback.core.filter,ch.qos.logback.core.spi,javax.servlet.http",ch.qos.logback.access.tomcat;version="1.2.5";uses="ch.qos.logback.access.spi,ch.qos.logback.core,ch.qos.logback.core.filter,ch.qos.logback.core.spi,ch.qos.logback.core.status,javax.servlet,org.apache.catalina,org.apache.catalina.connector,org.apache.catalina.valves"

Bundle-Name: Logback Access Module

Bundle-Version: 1.2.5

Created-By: Apache Maven Bundle Plugin

Build-Jdk: 1.8.0\_121

Found in path(s):

\* /opt/cola/permits/1300428375\_1649930881.34/0/logback-access-1-2-5-jar/META-INF/MANIFEST.MF

No license file was found, but licenses were detected in source scan.

# Logback: the reliable, generic, fast and flexible logging framework.

```
# Copyright (C) 1999-2010, QOS.ch. All rights reserved.
#
# See http://logback.qos.ch/license.html for the applicable licensing
# conditions.

# This SQL script creates the required tables by ch.qos.logback.access.db.DBAppender
#
# It is intended for IBM DB2 databases.
#
# WARNING WARNING WARNING WARNING
# =====
# This SQL script has not been tested on an actual DB2
# instance. It may contain errors or even invalid SQL
# statements.
```

```
DROP TABLE access_event_header;
DROP TABLE access_event;
```

```
CREATE TABLE access_event
(
  timestmp      BIGINT NOT NULL,
  requestURI    VARCHAR(254),
  requestURL    VARCHAR(254),
  remoteHost    VARCHAR(254),
  remoteUser    VARCHAR(254),
  remoteAddr    VARCHAR(254),
  protocol      VARCHAR(254),
  method        VARCHAR(254),
  serverName    VARCHAR(254),
  postContent   VARCHAR(254),
  event_id      INTEGER GENERATED ALWAYS AS IDENTITY (START WITH 1)
);
```

```
CREATE TABLE access_event_header
(
  event_id      INTEGER NOT NULL,
  header_key    VARCHAR(254) NOT NULL,
  header_value  VARCHAR(1024),
  PRIMARY KEY(event_id, header_key),
  FOREIGN KEY (event_id) REFERENCES access_event(event_id)
);
```

Found in path(s):

```
* /opt/cola/permits/1300428375_1649930881.34/0/logback-access-1-2-5-jar/ch/qos/logback/access/db/script/db2.sql
No license file was found, but licenses were detected in source scan.
```

```
# Logback: the reliable, generic, fast and flexible logging framework.
# Copyright (C) 1999-2010, QOS.ch. All rights reserved.
```

```
#
# See http://logback.qos.ch/license.html for the applicable licensing
# conditions.

# This SQL script creates the required tables by ch.qos.logback.access.db.DBAppender
#
# It is intended for HSQL databases.
```

```
DROP TABLE access_event_header IF EXISTS;
DROP TABLE access_event IF EXISTS;
```

```
CREATE TABLE access_event (
  timestmp BIGINT NOT NULL,
  requestURI VARCHAR(254),
  requestURL VARCHAR(254),
  remoteHost VARCHAR(254),
  remoteUser VARCHAR(254),
  remoteAddr VARCHAR(254),
  protocol VARCHAR(254),
  method VARCHAR(254),
  serverName VARCHAR(254),
  postContent VARCHAR(254),
  event_id BIGINT NOT NULL IDENTITY);
```

```
CREATE TABLE access_event_header (
  event_id BIGINT NOT NULL,
  header_key VARCHAR(254) NOT NULL,
  header_value LONGVARCHAR,
  PRIMARY KEY(event_id, header_key),
  FOREIGN KEY (event_id) REFERENCES access_event(event_id));
```

Found in path(s):

```
*/opt/cola/permits/1300428375_1649930881.34/0/logback-access-1-2-5-
jar/ch/qos/logback/access/db/script/hsqldb.sql
```

## 1.48 micronaut-groovy 3.1.0

### 1.48.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
* Copyright 2017-2020 original authors
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
```

- \* You may obtain a copy of the License at
- \*
- \* <https://www.apache.org/licenses/LICENSE-2.0>
- \*
- \* Unless required by applicable law or agreed to in writing, software
- \* distributed under the License is distributed on an "AS IS" BASIS,
- \* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- \* See the License for the specific language governing permissions and
- \* limitations under the License.
- \*/

Found in path(s):

- \* /opt/cola/permits/1331474157\_1653512453.5913334/0/micronaut-runtime-groovy-3-1-0-sources-jar/io/micronaut/context/env/groovy/SetPropertyTransformer.groovy
- \* /opt/cola/permits/1331474157\_1653512453.5913334/0/micronaut-runtime-groovy-3-1-0-sources-jar/io/micronaut/context/env/groovy/ConfigurationEvaluator.groovy
- \* /opt/cola/permits/1331474157\_1653512453.5913334/0/micronaut-runtime-groovy-3-1-0-sources-jar/io/micronaut/context/env/groovy/GroovyPropertySourceLoader.java
- \* /opt/cola/permits/1331474157\_1653512453.5913334/0/micronaut-runtime-groovy-3-1-0-sources-jar/io/micronaut/context/env/groovy/package-info.java

## 1.49 dropwizard-request-logging-support

### 2.0.25

#### 1.49.1 Available under license :

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

#### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

##### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the

outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable



copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
  
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
  - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
  
  - (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
  
  - (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
  
  - (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and

do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright 2010-2013 Coda Hale and Yammer, Inc., 2014-2020 Dropwizard Team

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

# 1.50 metrics-utility-servlets 4.1.25

## 1.50.1 Available under license :

No license file was found, but licenses were detected in source scan.

Manifest-Version: 1.0

Automatic-Module-Name: com.codahale.metrics.servlets

Build-Jdk: 1.8.0\_292

Built-By: runner

Bundle-Description: A set of utility servlets for Metrics, allowing you to expose valuable information about your production environment.

Bundle-License: <https://www.apache.org/licenses/LICENSE-2.0.html>

Bundle-ManifestVersion: 2

Bundle-Name: Metrics Utility Servlets

Bundle-SymbolicName: io.dropwizard.metrics.servlets

Bundle-Version: 4.1.25

Created-By: Apache Maven Bundle Plugin

Export-Package: com.codahale.metrics.servlets;uses:="com.codahale.metrics,com.codahale.metrics.health,com.fasterxml.jackson.databind,javax.servlet,javax.servlet.http";version="4.1.25"

Implementation-Title: Metrics Utility Servlets

Implementation-URL: <https://metrics.dropwizard.io/metrics-servlets>

Implementation-Vendor-Id: io.dropwizard.metrics

Implementation-Version: 4.1.25

Import-Package: javax.servlet;version="[2.5.0,4.0.0)",javax.servlet.http;version="[2.5.0,4.0.0)",com.codahale.metrics;version="[4.1,5)",com.codahale.metrics.health;version="[4.1,5)",com.codahale.metrics.json;version="[4.1,5)",com.codahale.metrics.jvm;version="[4.1,5)",com.fasterxml.jackson.databind;version="[2.9,3)",com.fasterxml.jackson.databind.util;version="[2.9,3)",com.papertrail.profiler;version="[1.1,2)"

Private-Package: com.codahale.metrics.servlets

Require-Capability: osgi.ee;filter="(&(osgi.ee=JavaSE)(version=1.8))"

Tool: Bnd-5.1.1.202006162103

Found in path(s):

\* /opt/cola/permits/1300428290\_1649930618.52/0/metrics-servlets-4-1-25-jar/META-INF/MANIFEST.MF

## 1.51 swagger-models 2.1.12

### 1.51.1 Available under license :

No license file was found, but licenses were detected in source scan.

/\*\*

\* Copyright 2017 SmartBear Software

\* <p>

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\* <p>

\* <http://www.apache.org/licenses/LICENSE-2.0>

\* <p>

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1340076417\_1654622411.2881706/0/swagger-models-2-1-12-sources-1-jar/io/swagger/v3/oas/models/media/EncodingProperty.java  
\* /opt/cola/permits/1340076417\_1654622411.2881706/0/swagger-models-2-1-12-sources-1-jar/io/swagger/v3/oas/models/security/SecurityScheme.java  
\* /opt/cola/permits/1340076417\_1654622411.2881706/0/swagger-models-2-1-12-sources-1-jar/io/swagger/v3/oas/models/examples/Example.java  
\* /opt/cola/permits/1340076417\_1654622411.2881706/0/swagger-models-2-1-12-sources-1-jar/io/swagger/v3/oas/models/media/FileSchema.java  
\* /opt/cola/permits/1340076417\_1654622411.2881706/0/swagger-models-2-1-12-sources-1-jar/io/swagger/v3/oas/models/servers/ServerVariables.java  
\* /opt/cola/permits/1340076417\_1654622411.2881706/0/swagger-models-2-1-12-sources-1-jar/io/swagger/v3/oas/models/media/MediaType.java  
\* /opt/cola/permits/1340076417\_1654622411.2881706/0/swagger-models-2-1-12-sources-1-jar/io/swagger/v3/oas/models/OpenAPI.java  
\* /opt/cola/permits/1340076417\_1654622411.2881706/0/swagger-models-2-1-12-sources-1-jar/io/swagger/v3/oas/models/media/Schema.java  
\* /opt/cola/permits/1340076417\_1654622411.2881706/0/swagger-models-2-1-12-sources-1-jar/io/swagger/v3/oas/models/media/XML.java  
\* /opt/cola/permits/1340076417\_1654622411.2881706/0/swagger-models-2-1-12-sources-1-jar/io/swagger/v3/oas/models/security/Scopes.java  
\* /opt/cola/permits/1340076417\_1654622411.2881706/0/swagger-models-2-1-12-sources-1-jar/io/swagger/v3/oas/models/media/ArraySchema.java  
\* /opt/cola/permits/1340076417\_1654622411.2881706/0/swagger-models-2-1-12-sources-1-jar/io/swagger/v3/oas/models/media/DateTimeSchema.java  
\* /opt/cola/permits/1340076417\_1654622411.2881706/0/swagger-models-2-1-12-sources-1-jar/io/swagger/v3/oas/models/tags/Tag.java  
\* /opt/cola/permits/1340076417\_1654622411.2881706/0/swagger-models-2-1-12-sources-1-jar/io/swagger/v3/oas/models/media/PasswordSchema.java  
\* /opt/cola/permits/1340076417\_1654622411.2881706/0/swagger-models-2-1-12-sources-1-jar/io/swagger/v3/oas/models/Paths.java  
\* /opt/cola/permits/1340076417\_1654622411.2881706/0/swagger-models-2-1-12-sources-1-jar/io/swagger/v3/oas/models/media/ObjectSchema.java  
\* /opt/cola/permits/1340076417\_1654622411.2881706/0/swagger-models-2-1-12-sources-1-jar/io/swagger/v3/oas/models/parameters/RequestBody.java  
\* /opt/cola/permits/1340076417\_1654622411.2881706/0/swagger-models-2-1-12-sources-1-jar/io/swagger/v3/oas/models/security/OAuthFlow.java  
\* /opt/cola/permits/1340076417\_1654622411.2881706/0/swagger-models-2-1-12-sources-1-jar/io/swagger/v3/oas/models/parameters/QueryParameter.java  
\* /opt/cola/permits/1340076417\_1654622411.2881706/0/swagger-models-2-1-12-sources-1-jar/io/swagger/v3/oas/models/parameters/PathParameter.java  
\* /opt/cola/permits/1340076417\_1654622411.2881706/0/swagger-models-2-1-12-sources-1-jar/io/swagger/v3/oas/models/media/Encoding.java  
\* /opt/cola/permits/1340076417\_1654622411.2881706/0/swagger-models-2-1-12-sources-1-jar/io/swagger/v3/oas/models/media/UUIDSchema.java

\* /opt/cola/permits/1340076417\_1654622411.2881706/0/swagger-models-2-1-12-sources-1-jar/io/swagger/v3/oas/models/parameters/CookieParameter.java

\* /opt/cola/permits/1340076417\_1654622411.2881706/0/swagger-models-2-1-12-sources-1-jar/io/swagger/v3/oas/models/headers/Header.java

\* /opt/cola/permits/1340076417\_1654622411.2881706/0/swagger-models-2-1-12-sources-1-jar/io/swagger/v3/oas/models/callbacks/Callback.java

\* /opt/cola/permits/1340076417\_1654622411.2881706/0/swagger-models-2-1-12-sources-1-jar/io/swagger/v3/oas/models/media/Content.java

\* /opt/cola/permits/1340076417\_1654622411.2881706/0/swagger-models-2-1-12-sources-1-jar/io/swagger/v3/oas/models/links/Link.java

\* /opt/cola/permits/1340076417\_1654622411.2881706/0/swagger-models-2-1-12-sources-1-jar/io/swagger/v3/oas/models/links/LinkParameter.java

\* /opt/cola/permits/1340076417\_1654622411.2881706/0/swagger-models-2-1-12-sources-1-jar/io/swagger/v3/oas/models/security/OAuthFlows.java

\* /opt/cola/permits/1340076417\_1654622411.2881706/0/swagger-models-2-1-12-sources-1-jar/io/swagger/v3/oas/models/info/Contact.java

\* /opt/cola/permits/1340076417\_1654622411.2881706/0/swagger-models-2-1-12-sources-1-jar/io/swagger/v3/oas/models/ExternalDocumentation.java

\* /opt/cola/permits/1340076417\_1654622411.2881706/0/swagger-models-2-1-12-sources-1-jar/io/swagger/v3/oas/models/media/EmailSchema.java

\* /opt/cola/permits/1340076417\_1654622411.2881706/0/swagger-models-2-1-12-sources-1-jar/io/swagger/v3/oas/models/media/BooleanSchema.java

\* /opt/cola/permits/1340076417\_1654622411.2881706/0/swagger-models-2-1-12-sources-1-jar/io/swagger/v3/oas/models/responses/ApiResponse.java

\* /opt/cola/permits/1340076417\_1654622411.2881706/0/swagger-models-2-1-12-sources-1-jar/io/swagger/v3/oas/models/Components.java

\* /opt/cola/permits/1340076417\_1654622411.2881706/0/swagger-models-2-1-12-sources-1-jar/io/swagger/v3/oas/models/media/StringSchema.java

\* /opt/cola/permits/1340076417\_1654622411.2881706/0/swagger-models-2-1-12-sources-1-jar/io/swagger/v3/oas/models/security/SecurityRequirement.java

\* /opt/cola/permits/1340076417\_1654622411.2881706/0/swagger-models-2-1-12-sources-1-jar/io/swagger/v3/oas/models/parameters/HeaderParameter.java

\* /opt/cola/permits/1340076417\_1654622411.2881706/0/swagger-models-2-1-12-sources-1-jar/io/swagger/v3/oas/models/media/BinarySchema.java

\* /opt/cola/permits/1340076417\_1654622411.2881706/0/swagger-models-2-1-12-sources-1-jar/io/swagger/v3/oas/models/media/IntegerSchema.java

\* /opt/cola/permits/1340076417\_1654622411.2881706/0/swagger-models-2-1-12-sources-1-jar/io/swagger/v3/oas/models/media/NumberSchema.java

\* /opt/cola/permits/1340076417\_1654622411.2881706/0/swagger-models-2-1-12-sources-1-jar/io/swagger/v3/oas/models/parameters/Parameter.java

\* /opt/cola/permits/1340076417\_1654622411.2881706/0/swagger-models-2-1-12-sources-1-jar/io/swagger/v3/oas/models/servers/Server.java

\* /opt/cola/permits/1340076417\_1654622411.2881706/0/swagger-models-2-1-12-sources-1-jar/io/swagger/v3/oas/models/info/Info.java

\* /opt/cola/permits/1340076417\_1654622411.2881706/0/swagger-models-2-1-12-sources-1-jar/io/swagger/v3/oas/models/media/ByteArraySchema.java

\* /opt/cola/permits/1340076417\_1654622411.2881706/0/swagger-models-2-1-12-sources-1-jar/io/swagger/v3/oas/models/media/MapSchema.java

\* /opt/cola/permits/1340076417\_1654622411.2881706/0/swagger-models-2-1-12-sources-1-jar/io/swagger/v3/oas/models/Operation.java  
\* /opt/cola/permits/1340076417\_1654622411.2881706/0/swagger-models-2-1-12-sources-1-jar/io/swagger/v3/oas/models/servers/ServerVariable.java  
\* /opt/cola/permits/1340076417\_1654622411.2881706/0/swagger-models-2-1-12-sources-1-jar/io/swagger/v3/oas/models/media/DateSchema.java  
\* /opt/cola/permits/1340076417\_1654622411.2881706/0/swagger-models-2-1-12-sources-1-jar/io/swagger/v3/oas/models/info/License.java  
\* /opt/cola/permits/1340076417\_1654622411.2881706/0/swagger-models-2-1-12-sources-1-jar/io/swagger/v3/oas/models/responses/ApiResponse.java  
\* /opt/cola/permits/1340076417\_1654622411.2881706/0/swagger-models-2-1-12-sources-1-jar/io/swagger/v3/oas/models/PathItem.java  
\* /opt/cola/permits/1340076417\_1654622411.2881706/0/swagger-models-2-1-12-sources-1-jar/io/swagger/v3/oas/models/media/ComposedSchema.java

## 1.52 json-schema-core 1.2.14

### 1.52.1 Available under license :

This software is dual-licensed under:

- the Lesser General Public License (LGPL) version 3.0 or, at your option, any later version;
- the Apache Software License (ASL) version 2.0.

The text of both licenses is included (under the names LGPL-3.0.txt and ASL-2.0.txt respectively).

Direct link to the sources:

- LGPL 3.0: <https://www.gnu.org/licenses/lgpl-3.0.txt>
- ASL 2.0: <http://www.apache.org/licenses/LICENSE-2.0.txt>

GNU LESSER GENERAL PUBLIC LICENSE

Version 3, 29 June 2007

Copyright (C) 2007 Free Software Foundation, Inc. <<http://fsf.org/>>

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

This version of the GNU Lesser General Public License incorporates the terms and conditions of version 3 of the GNU General Public License, supplemented by the additional permissions listed below.

0. Additional Definitions.

As used herein, "this License" refers to version 3 of the GNU Lesser General Public License, and the "GNU GPL" refers to version 3 of the GNU

General Public License.

"The Library" refers to a covered work governed by this License, other than an Application or a Combined Work as defined below.

An "Application" is any work that makes use of an interface provided by the Library, but which is not otherwise based on the Library. Defining a subclass of a class defined by the Library is deemed a mode of using an interface provided by the Library.

A "Combined Work" is a work produced by combining or linking an Application with the Library. The particular version of the Library with which the Combined Work was made is also called the "Linked Version".

The "Minimal Corresponding Source" for a Combined Work means the Corresponding Source for the Combined Work, excluding any source code for portions of the Combined Work that, considered in isolation, are based on the Application, and not on the Linked Version.

The "Corresponding Application Code" for a Combined Work means the object code and/or source code for the Application, including any data and utility programs needed for reproducing the Combined Work from the Application, but excluding the System Libraries of the Combined Work.

#### 1. Exception to Section 3 of the GNU GPL.

You may convey a covered work under sections 3 and 4 of this License without being bound by section 3 of the GNU GPL.

#### 2. Conveying Modified Versions.

If you modify a copy of the Library, and, in your modifications, a facility refers to a function or data to be supplied by an Application that uses the facility (other than as an argument passed when the facility is invoked), then you may convey a copy of the modified version:

- a) under this License, provided that you make a good faith effort to ensure that, in the event an Application does not supply the function or data, the facility still operates, and performs whatever part of its purpose remains meaningful, or
- b) under the GNU GPL, with none of the additional permissions of this License applicable to that copy.

#### 3. Object Code Incorporating Material from Library Header Files.



The object code form of an Application may incorporate material from a header file that is part of the Library. You may convey such object code under terms of your choice, provided that, if the incorporated material is not limited to numerical parameters, data structure layouts and accessors, or small macros, inline functions and templates (ten or fewer lines in length), you do both of the following:

- a) Give prominent notice with each copy of the object code that the Library is used in it and that the Library and its use are covered by this License.
- b) Accompany the object code with a copy of the GNU GPL and this license document.

#### 4. Combined Works.

You may convey a Combined Work under terms of your choice that, taken together, effectively do not restrict modification of the portions of the Library contained in the Combined Work and reverse engineering for debugging such modifications, if you also do each of the following:

- a) Give prominent notice with each copy of the Combined Work that the Library is used in it and that the Library and its use are covered by this License.
- b) Accompany the Combined Work with a copy of the GNU GPL and this license document.
- c) For a Combined Work that displays copyright notices during execution, include the copyright notice for the Library among these notices, as well as a reference directing the user to the copies of the GNU GPL and this license document.
- d) Do one of the following:

- 0) Convey the Minimal Corresponding Source under the terms of this License, and the Corresponding Application Code in a form suitable for, and under terms that permit, the user to recombine or relink the Application with a modified version of the Linked Version to produce a modified Combined Work, in the manner specified by section 6 of the GNU GPL for conveying Corresponding Source.

- 1) Use a suitable shared library mechanism for linking with the Library. A suitable mechanism is one that (a) uses at run time a copy of the Library already present on the user's computer system, and (b) will operate properly with a modified version

of the Library that is interface-compatible with the Linked Version.

e) Provide Installation Information, but only if you would otherwise be required to provide such information under section 6 of the GNU GPL, and only to the extent that such information is necessary to install and execute a modified version of the Combined Work produced by recombining or relinking the Application with a modified version of the Linked Version. (If you use option 4d0, the Installation Information must accompany the Minimal Corresponding Source and Corresponding Application Code. If you use option 4d1, you must provide the Installation Information in the manner specified by section 6 of the GNU GPL for conveying Corresponding Source.)

#### 5. Combined Libraries.

You may place library facilities that are a work based on the Library side by side in a single library together with other library facilities that are not Applications and are not covered by this License, and convey such a combined library under terms of your choice, if you do both of the following:

- a) Accompany the combined library with a copy of the same work based on the Library, uncombined with any other library facilities, conveyed under the terms of this License.
- b) Give prominent notice with the combined library that part of it is a work based on the Library, and explaining where to find the accompanying uncombined form of the same work.

#### 6. Revised Versions of the GNU Lesser General Public License.

The Free Software Foundation may publish revised and/or new versions of the GNU Lesser General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library as you received it specifies that a certain numbered version of the GNU Lesser General Public License "or any later version" applies to it, you have the option of following the terms and conditions either of that published version or of any later version published by the Free Software Foundation. If the Library as you received it does not specify a version number of the GNU Lesser General Public License, you may choose any version of the GNU Lesser General Public License ever published by the Free Software Foundation.

If the Library as you received it specifies that a proxy can decide whether future versions of the GNU Lesser General Public License shall apply, that proxy's public statement of acceptance of any version is permanent authorization for you to choose that version for the Library.

## Fabio Di Fabio

\* Allow to disable schema caching (except for preloaded schemas)

## Randy Watler

\* Support for reading schemas from non standard JSON (comments etc).

## Matt Bishop

\* OSGi support for Maven (now deprecated).

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but

not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their

Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with

the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.  
Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.
6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. **Disclaimer of Warranty.** Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. **Limitation of Liability.** In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. **Accepting Warranty or Additional Liability.** While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

# 1.53 mongodb-driver 4.3.4

## 1.53.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2008-present MongoDB, Inc.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

- \* /opt/cola/permits/1340031650\_1654681092.4329362/0/mongodb-driver-sync-4-3-4-sources-jar/com/mongodb/client/internal/ClientSessionImpl.java
- \* /opt/cola/permits/1340031650\_1654681092.4329362/0/mongodb-driver-sync-4-3-4-sources-jar/com/mongodb/client/ClientSession.java
- \* /opt/cola/permits/1340031650\_1654681092.4329362/0/mongodb-driver-sync-4-3-4-sources-jar/com/mongodb/client/internal/package-info.java
- \* /opt/cola/permits/1340031650\_1654681092.4329362/0/mongodb-driver-sync-4-3-4-sources-jar/com/mongodb/client/TransactionBody.java
- \* /opt/cola/permits/1340031650\_1654681092.4329362/0/mongodb-driver-sync-4-3-4-sources-jar/com/mongodb/client/internal/ClientSessionClock.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2008-present MongoDB, Inc.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

- \* /opt/cola/permits/1340031650\_1654681092.4329362/0/mongodb-driver-sync-4-3-4-sources-jar/com/mongodb/client/MongoClientFactory.java
- \* /opt/cola/permits/1340031650\_1654681092.4329362/0/mongodb-driver-sync-4-3-4-sources-jar/com/mongodb/client/internal/ListCollectionsIterableImpl.java
- \* /opt/cola/permits/1340031650\_1654681092.4329362/0/mongodb-driver-sync-4-3-4-sources-jar/com/mongodb/client/gridfs/GridFSBuckets.java
- \* /opt/cola/permits/1340031650\_1654681092.4329362/0/mongodb-driver-sync-4-3-4-sources-jar/com/mongodb/client/MongoDatabase.java
- \* /opt/cola/permits/1340031650\_1654681092.4329362/0/mongodb-driver-sync-4-3-4-sources-jar/com/mongodb/client/internal/AggregateIterableImpl.java
- \* /opt/cola/permits/1340031650\_1654681092.4329362/0/mongodb-driver-sync-4-3-4-sources-jar/com/mongodb/client/package-info.java
- \* /opt/cola/permits/1340031650\_1654681092.4329362/0/mongodb-driver-sync-4-3-4-sources-jar/com/mongodb/client/MongoIterable.java
- \* /opt/cola/permits/1340031650\_1654681092.4329362/0/mongodb-driver-sync-4-3-4-sources-jar/com/mongodb/client/gridfs/GridFSFindIterable.java
- \* /opt/cola/permits/1340031650\_1654681092.4329362/0/mongodb-driver-sync-4-3-4-sources-



jar/com/mongodb/client/gridfs/GridFSFindIterableImpl.java  
\* /opt/cola/permits/1340031650\_1654681092.4329362/0/mongodb-driver-sync-4-3-4-sources-  
jar/com/mongodb/client/internal/KeyManagementService.java  
\* /opt/cola/permits/1340031650\_1654681092.4329362/0/mongodb-driver-sync-4-3-4-sources-  
jar/com/mongodb/client/internal/ListDatabasesIterableImpl.java  
\* /opt/cola/permits/1340031650\_1654681092.4329362/0/mongodb-driver-sync-4-3-4-sources-  
jar/com/mongodb/client/internal/ChangeStreamIterableImpl.java  
\* /opt/cola/permits/1340031650\_1654681092.4329362/0/mongodb-driver-sync-4-3-4-sources-  
jar/com/mongodb/client/AggregateIterable.java  
\* /opt/cola/permits/1340031650\_1654681092.4329362/0/mongodb-driver-sync-4-3-4-sources-  
jar/com/mongodb/client/internal/MongoClientDelegate.java  
\* /opt/cola/permits/1340031650\_1654681092.4329362/0/mongodb-driver-sync-4-3-4-sources-  
jar/com/mongodb/client/internal/MongoIterableImpl.java  
\* /opt/cola/permits/1340031650\_1654681092.4329362/0/mongodb-driver-sync-4-3-4-sources-  
jar/com/mongodb/client/ListIndexesIterable.java  
\* /opt/cola/permits/1340031650\_1654681092.4329362/0/mongodb-driver-sync-4-3-4-sources-  
jar/com/mongodb/client/internal/CryptBinding.java  
\* /opt/cola/permits/1340031650\_1654681092.4329362/0/mongodb-driver-sync-4-3-4-sources-  
jar/com/mongodb/client/internal/ListIndexesIterableImpl.java  
\* /opt/cola/permits/1340031650\_1654681092.4329362/0/mongodb-driver-sync-4-3-4-sources-  
jar/com/mongodb/client/ChangeStreamIterable.java  
\* /opt/cola/permits/1340031650\_1654681092.4329362/0/mongodb-driver-sync-4-3-4-sources-  
jar/com/mongodb/client/MongoCollection.java  
\* /opt/cola/permits/1340031650\_1654681092.4329362/0/mongodb-driver-sync-4-3-4-sources-  
jar/com/mongodb/client/internal/ClientSessionBinding.java  
\* /opt/cola/permits/1340031650\_1654681092.4329362/0/mongodb-driver-sync-4-3-4-sources-  
jar/com/mongodb/client/MapReduceIterable.java  
\* /opt/cola/permits/1340031650\_1654681092.4329362/0/mongodb-driver-sync-4-3-4-sources-  
jar/com/mongodb/client/vault/ClientEncryption.java  
\* /opt/cola/permits/1340031650\_1654681092.4329362/0/mongodb-driver-sync-4-3-4-sources-  
jar/com/mongodb/client/gridfs/GridFSBucketImpl.java  
\* /opt/cola/permits/1340031650\_1654681092.4329362/0/mongodb-driver-sync-4-3-4-sources-  
jar/com/mongodb/client/ListDatabasesIterable.java  
\* /opt/cola/permits/1340031650\_1654681092.4329362/0/mongodb-driver-sync-4-3-4-sources-  
jar/com/mongodb/client/MongoClient.java  
\* /opt/cola/permits/1340031650\_1654681092.4329362/0/mongodb-driver-sync-4-3-4-sources-  
jar/com/mongodb/client/gridfs/GridFSBucket.java  
\* /opt/cola/permits/1340031650\_1654681092.4329362/0/mongodb-driver-sync-4-3-4-sources-  
jar/com/mongodb/client/MongoClients.java  
\* /opt/cola/permits/1340031650\_1654681092.4329362/0/mongodb-driver-sync-4-3-4-sources-  
jar/com/mongodb/client/gridfs/GridFSUploadStreamImpl.java  
\* /opt/cola/permits/1340031650\_1654681092.4329362/0/mongodb-driver-sync-4-3-4-sources-  
jar/com/mongodb/client/internal/MongoCollectionImpl.java  
\* /opt/cola/permits/1340031650\_1654681092.4329362/0/mongodb-driver-sync-4-3-4-sources-  
jar/com/mongodb/client/MongoChangeStreamCursor.java  
\* /opt/cola/permits/1340031650\_1654681092.4329362/0/mongodb-driver-sync-4-3-4-sources-  
jar/com/mongodb/client/internal/Crypt.java  
\* /opt/cola/permits/1340031650\_1654681092.4329362/0/mongodb-driver-sync-4-3-4-sources-

jar/com/mongodb/client/gridfs/package-info.java  
\* /opt/cola/permits/1340031650\_1654681092.4329362/0/mongodb-driver-sync-4-3-4-sources-  
jar/com/mongodb/client/DistinctIterable.java  
\* /opt/cola/permits/1340031650\_1654681092.4329362/0/mongodb-driver-sync-4-3-4-sources-  
jar/com/mongodb/client/internal/CollectionInfoRetriever.java  
\* /opt/cola/permits/1340031650\_1654681092.4329362/0/mongodb-driver-sync-4-3-4-sources-  
jar/com/mongodb/client/internal/MongoClientImpl.java  
\* /opt/cola/permits/1340031650\_1654681092.4329362/0/mongodb-driver-sync-4-3-4-sources-  
jar/com/mongodb/client/internal/MongoMappingCursor.java  
\* /opt/cola/permits/1340031650\_1654681092.4329362/0/mongodb-driver-sync-4-3-4-sources-  
jar/com/mongodb/client/internal/KeyRetriever.java  
\* /opt/cola/permits/1340031650\_1654681092.4329362/0/mongodb-driver-sync-4-3-4-sources-  
jar/com/mongodb/client/internal/MongoBatchCursorAdapter.java  
\* /opt/cola/permits/1340031650\_1654681092.4329362/0/mongodb-driver-sync-4-3-4-sources-  
jar/com/mongodb/client/gridfs/GridFSDownloadStream.java  
\* /opt/cola/permits/1340031650\_1654681092.4329362/0/mongodb-driver-sync-4-3-4-sources-  
jar/com/mongodb/client/internal/Crypts.java  
\* /opt/cola/permits/1340031650\_1654681092.4329362/0/mongodb-driver-sync-4-3-4-sources-  
jar/com/mongodb/client/internal/CommandMarker.java  
\* /opt/cola/permits/1340031650\_1654681092.4329362/0/mongodb-driver-sync-4-3-4-sources-  
jar/com/mongodb/client/internal/FindIterableImpl.java  
\* /opt/cola/permits/1340031650\_1654681092.4329362/0/mongodb-driver-sync-4-3-4-sources-  
jar/com/mongodb/client/internal/MongoDatabaseImpl.java  
\* /opt/cola/permits/1340031650\_1654681092.4329362/0/mongodb-driver-sync-4-3-4-sources-  
jar/com/mongodb/client/internal/MapReduceIterableImpl.java  
\* /opt/cola/permits/1340031650\_1654681092.4329362/0/mongodb-driver-sync-4-3-4-sources-  
jar/com/mongodb/client/ListCollectionsIterable.java  
\* /opt/cola/permits/1340031650\_1654681092.4329362/0/mongodb-driver-sync-4-3-4-sources-  
jar/com/mongodb/client/vault/ClientEncryptions.java  
\* /opt/cola/permits/1340031650\_1654681092.4329362/0/mongodb-driver-sync-4-3-4-sources-  
jar/com/mongodb/client/gridfs/GridFSUploadStream.java  
\* /opt/cola/permits/1340031650\_1654681092.4329362/0/mongodb-driver-sync-4-3-4-sources-  
jar/com/mongodb/client/internal/MongoChangeStreamCursorImpl.java  
\* /opt/cola/permits/1340031650\_1654681092.4329362/0/mongodb-driver-sync-4-3-4-sources-  
jar/com/mongodb/client/vault/package-info.java  
\* /opt/cola/permits/1340031650\_1654681092.4329362/0/mongodb-driver-sync-4-3-4-sources-  
jar/com/mongodb/client/FindIterable.java  
\* /opt/cola/permits/1340031650\_1654681092.4329362/0/mongodb-driver-sync-4-3-4-sources-  
jar/com/mongodb/client/internal/CryptConnection.java  
\* /opt/cola/permits/1340031650\_1654681092.4329362/0/mongodb-driver-sync-4-3-4-sources-  
jar/com/mongodb/client/internal/OperationExecutor.java  
\* /opt/cola/permits/1340031650\_1654681092.4329362/0/mongodb-driver-sync-4-3-4-sources-  
jar/com/mongodb/client/internal/ClientEncryptionImpl.java  
\* /opt/cola/permits/1340031650\_1654681092.4329362/0/mongodb-driver-sync-4-3-4-sources-  
jar/com/mongodb/client/gridfs/GridFSDownloadStreamImpl.java  
\* /opt/cola/permits/1340031650\_1654681092.4329362/0/mongodb-driver-sync-4-3-4-sources-  
jar/com/mongodb/client/internal/DistinctIterableImpl.java  
\* /opt/cola/permits/1340031650\_1654681092.4329362/0/mongodb-driver-sync-4-3-4-sources-

jar/com/mongodb/client/MongoCursor.java  
\* /opt/cola/permits/1340031650\_1654681092.4329362/0/mongodb-driver-sync-4-3-4-sources-  
jar/com/mongodb/client/internal/MappingIterable.java

## 1.54 netty/tomcatnative-[openssl---classes]

### 2.0.46.Final

#### 1.54.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
<!--  
~ Copyright 2021 The Netty Project  
~  
~ The Netty Project licenses this file to you under the Apache License,  
~ version 2.0 (the "License"); you may not use this file except in compliance  
~ with the License. You may obtain a copy of the License at:  
~  
~ http://www.apache.org/licenses/LICENSE-2.0  
~  
~ Unless required by applicable law or agreed to in writing, software  
~ distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
~ WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
~ License for the specific language governing permissions and limitations  
~ under the License.  
-->
```

Found in path(s):

\* /opt/cola/permits/1290493686\_1654765977.1947134/0/netty-tcnative-classes-2-0-46-final-jar/META-  
INF/maven/io.netty/netty-tcnative-classes/pom.xml

## 1.55 dropwizard-lifecycle-support 2.0.25

#### 1.55.1 Available under license :

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,  
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise

designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
  - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
  - (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
  - (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
  - (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must

include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly

negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright 2010-2013 Coda Hale and Yammer, Inc., 2014-2020 Dropwizard Team

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

# 1.56 libphonenumber v8.11.1

## 1.56.1 Available under license :

No license file was found, but licenses were detected in source scan.

Manifest-Version: 1.0  
Created-By: Apache Maven Bundle Plugin  
Built-By: kkesava  
Build-Jdk: 9.0.4  
Bnd-LastModified: 1575993219283  
Bundle-Description: Google's common Java library for parsing, formatting, storing and validating international phone numbers. Optimized for running on smartphones.  
Bundle-DocURL: <http://www.google.com/>  
Bundle-License: <http://www.apache.org/licenses/LICENSE-2.0.txt>  
Bundle-ManifestVersion: 2  
Bundle-Name: libphonenumber  
Bundle-SymbolicName: com.googlecode.libphonenumber  
Bundle-Vendor: Google  
Bundle-Version: 8.11.1  
Export-Package: com.google.i18n.phonenumbers;version="8.11.1"  
Require-Capability: osgi.ee;filter="(&(osgi.ee=JavaSE)(version=1.6))"  
Tool: Bnd-3.2.0.201605172007

Found in path(s):

\* /opt/cola/permits/1340076228\_1654760359.799498/0/libphonenumber-8-11-1-jar/META-INF/MANIFEST.MF

# 1.57 metrics-core-library 2.2.0

## 1.57.1 Available under license :

Public Domain

# 1.58 asm-analysis 8.0.1

## 1.58.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
// All rights reserved.  
// Redistribution and use in source and binary forms, with or without  
// modification, are permitted provided that the following conditions  
// are met:  
// 1. Redistributions of source code must retain the above copyright  
// notice, this list of conditions and the following disclaimer.  
// 2. Redistributions in binary form must reproduce the above copyright  
// notice, this list of conditions and the following disclaimer in the
```



```
// documentation and/or other materials provided with the distribution.
// 3. Neither the name of the copyright holders nor the names of its
// this software without specific prior written permission.
```

Found in path(s):

```
* /opt/cola/permits/1104664774_1604644122.5/0/asm-analysis-8-0-1-sources-1-
jar/org/objectweb/asm/tree/analysis/SourceValue.java
* /opt/cola/permits/1104664774_1604644122.5/0/asm-analysis-8-0-1-sources-1-
jar/org/objectweb/asm/tree/analysis/Subroutine.java
* /opt/cola/permits/1104664774_1604644122.5/0/asm-analysis-8-0-1-sources-1-
jar/org/objectweb/asm/tree/analysis/BasicVerifier.java
* /opt/cola/permits/1104664774_1604644122.5/0/asm-analysis-8-0-1-sources-1-
jar/org/objectweb/asm/tree/analysis/Frame.java
* /opt/cola/permits/1104664774_1604644122.5/0/asm-analysis-8-0-1-sources-1-
jar/org/objectweb/asm/tree/analysis/BasicValue.java
* /opt/cola/permits/1104664774_1604644122.5/0/asm-analysis-8-0-1-sources-1-
jar/org/objectweb/asm/tree/analysis/AnalyzerException.java
* /opt/cola/permits/1104664774_1604644122.5/0/asm-analysis-8-0-1-sources-1-
jar/org/objectweb/asm/tree/analysis/Interpreter.java
* /opt/cola/permits/1104664774_1604644122.5/0/asm-analysis-8-0-1-sources-1-
jar/org/objectweb/asm/tree/analysis/SmallSet.java
* /opt/cola/permits/1104664774_1604644122.5/0/asm-analysis-8-0-1-sources-1-
jar/org/objectweb/asm/tree/analysis/Analyzer.java
* /opt/cola/permits/1104664774_1604644122.5/0/asm-analysis-8-0-1-sources-1-
jar/org/objectweb/asm/tree/analysis/SimpleVerifier.java
* /opt/cola/permits/1104664774_1604644122.5/0/asm-analysis-8-0-1-sources-1-
jar/org/objectweb/asm/tree/analysis/Value.java
```

No license file was found, but licenses were detected in source scan.

```
// All rights reserved.
// Redistribution and use in source and binary forms, with or without
// modification, are permitted provided that the following conditions
// are met:
// 1. Redistributions of source code must retain the above copyright
// notice, this list of conditions and the following disclaimer.
// 2. Redistributions in binary form must reproduce the above copyright
// notice, this list of conditions and the following disclaimer in the
// documentation and/or other materials provided with the distribution.
// 3. Neither the name of the copyright holders nor the names of its
// this software without specific prior written permission.
```

```
/**
```

```
* Constructs a new { @link BasicInterpreter } for the latest ASM API version. <i>Subclasses must
* not use this constructor</i>. Instead, they must use the { @link #BasicInterpreter(int) }
* version.
*/
```

Found in path(s):

```
* /opt/cola/permits/1104664774_1604644122.5/0/asm-analysis-8-0-1-sources-1-
```

jar/org/objectweb/asm/tree/analysis/BasicInterpreter.java

No license file was found, but licenses were detected in source scan.

```
// All rights reserved.
// Redistribution and use in source and binary forms, with or without
// modification, are permitted provided that the following conditions
// are met:
// 1. Redistributions of source code must retain the above copyright
// notice, this list of conditions and the following disclaimer.
// 2. Redistributions in binary form must reproduce the above copyright
// notice, this list of conditions and the following disclaimer in the
// documentation and/or other materials provided with the distribution.
// 3. Neither the name of the copyright holders nor the names of its
// this software without specific prior written permission.
/**
 * Constructs a new { @link SourceInterpreter} for the latest ASM API version. <i>Subclasses must
 * not use this constructor</i>. Instead, they must use the { @link #SourceInterpreter(int)}
 * version.
 */
```

Found in path(s):

\* /opt/cola/permits/1104664774\_1604644122.5/0/asm-analysis-8-0-1-sources-1-

jar/org/objectweb/asm/tree/analysis/SourceInterpreter.java

No license file was found, but licenses were detected in source scan.

2011 INRIA, France Telecom

```
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
* 1. Redistributions of source code must retain the above copyright
* notice, this list of conditions and the following disclaimer.
* 2. Redistributions in binary form must reproduce the above copyright
* notice, this list of conditions and the following disclaimer in the
* documentation and/or other materials provided with the distribution.
* 3. Neither the name of the copyright holders nor the names of its
* contributors may be used to endorse or promote products derived from
* this software without specific prior written permission.
*
* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS"
* AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
* ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE
* LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR
* CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF
* SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS
* INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN
```

- \* CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
- \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF
- \* THE POSSIBILITY OF SUCH DAMAGE.

Found in path(s):

\* /opt/cola/permits/1104664774\_1604644122.5/0/asm-analysis-8-0-1-sources-1-jar/org/objectweb/asm/tree/analysis/package.html

# 1.59 dropwizard 2.0.25

## 1.59.1 Available under license :

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or

Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work

or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work

by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright 2010-2013 Coda Hale and Yammer, Inc., 2014-2020 Dropwizard Team

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

## 1.60 zstd-jni 1.4.9-1

### 1.60.1 Available under license :

No license file was found, but licenses were detected in source scan.

Manifest-Version: 1.0

Automatic-Module-Name: com.github.luben.zstd\_jni

Bnd-LastModified: 1615191527618

Bundle-Description: JNI bindings for Zstd native library that provides fast and high compression lossless algorithm for Java and all JVM languages.

Bundle-License: <https://opensource.org/licenses/BSD-2-Clause>;description=BSD 2-Clause License

Bundle-ManifestVersion: 2

Bundle-Name: zstd-jni

Bundle-NativeCode: aix/ppc64/libzstd-jni.so;osname=AIX;processor=ppc64, darwin/x86\_64/libzstd-jni.dylib;osname=MacOS;osname=MacOSX;processor=x86\_64, darwin/aarch64/libzstd-jni.dylib;osname=MacOS;osname=MacOSX;processor=aarch64, freebsd/amd64/libzstd-jni.so;osname=FreeBSD;processor=amd64, freebsd/i386/libzstd-jni.so;osname=FreeBSD;processor=i386, linux/aarch64/libzstd-jni.so;osname=Linux;processor=aarch64, linux/amd64/libzstd-jni.so;osname=Linux;processor=amd64, linux/arm/libzstd-jni.so;osname=Linux;processor=arm, linux/i386/libzstd-jni.so;osname=Linux;processor=i386, linux/mips64/libzstd-jni.so;osname=Linux;process

or=mips64, linux/ppc64/libzstd-jni.so;osname=Linux;processor=ppc64, linux/ppc64le/libzstd-jni.so;osname=Linux;processor=ppc64le, linux/s390x/libzstd-jni.so;osname=Linux;processor=s390x, win/amd64/libzstd-jni.dll;osname=Win32;processor=amd64, win/x86/libzstd-jni.dll;osname=Win32;processor=x86  
Bundle-SymbolicName: com.github.luben.zstd-jni  
Bundle-Vendor: com.github.luben  
Bundle-Version: 1.4.9.1  
Created-By: 1.8.0\_275 (Debian)  
Export-Package: com.github.luben.zstd;version="1.4.9.1",com.github.luben.zstd.util;version="1.4.9.1"  
Implementation-Title: zstd-jni  
Implementation-Vendor: com.github.luben  
Implementation-Vendor-Id: com.github.luben  
Implementation-Version: 1.4.9-1  
Import-Package: org.osgi.framework;resolution:=optional  
Private-Package: linux.amd64,linux.i386,linux.aarch64,linux.arm,linux.ppc64,linux.ppc64le,linux.mips64,linux.s390x,aix.ppc64,darwin.x86\_64,darwin.aarch64,win.amd64,win.x86,freebsd.amd64,freebsd.i386  
Require-Capability: osgi.ee;filter="(&(osgi.ee=JavaSE)(version=1.8))"  
Specification-Title: zstd-jni  
Specification-Vendor: com.github.luben  
Specification-Version: 1.4.9-1  
Tool: Bnd-4.0.0.201805111645

Found in path(s):

\* /opt/cola/permits/1183892379\_1627494642.79/0/zstd-jni-1-4-9-1-1-jar/META-INF/MANIFEST.MF

# 1.61 spring-framework 5.3.19

## 1.61.1 Available under license :

Spring Framework 5.3.19

Copyright (c) 2002-2022 Pivotal, Inc.

This product is licensed to you under the Apache License, Version 2.0 (the "License"). You may not use this product except in compliance with the License.

This product may include a number of subcomponents with separate copyright notices and license terms. Your use of the source code for these subcomponents is subject to the terms and conditions of the subcomponent's license, as noted in the license.txt file.

Apache License

Version 2.0, January 2004

<https://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION



## 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted"

means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
  - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
  - (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
  - (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and

attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the

appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
  
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<https://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software

distributed under the License is distributed on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.

=====

#### SPRING FRAMEWORK 5.3.19 SUBCOMPONENTS:

Spring Framework 5.3.19 includes a number of subcomponents with separate copyright notices and license terms. The product that includes this file does not necessarily use all the open source subcomponents referred to below. Your use of the source code for these subcomponents is subject to the terms and conditions of the following licenses.

>>> ASM 9.1 (org.ow2.asm:asm:9.1, org.ow2.asm:asm-commons:9.1):

Copyright (c) 2000-2011 INRIA, France Telecom  
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. Neither the name of the copyright holders nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Copyright (c) 1999-2009, OW2 Consortium <<https://www.ow2.org/>>

>>> CGLIB 3.3 (cglib:cglib:3.3):

Per the LICENSE file in the CGLIB JAR distribution downloaded from [https://github.com/cglib/cglib/releases/download/RELEASE\\_3\\_3\\_0/cglib-3.3.0.jar](https://github.com/cglib/cglib/releases/download/RELEASE_3_3_0/cglib-3.3.0.jar), CGLIB 3.3 is licensed under the Apache License, version 2.0, the text of which is included above.

>>> Objenesis 3.2 (org.objenesis:objenesis:3.2):

Per the LICENSE file in the Objenesis ZIP distribution downloaded from <http://objenesis.org/download.html>, Objenesis 3.2 is licensed under the Apache License, version 2.0, the text of which is included above.

Per the NOTICE file in the Objenesis ZIP distribution downloaded from <http://objenesis.org/download.html> and corresponding to section 4d of the Apache License, Version 2.0, in this case for Objenesis:

Objenesis

Copyright 2006-2019 Joe Walnes, Henri Tremblay, Leonardo Mesquita

=====

To the extent any open source components are licensed under the EPL and/or other similar licenses that require the source code and/or modifications to source code to be made available (as would be noted above), you may obtain a copy of the source code corresponding to the binaries for such open source components and modifications thereto, if any, (the "Source Files"), by downloading the Source Files from <https://spring.io/projects>, Pivotal's website at <https://network.pivotal.io/open-source>, or by sending a request, with your name and address to: Pivotal Software, Inc., 875 Howard Street, 5th floor, San Francisco, CA 94103, Attention: General Counsel. All such requests should clearly specify: OPEN SOURCE FILES REQUEST, Attention General Counsel. Pivotal can mail a copy of the Source Files to you on a CD or equivalent physical medium.

This offer to obtain a copy of the Source Files is valid for three years from the date you acquired this Software product. Alternatively, the Source Files may accompany the Software.

# 1.62 scala-logging\_2.12 3.9.3

## 1.62.1 Available under license :

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes

of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You



meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor,

except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software  
distributed under the License is distributed on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.

## 1.63 zookeeper 3.6.3

### 1.63.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
<!--  
/**  
 * Licensed to the Apache Software Foundation (ASF) under one  
 * or more contributor license agreements. See the NOTICE file  
 * distributed with this work for additional information  
 * regarding copyright ownership. The ASF licenses this file  
 * to you under the Apache License, Version 2.0 (the  
 * "License"); you may not use this file except in compliance  
 * with the License. You may obtain a copy of the License at  
 *  
 * http://www.apache.org/licenses/LICENSE-2.0  
 *  
 * Unless required by applicable law or agreed to in writing, software  
 * distributed under the License is distributed on an "AS IS" BASIS,  
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
 * See the License for the specific language governing permissions and  
 * limitations under the License.  
 */  
-->
```

Found in path(s):

`/opt/cola/permits/1340076099_1654622393.5516312/0/zookeeper-3-6-3-sources-1-jar/META-INF/maven/org.apache.zookeeper/zookeeper/pom.xml`

No license file was found, but licenses were detected in source scan.

```
/*  
 * Licensed to the Apache Software Foundation (ASF) under one
```

\* or more contributor license agreements. See the NOTICE file  
\* distributed with this work for additional information  
\* regarding copyright ownership. The ASF licenses this file  
\* to you under the Apache License, Version 2.0 (the  
\* "License"); you may not use this file except in compliance  
\* with the License. You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/ZooKeeperTestable.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/server/ZooTrace.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/cli/SetQuotaCommand.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/server/command/StatCommand.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/metrics/MetricsProviderLifecycleException.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/server/DataNode.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/server/quorum/ObserverMXBean.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/server/util/VerifyingFileFactory.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/server/quorum/QuorumStats.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/common/ZKConfig.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/WatchedEvent.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/server/quorum/AckRequestProcessor.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/server/util/BitHashSet.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/server/util/AdHash.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/server/FinalRequestProcessor.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-

jar/org/apache/zookeeper/server/command/ConsCommand.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/cli/DelQuotaCommand.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/Shell.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/SaslServerPrincipal.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/metrics/Counter.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/server/quorum/auth/NullQuorumAuthLearner.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/server/quorum/UpgradeableSessionTracker.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/server/quorum/QuorumPeerMain.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/server/quorum/QuorumPeer.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/common/ZKTrustManager.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/common/AtomicFileWritingIdiom.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/common/ZKHostnameVerifier.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/server/quorum/LocalPeerBean.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/server/DatadirCleanupManager.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/server/admin/JsonOutputter.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/common/ClientX509Util.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/audit/AuditLogger.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/server/quorum/ObserverRequestProcessor.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/server/admin/DummyAdminServer.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/server/metric/AvgMinMaxCounterSet.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/server/DataTree.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/server/quorum/LeaderSessionTracker.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/server/quorum/QuorumBean.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/server/auth/ProviderRegistry.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-

jar/org/apache/zookeeper/server/quorum/ObserverMaster.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/server/quorum/ServerBean.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/server/auth/KeyAuthenticationProvider.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/server/UnimplementedRequestProcessor.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/JLineZNodeCompleter.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/ServerAdminClient.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/server/RequestProcessor.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/server/NodeHashMap.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/client/FourLetterWordMain.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/version/util/VerGen.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/server/quorum/ReadOnlyBean.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/server/ResponseCache.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/cli/AddAuthCommand.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/server/quorum/QuorumPeerConfig.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/server/quorum/FastLeaderElection.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/server/quorum/SyncedLearnerTracker.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/server/util/JvmPauseMonitor.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/common/X509Exception.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/server/auth/AuthenticationProvider.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/cli/ListQuotaCommand.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/common/X509Util.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/server/quorum/QuorumCnxManager.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/server/NIOServerCnxnFactory.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/server/quorum/CommitProcessor.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-

jar/org/apache/zookeeper/server/quorum/FollowerMXBean.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/cli/CliCommand.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/AddWatchMode.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/server/quorum/auth/SaslQuorumAuthLearner.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/server/ServerStats.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/server/quorum/auth/SaslQuorumAuthServer.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/common/PKCS12FileLoader.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/server/PurgeTxnLog.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/server/RequestThrottler.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/common/NetUtils.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/ClientCnxnSocket.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/server/metric/AvgMinMaxPercentileCounterSet.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/server/metric/AvgMinMaxCounter.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/server/quorum/LearnerSyncThrottler.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/server/ClientCnxnLimitException.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/common/SSLContextAndOptions.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/server/quorum/ReadOnlyRequestProcessor.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/cli/StatCommand.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/server/quorum/auth/QuorumAuthLearner.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/server/command/FourLetterCommands.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/server/quorum/LearnerSyncRequest.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/server/admin/CommandOutputter.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/server/quorum/Vote.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/server/DataTreeBean.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-

jar/org/apache/zookeeper/server/command/MonitorCommand.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/common/PEMFileLoader.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/cli/SetAclCommand.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/server/auth/SaslServerCallbackHandler.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/metrics/Summary.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/server/metric/AvgMinMaxPercentileCounter.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/server/quorum/Follower.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/Quotas.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/server/SyncRequestProcessor.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/client/ConnectStringParser.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/server/LogFormatter.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/server/admin/AdminServer.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/server/quorum/LearnerMaster.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/cli/CreateCommand.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/server/persistence/FileTxnLog.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/audit/AuditConstants.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/server/quorum/LeaderElectionBean.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/server/auth/DigestAuthenticationProvider.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/common/QuorumX509Util.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/cli/GetConfigCommand.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/server/command/AbstractFourLetterCommand.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/server/command/SetTraceMaskCommand.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/cli/SetCommand.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/common/KeyStoreLoader.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-



jar/org/apache/zookeeper/server/NIOServerCnxn.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/ClientCnxn.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/ZooKeeper.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/cli/CliException.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/server/quorum/ProposalRequestProcessor.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/common/IOUtils.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/server/ZooKeeperServerMXBean.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/server/ExitCode.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/server/ServerConfig.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/server/WorkerService.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/server/quorum/LearnerHandler.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/server/command/RuokCommand.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/Watcher.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/server/quorum/PrependableSocket.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/server/ZooKeeperServerListenerImpl.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/server/auth/KerberosName.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/server/quorum/ObserverZooKeeperServer.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/server/util/OSMXBean.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/ClientWatchManager.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/server/quorum/LearnerHandlerBean.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/ClientCnxnSocketNIO.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/server/watch/WatcherOrBitSet.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/server/BlueThrottle.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/server/persistence/TxnLogToolkit.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-

jar/org/apache/zookeeper/metrics/impl/MetricsProviderBootstrap.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/server/RateLogger.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/server/ZooKeeperSaslServer.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/server/quorum/LeaderZooKeeperServer.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/server/Stats.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/server/DataTreeMXBean.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/SaslClientCallbackHandler.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/cli/CloseCommand.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/server/admin/CommandBase.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/metrics/Gauge.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/server/auth/X509AuthenticationProvider.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/metrics/impl/DefaultMetricsProvider.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/CreateMode.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/server/quorum/flexible/QuorumMaj.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/client/ZKClientConfig.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/cli/CommandNotFoundException.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/server/admin/Command.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/server/quorum/SendAckRequestProcessor.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/server/util/ZxidUtils.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/server/ServerCnxn.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/server/command/CnxnStatResetCommand.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/server/quorum/auth/QuorumAuth.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/metrics/SummarySet.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/server/quorum/auth/NullQuorumAuthServer.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-

jar/org/apache/zookeeper/server/auth/DigestLoginModule.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/server/util/BitMap.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/server/quorum/ServerMXBean.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/server/quorum/Leader.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/cli/MalformedCommandException.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/server/quorum/LearnerSessionTracker.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/server/command/DigestCommand.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/server/command/DirsCommand.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/server/persistence/FilePadding.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/server/auth/WrappedAuthenticationProvider.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/server/quorum/StateSummary.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/cli/CliparseException.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/ZooDefs.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/client/StaticHostProvider.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/audit/AuditEvent.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/Version.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/server/admin/JettyAdminServer.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/Environment.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/server/auth/ServerAuthenticationProvider.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/server/ServerMetrics.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/server/quorum/LearnerHandlerMXBean.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/server/util/SerializeUtils.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/cli/AddWatchCommand.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/server/admin/UnifiedConnectionFactory.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-

jar/org/apache/zookeeper/ZooKeeperMain.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/server/quorum/flexible/QuorumVerifier.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/server/command/TraceMaskCommand.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/server/command/IsroCommand.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/server/quorum/LeaderMXBean.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/KeeperException.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/server/quorum/QuorumMXBean.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/server/ReferenceCountedACLCache.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/server/ZooKeeperServer.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/client/ZooKeeperSaslClient.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/server/quorum/LeaderRequestProcessor.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/server/command/CommandExecutor.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/Testable.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/server/persistence/Util.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/cli/DeleteCommand.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/server/persistence/FileSnap.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/server/ConnectionBean.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/client/HostProvider.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/server/util/AuthUtil.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/StatsTrack.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/server/persistence/SnapStream.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/server/ByteBufferOutputStream.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/cli/MalformedPathException.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/server/ZooKeeperServerShutdownHandler.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-

jar/org/apache/zookeeper/ZookeeperBanner.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/cli/CliWrapperException.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/server/persistence/FileTxnSnapLog.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/server/NettyServerCnxnFactory.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/server/quorum/flexible/QuorumHierarchical.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/server/watch/WatchManager.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/server/quorum/SyncThrottleException.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/server/watch/WatchManagerFactory.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/jmx/MBeanRegistry.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/metrics/impl/NullMetricsProvider.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/server/quorum/LeaderBean.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/server/quorum/RemotePeerBean.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/jmx/ZKMBeanInfo.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/server/command/EnvCommand.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/server/quorum/BufferStats.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/admin/ZooKeeperAdmin.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/server/quorum/LeaderElectionMXBean.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/server/NodeHashMapImpl.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/server/DumbWatcher.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/server/metric/SimpleCounter.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/server/persistence/TxnLog.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/cli/ReconfigCommand.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/server/admin/AdminServerFactory.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/server/ExpiryQueue.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-

jar/org/apache/zookeeper/server/watch/WatcherCleaner.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/util/SecurityUtils.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/audit/ZKAuditProvider.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/server/persistence/SnapshotInfo.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/server/util/ConfigUtils.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/server/quorum/LocalPeerMXBean.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/server/auth/SASLAuthenticationProvider.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/WatchDeregistration.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/common/FileChangeWatcher.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/server/ZooKeeperServerMain.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/server/ByteBufferInputStream.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/server/ZooKeeperCriticalThread.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/server/DigestCalculator.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/server/quorum/auth/SaslQuorumServerCallbackHandler.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/server/watch/IDeadWatcherListener.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/ZKUtil.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/server/command/DumpCommand.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/server/command/NopCommand.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/common/Time.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/AsyncCallback.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/server/quorum/RemotePeerMXBean.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/DigestWatcher.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/server/SessionTracker.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/server/quorum/Learner.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-

jar/org/apache/zookeeper/cli/DeleteAllCommand.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/server/auth/EnsembleAuthenticationProvider.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/common/AtomicFileOutputStream.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/server/watch/IWatchManager.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/server/quorum/UnifiedServerSocket.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/server/admin/Commands.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/cli/RemoveWatchesCommand.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/common/StandardTypeFileKeyStoreLoader.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/server/quorum/QuorumZooKeeperServer.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/common/FileKeyStoreLoader.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/cli/AclParser.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/server/command/ConfCommand.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/server/TxnLogProposalIterator.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/common/KeyStoreFileType.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/server/metric/Metric.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/util/PemReader.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/server/quorum/Observer.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/metrics/MetricsProvider.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/server/quorum/LearnerSender.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/server/util/LogChopper.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/common/FileKeyStoreLoaderBuilderProvider.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/server/ZooKeeperServerBean.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/server/quorum/FollowerBean.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/server/ServerCnxnHelper.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-

jar/org/apache/zookeeper/server/ZooKeeperServerListener.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/server/ZKDatabase.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/server/PrepRequestProcessor.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/server/ZooKeeperThread.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/metrics/MetricsContext.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/common/NettyUtils.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/server/NettyServerCnxn.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/common/JKSFileLoader.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/server/quorum/LearnerZooKeeperServer.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/jmx/ManagedUtil.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/server/quorum/Election.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/server/command/StatResetCommand.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/server/auth/IPAuthenticationProvider.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/ClientCnxnSocketNetty.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/server/quorum/auth/QuorumAuthServer.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/server/TraceFormatter.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/audit/AuditHelper.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/server/SessionTrackerImpl.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/util/ServiceUtils.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/server/quorum/LocalSessionTracker.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/server/ConnectionMXBean.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/server/util/KerberosUtil.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/server/watch/WatchManagerOptimized.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/server/admin/ReadAheadEndpoint.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-



jar/org/apache/zookeeper/server/quorum/FollowerRequestProcessor.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/server/ObserverBean.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/Login.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/cli/StatPrinter.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/audit/Log4jAuditLogger.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/server/quorum/FollowerZooKeeperServer.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/server/command/WatchCommand.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/cli/GetCommand.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/server/persistence/SnapShot.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/server/quorum/ReadOnlyZooKeeperServer.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/server/ServerCnxnFactory.java  
No license file was found, but licenses were detected in source scan.

/\*\*

\* Licensed to the Apache Software Foundation (ASF) under one  
\* or more contributor license agreements. See the NOTICE file  
\* distributed with this work for additional information  
\* regarding copyright ownership. The ASF licenses this file  
\* to you under the Apache License, Version 2.0 (the  
\* "License"); you may not use this file except in compliance  
\* with the License. You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/version/Info.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/version/VersionInfoMain.java  
No license file was found, but licenses were detected in source scan.

```
/*
 * Licensed to the Apache Software Foundation (ASF) under one
 * or more contributor license agreements. See the NOTICE file
 * distributed with this work for additional information
 * regarding copyright ownership. The ASF licenses this file
 * to you under the Apache License, Version 2.0 (the
 * "License"); you may not use this file except in compliance
 * with the License. You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1340076099_1654622393.5516312/0/zookeeper-3-6-3-sources-1-
jar/org/apache/zookeeper/server/EphemeralType.java
* /opt/cola/permits/1340076099_1654622393.5516312/0/zookeeper-3-6-3-sources-1-
jar/org/apache/zookeeper/server/ContainerManager.java
* /opt/cola/permits/1340076099_1654622393.5516312/0/zookeeper-3-6-3-sources-1-
jar/org/apache/zookeeper/server/EphemeralTypeEmulate353.java
No license file was found, but licenses were detected in source scan.
```

```
/**
 * Licensed to the Apache Software Foundation (ASF) under one
 * or more contributor license agreements. See the NOTICE file
 * distributed with this work for additional information
 * regarding copyright ownership. The ASF licenses this file
 * to you under the Apache License, Version 2.0 (the
 * "License"); you may not use this file except in compliance
 * with the License. You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1340076099_1654622393.5516312/0/zookeeper-3-6-3-sources-1-
jar/org/apache/zookeeper/server/quorum/MultipleAddresses.java
```

No license file was found, but licenses were detected in source scan.

/\*

\* Licensed to the Apache Software Foundation (ASF) under one  
\* or more contributor license agreements. See the NOTICE file  
\* distributed with this work for additional information  
\* regarding copyright ownership. The ASF licenses this file  
\* to you under the Apache License, Version 2.0 (the  
\* "License"); you may not use this file except in compliance  
\* with the License. You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*uuuuu  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "RequuuAS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/server/Request.java

No license file was found, but licenses were detected in source scan.

/\*

\* Licensed to the Apache Software Foundation (ASF) under one or more  
\* contributor license agreements. See the NOTICE file distributed with this  
\* work for additional information regarding copyright ownership. The ASF  
\* licenses this file to you under the Apache License, Version 2.0 (the  
\* "License"); you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations under  
\* the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/cli/VersionCommand.java

\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/cli/GetAclCommand.java

\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-

jar/org/apache/zookeeper/cli/GetAllChildrenNumberCommand.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/cli/GetEphemeralsCommand.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/cli/LsCommand.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/cli/SyncCommand.java  
No license file was found, but licenses were detected in source scan.

```
/*  
* Licensed to the Apache Software Foundation (ASF) under one  
* or more contributor license agreements. See the NOTICE file  
* distributed with this work for additional information  
* regarding copyright ownership. The ASF licenses this file  
* to you under the Apache License, Version 2.0 (the  
* "License"); you may not use this file except in compliance  
* with the License. You may obtain a copy of the License at  
* <p>  
* http://www.apache.org/licenses/LICENSE-2.0  
* <p>  
* Unless required by applicable law or agreed to in writing, software  
* distributed under the License is distributed on an "AS IS" BASIS,  
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
* See the License for the specific language governing permissions and  
* limitations under the License.  
*/
```

Found in path(s):

\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/server/SnapshotFormatter.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/server/util/RequestPathMetricsCollector.java  
No license file was found, but licenses were detected in source scan.

```
/**  
* Licensed to the Apache Software Foundation (ASF) under one  
* or more contributor license agreements. See the NOTICE file  
* distributed with this work for additional information  
* regarding copyright ownership. The ASF licenses this file  
* to you under the Apache License, Version 2.0 (the  
* "License"); you may not use this file except in compliance  
* with the License. You may obtain a copy of the License at  
* <p>  
* http://www.apache.org/licenses/LICENSE-2.0  
* <p>  
* Unless required by applicable law or agreed to in writing, software  
* distributed under the License is distributed on an "AS IS" BASIS,  
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
```

\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/server/util/CircularBuffer.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/server/watch/WatcherModeManager.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/server/util/MessageTracker.java

No license file was found, but licenses were detected in source scan.

```
/* Licensed to the Apache Software Foundation (ASF) under one
 * or more contributor license agreements. See the NOTICE file
 * distributed with this work for additional information
 * regarding copyright ownership. The ASF licenses this file
 * to you under the Apache License, Version 2.0 (the
 * "License"); you may not use this file except in compliance
 * with the License. You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-  
jar/org/apache/zookeeper/common/StringUtils.java

No license file was found, but licenses were detected in source scan.

```
/**
 * Licensed to the Apache Software Foundation (ASF) under one
 * or more contributor license agreements. See the NOTICE file
 * distributed with this work for additional information
 * regarding copyright ownership. The ASF licenses this file
 * to you under the Apache License, Version 2.0 (the
 * "License"); you may not use this file except in compliance
 * with the License. You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
```

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-jar/org/apache/zookeeper/util/CircularBlockingQueue.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-jar/org/apache/zookeeper/server/watch/PathParentIterator.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-jar/org/apache/zookeeper/server/TxnLogEntry.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-jar/org/apache/zookeeper/server/watch/WatcherMode.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-jar/org/apache/zookeeper/common/BCFKSFileLoader.java

No license file was found, but licenses were detected in source scan.

/\*

\* Licensed to the Apache Software Foundation (ASF) under one  
\* or more contributor license agreements. See the NOTICE file  
\* distributed with this work for additional information  
\* regarding copyright ownership. The ASF licenses this file  
\* to you under the Apache License, Version 2.0 (the  
\* "License"); you may not use this file except in compliance  
\* with the License. You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-jar/org/apache/zookeeper/common/PathTrie.java  
\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-jar/org/apache/zookeeper/common/PathUtils.java

No license file was found, but licenses were detected in source scan.

<!--

Licensed to the Apache Software Foundation (ASF) under one or more  
contributor license agreements. See the NOTICE file distributed with  
this work for additional information regarding copyright ownership.  
The ASF licenses this file to You under the Apache License, Version 2.0

(the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

-->

Found in path(s):

\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-jar/org/apache/zookeeper/server/package.html

No license file was found, but licenses were detected in source scan.

/\*

\* Licensed to the Apache Software Foundation (ASF) under one or more  
\* contributor license agreements. See the NOTICE file distributed with  
\* this work for additional information regarding copyright ownership.  
\* The ASF licenses this file to You under the Apache License, Version 2.0  
\* (the "License"); you may not use this file except in compliance with  
\* the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-jar/org/apache/zookeeper/server/admin/CommandResponse.java

\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-jar/org/apache/zookeeper/server/watch/WatchesSummary.java

\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-jar/org/apache/zookeeper/Op.java

\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-jar/org/apache/zookeeper/MultiResponse.java

\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-jar/org/apache/zookeeper/server/ZooKeeperServerConf.java

\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-jar/org/apache/zookeeper/Transaction.java

\* /opt/cola/permits/1340076099\_1654622393.5516312/0/zookeeper-3-6-3-sources-1-

```
jar/org/apache/zookeeper/OpResult.java
* /opt/cola/permits/1340076099_1654622393.5516312/0/zookeeper-3-6-3-sources-1-
jar/org/apache/zookeeper/server/watch/WatchesReport.java
* /opt/cola/permits/1340076099_1654622393.5516312/0/zookeeper-3-6-3-sources-1-
jar/org/apache/zookeeper/server/watch/WatchesPathReport.java
* /opt/cola/permits/1340076099_1654622393.5516312/0/zookeeper-3-6-3-sources-1-
jar/org/apache/zookeeper/MultiOperationRecord.java
```

## 1.64 micronaut-views 3.2.0

### 1.64.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
# Licensed under the Apache License, Version 2.0 (the "License");
# you may not use this file except in compliance with the License.
# You may obtain a copy of the License at
# distributed under the License is distributed on an "AS IS" BASIS,
```

Found in path(s):

```
* /opt/cola/permits/1331474137_1653511933.527574/0/micronaut-views-core-3-2-0-sources-jar/META-INF/native-
image/io.micronaut.views.model.security/native-image.properties
* /opt/cola/permits/1331474137_1653511933.527574/0/micronaut-views-core-3-2-0-sources-jar/META-INF/native-
image/io.micronaut.views.csp/native-image.properties
```

No license file was found, but licenses were detected in source scan.

```
/*
* Copyright 2017-2020 original authors
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):

```
* /opt/cola/permits/1331474137_1653511933.527574/0/micronaut-views-core-3-2-0-sources-
jar/io/micronaut/views/csp/package-info.java
* /opt/cola/permits/1331474137_1653511933.527574/0/micronaut-views-core-3-2-0-sources-
jar/io/micronaut/views/View.java
* /opt/cola/permits/1331474137_1653511933.527574/0/micronaut-views-core-3-2-0-sources-
```



jar/io/micronaut/views/ViewsConfigurationProperties.java  
\* /opt/cola/permits/1331474137\_1653511933.527574/0/micronaut-views-core-3-2-0-sources-  
jar/io/micronaut/views/csp/CspConfiguration.java  
\* /opt/cola/permits/1331474137\_1653511933.527574/0/micronaut-views-core-3-2-0-sources-  
jar/io/micronaut/views/csp/CspFilter.java  
\* /opt/cola/permits/1331474137\_1653511933.527574/0/micronaut-views-core-3-2-0-sources-  
jar/io/micronaut/views/ModelAndView.java  
\* /opt/cola/permits/1331474137\_1653511933.527574/0/micronaut-views-core-3-2-0-sources-  
jar/io/micronaut/views/model/ViewModelProcessor.java  
\* /opt/cola/permits/1331474137\_1653511933.527574/0/micronaut-views-core-3-2-0-sources-  
jar/io/micronaut/views/ViewUtils.java  
\* /opt/cola/permits/1331474137\_1653511933.527574/0/micronaut-views-core-3-2-0-sources-  
jar/io/micronaut/views/ViewsRenderer.java  
\* /opt/cola/permits/1331474137\_1653511933.527574/0/micronaut-views-core-3-2-0-sources-  
jar/io/micronaut/views/model/security/SecurityViewModelProcessor.java  
\* /opt/cola/permits/1331474137\_1653511933.527574/0/micronaut-views-core-3-2-0-sources-  
jar/io/micronaut/views/ViewsConfiguration.java  
\* /opt/cola/permits/1331474137\_1653511933.527574/0/micronaut-views-core-3-2-0-sources-  
jar/io/micronaut/views/package-info.java  
\* /opt/cola/permits/1331474137\_1653511933.527574/0/micronaut-views-core-3-2-0-sources-  
jar/io/micronaut/views/model/package-info.java  
\* /opt/cola/permits/1331474137\_1653511933.527574/0/micronaut-views-core-3-2-0-sources-  
jar/io/micronaut/views/model/security/SecurityViewModelProcessorConfigurationProperties.java  
\* /opt/cola/permits/1331474137\_1653511933.527574/0/micronaut-views-core-3-2-0-sources-  
jar/io/micronaut/views/exceptions/ViewRenderingException.java  
\* /opt/cola/permits/1331474137\_1653511933.527574/0/micronaut-views-core-3-2-0-sources-  
jar/io/micronaut/views/exceptions/package-info.java  
\* /opt/cola/permits/1331474137\_1653511933.527574/0/micronaut-views-core-3-2-0-sources-  
jar/io/micronaut/views/model/security/package-info.java  
\* /opt/cola/permits/1331474137\_1653511933.527574/0/micronaut-views-core-3-2-0-sources-  
jar/io/micronaut/views/exceptions/ViewNotFoundException.java  
\* /opt/cola/permits/1331474137\_1653511933.527574/0/micronaut-views-core-3-2-0-sources-  
jar/io/micronaut/views/model/security/SecurityViewModelProcessorConfiguration.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright 2017-2021 original authors  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <https://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1331474137\_1653511933.527574/0/micronaut-views-core-3-2-0-sources-jar/io/micronaut/views/ViewsFilter.java

\* /opt/cola/permits/1331474137\_1653511933.527574/0/micronaut-views-core-3-2-0-sources-jar/io/micronaut/views/ViewsResolver.java

\* /opt/cola/permits/1331474137\_1653511933.527574/0/micronaut-views-core-3-2-0-sources-jar/io/micronaut/views/DefaultViewsRendererLocator.java

\* /opt/cola/permits/1331474137\_1653511933.527574/0/micronaut-views-core-3-2-0-sources-jar/io/micronaut/views/ViewsModelDecorator.java

\* /opt/cola/permits/1331474137\_1653511933.527574/0/micronaut-views-core-3-2-0-sources-jar/io/micronaut/views/DefaultViewsResolver.java

\* /opt/cola/permits/1331474137\_1653511933.527574/0/micronaut-views-core-3-2-0-sources-jar/io/micronaut/views/DefaultViewsModelDecorator.java

\* /opt/cola/permits/1331474137\_1653511933.527574/0/micronaut-views-core-3-2-0-sources-jar/io/micronaut/views/ViewsRendererKey.java

\* /opt/cola/permits/1331474137\_1653511933.527574/0/micronaut-views-core-3-2-0-sources-jar/io/micronaut/views/ViewsRendererLocator.java

## 1.65 swagger-jaxrs2 2.1.6

### 1.65.1 Available under license :

No license file was found, but licenses were detected in source scan.

Manifest-Version: 1.0

Automatic-Module-Name: io.swagger.v3.jaxrs2

Bnd-LastModified: 1607101154572

Build-Jdk: 1.8.0\_275

Built-By: runner

Bundle-Description: swagger-jaxrs2

Bundle-License: <http://www.apache.org/licenses/LICENSE-2.0.html>

Bundle-ManifestVersion: 2

Bundle-Name: swagger-jaxrs2

Bundle-SymbolicName: io.swagger.core.v3.swagger-jaxrs2

Bundle-Version: 2.1.6

Created-By: Apache Maven Bundle Plugin

Export-Package: io.swagger.v3.jaxrs2;uses:="com.fasterxml.jackson.annotation,com.fasterxml.jackson.databind.introspect,io.swagger.v3.jaxrs2

.ext,io.swagger.v3.oas.annotations,io.swagger.v3.oas.annotations.parameters,io.swagger.v3.oas.annotations.responses,io.swagger.v3.oas.annotations.security,io.swagger.v3.oas.integration.api,io.swagger.v3.oas

models,io.swagger.v3.oas.models.media,io.swagger.v3.oas.models.parameters,io.swagger.v3.oas.models.responses,io.swagger.v3.oas.models.security,io.swagger.v3.oas.models.servers,javax.ws.rs,javax.ws.rs.core,javax.ws.rs.ext";version="2.1.6",io.swagger.v3.jaxrs2.ext;uses:="com.f

sterxml.jackson.annotation,com.fasterxml.jackson.databind,io.swagger.v3.jaxrs2,io.swagger.v3.oas.models,javax.ws.rs";version="2.1.6",io.swagger.v3.jaxrs2.integration;uses:="io.swagger.v3.jaxrs2.integration.api,io.swagger.v3.oas.integration,io.swagger.v3.oas.integration.api,javax.servlet,javax.servlet.http,javax.ws.rs.core,org.apache.commons.lang3.tuple,org.slf4j";version="2.1.6",io.swagger.v3.jaxrs2.integration.api;uses:="io.swagger.v3.oas.integration.api,javax.servlet,javax.ws.rs.core";version="2.1.6",io.swagger.v3.jaxrs2.integration.resources;uses:="io.swagger.v3.oas.annotations,io.swagger.v3.oas.integration.api,javax.servlet,javax.ws.rs,javax.ws.rs.core";version="2.1.6",io.swagger.v3.jaxrs2.util;uses:="com.fasterxml.jackson.annotation,io.swagger.v3.jaxrs2.ext,io.swagger.v3.oas.integration.api,io.swagger.v3.oas.models,io.swagger.v3.oas.models.parameters,javax.servlet.http,javax.ws.rs,javax.ws.rs.core";version="2.1.6"

implementation-version: 2.1.6

Import-Package: javax.ws.rs;version="2.0",javax.ws.rs.core;version="2.0",javax.ws.rs.ext;version="2.0",com.fasterxml.jackson.annotation;version="[2.11,3)",com.fasterxml.jackson.core;version="[2.11,3)",com.fasterxml.jackson.core.util;version="[2.11,3)",com.fasterxml.jackson.databind;version="[2.11,3)",com.fasterxml.jackson.databind.introspect;version="[2.11,3)",com.fasterxml.jackson.databind.type;version="[2.11,3)",io.github.classgraph;version="[4.8,5)",io.swagger.v3.core.converter;version="[2.1,3)",io.swagger.v3.core.filter;version="[2.1,3)",io.swagger.v3.core.util;version="[2.1,3)",io.swagger.v3.jaxrs2,io.swagger.v3.jaxrs2.ext,io.swagger.v3.jaxrs2.integration,io.swagger.v3.jaxrs2.integration.api,io.swagger.v3.jaxrs2.util,io.swagger.v3.oas.annotations;version="[2.1,3)",io.swagger.v3.oas.annotations.callbacks;version="[2.1,3)",io.swagger.v3.oas.annotations.enums;version="[2.1,3)",io.swagger.v3.oas.annotations.extensions;version="[2.1,3)",io.swagger.v3.oas.annotations.headers;version="[2.1,3)",io.swagger.v3.oas.annotations.info;version="[2.1,3)",io.swagger.v3.oas.annotations.links;version="[2.1,3)",io.swagger.v3.oas.annotations.media;version="[2.1,3)",io.swagger.v3.oas.annotations.parameters;version="[2.1,3)",io.swagger.v3.oas.annotations.responses;version="[2.1,3)",io.swagger.v3.oas.annotations.security;version="[2.1,3)",io.swagger.v3.oas.annotations.servers;version="[2.1,3)",io.swagger.v3.oas.annotations.tags;version="[2.1,3)",io.swagger.v3.oas.integration;version="[2.1,3)",io.swagger.v3.oas.integration.api;version="[2.1,3)",io.swagger.v3.oas.models;version="[2.1,3)",io.swagger.v3.oas.models.callbacks;version="[2.1,3)",io.swagger.v3.oas.models.info;version="[2.1,3)",io.swagger.v3.oas.models.media;version="[2.1,3)",io.swagger.v3.oas.models.parameters;version="[2.1,3)",io.swagger.v3.oas.models.responses;version="[2.1,3)",io.swagger.v3.oas.models.security;version="[2.1,3)",io.swagger.v3.oas.models.servers;version="[2.1,3)",io.swagger.v3.oas.models.tags;version="[2.1,3)",javax.servlet;version="[4.0,5)",javax.servlet.http;version="[4.0,5)",org.apache.commons.lang3;version="[3.7,4)",org.apache.commons.lang3.tuple;version="[3.7,4)",org.slf4j;version="[1.7,2)"]

mode: development

package: io.swagger  
Require-Capability: osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=1.8))"  
Tool: Bnd-4.2.0.201903051501  
url: <https://github.com/swagger-api/swagger-core/modules/swagger-jaxrs>  
2

Found in path(s):

\* /opt/cola/permits/1148119609\_1654840282.6346464/0/swagger-jaxrs2-2-1-6-jar/META-INF/MANIFEST.MF

## 1.66 rocksdb-jni 6.19.3

### 1.66.1 Available under license :

No license file was found, but licenses were detected in source scan.

/opt/cola/permits/1340076597\_1654758051.2664075/0/rocksdbjni-6-19-3-jar/librocksdbjni-linux-aarch64-musl.so: binary file matches  
/opt/cola/permits/1340076597\_1654758051.2664075/0/rocksdbjni-6-19-3-jar/librocksdbjni-linux-aarch64.so: binary file matches  
/opt/cola/permits/1340076597\_1654758051.2664075/0/rocksdbjni-6-19-3-jar/librocksdbjni-linux-ppc64le.so: binary file matches  
/opt/cola/permits/1340076597\_1654758051.2664075/0/rocksdbjni-6-19-3-jar/librocksdbjni-linux32-musl.so: binary file matches  
/opt/cola/permits/1340076597\_1654758051.2664075/0/rocksdbjni-6-19-3-jar/librocksdbjni-linux32.so: binary file matches  
/opt/cola/permits/1340076597\_1654758051.2664075/0/rocksdbjni-6-19-3-jar/librocksdbjni-linux64-musl.so: binary file matches  
/opt/cola/permits/1340076597\_1654758051.2664075/0/rocksdbjni-6-19-3-jar/librocksdbjni-linux64.so: binary file matches

Found in path(s):

\* /bin/grep

## 1.67 dropwizard-jetty-support 2.0.25

### 1.67.1 Available under license :

No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright 2012 The Netty Project  
\*  
\* The Netty Project licenses this file to you under the Apache License,  
\* version 2.0 (the "License"); you may not use this file except in compliance  
\* with the License. You may obtain a copy of the License at:  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\*

\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1300428413\_1650629574.3/0/dropwizard-jetty-2-0-25-sources-  
jar/io/dropwizard/jetty/NetUtil.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Copyright 2013-2014 The Apache Software Foundation (Curator Project)

\*

\* The Apache Software Foundation licenses this file to you under the Apache

\* License, version 2.0 (the "License"); you may not use this file except in

\* compliance with the License. You may obtain a copy of the License at:

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT

\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the

\* License for the specific language governing permissions and limitations

\* under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1300428413\_1650629574.3/0/dropwizard-jetty-2-0-25-sources-  
jar/io/dropwizard/jetty/LocalIpFilter.java

## 1.68 java-architecture-for-xml-binding 2.4.0- b180830.0359

### 1.68.1 Available under license :

COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL)Version 1.1

#### 1. Definitions.

1.1. "Contributor" means each individual or entity that creates or contributes to the creation of Modifications.

1.2. "Contributor Version" means the combination of the Original Software, prior Modifications used by a Contributor (if any), and the Modifications made by that particular Contributor.

1.3. "Covered Software" means (a) the Original Software, or (b) Modifications, or (c) the combination of files

containing Original Software with files containing Modifications, in each case including portions thereof.

1.4. "Executable" means the Covered Software in any form other than Source Code.

1.5. "Initial Developer" means the individual or entity that first makes Original Software available under this License.

1.6. "Larger Work" means a work which combines Covered Software or portions thereof with code not governed by the terms of this License.

1.7. "License" means this document.

1.8. "Licensable" means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed herein.

1.9. "Modifications" means the Source Code and Executable form of any of the following:

A. Any file that results from an addition to, deletion from or modification of the contents of a file containing Original Software or previous Modifications;

B. Any new file that contains any part of the Original Software or previous Modification; or

C. Any new file that is contributed or otherwise made available under the terms of this License.

1.10. "Original Software" means the Source Code and Executable form of computer software code that is originally released under this License.

1.11. "Patent Claims" means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent Licensable by grantor.

1.12. "Source Code" means (a) the common form of computer software code in which modifications are made and (b) associated documentation included in or with such code.

1.13. "You" (or "Your") means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License. For legal entities, "You" includes any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, "control" means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

## 2. License Grants.

### 2.1. The Initial Developer Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, the Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Initial Developer, to use, reproduce, modify, display, perform, sublicense and distribute the Original Software (or portions thereof), with or

without Modifications, and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using or selling of Original Software, to make, have made, use, practice, sell, and offer for sale, and/or otherwise dispose of the Original Software (or portions thereof).

(c) The licenses granted in Sections 2.1(a) and (b) are effective on the date Initial Developer first distributes or otherwise makes the Original Software available to a third party under the terms of this License.

(d) Notwithstanding Section 2.1(b) above, no patent license is granted: (1) for code that You delete from the Original Software, or (2) for infringements caused by: (i) the modification of the Original Software, or (ii) the combination of the Original Software with other software or devices.

## 2.2. Contributor Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Contributor to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof), either on an unmodified basis, with other Modifications, as Covered Software and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor either alone and/or in combination with its Contributor Version (or portions of such combination), to make, use, sell, offer for sale, have made, and/or otherwise dispose of: (1) Modifications made by that Contributor (or portions thereof); and (2) the combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).

(c) The licenses granted in Sections 2.2(a) and 2.2(b) are effective on the date Contributor first distributes or otherwise makes the Modifications available to a third party.

(d) Notwithstanding Section 2.2(b) above, no patent license is granted: (1) for any code that Contributor has deleted from the Contributor Version; (2) for infringements caused by: (i) third party modifications of Contributor Version, or (ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or (3) under Patent Claims infringed by Covered Software in the absence of Modifications made by that Contributor.

## 3. Distribution Obligations.

### 3.1. Availability of Source Code.

Any Covered Software that You distribute or otherwise make available in Executable form must also be made available in Source Code form and that Source Code form must be distributed only under the terms of this License. You must include a copy of this License with every copy of the Source Code form of the Covered Software You distribute or otherwise make available. You must inform recipients of any such Covered Software in Executable form as to how they can obtain such Covered Software in Source Code form in a reasonable manner on or through a medium customarily used for software exchange.

### 3.2. Modifications.

The Modifications that You create or to which You contribute are governed by the terms of this License. You represent that You believe Your Modifications are Your original creation(s) and/or You have sufficient rights to grant the rights conveyed by this License.

### 3.3. Required Notices.

You must include a notice in each of Your Modifications that identifies You as the Contributor of the Modification. You may not remove or alter any copyright, patent or trademark notices contained within the Covered Software, or any notices of licensing or any descriptive text giving attribution to any Contributor or the Initial Developer.

### 3.4. Application of Additional Terms.

You may not offer or impose any terms on any Covered Software in Source Code form that alters or restricts the applicable version of this License or the recipients' rights hereunder. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, you may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it absolutely clear that any such warranty, support, indemnity or liability obligation is offered by You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of warranty, support, indemnity or liability terms You offer.

### 3.5. Distribution of Executable Versions.

You may distribute the Executable form of the Covered Software under the terms of this License or under the terms of a license of Your choice, which may contain terms different from this License, provided that You are in compliance with the terms of this License and that the license for the Executable form does not attempt to limit or alter the recipient's rights in the Source Code form from the rights set forth in this License. If You distribute the Covered Software in Executable form under a different license, You must make it absolutely clear that any terms which differ from this License are offered by You alone, not by the Initial Developer or Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer.

### 3.6. Larger Works.

You may create a Larger Work by combining Covered Software with other code not governed by the terms of this License and distribute the Larger Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled for the Covered Software.

## 4. Versions of the License.

### 4.1. New Versions.

Oracle is the initial license steward and may publish revised and/or new versions of this License from time to time. Each version will be given a distinguishing version number. Except as provided in Section 4.3, no one other than the license steward has the right to modify this License.



#### 4.2. Effect of New Versions.

You may always continue to use, distribute or otherwise make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. If the Initial Developer includes a notice in the Original Software prohibiting it from being distributed or otherwise made available under any subsequent version of the License, You must distribute and make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. Otherwise, You may also choose to use, distribute or otherwise make the Covered Software available under the terms of any subsequent version of the License published by the license steward.

#### 4.3. Modified Versions.

When You are an Initial Developer and You want to create a new license for Your Original Software, You may create and use a modified version of this License if You: (a) rename the license and remove any references to the name of the license steward (except to note that the license differs from this License); and (b) otherwise make it clear that the license contains terms which differ from this License.

### 5. DISCLAIMER OF WARRANTY.

COVERED SOFTWARE IS PROVIDED UNDER THIS LICENSE ON AN "AS IS" BASIS, WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES THAT THE COVERED SOFTWARE IS FREE OF DEFECTS, MERCHANTABILITY, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED SOFTWARE IS WITH YOU. SHOULD ANY COVERED SOFTWARE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED SOFTWARE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

### 6. TERMINATION.

6.1. This License and the rights granted hereunder will terminate automatically if You fail to comply with terms herein and fail to cure such breach within 30 days of becoming aware of the breach. Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive.

6.2. If You assert a patent infringement claim (excluding declaratory judgment actions) against Initial Developer or a Contributor (the Initial Developer or Contributor against whom You assert such claim is referred to as "Participant") alleging that the Participant Software (meaning the Contributor Version where the Participant is a Contributor or the Original Software where the Participant is the Initial Developer) directly or indirectly infringes any patent, then any and all rights granted directly or indirectly to You by such Participant, the Initial Developer (if the Initial Developer is not the Participant) and all Contributors under Sections 2.1 and/or 2.2 of this License shall, upon 60 days notice from Participant terminate prospectively and automatically at the expiration of such 60 day notice period, unless if within such 60 day period You withdraw Your claim with respect to the Participant Software against such Participant either unilaterally or pursuant to a written agreement with Participant.

6.3. If You assert a patent infringement claim against Participant alleging that the Participant Software directly or indirectly infringes any patent where such claim is resolved (such as by license or settlement) prior to the initiation of patent infringement litigation, then the reasonable value of the licenses granted by such Participant under Sections

2.1 or 2.2 shall be taken into account in determining the amount or value of any payment or license.

6.4. In the event of termination under Sections 6.1 or 6.2 above, all end user licenses that have been validly granted by You or any distributor hereunder prior to termination (excluding licenses granted to You by any distributor) shall survive termination.

#### 7. LIMITATION OF LIABILITY.

UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED SOFTWARE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTY'S NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

#### 8. U.S. GOVERNMENT END USERS.

The Covered Software is a "commercial item," as that term is defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of "commercial computer software" (as that term is defined at 48 C.F.R. ? 252.227-7014(a)(1)) and "commercial computer software documentation" as such terms are used in 48 C.F.R. 12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4 (June 1995), all U.S. Government End Users acquire Covered Software with only those rights set forth herein. This U.S. Government Rights clause is in lieu of, and supersedes, any other FAR, DFAR, or other clause or provision that addresses Government rights in computer software under this License.

#### 9. MISCELLANEOUS.

This License represents the complete agreement concerning subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by the law of the jurisdiction specified in a notice contained within the Original Software (except to the extent applicable law, if any, provides otherwise), excluding such jurisdiction's conflict-of-law provisions. Any litigation relating to this License shall be subject to the jurisdiction of the courts located in the jurisdiction and venue specified in a notice contained within the Original Software, with the losing party responsible for costs, including, without limitation, court costs and reasonable attorneys' fees and expenses. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not apply to this License. You agree that You alone are responsible for compliance with the United States export administration regulations (and the export control laws and regulation of any other countries) when You use, distribute or otherwise make available any Covered Software.

#### 10. RESPONSIBILITY FOR CLAIMS.

As between Initial Developer and the Contributors, each party is responsible for claims and damages arising, directly or indirectly, out of its utilization of rights under this License and You agree to work with Initial Developer and Contributors to distribute such responsibility on an equitable basis. Nothing herein is intended or shall be deemed to constitute any admission of liability.

-----

#### NOTICE PURSUANT TO SECTION 9 OF THE COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL)

The code released under the CDDL shall be governed by the laws of the State of California (excluding conflict-of-law provisions). Any litigation relating to this License shall be subject to the jurisdiction of the Federal Courts of the Northern District of California and the state courts of the State of California, with venue lying in Santa Clara County, California.

The GNU General Public License (GPL) Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc. 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

#### Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

## TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an

appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this

License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

#### NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

#### END OF TERMS AND CONDITIONS

#### How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.

Copyright (C)

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General

Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author

Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'. This is free software, and you are welcome to redistribute it under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program `Gnomovision' (which makes passes at compilers) written by James Hacker.

signature of Ty Coon, 1 April 1989

Ty Coon, President of Vice

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

## "CLASSPATH" EXCEPTION TO THE GPL VERSION 2

Certain source files distributed by Oracle are subject to the following clarification and special exception to the GPL Version 2, but only where Oracle has expressly included in the particular source file's header the words "Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the License file that accompanied this code."

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License Version 2 cover the whole combination.

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module. An independent module is a module which is not derived from or based on this library. If you modify this library, you may extend this exception to your version of the library, but you are not obligated to do so. If you do not wish to do so, delete this exception statement from your version.



# 1.69 jakarta-expression-language-3.0-api 3.0.3

## 1.69.1 Available under license :

# Notices for Jakarta Expression Language

This content is produced and maintained by the Jakarta Expression Language project.

\* Project home: <https://projects.eclipse.org/projects/ee4j.el>

## Trademarks

Jakarta Expression Language is a trademark of the Eclipse Foundation.

## Copyright

All content is the property of the respective authors or their employers. For more information regarding authorship of content, please consult the listed source code repository logs.

## Declared Project Licenses

This program and the accompanying materials are made available under the terms of the Eclipse Public License v. 2.0 which is available at <http://www.eclipse.org/legal/epl-2.0>. This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License v. 2.0 are satisfied: GNU General Public License, version 2 with the GNU Classpath Exception which is available at <https://www.gnu.org/software/classpath/license.html>.

SPDX-License-Identifier: EPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0

## Source Code

The project maintains the following source code repositories:

\* <https://github.com/eclipse-ee4j/el-ri>

## Third-party Content

## Cryptography

Content may contain encryption software. The country in which you are currently may have restrictions on the import, possession, and use, and/or re-export to another country, of encryption software. BEFORE using any encryption software, please check the country's laws, regulations and policies concerning the import,

possession, or use, and re-export of encryption software, to see if this is permitted.

# Eclipse Public License - v 2.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

## 1. DEFINITIONS

"Contribution" means:

a) in the case of the initial Contributor, the initial content Distributed under this Agreement, and

b) in the case of each subsequent Contributor:

- i) changes to the Program, and
- ii) additions to the Program;

where such changes and/or additions to the Program originate from and are Distributed by that particular Contributor. A Contribution "originates" from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include changes or additions to the Program that are not Modified Works.

"Contributor" means any person or entity that Distributes the Program.

"Licensed Patents" mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions Distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement or any Secondary License (as applicable), including Contributors.

"Derivative Works" shall mean any work, whether in Source Code or other form, that is based on (or derived from) the Program and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship.

"Modified Works" shall mean any work in Source Code or other form that results from an addition to, deletion from, or modification of the contents of the Program, including, for purposes of clarity any new file in Source Code form that contains any contents of the Program. Modified Works shall not include works that contain only declarations, interfaces, types, classes, structures, or files of the Program solely

in each case in order to link to, bind by name, or subclass the Program or Modified Works thereof.

"Distribute" means the acts of a) distributing or b) making available in any manner that enables the transfer of a copy.

"Source Code" means the form of a Program preferred for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Secondary License" means either the GNU General Public License, Version 2.0, or any later versions of that license, including any exceptions or additional permissions as identified by the initial Contributor.

## 2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, Distribute and sublicense the Contribution of such Contributor, if any, and such Derivative Works.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in Source Code or other form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to Distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

e) Notwithstanding the terms of any Secondary License, no Contributor makes additional grants to any Recipient (other than those set forth in this Agreement) as a result of such Recipient's receipt of the Program under the terms of a Secondary License (if permitted under the terms of Section 3).

### 3. REQUIREMENTS

3.1 If a Contributor Distributes the Program in any form, then:

a) the Program must also be made available as Source Code, in accordance with section 3.2, and the Contributor must accompany the Program with a statement that the Source Code for the Program is available under this Agreement, and informs Recipients how to obtain it in a reasonable manner on or through a medium customarily used for software exchange; and

b) the Contributor may Distribute the Program under a license different than this Agreement, provided that such license:

i) effectively disclaims on behalf of all other Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;

ii) effectively excludes on behalf of all other Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;

iii) does not attempt to limit or alter the recipients' rights in the Source Code under section 3.2; and

iv) requires any subsequent distribution of the Program by any party to be under a license that satisfies the requirements of this section 3.

3.2 When the Program is Distributed as Source Code:

a) it must be made available under this Agreement, or if the Program (i) is combined with other material in a separate file or files made available under a Secondary License, and (ii) the initial Contributor attached to the Source Code the notice described in Exhibit A of this Agreement, then the Program may be made available

under the terms of such Secondary Licenses, and

b) a copy of this Agreement must be included with each copy of the Program.

3.3 Contributors may not remove or alter any copyright, patent, trademark, attribution notices, disclaimers of warranty, or limitations of liability ("notices") contained within the Program from any copy of the Program which they Distribute, provided that Contributors may add their own appropriate notices.

#### 4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

#### 5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

#### 6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

#### 7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be Distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to Distribute the Program (including its Contributions) under the new version.

Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved. Nothing in this Agreement is intended to be enforceable by any entity that is not a Contributor or Recipient. No third-party beneficiary rights are created under this Agreement.

#### Exhibit A - Form of Secondary Licenses Notice

"This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License, v. 2.0 are satisfied: {name license(s), version(s), and exceptions or additional permissions here}."

Simply including a copy of this Agreement, including this Exhibit A is not sufficient to license the Source Code under Secondary Licenses.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.

---

## The GNU General Public License (GPL) Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.  
51 Franklin Street, Fifth Floor  
Boston, MA 02110-1335  
USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

## Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.



The precise terms and conditions for copying, distribution and modification follow.

## TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such

interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in

accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute

so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free

programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

## NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

## END OF TERMS AND CONDITIONS

### How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.  
Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or

(at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1335 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type
`show w'. This is free software, and you are welcome to redistribute
it under certain conditions; type `show c' for details.
```

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

```
Yoyodyne, Inc., hereby disclaims all copyright interest in the
program `Gnomovision' (which makes passes at compilers) written by
James Hacker.
```

```
signature of Ty Coon, 1 April 1989
Ty Coon, President of Vice
```

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

---

```
## CLASSPATH EXCEPTION
```

Linking this library statically or dynamically with other modules is

making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License version 2 cover the whole combination.

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module. An independent module is a module which is not derived from or based on this library. If you modify this library, you may extend this exception to your version of the library, but you are not obligated to do so. If you do not wish to do so, delete this exception statement from your version.

## 1.70 byte-buddy byte-buddy-1.9.10

### 1.70.1 Available under license :

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

#### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

##### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation

source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable



(except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and

may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify,

defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Apache Maven includes a number of components and libraries with separate copyright notices and license terms. Your use of those components are subject to the terms and conditions of the following licenses.

AOP alliance (<http://aopalliance.sourceforge.net>) aopalliance:aopalliance:jar:1.0  
License: Public Domain

JSR-250 Common Annotations for the Java™ Platform  
(<http://jcp.org/aboutJava/communityprocess/final/jsr250/index.html>) javax.annotation:jsr250-api:jar:1.0  
License: COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL) Version 1.0  
<https://glassfish.java.net/public/CDDLv1.0.html> (lib/jsr250-api.license)

CDI APIs (<http://www.seamframework.org/Weld/cdi-api>) javax.enterprise:cdi-api:jar:1.0  
License: Apache License, Version 2.0 <http://www.apache.org/licenses/LICENSE-2.0> (lib/cdi-api.license)

Maven Aether Provider (<http://maven.apache.org/ref/3.2.5/maven-aether-provider>) org.apache.maven:maven-aether-provider:jar:3.2.5

License: Apache License, Version 2.0 <http://www.apache.org/licenses/LICENSE-2.0.txt> (lib/maven-aether-provider.license)

Maven Artifact (<http://maven.apache.org/ref/3.2.5/maven-artifact>) org.apache.maven:maven-artifact:jar:3.2.5

License: Apache License, Version 2.0 <http://www.apache.org/licenses/LICENSE-2.0.txt> (lib/maven-artifact.license)

Maven Compat (<http://maven.apache.org/ref/3.2.5/maven-compat>) org.apache.maven:maven-compat:jar:3.2.5

License: Apache License, Version 2.0 <http://www.apache.org/licenses/LICENSE-2.0.txt> (lib/maven-compat.license)

Maven Core (<http://maven.apache.org/ref/3.2.5/maven-core>) org.apache.maven:maven-core:jar:3.2.5

License: Apache License, Version 2.0 <http://www.apache.org/licenses/LICENSE-2.0.txt> (lib/maven-core.license)

Maven Embedder (<http://maven.apache.org/ref/3.2.5/maven-embedder>) org.apache.maven:maven-embedder:jar:3.2.5

License: Apache License, Version 2.0 <http://www.apache.org/licenses/LICENSE-2.0.txt> (lib/maven-embedder.license)

Maven Model (<http://maven.apache.org/ref/3.2.5/maven-model>) org.apache.maven:maven-model:jar:3.2.5

License: Apache License, Version 2.0 <http://www.apache.org/licenses/LICENSE-2.0.txt> (lib/maven-model.license)

Maven Model Builder (<http://maven.apache.org/ref/3.2.5/maven-model-builder>) org.apache.maven:maven-model-builder:jar:3.2.5

License: Apache License, Version 2.0 <http://www.apache.org/licenses/LICENSE-2.0.txt> (lib/maven-model-builder.license)

Maven Plugin API (<http://maven.apache.org/ref/3.2.5/maven-plugin-api>) org.apache.maven:maven-plugin-api:jar:3.2.5

License: Apache License, Version 2.0 <http://www.apache.org/licenses/LICENSE-2.0.txt> (lib/maven-plugin-api.license)

Maven Repository Metadata Model (<http://maven.apache.org/ref/3.2.5/maven-repository-metadata>)

org.apache.maven:maven-repository-metadata:jar:3.2.5

License: Apache License, Version 2.0 <http://www.apache.org/licenses/LICENSE-2.0.txt> (lib/maven-repository-metadata.license)

Maven Settings (<http://maven.apache.org/ref/3.2.5/maven-settings>) org.apache.maven:maven-settings:jar:3.2.5

License: Apache License, Version 2.0 <http://www.apache.org/licenses/LICENSE-2.0.txt> (lib/maven-settings.license)

Maven Settings Builder (<http://maven.apache.org/ref/3.2.5/maven-settings-builder>) org.apache.maven:maven-settings-builder:jar:3.2.5

License: Apache License, Version 2.0 <http://www.apache.org/licenses/LICENSE-2.0.txt> (lib/maven-settings-builder.license)

Apache Maven Wagon :: Providers :: File Provider (<http://maven.apache.org/wagon/wagon-providers/wagon-file>)  
org.apache.maven.wagon:wagon-file:jar:2.8

License: Apache License, Version 2.0 <http://www.apache.org/licenses/LICENSE-2.0.txt> (lib/wagon-file.license)

Apache Maven Wagon :: Providers :: HTTP Provider (<http://maven.apache.org/wagon/wagon-providers/wagon-http>)  
org.apache.maven.wagon:wagon-http:jar:2.8

License: Apache License, Version 2.0 <http://www.apache.org/licenses/LICENSE-2.0.txt> (lib/wagon-http.license)

Apache Maven Wagon :: Providers :: HTTP Shared Library (<http://maven.apache.org/wagon/wagon-providers/wagon-http-shared>)  
org.apache.maven.wagon:wagon-http-shared:jar:2.8

License: Apache License, Version 2.0 <http://www.apache.org/licenses/LICENSE-2.0.txt> (lib/wagon-http-shared.license)

Apache Maven Wagon :: API (<http://maven.apache.org/wagon/wagon-provider-api>)  
org.apache.maven.wagon:wagon-provider-api:jar:2.8

License: Apache License, Version 2.0 <http://www.apache.org/licenses/LICENSE-2.0.txt> (lib/wagon-provider-api.license)

Aether API (<http://www.eclipse.org/aether/aether-api/>) org.eclipse.aether:aether-api:jar:1.0.0.v20140518

License: Eclipse Public License, Version 1.0 <http://www.eclipse.org/legal/epl-v10.html> (lib/aether-api.license)

Aether Connector Basic (<http://www.eclipse.org/aether/aether-connector-basic/>) org.eclipse.aether:aether-connector-basic:jar:1.0.0.v20140518

License: Eclipse Public License, Version 1.0 <http://www.eclipse.org/legal/epl-v10.html> (lib/aether-connector-basic.license)

Aether Implementation (<http://www.eclipse.org/aether/aether-impl/>) org.eclipse.aether:aether-impl:jar:1.0.0.v20140518

License: Eclipse Public License, Version 1.0 <http://www.eclipse.org/legal/epl-v10.html> (lib/aether-impl.license)

Aether SPI (<http://www.eclipse.org/aether/aether-spi/>) org.eclipse.aether:aether-spi:jar:1.0.0.v20140518

License: Eclipse Public License, Version 1.0 <http://www.eclipse.org/legal/epl-v10.html> (lib/aether-spi.license)

Aether Transport Wagon (<http://www.eclipse.org/aether/aether-transport-wagon/>) org.eclipse.aether:aether-transport-wagon:jar:1.0.0.v20140518

License: Eclipse Public License, Version 1.0 <http://www.eclipse.org/legal/epl-v10.html> (lib/aether-transport-wagon.license)

Aether Utilities (<http://www.eclipse.org/aether/aether-util/>) org.eclipse.aether:aether-util:jar:1.0.0.v20140518

License: Eclipse Public License, Version 1.0 <http://www.eclipse.org/legal/epl-v10.html> (lib/aether-util.license)

org.eclipse.sisu.inject (<http://www.eclipse.org/sisu/org.eclipse.sisu.inject/>)

org.eclipse.sisu:org.eclipse.sisu.inject:eclipse-plugin:0.3.0.M1

License: Eclipse Public License, Version 1.0 <http://www.eclipse.org/legal/epl-v10.html>  
(lib/org.eclipse.sisu.inject.license)

org.eclipse.sisu.plexus (<http://www.eclipse.org/sisu/org.eclipse.sisu.plexus/>)

org.eclipse.sisu:org.eclipse.sisu.plexus:eclipse-plugin:0.3.0.M1

License: Eclipse Public License, Version 1.0 <http://www.eclipse.org/legal/epl-v10.html>  
(lib/org.eclipse.sisu.plexus.license)

jsoup (<http://jsoup.org/>) org.jsoup:jsoup:jar:1.7.2

License: The MIT License <http://jsoup.com/license> (lib/jsoup.license)

SLF4J API Module (<http://www.slf4j.org>) org.slf4j:slf4j-api:jar:1.7.5

License: MIT License <http://www.opensource.org/licenses/mit-license.php> (lib/slf4j-api.license)

SLF4J Simple Binding (<http://www.slf4j.org>) org.slf4j:slf4j-simple:jar:1.7.5

License: MIT License <http://www.opensource.org/licenses/mit-license.php> (lib/slf4j-simple.license)

Plexus Cipher: encryption/decryption Component (<http://spice.sonatype.org/plexus-cipher>)

org.sonatype.plexus:plexus-cipher:jar:1.7

License: Apache Public License 2.0 <http://www.apache.org/licenses/LICENSE-2.0> (lib/plexus-cipher.license)

Plexus Security Dispatcher Component (<http://spice.sonatype.org/plexus-sec-dispatcher>)

org.sonatype.plexus:plexus-sec-dispatcher:jar:1.3

License: Apache Public License 2.0 <http://www.apache.org/licenses/LICENSE-2.0> (lib/plexus-sec-dispatcher.license)

```
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML+RDFa 1.0//EN"
```

```
"http://www.w3.org/MarkUp/DTD/xhtml-rdfa-1.dtd">
```

```
<html xmlns="http://www.w3.org/1999/xhtml" xml:lang="en" version="XHTML+RDFa 1.0" dir="ltr">
```

```
<head profile="http://www.w3.org/1999/xhtml/vocab">
```

```
<meta http-equiv="Content-Type" content="text/html; charset=utf-8" />
```

```
<link rel="shortcut icon" href="http://opensource.org/files/garland_favicon.png" type="image/png" />
```

```
<link rel="shortlink" href="/node/66" />
```

```
<link rel="canonical" href="/licenses/MIT" />
```

```
<meta name="Generator" content="Drupal 7 (http://drupal.org)" />
```

```
<title>The MIT License (MIT) | Open Source Initiative</title>
```

```
<link type="text/css" rel="stylesheet" href="http://opensource.org/files/css/css_xE-rWrJf-fncB6ztZfd2huxqgxu4WO-qwma6Xer30m4.css" media="all" />
```

```
<link type="text/css" rel="stylesheet" href="http://opensource.org/files/css/css_2ATB4XKGEvmoUk_p62PwI-o2aW47EqqS0nD2dmPZoV4.css" media="all" />
```

```
<link type="text/css" rel="stylesheet" href="http://opensource.org/files/css/css_2wI77kyP-rJKVpFW5M3KFcj7Cb99lZalmubKIwWwsmU.css" media="all" />
```

```
<link type="text/css" rel="stylesheet"
```

```
href="http://opensource.org/files/css/css_k3snrbsthqot7V7ccRZHS9OkCZkwBv4adtNieIVlbEU.css" media="print" />
```

```
<!--[if lt IE 7]>
```

```
<link type="text/css" rel="stylesheet" href="http://opensource.org/themes/garland/fix-ie.css?nfb7pm" media="all" />
```

```
<![endif]-->
```

```
<script type="text/javascript"
```

```
src="http://opensource.org/files/js/js_xAPI0qIk9eowy_iS9tNkCWXLUVoat94SQT48UBCFkyQ.js"></script>
```

```

<script type="text/javascript">
<!--//--><![CDATA[//><!--
jQuery.extend(Drupal.settings,
{"basePath":"/","pathPrefix":"","ajaxPageState":{"theme":"garland","theme_token":"meUjjBBfr6QFJv5kp0oKi152
l673C3xJMLGIQzbH9g0"},"js":{"misc/jquery.js":1,"misc/jquery.once.js":1,"misc/drupal.js":1},"css":{"modules/s
ystem/system.base.css":1,"modules/system/system.menus.css":1,"modules/system/system.messages.css":1,"mod
ules/system/system.theme.css":1,"modules/aggregator/aggregator.css":1,"modules/comment/comment.css":1,"m
odules/field/theme/field.css":1,"sites/all/modules/mollom/mollom.css":1,"modules/node/node.css":1,"modules
/search/search.css":1,"modules/user/user.css":1,"themes/garland/style.css":1,"themes/garland/print.css":1,"the
mes/garland/fix-ie.css":1}}});
//--><![!]]>
</script>
</head>
<body class="html not-front not-logged-in one-sidebar sidebar-first page-node page-node- page-node-66 node-type-
page fluid-width" >
<div id="skip-link">
<a href="#main-content" class="element-invisible element-focusable">Skip to main content</a>
</div>

<div id="wrapper">
<div id="container" class="clearfix">

<div id="header">
<div id="logo-floater">
<div id="branding"><strong><a href="/">

<span>Open Source Initiative</span> </a></strong></div>
</div>

</div> <!-- /#header -->

<div id="sidebar-first" class="sidebar">
<div class="region region-sidebar-first">
<div id="block-search-form" class="block block-search clearfix">

<h2 class="title">Search this site:</h2>

<div class="content">
<form action="/licenses/mit-license.php" method="post" id="search-block-form" accept-charset="UTF-
8"><div><div class="container-inline">
<div class="form-item form-type-textfield form-item-search-block-form">
<label class="element-invisible" for="edit-search-block-form--2">Search </label>
<input title="Enter the terms you wish to search for." type="text" id="edit-search-block-form--2"
name="search_block_form" value="" size="15" maxlength="128" class="form-text" />
</div>
<div class="form-actions form-wrapper" id="edit-actions"><input type="submit" id="edit-submit" name="op"
value="Search" class="form-submit" /></div><input type="hidden" name="form_build_id" value="form-

```

```

MyBqFtDVdzOmaSnCHKIG9yhm0ofMr7fNMG5Vy76N_uk" />
<input type="hidden" name="form_id" value="search_block_form" />
</div>
</div></form> </div>
</div>
<div id="block-system-navigation" class="block block-system block-menu clearfix">

  <h2 class="title">Navigation</h2>

  <div class="content">
    <ul class="menu"><li class="first collapsed"><a href="/about" title="About the Open Source Initiative">About
the OSI</a></li>
<li class="collapsed"><a href="/osd" title="The actual OSD defining what constitutes an Open Source licence">The
Open Source Definition</a></li>
<li class="collapsed"><a href="/licenses">Open Source Licenses</a></li>
<li class="leaf"><a href="/working_groups">Working Groups</a></li>
<li class="leaf"><a href="/faq" title="Frequently Asked Questions about open source and about the
OSI.">FAQ</a></li>
<li class="collapsed"><a href="/trademark" title="Information about trademark and logo usage">Trademark and
Logo Usage</a></li>
<li class="collapsed"><a href="/osr-intro" title="Open Standards Requirement for Software">Open
Standards</a></li>
<li class="leaf"><a href="/osi-open-source-education" title="OSI&#039;s Open Source Education Initiative and
Activities">Open Source Education</a></li>
<li class="collapsed"><a href="/lists" title="The virtual committees where the OSI&#039;s work gets
done">Mailing lists</a></li>
<li class="collapsed"><a href="/help" title="Resources for questions and further exploration">Getting
Help</a></li>
<li class="collapsed"><a href="http://opensource.org/donate" title="">Donate to the OSI</a></li>
<li class="leaf"><a href="/members">OSI Individual Membership</a></li>
<li class="leaf"><a href="/store">OSI Store</a></li>
<li class="collapsed"><a href="/affiliates" title="Home page for OSI&#039;s membership scheme for non-profits
and not-for-profits">OSI Affiliate Membership</a></li>
<li class="leaf"><a href="/contact" title="">Contact OSI</a></li>
<li class="leaf"><a href="/ToS" title="Rules for posting content on this site">Terms of Service</a></li>
<li class="last leaf"><a href="/support">OSI Corporate Support</a></li>
</ul> </div>
</div>
</div>
  </div>

  <div id="center"><div id="squeeze"><div class="right-corner"><div class="left-corner">
    <h2 class="element-invisible">You are here</h2><div class="breadcrumb"><a href="/">Home</a></div>
    <a id="main-content"></a>
    <div id="tabs-wrapper" class="clearfix">
      <h1 class="with-tabs">The MIT License
(MIT)</h1>
      </div>
      <div class="clearfix">
        <div class="region region-content">

```



<div id="block-system-main" class="block block-system clearfix">

<div class="content">

<div id="node-66" class="node node-page">

<div class="content clearfix">



<div class="field field-name-body field-type-text-with-summary field-label-hidden"><div class="field-items"><div class="field-item even"><p>The MIT License (MIT)</p><p>Copyright (c) &lt;year&gt; &lt;copyright holders&gt;</p><p>Permission is hereby granted, free of charge, to any person obtaining a copy<br />of this software and associated documentation files (the "Software"), to deal<br />in the Software without restriction, including without limitation the rights<br />to use, copy, modify, merge, publish, distribute, sublicense, and/or sell<br />copies of the Software, and to permit persons to whom the Software is<br />furnished to do so, subject to the following conditions:</p><p>The above copyright notice and this permission notice shall be included in<br />all copies or substantial portions of the Software.</p><p>THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR<br />IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,<br />FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE<br />AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER<br />LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,<br />OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN<br />THE SOFTWARE.</p></div></div></div> </div>

<div class="clearfix">

<div class="links"></div>

</div>

</div>

</div>

</div>

</div>

</div>

<div class="region region-footer">

<div id="block-block-11" class="block block-block clearfix">

<div class="content">

Help shape the future of the Open Source Initiative...  
[visit and participate in the OSI wiki](http://osi.xwiki.com).

<div>

[Follow @OpenSourceOrg](https://twitter.com/OpenSourceOrg)

<script>

<!--><![CDATA[// ><!--

!function(d,s,id){var

js,fjs=d.getElementsByTagName(s)[0];if(!d.getElementById(id)){js=d.createElement(s);js.id=id;js.src="//platform.twitter.com/widgets.js";fjs.parentNode.insertBefore(js,fjs);}(document,"script","twitter-wjs");

//><![>

</script></div>

<p>

<!-- Creative Commons License --><a rel="license" href="http://creativecommons.org/licenses/by/4.0/"></a><br />Opensource.org site content is licensed under a <a rel="license" href="http://creativecommons.org/licenses/by/4.0/">Creative Commons Attribution 4.0 International License</a>.<!-- /Creative Commons License -->

<!-- <rdf:RDF xmlns="http://web.resource.org/cc/" xmlns:dc="http://purl.org/dc/elements/1.1/"

xmlns:rdf="http://www.w3.org/1999/02/22-rdf-syntax-ns#" xmlns:rdfs="http://www.w3.org/2000/01/rdf-schema#">

<Work rdf:about="">

<license rdf:resource="http://creativecommons.org/licenses/by/3.0/" />

</Work>

<License rdf:about="http://creativecommons.org/licenses/by/3.0/"><permits

rdf:resource="http://web.resource.org/cc/Reproduction"/><permits

rdf:resource="http://web.resource.org/cc/Distribution"/><requires

rdf:resource="http://web.resource.org/cc/Notice"/><requires

rdf:resource="http://web.resource.org/cc/Attribution"/><permits

rdf:resource="http://web.resource.org/cc/DerivativeWorks"/></License></rdf:RDF>

-->

| <a href="..ToS">Terms of Service</a>

</p>

</div>

</div>

<div id="block-block-7" class="block block-block clearfix">

<div class="content">

<script src="http://www.google-analytics.com/urchin.js" type="text/javascript">

<!--><![CDATA[// ><!--

```
//--><![ ]>
</script><script type="text/javascript">
<!--><![CDATA[// ><!--

_uacct = "UA-3916956-1";
urchinTracker();

//--><![ ]>
</script> </div>
</div>
</div>
</div></div></div><!-- /.left-corner, /.right-corner, /#squeeze, /#center -->

</div><!-- /#container -->
</div><!-- /#wrapper -->
</body>
</html>
```

```
=====
== NOTICE file corresponding to the section 4 d of           ==
== the Apache License, Version 2.0,                          ==
== in this case for the Gradle distribution.                   ==
=====
```

This product includes software developed by  
The Apache Software Foundation (<http://www.apache.org/>).

It includes the following other software:

Groovy (<http://groovy-lang.org>)  
SLF4J (<http://www.slf4j.org>)  
JUnit (<http://www.junit.org>)  
JCIFS (<http://jcifs.samba.org>)

For licenses see the LICENSE file.

If any software distributed with Gradle does not have an Apache 2 License, its license is explicitly listed in the LICENSE file.

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,

and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the

Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
  - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
  - (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
  - (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,

whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

#### END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "{}" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright {yyyy} {name of copyright owner}

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

---

Gradle Subcomponents:

-----  
License for the slf4j package  
-----

SLF4J License

Copyright (c) 2004-2007 QOS.ch  
All rights reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

These terms are identical to those of the MIT License, also called the X License or the X11 License, which is a simple, permissive non-copyleft free software license. It is deemed compatible with virtually all types of licenses, commercial or otherwise. In particular, the Free Software Foundation has declared it compatible with GNU GPL. It is also known to be approved by the Apache Software Foundation as compatible with Apache Software License.

-----  
License for the JUnit package  
-----

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS COMMON PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

1. DEFINITIONS



"Contribution" means:

a) in the case of the initial Contributor, the initial code and documentation distributed under this Agreement, and

b) in the case of each subsequent Contributor:

i) changes to the Program, and

ii) additions to the Program;

where such changes and/or additions to the Program originate from and are distributed by that particular Contributor. A Contribution 'originates' from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include additions to the Program which: (i) are separate modules of software distributed in conjunction with the Program under their own license agreement, and (ii) are not derivative works of the Program.

"Contributor" means any person or entity that distributes the Program.

"Licensed Patents " mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement, including all Contributors.

## 2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare derivative works of, publicly display, publicly perform, distribute and sublicense the Contribution of such Contributor, if any, and such derivative works, in source code and object code form.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in source code and object code form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

### 3. REQUIREMENTS

A Contributor may choose to distribute the Program in object code form under its own license agreement, provided that:

a) it complies with the terms and conditions of this Agreement; and

b) its license agreement:

i) effectively disclaims on behalf of all Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;

ii) effectively excludes on behalf of all Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;

iii) states that any provisions which differ from this Agreement are offered by that Contributor alone and not by any other party; and

iv) states that source code for the Program is available from such Contributor, and informs licensees how to obtain it in a reasonable manner on or through a medium customarily used for software exchange.

When the Program is made available in source code form:

a) it must be made available under this Agreement; and

b) a copy of this Agreement must be included with each copy of the Program.

Contributors may not remove or alter any copyright notices contained within the Program.

Each Contributor must identify itself as the originator of its Contribution, if any, in a manner that reasonably allows subsequent Recipients to identify the originator of the Contribution.

#### 4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

#### 5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of

program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

## 6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

## 7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against a Contributor with respect to a patent applicable to software (including a cross-claim or counterclaim in a lawsuit), then any patent licenses granted by that Contributor to such Recipient under this Agreement shall terminate as of the date such litigation is filed. In addition, if Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. IBM is the initial Agreement Steward. IBM may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including

Contributions) may always be distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to distribute the Program (including its Contributions) under the new version. Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved.

This Agreement is governed by the laws of the State of New York and the intellectual property laws of the United States of America. No party to this Agreement will bring a legal action under this Agreement more than one year after the cause of action arose. Each party waives its rights to a jury trial in any resulting litigation.

-----  
License for the JCIFS package  
-----

JCIFS License

#### GNU LESSER GENERAL PUBLIC LICENSE

Version 2.1, February 1999

Copyright (C) 1991, 1999 Free Software Foundation, Inc.  
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA  
Everyone is permitted to copy and distribute verbatim copies  
of this license document, but changing it is not allowed.

[This is the first released version of the Lesser GPL. It also counts  
as the successor of the GNU Library Public License, version 2, hence  
the version number 2.1.]

#### Preamble

The licenses for most software are designed to take away your  
freedom to share and change it. By contrast, the GNU General Public  
Licenses are intended to guarantee your freedom to share and change  
free software--to make sure the software is free for all its users.

This license, the Lesser General Public License, applies to some  
specially designated software packages--typically libraries--of the  
Free Software Foundation and other authors who decide to use it. You  
can use it too, but we suggest you first think carefully about whether  
this license or the ordinary General Public License is the better  
strategy to use in any particular case, based on the explanations below.

When we speak of free software, we are referring to freedom of use,  
not price. Our General Public Licenses are designed to make sure that

you have the freedom to distribute copies of free software (and charge for this service if you wish); that you receive source code or can get it if you want it; that you can change the software and use pieces of it in new free programs; and that you are informed that you can do these things.

To protect your rights, we need to make restrictions that forbid distributors to deny you these rights or to ask you to surrender these rights. These restrictions translate to certain responsibilities for you if you distribute copies of the library or if you modify it.

For example, if you distribute copies of the library, whether gratis or for a fee, you must give the recipients all the rights that we gave you. You must make sure that they, too, receive or can get the source code. If you link other code with the library, you must provide complete object files to the recipients, so that they can relink them with the library after making changes to the library and recompiling it. And you must show them these terms so they know their rights.

We protect your rights with a two-step method: (1) we copyright the library, and (2) we offer you this license, which gives you legal permission to copy, distribute and/or modify the library.

To protect each distributor, we want to make it very clear that there is no warranty for the free library. Also, if the library is modified by someone else and passed on, the recipients should know that what they have is not the original version, so that the original author's reputation will not be affected by problems that might be introduced by others.

Finally, software patents pose a constant threat to the existence of any free program. We wish to make sure that a company cannot effectively restrict the users of a free program by obtaining a restrictive license from a patent holder. Therefore, we insist that any patent license obtained for a version of the library must be consistent with the full freedom of use specified in this license.

Most GNU software, including some libraries, is covered by the ordinary GNU General Public License. This license, the GNU Lesser General Public License, applies to certain designated libraries, and is quite different from the ordinary General Public License. We use this license for certain libraries in order to permit linking those libraries into non-free programs.

When a program is linked with a library, whether statically or using a shared library, the combination of the two is legally speaking a combined work, a derivative of the original library. The ordinary General Public License therefore permits such linking only if the

entire combination fits its criteria of freedom. The Lesser General Public License permits more lax criteria for linking other code with the library.

We call this license the "Lesser" General Public License because it does Less to protect the user's freedom than the ordinary General Public License. It also provides other free software developers Less of an advantage over competing non-free programs. These disadvantages are the reason we use the ordinary General Public License for many libraries. However, the Lesser license provides advantages in certain special circumstances.

For example, on rare occasions, there may be a special need to encourage the widest possible use of a certain library, so that it becomes a de-facto standard. To achieve this, non-free programs must be allowed to use the library. A more frequent case is that a free library does the same job as widely used non-free libraries. In this case, there is little to gain by limiting the free library to free software only, so we use the Lesser General Public License.

In other cases, permission to use a particular library in non-free programs enables a greater number of people to use a large body of free software. For example, permission to use the GNU C Library in non-free programs enables many more people to use the whole GNU operating system, as well as its variant, the GNU/Linux operating system.

Although the Lesser General Public License is Less protective of the users' freedom, it does ensure that the user of a program that is linked with the Library has the freedom and the wherewithal to run that program using a modified version of the Library.

The precise terms and conditions for copying, distribution and modification follow. Pay close attention to the difference between a "work based on the library" and a "work that uses the library". The former contains code derived from the library, whereas the latter must be combined with the library in order to run.

## GNU LESSER GENERAL PUBLIC LICENSE

### TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License Agreement applies to any software library or other program which contains a notice placed by the copyright holder or other authorized party saying it may be distributed under the terms of this Lesser General Public License (also called "this License"). Each licensee is addressed as "you".

A "library" means a collection of software functions and/or data

prepared so as to be conveniently linked with application programs (which use some of those functions and data) to form executables.

The "Library", below, refers to any such software library or work which has been distributed under these terms. A "work based on the Library" means either the Library or any derivative work under copyright law: that is to say, a work containing the Library or a portion of it, either verbatim or with modifications and/or translated straightforwardly into another language. (Hereinafter, translation is included without limitation in the term "modification".)

"Source code" for a work means the preferred form of the work for making modifications to it. For a library, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the library.

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running a program using the Library is not restricted, and output from such a program is covered only if its contents constitute a work based on the Library (independent of the use of the Library in a tool for writing it). Whether that is true depends on what the Library does and what the program that uses the Library does.

1. You may copy and distribute verbatim copies of the Library's complete source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and distribute a copy of this License along with the Library.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Library or any portion of it, thus forming a work based on the Library, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

- a) The modified work must itself be a software library.
- b) You must cause the files modified to carry prominent notices stating that you changed the files and the date of any change.
- c) You must cause the whole of the work to be licensed at no



charge to all third parties under the terms of this License.

d) If a facility in the modified Library refers to a function or a table of data to be supplied by an application program that uses the facility, other than as an argument passed when the facility is invoked, then you must make a good faith effort to ensure that, in the event an application does not supply such function or table, the facility still operates, and performs whatever part of its purpose remains meaningful.

(For example, a function in a library to compute square roots has a purpose that is entirely well-defined independent of the application. Therefore, Subsection 2d requires that any application-supplied function or table used by this function must be optional: if the application does not supply it, the square root function must still compute square roots.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Library, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Library, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Library.

In addition, mere aggregation of another work not based on the Library with the Library (or with a work based on the Library) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may opt to apply the terms of the ordinary GNU General Public License instead of this License to a given copy of the Library. To do this, you must alter all the notices that refer to this License, so that they refer to the ordinary GNU General Public License, version 2, instead of to this License. (If a newer version than version 2 of the ordinary GNU General Public License has appeared, then you can specify that version instead if you wish.) Do not make any other change in these notices.

Once this change is made in a given copy, it is irreversible for

that copy, so the ordinary GNU General Public License applies to all subsequent copies and derivative works made from that copy.

This option is useful when you wish to copy part of the code of the Library into a program that is not a library.

4. You may copy and distribute the Library (or a portion or derivative of it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange.

If distribution of object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place satisfies the requirement to distribute the source code, even though third parties are not compelled to copy the source along with the object code.

5. A program that contains no derivative of any portion of the Library, but is designed to work with the Library by being compiled or linked with it, is called a "work that uses the Library". Such a work, in isolation, is not a derivative work of the Library, and therefore falls outside the scope of this License.

However, linking a "work that uses the Library" with the Library creates an executable that is a derivative of the Library (because it contains portions of the Library), rather than a "work that uses the library". The executable is therefore covered by this License. Section 6 states terms for distribution of such executables.

When a "work that uses the Library" uses material from a header file that is part of the Library, the object code for the work may be a derivative work of the Library even though the source code is not. Whether this is true is especially significant if the work can be linked without the Library, or if the work is itself a library. The threshold for this to be true is not precisely defined by law.

If such an object file uses only numerical parameters, data structure layouts and accessors, and small macros and small inline functions (ten lines or less in length), then the use of the object file is unrestricted, regardless of whether it is legally a derivative work. (Executables containing this object code plus portions of the Library will still fall under Section 6.)

Otherwise, if the work is a derivative of the Library, you may distribute the object code for the work under the terms of Section 6. Any executables containing that work also fall under Section 6,

whether or not they are linked directly with the Library itself.

6. As an exception to the Sections above, you may also combine or link a "work that uses the Library" with the Library to produce a work containing portions of the Library, and distribute that work under terms of your choice, provided that the terms permit modification of the work for the customer's own use and reverse engineering for debugging such modifications.

You must give prominent notice with each copy of the work that the Library is used in it and that the Library and its use are covered by this License. You must supply a copy of this License. If the work during execution displays copyright notices, you must include the copyright notice for the Library among them, as well as a reference directing the user to the copy of this License. Also, you must do one of these things:

a) Accompany the work with the complete corresponding machine-readable source code for the Library including whatever changes were used in the work (which must be distributed under Sections 1 and 2 above); and, if the work is an executable linked with the Library, with the complete machine-readable "work that uses the Library", as object code and/or source code, so that the user can modify the Library and then relink to produce a modified executable containing the modified Library. (It is understood that the user who changes the contents of definitions files in the Library will not necessarily be able to recompile the application to use the modified definitions.)

b) Use a suitable shared library mechanism for linking with the Library. A suitable mechanism is one that (1) uses at run time a copy of the library already present on the user's computer system, rather than copying library functions into the executable, and (2) will operate properly with a modified version of the library, if the user installs one, as long as the modified version is interface-compatible with the version that the work was made with.

c) Accompany the work with a written offer, valid for at least three years, to give the same user the materials specified in Subsection 6a, above, for a charge no more than the cost of performing this distribution.

d) If distribution of the work is made by offering access to copy from a designated place, offer equivalent access to copy the above specified materials from the same place.

e) Verify that the user has already received a copy of these materials or that you have already sent this user a copy.

For an executable, the required form of the "work that uses the Library" must include any data and utility programs needed for reproducing the executable from it. However, as a special exception, the materials to be distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

It may happen that this requirement contradicts the license restrictions of other proprietary libraries that do not normally accompany the operating system. Such a contradiction means you cannot use both them and the Library together in an executable that you distribute.

7. You may place library facilities that are a work based on the Library side-by-side in a single library together with other library facilities not covered by this License, and distribute such a combined library, provided that the separate distribution of the work based on the Library and of the other library facilities is otherwise permitted, and provided that you do these two things:

- a) Accompany the combined library with a copy of the same work based on the Library, uncombined with any other library facilities. This must be distributed under the terms of the Sections above.
- b) Give prominent notice with the combined library of the fact that part of it is a work based on the Library, and explaining where to find the accompanying uncombined form of the same work.

8. You may not copy, modify, sublicense, link with, or distribute the Library except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense, link with, or distribute the Library is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

9. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Library or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Library (or any work based on the Library), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Library or works based on it.

10. Each time you redistribute the Library (or any work based on the Library), the recipient automatically receives a license from the original licensor to copy, distribute, link with or modify the Library subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties with this License.

11. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Library at all. For example, if a patent license would not permit royalty-free redistribution of the Library by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Library.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply, and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

12. If the distribution and/or use of the Library is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Library under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

13. The Free Software Foundation may publish revised and/or new versions of the Lesser General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Library does not specify a license version number, you may choose any version ever published by the Free Software Foundation.

14. If you wish to incorporate parts of the Library into other free programs whose distribution conditions are incompatible with these, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

#### NO WARRANTY

15. BECAUSE THE LIBRARY IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE LIBRARY, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE LIBRARY "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE LIBRARY IS WITH YOU. SHOULD THE LIBRARY PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE LIBRARY AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE LIBRARY (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE LIBRARY TO OPERATE WITH ANY OTHER SOFTWARE), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Libraries

If you develop a new library, and you want it to be of the greatest possible use to the public, we recommend making it free software that everyone can redistribute and change. You can do so by permitting redistribution under these terms (or, alternatively, under the terms of the ordinary General Public License).

To apply these terms, attach the following notices to the library. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the library's name and a brief idea of what it does.>  
Copyright (C) <year> <name of author>

This library is free software; you can redistribute it and/or modify it under the terms of the GNU Lesser General Public License as published by the Free Software Foundation; either version 2.1 of the License, or (at your option) any later version.

This library is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Lesser General Public License for more details.

You should have received a copy of the GNU Lesser General Public License along with this library; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA

Also add information on how to contact you by electronic and paper mail.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the library, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the library `Frob' (a library for tweaking knobs) written by James Random Hacker.

<signature of Ty Coon>, 1 April 1990  
Ty Coon, President of Vice

That's all there is to it!

-----  
License for the JGit package  
-----

Copyright (c) 2007, Eclipse Foundation, Inc. and its licensors.

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- \* Neither the name of the Eclipse Foundation, Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Copyright \${project.inceptionYear} - \${current.year} \${copyright.holder}

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

```
<!DOCTYPE html PUBLIC "-//W3C//DTD HTML 4.01 Transitional//EN">
```

```
<html>
```

```
<head>
```

```
<meta http-equiv="content-type"  
content="text/html; charset=ISO-8859-1">
```

```
<title>CDDL ver. 1.0</title>
```

```
<meta name="author" content="Cliff Allen">
```

```
</head>
```

```
<body>
```

COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL) Version 1.0

```
1. <br>
```



<br>

Definitions.

<br>

<br>

1.1. *Contributor* means each individual or entity that creates or contributes to the creation of Modifications.

<br>

<br>

1.2. *Contributor Version* means the combination of the Original Software, prior Modifications used by a Contributor (if any), and the Modifications made by that particular Contributor.

<br>

<br>

1.3. *Covered Software* means (a) the Original Software, or (b) Modifications, or (c) the combination of files containing Original Software with files containing Modifications, in each case including portions thereof.

<br>

<br>

1.4. *Executable* means the Covered Software in any form other than Source Code.

<br>

<br>

1.5. *Initial Developer* means the individual or entity that first makes Original Software available under this License.

<br>

<br>

1.6. *Larger Work* means a work which combines Covered Software or portions thereof with code not governed by the terms of this License.

<br>

<br>

1.7. *License* means this document.

<br>

<br>

1.8. *Licensable* means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed herein.

<br>

<br>

1.9. *Modifications* means the

Source Code and Executable form of any of the following:

A. Any file that results from an addition to, deletion from or modification of the contents of a file containing Original Software or previous Modifications;

B. Any new file that contains any part of the Original Software or previous Modification; or

C. Any new file that is contributed or otherwise made available under the terms of this License.

<br>

<br>

1.10. *Original Software* means the Source Code and Executable form of computer software code that is originally released under this License.

<br>

<br>

1.11. *Patent Claims* means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent Licensable by grantor.

<br>

<br>

1.12. *Source Code* means (a) the common form of computer software code in which modifications are made and (b) associated documentation included in or with such code.

<br>

<br>

1.13. *You (or Your)* means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License. For legal entities, You includes any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, control means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

<br>

<br>

2. License Grants.<br>

<br>

    2.1. The Initial Developer Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, the Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license:

<br>

<br>

(a) under intellectual property rights (other than patent or trademark) Licensable by Initial Developer, to use, reproduce, modify, display, perform, sublicense and distribute the Original Software (or portions thereof), with or without Modifications, and/or as part of a Larger Work; and

<br>

<br>

(b) under Patent Claims infringed by the making, using or selling of Original Software, to make, have made, use, practice, sell, and offer for sale, and/or otherwise dispose of the Original Software (or portions thereof);<br>

<br>

&nbsp;(c) The licenses granted in Sections&nbsp;2.1(a) and (b) are effective on the date Initial Developer first distributes or otherwise makes the Original Software available to a third party under the terms of this License;<br>

<br>

&nbsp;(d) Notwithstanding Section&nbsp;2.1(b) above, no patent license is granted:

(1)&nbsp;for code that You delete from the Original Software, or

(2)&nbsp;for

infringements caused by: (i)&nbsp;the modification of the Original Software,

or (ii)&nbsp;the combination of the Original Software with other software or devices.

<br>

<br>

## 2.2. Contributor Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

<br>

<br>

(a) under intellectual property rights (other than patent or trademark) Licensable by Contributor to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof), either on an unmodified basis, with other Modifications, as Covered Software and/or as part of a Larger Work; and

<br>

<br>

(b) under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor either alone and/or in combination with its Contributor Version (or portions of such combination), to make, use, sell, offer for sale, have made, and/or

otherwise dispose of: (1) Modifications made by that Contributor (or portions thereof); and (2) the combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).

<br>

<br>

(c) The licenses granted in Sections 2.2(a) and 2.2(b) are effective on

the date Contributor first distributes or otherwise makes the Modifications available to a third party.<br>

<br>

(d) Notwithstanding Section 2.2(b) above, no patent license is granted:

(1) for any code that Contributor has deleted from the Contributor Version; (2) for infringements caused by: (i) third party modifications

of Contributor Version, or (ii) the combination of Modifications made

by that Contributor with other software (except as part of the Contributor Version) or other devices; or (3) under Patent Claims infringed by Covered Software in the absence of Modifications made by that Contributor.

<br>

<br>

### 3. Distribution Obligations.

<br>

<br>

#### 3.1. Availability of Source Code.

Any Covered Software that You distribute or otherwise make available in Executable form must also be made available in Source Code form and that Source Code form must be distributed only under the terms of this License. You must include a copy of this License with every copy of the Source Code form of the Covered Software You distribute or otherwise make available. You must inform recipients of any such Covered Software in Executable form as to how they can obtain such Covered Software in Source Code form in a reasonable manner on or through a medium customarily used for software exchange.

<br>

<br>

#### 3.2. Modifications.

The Modifications that You create or to which You contribute are governed by the terms of this License. You represent that You believe Your Modifications are Your original creation(s) and/or You have sufficient rights to grant the rights conveyed by this License.

<br>

<br>

### 3.3. Required Notices.

You must include a notice in each of Your Modifications that identifies You as the Contributor of the Modification. You may not remove or alter any copyright, patent or trademark notices contained within the Covered Software, or any notices of licensing or any descriptive text giving attribution to any Contributor or the Initial Developer.

<br>

<br>

### 3.4. Application of Additional Terms.

You may not offer or impose any terms on any Covered Software in Source Code form that alters or restricts the applicable version of this License or the recipients rights hereunder. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, you may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it absolutely clear that any such warranty, support, indemnity or liability obligation is offered by You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of warranty, support, indemnity or liability terms You offer.<br>

<br>

### 3.5. Distribution of Executable Versions.

You may distribute the Executable form of the Covered Software under the terms of this License or under the terms of a license of Your choice, which may contain terms different from this License, provided that You are in compliance with the terms of this License and that the license for the Executable form does not attempt to limit or alter the recipients rights in the Source Code form from the rights set forth in this License. If You distribute the Covered Software in Executable form under a different license, You must make it absolutely clear that any terms which differ from this License are offered by You alone, not by the Initial Developer or Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer.

<br>

<br>

### 3.6. Larger Works.

You may create a Larger Work by combining Covered Software with other code not governed by the terms of this License and distribute the Larger Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled for the Covered Software.

<br>

<br>

## 4. Versions of the License.

<br>

<br>

#### 4.1. New Versions.

Sun Microsystems, Inc. is the initial license steward and may publish revised and/or new versions of this License from time to time. Each version will be given a distinguishing version number. Except as provided in Section 4.3, no one other than the license steward has the right to modify this License.

<br>

<br>

#### 4.2. Effect of New Versions.

You may always continue to use, distribute or otherwise make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. If the Initial Developer includes a notice in the Original Software prohibiting it from being distributed or otherwise made available under any subsequent version of the License, You must distribute and make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. Otherwise, You may also choose to use, distribute or otherwise make the Covered Software available under the terms of any subsequent version of the License published by the license steward.

<br>

<br>

#### 4.3. Modified Versions.

When You are an Initial Developer and You want to create a new license for Your Original Software, You may create and use a modified version of this License if You: (a) rename the license and remove any references to the name of the license steward (except to note that the license differs from this License); and (b) otherwise make it clear that the license contains terms which differ from this License.

<br>

<br>

#### 5. DISCLAIMER OF WARRANTY.

COVERED SOFTWARE IS PROVIDED UNDER THIS LICENSE ON AN AS IS BASIS, WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES THAT THE COVERED SOFTWARE IS FREE OF DEFECTS, MERCHANTABLE, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED SOFTWARE IS WITH YOU. SHOULD ANY COVERED SOFTWARE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED SOFTWARE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

<br>

<br>

#### 6. TERMINATION.

<br>

<br>

6.1. This License and the rights granted hereunder will terminate automatically if You fail to comply with terms herein and fail to cure such breach within 30 days of becoming aware of the breach. Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive.

<br>

<br>

6.2. If You assert a patent infringement claim (excluding declaratory judgment actions) against Initial Developer or a Contributor (the Initial Developer or Contributor against whom You assert such claim is referred to as Participant) alleging that the Participant Software (meaning the Contributor Version where the Participant is a Contributor or the Original Software where the Participant is the Initial Developer) directly or indirectly infringes any patent, then any and all rights granted directly or indirectly to You by such Participant, the Initial Developer (if the Initial Developer is not the Participant) and all Contributors under

Sections&nbsp;2.1 and/or 2.2 of this License shall, upon 60 days notice from

Participant terminate prospectively and automatically at the expiration of such 60 day notice period, unless if within such 60 day period You withdraw Your claim with respect to the Participant Software against such Participant either unilaterally or pursuant to a written agreement with Participant.

<br>

<br>

6.3. In the event of termination under Sections&nbsp;6.1 or 6.2 above, all

end user licenses that have been validly granted by You or any distributor hereunder prior to termination (excluding licenses granted to You by any distributor) shall survive termination.

<br>

<br>

## 7. LIMITATION OF LIABILITY.

UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED SOFTWARE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOST PROFITS, LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTY'S NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL

DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

<br>

<br>

#### 8. U.S. GOVERNMENT END USERS.

The Covered Software is a commercial item, as that term is defined in 48&nbsp;C.F.R.&nbsp;2.101 (Oct. 1995), consisting of commercial computer software

(as that term is defined at 48 C.F.R. &nbsp;252.227-7014(a)(1)) and commercial computer software documentation as such terms are used in 48&nbsp;C.F.R.&nbsp;12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48

C.F.R. 227.7202-1 through 227.7202-4 (June 1995), all U.S. Government End Users acquire Covered Software with only those rights set forth herein. This U.S. Government Rights clause is in lieu of, and supersedes, any other FAR, DFAR, or other clause or provision that addresses Government rights in computer software under this License.

<br>

<br>

#### 9. MISCELLANEOUS.

This License represents the complete agreement concerning subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by the law of the jurisdiction specified in a notice contained within the Original Software (except to the extent applicable law, if any, provides otherwise), excluding such jurisdictions conflict-of-law provisions. Any litigation relating to this License shall be subject to the jurisdiction of the courts located in the jurisdiction and venue specified in a notice contained within the Original Software, with the losing party responsible for costs, including, without limitation, court costs and reasonable attorneys fees and expenses. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not apply to this License. You agree that You alone are responsible for compliance with the United States export administration regulations (and the export control laws and regulation of any other countries) when You use, distribute or otherwise make available any Covered Software. <br>

<br>

#### 10. RESPONSIBILITY FOR CLAIMS.

As between Initial Developer and the Contributors, each party is responsible for claims and damages arising, directly or indirectly, out of its utilization of rights under this License and You agree to work with Initial Developer and Contributors to distribute such responsibility on an equitable basis. Nothing herein is intended or shall be deemed to constitute any admission of liability.

<br>



<br>

NOTICE PURSUANT TO SECTION 9 OF THE COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL)

The code released under the CDDL shall be governed by the laws of the State of California (excluding conflict-of-law provisions).

Any litigation relating to this License shall be subject to the jurisdiction of the Federal Courts of the Northern District of California and the state courts of the State of California, with venue lying in Santa Clara County, California.

</body>

</html>

<!DOCTYPE html>

<html>

<head>

<title>jsoup License</title>

<meta name="keywords" content="license, open source, mit">

<meta name="description" content="jsoup is licensed under the MIT open source license">

<link type="text/css" rel="stylesheet" href="/rez/style.css">

<script type="text/javascript">

var \_gaq = \_gaq || [];

\_gaq.push(['\_setAccount', 'UA-89734-10']);

\_gaq.push(['\_setDomainName', 'jsoup.org']);

\_gaq.push(['\_trackPageview']);

(function() {

var ga = document.createElement('script'); ga.type = 'text/javascript'; ga.async = true;

ga.src = ('https:' == document.location.protocol ? 'https://ssl' : 'http://www') + '.google-analytics.com/ga.js';

var s = document.getElementsByTagName('script')[0]; s.parentNode.insertBefore(ga, s);

})();

</script>

</head>

<body class="n1">

<div class="wrap">

<div class="header">

<div class="nav-sections">

<ul>

<li class="n1-home"><h4><a href="/">jsoup</a></h4></li>

<li class="n1-news"><a href="/news/">News</a></li>

<li class="n1-bugs"><a href="/bugs">Bugs</a></li>

<li class="n1-discussion"><a href="/discussion">Discussion</a></li>

<li class="n1-download"><a href="/download">Download</a></li>

<li class="n1-api"><a href="/apidocs">API Reference</a></li>

<li class="n1-cookbook"><a href="/cookbook/">Cookbook</a></li>

<li class="n1-try"><a href="http://try.jsoup.org/">Try jsoup</a></li>

</ul>

</div>

</div>

<div class="breadcrumb">

```

<a href="/">jsoup</a>
<span class="seperator">&raquo;</span> jsoup License
</div>
<div class="content">
<div class="col1">
<h1>jsoup License</h1>
<p>The jsoup code-base (include source and compiled packages) are distributed under the open source MIT
license as described below.</p>
<h3>The MIT License</h3>
<p>Copyright &copy; 2009 - 2014 <a href="http://jonathanhedley.com">Jonathan Hedley</a> (<a
href="mailto:jonathan@hedley.net">jonathan@hedley.net</a>)</p>
<p>Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated
documentation files (the "Software"), to deal in the Software without restriction, including without limitation the
rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit
persons to whom the Software is furnished to do so, subject to the following conditions:</p>
<p>The above copyright notice and this permission notice shall be included in all copies or substantial portions of
the Software.</p>
<p>THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS
FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR
COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN
AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION
WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.</p>
</div>
<!-- /col1 -->
<div class="col2">
</div>
<!-- /col2 -->
</div>
<!-- /content-->
<div class="footer">
<b>jsoup HTML parser</b> &copy; 2009 - 2014
<a href="http://jhy.io/" rel="author"><b>Jonathan Hedley</b></a>
</div>
</div>
<!-- /wrap -->
<script src="/rez/prettify.js"></script>
<script>prettyPrint();</script>
</body>
</html>
<?xml version="1.0" encoding="ISO-8859-1" ?>
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
<html xmlns="http://www.w3.org/1999/xhtml">

<head>
<meta http-equiv="Content-Type" content="text/html; charset=ISO-8859-1" />
<title>Eclipse Public License - Version 1.0</title>

```

```
<style type="text/css">
body {
  size: 8.5in 11.0in;
  margin: 0.25in 0.5in 0.25in 0.5in;
  tab-interval: 0.5in;
  }
p {
  margin-left: auto;
  margin-top: 0.5em;
  margin-bottom: 0.5em;
  }
p.list {
  margin-left: 0.5in;
  margin-top: 0.05em;
  margin-bottom: 0.05em;
  }
</style>
```

```
</head>
```

```
<body lang="EN-US">
```

```
<h2>Eclipse Public License - v 1.0</h2>
```

```
<p>THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE
PUBLIC LICENSE (&quot;AGREEMENT&quot;). ANY USE, REPRODUCTION OR
DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS
AGREEMENT.</p>
```

```
<p><b>1. DEFINITIONS</b></p>
```

```
<p>&quot;Contribution&quot; means:</p>
```

```
<p class="list">a) in the case of the initial Contributor, the initial
code and documentation distributed under this Agreement, and</p>
<p class="list">b) in the case of each subsequent Contributor:</p>
<p class="list">i) changes to the Program, and</p>
<p class="list">ii) additions to the Program;</p>
<p class="list">where such changes and/or additions to the Program
originate from and are distributed by that particular Contributor. A
Contribution 'originates' from a Contributor if it was added to the
Program by such Contributor itself or anyone acting on such
Contributor's behalf. Contributions do not include additions to the
Program which: (i) are separate modules of software distributed in
conjunction with the Program under their own license agreement, and (ii)
are not derivative works of the Program.</p>
```

```
<p>&quot;Contributor&quot; means any person or entity that distributes
```

the Program.</p>

<p>&quot;Licensed Patents&quot; mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.</p>

<p>&quot;Program&quot; means the Contributions distributed in accordance with this Agreement.</p>

<p>&quot;Recipient&quot; means anyone who receives the Program under this Agreement, including all Contributors.</p>

## <p><b>2. GRANT OF RIGHTS</b></p>

<p class="list">a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare derivative works of, publicly display, publicly perform, distribute and sublicense the Contribution of such Contributor, if any, and such derivative works, in source code and object code form.</p>

<p class="list">b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in source code and object code form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.</p>

<p class="list">c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.</p>

<p class="list">d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant

the copyright license set forth in this Agreement.</p>

### <p><b>3. REQUIREMENTS</b></p>

<p>A Contributor may choose to distribute the Program in object code form under its own license agreement, provided that:</p>

<p class="list">a) it complies with the terms and conditions of this Agreement; and</p>

<p class="list">b) its license agreement:</p>

<p class="list">i) effectively disclaims on behalf of all Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;</p>

<p class="list">ii) effectively excludes on behalf of all Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;</p>

<p class="list">iii) states that any provisions which differ from this Agreement are offered by that Contributor alone and not by any other party; and</p>

<p class="list">iv) states that source code for the Program is available from such Contributor, and informs licensees how to obtain it in a reasonable manner on or through a medium customarily used for software exchange.</p>

<p>When the Program is made available in source code form:</p>

<p class="list">a) it must be made available under this Agreement; and</p>

<p class="list">b) a copy of this Agreement must be included with each copy of the Program.</p>

<p>Contributors may not remove or alter any copyright notices contained within the Program.</p>

<p>Each Contributor must identify itself as the originator of its Contribution, if any, in a manner that reasonably allows subsequent Recipients to identify the originator of the Contribution.</p>

### <p><b>4. COMMERCIAL DISTRIBUTION</b></p>

<p>Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the

like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor (&quot;Commercial Contributor&quot;) hereby agrees to defend and indemnify every other Contributor (&quot;Indemnified Contributor&quot;) against any losses, damages and costs (collectively &quot;Losses&quot;) arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.</p>

<p>For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.</p>

#### <p><b>5. NO WARRANTY</b></p>

<p>EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, THE PROGRAM IS PROVIDED ON AN &quot;AS IS&quot; BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement , including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.</p>

#### <p><b>6. DISCLAIMER OF LIABILITY</b></p>

<p>EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.</p>

<p><b>7. GENERAL</b></p>

<p>If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.</p>

<p>If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.</p>

<p>All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.</p>

<p>Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to distribute the Program (including its Contributions) under the new version. Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no

rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved.</p>

<p>This Agreement is governed by the laws of the State of New York and the intellectual property laws of the United States of America. No party to this Agreement will bring a legal action under this Agreement more than one year after the cause of action arose. Each party waives its rights to a jury trial in any resulting litigation.</p>

</body>

</html>

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.



"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You

institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.  
Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.
6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. **Disclaimer of Warranty.** Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. **Limitation of Liability.** In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. **Accepting Warranty or Additional Liability.** While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

-----  
License for the slf4j package  
-----

SLF4J License

Copyright (c) 2004-2007 QOS.ch  
All rights reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND

NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

These terms are identical to those of the MIT License, also called the X License or the X11 License, which is a simple, permissive non-copyleft free software license. It is deemed compatible with virtually all types of licenses, commercial or otherwise. In particular, the Free Software Foundation has declared it compatible with GNU GPL. It is also known to be approved by the Apache Software Foundation as compatible with Apache Software License.

-----  
License for the JUnit package  
-----

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS COMMON PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

## 1. DEFINITIONS

"Contribution" means:

a) in the case of the initial Contributor, the initial code and documentation distributed under this Agreement, and

b) in the case of each subsequent Contributor:

i) changes to the Program, and

ii) additions to the Program;

where such changes and/or additions to the Program originate from and are distributed by that particular Contributor. A Contribution 'originates' from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include additions to the Program which: (i) are separate modules of software distributed in conjunction with the Program under their own license agreement, and (ii) are not derivative works of the Program.

"Contributor" means any person or entity that distributes the Program.

"Licensed Patents " mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement, including all Contributors.

## 2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare derivative works of, publicly display, publicly perform, distribute and sublicense the Contribution of such Contributor, if any, and such derivative works, in source code and object code form.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in source code and object code form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

## 3. REQUIREMENTS

A Contributor may choose to distribute the Program in object code form under its own license agreement, provided that:

a) it complies with the terms and conditions of this Agreement; and

b) its license agreement:

i) effectively disclaims on behalf of all Contributors all warranties and conditions, express and implied, including warranties or conditions of title and

non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;

ii) effectively excludes on behalf of all Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;

iii) states that any provisions which differ from this Agreement are offered by that Contributor alone and not by any other party; and

iv) states that source code for the Program is available from such Contributor, and informs licensees how to obtain it in a reasonable manner on or through a medium customarily used for software exchange.

When the Program is made available in source code form:

a) it must be made available under this Agreement; and

b) a copy of this Agreement must be included with each copy of the Program.

Contributors may not remove or alter any copyright notices contained within the Program.

Each Contributor must identify itself as the originator of its Contribution, if any, in a manner that reasonably allows subsequent Recipients to identify the originator of the Contribution.

#### 4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

## 5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

## 6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

## 7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against a Contributor with respect to a patent applicable to software (including a cross-claim or counterclaim in a lawsuit), then any patent licenses granted by that Contributor to such Recipient under this Agreement shall terminate as of the date such litigation is filed. In addition, if Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware)



infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. IBM is the initial Agreement Steward. IBM may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to distribute the Program (including its Contributions) under the new version. Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved.

This Agreement is governed by the laws of the State of New York and the intellectual property laws of the United States of America. No party to this Agreement will bring a legal action under this Agreement more than one year after the cause of action arose. Each party waives its rights to a jury trial in any resulting litigation.

-----  
License for the JCIFS package  
-----

JCIFS License

GNU LESSER GENERAL PUBLIC LICENSE

Version 2.1, February 1999

Copyright (C) 1991, 1999 Free Software Foundation, Inc.  
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA  
Everyone is permitted to copy and distribute verbatim copies  
of this license document, but changing it is not allowed.

[This is the first released version of the Lesser GPL. It also counts as the successor of the GNU Library Public License, version 2, hence the version number 2.1.]

## Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public Licenses are intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users.

This license, the Lesser General Public License, applies to some specially designated software packages--typically libraries--of the Free Software Foundation and other authors who decide to use it. You can use it too, but we suggest you first think carefully about whether this license or the ordinary General Public License is the better strategy to use in any particular case, based on the explanations below.

When we speak of free software, we are referring to freedom of use, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish); that you receive source code or can get it if you want it; that you can change the software and use pieces of it in new free programs; and that you are informed that you can do these things.

To protect your rights, we need to make restrictions that forbid distributors to deny you these rights or to ask you to surrender these rights. These restrictions translate to certain responsibilities for you if you distribute copies of the library or if you modify it.

For example, if you distribute copies of the library, whether gratis or for a fee, you must give the recipients all the rights that we gave you. You must make sure that they, too, receive or can get the source code. If you link other code with the library, you must provide complete object files to the recipients, so that they can relink them with the library after making changes to the library and recompiling it. And you must show them these terms so they know their rights.

We protect your rights with a two-step method: (1) we copyright the library, and (2) we offer you this license, which gives you legal permission to copy, distribute and/or modify the library.

To protect each distributor, we want to make it very clear that there is no warranty for the free library. Also, if the library is modified by someone else and passed on, the recipients should know that what they have is not the original version, so that the original author's reputation will not be affected by problems that might be

introduced by others.

Finally, software patents pose a constant threat to the existence of any free program. We wish to make sure that a company cannot effectively restrict the users of a free program by obtaining a restrictive license from a patent holder. Therefore, we insist that any patent license obtained for a version of the library must be consistent with the full freedom of use specified in this license.

Most GNU software, including some libraries, is covered by the ordinary GNU General Public License. This license, the GNU Lesser General Public License, applies to certain designated libraries, and is quite different from the ordinary General Public License. We use this license for certain libraries in order to permit linking those libraries into non-free programs.

When a program is linked with a library, whether statically or using a shared library, the combination of the two is legally speaking a combined work, a derivative of the original library. The ordinary General Public License therefore permits such linking only if the entire combination fits its criteria of freedom. The Lesser General Public License permits more lax criteria for linking other code with the library.

We call this license the "Lesser" General Public License because it does Less to protect the user's freedom than the ordinary General Public License. It also provides other free software developers Less of an advantage over competing non-free programs. These disadvantages are the reason we use the ordinary General Public License for many libraries. However, the Lesser license provides advantages in certain special circumstances.

For example, on rare occasions, there may be a special need to encourage the widest possible use of a certain library, so that it becomes a de-facto standard. To achieve this, non-free programs must be allowed to use the library. A more frequent case is that a free library does the same job as widely used non-free libraries. In this case, there is little to gain by limiting the free library to free software only, so we use the Lesser General Public License.

In other cases, permission to use a particular library in non-free programs enables a greater number of people to use a large body of free software. For example, permission to use the GNU C Library in non-free programs enables many more people to use the whole GNU operating system, as well as its variant, the GNU/Linux operating system.

Although the Lesser General Public License is Less protective of the

users' freedom, it does ensure that the user of a program that is linked with the Library has the freedom and the wherewithal to run that program using a modified version of the Library.

The precise terms and conditions for copying, distribution and modification follow. Pay close attention to the difference between a "work based on the library" and a "work that uses the library". The former contains code derived from the library, whereas the latter must be combined with the library in order to run.

## GNU LESSER GENERAL PUBLIC LICENSE TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License Agreement applies to any software library or other program which contains a notice placed by the copyright holder or other authorized party saying it may be distributed under the terms of this Lesser General Public License (also called "this License"). Each licensee is addressed as "you".

A "library" means a collection of software functions and/or data prepared so as to be conveniently linked with application programs (which use some of those functions and data) to form executables.

The "Library", below, refers to any such software library or work which has been distributed under these terms. A "work based on the Library" means either the Library or any derivative work under copyright law: that is to say, a work containing the Library or a portion of it, either verbatim or with modifications and/or translated straightforwardly into another language. (Hereinafter, translation is included without limitation in the term "modification".)

"Source code" for a work means the preferred form of the work for making modifications to it. For a library, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the library.

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running a program using the Library is not restricted, and output from such a program is covered only if its contents constitute a work based on the Library (independent of the use of the Library in a tool for writing it). Whether that is true depends on what the Library does and what the program that uses the Library does.

1. You may copy and distribute verbatim copies of the Library's complete source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an

appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and distribute a copy of this License along with the Library.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Library or any portion of it, thus forming a work based on the Library, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

- a) The modified work must itself be a software library.
- b) You must cause the files modified to carry prominent notices stating that you changed the files and the date of any change.
- c) You must cause the whole of the work to be licensed at no charge to all third parties under the terms of this License.
- d) If a facility in the modified Library refers to a function or a table of data to be supplied by an application program that uses the facility, other than as an argument passed when the facility is invoked, then you must make a good faith effort to ensure that, in the event an application does not supply such function or table, the facility still operates, and performs whatever part of its purpose remains meaningful.

(For example, a function in a library to compute square roots has a purpose that is entirely well-defined independent of the application. Therefore, Subsection 2d requires that any application-supplied function or table used by this function must be optional: if the application does not supply it, the square root function must still compute square roots.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Library, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Library, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Library.

In addition, mere aggregation of another work not based on the Library with the Library (or with a work based on the Library) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may opt to apply the terms of the ordinary GNU General Public License instead of this License to a given copy of the Library. To do this, you must alter all the notices that refer to this License, so that they refer to the ordinary GNU General Public License, version 2, instead of to this License. (If a newer version than version 2 of the ordinary GNU General Public License has appeared, then you can specify that version instead if you wish.) Do not make any other change in these notices.

Once this change is made in a given copy, it is irreversible for that copy, so the ordinary GNU General Public License applies to all subsequent copies and derivative works made from that copy.

This option is useful when you wish to copy part of the code of the Library into a program that is not a library.

4. You may copy and distribute the Library (or a portion or derivative of it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange.

If distribution of object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place satisfies the requirement to distribute the source code, even though third parties are not compelled to copy the source along with the object code.

5. A program that contains no derivative of any portion of the Library, but is designed to work with the Library by being compiled or linked with it, is called a "work that uses the Library". Such a work, in isolation, is not a derivative work of the Library, and therefore falls outside the scope of this License.

However, linking a "work that uses the Library" with the Library creates an executable that is a derivative of the Library (because it contains portions of the Library), rather than a "work that uses the

library". The executable is therefore covered by this License.  
Section 6 states terms for distribution of such executables.

When a "work that uses the Library" uses material from a header file that is part of the Library, the object code for the work may be a derivative work of the Library even though the source code is not. Whether this is true is especially significant if the work can be linked without the Library, or if the work is itself a library. The threshold for this to be true is not precisely defined by law.

If such an object file uses only numerical parameters, data structure layouts and accessors, and small macros and small inline functions (ten lines or less in length), then the use of the object file is unrestricted, regardless of whether it is legally a derivative work. (Executables containing this object code plus portions of the Library will still fall under Section 6.)

Otherwise, if the work is a derivative of the Library, you may distribute the object code for the work under the terms of Section 6. Any executables containing that work also fall under Section 6, whether or not they are linked directly with the Library itself.

6. As an exception to the Sections above, you may also combine or link a "work that uses the Library" with the Library to produce a work containing portions of the Library, and distribute that work under terms of your choice, provided that the terms permit modification of the work for the customer's own use and reverse engineering for debugging such modifications.

You must give prominent notice with each copy of the work that the Library is used in it and that the Library and its use are covered by this License. You must supply a copy of this License. If the work during execution displays copyright notices, you must include the copyright notice for the Library among them, as well as a reference directing the user to the copy of this License. Also, you must do one of these things:

- a) Accompany the work with the complete corresponding machine-readable source code for the Library including whatever changes were used in the work (which must be distributed under Sections 1 and 2 above); and, if the work is an executable linked with the Library, with the complete machine-readable "work that uses the Library", as object code and/or source code, so that the user can modify the Library and then relink to produce a modified executable containing the modified Library. (It is understood that the user who changes the contents of definitions files in the Library will not necessarily be able to recompile the application to use the modified definitions.)

b) Use a suitable shared library mechanism for linking with the Library. A suitable mechanism is one that (1) uses at run time a copy of the library already present on the user's computer system, rather than copying library functions into the executable, and (2) will operate properly with a modified version of the library, if the user installs one, as long as the modified version is interface-compatible with the version that the work was made with.

c) Accompany the work with a written offer, valid for at least three years, to give the same user the materials specified in Subsection 6a, above, for a charge no more than the cost of performing this distribution.

d) If distribution of the work is made by offering access to copy from a designated place, offer equivalent access to copy the above specified materials from the same place.

e) Verify that the user has already received a copy of these materials or that you have already sent this user a copy.

For an executable, the required form of the "work that uses the Library" must include any data and utility programs needed for reproducing the executable from it. However, as a special exception, the materials to be distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

It may happen that this requirement contradicts the license restrictions of other proprietary libraries that do not normally accompany the operating system. Such a contradiction means you cannot use both them and the Library together in an executable that you distribute.

7. You may place library facilities that are a work based on the Library side-by-side in a single library together with other library facilities not covered by this License, and distribute such a combined library, provided that the separate distribution of the work based on the Library and of the other library facilities is otherwise permitted, and provided that you do these two things:

a) Accompany the combined library with a copy of the same work based on the Library, uncombined with any other library facilities. This must be distributed under the terms of the Sections above.



b) Give prominent notice with the combined library of the fact that part of it is a work based on the Library, and explaining where to find the accompanying uncombined form of the same work.

8. You may not copy, modify, sublicense, link with, or distribute the Library except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense, link with, or distribute the Library is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

9. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Library or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Library (or any work based on the Library), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Library or works based on it.

10. Each time you redistribute the Library (or any work based on the Library), the recipient automatically receives a license from the original licensor to copy, distribute, link with or modify the Library subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties with this License.

11. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Library at all. For example, if a patent license would not permit royalty-free redistribution of the Library by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Library.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply, and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any

such claims; this section has the sole purpose of protecting the integrity of the free software distribution system which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

12. If the distribution and/or use of the Library is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Library under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

13. The Free Software Foundation may publish revised and/or new versions of the Lesser General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Library does not specify a license version number, you may choose any version ever published by the Free Software Foundation.

14. If you wish to incorporate parts of the Library into other free programs whose distribution conditions are incompatible with these, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

#### NO WARRANTY

15. BECAUSE THE LIBRARY IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE LIBRARY, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE LIBRARY "AS IS" WITHOUT WARRANTY OF ANY

KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE LIBRARY IS WITH YOU. SHOULD THE LIBRARY PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE LIBRARY AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE LIBRARY (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE LIBRARY TO OPERATE WITH ANY OTHER SOFTWARE), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

#### END OF TERMS AND CONDITIONS

#### How to Apply These Terms to Your New Libraries

If you develop a new library, and you want it to be of the greatest possible use to the public, we recommend making it free software that everyone can redistribute and change. You can do so by permitting redistribution under these terms (or, alternatively, under the terms of the ordinary General Public License).

To apply these terms, attach the following notices to the library. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

```
<one line to give the library's name and a brief idea of what it does.>  
Copyright (C) <year> <name of author>
```

This library is free software; you can redistribute it and/or modify it under the terms of the GNU Lesser General Public License as published by the Free Software Foundation; either version 2.1 of the License, or (at your option) any later version.

This library is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Lesser General Public License for more details.

You should have received a copy of the GNU Lesser General Public License along with this library; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA

Also add information on how to contact you by electronic and paper mail.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the library, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the library `Frob' (a library for tweaking knobs) written by James Random Hacker.

<signature of Ty Coon>, 1 April 1990

Ty Coon, President of Vice

That's all there is to it!

```
<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.01 Transitional//EN">
```

```
<html lang="en">
```

```
<head>
```

```
<title>Apache License, Version 2.0</title>
```

```
<meta http-equiv="Content-Type" content="text/html; charset=UTF-8">
```

```
<meta property="og:image" content="http://www.apache.org/images/asf_logo.gif" />
```

```
<link rel="stylesheet" type="text/css" media="screen" href="/css/style.css">
```

```
<link rel="stylesheet" type="text/css" media="screen" href="/css/code.css">
```

```
<script type="text/javascript" src="/js/jquery.js"></script>
```

```
<script type="text/javascript" src="/js/apache_boot.js"></script>
```

```
<!-- Licensed to the Apache Software Foundation (ASF) under one or more contributor license agreements. See the NOTICE file distributed with this work for additional information regarding copyright ownership. The ASF licenses this file to you under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at . http://www.apache.org/licenses/LICENSE-2.0 . Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License. -->
```

```
</head>
```

```
<body>
```

```
<div id="page" class="container_16">
```

```
<div id="header" class="grid_8">
```

```

```

```
<h1>The Apache Software Foundation</h1>
```

```
<h2>Apache License, Version 2.0</h2>
```

```
</div>
```

```

<div id="nav" class="grid_8">
  <ul>
    <!-- <li><a href="/" title="Welcome!">Home</a></li> -->
    <li><a href="/foundation/" title="The Foundation">Foundation</a></li>
    <li><a href="http://projects.apache.org" title="The Projects">Projects</a></li>
    <li><a href="http://people.apache.org" title="The People">People</a></li>
    <li><a href="/foundation/getinvolved.html" title="Get Involved">Get Involved</a></li>
    <li><a href="/dyn/closer.cgi" title="Download">Download</a></li>
    <li><a href="/foundation/sponsorship.html" title="Support Apache">Support Apache</a></li>
  </ul>
  <p><a href="/">Home</a>&nbsp;&raquo;&nbsp;&raquo;<a href="/licenses/">Licenses</a></p>
  <form name="search" id="search" action="http://www.google.com/search" method="get">
    <input value="apache.org" name="sitesearch" type="hidden"/>
    <input type="text" name="q" id="query">
    <input type="submit" id="submit" value="Search">
  </form>
</div>
<div class="clear"></div>
<div id="content" class="grid_16"><div class="section-content"><p>Apache License<br><br>Version 2.0,
January 2004<br></p>
<a href="http://www.apache.org/licenses/">http://www.apache.org/licenses/</a> </p>
<p>TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION</p>
<p><strong><a name="definitions">1. Definitions</a></strong>.</p>
<p>"License" shall mean the terms and conditions for use, reproduction, and
distribution as defined by Sections 1 through 9 of this document.</p>
<p>"Licensor" shall mean the copyright owner or entity authorized by the
copyright owner that is granting the License.</p>
<p>"Legal Entity" shall mean the union of the acting entity and all other
entities that control, are controlled by, or are under common control with
that entity. For the purposes of this definition, "control" means (i) the
power, direct or indirect, to cause the direction or management of such
entity, whether by contract or otherwise, or (ii) ownership of fifty
percent (50%) or more of the outstanding shares, or (iii) beneficial
ownership of such entity.</p>
<p>"You" (or "Your") shall mean an individual or Legal Entity exercising
permissions granted by this License.</p>
<p>"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation source,
and configuration files.</p>
<p>"Object" form shall mean any form resulting from mechanical transformation
or translation of a Source form, including but not limited to compiled
object code, generated documentation, and conversions to other media types.</p>
<p>"Work" shall mean the work of authorship, whether in Source or Object form,
made available under the License, as indicated by a copyright notice that
is included in or attached to the work (an example is provided in the
Appendix below).</p>
<p>"Derivative Works" shall mean any work, whether in Source or Object form,
that is based on (or derived from) the Work and for which the editorial

```

revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

**2. Grant of Copyright License**. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

**3. Grant of Patent License**. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

**4. Redistribution**. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

-

- You must give any other recipients of the Work or Derivative Works a copy of this License; and

<li>You must cause any modified files to carry prominent notices stating that You changed the files; and</li>

<li>You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and</li>

<li>If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

<br/>

<br/>

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

</li>

</ol>

<p><strong><a name="contributions">5. Submission of Contributions</a></strong>. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.</p>

<p><strong><a name="trademarks">6. Trademarks</a></strong>. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.</p>

<p><strong><a name="no-warranty">7. Disclaimer of Warranty</a></strong>. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and

each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

**8. Limitation of Liability**. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

**9. Accepting Warranty or Additional Liability**. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

**APPENDIX: How to apply the Apache License to your work**

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

```
Copyright [yyyy] [name of copyright owner]
```

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.



See the License for the specific language governing permissions and limitations under the License.

```
</pre></div></div></div>
  <div class="clear"></div>
</div>
<div id="footer" class="container_16">
  <div class="links_grid_16">
    <div class="grid_3">
      <h4>Projects</h4>
      <ul>
<li><a href="http://httpd.apache.org/" title="Apache Web Server (httpd)">HTTP Server</a></li>
<li><a href="http://abdera.apache.org/" title="Atom Publishing Protocol Implementation">Abdera</a></li>
<li><a href="http://accumulo.apache.org/" title="Sorted, distributed key/value store">Accumulo</a></li>
<li><a href="http://ace.apache.org/" title="Centralized life cycle management and deployment of OSGi based and related modular software artifacts for distribution.">ACE</a></li>
<li><a href="http://activemq.apache.org/" title="Distributed Messaging System">ActiveMQ</a></li>
<li><a href="http://airavata.apache.org/" title="Workflow and Computational Job Management Middleware">Airavata</a></li>
<li><a href="http://allura.apache.org/" title="Forge software for hosting software projects">Allura</a></li>
<li><a href="http://ambari.apache.org/" title="Hadoop cluster management">Ambari</a></li>
<li><a href="http://ant.apache.org/" title="Java-based build tool">Ant</a></li>
<li><a href="http://any23.apache.org/" title="Anything to Triples">Any23</a></li>
<li><a href="http://apr.apache.org/" title="Apache Portable Runtime libraries">APR</a></li>
<li><a href="http://archiva.apache.org/" title="Build Artifact Repository Manager">Archiva</a></li>
<li><a href="http://aries.apache.org/" title="Enterprise OSGi application programming model">Aries</a></li>
<li><a href="http://avro.apache.org/" title="A Serialization System">Avro</a></li>
<li><a href="http://axis.apache.org/" title="Java SOAP Engine">Axis</a></li>
<li><a href="http://bigtop.apache.org/" title="Apache Hadoop ecosystem integration and distribution project">Bigtop</a></li>
<li><a href="http://bloodhound.apache.org/" title="Issue tracking, wiki and repository browser">Bloodhound</a></li>
<li><a href="http://buildr.apache.org/" title="Simple and intuitive build system for Java applications">Buildr</a></li>
<li><a href="http://bval.apache.org/" title="Apache BVal: JSR-303 Bean Validation Implementation and Extensions">BVal</a></li>
<li><a href="http://camel.apache.org/" title="Spring based Integration Framework which implements the Enterprise Integration Patterns">Camel</a></li>
<li><a href="http://cassandra.apache.org/" title="Highly scalable second-generation distributed database">Cassandra</a></li>
<li><a href="http://cayenne.apache.org/" title="User-friendly Java ORM with Tools">Cayenne</a></li>
<li><a href="http://chemistry.apache.org/" title="CMIS (Content Managment Interoperability Services) Clients and Servers">Chemistry</a></li>
<li><a href="http://chukwa.apache.org/" title="Open source data collection system for monitoring large distributed systems.">Chukwa</a></li>
<li><a href="http://clerezza.apache.org/" title="Semantically linked data for OSGi">Clerezza</a></li>
<li><a href="http://cloudstack.apache.org/" title="Infrastructure as a Service solution">CloudStack</a></li>
<li><a href="http://cocoon.apache.org/" title="Web development framework: separation of concerns, component-based">Cocoon</a></li>
```

- <li><a href="http://commons.apache.org/" title="Reusable Java components">Commons</a></li>
- <li><a href="http://continuum.apache.org/" title="Continuous Integration and Build Server">Continuum</a></li>
- <li><a href="http://cordova.apache.org/" title="Platform for building native mobile applications using HTML, CSS and JavaScript">Cordova</a></li>
- <li><a href="http://couchdb.apache.org/" title="RESTful document database">CouchDB</a></li>
- <li><a href="http://creadur.apache.org/" title="Comprehension and auditing of software distributions">Creadur</a></li>
- <li><a href="http://crunch.apache.org/" title="Simple and Efficient MapReduce Pipelines">Crunch</a></li>
- <li><a href="http://ctakes.apache.org/" title="Natural language processing (NLP) tool for information extraction from electronic medical record clinical free-text">cTAKES</a></li>
- <li><a href="http://curator.apache.org/" title="Java libraries that make using Apache ZooKeeper easier">Curator</a></li>
- <li><a href="http://cxf.apache.org/" title="Service Framework">CXF</a></li>
- <li><a href="http://db.apache.org/" title="Database access">DB</a></li>
- <li><a href="http://deltacloud.apache.org/" title="RESTful cloud management interface">Deltacloud</a></li>
- <li><a href="http://deltaspike.apache.org/" title="Portable CDI extensions that provide useful features for Java application developers">DeltaSpike</a></li>
- <li><a href="http://directmemory.apache.org/" title="An off-heap cache for the Java Virtual Machine">DirectMemory</a></li>
- <li><a href="http://directory.apache.org/" title="Apache Directory Server">Directory</a></li>
- <li><a href="http://empire-db.apache.org/" title="Relational Data Persistence">Empire-db</a></li>
- <li><a href="http://etch.apache.org/" title="Cross-platform, language- and transport-independent RPC-like messaging framework">Etch</a></li>
- <li><a href="http://felix.apache.org/" title="OSGi Framework and components.">Felix</a></li>
- <li><a href="http://flex.apache.org/" title="Application framework for expressive web applications that deploy to all major browsers, desktops and devices.">Flex</a></li>
- <li><a href="http://flume.apache.org/" title="A reliable service for efficiently collecting, aggregating, and moving large amounts of log data">Flume</a></li>
- <li><a href="http://forrest.apache.org/" title="Aggregated multi-channel documentation, separation of concerns">Forrest</a></li>
- <li><a href="http://geronimo.apache.org/" title="Java2, Enterprise Edition (J2EE) container">Geronimo</a></li>
- <li><a href="http://giraph.apache.org/" title="Iterative graph processing system built for high scalability">Giraph</a></li>
- <li><a href="http://gora.apache.org/" title="ORM framework for column stores such as Apache HBase and Apache Cassandra with a specific focus on Hadoop">Gora</a></li>
- <li><a href="http://gump.apache.org/" title="Continuous integration of open source projects">Gump</a></li>
- <li><a href="http://hadoop.apache.org/" title="Distributed computing platform">Hadoop</a></li>
- <li><a href="http://hama.apache.org/" title="a Bulk Synchronous Parallel computing framework on top of Hadoop">Hama</a></li>
- <li><a href="http://hbase.apache.org/" title="Hadoop Database">HBase</a></li>
- <li><a href="http://helix.apache.org/" title="A cluster management framework for partitioned and replicated distributed resources">Helix</a></li>
- <li><a href="http://hive.apache.org/" title="Data warehouse infrastructure using the Hadoop Database">Hive</a></li>
- <li><a href="http://hc.apache.org/" title="Java toolset of low level HTTP components">HttpComponents</a></li>
- <li><a href="http://isis.apache.org/" title="Framework for rapidly developing domain-driven apps in Java">Isis</a></li>
- <li><a href="http://jackrabbit.apache.org/" title="Content Repository for Java">Jackrabbit</a></li>

- <li><a href="http://james.apache.org/" title="Java Apache Mail Enterprise Server">James</a></li>
- <li><a href="http://jclouds.apache.org/" title="Java cloud APIs and abstractions">jclouds</a></li>
- <li><a href="http://jena.apache.org/" title="Java framework for building Semantic Web applications">Jena</a></li>
- <li><a href="http://jmeter.apache.org/" title="Java performance and functional testing">JMeter</a></li>
- <li><a href="http://jspwiki.apache.org/" title="Leading open source WikiWiki engine, feature-rich and built around standard J2EE components (Java, servlets, JSP). ">JSPWiki</a></li>
- <li><a href="http://juddi.apache.org/" title="Java implementation of the Universal Description, Discovery, and Integration specification">jUDDI</a></li>
- <li><a href="http://kafka.apache.org/" title="Distributed publish-subscribe messaging system">Kafka</a></li>
- <li><a href="http://karaf.apache.org/" title="Server-side OSGi distribution">Karaf</a></li>
- <li><a href="http://knox.apache.org/" title="Simplify and normalize the deployment and implementation of secure Hadoop clusters">Knox</a></li>
- <li><a href="http://lenya.apache.org/" title="Content Management System">Lenya</a></li>
- <li><a href="http://libcloud.apache.org/" title="Unified interface to the cloud">Libcloud</a></li>
- <li><a href="http://logging.apache.org/" title="Cross-language logging services">Logging</a></li>
- <li><a href="http://lucene.apache.org/" title="Search engine library">Lucene</a></li>
- <li><a href="http://lucenenet.apache.org/" title="Search engine library targeted at .NET runtime users.">Lucene.Net</a></li>
- <li><a href="http://lucy.apache.org/" title="Search engine library for dynamic languages">Lucy</a></li>
- <li><a href="http://mahout.apache.org/" title="Scalable machine learning library">Mahout</a></li>
- <li><a href="http://manifoldcf.apache.org/" title="Framework for connecting source content repositories to target repositories or indexes.">ManifoldCF</a></li>
- <li><a href="http://marmotta.apache.org/" title="An Open Platform for Linked Data">Marmotta</a></li>
- <li><a href="http://maven.apache.org/" title="Java project management and comprehension tools">Maven</a></li>
- <li><a href="http://mesos.apache.org/" title="a cluster manager that provides efficient resource isolation and sharing across distributed applications">Mesos</a></li>
- <li><a href="http://mina.apache.org/" title="Multipurpose Infrastructure for Network Application">MINA</a></li>
- <li><a href="http://mrunit.apache.org/" title="Java library that helps developers unit test Apache Hadoop map reduce jobs">MRUnit</a></li>
- <li><a href="http://myfaces.apache.org/" title="JavaServer(tm) Faces implementation and components">MyFaces</a></li>
- <li><a href="http://nutch.apache.org/" title="Open Source Web Search Software">Nutch</a></li>
- <li><a href="http://ode.apache.org/" title="Orchestration Director Engine: Business Process Management (BPM), Process Orchestration and Workflow through service composition.">ODE</a></li>
- <li><a href="http://ofbiz.apache.org/" title="Open for Business: enterprise automation software">OFBiz</a></li>
- <li><a href="http://olingo.apache.org/" title="OASIS OData protocol libraries">Olingo</a></li>
- <li><a href="http://oltu.apache.org/" title="OAuth protocol implementation in Java">Oltu</a></li>
- <li><a href="http://onami.apache.org/" title="Development and maintenance of a set of Google Guice extensions">Onami</a></li>
- <li><a href="http://oodt.apache.org/" title="Object Oriented Data Technology (middleware metadata)">OODT</a></li>
- <li><a href="http://oozie.apache.org/" title="A workflow scheduler system to manage Apache Hadoop jobs.">Oozie</a></li>
- <li><a href="http://climate.apache.org/" title="Climate model evaluation">Open Climate Workbench</a></li>
- <li><a href="http://openjpa.apache.org/" title="OpenJPA: Object Relational Mapping for Java">OpenJPA</a></li>
- <li><a href="http://openmeetings.apache.org/" title="OpenMeetings: Web-Conferencing and real-time collaboration">OpenMeetings</a></li>

- <li><a href="http://opennlp.apache.org/" title="Machine learning based toolkit for the processing of natural language text">OpenNLP</a></li>
- <li><a href="http://openoffice.apache.org/" title="An open-source, office-document productivity suite">OpenOffice</a></li>
- <li><a href="http://openwebbeans.apache.org/" title="OpenWebBeans: JSR-299 Context and Dependency Injection for Java EE Platform Implementation">OpenWebBeans</a></li>
- <li><a href="http://pdfbox.apache.org/" title="Java library for working with PDF documents">PDFBox</a></li>
- <li><a href="http://perl.apache.org/" title="Dynamic websites using Perl">Perl</a></li>
- <li><a href="http://pig.apache.org/" title="Platform for analyzing large data sets">Pig</a></li>
- <li><a href="http://pivot.apache.org/" title="Rich Internet applications in Java">Pivot</a></li>
- <li><a href="http://poi.apache.org/" title="Java API for OLE 2 Compound and OOXML Documents">POI</a></li>
- <li><a href="http://portals.apache.org/" title="Portal technology">Portals</a></li>
- <li><a href="http://qpid.apache.org/" title="Multiple language implementation of the latest Advanced Message Queuing Protocol (AMQP)">Qpid</a></li>
- <li><a href="http://rave.apache.org/" title="Web and social mashup engine">Rave</a></li>
- <li><a href="http://river.apache.org/" title="Jini service oriented architecture">River</a></li>
- <li><a href="http://roller.apache.org/" title="Java blog server">Roller</a></li>
- <li><a href="http://santuario.apache.org/" title="XML Security in Java and C++">Santuario</a></li>
- <li><a href="http://servicemix.apache.org/" title="Enterprise Service Bus">ServiceMix</a></li>
- <li><a href="http://shindig.apache.org/" title="Opensocial Reference Implementation">Shindig</a></li>
- <li><a href="http://shiro.apache.org/" title="Powerful and easy-to-use application security framework">Shiro</a></li>
- <li><a href="http://sis.apache.org/" title="Spatial Information System">SIS</a></li>
- <li><a href="http://sling.apache.org/" title="Web Framework for JCR Content Repositories">Sling</a></li>
- <li><a href="http://spamassassin.apache.org/" title="Mail filter to identify spam">SpamAssassin</a></li>
- <li><a href="http://spark.apache.org/" title="Fast and general engine for large-scale data processing">Spark</a></li>
- <li><a href="http://sqoop.apache.org/" title="Bulk Data Transfer for Hadoop and Structured Datastores">Sqoop</a></li>
- <li><a href="http://stanbol.apache.org/" title="Reusable components for semantic content management">Stanbol</a></li>
- <li><a href="http://steve.apache.org/" title="Apache's Python based single transferable vote software system">STeVe</a></li>
- <li><a href="http://storm.apache.org/" title="Distributed, real-time computation system">Storm</a></li>
- <li><a href="http://struts.apache.org/" title="Model 2 framework for building Java web applications">Struts</a></li>
- <li><a href="http://subversion.apache.org/" title="Version Control">Subversion</a></li>
- <li><a href="http://synapse.apache.org/" title="Enterprise Service Bus and Mediation Framework">Synapse</a></li>
- <li><a href="http://syncope.apache.org/" title="Managing digital identities in enterprise environments">Syncope</a></li>
- <li><a href="http://tajo.apache.org/" title="Big data warehouse system on Hadoop">Tajo</a></li>
- <li><a href="http://tapestry.apache.org/" title="Component-based Java Web Application Framework">Tapestry</a></li>
- <li><a href="http://tcl.apache.org/" title="Dynamic websites using TCL">Tcl</a></li>
- <li><a href="http://tez.apache.org/" title="High-performance and scalable distributed data processing framework">Tez</a></li>
- <li><a href="http://thrift.apache.org/" title="Framework for scalable cross-language services">Thrift</a></li>

- [development">Thrift</a></li>](#)
- [- \[- \\[- \\\[- \\\\[- \\\\\[- \\\\\\[- \\\\\\\[- \\\\\\\\[- \\\\\\\\\[- \\\\\\\\\\[- \\\\\\\\\\\[- \\\\\\\\\\\\[- \\\\\\\\\\\\\[- \\\\\\\\\\\\\\[- \\\\\\\\\\\\\\\[- \\\\\\\\\\\\\\\\[- \\\\\\\\\\\\\\\\\[- \\\\\\\\\\\\\\\\\\[- \\\\\\\\\\\\\\\\\\\[-\\\\\\\\\\\\\\\\\\\]\\\\\\\\\\\\\\\\\\\(http://xmlgraphics.apache.org/ "Conversion from XML to graphical output"\\\\\\\\\\\\\\\\\\\)\\\\\\\\\\\\\\\\\\]\\\\\\\\\\\\\\\\\\(http://xmlbeans.apache.org/ "XML-Java binding tool"\\\\\\\\\\\\\\\\\\)\\\\\\\\\\\\\\\\\]\\\\\\\\\\\\\\\\\(http://xerces.apache.org/ "XML parsers in Java, C++ and Perl"\\\\\\\\\\\\\\\\\)\\\\\\\\\\\\\\\\]\\\\\\\\\\\\\\\\(http://xalan.apache.org/ "XSLT processors in Java and C++"\\\\\\\\\\\\\\\\)\\\\\\\\\\\\\\\]\\\\\\\\\\\\\\\(http://wookie.apache.org/ "Widgets for Applications"\\\\\\\\\\\\\\\)\\\\\\\\\\\\\\]\\\\\\\\\\\\\\(http://wink.apache.org/ "RESTful Web services Framework"\\\\\\\\\\\\\\)\\\\\\\\\\\\\]\\\\\\\\\\\\\(http://wicket.apache.org/ "Component-based Java Web Application Framework."\\\\\\\\\\\\\)\\\\\\\\\\\\]\\\\\\\\\\\\(http://whirr.apache.org/ "Libraries for running Cloud Services"\\\\\\\\\\\\)\\\\\\\\\\\]\\\\\\\\\\\(http://ws.apache.org/ "Projects related to Web Services"\\\\\\\\\\\)\\\\\\\\\\]\\\\\\\\\\(http://vxquery.apache.org/ "A parallel XQuery processor"\\\\\\\\\\)\\\\\\\\\]\\\\\\\\\(http://velocity.apache.org/ "A Java Templating Engine"\\\\\\\\\)\\\\\\\\]\\\\\\\\(http://vcl.apache.org/ "Virtual Computing Lab"\\\\\\\\)\\\\\\\]\\\\\\\(http://uima.apache.org/ "Framework and annotators for unstructured information analysis"\\\\\\\)\\\\\\]\\\\\\(http://tuscany.apache.org/ "An SCA based Service Composition Framework"\\\\\\)\\\\\]\\\\\(http://turbine.apache.org/ "A Java Servlet Web Application Framework and associated component library"\\\\\)\\\\]\\\\(http://trafficserver.apache.org/ "A fast, scalable and extensible HTTP/1.1 compliant caching proxy server"\\\\)\\\]\\\(http://tomee.apache.org/ "Java EE Web Profile built on Tomcat"\\\)\\]\\(http://tomcat.apache.org/ "A Java Servlet and JSP Container"\\)\]\(http://tiles.apache.org/ "A templating framework for web application user interfaces"\)](http://tika.apache.org "Content Analysis and Detection Toolkit")

</div>

<div class="grid\_3">

<h4>Foundation</h4>

<ul>

<li><a href="/foundation/faq.html">FAQ</a></li>

<li><a href="/foundation/glossary.html">Glossary</a></li>

<li><a href="/licenses/" title="Overview of the Apache Licenses">Licenses</a></li>

<li><a href="/foundation/marks/" title="Apache marks policies and listing">Trademarks</a></li>

<li><a href="/foundation/news.html" title="Official news feed of Foundation announcements">News</a></li>

<li><a href="/press/" title="Press, Media, and Analyst contact">Press Inquiries</a></li>

<li><a href="/foundation/records/" title="Formal corporate records and board meeting minutes">Public Records</a></li>

<li><a href="/foundation/maillinglists.html" title="Mailing lists and Apache">Mailing Lists</a></li>

<li><a href="/foundation/sponsorship.html" title="Sponsor the Foundation">Sponsorship</a></li>

<li><a href="/foundation/contributing.html" title="Donate to the Foundation">Donations</a></li>

<li><a href="/foundation/buy\_stuff.html" title="Buy Apache branded merchandise">Buy Stuff</a></li>

<li><a href="/foundation/thanks.html" title="Thank you to our Sponsors">Thanks</a></li>

```

    <li><a href="/foundation/contact.html" title="Contact Us">Contact</a></li>
  </ul>
</div>
<div class="grid_3 suffix_1">
  <h4>Foundation Projects</h4>
  <ul>
    <li><a href="http://attic.apache.org/" title="Inactive projects repository">Attic</a></li>
    <li><a href="/foundation/conferences.html" title="Meetings of developers and users">Conferences</a></li>
    <li><a href="http://community.apache.org/" title="Helping newcomers to the ASF">Community
Development</a></li>
    <li><a href="http://incubator.apache.org/" title="Shepherd for new projects">Incubator</a></li>
    <li><a href="/dev/" title="ASF Infrastructure: Operations and howto documents for PMCs and
contributors">Infrastructure</a></li>
    <li><a href="http://labs.apache.org/" title="The Innovation Laboratories of the Apache Software
Foundation">Labs</a></li>
    <li><a href="/legal/" title="Legal Affairs">Legal Affairs</a></li>
    <li><a href="/press/" title="Public Relations">Public Relations</a></li>
    <li><a href="/security/" title="Security">Security</a></li>
    <li><a href="/travel/" title="Travel Assistance">Travel Assistance</a></li>
  </ul>
</div>

<div class="grid_3">
  <h4>Community</h4>
  <ul>
    <li><a href="http://people.apache.org/" title="Apache committer homepages">People</a></li>
    <li><a href="/memorials/" title="In memoriam of past committers">Memorials</a></li>
    <li><a href="http://feathercast.apache.org/" title="Apache Podcasts">Feathercast</a></li>
    <li><a href="http://blogs.apache.org/" title="Apache Project Blogs">Project Blogs</a></li>
    <li><a href="http://planet.apache.org/committers/" title="Apache Committers' Blogs">PlanetApache</a></li>
  </ul>
</div>

<div class="grid_3">
  <h4>How It Works</h4>
  <ul>
    <li><a href="/foundation/how-it-works.html">Introduction</a></li>
    <li><a href="/foundation/how-it-works.html#meritocracy">Meritocracy</a></li>
    <li><a href="/foundation/how-it-works.html#structure">Structure</a></li>
    <li><a href="/foundation/how-it-works.html#roles">Roles</a></li>
    <li><a href="/foundation/how-it-works.html#management">Collaboration</a></li>
    <li><a href="/foundation/how-it-works.html#incubator">Incubator</a></li>
    <li><a href="/foundation/how-it-works.html#other">Other entities</a></li>
    <li><a href="/foundation/glossary.html">Glossary</a></li>
    <li><a href="/foundation/voting.html">Voting</a></li>
  </ul>
</div>
</div>

```

<div class="clear"></div>

</div>

<div id="copyright" class="container\_16">

<p>Copyright © 2012 The Apache Software Foundation, Licensed under the <a href="http://www.apache.org/licenses/LICENSE-2.0">Apache License, Version 2.0</a>.<br/>Apache and the Apache feather logo are trademarks of The Apache Software Foundation.</p>

</div>

</body>

</html>

Apache Maven Distribution

Copyright 2001-2014 The Apache Software Foundation

This product includes software developed at

The Apache Software Foundation (<http://www.apache.org/>).

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation,

and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s)



with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.  
Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.
6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. **Disclaimer of Warranty.** Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. **Limitation of Liability.** In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. **Accepting Warranty or Additional Liability.** While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "{}" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright {yyyy} {name of copyright owner}

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

```
=====
== NOTICE file corresponding to the section 4 d of      ==
== the Apache License, Version 2.0,                    ==
== in this case for the Gradle distribution.            ==
=====
```

This product includes software developed by  
The Apache Software Foundation (<http://www.apache.org/>).

It includes the following other software:

Groovy (<http://groovy.codehaus.org>)  
SLF4J (<http://www.slf4j.org>)  
JUnit (<http://www.junit.org>)  
JCIFS (<http://jcifs.samba.org>)

For licenses see the LICENSE file.

If any software distributed with Gradle does not have an Apache 2 License, its license is explicitly listed in the LICENSE file.

Apache License  
Version 2.0, January 2004

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally

submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.
6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. **Disclaimer of Warranty.** Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or

implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
  
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

## 1.71 metrics-integration-with-jmx 4.0.5

### 1.71.1 Available under license :

No license file was found, but licenses were detected in source scan.

Manifest-Version: 1.0  
Bnd-LastModified: 1545938260836  
Build-Jdk: 1.8.0\_191  
Built-By: artem  
Bundle-Description: A set of classes which allow you to report metrics via JMX.  
Bundle-License: <http://www.apache.org/licenses/LICENSE-2.0.html>  
Bundle-ManifestVersion: 2  
Bundle-Name: Metrics Integration with JMX  
Bundle-SymbolicName: io.dropwizard.metrics.jmx  
Bundle-Version: 4.0.5  
Created-By: Apache Maven Bundle Plugin  
Export-Package: com.codahale.metrics.jmx;uses:="com.codahale.metrics,javax.management";version="4.0.5"  
Implementation-Title: Metrics Integration with JMX  
Implementation-URL: <http://metrics.dropwizard.io/metrics-jmx>  
Implementation-Vendor-Id: io.dropwizard.metrics  
Implementation-Version: 4.0.5  
Import-Package: org.slf4j;version="[1.6.0,2.0.0)",com.codahale.metrics;version="[4.0,5)",javax.management  
Require-Capability: osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=1.8))"  
Tool: Bnd-3.3.0.201609221906

Found in path(s):

\* /opt/cola/permits/1274704779\_1648835825.49/0/metrics-jmx-4-0-5-jar/META-INF/MANIFEST.MF

## 1.72 metrics---dropwizard v4.0.5

### 1.72.1 Available under license :

No license file was found, but licenses were detected in source scan.

Manifest-Version: 1.0  
Bnd-LastModified: 1545937975057



Build-Jdk: 1.8.0\_191  
Built-By: artem  
Bundle-Description: An Apache HttpClient wrapper providing Metrics instrumentation of connection pools, request durations and rates, and other useful information.  
Bundle-License: <http://www.apache.org/licenses/LICENSE-2.0.html>  
Bundle-ManifestVersion: 2  
Bundle-Name: Metrics Integration for Apache HttpClient  
Bundle-SymbolicName: io.dropwizard.metrics.httpclient  
Bundle-Version: 4.0.5  
Created-By: Apache Maven Bundle Plugin  
Export-Package: com.codahale.metrics.httpclient;uses:="com.codahale.metrics,org.apache.http,org.apache.http.config,org.apache.http.conn,org.apache.http.conn.routing,org.apache.http.conn.socket,org.apache.http.impl.client,org.apache.http.impl.conn,org.apache.http.protocol";version="4.0.5"  
Implementation-Title: Metrics Integration for Apache HttpClient  
Implementation-URL: <http://metrics.dropwizard.io/metrics-httpclient>  
Implementation-Vendor-Id: io.dropwizard.metrics  
Implementation-Version: 4.0.5  
Import-Package: com.codahale.metrics;version="[4.0,5)",org.apache.http,org.apache.http.client,org.apache.http.client.methods,org.apache.http.client.utils,org.apache.http.config,org.apache.http.conn,org.apache.http.conn.routing,org.apache.http.conn.socket,org.apache.http.conn.ssl,org.apache.http.impl.client,org.apache.http.impl.conn,org.apache.http.pool,org.apache.http.protocol  
Require-Capability: osgi.ee:filter:="(&(osgi.ee=JavaSE)(version=1.8))"  
Tool: Bnd-3.3.0.201609221906

Found in path(s):

\* /opt/cola/permits/1274705442\_1648835835.08/0/metrics-httpclient-4-0-5-jar/META-INF/MANIFEST.MF

## 1.73 utils 6.2.1

### 1.73.1 Available under license :

# MIT License

Copyright (c) 2013-2016 Dominic Gannaway

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.74 metrics-integration-for-jersey-2.x 4.1.25

### 1.74.1 Available under license :

No license file was found, but licenses were detected in source scan.

Manifest-Version: 1.0  
Automatic-Module-Name: com.codahale.metrics.jersey2  
Build-Jdk: 1.8.0\_292  
Built-By: runner  
Bundle-Description: A set of class providing Metrics integration for Jersey, the reference JAX-RS implementation.  
Bundle-License: <https://www.apache.org/licenses/LICENSE-2.0.html>  
Bundle-ManifestVersion: 2  
Bundle-Name: Metrics Integration for Jersey 2.x  
Bundle-SymbolicName: io.dropwizard.metrics.jersey2  
Bundle-Version: 4.1.25  
Created-By: Apache Maven Bundle Plugin  
Export-Package: com.codahale.metrics.jersey2;uses:="com.codahale.metrics.javax.ws.rs.core.javax.ws.rs.ext,org.glassfish.jersey.server.model,org.glassfish.jersey.server.monitoring";version="4.1.25"  
Implementation-Title: Metrics Integration for Jersey 2.x  
Implementation-URL: <https://metrics.dropwizard.io/metrics-jersey2>  
Implementation-Vendor-Id: io.dropwizard.metrics  
Implementation-Version: 4.1.25  
Import-Package: com.codahale.metrics;version="[4.1,5)",com.codahale.metrics.annotation;version="[4.1,5)",javax.ws.rs.core;version="[2.1,3)",javax.ws.rs.ext;version="[2.1,3)",org.glassfish.jersey.server;version="[2.33,3)",org.glassfish.jersey.server.model;version="[2.33,3)",org.glassfish.jersey.server.monitoring;version="[2.33,3)"  
Private-Package: com.codahale.metrics.jersey2  
Require-Capability: osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=1.8))"  
Tool: Bnd-5.1.1.202006162103

Found in path(s):

\* /opt/cola/permits/1300428219\_1649930652.24/0/metrics-jersey2-4-1-25-jar/META-INF/MANIFEST.MF

# 1.75 swagger-models 2.1.7

## 1.75.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/**
 * Copyright 2017 SmartBear Software
 * <p>
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 * <p>
 * http://www.apache.org/licenses/LICENSE-2.0
 * <p>
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1340076415_1654622281.1601713/0/swagger-models-2-1-7-sources-1-
jar/io/swagger/v3/oas/models/PathItem.java
* /opt/cola/permits/1340076415_1654622281.1601713/0/swagger-models-2-1-7-sources-1-
jar/io/swagger/v3/oas/models/media/Encoding.java
* /opt/cola/permits/1340076415_1654622281.1601713/0/swagger-models-2-1-7-sources-1-
jar/io/swagger/v3/oas/models/parameters/QueryParameter.java
* /opt/cola/permits/1340076415_1654622281.1601713/0/swagger-models-2-1-7-sources-1-
jar/io/swagger/v3/oas/models/media/MapSchema.java
* /opt/cola/permits/1340076415_1654622281.1601713/0/swagger-models-2-1-7-sources-1-
jar/io/swagger/v3/oas/models/Components.java
* /opt/cola/permits/1340076415_1654622281.1601713/0/swagger-models-2-1-7-sources-1-
jar/io/swagger/v3/oas/models/ExternalDocumentation.java
* /opt/cola/permits/1340076415_1654622281.1601713/0/swagger-models-2-1-7-sources-1-
jar/io/swagger/v3/oas/models/parameters/HeaderParameter.java
* /opt/cola/permits/1340076415_1654622281.1601713/0/swagger-models-2-1-7-sources-1-
jar/io/swagger/v3/oas/models/links/Link.java
* /opt/cola/permits/1340076415_1654622281.1601713/0/swagger-models-2-1-7-sources-1-
jar/io/swagger/v3/oas/models/parameters/CookieParameter.java
* /opt/cola/permits/1340076415_1654622281.1601713/0/swagger-models-2-1-7-sources-1-
jar/io/swagger/v3/oas/models/info/Info.java
* /opt/cola/permits/1340076415_1654622281.1601713/0/swagger-models-2-1-7-sources-1-
jar/io/swagger/v3/oas/models/callbacks/Callback.java
* /opt/cola/permits/1340076415_1654622281.1601713/0/swagger-models-2-1-7-sources-1-
jar/io/swagger/v3/oas/models/media/UUIDSchema.java
* /opt/cola/permits/1340076415_1654622281.1601713/0/swagger-models-2-1-7-sources-1-
```

jar/io/swagger/v3/oas/models/media/XML.java  
\* /opt/cola/permits/1340076415\_1654622281.1601713/0/swagger-models-2-1-7-sources-1-  
jar/io/swagger/v3/oas/models/media/DateTimeSchema.java  
\* /opt/cola/permits/1340076415\_1654622281.1601713/0/swagger-models-2-1-7-sources-1-  
jar/io/swagger/v3/oas/models/Paths.java  
\* /opt/cola/permits/1340076415\_1654622281.1601713/0/swagger-models-2-1-7-sources-1-  
jar/io/swagger/v3/oas/models/media/EmailSchema.java  
\* /opt/cola/permits/1340076415\_1654622281.1601713/0/swagger-models-2-1-7-sources-1-  
jar/io/swagger/v3/oas/models/security/OAuthFlow.java  
\* /opt/cola/permits/1340076415\_1654622281.1601713/0/swagger-models-2-1-7-sources-1-  
jar/io/swagger/v3/oas/models/parameters/RequestBody.java  
\* /opt/cola/permits/1340076415\_1654622281.1601713/0/swagger-models-2-1-7-sources-1-  
jar/io/swagger/v3/oas/models/servers/ServerVariable.java  
\* /opt/cola/permits/1340076415\_1654622281.1601713/0/swagger-models-2-1-7-sources-1-  
jar/io/swagger/v3/oas/models/media/Content.java  
\* /opt/cola/permits/1340076415\_1654622281.1601713/0/swagger-models-2-1-7-sources-1-  
jar/io/swagger/v3/oas/models/servers/ServerVariables.java  
\* /opt/cola/permits/1340076415\_1654622281.1601713/0/swagger-models-2-1-7-sources-1-  
jar/io/swagger/v3/oas/models/info/Contact.java  
\* /opt/cola/permits/1340076415\_1654622281.1601713/0/swagger-models-2-1-7-sources-1-  
jar/io/swagger/v3/oas/models/media/PasswordSchema.java  
\* /opt/cola/permits/1340076415\_1654622281.1601713/0/swagger-models-2-1-7-sources-1-  
jar/io/swagger/v3/oas/models/media/NumberSchema.java  
\* /opt/cola/permits/1340076415\_1654622281.1601713/0/swagger-models-2-1-7-sources-1-  
jar/io/swagger/v3/oas/models/parameters/Parameter.java  
\* /opt/cola/permits/1340076415\_1654622281.1601713/0/swagger-models-2-1-7-sources-1-  
jar/io/swagger/v3/oas/models/tags/Tag.java  
\* /opt/cola/permits/1340076415\_1654622281.1601713/0/swagger-models-2-1-7-sources-1-  
jar/io/swagger/v3/oas/models/media/EncodingProperty.java  
\* /opt/cola/permits/1340076415\_1654622281.1601713/0/swagger-models-2-1-7-sources-1-  
jar/io/swagger/v3/oas/models/examples/Example.java  
\* /opt/cola/permits/1340076415\_1654622281.1601713/0/swagger-models-2-1-7-sources-1-  
jar/io/swagger/v3/oas/models/headers/Header.java  
\* /opt/cola/permits/1340076415\_1654622281.1601713/0/swagger-models-2-1-7-sources-1-  
jar/io/swagger/v3/oas/models/security/Scopes.java  
\* /opt/cola/permits/1340076415\_1654622281.1601713/0/swagger-models-2-1-7-sources-1-  
jar/io/swagger/v3/oas/models/security/SecurityScheme.java  
\* /opt/cola/permits/1340076415\_1654622281.1601713/0/swagger-models-2-1-7-sources-1-  
jar/io/swagger/v3/oas/models/OpenAPI.java  
\* /opt/cola/permits/1340076415\_1654622281.1601713/0/swagger-models-2-1-7-sources-1-  
jar/io/swagger/v3/oas/models/media/BinarySchema.java  
\* /opt/cola/permits/1340076415\_1654622281.1601713/0/swagger-models-2-1-7-sources-1-  
jar/io/swagger/v3/oas/models/media/FileSchema.java  
\* /opt/cola/permits/1340076415\_1654622281.1601713/0/swagger-models-2-1-7-sources-1-  
jar/io/swagger/v3/oas/models/security/SecurityRequirement.java  
\* /opt/cola/permits/1340076415\_1654622281.1601713/0/swagger-models-2-1-7-sources-1-  
jar/io/swagger/v3/oas/models/media/IntegerSchema.java  
\* /opt/cola/permits/1340076415\_1654622281.1601713/0/swagger-models-2-1-7-sources-1-

```

jar/io/swagger/v3/oas/models/links/LinkParameter.java
* /opt/cola/permits/1340076415_1654622281.1601713/0/swagger-models-2-1-7-sources-1-
jar/io/swagger/v3/oas/models/info/License.java
* /opt/cola/permits/1340076415_1654622281.1601713/0/swagger-models-2-1-7-sources-1-
jar/io/swagger/v3/oas/models/media/DateSchema.java
* /opt/cola/permits/1340076415_1654622281.1601713/0/swagger-models-2-1-7-sources-1-
jar/io/swagger/v3/oas/models/responses/ApiResponse.java
* /opt/cola/permits/1340076415_1654622281.1601713/0/swagger-models-2-1-7-sources-1-
jar/io/swagger/v3/oas/models/media/Schema.java
* /opt/cola/permits/1340076415_1654622281.1601713/0/swagger-models-2-1-7-sources-1-
jar/io/swagger/v3/oas/models/parameters/PathParameter.java
* /opt/cola/permits/1340076415_1654622281.1601713/0/swagger-models-2-1-7-sources-1-
jar/io/swagger/v3/oas/models/media/ArraySchema.java
* /opt/cola/permits/1340076415_1654622281.1601713/0/swagger-models-2-1-7-sources-1-
jar/io/swagger/v3/oas/models/media/ObjectSchema.java
* /opt/cola/permits/1340076415_1654622281.1601713/0/swagger-models-2-1-7-sources-1-
jar/io/swagger/v3/oas/models/responses/ApiResponse.java
* /opt/cola/permits/1340076415_1654622281.1601713/0/swagger-models-2-1-7-sources-1-
jar/io/swagger/v3/oas/models/servers/Server.java
* /opt/cola/permits/1340076415_1654622281.1601713/0/swagger-models-2-1-7-sources-1-
jar/io/swagger/v3/oas/models/media/StringSchema.java
* /opt/cola/permits/1340076415_1654622281.1601713/0/swagger-models-2-1-7-sources-1-
jar/io/swagger/v3/oas/models/security/OAuthFlows.java
* /opt/cola/permits/1340076415_1654622281.1601713/0/swagger-models-2-1-7-sources-1-
jar/io/swagger/v3/oas/models/media/ComposedSchema.java
* /opt/cola/permits/1340076415_1654622281.1601713/0/swagger-models-2-1-7-sources-1-
jar/io/swagger/v3/oas/models/media/ByteArraySchema.java
* /opt/cola/permits/1340076415_1654622281.1601713/0/swagger-models-2-1-7-sources-1-
jar/io/swagger/v3/oas/models/Operation.java
* /opt/cola/permits/1340076415_1654622281.1601713/0/swagger-models-2-1-7-sources-1-
jar/io/swagger/v3/oas/models/media/MediaType.java
* /opt/cola/permits/1340076415_1654622281.1601713/0/swagger-models-2-1-7-sources-1-
jar/io/swagger/v3/oas/models/media/BooleanSchema.java

```

## 1.76 google-api-grpc-proto-google-common-protos 2.0.1

### 1.76.1 Available under license :

No license file was found, but licenses were detected in source scan.

```

// Licensed under the Apache License, Version 2.0 (the "License");
// you may not use this file except in compliance with the License.
// You may obtain a copy of the License at
//   http://www.apache.org/licenses/LICENSE-2.0
// distributed under the License is distributed on an "AS IS" BASIS,
// agreement (which includes confidentiality provisions). These features may

```

Found in path(s):

\* /opt/cola/permits/1337069512\_1654218326.7907567/0/proto-google-common-protos-2-0-1-1-jar/google/api/launch\_stage.proto

No license file was found, but licenses were detected in source scan.

// Licensed under the Apache License, Version 2.0 (the "License");

// you may not use this file except in compliance with the License.

// You may obtain a copy of the License at

// <http://www.apache.org/licenses/LICENSE-2.0>

// distributed under the License is distributed on an "AS IS" BASIS,

Found in path(s):

\* /opt/cola/permits/1337069512\_1654218326.7907567/0/proto-google-common-protos-2-0-1-1-jar/google/api/label.proto

\* /opt/cola/permits/1337069512\_1654218326.7907567/0/proto-google-common-protos-2-0-1-1-jar/google/type/postal\_address.proto

\* /opt/cola/permits/1337069512\_1654218326.7907567/0/proto-google-common-protos-2-0-1-1-jar/google/type/datetime.proto

\* /opt/cola/permits/1337069512\_1654218326.7907567/0/proto-google-common-protos-2-0-1-1-jar/google/api/source\_info.proto

\* /opt/cola/permits/1337069512\_1654218326.7907567/0/proto-google-common-protos-2-0-1-1-jar/google/type/quaternion.proto

\* /opt/cola/permits/1337069512\_1654218326.7907567/0/proto-google-common-protos-2-0-1-1-jar/google/api/field\_behavior.proto

\* /opt/cola/permits/1337069512\_1654218326.7907567/0/proto-google-common-protos-2-0-1-1-jar/google/type/latlng.proto

\* /opt/cola/permits/1337069512\_1654218326.7907567/0/proto-google-common-protos-2-0-1-1-jar/google/api/httpbody.proto

\* /opt/cola/permits/1337069512\_1654218326.7907567/0/proto-google-common-protos-2-0-1-1-jar/google/type/money.proto

\* /opt/cola/permits/1337069512\_1654218326.7907567/0/proto-google-common-protos-2-0-1-1-jar/google/logging/type/http\_request.proto

\* /opt/cola/permits/1337069512\_1654218326.7907567/0/proto-google-common-protos-2-0-1-1-jar/google/type/calendar\_period.proto

\* /opt/cola/permits/1337069512\_1654218326.7907567/0/proto-google-common-protos-2-0-1-1-jar/google/rpc/code.proto

\* /opt/cola/permits/1337069512\_1654218326.7907567/0/proto-google-common-protos-2-0-1-1-jar/google/geo/type/viewport.proto

\* /opt/cola/permits/1337069512\_1654218326.7907567/0/proto-google-common-protos-2-0-1-1-jar/google/api/client.proto

\* /opt/cola/permits/1337069512\_1654218326.7907567/0/proto-google-common-protos-2-0-1-1-jar/google/longrunning/operations.proto

\* /opt/cola/permits/1337069512\_1654218326.7907567/0/proto-google-common-protos-2-0-1-1-jar/google/api/billing.proto

\* /opt/cola/permits/1337069512\_1654218326.7907567/0/proto-google-common-protos-2-0-1-1-jar/google/api/backend.proto

\* /opt/cola/permits/1337069512\_1654218326.7907567/0/proto-google-common-protos-2-0-1-1-

jar/google/api/consumer.proto  
\* /opt/cola/permits/1337069512\_1654218326.7907567/0/proto-google-common-protos-2-0-1-1-  
jar/google/type/fraction.proto  
\* /opt/cola/permits/1337069512\_1654218326.7907567/0/proto-google-common-protos-2-0-1-1-  
jar/google/api/system\_parameter.proto  
\* /opt/cola/permits/1337069512\_1654218326.7907567/0/proto-google-common-protos-2-0-1-1-  
jar/google/rpc/status.proto  
\* /opt/cola/permits/1337069512\_1654218326.7907567/0/proto-google-common-protos-2-0-1-1-  
jar/google/api/documentation.proto  
\* /opt/cola/permits/1337069512\_1654218326.7907567/0/proto-google-common-protos-2-0-1-1-  
jar/google/api/http.proto  
\* /opt/cola/permits/1337069512\_1654218326.7907567/0/proto-google-common-protos-2-0-1-1-  
jar/google/rpc/context/attribute\_context.proto  
\* /opt/cola/permits/1337069512\_1654218326.7907567/0/proto-google-common-protos-2-0-1-1-  
jar/google/api/quota.proto  
\* /opt/cola/permits/1337069512\_1654218326.7907567/0/proto-google-common-protos-2-0-1-1-  
jar/google/type/date.proto  
\* /opt/cola/permits/1337069512\_1654218326.7907567/0/proto-google-common-protos-2-0-1-1-  
jar/google/api/logging.proto  
\* /opt/cola/permits/1337069512\_1654218326.7907567/0/proto-google-common-protos-2-0-1-1-  
jar/google/cloud/audit/audit\_log.proto  
\* /opt/cola/permits/1337069512\_1654218326.7907567/0/proto-google-common-protos-2-0-1-1-  
jar/google/api/distribution.proto  
\* /opt/cola/permits/1337069512\_1654218326.7907567/0/proto-google-common-protos-2-0-1-1-  
jar/google/api/config\_change.proto  
\* /opt/cola/permits/1337069512\_1654218326.7907567/0/proto-google-common-protos-2-0-1-1-  
jar/google/api/metric.proto  
\* /opt/cola/permits/1337069512\_1654218326.7907567/0/proto-google-common-protos-2-0-1-1-  
jar/google/type/dayofweek.proto  
\* /opt/cola/permits/1337069512\_1654218326.7907567/0/proto-google-common-protos-2-0-1-1-  
jar/google/api/endpoint.proto  
\* /opt/cola/permits/1337069512\_1654218326.7907567/0/proto-google-common-protos-2-0-1-1-  
jar/google/api/usage.proto  
\* /opt/cola/permits/1337069512\_1654218326.7907567/0/proto-google-common-protos-2-0-1-1-  
jar/google/api/auth.proto  
\* /opt/cola/permits/1337069512\_1654218326.7907567/0/proto-google-common-protos-2-0-1-1-  
jar/google/type/expr.proto  
\* /opt/cola/permits/1337069512\_1654218326.7907567/0/proto-google-common-protos-2-0-1-1-  
jar/google/api/log.proto  
\* /opt/cola/permits/1337069512\_1654218326.7907567/0/proto-google-common-protos-2-0-1-1-  
jar/google/api/annotations.proto  
\* /opt/cola/permits/1337069512\_1654218326.7907567/0/proto-google-common-protos-2-0-1-1-  
jar/google/api/service.proto  
\* /opt/cola/permits/1337069512\_1654218326.7907567/0/proto-google-common-protos-2-0-1-1-  
jar/google/api/monitoring.proto  
\* /opt/cola/permits/1337069512\_1654218326.7907567/0/proto-google-common-protos-2-0-1-1-  
jar/google/api/resource.proto  
\* /opt/cola/permits/1337069512\_1654218326.7907567/0/proto-google-common-protos-2-0-1-1-

```
jar/google/logging/type/log_severity.proto
* /opt/cola/permits/1337069512_1654218326.7907567/0/proto-google-common-protos-2-0-1-1-
jar/google/type/color.proto
* /opt/cola/permits/1337069512_1654218326.7907567/0/proto-google-common-protos-2-0-1-1-
jar/google/rpc/error_details.proto
* /opt/cola/permits/1337069512_1654218326.7907567/0/proto-google-common-protos-2-0-1-1-
jar/google/api/context.proto
* /opt/cola/permits/1337069512_1654218326.7907567/0/proto-google-common-protos-2-0-1-1-
jar/google/type/timeofday.proto
* /opt/cola/permits/1337069512_1654218326.7907567/0/proto-google-common-protos-2-0-1-1-
jar/google/api/control.proto
* /opt/cola/permits/1337069512_1654218326.7907567/0/proto-google-common-protos-2-0-1-1-
jar/google/api/monitored_resource.proto
```

## 1.77 micronaut-flyway 5.1.3

### 1.77.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
* Copyright 2017-2021 original authors
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):

```
* /opt/cola/permits/1340076204_1654622318.478531/0/micronaut-flyway-5-1-3-sources-
jar/io/micronaut/flyway/FlywayMigrator.java
No license file was found, but licenses were detected in source scan.
```

```
/*
* Copyright 2017-2020 original authors
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```



- \* <https://www.apache.org/licenses/LICENSE-2.0>
- \*
- \* Unless required by applicable law or agreed to in writing, software
- \* distributed under the License is distributed on an "AS IS" BASIS,
- \* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- \* See the License for the specific language governing permissions and
- \* limitations under the License.
- \*/

Found in path(s):

- \* /opt/cola/permits/1340076204\_1654622318.478531/0/micronaut-flyway-5-1-3-sources-jar/io/micronaut/flyway/graalvm/FlywayFeature.java
- \* /opt/cola/permits/1340076204\_1654622318.478531/0/micronaut-flyway-5-1-3-sources-jar/io/micronaut/flyway/graalvm/FeatureDetectorSubstitutions.java
- \* /opt/cola/permits/1340076204\_1654622318.478531/0/micronaut-flyway-5-1-3-sources-jar/io/micronaut/flyway/AlternativeMigrationRunner.java
- \* /opt/cola/permits/1340076204\_1654622318.478531/0/micronaut-flyway-5-1-3-sources-jar/io/micronaut/flyway/FlywayConfigurationProperties.java
- \* /opt/cola/permits/1340076204\_1654622318.478531/0/micronaut-flyway-5-1-3-sources-jar/io/micronaut/flyway/DataSourceMigrationRunner.java
- \* /opt/cola/permits/1340076204\_1654622318.478531/0/micronaut-flyway-5-1-3-sources-jar/io/micronaut/flyway/event/SchemaCleanedEvent.java
- \* /opt/cola/permits/1340076204\_1654622318.478531/0/micronaut-flyway-5-1-3-sources-jar/io/micronaut/flyway/package-info.java
- \* /opt/cola/permits/1340076204\_1654622318.478531/0/micronaut-flyway-5-1-3-sources-jar/io/micronaut/flyway/GormMigrationRunner.java
- \* /opt/cola/permits/1340076204\_1654622318.478531/0/micronaut-flyway-5-1-3-sources-jar/io/micronaut/flyway/event/MigrationFinishedEvent.java
- \* /opt/cola/permits/1340076204\_1654622318.478531/0/micronaut-flyway-5-1-3-sources-jar/io/micronaut/flyway/graalvm/MicronautPathLocationScanner.java
- \* /opt/cola/permits/1340076204\_1654622318.478531/0/micronaut-flyway-5-1-3-sources-jar/io/micronaut/flyway/endpoint/FlywayEndpoint.java
- \* /opt/cola/permits/1340076204\_1654622318.478531/0/micronaut-flyway-5-1-3-sources-jar/io/micronaut/flyway/endpoint/FlywayReport.java
- \* /opt/cola/permits/1340076204\_1654622318.478531/0/micronaut-flyway-5-1-3-sources-jar/io/micronaut/flyway/AbstractFlywayMigration.java
- \* /opt/cola/permits/1340076204\_1654622318.478531/0/micronaut-flyway-5-1-3-sources-jar/io/micronaut/flyway/graalvm/ScannerSubstitutions.java

## 1.78 annotations-for-metrics 4.1.25

### 1.78.1 Available under license :

No license file was found, but licenses were detected in source scan.

Manifest-Version: 1.0

Automatic-Module-Name: com.codahale.metrics.annotation

Build-Jdk: 1.8.0\_292

Built-By: runner  
Bundle-Description: A dependency-less package of just the annotations used by other Metrics modules.  
Bundle-License: <https://www.apache.org/licenses/LICENSE-2.0.html>  
Bundle-ManifestVersion: 2  
Bundle-Name: Annotations for Metrics  
Bundle-SymbolicName: io.dropwizard.metrics.annotation  
Bundle-Version: 4.1.25  
Created-By: Apache Maven Bundle Plugin  
Export-Package: com.codahale.metrics.annotation;version="4.1.25"  
Implementation-Title: Annotations for Metrics  
Implementation-URL: <https://metrics.dropwizard.io/metrics-annotation>  
Implementation-Vendor-Id: io.dropwizard.metrics  
Implementation-Version: 4.1.25  
Private-Package: com.codahale.metrics.annotation  
Require-Capability: osgi.ee;filter="(&(osgi.ee=JavaSE)(version=1.8))"  
Tool: Bnd-5.1.1.202006162103

Found in path(s):

\* /opt/cola/permits/1300428254\_1650363010.71/0/metrics-annotation-4-1-25-jar/META-INF/MANIFEST.MF

# 1.79 lettuce 6.1.6.RELEASE

## 1.79.1 Available under license :

Apache License  
Version 2.0, January 2004  
<https://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the

Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
  
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
  - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
  
  - (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
  
  - (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
  
  - (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside

or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer,

and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<https://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Lettuce Java Redis Client 6.1.6.RELEASE

Copyright (c) 2011-2020 Mark Paluch

This product is licensed to you under the Apache License, Version 2.0 (the "License"). You may not use this product except in compliance with the License.

This product may include a number of subcomponents with separate copyright notices and license terms. Your use of the source code for these subcomponents is subject to the terms and conditions of the subcomponent's license, as noted in the license file.

# 1.80 jetbrains-kotlin-kotlin-stdlib-jdk8 1.6.10

## 1.80.1 Available under license :

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes

of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You



meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor,

except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software  
distributed under the License is distributed on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.

## 1.81 java-architecture-for-xml-binding 2.3.2

### 1.81.1 Available under license :

Copyright (c) 2004 Kohsuke Kawaguchi

Permission is hereby granted, free of charge, to any person  
obtaining a copy of this software and associated documentation  
files (the "Software"), to deal in the Software without  
restriction, including without limitation the rights to use,  
copy, modify, merge, publish, distribute, sublicense, and/or  
sell copies of the Software, and to permit persons to whom  
the Software is furnished to do so, subject to the following  
conditions:

The above copyright notice and this permission notice shall  
be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY  
KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE  
WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR  
PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS  
OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR  
OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR  
OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE  
SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

/\*

\* \* Copyright (c) YYYY Oracle and/or its affiliates. All rights reserved.

\*

\* This program and the accompanying materials are made available under the

\* terms of the Eclipse Distribution License v. 1.0, which is available at

\* <http://www.eclipse.org/org/documents/edl-v10.php>.

\*

\* SPDX-License-Identifier: BSD-3-Clause

\*/

Copyright (c) 2018 Oracle and/or its affiliates. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- Neither the name of the Eclipse Foundation, Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Copyright (c) 2017 Oracle and/or its affiliates. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- Neither the name of the Eclipse Foundation, Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS

IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

# Notices for Eclipse Implementation of JAXB

This content is produced and maintained by the Eclipse Implementation of JAXB project.

\* Project home: <https://projects.eclipse.org/projects/ee4j.jaxb-impl>

## Trademarks

Eclipse Implementation of JAXB is a trademark of the Eclipse Foundation.

## Copyright

All content is the property of the respective authors or their employers. For more information regarding authorship of content, please consult the listed source code repository logs.

## Declared Project Licenses

This program and the accompanying materials are made available under the terms of the Eclipse Distribution License v. 1.0 which is available at <http://www.eclipse.org/org/documents/edl-v10.php>.

SPDX-License-Identifier: BSD-3-Clause

## Source Code

The project maintains the following source code repositories:

- \* <https://github.com/eclipse-ee4j/jaxb-ri>
- \* <https://github.com/eclipse-ee4j/jaxb-istack-commons>
- \* <https://github.com/eclipse-ee4j/jaxb-dtd-parser>
- \* <https://github.com/eclipse-ee4j/jaxb-fi>
- \* <https://github.com/eclipse-ee4j/jaxb-stax-ex>
- \* <https://github.com/eclipse-ee4j/jax-rpc-ri>

## Third-party Content

This project leverages the following third party content.

Apache Ant (1.10.2)

\* License: Apache-2.0 AND W3C AND LicenseRef-Public-Domain

Apache Ant (1.10.2)

\* License: Apache-2.0 AND W3C AND LicenseRef-Public-Domain

Apache Felix (1.2.0)

\* License: Apache License, 2.0

args4j (2.33)

\* License: MIT License

dom4j (1.6.1)

\* License: Custom license based on Apache 1.1

file-management (3.0.0)

\* License: Apache-2.0

\* Project: <https://maven.apache.org/shared/file-management/>

\* Source:

<https://svn.apache.org/viewvc/maven/shared/tags/file-management-3.0.0/>

JUnit (4.12)

\* License: Eclipse Public License

JUnit (4.12)

\* License: Eclipse Public License

maven-compat (3.5.2)

\* License: Apache-2.0

\* Project: <https://maven.apache.org/ref/3.5.2/maven-compat/>

\* Source:

<https://mvnrepository.com/artifact/org.apache.maven/maven-compat/3.5.2>

maven-core (3.5.2)

\* License: Apache-2.0

\* Project: <https://maven.apache.org/ref/3.5.2/maven-core/index.html>

\* Source: <https://mvnrepository.com/artifact/org.apache.maven/maven-core/3.5.2>

maven-plugin-annotations (3.5)

\* License: Apache-2.0

\* Project: <https://maven.apache.org/plugin-tools/maven-plugin-annotations/>

\* Source:

<https://github.com/apache/maven-plugin-tools/tree/master/maven-plugin-annotations>

maven-plugin-api (3.5.2)

\* License: Apache-2.0

maven-resolver-api (1.1.1)

\* License: Apache-2.0

maven-resolver-api (1.1.1)

\* License: Apache-2.0

maven-resolver-connector-basic (1.1.1)

\* License: Apache-2.0

maven-resolver-impl (1.1.1)

\* License: Apache-2.0

maven-resolver-spi (1.1.1)

\* License: Apache-2.0

maven-resolver-transport-file (1.1.1)

\* License: Apache-2.0

\* Project: <https://maven.apache.org/resolver/maven-resolver-transport-file/>

\* Source:

<https://github.com/apache/maven-resolver/tree/master/maven-resolver-transport-file>

maven-resolver-util (1.1.1)

\* License: Apache-2.0

maven-settings (3.5.2)

\* License: Apache-2.0

\* Source:

<https://mvnrepository.com/artifact/org.apache.maven/maven-settings/3.5.2>

OSGi Service Platform Core Companion Code (6.0)

\* License: Apache License, 2.0

plexus-archiver (3.5)

\* License: Apache-2.0

\* Project: <https://codehaus-plexus.github.io/plexus-archiver/>

\* Source: <https://github.com/codehaus-plexus/plexus-archiver>

plexus-io (3.0.0)

\* License: Apache-2.0

plexus-utils (3.1.0)

\* License: Apache- 2.0 or Apache- 1.1 or BSD or Public Domain or Indiana University Extreme! Lab Software License V1.1.1 (Apache 1.1 style)

relaxng-datatype (1.0)

\* License: New BSD license

Sax (0.2)

\* License: SAX-PD

\* Project: <http://www.megginson.com/downloads/SAX/>

\* Source: [http://sourceforge.net/project/showfiles.php?group\\_id=29449](http://sourceforge.net/project/showfiles.php?group_id=29449)

testng (6.14.2)

\* License: Apache-2.0 AND (MIT OR GPL-1.0+)

\* Project: <https://testng.org/doc/index.html>

\* Source: <https://github.com/cbeust/testng>

wagon-http-lightweight (3.0.0)

\* License: Pending

\* Project: <https://maven.apache.org/wagon/>

\* Source:

<https://mvnrepository.com/artifact/org.apache.maven.wagon/wagon-http-lightweight/3.0.0>

xz for java (1.8)

\* License: LicenseRef-Public-Domain



## ## Cryptography

Content may contain encryption software. The country in which you are currently may have restrictions on the import, possession, and use, and/or re-export to another country, of encryption software. BEFORE using any encryption software, please check the country's laws, regulations and policies concerning the import, possession, or use, and re-export of encryption software, to see if this is permitted.

/\*

\* Copyright (c) YYYY Oracle and/or its affiliates. All rights reserved.

\*

\* This program and the accompanying materials are made available under the

\* terms of the Eclipse Distribution License v. 1.0, which is available at

\* <http://www.eclipse.org/org/documents/edl-v10.php>.

\*

\* SPDX-License-Identifier: BSD-3-Clause

\*/

# 1.82 micronaut-data 3.2.2

## 1.82.1 Available under license :

mcr.microsoft.com/mssql/server:2017-CU12

Apache License

Version 2.0, January 2004

<https://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of

this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only

on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

## 1.83 swagger-parser 2.0.26

### 1.83.1 Available under license :

Apache-2.0

## 1.84 jetty-java-based-http-1-x-http-2-servlet-websocket-server 9.4.44.20210927

### 1.84.1 Available under license :

This program and the accompanying materials are made available under the terms of the Eclipse Public License 2.0 which is available at <http://www.eclipse.org/legal/epl-2.0>, or the Apache Software License

2.0 which is available at <https://www.apache.org/licenses/LICENSE-2.0>.

Eclipse Public License - v 1.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

## 1. DEFINITIONS

"Contribution" means:

- a) in the case of the initial Contributor, the initial code and documentation distributed under this Agreement, and
- b) in the case of each subsequent Contributor:
  - i) changes to the Program, and
  - ii) additions to the Program;

where such changes and/or additions to the Program originate from and are distributed by that particular Contributor. A Contribution 'originates' from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include additions to the Program which: (i) are separate modules of software distributed in conjunction with the Program under their own license agreement, and (ii) are not derivative works of the Program.

"Contributor" means any person or entity that distributes the Program.

"Licensed Patents" mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement, including all Contributors.

## 2. GRANT OF RIGHTS

- a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare derivative works of, publicly display, publicly perform, distribute and sublicense the Contribution of such Contributor, if any, and such derivative works, in source code and object code form.
- b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under

Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in source code and object code form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

- c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.
- d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

### 3. REQUIREMENTS

A Contributor may choose to distribute the Program in object code form under its own license agreement, provided that:

- a) it complies with the terms and conditions of this Agreement; and
- b) its license agreement:
  - i) effectively disclaims on behalf of all Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;
  - ii) effectively excludes on behalf of all Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;
  - iii) states that any provisions which differ from this Agreement are offered by that Contributor alone and not by any other party; and
  - iv) states that source code for the Program is available from such Contributor, and informs licensees how to obtain it in a reasonable manner on or through a medium customarily used for software exchange.

When the Program is made available in source code form:

- a) it must be made available under this Agreement; and
- b) a copy of this Agreement must be included with each copy of the Program.

Contributors may not remove or alter any copyright notices contained within the Program.

Each Contributor must identify itself as the originator of its Contribution, if any, in a manner that reasonably allows subsequent Recipients to identify the originator of the Contribution.

#### 4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must:

- a) promptly notify the Commercial Contributor in writing of such claim, and
- b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

#### 5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using



and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement , including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

## 6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

## 7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will

be given a distinguishing version number. The Program (including Contributions) may always be distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to distribute the Program (including its Contributions) under the new version. Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved.

This Agreement is governed by the laws of the State of New York and the intellectual property laws of the United States of America. No party to this Agreement will bring a legal action under this Agreement more than one year after the cause of action arose. Each party waives its rights to a jury trial in any resulting litigation.

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical

transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable

by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use,

reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.  
Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.
6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. **Disclaimer of Warranty.** Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. **Limitation of Liability.** In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. **Accepting Warranty or Additional Liability.** While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

=====  
Jetty Web Container  
Copyright 1995-2018 Mort Bay Consulting Pty Ltd.  
=====

The Jetty Web Container is Copyright Mort Bay Consulting Pty Ltd unless otherwise noted.

Jetty is dual licensed under both

\* The Apache 2.0 License  
<http://www.apache.org/licenses/LICENSE-2.0.html>

and

\* The Eclipse Public 1.0 License  
<http://www.eclipse.org/legal/epl-v10.html>

Jetty may be distributed under either license.

-----

## Eclipse

The following artifacts are EPL.

- \* org.eclipse.jetty.orbit:org.eclipse.jdt.core

The following artifacts are EPL and ASL2.

- \* org.eclipse.jetty.orbit:javax.security.auth.message

The following artifacts are EPL and CDDL 1.0.

- \* org.eclipse.jetty.orbit:javax.mail.glassfish

-----

## Oracle

The following artifacts are CDDL + GPLv2 with classpath exception.

<https://glassfish.dev.java.net/nonav/public/CDDL+GPL.html>

- \* javax.servlet:javax.servlet-api
- \* javax.annotation:javax.annotation-api
- \* javax.transaction:javax.transaction-api
- \* javax.websocket:javax.websocket-api

-----

## Oracle OpenJDK

If ALPN is used to negotiate HTTP/2 connections, then the following artifacts may be included in the distribution or downloaded when ALPN module is selected.

- \* java.sun.security.ssl

These artifacts replace/modify OpenJDK classes. The modifications are hosted at github and both modified and original are under GPL v2 with classpath exceptions.

<http://openjdk.java.net/legal/gplv2+ce.html>

-----

## OW2

The following artifacts are licensed by the OW2 Foundation according to the terms of <http://asm.ow2.org/license.html>

- org.ow2.asm:asm-commons
- org.ow2.asm:asm

-----

Apache

The following artifacts are ASL2 licensed.

org.apache.taglibs:taglibs-standard-spec  
org.apache.taglibs:taglibs-standard-impl

-----

MortBay

The following artifacts are ASL2 licensed. Based on selected classes from following Apache Tomcat jars, all ASL2 licensed.

org.mortbay.jasper:apache-jsp  
org.apache.tomcat:tomcat-jasper  
org.apache.tomcat:tomcat-juli  
org.apache.tomcat:tomcat-jsp-api  
org.apache.tomcat:tomcat-el-api  
org.apache.tomcat:tomcat-jasper-el  
org.apache.tomcat:tomcat-api  
org.apache.tomcat:tomcat-util-scan  
org.apache.tomcat:tomcat-util

org.mortbay.jasper:apache-el  
org.apache.tomcat:tomcat-jasper-el  
org.apache.tomcat:tomcat-el-api

-----

Mortbay

The following artifacts are CDDL + GPLv2 with classpath exception.

<https://glassfish.dev.java.net/nonav/public/CDDL+GPL.html>

org.eclipse.jetty.toolchain:jetty-schemas

-----

Assorted

The UnixCrypt.java code implements the one way cryptography used by Unix systems for simple password protection. Copyright 1996 Aki Yoshida, modified April 2001 by Iris Van den Broeke, Daniel Deville.

Permission to use, copy, modify and distribute UnixCrypt for non-commercial or commercial purposes and without fee is



granted provided that the copyright notice appears in all copies.

# 1.85 json-path 2.4.0

## 1.85.1 Available under license :

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the

Licensors for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

You must give any other recipients of the Work or Derivative Works a copy of this License; and

You must cause any modified files to carry prominent notices stating that You changed the files; and

You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any

additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.

You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

## 1.86 javabeans-activation-framework-api 1.2.2

### 1.86.1 Available under license :

Copyright (c) 2018 Oracle and/or its affiliates. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- Neither the name of the Eclipse Foundation, Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

[subs="normal"]

....

Specification: {doctitle}

Version: {revnumber}

ifeval::["{revremark}" != ""]

Status: {revremark}

endif::[]

ifeval::{ "{revremark}" == "" }

Status: Final Release

endif::[]

Release: {revdate}

....

Copyright (c) 2019 Eclipse Foundation.

=== Eclipse Foundation Specification License

By using and/or copying this document, or the Eclipse Foundation document from which this statement is linked, you (the licensee) agree that you have read, understood, and will comply with the following terms and conditions:

Permission to copy, and distribute the contents of this document, or the Eclipse Foundation document from which this statement is linked, in any medium for any purpose and without fee or royalty is hereby granted, provided that you include the following on ALL copies of the document, or portions thereof, that you use:

- \* link or URL to the original Eclipse Foundation document.
- \* All existing copyright notices, or if one does not exist, a notice (hypertext is preferred, but a textual representation is permitted) of the form: "Copyright (c) [ \$date-of-document ]  
Eclipse Foundation, Inc. <<url to this license>>"

Inclusion of the full text of this NOTICE must be provided. We request that authorship attribution be provided in any software, documents, or other items or products that you create pursuant to the implementation of the contents of this document, or any portion thereof.

No right to create modifications or derivatives of Eclipse Foundation documents is granted pursuant to this license, except anyone may prepare and distribute derivative works and portions of this document in software that implements the specification, in supporting materials accompanying such software, and in documentation of such software, PROVIDED that all such works include the notice below. HOWEVER, the publication of derivative works of this document for use as a technical specification is expressly prohibited.

The notice is:

"Copyright (c) 2018 Eclipse Foundation. This software or document includes material copied from or derived from [title and URI of the Eclipse Foundation specification document]."

==== Disclaimers

THIS DOCUMENT IS PROVIDED "AS IS," AND THE COPYRIGHT HOLDERS AND THE ECLIPSE FOUNDATION MAKE NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, NON-INFRINGEMENT, OR TITLE; THAT THE CONTENTS OF THE DOCUMENT ARE SUITABLE FOR ANY PURPOSE; NOR THAT THE IMPLEMENTATION OF SUCH CONTENTS WILL NOT INFRINGE ANY THIRD PARTY PATENTS, COPYRIGHTS, TRADEMARKS OR OTHER RIGHTS.

THE COPYRIGHT HOLDERS AND THE ECLIPSE FOUNDATION WILL NOT BE LIABLE FOR ANY DIRECT, INDIRECT, SPECIAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF ANY USE OF THE DOCUMENT OR THE PERFORMANCE OR IMPLEMENTATION OF THE CONTENTS THEREOF.

The name and trademarks of the copyright holders or the Eclipse Foundation may NOT be used in advertising or publicity pertaining to this document or its contents without specific, written prior permission. Title to copyright in this document will at all times remain with copyright holders.

# Notices for Jakarta Activation

This content is produced and maintained by Jakarta Activation project.

\* Project home: <https://projects.eclipse.org/projects/ee4j.jaf>

## Copyright

All content is the property of the respective authors or their employers. For more information regarding authorship of content, please consult the listed source code repository logs.

## Declared Project Licenses

This program and the accompanying materials are made available under the terms of the Eclipse Distribution License v. 1.0, which is available at <http://www.eclipse.org/org/documents/edl-v10.php>.

SPDX-License-Identifier: BSD-3-Clause

## Source Code

The project maintains the following source code repositories:

\* <https://github.com/eclipse-ee4j/jaf>

## ## Third-party Content

This project leverages the following third party content.

JUnit (4.12)

\* License: Eclipse Public License

# 1.87 xml-path 4.3.3

## 1.87.1 Available under license :

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2019 the original author or authors.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1340076242\_1654622374.085916/0/xml-path-4-3-3-sources-3-jar/io/restassured/internal/path/xml/NodeImpl.groovy

\* /opt/cola/permits/1340076242\_1654622374.085916/0/xml-path-4-3-3-sources-3-jar/io/restassured/internal/path/xml/XmlPrettifier.groovy

\* /opt/cola/permits/1340076242\_1654622374.085916/0/xml-path-4-3-3-sources-3-jar/io/restassured/path/xml/config/XmlPathConfig.java

\* /opt/cola/permits/1340076242\_1654622374.085916/0/xml-path-4-3-3-sources-3-jar/io/restassured/path/xml/mapper/factory/DefaultJAXBObjectMapperFactory.java

\* /opt/cola/permits/1340076242\_1654622374.085916/0/xml-path-4-3-3-sources-3-jar/io/restassured/path/xml/config/XmlParserType.java

\* /opt/cola/permits/1340076242\_1654622374.085916/0/xml-path-4-3-3-sources-3-jar/io/restassured/internal/path/xml/mapping/XmlPathJaxbObjectDeserializer.groovy

\* /opt/cola/permits/1340076242\_1654622374.085916/0/xml-path-4-3-3-sources-3-jar/io/restassured/internal/path/xml/XmlRenderer.groovy

\* /opt/cola/permits/1340076242\_1654622374.085916/0/xml-path-4-3-3-sources-3-jar/io/restassured/internal/path/xml/GroovyNodeSerializer.groovy

\* /opt/cola/permits/1340076242\_1654622374.085916/0/xml-path-4-3-3-sources-3-

jar/io/restassured/internal/path/xml/NodeBase.groovy  
\* /opt/cola/permits/1340076242\_1654622374.085916/0/xml-path-4-3-3-sources-3-  
jar/io/restassured/path/xml/mapper/factory/JAXBObjectMapperFactory.java  
\* /opt/cola/permits/1340076242\_1654622374.085916/0/xml-path-4-3-3-sources-3-  
jar/io/restassured/path/xml/mapping/XmlPathObjectDeserializer.java  
\* /opt/cola/permits/1340076242\_1654622374.085916/0/xml-path-4-3-3-sources-3-  
jar/io/restassured/path/xml/XmlPath.java  
\* /opt/cola/permits/1340076242\_1654622374.085916/0/xml-path-4-3-3-sources-3-  
jar/io/restassured/path/xml/element/Node.java  
\* /opt/cola/permits/1340076242\_1654622374.085916/0/xml-path-4-3-3-sources-3-  
jar/io/restassured/internal/path/xml/NodeChildrenImpl.groovy  
\* /opt/cola/permits/1340076242\_1654622374.085916/0/xml-path-4-3-3-sources-3-  
jar/io/restassured/path/xml/exception/XmlPathException.java  
\* /opt/cola/permits/1340076242\_1654622374.085916/0/xml-path-4-3-3-sources-3-  
jar/io/restassured/internal/path/xml/XMLAssertion.groovy  
\* /opt/cola/permits/1340076242\_1654622374.085916/0/xml-path-4-3-3-sources-3-  
jar/io/restassured/internal/path/xml/mapping/XmlObjectDeserializer.groovy  
\* /opt/cola/permits/1340076242\_1654622374.085916/0/xml-path-4-3-3-sources-3-  
jar/io/restassured/path/xml/element/PathElement.java  
\* /opt/cola/permits/1340076242\_1654622374.085916/0/xml-path-4-3-3-sources-3-  
jar/io/restassured/path/xml/element/NodeChildren.java

## 1.88 metrics-integration-for-logback 4.1.25

### 1.88.1 Available under license :

No license file was found, but licenses were detected in source scan.

Manifest-Version: 1.0  
Automatic-Module-Name: com.codahale.metrics.logback  
Build-Jdk: 1.8.0\_292  
Built-By: runner  
Bundle-Description: An instrumented appender for Logback.  
Bundle-License: <https://www.apache.org/licenses/LICENSE-2.0.html>  
Bundle-ManifestVersion: 2  
Bundle-Name: Metrics Integration for Logback  
Bundle-SymbolicName: io.dropwizard.metrics.logback  
Bundle-Version: 4.1.25  
Created-By: Apache Maven Bundle Plugin  
Export-Package: com.codahale.metrics.logback;uses:="ch.qos.logback.classic.spi,ch.qos.logback.core,com.codahale.metrics";version="4.1.25"  
Implementation-Title: Metrics Integration for Logback  
Implementation-URL: <https://metrics.dropwizard.io/metrics-logback>  
Implementation-Vendor-Id: io.dropwizard.metrics  
Implementation-Version: 4.1.25  
Import-Package: ch.qos.logback.classic;version="[1.2,2)",ch.qos.logback.classic.spi;version="[1.2,2)",ch.qos.logback.core;version="[1.2,2)",com.codahale.metrics;version="[4.1,5)"



Private-Package: com.codahale.metrics.logback  
Require-Capability: osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=1.8))"  
Tool: Bnd-5.1.1.202006162103

Found in path(s):

\* /opt/cola/permits/1300427995\_1649177643.65/0/metrics-logback-4-1-25-jar/META-INF/MANIFEST.MF

## 1.89 swagger-parser-v2-converter 2.0.26

### 1.89.1 Available under license :

Apache-2.0

## 1.90 apache-http-client 4.5.13

### 1.90.1 Available under license :

Apache HttpComponents Client  
Copyright 1999-2020 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

#### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

##### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,

including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual,

worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.
6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. **Disclaimer of Warranty.** Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. **Limitation of Liability.** In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. **Accepting Warranty or Additional Liability.** While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf

of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

=====

This project includes Public Suffix List copied from  
<[https://publicsuffix.org/list/effective\\_tld\\_names.dat](https://publicsuffix.org/list/effective_tld_names.dat)>  
licensed under the terms of the Mozilla Public License, v. 2.0

Full license text: <<http://mozilla.org/MPL/2.0/>>

Mozilla Public License Version 2.0

=====

### 1. Definitions

-----

#### 1.1. "Contributor"

means each individual or legal entity that creates, contributes to the creation of, or owns Covered Software.

#### 1.2. "Contributor Version"

means the combination of the Contributions of others (if any) used by a Contributor and that particular Contributor's Contribution.

#### 1.3. "Contribution"

means Covered Software of a particular Contributor.

#### 1.4. "Covered Software"

means Source Code Form to which the initial Contributor has attached the notice in Exhibit A, the Executable Form of such Source Code Form, and Modifications of such Source Code Form, in each case including portions thereof.

#### 1.5. "Incompatible With Secondary Licenses"

means

(a) that the initial Contributor has attached the notice described in Exhibit B to the Covered Software; or

(b) that the Covered Software was made available under the terms of version 1.1 or earlier of the License, but not also under the terms of a Secondary License.

1.6. "Executable Form"

means any form of the work other than Source Code Form.

1.7. "Larger Work"

means a work that combines Covered Software with other material, in a separate file or files, that is not Covered Software.

1.8. "License"

means this document.

1.9. "Licensable"

means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently, any and all of the rights conveyed by this License.

1.10. "Modifications"

means any of the following:

(a) any file in Source Code Form that results from an addition to, deletion from, or modification of the contents of Covered Software; or

(b) any new file in Source Code Form that contains any Covered Software.

1.11. "Patent Claims" of a Contributor

means any patent claim(s), including without limitation, method, process, and apparatus claims, in any patent Licensable by such Contributor that would be infringed, but for the grant of the License, by the making, using, selling, offering for sale, having made, import, or transfer of either its Contributions or its Contributor Version.

1.12. "Secondary License"

means either the GNU General Public License, Version 2.0, the GNU Lesser General Public License, Version 2.1, the GNU Affero General Public License, Version 3.0, or any later versions of those licenses.

1.13. "Source Code Form"

means the form of the work preferred for making modifications.

1.14. "You" (or "Your")

means an individual or a legal entity exercising rights under this License. For legal entities, "You" includes any entity that controls, is controlled by, or is under common control with You. For purposes of this definition, "control" means (a) the power, direct or indirect, to cause the direction or management of such entity,

whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

## 2. License Grants and Conditions

-----

### 2.1. Grants

Each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

- (a) under intellectual property rights (other than patent or trademark) Licensable by such Contributor to use, reproduce, make available, modify, display, perform, distribute, and otherwise exploit its Contributions, either on an unmodified basis, with Modifications, or as part of a Larger Work; and
- (b) under Patent Claims of such Contributor to make, use, sell, offer for sale, have made, import, and otherwise transfer either its Contributions or its Contributor Version.

### 2.2. Effective Date

The licenses granted in Section 2.1 with respect to any Contribution become effective for each Contribution on the date the Contributor first distributes such Contribution.

### 2.3. Limitations on Grant Scope

The licenses granted in this Section 2 are the only rights granted under this License. No additional rights or licenses will be implied from the distribution or licensing of Covered Software under this License. Notwithstanding Section 2.1(b) above, no patent license is granted by a Contributor:

- (a) for any code that a Contributor has removed from Covered Software; or
- (b) for infringements caused by: (i) Your and any other third party's modifications of Covered Software, or (ii) the combination of its Contributions with other software (except as part of its Contributor Version); or
- (c) under Patent Claims infringed by Covered Software in the absence of its Contributions.

This License does not grant any rights in the trademarks, service marks,

or logos of any Contributor (except as may be necessary to comply with the notice requirements in Section 3.4).

#### 2.4. Subsequent Licenses

No Contributor makes additional grants as a result of Your choice to distribute the Covered Software under a subsequent version of this License (see Section 10.2) or under the terms of a Secondary License (if permitted under the terms of Section 3.3).

#### 2.5. Representation

Each Contributor represents that the Contributor believes its Contributions are its original creation(s) or it has sufficient rights to grant the rights to its Contributions conveyed by this License.

#### 2.6. Fair Use

This License is not intended to limit any rights You have under applicable copyright doctrines of fair use, fair dealing, or other equivalents.

#### 2.7. Conditions

Sections 3.1, 3.2, 3.3, and 3.4 are conditions of the licenses granted in Section 2.1.

### 3. Responsibilities

-----

#### 3.1. Distribution of Source Form

All distribution of Covered Software in Source Code Form, including any Modifications that You create or to which You contribute, must be under the terms of this License. You must inform recipients that the Source Code Form of the Covered Software is governed by the terms of this License, and how they can obtain a copy of this License. You may not attempt to alter or restrict the recipients' rights in the Source Code Form.

#### 3.2. Distribution of Executable Form

If You distribute Covered Software in Executable Form then:

- (a) such Covered Software must also be made available in Source Code Form, as described in Section 3.1, and You must inform recipients of the Executable Form how they can obtain a copy of such Source Code Form by reasonable means in a timely manner, at a charge no more



than the cost of distribution to the recipient; and

(b) You may distribute such Executable Form under the terms of this License, or sublicense it under different terms, provided that the license for the Executable Form does not attempt to limit or alter the recipients' rights in the Source Code Form under this License.

### 3.3. Distribution of a Larger Work

You may create and distribute a Larger Work under terms of Your choice, provided that You also comply with the requirements of this License for the Covered Software. If the Larger Work is a combination of Covered Software with a work governed by one or more Secondary Licenses, and the Covered Software is not Incompatible With Secondary Licenses, this License permits You to additionally distribute such Covered Software under the terms of such Secondary License(s), so that the recipient of the Larger Work may, at their option, further distribute the Covered Software under the terms of either this License or such Secondary License(s).

### 3.4. Notices

You may not remove or alter the substance of any license notices (including copyright notices, patent notices, disclaimers of warranty, or limitations of liability) contained within the Source Code Form of the Covered Software, except that You may alter any license notices to the extent required to remedy known factual inaccuracies.

### 3.5. Application of Additional Terms

You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, You may do so only on Your own behalf, and not on behalf of any Contributor. You must make it absolutely clear that any such warranty, support, indemnity, or liability obligation is offered by You alone, and You hereby agree to indemnify every Contributor for any liability incurred by such Contributor as a result of warranty, support, indemnity or liability terms You offer. You may include additional disclaimers of warranty and limitations of liability specific to any jurisdiction.

## 4. Inability to Comply Due to Statute or Regulation

-----  
If it is impossible for You to comply with any of the terms of this License with respect to some or all of the Covered Software due to statute, judicial order, or regulation then You must: (a) comply with the terms of this License to the maximum extent possible; and (b)

describe the limitations and the code they affect. Such description must be placed in a text file included with all distributions of the Covered Software under this License. Except to the extent prohibited by statute or regulation, such description must be sufficiently detailed for a recipient of ordinary skill to be able to understand it.

## 5. Termination

-----

5.1. The rights granted under this License will terminate automatically if You fail to comply with any of its terms. However, if You become compliant, then the rights granted under this License from a particular Contributor are reinstated (a) provisionally, unless and until such Contributor explicitly and finally terminates Your grants, and (b) on an ongoing basis, if such Contributor fails to notify You of the non-compliance by some reasonable means prior to 60 days after You have come back into compliance. Moreover, Your grants from a particular Contributor are reinstated on an ongoing basis if such Contributor notifies You of the non-compliance by some reasonable means, this is the first time You have received notice of non-compliance with this License from such Contributor, and You become compliant prior to 30 days after Your receipt of the notice.

5.2. If You initiate litigation against any entity by asserting a patent infringement claim (excluding declaratory judgment actions, counter-claims, and cross-claims) alleging that a Contributor Version directly or indirectly infringes any patent, then the rights granted to You by any and all Contributors for the Covered Software under Section 2.1 of this License shall terminate.

5.3. In the event of termination under Sections 5.1 or 5.2 above, all end user license agreements (excluding distributors and resellers) which have been validly granted by You or Your distributors under this License prior to termination shall survive termination.

\*\*\*\*\*

```
*
*
* 6. Disclaimer of Warranty
* -----
*
* Covered Software is provided under this License on an "as is"
* basis, without warranty of any kind, either expressed, implied, or
* statutory, including, without limitation, warranties that the
* Covered Software is free of defects, merchantable, fit for a
* particular purpose or non-infringing. The entire risk as to the
* quality and performance of the Covered Software is with You.
* Should any Covered Software prove defective in any respect, You
* (not any Contributor) assume the cost of any necessary servicing,
```

\* repair, or correction. This disclaimer of warranty constitutes an \*  
\* essential part of this License. No use of any Covered Software is \*  
\* authorized under this License except under this disclaimer. \*  
\* \*  
\*\*\*\*\*

\*\*\*\*\*

\* \*  
\* 7. Limitation of Liability \*  
\* ----- \*  
\* \*  
\* Under no circumstances and under no legal theory, whether tort \*  
\* (including negligence), contract, or otherwise, shall any \*  
\* Contributor, or anyone who distributes Covered Software as \*  
\* permitted above, be liable to You for any direct, indirect, \*  
\* special, incidental, or consequential damages of any character \*  
\* including, without limitation, damages for lost profits, loss of \*  
\* goodwill, work stoppage, computer failure or malfunction, or any \*  
\* and all other commercial damages or losses, even if such party \*  
\* shall have been informed of the possibility of such damages. This \*  
\* limitation of liability shall not apply to liability for death or \*  
\* personal injury resulting from such party's negligence to the \*  
\* extent applicable law prohibits such limitation. Some \*  
\* jurisdictions do not allow the exclusion or limitation of \*  
\* incidental or consequential damages, so this exclusion and \*  
\* limitation may not apply to You. \*  
\* \*  
\*\*\*\*\*

8. Litigation  
-----

Any litigation relating to this License may be brought only in the courts of a jurisdiction where the defendant maintains its principal place of business and such litigation shall be governed by laws of that jurisdiction, without reference to its conflict-of-law provisions. Nothing in this Section shall prevent a party's ability to bring cross-claims or counter-claims.

9. Miscellaneous  
-----

This License represents the complete agreement concerning the subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not be used to construe this License against a Contributor.

## 10. Versions of the License

-----

### 10.1. New Versions

Mozilla Foundation is the license steward. Except as provided in Section 10.3, no one other than the license steward has the right to modify or publish new versions of this License. Each version will be given a distinguishing version number.

### 10.2. Effect of New Versions

You may distribute the Covered Software under the terms of the version of the License under which You originally received the Covered Software, or under the terms of any subsequent version published by the license steward.

### 10.3. Modified Versions

If you create software not governed by this License, and you want to create a new license for such software, you may create and use a modified version of this License if you rename the license and remove any references to the name of the license steward (except to note that such modified license differs from this License).

### 10.4. Distributing Source Code Form that is Incompatible With Secondary Licenses

If You choose to distribute Source Code Form that is Incompatible With Secondary Licenses under the terms of this version of the License, the notice described in Exhibit B of this License must be attached.

#### Exhibit A - Source Code Form License Notice

-----

This Source Code Form is subject to the terms of the Mozilla Public License, v. 2.0. If a copy of the MPL was not distributed with this file, You can obtain one at <http://mozilla.org/MPL/2.0/>.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.

#### Exhibit B - "Incompatible With Secondary Licenses" Notice

---

This Source Code Form is "Incompatible With Secondary Licenses", as defined by the Mozilla Public License, v. 2.0.

# 1.91 scala v2.12.14

## 1.91.1 Available under license :

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed

with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate



comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Scala

Copyright (c) 2002-2021 EPFL

Copyright (c) 2011-2021 Lightbend, Inc.

Scala includes software developed at  
LAMP/EPFL (<https://lamp.epfl.ch/>) and  
Lightbend, Inc. (<https://www.lightbend.com/>).

Licensed under the Apache License, Version 2.0 (the "License").  
Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

This software includes projects with other licenses -- see `doc/LICENSE.md`.

## 1.92 kqueue 4.1.73.Final

### 1.92.1 Available under license :

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2016 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License,

\* version 2.0 (the "License"); you may not use this file except in compliance

\* with the License. You may obtain a copy of the License at:

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1290493667\_1647560275.22/0/netty-transport-native-kqueue-4-1-73-final-sources-jar/netty\_kqueue\_bsdsocket.c  
\* /opt/cola/permits/1290493667\_1647560275.22/0/netty-transport-native-kqueue-4-1-73-final-sources-jar/netty\_kqueue\_native.c  
\* /opt/cola/permits/1290493667\_1647560275.22/0/netty-transport-native-kqueue-4-1-73-final-sources-jar/netty\_kqueue\_eventarray.h  
\* /opt/cola/permits/1290493667\_1647560275.22/0/netty-transport-native-kqueue-4-1-73-final-sources-jar/netty\_kqueue\_eventarray.c  
\* /opt/cola/permits/1290493667\_1647560275.22/0/netty-transport-native-kqueue-4-1-73-final-sources-jar/netty\_kqueue\_bsdsocket.h

No license file was found, but licenses were detected in source scan.

~ Copyright 2016 The Netty Project

~

~ The Netty Project licenses this file to you under the Apache License,  
~ version 2.0 (the "License"); you may not use this file except in compliance  
~ with the License. You may obtain a copy of the License at:

~

~ <https://www.apache.org/licenses/LICENSE>

2.0

~

~ Unless required by applicable law or agreed to in writing, software  
~ distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
~ WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
~ License for the specific language governing permissions and limitations  
~ under the License.

Found in path(s):

\* /opt/cola/permits/1290493667\_1647560275.22/0/netty-transport-native-kqueue-4-1-73-final-sources-jar/META-INF/maven/io.netty/netty-transport-native-kqueue/pom.xml

## 1.93 kotlin-stdlib-common 1.6.10

### 1.93.1 Available under license :

Apache-2.0

# 1.94 io-grpc-grpc-protobuf 1.39.0

## 1.94.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2017 The gRPC Authors
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1183891218_1655096184.4932175/0/grpc-protobuf-1-39-0-sources-1-
jar/io/grpc/protobuf/package-info.java
* /opt/cola/permits/1183891218_1655096184.4932175/0/grpc-protobuf-1-39-0-sources-1-
jar/io/grpc/protobuf/StatusProto.java
* /opt/cola/permits/1183891218_1655096184.4932175/0/grpc-protobuf-1-39-0-sources-1-
jar/io/grpc/protobuf/ProtoMethodDescriptorSupplier.java
* /opt/cola/permits/1183891218_1655096184.4932175/0/grpc-protobuf-1-39-0-sources-1-
jar/io/grpc/protobuf/ProtoServiceDescriptorSupplier.java
```

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2014 The gRPC Authors
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

\* /opt/cola/permits/1183891218\_1655096184.4932175/0/grpc-protobuf-1-39-0-sources-1-jar/io/grpc/protobuf/ProtoUtils.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2016 The gRPC Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1183891218\_1655096184.4932175/0/grpc-protobuf-1-39-0-sources-1-jar/io/grpc/protobuf/ProtoFileDescriptorSupplier.java

## 1.95 wire-protocol-buffer-runtime 3.6.0

### 1.95.1 Available under license :

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2016 Square Inc.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1340031473\_1654666144.907512/0/wire-runtime-3-6-0-sources-jar/jvmMain/com/squareup/wire/EnumAdapter.kt

\* /opt/cola/permits/1340031473\_1654666144.907512/0/wire-runtime-3-6-0-sources-jar/jvmMain/com/squareup/wire/AndroidMessage.kt

\* /opt/cola/permits/1340031473\_1654666144.907512/0/wire-runtime-3-6-0-sources-jar/commonMain/com/squareup/wire/EnumAdapter.kt

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2019 Square, Inc.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1340031473\_1654666144.907512/0/wire-runtime-3-6-0-sources-jar/commonMain/com/squareup/wire/internal/Util.kt

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2020 Square Inc.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1340031473\_1654666144.907512/0/wire-runtime-3-6-0-sources-

jar/commonMain/com/squareup/wire/OneOf.kt  
\* /opt/cola/permits/1340031473\_1654666144.907512/0/wire-runtime-3-6-0-sources-  
jar/commonMain/com/squareup/wire/Instant.kt  
\* /opt/cola/permits/1340031473\_1654666144.907512/0/wire-runtime-3-6-0-sources-  
jar/jvmMain/com/squareup/wire/Duration.kt  
\* /opt/cola/permits/1340031473\_1654666144.907512/0/wire-runtime-3-6-0-sources-  
jar/jvmMain/com/squareup/wire/internal/EnumJsonFormatter.kt  
\* /opt/cola/permits/1340031473\_1654666144.907512/0/wire-runtime-3-6-0-sources-  
jar/commonMain/com/squareup/wire/WireEnumConstant.kt  
\* /opt/cola/permits/1340031473\_1654666144.907512/0/wire-runtime-3-6-0-sources-  
jar/commonMain/com/squareup/wire/Duration.kt  
\* /opt/cola/permits/1340031473\_1654666144.907512/0/wire-runtime-3-6-0-sources-  
jar/jvmMain/com/squareup/wire/Instant.kt  
\* /opt/cola/permits/1340031473\_1654666144.907512/0/wire-runtime-3-6-0-sources-  
jar/jvmMain/com/squareup/wire/internal/DurationJsonFormatter.kt  
\* /opt/cola/permits/1340031473\_1654666144.907512/0/wire-runtime-3-6-0-sources-  
jar/jvmMain/com/squareup/wire/internal/JsonFormatter.kt  
\* /opt/cola/permits/1340031473\_1654666144.907512/0/wire-runtime-3-6-0-sources-  
jar/commonMain/com/squareup/wire/Syntax.kt  
\* /opt/cola/permits/1340031473\_1654666144.907512/0/wire-runtime-3-6-0-sources-  
jar/jvmMain/com/squareup/wire/internal/InstantJsonFormatter.kt  
\* /opt/cola/permits/1340031473\_1654666144.907512/0/wire-runtime-3-6-0-sources-  
jar/commonMain/com/squareup/wire/AnyMessage.kt  
\* /opt/cola/permits/1340031473\_1654666144.907512/0/wire-runtime-3-6-0-sources-  
jar/jvmMain/com/squareup/wire/internal/JsonIntegration.kt  
No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (c) 2016, the R8 project authors.  
\* All rights reserved.  
\*  
\* Redistribution and use in source and binary forms, with or without  
\* modification, are permitted provided that the following conditions are met:  
\*  
\* \* Redistributions of source code must retain the above copyright notice, this  
\* list of conditions and the following disclaimer.  
\*  
\* \* Redistributions in binary form must reproduce the above copyright notice,  
\* this list of conditions and the following disclaimer in the documentation  
\* and/or other materials provided with the distribution.  
\*  
\* \* Neither the name of Google Inc. nor the names of its  
\* contributors may be used to endorse or promote products derived from  
\* this software without specific prior written permission.  
\*  
\* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS"  
\* AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE  
\* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE

\* DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE  
\* FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL  
\* DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR  
\* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER  
\* CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,  
\* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE  
\* OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.  
\*/

Found in path(s):

\*/opt/cola/permits/1340031473\_1654666144.907512/0/wire-runtime-3-6-0-sources-  
jar/commonMain/com/squareup/wire/internal/MathMethods.kt

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2013 Square Inc.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

// Copyright 2013 Google Inc. All rights reserved.

// Redistribution and use in source and binary forms, with or without

// modification, are permitted provided that the following conditions are

// \* Redistributions of source code must retain the above copyright

// notice, this list of conditions and the following disclaimer.

// \* Redistributions in binary form must reproduce the above

// copyright notice, this list of conditions and the following disclaimer

// in the documentation and/or other materials provided with the

// \* Neither the name of Google Inc. nor the names of its

// this software without specific prior written permission.

Found in path(s):

\*/opt/cola/permits/1340031473\_1654666144.907512/0/wire-runtime-3-6-0-sources-  
jar/commonMain/com/squareup/wire/ProtoWriter.kt

No license file was found, but licenses were detected in source scan.

// Copyright 2013 Google Inc. All rights reserved.

// Redistribution and use in source and binary forms, with or without

// modification, are permitted provided that the following conditions are

```
// * Redistributions of source code must retain the above copyright
// notice, this list of conditions and the following disclaimer.
// * Redistributions in binary form must reproduce the above
// copyright notice, this list of conditions and the following disclaimer
// in the documentation and/or other materials provided with the
// * Neither the name of Google Inc. nor the names of its
// this software without specific prior written permission.
```

Found in path(s):

```
* /opt/cola/permits/1340031473_1654666144.907512/0/wire-runtime-3-6-0-sources-
jar/commonMain/com/squareup/wire/ProtoReader.kt
```

No license file was found, but licenses were detected in source scan.

```
/*
```

```
* Copyright 2015 Square Inc.
```

```
*
```

```
* Licensed under the Apache License, Version 2.0 (the "License");
```

```
* you may not use this file except in compliance with the License.
```

```
* You may obtain a copy of the License at
```

```
*
```

```
* http://www.apache.org/licenses/LICENSE-2.0
```

```
*
```

```
* Unless required by applicable law or agreed to in writing, software
```

```
* distributed under the License is distributed on an "AS IS" BASIS,
```

```
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
```

```
* See the License for the specific language governing permissions and
```

```
* limitations under the License.
```

```
*/
```

Found in path(s):

```
* /opt/cola/permits/1340031473_1654666144.907512/0/wire-runtime-3-6-0-sources-
jar/commonMain/com/squareup/wire/internal/MutableOnWriteList.kt
```

```
* /opt/cola/permits/1340031473_1654666144.907512/0/wire-runtime-3-6-0-sources-
jar/jvmMain/com/squareup/wire/internal/FieldBinding.kt
```

```
* /opt/cola/permits/1340031473_1654666144.907512/0/wire-runtime-3-6-0-sources-
jar/commonMain/com/squareup/wire/ProtoAdapter.kt
```

```
* /opt/cola/permits/1340031473_1654666144.907512/0/wire-runtime-3-6-0-sources-
jar/jvmMain/com/squareup/wire/ProtoAdapter.kt
```

```
* /opt/cola/permits/1340031473_1654666144.907512/0/wire-runtime-3-6-0-sources-
jar/jvmMain/com/squareup/wire/MessageSerializedForm.kt
```

No license file was found, but licenses were detected in source scan.

```
/*
```

```
* Copyright 2019 Square Inc.
```

```
*
```

```
* Licensed under the Apache License, Version 2.0 (the "License");
```

```
* you may not use this file except in compliance with the License.
```

```
* You may obtain a copy of the License at
```



\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1340031473\_1654666144.907512/0/wire-runtime-3-6-0-sources-jar/commonMain/com/squareup/wire/internal/Internal.kt  
\* /opt/cola/permits/1340031473\_1654666144.907512/0/wire-runtime-3-6-0-sources-jar/commonMain/com/squareup/wire/MessageSink.kt  
\* /opt/cola/permits/1340031473\_1654666144.907512/0/wire-runtime-3-6-0-sources-jar/jvmMain/com/squareup/wire/internal/-Platform.kt  
\* /opt/cola/permits/1340031473\_1654666144.907512/0/wire-runtime-3-6-0-sources-jar/commonMain/com/squareup/wire/WireRpc.kt  
\* /opt/cola/permits/1340031473\_1654666144.907512/0/wire-runtime-3-6-0-sources-jar/commonMain/com/squareup/wire/Service.kt  
\* /opt/cola/permits/1340031473\_1654666144.907512/0/wire-runtime-3-6-0-sources-jar/jvmMain/com/squareup/wire/MessageSink.kt  
\* /opt/cola/permits/1340031473\_1654666144.907512/0/wire-runtime-3-6-0-sources-jar/commonMain/com/squareup/wire/internal/-Platform.kt  
\* /opt/cola/permits/1340031473\_1654666144.907512/0/wire-runtime-3-6-0-sources-jar/jvmMain/com/squareup/wire/MessageSource.kt  
\* /opt/cola/permits/1340031473\_1654666144.907512/0/wire-runtime-3-6-0-sources-jar/commonMain/com/squareup/wire/MessageSource.kt

No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright 2013 Square Inc.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1340031473\_1654666144.907512/0/wire-runtime-3-6-0-sources-jar/jvmMain/com/squareup/wire/RuntimeEnumAdapter.kt  
\* /opt/cola/permits/1340031473\_1654666144.907512/0/wire-runtime-3-6-0-sources-jar/jvmMain/com/squareup/wire/internal/RuntimeMessageAdapter.kt  
\* /opt/cola/permits/1340031473\_1654666144.907512/0/wire-runtime-3-6-0-sources-jar/commonMain/com/squareup/wire/FieldEncoding.kt  
\* /opt/cola/permits/1340031473\_1654666144.907512/0/wire-runtime-3-6-0-sources-jar/jvmMain/com/squareup/wire/Message.kt  
\* /opt/cola/permits/1340031473\_1654666144.907512/0/wire-runtime-3-6-0-sources-jar/commonMain/com/squareup/wire/internal/ImmutableList.kt  
\* /opt/cola/permits/1340031473\_1654666144.907512/0/wire-runtime-3-6-0-sources-jar/jvmMain/com/squareup/wire/internal/InternalJvm.kt  
\* /opt/cola/permits/1340031473\_1654666144.907512/0/wire-runtime-3-6-0-sources-jar/commonMain/com/squareup/wire/WireEnum.kt  
\* /opt/cola/permits/1340031473\_1654666144.907512/0/wire-runtime-3-6-0-sources-jar/commonMain/com/squareup/wire/Message.kt  
\* /opt/cola/permits/1340031473\_1654666144.907512/0/wire-runtime-3-6-0-sources-jar/commonMain/com/squareup/wire/WireField.kt  
\* /opt/cola/permits/1340031473\_1654666144.907512/0/wire-runtime-3-6-0-sources-jar/jvmMain/com/squareup/wire/Wire.kt

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2021 Square Inc.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1340031473\_1654666144.907512/0/wire-runtime-3-6-0-sources-jar/jvmMain/com/squareup/wire/internal/OneOfBinding.kt

\* /opt/cola/permits/1340031473\_1654666144.907512/0/wire-runtime-3-6-0-sources-jar/jvmMain/com/squareup/wire/internal/FieldOrOneOfBinding.kt

## 1.96 jersey-ext-entity-filtering 2.31

## 1.96.1 Available under license :

### # Notice for Jersey

This content is produced and maintained by the Eclipse Jersey project.

\* Project home: <https://projects.eclipse.org/projects/ee4j.jersey>

### ## Trademarks

Eclipse Jersey is a trademark of the Eclipse Foundation.

### ## Copyright

All content is the property of the respective authors or their employers. For more information regarding authorship of content, please consult the listed source code repository logs.

### ## Declared Project Licenses

This program and the accompanying materials are made available under the terms of the Eclipse Public License v. 2.0 which is available at <http://www.eclipse.org/legal/epl-2.0>. This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License v. 2.0 are satisfied: GNU General Public License, version 2 with the GNU Classpath Exception which is available at <https://www.gnu.org/software/classpath/license.html>.

SPDX-License-Identifier: EPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0

### ## Source Code

The project maintains the following source code repositories:

\* <https://github.com/eclipse-ee4j/jersey>

### ## Third-party Content

#### Angular JS, v1.6.6

\* License MIT (<http://www.opensource.org/licenses/mit-license.php>)

\* Project: <http://angularjs.org>

\* Copyright: (c) 2010-2017 Google, Inc.

#### aopalliance Version 1

\* License: all the source code provided by AOP Alliance is Public Domain.

\* Project: <http://aopalliance.sourceforge.net>

\* Copyright: Material in the public domain is not protected by copyright

#### Bean Validation API 2.0.2

\* License: Apache License, 2.0

\* Project: <http://beanvalidation.org/1.1/>

\* Copyright: 2009, Red Hat, Inc. and/or its affiliates, and individual contributors

\* by the @authors tag.

Hibernate Validator CDI, 6.1.2.Final

\* License: Apache License, 2.0

\* Project: <https://beanvalidation.org/>

\* Repackaged in org.glassfish.jersey.server.validation.internal.hibernate

Bootstrap v3.3.7

\* License: MIT license (<https://github.com/twbs/bootstrap/blob/master/LICENSE>)

\* Project: <http://getbootstrap.com>

\* Copyright: 2011-2016 Twitter, Inc

Google Guava Version 18.0

\* License: Apache License, 2.0

\* Copyright (C) 2009 The Guava Authors

javax.inject Version: 1

\* License: Apache License, 2.0

\* Copyright (C) 2009 The JSR-330 Expert Group

Javassist Version 3.25.0-GA

\* License: Apache License, 2.0

\* Project: <http://www.javassist.org/>

\* Copyright (C) 1999- Shigeru Chiba. All Rights Reserved.

Jackson JAX-RS Providers Version 2.10.1

\* License: Apache License, 2.0

\* Project: <https://github.com/FasterXML/jackson-jaxrs-providers>

\* Copyright: (c) 2009-2011 FasterXML, LLC. All rights reserved unless otherwise indicated.

jQuery v1.12.4

\* License: [jquery.org/license](http://jquery.org/license)

\* Project: [jquery.org](http://jquery.org)

\* Copyright: (c) jQuery Foundation

jQuery Barcode plugin 0.3

\* License: MIT & GPL (<http://www.opensource.org/licenses/mit-license.php> & <http://www.gnu.org/licenses/gpl.html>)

\* Project: <http://www.pasella.it/projects/jquery/barcode>

\* Copyright: (c) 2009 Antonello Pasella [antonello.pasella@gmail.com](mailto:antonello.pasella@gmail.com)

JSR-166 Extension - JEP 266

\* License: CC0

\* No copyright

\* Written by Doug Lea with assistance from members of JCP JSR-166 Expert Group and released to the public domain, as explained at <http://creativecommons.org/publicdomain/zero/1.0/>

KineticJS, v4.7.1

- \* License: MIT license (<http://www.opensource.org/licenses/mit-license.php>)
- \* Project: <http://www.kineticjs.com>, <https://github.com/ericdrowell/KineticJS>
- \* Copyright: Eric Rowell

org.objectweb.asm Version 8.0

- \* License: Modified BSD (<http://asm.objectweb.org/license.html>)
- \* Copyright (c) 2000-2011 INRIA, France Telecom. All rights reserved.

org.osgi.core version 6.0.0

- \* License: Apache License, 2.0
- \* Copyright (c) OSGi Alliance (2005, 2008). All Rights Reserved.

org.glassfish.jersey.server.internal.monitoring.core

- \* License: Apache License, 2.0
- \* Copyright (c) 2015-2018 Oracle and/or its affiliates. All rights reserved.
- \* Copyright 2010-2013 Coda Hale and Yammer, Inc.

W3.org documents

- \* License: W3C License
- \* Copyright: Copyright (c) 1994-2001 World Wide Web Consortium, (Massachusetts Institute of Technology, Institut National de Recherche en Informatique et en Automatique, Keio University). All Rights Reserved.  
<http://www.w3.org/Consortium/Legal/>
- # Eclipse Public License - v 2.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

## 1. DEFINITIONS

"Contribution" means:

a) in the case of the initial Contributor, the initial content Distributed under this Agreement, and

b) in the case of each subsequent Contributor:

- i) changes to the Program, and
- ii) additions to the Program;

where such changes and/or additions to the Program originate from and are Distributed by that particular Contributor. A Contribution "originates" from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include changes or additions to the Program that are not Modified Works.

"Contributor" means any person or entity that Distributes the Program.

"Licensed Patents" mean patent claims licensable by a Contributor which

are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions Distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement or any Secondary License (as applicable), including Contributors.

"Derivative Works" shall mean any work, whether in Source Code or other form, that is based on (or derived from) the Program and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship.

"Modified Works" shall mean any work in Source Code or other form that results from an addition to, deletion from, or modification of the contents of the Program, including, for purposes of clarity any new file in Source Code form that contains any contents of the Program. Modified Works shall not include works that contain only declarations, interfaces, types, classes, structures, or files of the Program solely in each case in order to link to, bind by name, or subclass the Program or Modified Works thereof.

"Distribute" means the acts of a) distributing or b) making available in any manner that enables the transfer of a copy.

"Source Code" means the form of a Program preferred for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Secondary License" means either the GNU General Public License, Version 2.0, or any later versions of that license, including any exceptions or additional permissions as identified by the initial Contributor.

## 2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, Distribute and sublicense the Contribution of such Contributor, if any, and such Derivative Works.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in Source Code or other form. This patent license shall

apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to Distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

e) Notwithstanding the terms of any Secondary License, no Contributor makes additional grants to any Recipient (other than those set forth in this Agreement) as a result of such Recipient's receipt of the Program under the terms of a Secondary License (if permitted under the terms of Section 3).

### 3. REQUIREMENTS

3.1 If a Contributor Distributes the Program in any form, then:

a) the Program must also be made available as Source Code, in accordance with section 3.2, and the Contributor must accompany the Program with a statement that the Source Code for the Program is available under this Agreement, and informs Recipients how to obtain it in a reasonable manner on or through a medium customarily used for software exchange; and

b) the Contributor may Distribute the Program under a license different than this Agreement, provided that such license:

i) effectively disclaims on behalf of all other Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness

for a particular purpose;

ii) effectively excludes on behalf of all other Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;

iii) does not attempt to limit or alter the recipients' rights in the Source Code under section 3.2; and

iv) requires any subsequent distribution of the Program by any party to be under a license that satisfies the requirements of this section 3.

### 3.2 When the Program is Distributed as Source Code:

a) it must be made available under this Agreement, or if the Program (i) is combined with other material in a separate file or files made available under a Secondary License, and (ii) the initial Contributor attached to the Source Code the notice described in Exhibit A of this Agreement, then the Program may be made available under the terms of such Secondary Licenses, and

b) a copy of this Agreement must be included with each copy of the Program.

3.3 Contributors may not remove or alter any copyright, patent, trademark, attribution notices, disclaimers of warranty, or limitations of liability ("notices") contained within the Program from any copy of the Program which they Distribute, provided that Contributors may add their own appropriate notices.

## 4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged



intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

## 5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

## 6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

## 7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of

the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be Distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to Distribute the Program (including its Contributions) under the new version.

Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved. Nothing in this Agreement is intended to be enforceable by any entity that is not a Contributor or Recipient. No third-party beneficiary rights are created under this Agreement.

Exhibit A - Form of Secondary Licenses Notice

"This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License, v. 2.0 are satisfied: {name license(s)},

version(s), and exceptions or additional permissions here}."

Simply including a copy of this Agreement, including this Exhibit A is not sufficient to license the Source Code under Secondary Licenses.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.

---

## The GNU General Public License (GPL) Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.  
51 Franklin Street, Fifth Floor  
Boston, MA 02110-1335  
USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

#### Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis

or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

## TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other

recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

- a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.
- b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.
- c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

- a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not

signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the

original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

#### NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.



## END OF TERMS AND CONDITIONS

### How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.  
Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1335 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author  
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'. This is free software, and you are welcome to redistribute it under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if

necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program `Gnomovision' (which makes passes at compilers) written by James Hacker.

signature of Ty Coon, 1 April 1989  
Ty Coon, President of Vice

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

---

## ## CLASSPATH EXCEPTION

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License version 2 cover the whole combination.

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module. An independent module is a module which is not derived from or based on this library. If you modify this library, you may extend this exception to your version of the library, but you are not obligated to do so. If you do not wish to do so, delete this exception statement from your version.

# 1.97 micronaut-email 1.2.0

## 1.97.1 Available under license :

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2017-2021 original authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*  
\* <https://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1340031375\_1654618487.6340535/0/micronaut-email-1-2-0-sources-jar/io/micronaut/email/StringBody.java  
\* /opt/cola/permits/1340031375\_1654618487.6340535/0/micronaut-email-1-2-0-sources-jar/io/micronaut/email/EmailDecorator.java  
\* /opt/cola/permits/1340031375\_1654618487.6340535/0/micronaut-email-1-2-0-sources-jar/io/micronaut/email/DefaultAsyncEmailSender.java  
\* /opt/cola/permits/1340031375\_1654618487.6340535/0/micronaut-email-1-2-0-sources-jar/io/micronaut/email/FromDecorator.java  
\* /opt/cola/permits/1340031375\_1654618487.6340535/0/micronaut-email-1-2-0-sources-jar/io/micronaut/email/validation/RecipientsUtils.java  
\* /opt/cola/permits/1340031375\_1654618487.6340535/0/micronaut-email-1-2-0-sources-jar/io/micronaut/email/Email.java  
\* /opt/cola/permits/1340031375\_1654618487.6340535/0/micronaut-email-1-2-0-sources-jar/io/micronaut/email/EmailSender.java  
\* /opt/cola/permits/1340031375\_1654618487.6340535/0/micronaut-email-1-2-0-sources-jar/io/micronaut/email/Attachment.java  
\* /opt/cola/permits/1340031375\_1654618487.6340535/0/micronaut-email-1-2-0-sources-jar/io/micronaut/email/validation/AnyRecipient.java  
\* /opt/cola/permits/1340031375\_1654618487.6340535/0/micronaut-email-1-2-0-sources-jar/io/micronaut/email/DefaultEmailSender.java  
\* /opt/cola/permits/1340031375\_1654618487.6340535/0/micronaut-email-1-2-0-sources-jar/io/micronaut/email/configuration/FromConfigurationProperties.java  
\* /opt/cola/permits/1340031375\_1654618487.6340535/0/micronaut-email-1-2-0-sources-jar/io/micronaut/email/MultipartBody.java  
\* /opt/cola/permits/1340031375\_1654618487.6340535/0/micronaut-email-1-2-0-sources-jar/io/micronaut/email/validation/AnyRecipientConstraintValidatorFactory.java  
\* /opt/cola/permits/1340031375\_1654618487.6340535/0/micronaut-email-1-2-0-sources-jar/io/micronaut/email/EmailException.java  
\* /opt/cola/permits/1340031375\_1654618487.6340535/0/micronaut-email-1-2-0-sources-jar/io/micronaut/email/BodyType.java  
\* /opt/cola/permits/1340031375\_1654618487.6340535/0/micronaut-email-1-2-0-sources-jar/io/micronaut/email/Body.java  
\* /opt/cola/permits/1340031375\_1654618487.6340535/0/micronaut-email-1-2-0-sources-jar/io/micronaut/email/TransactionalEmailSender.java  
\* /opt/cola/permits/1340031375\_1654618487.6340535/0/micronaut-email-1-2-0-sources-jar/io/micronaut/email/TrackLinks.java  
\* /opt/cola/permits/1340031375\_1654618487.6340535/0/micronaut-email-1-2-0-sources-

jar/io/micronaut/email/Contact.java  
\* /opt/cola/permits/1340031375\_1654618487.6340535/0/micronaut-email-1-2-0-sources-  
jar/io/micronaut/email/AsyncTransactionalEmailSender.java  
\* /opt/cola/permits/1340031375\_1654618487.6340535/0/micronaut-email-1-2-0-sources-  
jar/io/micronaut/email/validation/Recipients.java  
\* /opt/cola/permits/1340031375\_1654618487.6340535/0/micronaut-email-1-2-0-sources-  
jar/io/micronaut/email/configuration/FromConfiguration.java  
\* /opt/cola/permits/1340031375\_1654618487.6340535/0/micronaut-email-1-2-0-sources-  
jar/io/micronaut/email/EmailComposer.java  
\* /opt/cola/permits/1340031375\_1654618487.6340535/0/micronaut-email-1-2-0-sources-  
jar/io/micronaut/email/AsyncEmailSender.java  
\* /opt/cola/permits/1340031375\_1654618487.6340535/0/micronaut-email-1-2-0-sources-  
jar/io/micronaut/email/AbstractTransactionalEmailSender.java  
\* /opt/cola/permits/1340031375\_1654618487.6340535/0/micronaut-email-1-2-0-sources-  
jar/io/micronaut/email/validation/EmailMessages.java

## 1.98 jcl-1-2-implemented-over-slf4j 1.7.32

### 1.98.1 Available under license :

No license file was found, but licenses were detected in source scan.

<name>Apache License, Version 2.0</name>

Found in path(s):

\* /opt/cola/permits/1300428401\_1649931151.46/0/jcl-over-slf4j-1-7-32-jar/META-INF/maven/org.slf4j/jcl-over-slf4j/pom.xml

## 1.99 error\_prone\_annotations 2.5.1

### 1.99.1 Available under license :

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2016 The Error Prone Authors.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

- \* /opt/cola/permits/1206721250\_1632455727.58/0/error-prone-annotations-2-5-1-sources-2-jar/com/google/errorprone/annotations/FormatMethod.java
- \* /opt/cola/permits/1206721250\_1632455727.58/0/error-prone-annotations-2-5-1-sources-2-jar/com/google/errorprone/annotations/DoNotMock.java
- \* /opt/cola/permits/1206721250\_1632455727.58/0/error-prone-annotations-2-5-1-sources-2-jar/com/google/errorprone/annotations/RestrictedApi.java
- \* /opt/cola/permits/1206721250\_1632455727.58/0/error-prone-annotations-2-5-1-sources-2-jar/com/google/errorprone/annotations/CompatibleWith.java
- \* /opt/cola/permits/1206721250\_1632455727.58/0/error-prone-annotations-2-5-1-sources-2-jar/com/google/errorprone/annotations/FormatString.java
- \* /opt/cola/permits/1206721250\_1632455727.58/0/error-prone-annotations-2-5-1-sources-2-jar/com/google/errorprone/annotations/MustBeClosed.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2015 The Error Prone Authors.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

- \* /opt/cola/permits/1206721250\_1632455727.58/0/error-prone-annotations-2-5-1-sources-2-jar/com/google/errorprone/annotations/IncompatibleModifiers.java
- \* /opt/cola/permits/1206721250\_1632455727.58/0/error-prone-annotations-2-5-1-sources-2-jar/com/google/errorprone/annotations/CanIgnoreReturnValue.java
- \* /opt/cola/permits/1206721250\_1632455727.58/0/error-prone-annotations-2-5-1-sources-2-jar/com/google/errorprone/annotations/Var.java
- \* /opt/cola/permits/1206721250\_1632455727.58/0/error-prone-annotations-2-5-1-sources-2-jar/com/google/errorprone/annotations/CompileTimeConstant.java
- \* /opt/cola/permits/1206721250\_1632455727.58/0/error-prone-annotations-2-5-1-sources-2-jar/com/google/errorprone/annotations/ForOverride.java
- \* /opt/cola/permits/1206721250\_1632455727.58/0/error-prone-annotations-2-5-1-sources-2-jar/com/google/errorprone/annotations/Immutable.java
- \* /opt/cola/permits/1206721250\_1632455727.58/0/error-prone-annotations-2-5-1-sources-2-jar/com/google/errorprone/annotations/concurrent/LazyInit.java

\* /opt/cola/permits/1206721250\_1632455727.58/0/error-prone-annotations-2-5-1-sources-2-jar/com/google/errorprone/annotations/RequiredModifiers.java  
\* /opt/cola/permits/1206721250\_1632455727.58/0/error-prone-annotations-2-5-1-sources-2-jar/com/google/errorprone/annotations/SuppressPackageLocation.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright 2017 The Error Prone Authors.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1206721250\_1632455727.58/0/error-prone-annotations-2-5-1-sources-2-jar/com/google/errorprone/annotations/CheckReturnValue.java  
\* /opt/cola/permits/1206721250\_1632455727.58/0/error-prone-annotations-2-5-1-sources-2-jar/com/google/errorprone/annotations/DoNotCall.java  
\* /opt/cola/permits/1206721250\_1632455727.58/0/error-prone-annotations-2-5-1-sources-2-jar/com/google/errorprone/annotations/concurrent/GuardedBy.java  
\* /opt/cola/permits/1206721250\_1632455727.58/0/error-prone-annotations-2-5-1-sources-2-jar/com/google/errorprone/annotations/OverridingMethodsMustInvokeSuper.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright 2014 The Error Prone Authors.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

- \* /opt/cola/permits/1206721250\_1632455727.58/0/error-prone-annotations-2-5-1-sources-2-jar/com/google/errorprone/annotations/concurrent/UnlockMethod.java
- \* /opt/cola/permits/1206721250\_1632455727.58/0/error-prone-annotations-2-5-1-sources-2-jar/com/google/errorprone/annotations/NoAllocation.java
- \* /opt/cola/permits/1206721250\_1632455727.58/0/error-prone-annotations-2-5-1-sources-2-jar/com/google/errorprone/annotations/concurrent/LockMethod.java

## 1.100 jackson-datatype-joda 2.13.2

### 1.100.1 Available under license :

This copy of Jackson JSON processor streaming parser/generator is licensed under the Apache (Software) License, version 2.0 ("the License").

See the License for details about distribution rights, and the specific rights regarding derivate works.

You may obtain a copy of the License at:

<http://www.apache.org/licenses/LICENSE-2.0>

## 1.101 micronaut-sql-libraries 4.2.2

### 1.101.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
# Licensed under the Apache License, Version 2.0 (the "License");  
# you may not use this file except in compliance with the License.  
# You may obtain a copy of the License at  
# distributed under the License is distributed on an "AS IS" BASIS,
```

Found in path(s):

- \* /opt/cola/permits/1331473530\_1653512647.1916578/0/micronaut-jdbc-4-2-2-sources-jar/META-INF/native-image/io.micronaut.sql/micronaut-jdbc/native-image.properties

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2017-2020 original authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

- \* distributed under the License is distributed on an "AS IS" BASIS,
- \* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- \* See the License for the specific language governing permissions and
- \* limitations under the License.
- \*/

Found in path(s):

- \* /opt/cola/permits/1331473530\_1653512647.1916578/0/micronaut-jdbc-4-2-2-sources-jar/io/micronaut/jdbc/JdbcDatabaseManager.java
- \* /opt/cola/permits/1331473530\_1653512647.1916578/0/micronaut-jdbc-4-2-2-sources-jar/io/micronaut/jdbc/BasicJdbcConfiguration.java
- \* /opt/cola/permits/1331473530\_1653512647.1916578/0/micronaut-jdbc-4-2-2-sources-jar/io/micronaut/jdbc/metadata/DataSourcePoolMetadataProvider.java
- \* /opt/cola/permits/1331473530\_1653512647.1916578/0/micronaut-jdbc-4-2-2-sources-jar/io/micronaut/jdbc/spring/SpringDataSourceResolver.java
- \* /opt/cola/permits/1331473530\_1653512647.1916578/0/micronaut-jdbc-4-2-2-sources-jar/io/micronaut/jdbc/spring/package-info.java
- \* /opt/cola/permits/1331473530\_1653512647.1916578/0/micronaut-jdbc-4-2-2-sources-jar/io/micronaut/jdbc/DataSourceResolver.java
- \* /opt/cola/permits/1331473530\_1653512647.1916578/0/micronaut-jdbc-4-2-2-sources-jar/io/micronaut/jdbc/spring/HibernatePresenceCondition.java
- \* /opt/cola/permits/1331473530\_1653512647.1916578/0/micronaut-jdbc-4-2-2-sources-jar/io/micronaut/jdbc/metadata/AbstractDataSourcePoolMetadata.java
- \* /opt/cola/permits/1331473530\_1653512647.1916578/0/micronaut-jdbc-4-2-2-sources-jar/io/micronaut/jdbc/spring/DataSourceTransactionManagerFactory.java
- \* /opt/cola/permits/1331473530\_1653512647.1916578/0/micronaut-jdbc-4-2-2-sources-jar/io/micronaut/jdbc/metadata/package-info.java
- \* /opt/cola/permits/1331473530\_1653512647.1916578/0/micronaut-jdbc-4-2-2-sources-jar/io/micronaut/jdbc/CalculatedSettings.java
- \* /opt/cola/permits/1331473530\_1653512647.1916578/0/micronaut-jdbc-4-2-2-sources-jar/io/micronaut/jdbc/package-info.java
- \* /opt/cola/permits/1331473530\_1653512647.1916578/0/micronaut-jdbc-4-2-2-sources-jar/io/micronaut/jdbc/metadata/DataSourcePoolMetadata.java
- \* /opt/cola/permits/1331473530\_1653512647.1916578/0/micronaut-jdbc-4-2-2-sources-jar/io/micronaut/jdbc/nativeimage/JdbcFeature.java

## 1.102 org.xmlunit:xmlunit-placeholders 2.8.0

### 1.102.1 Available under license :

No license file was found, but licenses were detected in source scan.

Manifest-Version: 1.0

Bundle-License: <http://www.apache.org/licenses/LICENSE-2.0.txt>

Bundle-SymbolicName: org.xmlunit.xmlunit-placeholders

Built-By: stefan

X-Git-Hash: 5ae4f721496157ea252426fb891fc77e602d7438 (Branch main)

Bnd-LastModified: 1604075637839



Specification-Title: org.xmlunit:xmlunit-placeholders  
Implementation-Vendor-Id: org.xmlunit  
Bundle-DocURL: <https://www.xmlunit.org/xmlunit-placeholders/>  
Include-Resource: META-INF/services/org.xmlunit.placeholder.PlaceholderHandler=src/main/resources/META-INF/services/org.xmlunit.placeholder.PlaceholderHandler  
Import-Package: javax.xml.namespace,org.w3c.dom,org.xmlunit,org.xmlunit.builder,org.xmlunit.diff,org.xmlunit.util  
Require-Capability: osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=1.7))"  
Export-Package: org.xmlunit.placeholder;version="2.8.0"  
Bundle-Name: org.xmlunit:xmlunit-placeholders  
Implementation-Title: org.xmlunit:xmlunit-placeholders  
Bundle-Description: Parent POM for all artifacts of XMLUnit  
Automatic-Module-Name: org.xmlunit.placeholder  
Implementation-Version: 2.8.0  
Specification-Vendor: XMLUnit  
Bundle-ManifestVersion: 2  
Bundle-Vendor: XMLUnit  
Tool: Bnd-3.2.0.201605172007  
Implementation-Vendor: XMLUnit  
Bundle-Version: 2.8.0  
X-Compile-Target-JDK: 1.7  
build-time: 2020-10-30T16:32:19Z  
X-Compile-Source-JDK: 1.7  
Created-By: Apache Maven Bundle Plugin  
Build-Jdk: 1.8.0\_272  
Specification-Version: 2.8  
Implementation-URL: <https://www.xmlunit.org/xmlunit-placeholders/>

Found in path(s):

\* /opt/cola/permits/1340076469\_1654758254.3705735/0/xmlunit-placeholders-2-8-0-jar/META-INF/MANIFEST.MF

No license file was found, but licenses were detected in source scan.

<!--

This file is licensed to You under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

-->

Found in path(s):

\* /opt/cola/permits/1340076469\_1654758254.3705735/0/xmlunit-placeholders-2-8-0-jar/META-INF/maven/org.xmlunit/xmlunit-placeholders/pom.xml

## 1.103 io-swagger-swagger-annotations 1.6.2

### 1.103.1 Available under license :

No license file was found, but licenses were detected in source scan.

Manifest-Version: 1.0

Bnd-LastModified: 1593602041104

Build-Jdk: 1.8.0\_151

Built-By: frantuma

Bundle-Description: Sonatype helps open source projects to set up Maven repositories on <https://oss.sonatype.org/>

Bundle-License: <http://www.apache.org/licenses/LICENSE-2.0.html>

Bundle-ManifestVersion: 2

Bundle-Name: swagger-annotations

Bundle-SymbolicName: io.swagger.annotations

Bundle-Version: 1.6.2

Created-By: Apache Maven Bundle Plugin

Export-Package: io.swagger.annotations;version="1.6.2"

implementation-version: 1.6.2

mode: development

package: io.swagger

Require-Capability: osgi.ee;filter="(&(osgi.ee=JavaSE)(version=1.7))"

Tool: Bnd-3.3.0.201609221906

url: <https://github.com/swagger-api/swagger-core/modules/swagger-annotations>

Found in path(s):

\* /opt/cola/permits/1170799104\_1654737045.2729578/0/swagger-annotations-1-6-2-jar/META-INF/MANIFEST.MF

## 1.104 micronaut-tracing 4.1.1

### 1.104.1 Available under license :

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2017-2022 original authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

- \* <https://www.apache.org/licenses/LICENSE-2.0>
- \*
- \* Unless required by applicable law or agreed to in writing, software
- \* distributed under the License is distributed on an "AS IS" BASIS,
- \* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- \* See the License for the specific language governing permissions and
- \* limitations under the License.
- \*/

Found in path(s):

- \* /opt/cola/permits/1331473843\_1653512495.747282/0/micronaut-tracing-core-4-1-1-sources-jar/io/micronaut/tracing/interceptor/TraceInterceptor.java
- \* /opt/cola/permits/1331473843\_1653512495.747282/0/micronaut-tracing-core-4-1-1-sources-jar/io/micronaut/tracing/instrument/http/HttpHeadersTextMap.java
- \* /opt/cola/permits/1331473843\_1653512495.747282/0/micronaut-tracing-core-4-1-1-sources-jar/io/micronaut/tracing/instrument/util/TracingPublisher.java
- \* /opt/cola/permits/1331473843\_1653512495.747282/0/micronaut-tracing-core-4-1-1-sources-jar/io/micronaut/tracing/package-info.java
- \* /opt/cola/permits/1331473843\_1653512495.747282/0/micronaut-tracing-core-4-1-1-sources-jar/io/micronaut/tracing/instrument/util/TracingPublisherUtils.java
- \* /opt/cola/permits/1331473843\_1653512495.747282/0/micronaut-tracing-core-4-1-1-sources-jar/io/micronaut/tracing/annotation/SpanTag.java
- \* /opt/cola/permits/1331473843\_1653512495.747282/0/micronaut-tracing-core-4-1-1-sources-jar/io/micronaut/tracing/instrument/util/package-info.java
- \* /opt/cola/permits/1331473843\_1653512495.747282/0/micronaut-tracing-core-4-1-1-sources-jar/io/micronaut/tracing/instrument/http/TracingExclusionsConfiguration.java
- \* /opt/cola/permits/1331473843\_1653512495.747282/0/micronaut-tracing-core-4-1-1-sources-jar/io/micronaut/tracing/instrument/http/OpenTracingClientFilter.java
- \* /opt/cola/permits/1331473843\_1653512495.747282/0/micronaut-tracing-core-4-1-1-sources-jar/io/micronaut/tracing/instrument/util/OpenTracingInvocationInstrumenter.java
- \* /opt/cola/permits/1331473843\_1653512495.747282/0/micronaut-tracing-core-4-1-1-sources-jar/io/micronaut/tracing/instrument/package-info.java
- \* /opt/cola/permits/1331473843\_1653512495.747282/0/micronaut-tracing-core-4-1-1-sources-jar/io/micronaut/tracing/instrument/util/TracingObserver.java
- \* /opt/cola/permits/1331473843\_1653512495.747282/0/micronaut-tracing-core-4-1-1-sources-jar/io/micronaut/tracing/instrument/kotlin/HttpCoroutineTracingDispatcherFactory.java
- \* /opt/cola/permits/1331473843\_1653512495.747282/0/micronaut-tracing-core-4-1-1-sources-jar/io/micronaut/tracing/annotation/package-info.java
- \* /opt/cola/permits/1331473843\_1653512495.747282/0/micronaut-tracing-core-4-1-1-sources-jar/io/micronaut/tracing/instrument/util/MdcInstrumenter.java
- \* /opt/cola/permits/1331473843\_1653512495.747282/0/micronaut-tracing-core-4-1-1-sources-jar/io/micronaut/tracing/annotation/NewSpan.java
- \* /opt/cola/permits/1331473843\_1653512495.747282/0/micronaut-tracing-core-4-1-1-sources-jar/io/micronaut/tracing/interceptor/package-info.java
- \* /opt/cola/permits/1331473843\_1653512495.747282/0/micronaut-tracing-core-4-1-1-sources-jar/io/micronaut/tracing/instrument/util/TracingCorePublisher.java
- \* /opt/cola/permits/1331473843\_1653512495.747282/0/micronaut-tracing-core-4-1-1-sources-jar/io/micronaut/tracing/instrument/http/TraceRequestAttributes.java

```
* /opt/cola/permits/1331473843_1653512495.747282/0/micronaut-tracing-core-4-1-1-sources-
jar/io/micronaut/tracing/instrument/http/AbstractOpenTracingFilter.java
* /opt/cola/permits/1331473843_1653512495.747282/0/micronaut-tracing-core-4-1-1-sources-
jar/io/micronaut/tracing/instrument/kotlin/CoroutineTracingDispatcher.kt
* /opt/cola/permits/1331473843_1653512495.747282/0/micronaut-tracing-core-4-1-1-sources-
jar/io/micronaut/tracing/instrument/util/ScopePropagationPublisher.java
* /opt/cola/permits/1331473843_1653512495.747282/0/micronaut-tracing-core-4-1-1-sources-
jar/io/micronaut/tracing/instrument/util/TracingInvocationInstrumenterFactory.java
* /opt/cola/permits/1331473843_1653512495.747282/0/micronaut-tracing-core-4-1-1-sources-
jar/io/micronaut/tracing/instrument/http/package-info.java
* /opt/cola/permits/1331473843_1653512495.747282/0/micronaut-tracing-core-4-1-1-sources-
jar/io/micronaut/tracing/instrument/util/ThreadTracingInvocationInstrumenterFactory.java
* /opt/cola/permits/1331473843_1653512495.747282/0/micronaut-tracing-core-4-1-1-sources-
jar/io/micronaut/tracing/annotation/ContinueSpan.java
* /opt/cola/permits/1331473843_1653512495.747282/0/micronaut-tracing-core-4-1-1-sources-
jar/io/micronaut/tracing/DefaultTracer.java
* /opt/cola/permits/1331473843_1653512495.747282/0/micronaut-tracing-core-4-1-1-sources-
jar/io/micronaut/tracing/instrument/http/OpenTracingServerFilter.java
No license file was found, but licenses were detected in source scan.
```

```
# Licensed under the Apache License, Version 2.0 (the "License");
# you may not use this file except in compliance with the License.
# You may obtain a copy of the License at
# distributed under the License is distributed on an "AS IS" BASIS,
```

Found in path(s):

```
* /opt/cola/permits/1331473843_1653512495.747282/0/micronaut-tracing-core-4-1-1-sources-jar/META-
INF/native-image/io.micronaut.tracing/tracing-core/native-image.properties
```

## 1.105 hk2-implementation-utilities 2.6.1

### 1.105.1 Available under license :

```
# Eclipse Public License - v 2.0
```

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

#### 1. DEFINITIONS

"Contribution" means:

- a) in the case of the initial Contributor, the initial content Distributed under this Agreement, and
- b) in the case of each subsequent Contributor:
  - i) changes to the Program, and

ii) additions to the Program;

where such changes and/or additions to the Program originate from and are Distributed by that particular Contributor. A Contribution "originates" from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include changes or additions to the Program that are not Modified Works.

"Contributor" means any person or entity that Distributes the Program.

"Licensed Patents" mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions Distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement or any Secondary License (as applicable), including Contributors.

"Derivative Works" shall mean any work, whether in Source Code or other form, that is based on (or derived from) the Program and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship.

"Modified Works" shall mean any work in Source Code or other form that results from an addition to, deletion from, or modification of the contents of the Program, including, for purposes of clarity any new file in Source Code form that contains any contents of the Program. Modified Works shall not include works that contain only declarations, interfaces, types, classes, structures, or files of the Program solely in each case in order to link to, bind by name, or subclass the Program or Modified Works thereof.

"Distribute" means the acts of a) distributing or b) making available in any manner that enables the transfer of a copy.

"Source Code" means the form of a Program preferred for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Secondary License" means either the GNU General Public License, Version 2.0, or any later versions of that license, including any exceptions or additional permissions as identified by the initial Contributor.

## 2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, Distribute and sublicense the Contribution of such Contributor, if any, and such Derivative Works.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in Source Code or other form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to Distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

e) Notwithstanding the terms of any Secondary License, no Contributor makes additional grants to any Recipient (other than those set forth in this Agreement) as a result of such Recipient's receipt of the Program under the terms of a Secondary License (if permitted under the terms of Section 3).

### 3. REQUIREMENTS

3.1 If a Contributor Distributes the Program in any form, then:

a) the Program must also be made available as Source Code, in accordance with section 3.2, and the Contributor must accompany

the Program with a statement that the Source Code for the Program is available under this Agreement, and informs Recipients how to obtain it in a reasonable manner on or through a medium customarily used for software exchange; and

b) the Contributor may Distribute the Program under a license different than this Agreement, provided that such license:

i) effectively disclaims on behalf of all other Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;

ii) effectively excludes on behalf of all other Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;

iii) does not attempt to limit or alter the recipients' rights in the Source Code under section 3.2; and

iv) requires any subsequent distribution of the Program by any party to be under a license that satisfies the requirements of this section 3.

### 3.2 When the Program is Distributed as Source Code:

a) it must be made available under this Agreement, or if the Program (i) is combined with other material in a separate file or files made available under a Secondary License, and (ii) the initial Contributor attached to the Source Code the notice described in Exhibit A of this Agreement, then the Program may be made available under the terms of such Secondary Licenses, and

b) a copy of this Agreement must be included with each copy of the Program.

3.3 Contributors may not remove or alter any copyright, patent, trademark, attribution notices, disclaimers of warranty, or limitations of liability ("notices") contained within the Program from any copy of the Program which they Distribute, provided that Contributors may add their own appropriate notices.

## 4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product

offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

## 5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

## 6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,



EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

## 7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be Distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to Distribute the Program (including its Contributions) under the new version.

Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any

Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved. Nothing in this Agreement is intended to be enforceable by any entity that is not a Contributor or Recipient. No third-party beneficiary rights are created under this Agreement.

#### Exhibit A - Form of Secondary Licenses Notice

"This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License, v. 2.0 are satisfied: {name license(s), version(s), and exceptions or additional permissions here}."

Simply including a copy of this Agreement, including this Exhibit A is not sufficient to license the Source Code under Secondary Licenses.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.

---

## The GNU General Public License (GPL) Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.  
51 Franklin Street, Fifth Floor  
Boston, MA 02110-1335  
USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

#### Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the

freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

## TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not

covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire

whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

- a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source

along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented

by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

#### NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL

NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.  
Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1335 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author



Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'. This is free software, and you are welcome to redistribute it under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program `Gnomovision' (which makes passes at compilers) written by James Hacker.

signature of Ty Coon, 1 April 1989  
Ty Coon, President of Vice

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

---

#### ## CLASSPATH EXCEPTION

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License version 2 cover the whole combination.

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module. An independent module is a module which is not derived from or based on this library. If you modify this library, you may extend this exception to your version of the library, but you are not obligated to do so. If you do not wish to do so, delete this exception statement from your version.

# Notices for Eclipse GlassFish

This content is produced and maintained by the Eclipse GlassFish project.

\* Project home: <https://projects.eclipse.org/projects/ee4j.glassfish>

## ## Trademarks

Eclipse GlassFish, and GlassFish are trademarks of the Eclipse Foundation.

## ## Copyright

All content is the property of the respective authors or their employers. For more information regarding authorship of content, please consult the listed source code repository logs.

## ## Declared Project Licenses

This program and the accompanying materials are made available under the terms of the Eclipse Public License v. 2.0 which is available at <http://www.eclipse.org/legal/epl-2.0>. This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License v. 2.0 are satisfied: GNU General Public License, version 2 with the GNU Classpath Exception which is available at <https://www.gnu.org/software/classpath/license.html>.

SPDX-License-Identifier: EPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0

## ## Source Code

The project maintains the following source code repositories:

- \* <https://github.com/eclipse-ee4j/glassfish-ha-api>
- \* <https://github.com/eclipse-ee4j/glassfish-logging-annotation-processor>
- \* <https://github.com/eclipse-ee4j/glassfish-shoal>
- \* <https://github.com/eclipse-ee4j/glassfish-cdi-porting-tck>
- \* <https://github.com/eclipse-ee4j/glassfish-jsftemplating>
- \* <https://github.com/eclipse-ee4j/glassfish-hk2-extra>
- \* <https://github.com/eclipse-ee4j/glassfish-hk2>
- \* <https://github.com/eclipse-ee4j/glassfish-fighterfish>

## ## Third-party Content

This project leverages the following third party content.

None

## ## Cryptography

Content may contain encryption software. The country in which you are currently

may have restrictions on the import, possession, and use, and/or re-export to another country, of encryption software. BEFORE using any encryption software, please check the country's laws, regulations and policies concerning the import, possession, or use, and re-export of encryption software, to see if this is permitted.

## 1.106 guava 30.1-jre

### 1.106.1 Available under license :

No license file was found, but licenses were detected in source scan.

/\*

\* Written by Doug Lea with assistance from members of JCP JSR-166  
\* Expert Group and released to the public domain, as explained at  
\* <http://creativecommons.org/publicdomain/zero/1.0/>  
\*/

Found in path(s):

\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/hash/LongAdder.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/cache/LongAdder.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/cache/Striped64.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/hash/Striped64.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/util/concurrent/AtomicDoubleArray.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2006 The Guava Authors  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except  
\* in compliance with the License. You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software distributed under the License  
\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
\* express  
\* or implied. See the License for the specific language governing permissions and limitations under  
\* the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-

jar/com/google/common/util/concurrent/AggregateFuture.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-  
jar/com/google/common/util/concurrent/FluentFuture.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-  
jar/com/google/common/io/PatternFilenameFilter.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-  
jar/com/google/common/util/concurrent/UncheckedTimeoutException.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-  
jar/com/google/common/util/concurrent/CollectionFuture.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-  
jar/com/google/common/io/AppendableWriter.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-  
jar/com/google/common/util/concurrent/GwtFuturesCatchingSpecialization.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-  
jar/com/google/common/util/concurrent/TimeoutFuture.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-  
jar/com/google/common/escape/CharEscaper.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-  
jar/com/google/common/base/CaseFormat.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-  
jar/com/google/common/util/concurrent/Futures.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-  
jar/com/google/common/util/concurrent/ImmediateFuture.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-  
jar/com/google/common/util/concurrent/TimeLimiter.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-  
jar/com/google/common/util/concurrent/GwtFluentFutureCatchingSpecialization.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-  
jar/com/google/common/reflect/TypeToken.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-  
jar/com/google/common/escape/CharEscaperBuilder.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-  
jar/com/google/common/util/concurrent/FakeTimeLimiter.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-  
jar/com/google/common/annotations/VisibleForTesting.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-  
jar/com/google/common/util/concurrent/FuturesGetChecked.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-  
jar/com/google/common/util/concurrent/AbstractTransformFuture.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-  
jar/com/google/common/util/concurrent/AbstractCatchingFuture.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-  
jar/com/google/common/util/concurrent/SimpleTimeLimiter.java  
No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2020 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except  
\* in compliance with the License. You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software distributed under the License  
\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express  
\* or implied. See the License for the specific language governing permissions and limitations under  
\* the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-  
jar/com/google/common/util/concurrent/OverflowAvoidingLockSupport.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-  
jar/com/google/common/io/Java8Compatibility.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-  
jar/com/google/common/math/BigDecimalMath.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-  
jar/com/google/common/math/ToDoubleRounder.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-  
jar/com/google/common/hash/Java8Compatibility.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2013 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except  
\* in compliance with the License. You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software distributed under the License  
\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express  
\* or implied. See the License for the specific language governing permissions and limitations under  
\* the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-  
jar/com/google/common/base/VerifyException.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-  
jar/com/google/common/collect/AbstractTable.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-  
jar/com/google/thirdparty/publicsuffix/PublicSuffixType.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-

jar/com/google/common/collect/FilteredMultimapValues.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/base/Utf8.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/hash/HashingInputStream.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/io/CharSequenceReader.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/util/concurrent/WrappingScheduledExecutorService.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/reflect/TypeVisitor.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/base/Verify.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/eventbus/SubscriberExceptionContext.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/eventbus/SubscriberExceptionHandler.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/util/concurrent/Runnables.java  
No license file was found, but licenses were detected in source scan.

```
/*  
* Copyright (C) 2016 The Guava Authors  
*  
* Licensed under the Apache License, Version 2.0 (the "License");  
* you may not use this file except in compliance with the License.  
* You may obtain a copy of the License at  
*  
* http://www.apache.org/licenses/LICENSE-2.0  
*  
* Unless required by applicable law or agreed to in writing, software  
* distributed under the License is distributed on an "AS IS" BASIS,  
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
* See the License for the specific language governing permissions and  
* limitations under the License.  
*/
```

Found in path(s):

\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/graph/DirectedMultiNetworkConnections.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/collect/ArrayListMultimapGwtSerializationDependencies.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/graph/StandardValueGraph.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/graph/GraphConnections.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/graph/AbstractDirectedNetworkConnections.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-

jar/com/google/common/graph/AbstractValueGraph.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-  
jar/com/google/common/graph/EndpointPair.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-  
jar/com/google/common/graph/ForwardingValueGraph.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-  
jar/com/google/common/graph/ValueGraph.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-  
jar/com/google/common/graph/StandardMutableNetwork.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-  
jar/com/google/common/graph/MutableValueGraph.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-  
jar/com/google/common/collect/LinkedHashMapGwtSerializationDependencies.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-  
jar/com/google/common/graph/EndpointPairIterator.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-  
jar/com/google/common/graph/MapRetrievalCache.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-  
jar/com/google/common/graph/MapIteratorCache.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-  
jar/com/google/common/graph/AbstractGraphBuilder.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-  
jar/com/google/common/graph/DirectedGraphConnections.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-  
jar/com/google/common/graph/GraphConstants.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-  
jar/com/google/common/collect/HashMapGwtSerializationDependencies.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-  
jar/com/google/common/graph/AbstractGraph.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-  
jar/com/google/common/graph/UndirectedGraphConnections.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-  
jar/com/google/common/collect/Comparators.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-  
jar/com/google/common/graph/AbstractNetwork.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-  
jar/com/google/common/graph/StandardMutableValueGraph.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-  
jar/com/google/common/collect/CollectCollectors.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-  
jar/com/google/common/collect/MoreCollectors.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-  
jar/com/google/common/graph/NetworkConnections.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-  
jar/com/google/common/graph/ForwardingGraph.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-  
jar/com/google/common/graph/StandardNetwork.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-

jar/com/google/common/collect/ImmutableMultisetGwtSerializationDependencies.java

\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-

jar/com/google/common/graph/StandardMutableGraph.java

\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-

jar/com/google/common/graph/MultiEdgesConnecting.java

\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-

jar/com/google/common/graph/EdgesConnecting.java

\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-

jar/com/google/common/graph/ElementOrder.java

\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-

jar/com/google/common/graph/UndirectedMultiNetworkConnections.java

\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-

jar/com/google/common/graph/AbstractUndirectedNetworkConnections.java

\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-

jar/com/google/common/graph/UndirectedNetworkConnections.java

\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-

jar/com/google/common/graph/DirectedNetworkConnections.java

\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-

jar/com/google/common/graph/NetworkBuilder.java

\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-

jar/com/google/common/collect/RangeGwtSerializationDependencies.java

\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-

jar/com/google/common/graph/ImmutableValueGraph.java

\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-

jar/com/google/common/graph/ValueGraphBuilder.java

\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-

jar/com/google/common/graph/ForwardingNetwork.java

\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-

jar/com/google/common/graph/GraphBuilder.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2012 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):



\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/collect/RangeMap.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/collect/RegularImmutableAsList.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/collect/UnmodifiableSortedMultiset.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/collect/DescendingMultiset.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/collect/AllEqualOrdering.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/collect/ForwardingImmutableMap.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/collect/FilteredSetMultimap.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/collect/FilteredKeySetMultimap.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/collect/ForwardingImmutableSet.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/collect/CompactLinkedHashMap.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/collect/SortedMultisetBridge.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/collect/FilteredKeyListMultimap.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/collect/DescendingImmutableSortedSet.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/collect/ForwardingDeque.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/collect/ForwardingNavigableSet.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/collect/TreeTraverser.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/collect/FilteredEntryMultimap.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/collect/FilteredEntrySetMultimap.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/collect/CompactHashMap.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/collect/AbstractNavigableMap.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/collect/TransformedIterator.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/util/concurrent/ForwardingBlockingDeque.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/collect/ForwardingImmutableList.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/collect/CompactHashSet.java

\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/collect/AbstractSortedKeySortedSetMultimap.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/collect/FilteredMultimap.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/collect/EvictingQueue.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/collect/TreeRangeMap.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/collect/ForwardingNavigableMap.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/collect/AbstractMultimap.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/collect/TransformedListIterator.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/collect/CompactLinkedHashSet.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/collect/ForwardingBlockingDeque.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/collect/ImmutableEnumMap.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2009 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except  
\* in compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License  
\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express

\* or implied. See the License for the specific language governing permissions and limitations under  
\* the License.

\*/

/\*\*

\* Outer class that exists solely to let us write {@code Partially.GwtIncompatible} instead of plain  
\* {@code GwtIncompatible}. This is more accurate for {@link Futures#catching}, which is available  
\* under GWT but with a slightly different signature.

\*

\* <p>We can't use {@code PartiallyGwtIncompatible} because then the GWT compiler wouldn't recognize  
\* it as a {@code GwtIncompatible} annotation. And for {@code Futures.catching}, we need the GWT  
\* compiler to autostrip the normal server method in order to expose the special, inherited GWT  
\* version.

\*/

Found in path(s):

```
* /opt/cola/permits/1118682349_1608591170.06/0/guava-30-1-jre-sources-  
jar/com/google/common/util/concurrent/Partially.java
```

No license file was found, but licenses were detected in source scan.

```
/*
```

```
* Copyright (C) 2009 The Guava Authors
```

```
*
```

```
* Licensed under the Apache License, Version 2.0 (the "License");
```

```
* you may not use this file except in compliance with the License.
```

```
* You may obtain a copy of the License at
```

```
*
```

```
* http://www.apache.org/licenses/LICENSE-2.0
```

```
*
```

```
* Unless required by applicable law or agreed to in writing, software
```

```
* distributed under the License is distributed on an "AS IS" BASIS,
```

```
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
```

```
* See the License for the specific language governing permissions and
```

```
* limitations under the License.
```

```
*/
```

```
/**
```

```
* Not supported. <b>You are attempting to create a map that may contain a non-{@code Comparable}
```

```
* key.</b> Proper calls will resolve to the version in {@code ImmutableSortedMap}, not this dummy
```

```
* version.
```

```
*
```

```
* @throws UnsupportedOperationException always
```

```
* @deprecated <b>Pass a key of type {@code Comparable} to use {@link
```

```
* ImmutableSortedMap#of(Comparable, Object).</b>
```

```
*/
```

Found in path(s):

```
* /opt/cola/permits/1118682349_1608591170.06/0/guava-30-1-jre-sources-  
jar/com/google/common/collect/ImmutableSortedMapFauxverideShim.java
```

No license file was found, but licenses were detected in source scan.

```
/*
```

```
* Copyright (C) 2011 The Guava Authors
```

```
*
```

```
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
```

```
* in compliance with the License. You may obtain a copy of the License at
```

```
*
```

```
* http://www.apache.org/licenses/LICENSE-2.0
```

```
*
```

```
* Unless required by applicable law or agreed to in writing, software distributed under the
```

```
* License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND,  
either
```

```
* express or implied. See the License for the specific language governing permissions and
```

```
* limitations under the License.
```

```
*/
```

Found in path(s):

- \* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/collect/GeneralRange.java
- \* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/collect/Count.java
- \* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/collect/SortedIterable.java
- \* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/collect/ImmutableSortedMultiset.java
- \* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/collect/ImmutableSortedMultisetFauxverideShim.java
- \* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/collect/ForwardingSortedMultiset.java
- \* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/collect/RangeSet.java
- \* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/collect/SortedIterables.java
- \* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/collect/RegularImmutableSortedMultiset.java
- \* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/collect/AbstractRangeSet.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2019 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except  
\* in compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License  
\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express

\* or implied. See the License for the specific language governing permissions and limitations under  
\* the License.

\*/

Found in path(s):

- \* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/util/concurrent/IgnoreJRERequirement.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2018 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/collect/BaseImmutableMultimap.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/collect/JdkBackedImmutableBiMap.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/collect/IndexedImmutableSet.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/collect/JdkBackedImmutableMap.java  
No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2009 The Guava Authors  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except  
\* in compliance with the License. You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software distributed under the License  
\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express  
\* or implied. See the License for the specific language governing permissions and limitations under  
\* the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/base/Splitter.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/escape/ArrayBasedEscaperMap.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/util/concurrent/Service.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/io/ByteArrayDataOutput.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-

jar/com/google/common/collect/RegularImmutableTable.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-  
jar/com/google/common/net/InternetDomainName.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-  
jar/com/google/common/primitives/UnsignedBytes.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-  
jar/com/google/common/util/concurrent/Callables.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-  
jar/com/google/common/html/HtmlEscapers.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-  
jar/com/google/common/escape/ArrayBasedUnicodeEscaper.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-  
jar/com/google/common/io/LineProcessor.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-  
jar/com/google/common/net/UrlEscapers.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-  
jar/com/google/common/base/Platform.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-  
jar/com/google/common/reflect/TypeResolver.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-  
jar/com/google/common/collect/MapMaker.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-  
jar/com/google/common/util/concurrent/JdkFutureAdapters.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-  
jar/com/google/common/cache/ReferenceEntry.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-  
jar/com/google/common/collect/DenseImmutableTable.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-  
jar/com/google/common/util/concurrent/ForwardingFuture.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-  
jar/com/google/common/util/concurrent/SettableFuture.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-  
jar/com/google/common/util/concurrent/AbstractExecutionThreadService.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-  
jar/com/google/common/cache/LocalCache.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-  
jar/com/google/common/annotations/GwtIncompatible.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-  
jar/com/google/common/util/concurrent/ForwardingFluentFuture.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-  
jar/com/google/common/annotations/GwtCompatible.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-  
jar/com/google/common/util/concurrent/AbstractService.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/collect/Cut.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-  
jar/com/google/common/escape/Escapers.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-  
jar/com/google/common/collect/SparseImmutableTable.java

\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/collect/MapMakerInternalMap.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/util/concurrent/ForwardingListenableFuture.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/escape/ArrayBasedCharEscaper.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/util/concurrent/AbstractIdleService.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/net/HostSpecifier.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/io/ByteArrayDataInput.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/xml/XmlEscapers.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/primitives/SignedBytes.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/escape/Platform.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/io/ByteProcessor.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/cache/CacheBuilder.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2017 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except  
\* in compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License  
\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express

\* or implied. See the License for the specific language governing permissions and limitations under  
\* the License.

\*/

Found in path(s):

\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/util/concurrent/ForwardingLock.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/primitives/ImmutableDoubleArray.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/primitives/ImmutableIntArray.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/hash/AbstractHashFunction.java

\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/primitives/ImmutableLongArray.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/util/concurrent/ForwardingCondition.java  
No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2015 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you  
\* may not use this file except in compliance with the License. You may  
\* obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or  
\* implied. See the License for the specific language governing  
\* permissions and limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/collect/Streams.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2009 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/collect/DiscreteDomain.java

\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/collect/ImmutableSortedMap.java



\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/collect/ComputationException.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/collect/EmptyImmutableSetMultimap.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/collect/AbstractIndexedListIterator.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/collect/ImmutableTable.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/collect/ImmutableSetMultimap.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/collect/ImmutableEnumSet.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/collect/ImmutableAsList.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/collect/ImmutableClassToInstanceMap.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/collect/RegularImmutableSortedSet.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/collect/ForwardingTable.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/collect/ComparisonChain.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/collect/ArrayTable.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/collect/TableCollectors.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/collect/RegularImmutableList.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/collect/ImmutableSortedSetFauxverideShim.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/collect/SingletonImmutableTable.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/collect/SingletonImmutableList.java  
No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2014 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except  
\* in compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License

\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express

\* or implied. See the License for the specific language governing permissions and limitations under

\* the License.

\*/

Found in path(s):

\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/eventbus/Dispatcher.java

\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/base/MoreObjects.java

\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/eventbus/SubscriberRegistry.java

\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/util/concurrent/TrustedListenableFutureTask.java

\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/util/concurrent/ListenerCallQueue.java

\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/math/Quantiles.java

\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/eventbus/Subscriber.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2013 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/io/MoreFiles.java

\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/collect/ImmutableMapEntry.java

\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/collect/MultimapBuilder.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2010 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-  
jar/com/google/common/collect/RowSortedTable.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-  
jar/com/google/common/collect/ForwardingImmutableCollection.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-  
jar/com/google/common/collect/ForwardingSortedSetMultimap.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-  
jar/com/google/common/collect/ForwardingSetMultimap.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-  
jar/com/google/common/collect/SortedMapDifference.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-  
jar/com/google/common/collect/MinMaxPriorityQueue.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-  
jar/com/google/common/collect/UnmodifiableListIterator.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-  
jar/com/google/common/collect/AbstractSequentialIterator.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-  
jar/com/google/common/collect/ForwardingListMultimap.java

No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright (C) 2011 The Guava Authors  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/util/concurrent/AtomicLongMap.java

\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/collect/GwtTransient.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2010 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except

\* in compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License

\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express

\* or implied. See the License for the specific language governing permissions and limitations under

\* the License.

\*/

Found in path(s):

\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/base/Ascii.java

\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/annotations/Beta.java

\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/primitives/package-info.java

\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/collect/SortedLists.java

\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/net/package-info.java

\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/base/Equivalence.java

\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/util/concurrent/UncaughtExceptionHandler.java

\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/util/concurrent/ThreadFactoryBuilder.java

\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/util/concurrent/Monitor.java

\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/util/concurrent/ListeningExecutorService.java

\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/annotations/package-info.java

\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/collect/ContiguousSet.java

```
* /opt/cola/permits/1118682349_1608591170.06/0/guava-30-1-jre-sources-
jar/com/google/common/util/concurrent/ForwardingBlockingQueue.java
* /opt/cola/permits/1118682349_1608591170.06/0/guava-30-1-jre-sources-
jar/com/google/common/util/concurrent/Atomic.java
* /opt/cola/permits/1118682349_1608591170.06/0/guava-30-1-jre-sources-
jar/com/google/common/base/Strings.java
```

No license file was found, but licenses were detected in source scan.

```
/*
```

```
* Copyright (C) 2008 The Guava Authors
```

```
*
```

```
* Licensed under the Apache License, Version 2.0 (the "License");
```

```
* you may not use this file except in compliance with the License.
```

```
* You may obtain a copy of the License at
```

```
*
```

```
* http://www.apache.org/licenses/LICENSE-2.0
```

```
*
```

```
* Unless required by applicable law or agreed to in writing, software
```

```
* distributed under the License is distributed on an "AS IS" BASIS,
```

```
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
```

```
* See the License for the specific language governing permissions and
```

```
* limitations under the License.
```

```
*/
```

```
/*
```

```
* This method was rewritten in Java from an intermediate step of the Murmur hash function in
```

```
* http://code.google.com/p/smlasher/source/browse/trunk/MurmurHash3.cpp, which contained the
```

```
* following header:
```

```
*
```

```
* MurmurHash3 was written by Austin Appleby, and is placed in the public domain. The author
```

```
* hereby disclaims copyright to this source code.
```

```
*/
```

Found in path(s):

```
* /opt/cola/permits/1118682349_1608591170.06/0/guava-30-1-jre-sources-
jar/com/google/common/collect/Hashing.java
```

No license file was found, but licenses were detected in source scan.

```
/*
```

```
* Copyright (C) 2011 The Guava Authors
```

```
*
```

```
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
```

```
* in compliance with the License. You may obtain a copy of the License at
```

```
*
```

```
* http://www.apache.org/licenses/LICENSE-2.0
```

```
*
```

```
* Unless required by applicable law or agreed to in writing, software distributed under the License
```

```
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
```

```
express
```

\* or implied. See the License for the specific language governing permissions and limitations under  
\* the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/math/IntMath.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/base/Ticker.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/cache/package-info.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/cache/Weigher.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/math/BigIntegerMath.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/hash/AbstractStreamingHasher.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/collect/TreeRangeSet.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/collect/RegularContiguousSet.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/util/concurrent/UncheckedExecutionException.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/util/concurrent/ListeningScheduledExecutorService.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/cache/CacheBuilderSpec.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/util/concurrent/ForwardingListeningExecutorService.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/cache/AbstractCache.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/math/package-info.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/base/Present.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/util/concurrent/CycleDetectingLockFactory.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/hash/AbstractNonStreamingHashFunction.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/cache/RemovalListeners.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/hash/AbstractHasher.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/math/DoubleMath.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/util/concurrent/AbstractListeningExecutorService.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-

jar/com/google/common/primitives/UnsignedInteger.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-  
jar/com/google/common/net/MediaType.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-  
jar/com/google/common/hash/Hashing.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-  
jar/com/google/common/hash/HashFunction.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-  
jar/com/google/common/cache/RemovalNotification.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-  
jar/com/google/common/hash/HashingOutputStream.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-  
jar/com/google/common/collect/DescendingImmutableSortedMultiset.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-  
jar/com/google/common/collect/RegularImmutableMultiset.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-  
jar/com/google/common/math/DoubleUtils.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-  
jar/com/google/common/hash/BloomFilter.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-  
jar/com/google/common/hash/BloomFilterStrategies.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-  
jar/com/google/common/collect/BoundType.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-  
jar/com/google/common/primitives/ParseRequest.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-  
jar/com/google/common/cache/AbstractLoadingCache.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-  
jar/com/google/common/util/concurrent/FutureCallback.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-  
jar/com/google/common/collect/Queues.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-  
jar/com/google/common/cache/CacheStats.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-  
jar/com/google/common/primitives/UnsignedLongs.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-  
jar/com/google/common/hash/Murmur3\_128HashFunction.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-  
jar/com/google/common/util/concurrent/ForwardingExecutorService.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-  
jar/com/google/common/hash/Crc32cHashFunction.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-  
jar/com/google/common/util/concurrent/AbstractScheduledService.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-  
jar/com/google/common/base/Absent.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-  
jar/com/google/common/util/concurrent/ExecutionError.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-

jar/com/google/common/net/HostAndPort.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-  
jar/com/google/common/cache/CacheLoader.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-  
jar/com/google/common/hash/Hasher.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-  
jar/com/google/common/cache/ForwardingCache.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-  
jar/com/google/common/hash/Funnel.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-  
jar/com/google/common/base/FunctionalEquivalence.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-  
jar/com/google/common/hash/HashCode.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-  
jar/com/google/common/base/PairwiseEquivalence.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-  
jar/com/google/common/hash/PrimitiveSink.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-  
jar/com/google/common/collect/EmptyContiguousSet.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-  
jar/com/google/common/util/concurrent/WrappingExecutorService.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-  
jar/com/google/common/hash/Murmur3\_32HashFunction.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-  
jar/com/google/common/util/concurrent/AsyncFunction.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-  
jar/com/google/common/reflect/TypeParameter.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-  
jar/com/google/common/math/MathPreconditions.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-  
jar/com/google/common/hash/MessageDigestHashFunction.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-  
jar/com/google/common/math/LongMath.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-  
jar/com/google/common/net/HttpHeaders.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-  
jar/com/google/common/cache/ForwardingLoadingCache.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-  
jar/com/google/common/hash/AbstractCompositeHashFunction.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-  
jar/com/google/common/primitives/UnsignedLong.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-  
jar/com/google/common/primitives/UnsignedInts.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-  
jar/com/google/common/reflect/Types.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-  
jar/com/google/common/cache/LoadingCache.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-



jar/com/google/common/cache/RemovalListener.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-  
jar/com/google/common/collect/AbstractSortedMultiset.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-  
jar/com/google/common/cache/Cache.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-  
jar/com/google/common/util/concurrent/Uninterruptibles.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-  
jar/com/google/common/cache/RemovalCause.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-  
jar/com/google/common/base/Enums.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-  
jar/com/google/common/base/Optional.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-  
jar/com/google/common/hash/Funnels.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2020 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except  
\* in compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License  
\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express

\* or implied. See the License for the specific language governing permissions and limitations under  
\* the License.

\*/

/\*\*

\* Holder for web specializations of methods of { @code Doubles }. Intended to be empty for regular  
\* version.

\*/

Found in path(s):

\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-  
jar/com/google/common/primitives/DoublesMethodsForWeb.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2020 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-  
jar/com/google/common/util/concurrent/ServiceManagerBridge.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-  
jar/com/google/common/base/Java8Usage.java

No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright (C) 2008 The Guava Authors  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-  
jar/com/google/common/collect/ImmutableMapEntrySet.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-  
jar/com/google/common/collect/RegularImmutableBiMap.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-  
jar/com/google/common/collect/Platform.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-  
jar/com/google/common/collect/Range.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-  
jar/com/google/common/collect/CollectPreconditions.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-  
jar/com/google/common/collect/RegularImmutableMap.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-  
jar/com/google/common/collect/UnmodifiableIterator.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-

jar/com/google/common/collect/PeekingIterator.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-  
jar/com/google/common/collect/ImmutableBiMap.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-  
jar/com/google/common/collect/ImmutableMapKeySet.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-  
jar/com/google/common/collect/Table.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-  
jar/com/google/common/collect/Tables.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-  
jar/com/google/common/collect/SingletonImmutableBiMap.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-  
jar/com/google/thirdparty/publicsuffix/PublicSuffixPatterns.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-  
jar/com/google/common/collect/ImmutableCollection.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-  
jar/com/google/common/collect/ImmutableMultimap.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-  
jar/com/google/common/collect/HashBasedTable.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-  
jar/com/google/common/collect/StandardRowSortedTable.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-  
jar/com/google/common/collect/ImmutableMap.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-  
jar/com/google/common/collect/TreeBasedTable.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-  
jar/com/google/common/collect/EmptyImmutableListMultimap.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-  
jar/com/google/common/collect/ImmutableMapValues.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-  
jar/com/google/common/collect/Serialization.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-  
jar/com/google/common/collect/StandardTable.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-  
jar/com/google/common/collect/ImmutableListMultimap.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-  
jar/com/google/common/collect/ImmutableEntry.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-  
jar/com/google/common/collect/ImmutableMultiset.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-  
jar/com/google/common/collect/ImmutableSortedSet.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-  
jar/com/google/common/collect/Collections2.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2007 The Guava Authors

\*

```

* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
/**
 * Returns an array containing all of the elements in the specified collection. This method
 * returns the elements in the order they are returned by the collection's iterator. The returned
 * array is "safe" in that no references to it are maintained by the collection. The caller is
 * thus free to modify the returned array.
 *
 * <p>This method assumes that the collection size doesn't change while the method is running.
 *
 * <p>TODO(kevinb): support concurrently modified collections?
 *
 * @param c the collection for which to return an array of elements
 */

```

Found in path(s):

```

* /opt/cola/permits/1118682349_1608591170.06/0/guava-30-1-jre-sources-
jar/com/google/common/collect/ObjectArrays.java

```

No license file was found, but licenses were detected in source scan.

```

/*
 * Copyright (C) 2015 The Guava Authors
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */

```

Found in path(s):

```

* /opt/cola/permits/1118682349_1608591170.06/0/guava-30-1-jre-sources-

```

jar/com/google/common/collect/CollectSpliterators.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/graph/package-info.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/collect/ImmutableBiMapFauxverideShim.java  
No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (C) 2007 The Guava Authors
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/collect/SetMultimap.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/collect/MutableClassToInstanceMap.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/collect/NullsLastOrdering.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/collect/ExplicitOrdering.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/collect/AbstractSortedSetMultimap.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/collect/AbstractMapBasedMultimap.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/collect/BiMap.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/collect/ReverseNaturalOrdering.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/collect/ForwardingMultiset.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/collect/Multimaps.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/collect/AbstractSetMultimap.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/collect/AbstractMapEntry.java

\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/collect/ComparatorOrdering.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/collect/HashMultimap.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/collect/ForwardingCollection.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/collect/ListMultimap.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/collect/Iterables.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/collect/ForwardingMapEntry.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/collect/MapDifference.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/collect/TreeMultiset.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/collect/ImmutableSet.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/collect/HashMultiset.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/collect/ByFunctionOrdering.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/collect/ClassToInstanceMap.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/collect/AbstractListMultimap.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/collect/AbstractIterator.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/collect/UsingToStringOrdering.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/collect/Iterators.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/collect/RegularImmutableSet.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/collect/ForwardingSet.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/collect/ReverseOrdering.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/collect/ForwardingMap.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/collect/Multiset.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/collect/ForwardingObject.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/collect/EnumHashBiMap.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/collect/Sets.java

\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/collect/ForwardingSortedSet.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/collect/Maps.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/collect/Multisets.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/collect/SortedSetMultimap.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/collect/TreeMultimap.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/collect/NullsFirstOrdering.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/collect/LinkedHashMultiset.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/collect/CompoundOrdering.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/collect/LinkedListMultimap.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/collect/ForwardingConcurrentMap.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/collect/ForwardingListIterator.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/collect/AbstractBiMap.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/collect/ForwardingSortedMap.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/collect/Lists.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/collect/LinkedHashMultimap.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/collect/Ordering.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/collect/Multimap.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/collect/ArrayListMultimap.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/collect/Interner.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/collect/ForwardingList.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/collect/SingletonImmutableSet.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/collect/package-info.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/collect/AbstractMultiset.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/collect/ConcurrentHashMultiset.java

\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/collect/ForwardingMultimap.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/collect/EnumBiMap.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/collect/NaturalOrdering.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/collect/Synchronized.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/collect/ForwardingIterator.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/collect/AbstractMapBasedMultiset.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/collect/ImmutableList.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/collect/LexicographicalOrdering.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/collect/ForwardingQueue.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2007 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except  
\* in compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License  
\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express  
\* or implied. See the License for the specific language governing permissions and limitations under  
\* the License.

\*/

/\*

\* This following method is a modified version of one found in

\* <http://gee.cs.oswego.edu/cgi-bin/viewcvs.cgi/jsr166/src/test/tck/AbstractExecutorServiceTest.java?revision=1.30>

\* which contained the following notice:

\*

\* Written by Doug Lea with assistance from members of JCP JSR-166 Expert Group and released to  
\* the public domain, as explained at <http://creativecommons.org/publicdomain/zero/1.0/>

\*

\* Other contributors include Andrew Wright, Jeffrey Hayes, Pat Fisher, Mike Judd.

\*/

Found in path(s):

\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/util/concurrent/MoreExecutors.java



No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (C) 2019 The Guava Authors
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1118682349_1608591170.06/0/guava-30-1-jre-sources-
jar/com/google/common/collect/CompactHashing.java
* /opt/cola/permits/1118682349_1608591170.06/0/guava-30-1-jre-sources-
jar/com/google/common/graph/IncidentEdgeSet.java
```

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (C) 2017 The Guava Authors
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1118682349_1608591170.06/0/guava-30-1-jre-sources-
jar/com/google/common/graph/BaseGraph.java
* /opt/cola/permits/1118682349_1608591170.06/0/guava-30-1-jre-sources-
jar/com/google/common/util/concurrent/ClosingFuture.java
* /opt/cola/permits/1118682349_1608591170.06/0/guava-30-1-jre-sources-
jar/com/google/common/graph/AbstractBaseGraph.java
```

\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/graph/Traverser.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2016 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except  
\* in compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License  
\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express

\* or implied. See the License for the specific language governing permissions and limitations under  
\* the License.

\*/

Found in path(s):

\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/base/CommonMatcher.java

\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/base/CommonPattern.java

\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/base/PatternCompiler.java

\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/base/JdkPattern.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2019 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except  
\* in compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License  
\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express

\* or implied. See the License for the specific language governing permissions and limitations under  
\* the License.

\*/

Found in path(s):

\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/primitives/Platform.java

\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/util/concurrent/Internal.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2011 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except  
\* in compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License  
\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express

\* or implied. See the License for the specific language governing permissions and limitations under  
\* the License.

\*/

/\*

\* This method was written by Doug Lea with assistance from members of JCP JSR-166 Expert Group  
\* and released to the public domain, as explained at

\* <http://creativecommons.org/licenses/publicdomain>

\*

\* As of 2010/06/11, this method is identical to the (package private) hash method in OpenJDK 7's

\* `java.util.HashMap` class.

\*/

Found in path(s):

\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/util/concurrent/Striped.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2005 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except  
\* in compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License  
\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express

\* or implied. See the License for the specific language governing permissions and limitations under  
\* the License.

\*/

Found in path(s):

\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/reflect/Reflection.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2011 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/collect/SortedMultiset.java

\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/collect/SortedMultisets.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2012 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

\*/

/\*

\* This method was rewritten in Java from an intermediate step of the Murmur hash function in <http://code.google.com/p/smhasher/source/browse/trunk/MurmurHash3.cpp>, which contained the following header:

\*

\* MurmurHash3 was written by Austin Appleby, and is placed in the public domain. The author

\* hereby disclaims copyright to this source code.

\*/

Found in path(s):

\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/base/SmallCharMatcher.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2015 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except

\* in compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License

\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express

\* or implied. See the License for the specific language governing permissions and limitations under

\* the License.

\*/

Found in path(s):

\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/collect/ConsumingQueueIterator.java

\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/util/concurrent/InterruptibleTask.java

\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/util/concurrent/CombinedFuture.java

\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/util/concurrent/AsyncCallable.java

\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/io/ReaderInputStream.java

\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/hash/MacHashFunction.java

\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/util/concurrent/Platform.java

\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/util/concurrent/AggregateFutureState.java

\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/hash/LittleEndianByteArray.java

\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/hash/FarmHashFingerprint64.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2008 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except  
\* in compliance with the License. You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software distributed under the License  
\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express  
\* or implied. See the License for the specific language governing permissions and limitations under  
\* the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/primitives/Longs.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/net/PercentEscaper.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/escape/UnicodeEscaper.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/primitives/Booleans.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/base/Stopwatch.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/base/Joiner.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/escape/Escaper.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/base/internal/Finalizer.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/base/Converter.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/primitives/Ints.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/primitives/Doubles.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/collect/FluentIterable.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/primitives/Chars.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/util/concurrent/SequentialExecutor.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/base/CharMatcher.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/primitives/Shorts.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/io/MultiReader.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/primitives/Bytes.java

```
* /opt/cola/permits/1118682349_1608591170.06/0/guava-30-1-jre-sources-
jar/com/google/common/primitives/Floats.java
* /opt/cola/permits/1118682349_1608591170.06/0/guava-30-1-jre-sources-
jar/com/google/thirdparty/publicsuffix/TrieParser.java
* /opt/cola/permits/1118682349_1608591170.06/0/guava-30-1-jre-sources-
jar/com/google/common/util/concurrent/ListenableFutureTask.java
* /opt/cola/permits/1118682349_1608591170.06/0/guava-30-1-jre-sources-
jar/com/google/common/io/FileBackedOutputStream.java
* /opt/cola/permits/1118682349_1608591170.06/0/guava-30-1-jre-sources-
jar/com/google/common/net/InetAddresses.java
```

No license file was found, but licenses were detected in source scan.

```
/*
```

```
* Copyright (C) 2009 The Guava Authors
```

```
*
```

```
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at
```

```
*
```

```
* http://www.apache.org/licenses/LICENSE-2.0
```

```
*
```

```
* Unless required by applicable law or agreed to in writing, software distributed under the
* License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND,
either
```

```
* express or implied. See the License for the specific language governing permissions and
```

```
* limitations under the License.
```

```
*/
```

Found in path(s):

```
* /opt/cola/permits/1118682349_1608591170.06/0/guava-30-1-jre-sources-
jar/com/google/common/collect/ImmutableSortedAsList.java
```

No license file was found, but licenses were detected in source scan.

```
/*
```

```
* Copyright (C) 2020 The Guava Authors
```

```
*
```

```
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at
```

```
*
```

```
* http://www.apache.org/licenses/LICENSE-2.0
```

```
*
```

```
* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
express
```

```
* or implied. See the License for the specific language governing permissions and limitations under
```

```
* the License.
```

```
*/
```

```
/**
```

```
* Holder for web specializations of methods of { @code Shorts }. Intended to be empty for regular
```

\* version.

\*/

Found in path(s):

\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/primitives/ShortsMethodsForWeb.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2020 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except  
\* in compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License  
\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express

\* or implied. See the License for the specific language governing permissions and limitations under  
\* the License.

\*/

/\*\*

\* Holder for web specializations of methods of { @code Floats }. Intended to be empty for regular  
\* version.

\*/

Found in path(s):

\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/primitives/FloatsMethodsForWeb.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2020 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except  
\* in compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License  
\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express

\* or implied. See the License for the specific language governing permissions and limitations under  
\* the License.

\*/

/\*\*

\* Holder for web specializations of methods of { @code Ints }. Intended to be empty for regular



\* version.

\*/

Found in path(s):

\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/primitives/IntsMethodsForWeb.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2016 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except  
\* in compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License  
\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express

\* or implied. See the License for the specific language governing permissions and limitations under  
\* the License.

\*/

/\*\*

\* Holder for extra methods of { @code Objects } only in web. Intended to be empty for regular

\* version.

\*/

Found in path(s):

\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/base/ExtraObjectsMethodsForWeb.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2007 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except  
\* in compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License  
\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express

\* or implied. See the License for the specific language governing permissions and limitations under  
\* the License.

\*/

Found in path(s):

\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/io/LineBuffer.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/base/Predicate.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/io/LittleEndianDataOutputStream.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/io/CountingInputStream.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/base/Suppliers.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/io/CountingOutputStream.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/eventbus/EventBus.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/eventbus/AllowConcurrentEvents.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/base/Supplier.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/io/LineReader.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/base/package-info.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/base/Objects.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/eventbus/AsyncEventBus.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/eventbus/Subscribe.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/base/FinalizableReference.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/io/CharStreams.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/util/concurrent/DirectExecutor.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/collect/EnumMultiset.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/io/package-info.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/io/Flushables.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/io/Files.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/base/Defaults.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/base/Functions.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/collect/Interners.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-

jar/com/google/common/base/FinalizableReferenceQueue.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-  
jar/com/google/common/io/Resources.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-  
jar/com/google/common/io/MultiInputStream.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-  
jar/com/google/common/base/FinalizablePhantomReference.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-  
jar/com/google/common/base/Predicates.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-  
jar/com/google/common/io/LittleEndianDataInputStream.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-  
jar/com/google/common/io/Closeables.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-  
jar/com/google/common/base/Throwables.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-  
jar/com/google/common/base/Function.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-  
jar/com/google/common/util/concurrent/package-info.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-  
jar/com/google/common/base/AbstractIterator.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-  
jar/com/google/common/base/Charsets.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-  
jar/com/google/common/base/FinalizableSoftReference.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-  
jar/com/google/common/util/concurrent/ExecutionList.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-  
jar/com/google/common/base/FinalizableWeakReference.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-  
jar/com/google/common/util/concurrent/AbstractFuture.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-  
jar/com/google/common/collect/HashBiMap.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-  
jar/com/google/common/util/concurrent/ListenableFuture.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-  
jar/com/google/common/primitives/Primitives.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-  
jar/com/google/common/eventbus/DeadEvent.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-  
jar/com/google/common/eventbus/package-info.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-  
jar/com/google/common/io/ByteStreams.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-  
jar/com/google/common/base/Preconditions.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2012 The Guava Authors  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except  
\* in compliance with the License. You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software distributed under the License  
\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express  
\* or implied. See the License for the specific language governing permissions and limitations under  
\* the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-  
jar/com/google/common/collect/ImmutableRangeMap.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-  
jar/com/google/common/reflect/Invokable.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-  
jar/com/google/common/collect/ImmutableRangeSet.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-  
jar/com/google/common/reflect/Element.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-  
jar/com/google/common/cache/LongAddable.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-  
jar/com/google/common/io/ByteSink.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-  
jar/com/google/common/io/CharSource.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-  
jar/com/google/common/math/PairedStats.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-  
jar/com/google/common/hash/LongAddables.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-  
jar/com/google/common/util/concurrent/ServiceManager.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-  
jar/com/google/common/reflect/MutableTypeToInstanceMap.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-  
jar/com/google/common/hash/SipHashFunction.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-  
jar/com/google/common/reflect/ImmutableTypeToInstanceMap.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-  
jar/com/google/common/hash/ChecksumHashFunction.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-  
jar/com/google/common/math/StatsAccumulator.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-  
jar/com/google/common/reflect/ClassPath.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-

jar/com/google/common/io/ByteSource.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-  
jar/com/google/common/util/concurrent/RateLimiter.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-  
jar/com/google/common/collect/FilteredKeyMultimap.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-  
jar/com/google/common/escape/package-info.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-  
jar/com/google/common/reflect/Parameter.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-  
jar/com/google/common/io/BaseEncoding.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/reflect/package-  
info.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-  
jar/com/google/common/math/PairedStatsAccumulator.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-  
jar/com/google/common/io/CharSink.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-  
jar/com/google/common/hash/AbstractByteHasher.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-  
jar/com/google/common/hash/LongAddable.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-  
jar/com/google/common/reflect/TypeCapture.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-  
jar/com/google/common/base/StandardSystemProperty.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/io/Closer.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-  
jar/com/google/common/reflect/AbstractInvocationHandler.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/xml/package-  
info.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/math/Stats.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-  
jar/com/google/common/reflect/TypeToInstanceMap.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-  
jar/com/google/common/collect/CartesianList.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/html/package-  
info.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-  
jar/com/google/common/io/FileWriteMode.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-  
jar/com/google/common/cache/LongAddables.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-  
jar/com/google/common/math/LinearTransformation.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-  
jar/com/google/common/util/concurrent/SmoothRateLimiter.java  
\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-  
jar/com/google/common/util/concurrent/ListenableScheduledFuture.java

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (C) 2014 The Guava Authors
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1118682349_1608591170.06/0/guava-30-1-jre-sources-
jar/com/google/common/io/RecursiveDeleteOption.java
* /opt/cola/permits/1118682349_1608591170.06/0/guava-30-1-jre-sources-
jar/com/google/common/graph/MutableGraph.java
* /opt/cola/permits/1118682349_1608591170.06/0/guava-30-1-jre-sources-
jar/com/google/common/graph/ImmutableGraph.java
* /opt/cola/permits/1118682349_1608591170.06/0/guava-30-1-jre-sources-
jar/com/google/common/graph/Network.java
* /opt/cola/permits/1118682349_1608591170.06/0/guava-30-1-jre-sources-
jar/com/google/common/io/InsecureRecursiveDeleteException.java
* /opt/cola/permits/1118682349_1608591170.06/0/guava-30-1-jre-sources-
jar/com/google/common/graph/SuccessorsFunction.java
* /opt/cola/permits/1118682349_1608591170.06/0/guava-30-1-jre-sources-
jar/com/google/common/graph/ImmutableNetwork.java
* /opt/cola/permits/1118682349_1608591170.06/0/guava-30-1-jre-sources-
jar/com/google/common/collect/TopKSelector.java
* /opt/cola/permits/1118682349_1608591170.06/0/guava-30-1-jre-sources-
jar/com/google/common/graph/PredecessorsFunction.java
* /opt/cola/permits/1118682349_1608591170.06/0/guava-30-1-jre-sources-
jar/com/google/common/graph/Graph.java
* /opt/cola/permits/1118682349_1608591170.06/0/guava-30-1-jre-sources-
jar/com/google/common/graph/MutableNetwork.java
* /opt/cola/permits/1118682349_1608591170.06/0/guava-30-1-jre-sources-
jar/com/google/common/graph/Graphs.java
```

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (C) 2011 The Guava Authors.
 *
```

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except  
\* in compliance with the License. You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software distributed under the License  
\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express  
\* or implied. See the License for the specific language governing permissions and limitations under  
\* the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/hash/package-info.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2018 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except  
\* in compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License  
\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express

\* or implied. See the License for the specific language governing permissions and limitations under  
\* the License.

\*/

Found in path(s):

\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/collect/JdkBackedImmutableSet.java

\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/hash/ImmutableSupplier.java

\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/collect/JdkBackedImmutableMultiset.java

\* /opt/cola/permits/1118682349\_1608591170.06/0/guava-30-1-jre-sources-jar/com/google/common/util/concurrent/ExecutionSequencer.java

## 1.107 apache-commons-beanutils 1.9.4

## 1.107.1 Available under license :

Apache Commons BeanUtils

Copyright 2000-2019 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the



editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the

same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

## 1.108 jersey-inject-hk2 2.33

### 1.108.1 Available under license :

# Notice for Jersey

This content is produced and maintained by the Eclipse Jersey project.

\* Project home: <https://projects.eclipse.org/projects/ee4j.jersey>

## Trademarks

Eclipse Jersey is a trademark of the Eclipse Foundation.

## Copyright

All content is the property of the respective authors or their employers. For more information regarding authorship of content, please consult the listed source code repository logs.

## Declared Project Licenses

This program and the accompanying materials are made available under the terms of the Eclipse Public License v. 2.0 which is available at <http://www.eclipse.org/legal/epl-2.0>. This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License v. 2.0 are satisfied: GNU General Public License, version 2 with the GNU Classpath Exception which is available at <https://www.gnu.org/software/classpath/license.html>.

SPDX-License-Identifier: EPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0

## Source Code

The project maintains the following source code repositories:

- \* <https://github.com/eclipse-ee4j/jersey>

## ## Third-party Content

### Angular JS, v1.6.6

- \* License MIT (<http://www.opensource.org/licenses/mit-license.php>)
- \* Project: <http://angularjs.org>
- \* Coyright: (c) 2010-2017 Google, Inc.

### aopalliance Version 1

- \* License: all the source code provided by AOP Alliance is Public Domain.
- \* Project: <http://aopalliance.sourceforge.net>
- \* Copyright: Material in the public domain is not protected by copyright

### Bean Validation API 2.0.2

- \* License: Apache License, 2.0
- \* Project: <http://beanvalidation.org/1.1/>
- \* Copyright: 2009, Red Hat, Inc. and/or its affiliates, and individual contributors
- \* by the @authors tag.

### Hibernate Validator CDI, 6.1.2.Final

- \* License: Apache License, 2.0
- \* Project: <https://beanvalidation.org/>
- \* Repackaged in `org.glassfish.jersey.server.validation.internal.hibernate`

### Bootstrap v3.3.7

- \* License: MIT license (<https://github.com/twbs/bootstrap/blob/master/LICENSE>)
- \* Project: <http://getbootstrap.com>
- \* Copyright: 2011-2016 Twitter, Inc

### Google Guava Version 18.0

- \* License: Apache License, 2.0
- \* Copyright (C) 2009 The Guava Authors

### javax.inject Version: 1

- \* License: Apache License, 2.0
- \* Copyright (C) 2009 The JSR-330 Expert Group

### Javassist Version 3.25.0-GA

- \* License: Apache License, 2.0
- \* Project: <http://www.javassist.org/>
- \* Copyright (C) 1999- Shigeru Chiba. All Rights Reserved.

### Jackson JAX-RS Providers Version 2.10.1

- \* License: Apache License, 2.0
- \* Project: <https://github.com/FasterXML/jackson-jaxrs-providers>

\* Copyright: (c) 2009-2011 FasterXML, LLC. All rights reserved unless otherwise indicated.

jQuery v1.12.4

\* License: [jquery.org/license](http://jquery.org/license)

\* Project: [jquery.org](http://jquery.org)

\* Copyright: (c) jQuery Foundation

jQuery Barcode plugin 0.3

\* License: MIT & GPL (<http://www.opensource.org/licenses/mit-license.php> & <http://www.gnu.org/licenses/gpl.html>)

\* Project: <http://www.pasella.it/projects/jquery/barcode>

\* Copyright: (c) 2009 Antonello Pasella [antonello.pasella@gmail.com](mailto:antonello.pasella@gmail.com)

JSR-166 Extension - JEP 266

\* License: CC0

\* No copyright

\* Written by Doug Lea with assistance from members of JCP JSR-166 Expert Group and released to the public domain, as explained at <http://creativecommons.org/publicdomain/zero/1.0/>

KineticJS, v4.7.1

\* License: MIT license (<http://www.opensource.org/licenses/mit-license.php>)

\* Project: <http://www.kineticjs.com>, <https://github.com/ericdrowell/KineticJS>

\* Copyright: Eric Rowell

org.objectweb.asm Version 8.0

\* License: Modified BSD (<http://asm.objectweb.org/license.html>)

\* Copyright (c) 2000-2011 INRIA, France Telecom. All rights reserved.

org.osgi.core version 6.0.0

\* License: Apache License, 2.0

\* Copyright (c) OSGi Alliance (2005, 2008). All Rights Reserved.

org.glassfish.jersey.server.internal.monitoring.core

\* License: Apache License, 2.0

\* Copyright (c) 2015-2018 Oracle and/or its affiliates. All rights reserved.

\* Copyright 2010-2013 Coda Hale and Yammer, Inc.

W3.org documents

\* License: W3C License

\* Copyright: Copyright (c) 1994-2001 World Wide Web Consortium, (Massachusetts Institute of Technology, Institut National de Recherche en Informatique et en Automatique, Keio University). All Rights Reserved.

<http://www.w3.org/Consortium/Legal/>

# Eclipse Public License - v 2.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

## 1. DEFINITIONS

"Contribution" means:

a) in the case of the initial Contributor, the initial content Distributed under this Agreement, and

b) in the case of each subsequent Contributor:

- i) changes to the Program, and
- ii) additions to the Program;

where such changes and/or additions to the Program originate from and are Distributed by that particular Contributor. A Contribution "originates" from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include changes or additions to the Program that are not Modified Works.

"Contributor" means any person or entity that Distributes the Program.

"Licensed Patents" mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions Distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement or any Secondary License (as applicable), including Contributors.

"Derivative Works" shall mean any work, whether in Source Code or other form, that is based on (or derived from) the Program and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship.

"Modified Works" shall mean any work in Source Code or other form that results from an addition to, deletion from, or modification of the contents of the Program, including, for purposes of clarity any new file in Source Code form that contains any contents of the Program. Modified Works shall not include works that contain only declarations, interfaces, types, classes, structures, or files of the Program solely in each case in order to link to, bind by name, or subclass the Program or Modified Works thereof.

"Distribute" means the acts of a) distributing or b) making available in any manner that enables the transfer of a copy.

"Source Code" means the form of a Program preferred for making modifications, including but not limited to software source code,

documentation source, and configuration files.

"Secondary License" means either the GNU General Public License, Version 2.0, or any later versions of that license, including any exceptions or additional permissions as identified by the initial Contributor.

## 2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, Distribute and sublicense the Contribution of such Contributor, if any, and such Derivative Works.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in Source Code or other form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to Distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

e) Notwithstanding the terms of any Secondary License, no Contributor makes additional grants to any Recipient (other than those set forth in this Agreement) as a result of such Recipient's



receipt of the Program under the terms of a Secondary License (if permitted under the terms of Section 3).

### 3. REQUIREMENTS

3.1 If a Contributor Distributes the Program in any form, then:

a) the Program must also be made available as Source Code, in accordance with section 3.2, and the Contributor must accompany the Program with a statement that the Source Code for the Program is available under this Agreement, and informs Recipients how to obtain it in a reasonable manner on or through a medium customarily used for software exchange; and

b) the Contributor may Distribute the Program under a license different than this Agreement, provided that such license:

i) effectively disclaims on behalf of all other Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;

ii) effectively excludes on behalf of all other Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;

iii) does not attempt to limit or alter the recipients' rights in the Source Code under section 3.2; and

iv) requires any subsequent distribution of the Program by any party to be under a license that satisfies the requirements of this section 3.

3.2 When the Program is Distributed as Source Code:

a) it must be made available under this Agreement, or if the Program (i) is combined with other material in a separate file or files made available under a Secondary License, and (ii) the initial Contributor attached to the Source Code the notice described in Exhibit A of this Agreement, then the Program may be made available under the terms of such Secondary Licenses, and

b) a copy of this Agreement must be included with each copy of the Program.

3.3 Contributors may not remove or alter any copyright, patent, trademark, attribution notices, disclaimers of warranty, or limitations of liability ("notices") contained within the Program from any copy of

the Program which they Distribute, provided that Contributors may add their own appropriate notices.

#### 4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

#### 5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement,

including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

## 6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

## 7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate

entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be Distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to Distribute the Program (including its Contributions) under the new version.

Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved. Nothing in this Agreement is intended to be enforceable by any entity that is not a Contributor or Recipient. No third-party beneficiary rights are created under this Agreement.

Exhibit A - Form of Secondary Licenses Notice

"This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License, v. 2.0 are satisfied: {name license(s), version(s), and exceptions or additional permissions here}."

Simply including a copy of this Agreement, including this Exhibit A is not sufficient to license the Source Code under Secondary Licenses.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.

---

## The GNU General Public License (GPL) Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.  
51 Franklin Street, Fifth Floor  
Boston, MA 02110-1335  
USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is

intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

#### TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under

the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

- a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is

normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.



If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.  
Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License

along with this program; if not, write to the Free Software  
Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1335 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this  
when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type
`show w'. This is free software, and you are welcome to redistribute
it under certain conditions; type `show c' for details.
```

The hypothetical commands ``show w'` and ``show c'` should show the  
appropriate parts of the General Public License. Of course, the commands  
you use may be called something other than ``show w'` and ``show c'`; they  
could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your  
school, if any, to sign a "copyright disclaimer" for the program, if  
necessary. Here is a sample; alter the names:

```
Yoyodyne, Inc., hereby disclaims all copyright interest in the
program `Gnomovision' (which makes passes at compilers) written by
James Hacker.
```

```
signature of Ty Coon, 1 April 1989
Ty Coon, President of Vice
```

This General Public License does not permit incorporating your program  
into proprietary programs. If your program is a subroutine library, you  
may consider it more useful to permit linking proprietary applications  
with the library. If this is what you want to do, use the GNU Library  
General Public License instead of this License.

---

## ## CLASSPATH EXCEPTION

Linking this library statically or dynamically with other modules is  
making a combined work based on this library. Thus, the terms and  
conditions of the GNU General Public License version 2 cover the whole  
combination.

As a special exception, the copyright holders of this library give you  
permission to link this library with independent modules to produce an  
executable, regardless of the license terms of these independent  
modules, and to copy and distribute the resulting executable under

terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module. An independent module is a module which is not derived from or based on this library. If you modify this library, you may extend this exception to your version of the library, but you are not obligated to do so. If you do not wish to do so, delete this exception statement from your version.

# 1.109 micronaut 3.4.0

## 1.109.1 Available under license :

Apache License

Version 2.0, January 2004

<https://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a

copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct

or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of

this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following

boilerplate notice, with the fields enclosed by brackets "[ ]"  
replaced with your own identifying information. (Don't include  
the brackets!) The text should be enclosed in the appropriate  
comment syntax for the file format. We also recommend that a  
file or class name and description of purpose be included on the  
same "printed page" as the copyright notice for easier  
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software  
distributed under the License is distributed on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.

## 1.110 micronaut-servlet 3.2.1

### 1.110.1 Available under license :

Apache License  
Version 2.0, January 2004  
<https://www.apache.org/licenses/>

#### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

##### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,  
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by  
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all  
other entities that control, are controlled by, or are under common  
control with that entity. For the purposes of this definition,  
"control" means (i) the power, direct or indirect, to cause the  
direction or management of such entity, whether by contract or  
otherwise, or (ii) ownership of fifty percent (50%) or more of the  
outstanding shares, or (iii) beneficial ownership of such entity.



"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the

Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
  
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
  - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
  
  - (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
  
  - (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
  
  - (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside

or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer,

and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

# 1.111 commons-io 2.11.0

## 1.111.1 Available under license :

Apache Commons IO  
Copyright 2002-2021 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<https://www.apache.org/>).

Apache License  
Version 2.0, January 2004

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally

submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
  - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
  - (b) You must cause any modified files to carry prominent notices stating that You changed the files; and

- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.
6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. **Disclaimer of Warranty.** Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or

implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
  
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at



<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

# 1.112 apache-commons-collections 4.4

## 1.112.1 Available under license :

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or

Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work

or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work

by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Apache Commons Collections

Copyright 2001-2019 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

## 1.113 mongo-java-driver 4.2.3

### 1.113.1 Available under license :

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2008-present MongoDB, Inc.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*  
\* Original Work: MIT License, Copyright (c) [2015-2018] all contributors  
\* <https://github.com/marianobarrios/tls-channel>  
\*/

Found in path(s):

\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-jar/com/mongodb/internal/connection/ExtendedAsynchronousByteChannel.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (c) 2005 Brian Goetz and Tim Peierls  
\* Released under the Creative Commons Attribution License  
\* (<http://creativecommons.org/licenses/by/2.5>)  
\* Official home: <http://www.jcip.net>  
\*  
\* Any republication or derived work distributed in source code form  
\* must include this copyright and license notice.  
\*/

Found in path(s):

\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-jar/com/mongodb/annotations/NotThreadSafe.java

\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-jar/com/mongodb/annotations/Immutable.java

\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-jar/com/mongodb/annotations/ThreadSafe.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2008-present MongoDB, Inc.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.

\*/

/\*

\* Written by Doug Lea with assistance from members of JCP JSR-166  
\* Expert Group and released to the public domain, as explained at  
\* <http://creativecommons.org/publicdomain/zero/1.0/>

```

*/
/**
 * Returns an array containing all of the elements in this deque, in
 * proper sequence (from first to last element).
 *
 * <p>The returned array will be "safe" in that no references to it are
 * maintained by this deque. (In other words, this method must allocate
 * a new array). The caller is thus free to modify the returned array.
 *
 * <p>This method acts as bridge between array-based and collection-based
 * APIs.
 *
 * @return an array containing all of the elements in this deque
 */

```

Found in path(s):

```

*/opt/cola/permits/1340031620_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-
jar/com/mongodb/internal/connection/ConcurrentLinkedDeque.java
No license file was found, but licenses were detected in source scan.

```

```

/*
 * Copyright 2008-present MongoDB, Inc.
 * Copyright (c) 2008-2014 Atlassian Pty Ltd
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */

```

Found in path(s):

```

*/opt/cola/permits/1340031620_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-
jar/com/mongodb/assertions/Assertions.java
No license file was found, but licenses were detected in source scan.

```

```

/*
 * Copyright 2008-present MongoDB, Inc.
 * Copyright 2010 The Guava Authors
 * Copyright 2011 The Guava Authors
 *
 * Licensed under the Apache License, Version 2.0 (the "License");

```

\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-jar/com/mongodb/annotations/Beta.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2008-present MongoDB, Inc.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-jar/com/mongodb/lang/Nullable.java

\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-jar/com/mongodb/ReadPreferenceHedgeOptions.java

\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-jar/com/mongodb/internal/connection/ReadConcernAwareNoOpSessionContext.java

\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-jar/com/mongodb/TransactionOptions.java

\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-jar/com/mongodb/lang/NonNullApi.java

\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-jar/com/mongodb/lang/NonNull.java

\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-jar/com/mongodb/internal/operation/WriteConcernHelper.java



\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-jar/com/mongodb/internal/operation/ServerVersionHelper.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-jar/com/mongodb/lang/package-info.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-jar/com/mongodb/internal/async/client/AsyncClientSession.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-jar/com/mongodb/internal/connection/ReadConcernHelper.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2008-present MongoDB, Inc.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*

\* Original Work: MIT License, Copyright (c) [2015-2020] all contributors

\* <https://github.com/marianobarrios/tls-channel>

\*/

Found in path(s):

\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-jar/com/mongodb/internal/connection/tlschannel/BufferAllocator.java

\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-jar/com/mongodb/internal/connection/tlschannel/DirectBufferAllocator.java

\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-jar/com/mongodb/internal/connection/tlschannel/NeedsWriteException.java

\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-jar/com/mongodb/internal/connection/tlschannel/impl/ByteBufferSet.java

\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-jar/com/mongodb/internal/connection/tlschannel/async/ExtendedAsynchronousByteChannel.java

\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-jar/com/mongodb/internal/connection/tlschannel/async/AsynchronousTlsChannelGroup.java

\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-jar/com/mongodb/internal/connection/tlschannel/HeapBufferAllocator.java

\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-jar/com/mongodb/internal/connection/tlschannel/NeedsReadException.java

\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-jar/com/mongodb/internal/connection/tlschannel/impl/TlsChannelImpl.java

\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-jar/com/mongodb/internal/connection/tlschannel/impl/TlsExplorer.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-jar/com/mongodb/internal/connection/tlschannel/WouldBlockException.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-jar/com/mongodb/internal/connection/tlschannel/TlsChannelBuilder.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-jar/com/mongodb/internal/connection/tlschannel/ClientTlsChannel.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-jar/com/mongodb/internal/connection/tlschannel/package-info.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-jar/com/mongodb/internal/connection/tlschannel/util/DirectBufferDeallocator.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-jar/com/mongodb/internal/connection/tlschannel/async/package-info.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-jar/com/mongodb/internal/connection/tlschannel/impl/ByteBufferUtil.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-jar/com/mongodb/internal/connection/tlschannel/ServerTlsChannel.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-jar/com/mongodb/internal/connection/tlschannel/SniSslContextFactory.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-jar/com/mongodb/internal/connection/tlschannel/TlsChannelCallbackException.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-jar/com/mongodb/internal/connection/tlschannel/async/AsynchronousTlsChannel.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-jar/com/mongodb/internal/connection/tlschannel/NeedsTaskException.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-jar/com/mongodb/internal/connection/tlschannel/TlsChannelFlowControlException.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-jar/com/mongodb/internal/connection/tlschannel/TrackingAllocator.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-jar/com/mongodb/internal/connection/tlschannel/impl/BufferHolder.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-jar/com/mongodb/internal/connection/tlschannel/util/Util.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-jar/com/mongodb/internal/connection/tlschannel/TlsChannel.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2008-present MongoDB, Inc.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

- \* distributed under the License is distributed on an "AS IS" BASIS,
- \* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- \* See the License for the specific language governing permissions and
- \* limitations under the License.
- \*/

Found in path(s):

- \* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-jar/com/mongodb/internal/connection/NoOpCommandEventSender.java
- \* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-jar/com/mongodb/event/package-info.java
- \* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-jar/com/mongodb/internal/operation/QueryBatchCursor.java
- \* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-jar/com/mongodb/internal/connection/DefaultServer.java
- \* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-jar/com/mongodb/DBRefCodecProvider.java
- \* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-jar/com/mongodb/internal/connection/ClusterableServer.java
- \* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-jar/com/mongodb/client/model/gejson/codecs/package-info.java
- \* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-jar/com/mongodb/connection/SocketStreamFactory.java
- \* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-jar/com/mongodb/internal/async/AsyncAggregateResponseBatchCursor.java
- \* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-jar/com/mongodb/MongoClientException.java
- \* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-jar/com/mongodb/internal/connection/MongoWriteConcernWithResponseException.java
- \* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-jar/com/mongodb/connection/StreamFactoryFactory.java
- \* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-jar/com/mongodb/client/result/UpdateResult.java
- \* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-jar/com/mongodb/internal/validator/CollectibleDocumentFieldNameValidator.java
- \* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-jar/com/mongodb/client/model/Updates.java
- \* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-jar/com/mongodb/event/ConnectionPoolListener.java
- \* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-jar/com/mongodb/internal/binding/AsyncConnectionSource.java
- \* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-jar/com/mongodb/annotations/package-info.java
- \* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-jar/com/mongodb/internal/connection/EventHelper.java
- \* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-jar/com/mongodb/client/model/gejson/codecs/PointCodec.java
- \* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-

jar/com/mongodb/MongoTimeoutException.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/internal/connection/QueryProtocol.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/internal/connection/GetMoreMessage.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/internal/operation/AggregateOperation.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/internal/operation/AsyncSingleBatchQueryCursor.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/internal/event/ServerListenerMulticaster.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/DBRef.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/connection/package-info.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/internal/connection/GSSAPIAuthenticator.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/internal/connection/DefaultServerConnection.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/internal/operation/CreateIndexesOperation.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/ReadConcernLevel.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/internal/session/ClientSessionContext.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/ServerAddress.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/internal/connection/DefaultClusterableServerFactory.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/MongoSocketClosedException.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/client/result/InsertOneResult.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/event/ClusterDescriptionChangedEvent.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/internal/connection/ProtocolHelper.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/connection/ConnectionDescription.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/internal/connection/ElementExtendingBsonWriter.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/client/model/package-info.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/connection/ClusterDescription.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/internal/client/model/CountOptionsHelper.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-

jar/com/mongodb/client/model/ReturnDocument.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/internal/connection/SendMessageCallback.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/WriteConcernResult.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/event/ServerOpeningEvent.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/internal/operation/DropDatabaseOperation.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/internal/connection/Connection.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/internal/operation/OperationHelper.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/connection/ClusterConnectionMode.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/event/ServerHeartbeatSucceededEvent.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/internal/operation/CountOperation.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/internal/connection/ReplyHeader.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/internal/operation/MapReduceInlineResultsCursor.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/client/model/Projections.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/diagnostics/logging/Logger.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/internal/operation/AsyncChangeStreamBatchCursor.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/internal/operation/MapReduceBatchCursor.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/client/model/changestream/FullDocument.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/internal/binding/AsyncClusterAwareReadWriteBinding.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/internal/operation/CreateCollectionOperation.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/client/gridfs/model/GridFSDownloadOptions.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/internal/bulk/DeleteRequest.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/internal/session/SessionContext.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/internal/connection/BsonWriterHelper.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/client/model/changestream/ChangeStreamDocumentCodec.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-

jar/com/mongodb/client/model/BucketOptions.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/MongoExecutionTimeoutException.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/internal/operation/BsonDocumentWrapperHelper.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/client/model/geojson/codecs/LineStringCodec.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/management/MBeanServer.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/internal/HexUtils.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/internal/connection/AuthorizationHeader.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/internal/operation/CommandResultDocumentCodec.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/connection/SslSettings.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/AuthenticationMechanism.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/internal/connection/FieldTrackingBsonWriter.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/internal/operation/AsyncWriteOperation.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/internal/operation/CreateViewOperation.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/connection/netty/NettyStreamFactory.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/event/ClusterListener.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/internal/operation/MapReduceStatistics.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/client/model/MergeOptions.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/event/ConnectionCheckOutFailedEvent.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/internal/operation/DropIndexOperation.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/internal/connection/ResponseBuffers.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/event/ServerHeartbeatFailedEvent.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/bulk/package-info.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/client/model/ValidationAction.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/internal/connection/Compressor.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-

jar/com/mongodb/internal/connection/ConnectionPool.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/client/model/CreateIndexOptions.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/client/model/geojson/Point.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/MongoInterruptedException.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/client/model/BucketGranularity.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/MongoCursorNotFoundException.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/internal/connection/CommandHelper.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/ServerCursor.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/internal/connection/DefaultDnsSrvRecordMonitor.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/internal/connection/ClusterFactory.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/internal/connection/UnixSocketChannelStream.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/internal/operation/MapReduceWithInlineResultsOperation.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/internal/operation/CommandOperationHelper.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/internal/connection/CommandProtocolImpl.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/internal/connection/FutureAsyncCompletionHandler.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/internal/connection/Pool.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/internal/bulk/InsertRequest.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/internal/operation/FindAndUpdateOperation.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/internal/connection/IdHoldingBsonWriter.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/internal/connection/ResponseCallback.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/client/model/Aggregates.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/event/ConnectionPoolClosedEvent.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/event/ServerHeartbeatStartedEvent.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/internal/operation/package-info.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-

jar/com/mongodb/internal/connection/ServerMonitorFactory.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/BasicDBObjectBuilder.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/internal/connection/InternalStreamConnection.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/assertions/package-info.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/client/gridfs/model/package-info.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/internal/connection/CommandMessage.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/management/JMXBeanServer.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/client/model/InsertManyOptions.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/Tag.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/internal/async/SingleResultCallback.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/client/gridfs/codecs/GridFSFileCodec.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/internal/operation/FindAndDeleteOperation.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/bulk/BulkWriteResult.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/internal/binding/AsyncClusterBinding.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/internal/binding/AsyncSingleConnectionReadBinding.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/client/model/CollationMaxVariable.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/internal/connection/IndexMap.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/event/ConnectionPoolListenerAdapter.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/client/model/changestream/ChangeStreamDocument.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/internal/connection/LevelCountingBsonWriter.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/client/model/vault/package-info.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/internal/bulk/UpdateRequest.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/client/model/geojson/codecs/MultiPolygonCodec.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/internal/event/EventListenerHelper.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-



jar/com/mongodb/internal/binding/AsyncReadBinding.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/internal/connection/ServerMonitor.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/MongoConfigurationException.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/client/model/UpdateOneModel.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/MongoSocketException.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/client/gridfs/codecs/GridFSFileCodecProvider.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/client/model/CreateCollectionOptions.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/internal/binding/ReferenceCounted.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/event/ConnectionAddedEvent.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/internal/validator/UpdateFieldNameValidator.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/internal/validator/MappedFieldNameValidator.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/internal/connection/DnsMultiServerCluster.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/internal/connection/InternalConnectionFactory.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/internal/connection/InternalConnectionInitializationDescription.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/internal/connection/InsertProtocol.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/internal/connection/MongoCredentialWithCache.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/internal/operation/BaseWriteOperation.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/MongoGridFSException.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/MongoCompressor.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/MongoSecurityException.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/client/model/Variable.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/BSONTimestampCodec.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/internal/operation/TransactionOperation.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/client/model/ReplaceOneModel.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-

jar/com/mongodb/connection/netty/NettyStreamFactoryFactory.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/internal/connection/InternalStreamConnectionFactory.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/TaggableReadPreference.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/internal/connection/ScramShaAuthenticator.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/diagnostics/logging/package-info.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/event/CommandSucceededEvent.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/internal/operation/BatchCursor.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/client/model/gejson/codecs/NamedCoordinateReferenceSystemCodec.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/internal/operation/WriteOperation.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/client/model/gejson/MultiPoint.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/internal/connection/ServerAddressHelper.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/BasicDBObjectFactory.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/internal/connection/DnsSrvRecordMonitor.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/internal/operation/ReadOperation.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/internal/operation/ListDatabasesOperation.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/internal/operation/OrderBy.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/internal/connection/ClientMetadataHelper.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/internal/connection/SocketStreamHelper.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/connection/ServerId.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/client/model/InsertOneModel.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/ExplainVerbosity.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/WriteConcern.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/internal/connection/PowerOfTwoBufferPool.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/internal/authentication/NativeAuthenticationHelper.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-

jar/com/mongodb/internal/connection/QueryMessage.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/internal/connection/SpeculativeAuthenticator.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/internal/operation/FindOperation.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/internal/connection/KillCursorsMessage.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/TagSet.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/internal/connection/Server.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/management/JMXConnectionPoolListener.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/internal/connection/CompositeByteBuf.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/client/model/geojson/MultiPolygon.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/connection/ClusterSettings.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/BasicDBObject.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/connection/ConnectionPoolSettings.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/internal/dns/DefaultDnsResolver.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/internal/connection/UpdateMessage.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/MongoClientSettings.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/internal/connection/ZstdCompressor.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/internal/client/model/CountStrategy.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/internal/connection/SingleServerCluster.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/client/model/Filters.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/connection/AsynchronousSocketChannelStreamFactoryFactory.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/client/model/Accumulators.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/internal/connection/SplittablePayloadBsonWriter.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/internal/selector/WritableServerSelector.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/client/model/geojson/codecs/AbstractGeometryCodec.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-

jar/com/mongodb/internal/connection/ZlibCompressor.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/bulk/BulkWriteInsert.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/internal/connection/GetMoreProtocol.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/event/ConnectionPoolClearedEvent.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/internal/connection/ChangeListener.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/internal/connection/DefaultClusterFactory.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/internal/connection/ClusterableServerFactory.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/client/model/ReplaceOptions.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/internal/operation/CommandReadOperation.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/internal/connection/CompressedHeader.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/event/ConnectionCreatedEvent.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/client/model/BucketAutoOptions.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/internal/connection/DecimalFormatHelper.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/MongoCredential.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/internal/operation/OperationReadConcernHelper.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/MongoSocketReadException.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/internal/connection/DnsSrvRecordInitializer.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/internal/operation/CommitTransactionOperation.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/ClientSessionOptions.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/MongoException.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/internal/connection/ReplyMessage.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/internal/connection/AwsAuthenticator.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/internal/operation/MapReduceToCollectionOperation.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/internal/connection/QueryResult.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-

jar/com/mongodb/internal/connection/DefaultServerMonitor.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/internal/connection/LegacyMessage.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/internal/connection/CompressedMessage.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/client/model/gejson/LineString.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/internal/operation/RenameCollectionOperation.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/client/model/Facet.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/internal/connection/DefaultAuthenticator.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/bulk/WriteConcernError.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/client/model/vault/DataKeyOptions.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/internal/connection/BsonWriterDecorator.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/internal/binding/SingleServerBinding.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/internal/connection/AbstractReferenceCounted.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/internal/event/ClusterListenerMulticaster.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/internal/operation/BulkWriteBatch.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/client/model/changestream/package-info.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/client/model/UpdateManyModel.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/internal/connection/ClusterDescriptionHelper.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/internal/connection/AbstractByteBufferBsonDocument.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/internal/connection/AsynchronousChannelStream.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/internal/connection/AsyncConnection.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/client/model/FindOneAndReplaceOptions.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/internal/connection/LoggingCommandEventSender.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/client/model/gejson/Position.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/internal/operation/CommandWriteOperation.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-

jar/com/mongodb/Block.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/event/ServerListenerAdapter.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/internal/binding/ClusterBinding.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/internal/connection/CommandResultCallback.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/bulk/BulkWriteUpsert.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/internal/client/model/AggregationLevel.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/MongoChangeStreamException.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/internal/binding/package-info.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/internal/connection/CommandResultBaseCallback.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/client/model/BuildersHelper.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/event/ClusterListenerAdapter.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/internal/operation/CursorHelper.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/internal/binding/AsyncReadWriteBinding.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/internal/operation/CommandResultCodecProvider.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/selector/package-info.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/ClientEncryptionSettings.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/client/model/Indexes.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/Function.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/internal/connection/ByteBufferBsonOutput.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/internal/connection/DescriptionHelper.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/client/model/gejson/codecs/GeometryCodec.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/internal/operation/MixedBulkWriteOperation.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/event/ClusterClosedEvent.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/client/model/gejson/Polygon.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-

jar/com/mongodb/event/ServerClosedEvent.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/internal/event/ServerMonitorListenerMulticaster.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/connection/ConnectionId.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/internal/operation/AbortTransactionOperation.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/client/model/CollationStrength.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/MongoNotPrimaryException.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/internal/async/client/package-info.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/internal/operation/ChangeStreamOperation.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/client/model/InsertOneOptions.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/client/model/EstimatedDocumentCountOptions.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/internal/bulk/WriteRequest.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/internal/async/ErrorHandlerResultCallback.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/internal/operation/MapReduceAsyncBatchCursor.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/internal/connection/DefaultConnectionPool.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/internal/connection/NativeAuthenticator.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/client/model/MapReduceAction.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/internal/connection/ExponentiallyWeightedMovingAverage.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/internal/operation/ExplainableReadOperation.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/event/ConnectionCheckOutStartedEvent.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/client/model/gejson/codecs/MultiPointCodec.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/internal/connection/AbstractMultiServerCluster.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/internal/capi/MongoCryptHelper.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/internal/connection/InternalStreamConnectionInitializer.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/MongoWriteConcernException.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-

jar/com/mongodb/DBObjectCodecProvider.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/internal/connection/WriteProtocol.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/client/model/Field.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/connection/TopologyVersion.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/event/ConnectionPoolOpenedEvent.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/client/model/DeleteOneModel.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/client/model/GraphLookupOptions.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/internal/connection/Authenticator.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/internal/connection/BulkWriteBatchCombiner.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/internal/operation/FindAndModifyHelper.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/client/model/gejson/MultiLineString.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/connection/TlsChannelStreamFactoryFactory.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/connection/ServerConnectionState.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/client/model/gejson/codecs/PolygonCodec.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/client/model/gejson/package-info.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/internal/connection/MessageHeader.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/internal/thread/DaemonThreadFactory.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/client/model/UpdateOptions.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/event/ConnectionPoolCreatedEvent.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/internal/event/ConnectionPoolListenerMulticaster.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/ReadConcern.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/internal/session/ServerSessionPool.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/internal/binding/ReadBinding.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/connection/netty/NettyByteBuf.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-



jar/com/mongodb/internal/connection/UsageTrackingInternalConnection.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/client/model/FindOneAndUpdateOptions.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/internal/connection/SnappyCompressor.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/connection/ClusterId.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/MongoServerException.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/internal/connection/InternalConnectionInitializer.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/internal/bulk/IndexRequest.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/client/model/RenameCollectionOptions.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/DocumentToDBRefTransformer.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/client/model/gejson/codecs/GeoJsonCodecProvider.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/client/model/gejson/codecs/MultiLineStringCodec.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/internal/connection/ProtocolExecutor.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/event/ConnectionClosedEvent.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/internal/connection/Time.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/SubjectProvider.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/internal/operation/MapReduceInlineResultsAsyncCursor.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/internal/connection/BaseCluster.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/internal/connection/OpCode.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/internal/operation/BsonArrayWrapper.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/session/ServerSession.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/internal/operation/AggregateOperationImpl.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/internal/bulk/WriteRequestWithIndex.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/client/result/InsertManyResult.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/internal/connection/Cluster.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-

jar/com/mongodb/management/ConnectionPoolStatistics.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/internal/binding/ReadWriteBinding.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/internal/dns/DnsResolver.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/internal/operation/FindAndReplaceOperation.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/client/model/geojson/Geometry.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/internal/connection/ClusterClockAdvancingSessionContext.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/internal/session/BaseClientSessionImpl.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/internal/connection/RequestMessage.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/client/model/ValidationOptions.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/internal/connection/DefaultServerMonitorFactory.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/internal/operation/DropCollectionOperation.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/internal/operation/IndexHelper.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/internal/validator/NoOpFieldNameValidator.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/connection/ClusterType.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/internal/connection/SocketStream.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/session/package-info.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/event/ClusterOpeningEvent.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/connection/SocketSettings.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/client/gridfs/model/GridFSFile.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/internal/connection/LegacyProtocol.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/internal/operation/SyncOperations.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/client/model/geojson/CoordinateReferenceSystemType.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/client/model/FindOneAndDeleteOptions.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/client/result/package-info.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-

jar/com/mongodb/management/package-info.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/internal/operation/CommandResultArrayCodec.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/client/model/Sorts.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/MongoNamespace.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/client/model/changestream/UpdateDescription.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/internal/operation/ListCollectionsOperation.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/internal/connection/DefaultConnectionFactory.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/internal/connection/AsynchronousSocketChannelStream.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/management/MBeanServerFactory.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/client/model/SimpleExpression.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/client/model/vault/EncryptOptions.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/MongoSocketOpenException.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/client/model/IndexModel.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/internal/operation/InsertOperation.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/client/model/TextSearchOptions.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/internal/operation/AsyncExplainableReadOperation.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/internal/binding/ClusterAwareReadWriteBinding.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/internal/connection/AsyncWritableByteChannel.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/client/model/Collation.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/MongoInternalException.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/WriteConcernException.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/MongoIncompatibleDriverException.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/internal/operation/MapReduceHelper.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/internal/operation/DocumentHelper.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-

jar/com/mongodb/client/model/ValidationLevel.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/connection/ServerType.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/management/NullMBeanServer.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/client/gridfs/model/GridFSUploadOptions.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/connection/StreamFactory.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/event/ServerMonitorListener.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/event/ConnectionCheckedOutEvent.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/internal/binding/AbstractReferenceCounted.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/MongoQueryException.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/client/model/CollationAlternate.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/internal/operation/ListIndexesOperation.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/internal/connection/CommandProtocol.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/internal/selector/ReadPreferenceServerSelector.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/internal/operation/DistinctOperation.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/event/CommandFailedEvent.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/client/model/gejson/codecs/GeometryCollectionCodec.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/connection/AsynchronousSocketChannelStreamFactory.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/internal/connection/ServerDescriptionChangedListener.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/internal/operation/QueryHelper.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/ReadPreference.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/bulk/BulkWriteError.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/client/model/changestream/OperationTypeCodec.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/client/gridfs/codecs/package-info.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/internal/async/AsyncBatchCursor.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-

jar/com/mongodb/BasicDBList.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/internal/connection/NoOpSessionContext.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/internal/binding/ConnectionSource.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/internal/operation/ChangeStreamBatchCursorHelper.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/internal/operation/DeleteOperation.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/client/model/DeleteManyModel.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/event/ConnectionReadyEvent.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/DDBObjectFactory.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/internal/operation/AggregateResponseBatchCursor.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/event/CommandListener.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/diagnostics/logging/SLF4JLogger.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/management/ConnectionPoolStatisticsMBean.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/internal/selector/ServerAddressSelector.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/event/CommandEvent.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/internal/operation/ChangeStreamBatchCursor.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/internal/connection/InternalConnection.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/client/model/IndexOptionDefaults.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/event/ServerListener.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/event/ConnectionRemovedEvent.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/DDBObjectCodec.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/UnixServerAddress.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/MongoCommandException.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/DRefCountCodec.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/MongoSocketWriteException.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-

jar/com/mongodb/internal/connection/KillCursorProtocol.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/internal/operation/AsyncReadOperation.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/client/result/DeleteResult.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/connection/ServerDescription.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/selector/CompositeServerSelector.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/client/model/UnwindOptions.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/client/model/changestream/OperationType.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/internal/connection/MessageSettings.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/KerberosSubjectProvider.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/internal/connection/ClusterClock.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/client/model/DropIndexOptions.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/MongoBulkWriteException.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/connection/BufferProvider.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/internal/operation/AggregateToCollectionOperation.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/internal/selector/LatencyMinimizingServerSelector.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/MongoDriverInformation.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/internal/operation/UpdateOperation.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/internal/operation/ExplainHelper.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/internal/connection/BaseQueryMessage.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/diagnostics/logging/Loggers.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/internal/connection/SslHelper.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/ConnectionString.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/client/model/BsonField.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/internal/client/model/changestream/ChangeStreamLevel.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-

jar/com/mongodb/WriteError.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/internal/connection/X509Authenticator.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/client/model/CountOptions.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/internal/connection/MultiServerCluster.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/client/model/CreateViewOptions.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/internal/connection/ServerTuple.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/internal/connection/DeleteMessage.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/ErrorCategory.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/internal/connection/UpdateProtocol.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/internal/binding/WriteBinding.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/internal/connection/DnsSrvRecordMonitorFactory.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/CursorType.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/internal/connection/ConcurrentPool.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/internal/operation/Operations.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/connection/netty/package-info.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/client/model/DeleteOptions.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/client/model/PushOptions.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/AutoEncryptionSettings.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/MongoWriteException.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/event/ConnectionCheckedInEvent.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/internal/client/model/FindOptions.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/connection/Stream.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/DBObject.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/client/model/gejson/codecs/GeometryEncoderHelper.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-

jar/com/mongodb/connection/ServerSettings.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/internal/connection/DeleteProtocol.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/internal/connection/InsertMessage.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/internal/event/CommandListenerMulticaster.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/selector/ServerSelector.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/internal/connection/CommandEventSender.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/package-info.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/CreateIndexCommitQuorum.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/internal/connection/SaslAuthenticator.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/connection/netty/NettyStream.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/diagnostics/logging/NoOpLogger.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/client/model/geojson/PolygonCoordinates.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/internal/selector/PrimaryServerSelector.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/MongoNodeIsRecoveringException.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/internal/connection/ConnectionFactory.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/client/model/geojson/CoordinateReferenceSystem.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/internal/async/client/ClientSessionBinding.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/client/model/WriteModel.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/internal/connection/ChangeEvent.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/MongoSocketReadTimeoutException.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/internal/operation/BaseFindAndModifyOperation.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/client/model/geojson/codecs/GeometryDecoderHelper.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/internal/binding/AsyncWriteBinding.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/connection/netty/NettyBufferProvider.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-



jar/com/mongodb/internal/operation/AsyncQueryBatchCursor.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/client/model/CollationCaseFirst.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/event/ServerDescriptionChangedEvent.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/event/CommandStartedEvent.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/client/model/geojson/GeoJsonObjectType.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/internal/connection/DefaultDnsSrvRecordMonitorFactory.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/internal/connection/ByteBufBsonDocument.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/event/ServerMonitorListenerAdapter.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/connection/ServerVersion.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/internal/connection/PlainAuthenticator.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/session/ClientSession.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/DuplicateKeyException.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/client/model/BulkWriteOptions.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/internal/connection/SplittablePayload.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/client/model/geojson/GeometryCollection.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/client/model/IndexOptions.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/client/model/geojson/NamedCoordinateReferenceSystem.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/connection/AsyncCompletionHandler.java  
\* /opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-  
jar/com/mongodb/internal/binding/SingleConnectionReadBinding.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2008-present MongoDB, Inc.

\* Copyright 2017 Tom Bentley

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

- \*
- \* Unless required by applicable law or agreed to in writing, software
- \* distributed under the License is distributed on an "AS IS" BASIS,
- \* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- \* See the License for the specific language governing permissions and
- \* limitations under the License.
- \*/

Found in path(s):

\*/opt/cola/permits/1340031620\_1654680646.5000443/0/mongodb-driver-core-4-2-3-sources-jar/com/mongodb/internal/authentication/SaslPrep.java

# 1.114 io-grpc-grpc-api 1.39.0

## 1.114.1 Available under license :

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but

not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their

Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with

the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.  
Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.
6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. **Disclaimer of Warranty.** Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. **Limitation of Liability.** In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. **Accepting Warranty or Additional Liability.** While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "{}" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright 2016-2020 Istio Authors

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Envoy

Copyright 2016-2019 Envoy Project Authors

Licensed under Apache License 2.0. See LICENSE for terms.

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition,

"control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
  
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
  
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
  - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
  
  - (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
  
  - (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
  
  - (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or,



within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all

other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

#### END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner].

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

protoc-gen-validate

Copyright 2019 Envoy Project Authors

Licensed under Apache License 2.0. See LICENSE for terms.

zero-allocation-hashing

Copyright 2015 Higher Frequency Trading <http://www.higherfrequencytrading.com>

Licensed under Apache License 2.0. See LICENSE for terms.

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including

the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
  - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.
6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. **Disclaimer of Warranty.** Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each

Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License.

You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

/\*

\* Copyright 2015 The gRPC Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Copyright 2014 The gRPC Authors

Licensed under the Apache License, Version 2.0 (the "License");

you may not use this file except in compliance with the License.

You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

-----  
This product contains a modified portion of 'OkHttp', an open source HTTP & SPDY client for Android and Java applications, which can be obtained at:

\* LICENSE:

\* [okhttp/third\\_party/okhttp/LICENSE](http://okhttp/third_party/okhttp/LICENSE) (Apache License 2.0)

\* HOMEPAGE:

\* <https://github.com/square/okhttp>

- \* LOCATION\_IN\_GRPC:
- \* okhttp/third\_party/okhttp

This product contains a modified portion of 'Envoy', an open source cloud-native high-performance edge/middle/service proxy, which can be obtained at:

- \* LICENSE:
  - \* xds/third\_party/envoy/LICENSE (Apache License 2.0)
- \* NOTICE:
  - \* xds/third\_party/envoy/NOTICE
- \* HOMEPAGE:
  - \* <https://www.envoyproxy.io>
- \* LOCATION\_IN\_GRPC:
  - \* xds/third\_party/envoy

This product contains a modified portion of 'protoc-gen-validate (PGV)', an open source protoc plugin to generate polyglot message validators, which can be obtained at:

- \* LICENSE:
  - \* xds/third\_party/protoc-gen-validate/LICENSE (Apache License 2.0)
- \* NOTICE:
  - \* xds/third\_party/protoc-gen-validate/NOTICE
- \* HOMEPAGE:
  - \* <https://github.com/envoyproxy/protoc-gen-validate>
- \* LOCATION\_IN\_GRPC:
  - \* xds/third\_party/protoc-gen-validate

This product contains a modified portion of 'udpa', an open source universal data plane API, which can be obtained at:

- \* LICENSE:
  - \* xds/third\_party/udpa/LICENSE (Apache License 2.0)
- \* HOMEPAGE:
  - \* <https://github.com/cncf/udpa>
- \* LOCATION\_IN\_GRPC:
  - \* xds/third\_party/udpa

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,



and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the

Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
  - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
  - (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
  - (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,

whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

#### END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

# 1.115 jackson-jaxrs-base 2.13.2

## 1.115.1 Available under license :

This copy of Jackson JSON processor databind module is licensed under the Apache (Software) License, version 2.0 ("the License").

See the License for details about distribution rights, and the specific rights regarding derivate works.

You may obtain a copy of the License at:

<http://www.apache.org/licenses/LICENSE-2.0>

# 1.116 guava-listenablefuture-only 9999.0-empty-to-avoid-conflict-with-guava

## 1.116.1 Available under license :

Found license 'GNU Lesser General Public License' in '// This library is free software; you can redistribute it and/or // modify it under the terms of the GNU Lesser General Public // License as published by the Free Software Foundation; either // version 2.1 of the License, or (at your option) any later version. // This library is distributed in the hope that it will be useful, // but WITHOUT ANY WARRANTY; without even the implied warranty of // MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU // Lesser General Public License for more details. // You should have received a copy of the GNU Lesser General Public \* This grammar is in the PUBLIC DOMAIN'

# 1.117 mock-server-client 5.11.2

## 1.117.1 Available under license :

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common

control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
  - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
  - (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
  - (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
  - (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or

documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.
6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. **Disclaimer of Warranty.** Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. **Limitation of Liability.** In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill,



work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "{}" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright {yyyy} {name of copyright owner}

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

# 1.118 netty/transport/classes/kqueue

## 4.1.73.Final

## 1.118.1 Available under license :

No license file was found, but licenses were detected in source scan.

Manifest-Version: 1.0

Implementation-Title: Netty/Transport/Native/KQueue

Bundle-Description: Netty is an asynchronous event-driven network application framework for rapid development of maintainable high performance protocol servers and clients.

Automatic-Module-Name: io.netty.transport.kqueue

Bundle-License: <https://www.apache.org/licenses/LICENSE-2.0>

Bundle-SymbolicName: io.netty.transport-native-kqueue

Implementation-Version: 4.1.73.Final

Built-By: norman

Bnd-LastModified: 1641983334882

Bundle-ManifestVersion: 2

Implementation-Vendor-Id: io.netty

Bundle-DocURL: <https://netty.io/>

Bundle-Vendor: The Netty Project

Import-Package: sun.nio.ch;resolution:=optional,org.eclipse.jetty.npn;version="[1,2)";resolution:=optional,org.eclipse.jetty.alpn;version="[1,2)";resolution:=optional

Tool: Bnd-2.4.1.201501161923

Implementation-Vendor: The Netty Project

Bundle-Name: Netty/Transport/Native/KQueue

Bundle-Version: 4.1.73.Final

Bundle-NativeCode: META-INF/native/libnetty\_transport\_native\_kqueue\_x86\_64.jnilib; osname=MacOSX; processor=x86\_64

Created-By: Apache Maven Bundle Plugin

Build-Jdk: 1.8.0\_252

Implementation-URL: <https://netty.io/netty-transport-native-kqueue/>

Found in path(s):

\* /opt/cola/permits/1290493534\_1648156941.2/0/netty-transport-native-kqueue-4-1-73-final-osx-x86-64-jar/META-INF/MANIFEST.MF

No license file was found, but licenses were detected in source scan.

~ Copyright 2016 The Netty Project

~

~ The Netty Project licenses this file to you under the Apache License, version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at:

~

~ <https://www.apache.org/licenses/LICENSE>

2.0

~

~ Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the

~ License for the specific language governing permissions and limitations  
~ under the License.

Found in path(s):

\* /opt/cola/permits/1290493534\_1648156941.2/0/netty-transport-native-kqueue-4-1-73-final-osx-x86-64-jar/META-INF/maven/io.netty/netty-transport-native-kqueue/pom.xml

# 1.119 jackson-integration-for-metrics 4.1.25

## 1.119.1 Available under license :

No license file was found, but licenses were detected in source scan.

Manifest-Version: 1.0

Automatic-Module-Name: com.codahale.metrics.servlets

Build-Jdk: 1.8.0\_292

Built-By: runner

Bundle-Description: A set of utility servlets for Metrics, allowing you to expose valuable information about your production environment.

Bundle-License: <https://www.apache.org/licenses/LICENSE-2.0.html>

Bundle-ManifestVersion: 2

Bundle-Name: Metrics Utility Servlets

Bundle-SymbolicName: io.dropwizard.metrics.servlets

Bundle-Version: 4.1.25

Created-By: Apache Maven Bundle Plugin

Export-Package: com.codahale.metrics.servlets;uses:="com.codahale.metrics,com.codahale.metrics.health,com.fasterxml.jackson.databind,javax.servlet,javax.servlet.http";version="4.1.25"

Implementation-Title: Metrics Utility Servlets

Implementation-URL: <https://metrics.dropwizard.io/metrics-servlets>

Implementation-Vendor-Id: io.dropwizard.metrics

Implementation-Version: 4.1.25

Import-Package: javax.servlet;version="[2.5.0,4.0.0)",javax.servlet.http;version="[2.5.0,4.0.0)",com.codahale.metrics;version="[4.1,5)",com.codahale.metrics.health;version="[4.1,5)",com.codahale.metrics.json;version="[4.1,5)",com.codahale.metrics.jvm;version="[4.1,5)",com.fasterxml.jackson.databind;version="[2.9,3)",com.fasterxml.jackson.databind.util;version="[2.9,3)",com.papertrail.profiler;version="[1.1,2)"

Private-Package: com.codahale.metrics.servlets

Require-Capability: osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=1.8))"

Tool: Bnd-5.1.1.202006162103

Found in path(s):

\* /opt/cola/permits/1300428497\_1649932357.8/0/metrics-servlets-4-1-25-jar/META-INF/MANIFEST.MF

# 1.120 micronaut-azure 3.2.3

## 1.120.1 Available under license :

Apache License  
Version 2.0, January 2004  
<https://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain

separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.
6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the

origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software  
distributed under the License is distributed on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.

# 1.121 io.grpc:grpc-bom 1.39.0

## 1.121.1 Available under license :

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,  
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by  
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all  
other entities that control, are controlled by, or are under common  
control with that entity. For the purposes of this definition,  
"control" means (i) the power, direct or indirect, to cause the  
direction or management of such entity, whether by contract or  
otherwise, or (ii) ownership of fifty percent (50%) or more of the  
outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity  
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,  
including but not limited to software source code, documentation  
source, and configuration files.



"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work,

where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
  - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
  - (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
  - (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
  - (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or

for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason

of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "{}" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright 2016-2020 Istio Authors

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Envoy

Copyright 2016-2019 Envoy Project Authors

Licensed under Apache License 2.0. See LICENSE for terms.

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all

other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and

subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
  - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
  - (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
  - (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
  - (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed

as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the

Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner].

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

protoc-gen-validate

Copyright 2019 Envoy Project Authors

Licensed under Apache License 2.0. See LICENSE for terms.

zero-allocation-hashing

Copyright 2015 Higher Frequency Trading <http://www.higherfrequencytrading.com>



Licensed under Apache License 2.0. See LICENSE for terms.

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or

Derivative Works a copy of this License; and

- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
  
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
  
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software  
distributed under the License is distributed on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.

/\*

\* Copyright 2015 The gRPC Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Copyright 2014 The gRPC Authors

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software  
distributed under the License is distributed on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.

-----  
This product contains a modified portion of 'OkHttp', an open source  
HTTP & SPDY client for Android and Java applications, which can be obtained  
at:

\* LICENSE:

\* [okhttp/third\\_party/okhttp/LICENSE](http://okhttp/third_party/okhttp/LICENSE) (Apache License 2.0)

- \* HOMEPAGE:
  - \* <https://github.com/square/okhttp>
- \* LOCATION\_IN\_GRPC:
  - \* [okhttp/third\\_party/okhttp](https://github.com/square/okhttp/tree/master/okhttp-third-party-okhttp)

This product contains a modified portion of 'Envoy', an open source cloud-native high-performance edge/middle/service proxy, which can be obtained at:

- \* LICENSE:
  - \* [xds/third\\_party/envoy/LICENSE](https://github.com/envoyproxy/envoy/blob/master/licenses/LICENSE) (Apache License 2.0)
- \* NOTICE:
  - \* [xds/third\\_party/envoy/NOTICE](https://github.com/envoyproxy/envoy/blob/master/licenses/NOTICE)
- \* HOMEPAGE:
  - \* <https://www.envoyproxy.io>
- \* LOCATION\_IN\_GRPC:
  - \* [xds/third\\_party/envoy](https://github.com/envoyproxy/envoy/tree/master/xds-third-party-envoy)

This product contains a modified portion of 'protoc-gen-validate (PGV)', an open source protoc plugin to generate polyglot message validators, which can be obtained at:

- \* LICENSE:
  - \* [xds/third\\_party/protoc-gen-validate/LICENSE](https://github.com/envoyproxy/protoc-gen-validate/blob/master/licenses/LICENSE) (Apache License 2.0)
- \* NOTICE:
  - \* [xds/third\\_party/protoc-gen-validate/NOTICE](https://github.com/envoyproxy/protoc-gen-validate/blob/master/licenses/NOTICE)
- \* HOMEPAGE:
  - \* <https://github.com/envoyproxy/protoc-gen-validate>
- \* LOCATION\_IN\_GRPC:
  - \* [xds/third\\_party/protoc-gen-validate](https://github.com/envoyproxy/protoc-gen-validate/tree/master/xds-third-party-protoc-gen-validate)

This product contains a modified portion of 'udpa', an open source universal data plane API, which can be obtained at:

- \* LICENSE:
  - \* [xds/third\\_party/udpa/LICENSE](https://github.com/envoyproxy/udpa/blob/master/licenses/LICENSE) (Apache License 2.0)
- \* HOMEPAGE:
  - \* <https://github.com/cncf/udpa>
- \* LOCATION\_IN\_GRPC:
  - \* [xds/third\\_party/udpa](https://github.com/envoyproxy/udpa/tree/master/xds-third-party-udpa)

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to

communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
  - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
  - (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
  - (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of



the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

#### END OF TERMS AND CONDITIONS

#### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

See the License for the specific language governing permissions and limitations under the License.

## 1.122 snake-yaml 1.30

### 1.122.1 Available under license :

Found license 'GNU Lesser General Public License' in '// This module is multi-licensed and may be used under the terms // EPL, Eclipse Public License, V1.0 or later, <http://www.eclipse.org/legal> // LGPL, GNU Lesser General Public License, V2.1 or later, <http://www.gnu.org/licenses/lgpl.html> // GPL, GNU General Public License, V2 or later, <http://www.gnu.org/licenses/gpl.html> // AL, Apache License, V2.0 or later, <http://www.apache.org/licenses> // BSD, BSD License, <http://www.opensource.org/licenses/bsd-license.php> \* Multi-licensed: EPL / LGPL / GPL / AL / BSD.'

Found license 'Eclipse Public License 1.0' in '// This module is multi-licensed and may be used under the terms // EPL, Eclipse Public License, V1.0 or later, <http://www.eclipse.org/legal> // LGPL, GNU Lesser General Public License, V2.1 or later, <http://www.gnu.org/licenses/lgpl.html> // GPL, GNU General Public License, V2 or later, <http://www.gnu.org/licenses/gpl.html> // AL, Apache License, V2.0 or later, <http://www.apache.org/licenses> // BSD, BSD License, <http://www.opensource.org/licenses/bsd-license.php> \* Multi-licensed: EPL / LGPL / GPL / AL / BSD.'

## 1.123 testng 6.14.3

## 1.124 couchbase-jvm-core-io 1.7.18

### 1.124.1 Available under license :

This copy of Jackson JSON processor databind module is licensed under the Apache (Software) License, version 2.0 ("the License").

See the License for details about distribution rights, and the specific rights regarding derivate works.

You may obtain a copy of the License at:

<http://www.apache.org/licenses/LICENSE-2.0>  
# Jackson JSON processor

Jackson is a high-performance, Free/Open Source JSON processing library. It was originally written by Tatu Saloranta ([tatu.saloranta@iki.fi](mailto:tatu.saloranta@iki.fi)), and has been in development since 2007.

It is currently developed by a community of developers, as well as supported commercially by FasterXML.com.

## Licensing

Jackson core and extension components may be licensed under different licenses. To find the details that apply to this artifact see the accompanying LICENSE file.

For more information, including possible other licensing options, contact FasterXML.com (<http://fasterxml.com>).

## ## Credits

A list of contributors may be found from CREDITS file, which is included in some artifacts (usually source distributions); but is always available from the source code management (SCM) system project uses.

# 1.125 jvm-integration-for-metrics 4.1.25

## 1.125.1 Available under license :

No license file was found, but licenses were detected in source scan.

Manifest-Version: 1.0  
Automatic-Module-Name: com.codahale.metrics.jvm  
Build-Jdk: 1.8.0\_292  
Built-By: runner  
Bundle-Description: A set of classes which allow you to monitor critical aspects of your Java Virtual Machine using Metrics.  
Bundle-License: <https://www.apache.org/licenses/LICENSE-2.0.html>  
Bundle-ManifestVersion: 2  
Bundle-Name: JVM Integration for Metrics  
Bundle-SymbolicName: io.dropwizard.metrics.jvm  
Bundle-Version: 4.1.25  
Created-By: Apache Maven Bundle Plugin  
Export-Package: com.codahale.metrics.jvm;uses:="com.codahale.metrics.javax.management";version="4.1.25"  
Implementation-Title: JVM Integration for Metrics  
Implementation-URL: <https://metrics.dropwizard.io/metrics-jvm>  
Implementation-Vendor-Id: io.dropwizard.metrics  
Implementation-Version: 4.1.25  
Import-Package: org.slf4j;version="[1.6.0,2.0.0)",com.sun.management;resolution:=optional,com.codahale.metrics;version="[4.1,5)",javax.management  
Private-Package: com.codahale.metrics.jvm  
Require-Capability: osgi.ee;filter="(&(osgi.ee=JavaSE)(version=1.8))"  
Tool: Bnd-5.1.1.202006162103

Found in path(s):

\* /opt/cola/permits/1300428369\_1649930904.01/0/metrics-jvm-4-1-25-jar/META-INF/MANIFEST.MF

# 1.126 javassist 3.22.0-GA

## 1.126.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
 * Javassist, a Java-bytecode translator toolkit.
 * Copyright (C) 1999- Shigeru Chiba. All Rights Reserved.
 *
 * The contents of this file are subject to the Mozilla Public License Version
 * 1.1 (the "License"); you may not use this file except in compliance with
 * the License. Alternatively, the contents of this file may be used under
 * the terms of the GNU Lesser General Public License Version 2.1 or later,
 * or the Apache License Version 2.0.
 *
 * Software distributed under the License is distributed on an "AS IS" basis,
 * WITHOUT WARRANTY OF ANY KIND, either express or implied. See the License
 * for the specific language governing rights and limitations under the
 * License.
 */
```

Found in path(s):

```
*/opt/cola/permits/1145434175_1616152007.27/0/javassist-3-22-0-ga-sources-5-
jar/javassist/bytecode/ClassFileWriter.java
*/opt/cola/permits/1145434175_1616152007.27/0/javassist-3-22-0-ga-sources-5-
jar/javassist/scopedpool/ScopedClassPoolFactory.java
*/opt/cola/permits/1145434175_1616152007.27/0/javassist-3-22-0-ga-sources-5-
jar/javassist/compiler/JvstTypeChecker.java
*/opt/cola/permits/1145434175_1616152007.27/0/javassist-3-22-0-ga-sources-5-
jar/javassist/bytecode/LineNumberAttribute.java
*/opt/cola/permits/1145434175_1616152007.27/0/javassist-3-22-0-ga-sources-5-
jar/javassist/bytecode/AccessFlag.java
*/opt/cola/permits/1145434175_1616152007.27/0/javassist-3-22-0-ga-sources-5-
jar/javassist/compiler/TypeChecker.java
*/opt/cola/permits/1145434175_1616152007.27/0/javassist-3-22-0-ga-sources-5-
jar/javassist/convert/TransformFieldAccess.java
*/opt/cola/permits/1145434175_1616152007.27/0/javassist-3-22-0-ga-sources-5-
jar/javassist/convert/TransformNewClass.java
*/opt/cola/permits/1145434175_1616152007.27/0/javassist-3-22-0-ga-sources-5-
jar/javassist/NotFoundException.java
*/opt/cola/permits/1145434175_1616152007.27/0/javassist-3-22-0-ga-sources-5-
jar/javassist/bytecode/analysis/IntQueue.java
*/opt/cola/permits/1145434175_1616152007.27/0/javassist-3-22-0-ga-sources-5-
jar/javassist/bytecode/Mnemonic.java
*/opt/cola/permits/1145434175_1616152007.27/0/javassist-3-22-0-ga-sources-5-
jar/javassist/tools/reflect/Sample.java
*/opt/cola/permits/1145434175_1616152007.27/0/javassist-3-22-0-ga-sources-5-
jar/javassist/bytecode/Bytecode.java
*/opt/cola/permits/1145434175_1616152007.27/0/javassist-3-22-0-ga-sources-5-
jar/javassist/ByteArrayClassPath.java
```

\* /opt/cola/permits/1145434175\_1616152007.27/0/javassist-3-22-0-ga-sources-5-jar/javassist/tools/reflect/CannotCreateException.java  
\* /opt/cola/permits/1145434175\_1616152007.27/0/javassist-3-22-0-ga-sources-5-jar/javassist/compiler/JvstCodeGen.java  
\* /opt/cola/permits/1145434175\_1616152007.27/0/javassist-3-22-0-ga-sources-5-jar/javassist/compiler/KeywordTable.java  
\* /opt/cola/permits/1145434175\_1616152007.27/0/javassist-3-22-0-ga-sources-5-jar/javassist/bytecode/annotation/AnnotationsWriter.java  
\* /opt/cola/permits/1145434175\_1616152007.27/0/javassist-3-22-0-ga-sources-5-jar/javassist/compiler/ast/DoubleConst.java  
\* /opt/cola/permits/1145434175\_1616152007.27/0/javassist-3-22-0-ga-sources-5-jar/javassist/CtClass.java  
\* /opt/cola/permits/1145434175\_1616152007.27/0/javassist-3-22-0-ga-sources-5-jar/javassist/compiler/ast/ArrayInit.java  
\* /opt/cola/permits/1145434175\_1616152007.27/0/javassist-3-22-0-ga-sources-5-jar/javassist/compiler/ast/Variable.java  
\* /opt/cola/permits/1145434175\_1616152007.27/0/javassist-3-22-0-ga-sources-5-jar/javassist/tools/rmi/ObjectNotFoundException.java  
\* /opt/cola/permits/1145434175\_1616152007.27/0/javassist-3-22-0-ga-sources-5-jar/javassist/CtNewMethod.java  
\* /opt/cola/permits/1145434175\_1616152007.27/0/javassist-3-22-0-ga-sources-5-jar/javassist/compiler/ast/AssignExpr.java  
\* /opt/cola/permits/1145434175\_1616152007.27/0/javassist-3-22-0-ga-sources-5-jar/javassist/bytecode/EnclosingMethodAttribute.java  
\* /opt/cola/permits/1145434175\_1616152007.27/0/javassist-3-22-0-ga-sources-5-jar/javassist/compiler/MemberCodeGen.java  
\* /opt/cola/permits/1145434175\_1616152007.27/0/javassist-3-22-0-ga-sources-5-jar/javassist/compiler/ast/CondExpr.java  
\* /opt/cola/permits/1145434175\_1616152007.27/0/javassist-3-22-0-ga-sources-5-jar/javassist/tools/reflect/Metaobject.java  
\* /opt/cola/permits/1145434175\_1616152007.27/0/javassist-3-22-0-ga-sources-5-jar/javassist/compiler/ast/Member.java  
\* /opt/cola/permits/1145434175\_1616152007.27/0/javassist-3-22-0-ga-sources-5-jar/javassist/convert/TransformCall.java  
\* /opt/cola/permits/1145434175\_1616152007.27/0/javassist-3-22-0-ga-sources-5-jar/javassist/convert/Transformer.java  
\* /opt/cola/permits/1145434175\_1616152007.27/0/javassist-3-22-0-ga-sources-5-jar/javassist/ClassPool.java  
\* /opt/cola/permits/1145434175\_1616152007.27/0/javassist-3-22-0-ga-sources-5-jar/javassist/util/proxy/MethodFilter.java  
\* /opt/cola/permits/1145434175\_1616152007.27/0/javassist-3-22-0-ga-sources-5-jar/javassist/tools/reflect/ClassMetaobject.java  
\* /opt/cola/permits/1145434175\_1616152007.27/0/javassist-3-22-0-ga-sources-5-jar/javassist/tools/reflect/CannotReflectException.java  
\* /opt/cola/permits/1145434175\_1616152007.27/0/javassist-3-22-0-ga-sources-5-jar/javassist/bytecode/stackmap/TypeData.java  
\* /opt/cola/permits/1145434175\_1616152007.27/0/javassist-3-22-0-ga-sources-5-jar/javassist/expr/MethodCall.java  
\* /opt/cola/permits/1145434175\_1616152007.27/0/javassist-3-22-0-ga-sources-5-jar/javassist/bytecode/AnnotationsAttribute.java  
\* /opt/cola/permits/1145434175\_1616152007.27/0/javassist-3-22-0-ga-sources-5-jar/javassist/bytecode/ByteStream.java

\* /opt/cola/permits/1145434175\_1616152007.27/0/javassist-3-22-0-ga-sources-5-jar/javassist/bytecode/ConstPool.java  
\* /opt/cola/permits/1145434175\_1616152007.27/0/javassist-3-22-0-ga-sources-5-jar/javassist/scopedpool/ScopedClassPool.java  
\* /opt/cola/permits/1145434175\_1616152007.27/0/javassist-3-22-0-ga-sources-5-jar/javassist/util/proxy/FactoryHelper.java  
\* /opt/cola/permits/1145434175\_1616152007.27/0/javassist-3-22-0-ga-sources-5-jar/javassist/bytecode/ClassFile.java  
\* /opt/cola/permits/1145434175\_1616152007.27/0/javassist-3-22-0-ga-sources-5-jar/javassist/util/HotSwapAgent.java  
\* /opt/cola/permits/1145434175\_1616152007.27/0/javassist-3-22-0-ga-sources-5-jar/javassist/compiler/ast/Declarator.java  
\* /opt/cola/permits/1145434175\_1616152007.27/0/javassist-3-22-0-ga-sources-5-jar/javassist/tools/rmi/Proxy.java  
\* /opt/cola/permits/1145434175\_1616152007.27/0/javassist-3-22-0-ga-sources-5-jar/javassist/expr/FieldAccess.java  
\* /opt/cola/permits/1145434175\_1616152007.27/0/javassist-3-22-0-ga-sources-5-jar/javassist/compiler/ast/Stmnt.java  
\* /opt/cola/permits/1145434175\_1616152007.27/0/javassist-3-22-0-ga-sources-5-jar/javassist/bytecode/stackmap/BasicBlock.java  
\* /opt/cola/permits/1145434175\_1616152007.27/0/javassist-3-22-0-ga-sources-5-jar/javassist/CannotCompileException.java  
\* /opt/cola/permits/1145434175\_1616152007.27/0/javassist-3-22-0-ga-sources-5-jar/javassist/bytecode/analysis/Util.java  
\* /opt/cola/permits/1145434175\_1616152007.27/0/javassist-3-22-0-ga-sources-5-jar/javassist/tools/rmi/StubGenerator.java  
\* /opt/cola/permits/1145434175\_1616152007.27/0/javassist-3-22-0-ga-sources-5-jar/javassist/ClassPoolTail.java  
\* /opt/cola/permits/1145434175\_1616152007.27/0/javassist-3-22-0-ga-sources-5-jar/javassist/scopedpool/ScopedClassPoolRepositoryImpl.java  
\* /opt/cola/permits/1145434175\_1616152007.27/0/javassist-3-22-0-ga-sources-5-jar/javassist/util/proxy/ProxyObjectOutputStream.java  
\* /opt/cola/permits/1145434175\_1616152007.27/0/javassist-3-22-0-ga-sources-5-jar/javassist/bytecode/StackMap.java  
\* /opt/cola/permits/1145434175\_1616152007.27/0/javassist-3-22-0-ga-sources-5-jar/javassist/scopedpool/ScopedClassPoolFactoryImpl.java  
\* /opt/cola/permits/1145434175\_1616152007.27/0/javassist-3-22-0-ga-sources-5-jar/javassist/bytecode/AttributeInfo.java  
\* /opt/cola/permits/1145434175\_1616152007.27/0/javassist-3-22-0-ga-sources-5-jar/javassist/bytecode/BadBytecode.java  
\* /opt/cola/permits/1145434175\_1616152007.27/0/javassist-3-22-0-ga-sources-5-jar/javassist/ClassMap.java  
\* /opt/cola/permits/1145434175\_1616152007.27/0/javassist-3-22-0-ga-sources-5-jar/javassist/bytecode/DeprecatedAttribute.java  
\* /opt/cola/permits/1145434175\_1616152007.27/0/javassist-3-22-0-ga-sources-5-jar/javassist/expr/Handler.java  
\* /opt/cola/permits/1145434175\_1616152007.27/0/javassist-3-22-0-ga-sources-5-jar/javassist/convert/TransformNew.java  
\* /opt/cola/permits/1145434175\_1616152007.27/0/javassist-3-22-0-ga-sources-5-jar/javassist/util/proxy/ProxyObject.java  
\* /opt/cola/permits/1145434175\_1616152007.27/0/javassist-3-22-0-ga-sources-5-jar/javassist/tools/rmi/RemoteException.java  
\* /opt/cola/permits/1145434175\_1616152007.27/0/javassist-3-22-0-ga-sources-5-jar/javassist/expr/NewArray.java

\* /opt/cola/permits/1145434175\_1616152007.27/0/javassist-3-22-0-ga-sources-5-jar/javassist/bytecode/stackmap/MapMaker.java  
\* /opt/cola/permits/1145434175\_1616152007.27/0/javassist-3-22-0-ga-sources-5-jar/javassist/LoaderClassPath.java  
\* /opt/cola/permits/1145434175\_1616152007.27/0/javassist-3-22-0-ga-sources-5-jar/javassist/CtConstructor.java  
\* /opt/cola/permits/1145434175\_1616152007.27/0/javassist-3-22-0-ga-sources-5-jar/javassist/tools/Dump.java  
\* /opt/cola/permits/1145434175\_1616152007.27/0/javassist-3-22-0-ga-sources-5-jar/javassist/compiler/ast/IntConst.java  
\* /opt/cola/permits/1145434175\_1616152007.27/0/javassist-3-22-0-ga-sources-5-jar/javassist/runtime/Cflow.java  
\* /opt/cola/permits/1145434175\_1616152007.27/0/javassist-3-22-0-ga-sources-5-jar/javassist/bytecode/LocalVariableTypeAttribute.java  
\* /opt/cola/permits/1145434175\_1616152007.27/0/javassist-3-22-0-ga-sources-5-jar/javassist/bytecode/CodeAttribute.java  
\* /opt/cola/permits/1145434175\_1616152007.27/0/javassist-3-22-0-ga-sources-5-jar/javassist/expr/Cast.java  
\* /opt/cola/permits/1145434175\_1616152007.27/0/javassist-3-22-0-ga-sources-5-jar/javassist/compiler/ast/CallExpr.java  
\* /opt/cola/permits/1145434175\_1616152007.27/0/javassist-3-22-0-ga-sources-5-jar/javassist/compiler/ProceedHandler.java  
\* /opt/cola/permits/1145434175\_1616152007.27/0/javassist-3-22-0-ga-sources-5-jar/javassist/CtMember.java  
\* /opt/cola/permits/1145434175\_1616152007.27/0/javassist-3-22-0-ga-sources-5-jar/javassist/bytecode/ParameterAnnotationsAttribute.java  
\* /opt/cola/permits/1145434175\_1616152007.27/0/javassist-3-22-0-ga-sources-5-jar/javassist/expr/ConstructorCall.java  
\* /opt/cola/permits/1145434175\_1616152007.27/0/javassist-3-22-0-ga-sources-5-jar/javassist/tools/reflect/Reflection.java  
\* /opt/cola/permits/1145434175\_1616152007.27/0/javassist-3-22-0-ga-sources-5-jar/javassist/compiler/Javac.java  
\* /opt/cola/permits/1145434175\_1616152007.27/0/javassist-3-22-0-ga-sources-5-jar/javassist/compiler/ast/Keyword.java  
\* /opt/cola/permits/1145434175\_1616152007.27/0/javassist-3-22-0-ga-sources-5-jar/javassist/bytecode/SignatureAttribute.java  
\* /opt/cola/permits/1145434175\_1616152007.27/0/javassist-3-22-0-ga-sources-5-jar/javassist/bytecode/stackmap/TypeTag.java  
\* /opt/cola/permits/1145434175\_1616152007.27/0/javassist-3-22-0-ga-sources-5-jar/javassist/SerialVersionUID.java  
\* /opt/cola/permits/1145434175\_1616152007.27/0/javassist-3-22-0-ga-sources-5-jar/javassist/bytecode/FieldInfo.java  
\* /opt/cola/permits/1145434175\_1616152007.27/0/javassist-3-22-0-ga-sources-5-jar/javassist/compiler/Lex.java  
\* /opt/cola/permits/1145434175\_1616152007.27/0/javassist-3-22-0-ga-sources-5-jar/javassist/tools/web/Webserver.java  
\* /opt/cola/permits/1145434175\_1616152007.27/0/javassist-3-22-0-ga-sources-5-jar/javassist/bytecode/analysis/Frame.java  
\* /opt/cola/permits/1145434175\_1616152007.27/0/javassist-3-22-0-ga-sources-5-jar/javassist/compiler/TokenId.java  
\* /opt/cola/permits/1145434175\_1616152007.27/0/javassist-3-22-0-ga-sources-5-jar/javassist/CtNewWrappedMethod.java  
\* /opt/cola/permits/1145434175\_1616152007.27/0/javassist-3-22-0-ga-sources-5-jar/javassist/bytecode/AnnotationDefaultAttribute.java  
\* /opt/cola/permits/1145434175\_1616152007.27/0/javassist-3-22-0-ga-sources-5-jar/javassist/convert/TransformAccessArrayField.java



\* /opt/cola/permits/1145434175\_1616152007.27/0/javassist-3-22-0-ga-sources-5-jar/javassist/compiler/CompileError.java  
\* /opt/cola/permits/1145434175\_1616152007.27/0/javassist-3-22-0-ga-sources-5-jar/javassist/convert/TransformWriteField.java  
\* /opt/cola/permits/1145434175\_1616152007.27/0/javassist-3-22-0-ga-sources-5-jar/javassist/runtime/DotClass.java  
\* /opt/cola/permits/1145434175\_1616152007.27/0/javassist-3-22-0-ga-sources-5-jar/javassist/compiler/ast/MethodDecl.java  
\* /opt/cola/permits/1145434175\_1616152007.27/0/javassist-3-22-0-ga-sources-5-jar/javassist/compiler/ast/InstanceOfExpr.java  
\* /opt/cola/permits/1145434175\_1616152007.27/0/javassist-3-22-0-ga-sources-5-jar/javassist/CtNewConstructor.java  
\* /opt/cola/permits/1145434175\_1616152007.27/0/javassist-3-22-0-ga-sources-5-jar/javassist/util/proxy/SerializedProxy.java  
\* /opt/cola/permits/1145434175\_1616152007.27/0/javassist-3-22-0-ga-sources-5-jar/javassist/compiler/MemberResolver.java  
\* /opt/cola/permits/1145434175\_1616152007.27/0/javassist-3-22-0-ga-sources-5-jar/javassist/CtPrimitiveType.java  
\* /opt/cola/permits/1145434175\_1616152007.27/0/javassist-3-22-0-ga-sources-5-jar/javassist/bytecode/SyntheticAttribute.java  
\* /opt/cola/permits/1145434175\_1616152007.27/0/javassist-3-22-0-ga-sources-5-jar/javassist/tools/reflect/Loader.java  
\* /opt/cola/permits/1145434175\_1616152007.27/0/javassist-3-22-0-ga-sources-5-jar/javassist/bytecode/analysis/Executor.java  
\* /opt/cola/permits/1145434175\_1616152007.27/0/javassist-3-22-0-ga-sources-5-jar/javassist/URLClassPath.java  
\* /opt/cola/permits/1145434175\_1616152007.27/0/javassist-3-22-0-ga-sources-5-jar/javassist/compiler/NoFieldException.java  
\* /opt/cola/permits/1145434175\_1616152007.27/0/javassist-3-22-0-ga-sources-5-jar/javassist/compiler/ast/CastExpr.java  
\* /opt/cola/permits/1145434175\_1616152007.27/0/javassist-3-22-0-ga-sources-5-jar/javassist/util/proxy/ProxyFactory.java  
\* /opt/cola/permits/1145434175\_1616152007.27/0/javassist-3-22-0-ga-sources-5-jar/javassist/bytecode/LocalVariableAttribute.java  
\* /opt/cola/permits/1145434175\_1616152007.27/0/javassist-3-22-0-ga-sources-5-jar/javassist/compiler/SyntaxError.java  
\* /opt/cola/permits/1145434175\_1616152007.27/0/javassist-3-22-0-ga-sources-5-jar/javassist/tools/reflect/Metalevel.java  
\* /opt/cola/permits/1145434175\_1616152007.27/0/javassist-3-22-0-ga-sources-5-jar/javassist/compiler/ast/Pair.java  
\* /opt/cola/permits/1145434175\_1616152007.27/0/javassist-3-22-0-ga-sources-5-jar/javassist/util/proxy/MethodHandler.java  
\* /opt/cola/permits/1145434175\_1616152007.27/0/javassist-3-22-0-ga-sources-5-jar/javassist/tools/rmi/AppletServer.java  
\* /opt/cola/permits/1145434175\_1616152007.27/0/javassist-3-22-0-ga-sources-5-jar/javassist/util/proxy/RuntimeSupport.java  
\* /opt/cola/permits/1145434175\_1616152007.27/0/javassist-3-22-0-ga-sources-5-jar/javassist/bytecode/ClassFilePrinter.java  
\* /opt/cola/permits/1145434175\_1616152007.27/0/javassist-3-22-0-ga-sources-5-jar/javassist/compiler/ast/FieldDecl.java  
\* /opt/cola/permits/1145434175\_1616152007.27/0/javassist-3-22-0-ga-sources-5-jar/javassist/bytecode/StackMapTable.java

\* /opt/cola/permits/1145434175\_1616152007.27/0/javassist-3-22-0-ga-sources-5-jar/javassist/CtClassType.java  
 \* /opt/cola/permits/1145434175\_1616152007.27/0/javassist-3-22-0-ga-sources-5-jar/javassist/bytecode/InstructionPrinter.java  
 \* /opt/cola/permits/1145434175\_1616152007.27/0/javassist-3-22-0-ga-sources-5-jar/javassist/ClassClassPath.java  
 \* /opt/cola/permits/1145434175\_1616152007.27/0/javassist-3-22-0-ga-sources-5-jar/javassist/ClassPath.java  
 \* /opt/cola/permits/1145434175\_1616152007.27/0/javassist-3-22-0-ga-sources-5-jar/javassist/compiler/ast/NewExpr.java  
 \* /opt/cola/permits/1145434175\_1616152007.27/0/javassist-3-22-0-ga-sources-5-jar/javassist/bytecode/analysis/MultiArrayType.java  
 \* /opt/cola/permits/1145434175\_1616152007.27/0/javassist-3-22-0-ga-sources-5-jar/javassist/compiler/ast/ASTList.java  
 \* /opt/cola/permits/1145434175\_1616152007.27/0/javassist-3-22-0-ga-sources-5-jar/javassist/bytecode/ExceptionsAttribute.java  
 \* /opt/cola/permits/1145434175\_1616152007.27/0/javassist-3-22-0-ga-sources-5-jar/javassist/CtNewClass.java  
 \* /opt/cola/permits/1145434175\_1616152007.27/0/javassist-3-22-0-ga-sources-5-jar/javassist/bytecode/analysis/FramePrinter.java  
 \* /opt/cola/permits/1145434175\_1616152007.27/0/javassist-3-22-0-ga-sources-5-jar/javassist/CodeConverter.java  
 \* /opt/cola/permits/1145434175\_1616152007.27/0/javassist-3-22-0-ga-sources-5-jar/javassist/compiler/Parser.java  
 \* /opt/cola/permits/1145434175\_1616152007.27/0/javassist-3-22-0-ga-sources-5-jar/javassist/bytecode/Opcodes.java  
 \* /opt/cola/permits/1145434175\_1616152007.27/0/javassist-3-22-0-ga-sources-5-jar/javassist/CtArray.java  
 \* /opt/cola/permits/1145434175\_1616152007.27/0/javassist-3-22-0-ga-sources-5-jar/javassist/runtime/Desc.java  
 \* /opt/cola/permits/1145434175\_1616152007.27/0/javassist-3-22-0-ga-sources-5-jar/javassist/bytecode/CodeIterator.java  
 \* /opt/cola/permits/1145434175\_1616152007.27/0/javassist-3-22-0-ga-sources-5-jar/javassist/bytecode/InnerClassesAttribute.java  
 \* /opt/cola/permits/1145434175\_1616152007.27/0/javassist-3-22-0-ga-sources-5-jar/javassist/compiler/ast/ASTree.java  
 \* /opt/cola/permits/1145434175\_1616152007.27/0/javassist-3-22-0-ga-sources-5-jar/javassist/CtMethod.java  
 \* /opt/cola/permits/1145434175\_1616152007.27/0/javassist-3-22-0-ga-sources-5-jar/javassist/util/proxy/Proxy.java  
 \* /opt/cola/permits/1145434175\_1616152007.27/0/javassist-3-22-0-ga-sources-5-jar/javassist/runtime/Inner.java  
 \* /opt/cola/permits/1145434175\_1616152007.27/0/javassist-3-22-0-ga-sources-5-jar/javassist/compiler/CodeGen.java  
 \* /opt/cola/permits/1145434175\_1616152007.27/0/javassist-3-22-0-ga-sources-5-jar/javassist/convert/TransformBefore.java  
 \* /opt/cola/permits/1145434175\_1616152007.27/0/javassist-3-22-0-ga-sources-5-jar/javassist/compiler/ast/BinExpr.java  
 \* /opt/cola/permits/1145434175\_1616152007.27/0/javassist-3-22-0-ga-sources-5-jar/javassist/bytecode/DuplicateMemberException.java  
 \* /opt/cola/permits/1145434175\_1616152007.27/0/javassist-3-22-0-ga-sources-5-jar/javassist/tools/Callback.java  
 \* /opt/cola/permits/1145434175\_1616152007.27/0/javassist-3-22-0-ga-sources-5-jar/javassist/scopedpool/SoftValueHashMap.java  
 \* /opt/cola/permits/1145434175\_1616152007.27/0/javassist-3-22-0-ga-sources-5-jar/javassist/bytecode/analysis/SubroutineScanner.java  
 \* /opt/cola/permits/1145434175\_1616152007.27/0/javassist-3-22-0-ga-sources-5-jar/javassist/bytecode/stackmap/TypedBlock.java  
 \* /opt/cola/permits/1145434175\_1616152007.27/0/javassist-3-22-0-ga-sources-5-jar/javassist/CtField.java  
 \* /opt/cola/permits/1145434175\_1616152007.27/0/javassist-3-22-0-ga-sources-5-jar/javassist/bytecode/SourceFileAttribute.java

\* /opt/cola/permits/1145434175\_1616152007.27/0/javassist-3-22-0-ga-sources-5-jar/javassist/bytecode/CodeAnalyzer.java  
\* /opt/cola/permits/1145434175\_1616152007.27/0/javassist-3-22-0-ga-sources-5-jar/javassist/Modifier.java  
\* /opt/cola/permits/1145434175\_1616152007.27/0/javassist-3-22-0-ga-sources-5-jar/javassist/bytecode/LongVector.java  
\* /opt/cola/permits/1145434175\_1616152007.27/0/javassist-3-22-0-ga-sources-5-jar/javassist/tools/rmi/Sample.java  
\* /opt/cola/permits/1145434175\_1616152007.27/0/javassist-3-22-0-ga-sources-5-jar/javassist/bytecode/analysis/Type.java  
\* /opt/cola/permits/1145434175\_1616152007.27/0/javassist-3-22-0-ga-sources-5-jar/javassist/expr/Expr.java  
\* /opt/cola/permits/1145434175\_1616152007.27/0/javassist-3-22-0-ga-sources-5-jar/javassist/bytecode/analysis/MultiType.java  
\* /opt/cola/permits/1145434175\_1616152007.27/0/javassist-3-22-0-ga-sources-5-jar/javassist/Loader.java  
\* /opt/cola/permits/1145434175\_1616152007.27/0/javassist-3-22-0-ga-sources-5-jar/javassist/bytecode/stackmap/Tracer.java  
\* /opt/cola/permits/1145434175\_1616152007.27/0/javassist-3-22-0-ga-sources-5-jar/javassist/scopedpool/ScopedClassPoolRepository.java  
\* /opt/cola/permits/1145434175\_1616152007.27/0/javassist-3-22-0-ga-sources-5-jar/javassist/bytecode/ConstantAttribute.java  
\* /opt/cola/permits/1145434175\_1616152007.27/0/javassist-3-22-0-ga-sources-5-jar/javassist/compiler/ast/Expr.java  
\* /opt/cola/permits/1145434175\_1616152007.27/0/javassist-3-22-0-ga-sources-5-jar/javassist/bytecode/analysis/ControlFlow.java  
\* /opt/cola/permits/1145434175\_1616152007.27/0/javassist-3-22-0-ga-sources-5-jar/javassist/compiler/SymbolTable.java  
\* /opt/cola/permits/1145434175\_1616152007.27/0/javassist-3-22-0-ga-sources-5-jar/javassist/bytecode/analysis/Subroutine.java  
\* /opt/cola/permits/1145434175\_1616152007.27/0/javassist-3-22-0-ga-sources-5-jar/javassist/util/proxy/DefineClassHelper.java  
\* /opt/cola/permits/1145434175\_1616152007.27/0/javassist-3-22-0-ga-sources-5-jar/javassist/expr/NewExpr.java  
\* /opt/cola/permits/1145434175\_1616152007.27/0/javassist-3-22-0-ga-sources-5-jar/javassist/tools/web/BadHttpRequest.java  
\* /opt/cola/permits/1145434175\_1616152007.27/0/javassist-3-22-0-ga-sources-5-jar/javassist/compiler/ast/Symbol.java  
\* /opt/cola/permits/1145434175\_1616152007.27/0/javassist-3-22-0-ga-sources-5-jar/javassist/util/HotSwapper.java  
\* /opt/cola/permits/1145434175\_1616152007.27/0/javassist-3-22-0-ga-sources-5-jar/javassist/tools/rmi/ObjectImporter.java  
\* /opt/cola/permits/1145434175\_1616152007.27/0/javassist-3-22-0-ga-sources-5-jar/javassist/tools/reflect/CannotInvokeException.java  
\* /opt/cola/permits/1145434175\_1616152007.27/0/javassist-3-22-0-ga-sources-5-jar/javassist/bytecode/Descriptor.java  
\* /opt/cola/permits/1145434175\_1616152007.27/0/javassist-3-22-0-ga-sources-5-jar/javassist/Translator.java  
\* /opt/cola/permits/1145434175\_1616152007.27/0/javassist-3-22-0-ga-sources-5-jar/javassist/convert/TransformAfter.java  
\* /opt/cola/permits/1145434175\_1616152007.27/0/javassist-3-22-0-ga-sources-5-jar/javassist/tools/framedump.java  
\* /opt/cola/permits/1145434175\_1616152007.27/0/javassist-3-22-0-ga-sources-5-jar/javassist/convert/TransformReadField.java  
\* /opt/cola/permits/1145434175\_1616152007.27/0/javassist-3-22-0-ga-sources-5-jar/javassist/util/proxy/ProxyObjectInputStream.java

\* /opt/cola/permits/1145434175\_1616152007.27/0/javassist-3-22-0-ga-sources-5-jar/javassist/bytecode/ByteArray.java  
\* /opt/cola/permits/1145434175\_1616152007.27/0/javassist-3-22-0-ga-sources-5-jar/javassist/compiler/ast/StringL.java  
\* /opt/cola/permits/1145434175\_1616152007.27/0/javassist-3-22-0-ga-sources-5-jar/javassist/tools/rmi/RemoteRef.java  
\* /opt/cola/permits/1145434175\_1616152007.27/0/javassist-3-22-0-ga-sources-5-jar/javassist/expr/ExprEditor.java  
\* /opt/cola/permits/1145434175\_1616152007.27/0/javassist-3-22-0-ga-sources-5-jar/javassist/CtNewWrappedConstructor.java  
\* /opt/cola/permits/1145434175\_1616152007.27/0/javassist-3-22-0-ga-sources-5-jar/javassist/compiler/AccessorMaker.java  
\* /opt/cola/permits/1145434175\_1616152007.27/0/javassist-3-22-0-ga-sources-5-jar/javassist/bytecode/MethodInfo.java  
\* /opt/cola/permits/1145434175\_1616152007.27/0/javassist-3-22-0-ga-sources-5-jar/javassist/CtBehavior.java  
\* /opt/cola/permits/1145434175\_1616152007.27/0/javassist-3-22-0-ga-sources-5-jar/javassist/tools/reflect/Compiler.java  
\* /opt/cola/permits/1145434175\_1616152007.27/0/javassist-3-22-0-ga-sources-5-jar/javassist/compiler/ast/Visitor.java  
\* /opt/cola/permits/1145434175\_1616152007.27/0/javassist-3-22-0-ga-sources-5-jar/javassist/bytecode/annotation/AnnotationImpl.java  
\* /opt/cola/permits/1145434175\_1616152007.27/0/javassist-3-22-0-ga-sources-5-jar/javassist/util/proxy/SecurityActions.java  
\* /opt/cola/permits/1145434175\_1616152007.27/0/javassist-3-22-0-ga-sources-5-jar/javassist/bytecode/annotation/NoSuchClassError.java  
\* /opt/cola/permits/1145434175\_1616152007.27/0/javassist-3-22-0-ga-sources-5-jar/javassist/expr/Instanceof.java  
\* /opt/cola/permits/1145434175\_1616152007.27/0/javassist-3-22-0-ga-sources-5-jar/javassist/bytecode/analysis/Analyzer.java  
\* /opt/cola/permits/1145434175\_1616152007.27/0/javassist-3-22-0-ga-sources-5-jar/javassist/bytecode/ExceptionTable.java  
\* /opt/cola/permits/1145434175\_1616152007.27/0/javassist-3-22-0-ga-sources-5-jar/javassist/tools/web/Viewer.java

No license file was found, but licenses were detected in source scan.

/\*

\* Javassist, a Java-bytecode translator toolkit.

\* Copyright (C) 2004 Bill Burke. All Rights Reserved.

\*

\* The contents of this file are subject to the Mozilla Public License Version

\* 1.1 (the "License"); you may not use this file except in compliance with

\* the License. Alternatively, the contents of this file may be used under

\* the terms of the GNU Lesser General Public License Version 2.1 or later,

\* or the Apache License Version 2.0.

\*

\* Software distributed under the License is distributed on an "AS IS" basis,

\* WITHOUT WARRANTY OF ANY KIND, either express or implied. See the License

\* for the specific language governing rights and limitations under the

\* License.

\*/

Found in path(s):

- \* /opt/cola/permits/1145434175\_1616152007.27/0/javassist-3-22-0-ga-sources-5-jar/javassist/bytecode/annotation/MemberValue.java
- \* /opt/cola/permits/1145434175\_1616152007.27/0/javassist-3-22-0-ga-sources-5-jar/javassist/bytecode/annotation/ByteMemberValue.java
- \* /opt/cola/permits/1145434175\_1616152007.27/0/javassist-3-22-0-ga-sources-5-jar/javassist/bytecode/annotation/IntegerMemberValue.java
- \* /opt/cola/permits/1145434175\_1616152007.27/0/javassist-3-22-0-ga-sources-5-jar/javassist/bytecode/annotation/CharMemberValue.java
- \* /opt/cola/permits/1145434175\_1616152007.27/0/javassist-3-22-0-ga-sources-5-jar/javassist/bytecode/annotation/BooleanMemberValue.java
- \* /opt/cola/permits/1145434175\_1616152007.27/0/javassist-3-22-0-ga-sources-5-jar/javassist/bytecode/annotation/ShortMemberValue.java
- \* /opt/cola/permits/1145434175\_1616152007.27/0/javassist-3-22-0-ga-sources-5-jar/javassist/bytecode/annotation/DoubleMemberValue.java
- \* /opt/cola/permits/1145434175\_1616152007.27/0/javassist-3-22-0-ga-sources-5-jar/javassist/bytecode/annotation/LongMemberValue.java
- \* /opt/cola/permits/1145434175\_1616152007.27/0/javassist-3-22-0-ga-sources-5-jar/javassist/bytecode/annotation/Annotation.java
- \* /opt/cola/permits/1145434175\_1616152007.27/0/javassist-3-22-0-ga-sources-5-jar/javassist/bytecode/annotation/StringMemberValue.java
- \* /opt/cola/permits/1145434175\_1616152007.27/0/javassist-3-22-0-ga-sources-5-jar/javassist/bytecode/annotation/MemberValueVisitor.java
- \* /opt/cola/permits/1145434175\_1616152007.27/0/javassist-3-22-0-ga-sources-5-jar/javassist/bytecode/annotation/AnnotationMemberValue.java
- \* /opt/cola/permits/1145434175\_1616152007.27/0/javassist-3-22-0-ga-sources-5-jar/javassist/bytecode/annotation/ClassMemberValue.java
- \* /opt/cola/permits/1145434175\_1616152007.27/0/javassist-3-22-0-ga-sources-5-jar/javassist/bytecode/annotation/ArrayMemberValue.java
- \* /opt/cola/permits/1145434175\_1616152007.27/0/javassist-3-22-0-ga-sources-5-jar/javassist/bytecode/annotation/FloatMemberValue.java
- \* /opt/cola/permits/1145434175\_1616152007.27/0/javassist-3-22-0-ga-sources-5-jar/javassist/bytecode/annotation/EnumMemberValue.java

# 1.127 micronaut 1.3.5

## 1.127.1 Available under license :

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,

and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the

Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
  - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
  - (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
  - (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,



whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

#### END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

# 1.128 java-architecture-for-xml-binding 2.3.3

## 1.128.1 Available under license :

(See license.txt for the actual license terms)

Copyright 2001-@@YEAR@@ Sun Microsystems, Inc. 901 San Antonio Road, Palo Alto, California, 94303, U.S.A. All rights reserved.

Sun Microsystems, Inc. has intellectual property rights relating to technology embodied in this product. In particular, and without limitation, these intellectual property rights may include one or more of the U.S. patents listed at <http://www.sun.com/patents> and one or more additional patents or pending patent applications in the U.S. and other countries. This product is distributed under licenses restricting its use, copying, distribution, and decompilation. No part of this product may be reproduced in any form by any means without prior written authorization of Sun and its licensors, if any. Third party software, including font technology, is copyrighted and licensed from Sun suppliers. Sun, the Sun logo, and Sun Microsystems are trademarks or registered trademarks of Sun Microsystems, Inc. in the U.S. and other countries. This product includes software developed by the Apache Software Foundation (<http://www.apache.org/>). Federal Acquisitions: Commercial Software - Government Users Subject to Standard License Terms and Conditions.

-----

Copyright 2001--@@YEAR@@ Sun Microsystems, Inc., 901 San Antonio Road, Palo Alto, Californie 94303 tats-Unis. Tous droits rserve. Distribue par des licences qui en restreignent l'utilisation. Sun Microsystems, Inc. a les droits de proprit intellectuels relatants la technologie incorpore dans ce produit. En particulier, et sans la limitation, ces droits de proprit intellectuels peuvent inclure un ou plus des brevets amricains numrs <http://www.sun.com/patents> et un ou les brevets plus supplmentaires ou les applications de brevet en attente dans les Etats Unis et les autres pays. Ce produit ou document est protg par un copyright et distribu avec des licences qui en restreignent l'utilisation, la copie, la distribution, et la dcompilation. Aucune partie de ce produit ou document ne peut tre reproduite sous aucune forme, par quelque moyen que ce soit, sans l'autorisation pralable et crite de Sun et de ses bailleurs de licence, s'il y en a. Le logiciel dtenu par des tiers, et qui comprend la technologie relative aux polices de caractres, est protg par un copyright et licenci par des fournisseurs de Sun. Sun, le logo Sun, Sun Microsystems et sont des marques de fabrique ou des marques d'pos?es de Sun Microsystems, Inc. aux Etats-Unis et dans

d'autres pays. Ce produit inclut le logiciel developp par la base de Apache Software Foundation (<http://www.apache.org/>). L'accord du gouvernement des tats Unis est requis avant l'exportation du produit.

/\*

\* The Apache Software License, Version 1.1

\*

\*

\* Copyright (c) 1999-2004 The Apache Software Foundation. All rights reserved.

\*

\* Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

\*

\* 1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

\*

\* 2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

\*

\* 3. The end-user documentation included with the redistribution, if any, must include the following acknowledgment:

\* "This product includes software developed by the Apache Software Foundation (<http://www.apache.org/>)."

\* Alternately, this acknowledgment may appear in the software itself, if and wherever such third-party acknowledgments normally appear.

\*

\* 4. The names "Xerces" and "Apache Software Foundation" must not be used to endorse or promote products derived from this software without prior written permission. For written permission, please contact [apache@apache.org](mailto:apache@apache.org).

\*

\* 5. Products derived from this software may not be called "Apache", nor may "Apache" appear in their name, without prior written permission of the Apache Software Foundation.

\*

\* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE APACHE SOFTWARE FOUNDATION OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT

\* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF  
\* SUCH DAMAGE.

\* =====

\*

\* This software consists of voluntary contributions made by many  
\* individuals on behalf of the Apache Software Foundation and was  
\* originally based on software copyright (c) 1999, International  
\* Business Machines, Inc., <http://www.apache.org>. For more  
\* information on the Apache Software Foundation, please see  
\* <http://www.apache.org/>.

\*/

THIS LICENSE IS INTENDED TO BE USED FOR DEBUGGING THE INSTALLER.

#### Amendment I

Congress shall make no law respecting an establishment of religion, or prohibiting the free exercise thereof; or abridging the freedom of speech, or of the press; or the right of the people peaceably to assemble, and to petition the government for a redress of grievances.

#### Amendment II

A well regulated militia, being necessary to the security of a free state, the right of the people to keep and bear arms, shall not be infringed.

#### Amendment III

No soldier shall, in time of peace be quartered in any house, without the consent of the owner, nor in time of war, but in a manner to be prescribed by law.

#### Amendment IV

The right of the people to be secure in their persons, houses, papers, and effects, against unreasonable searches and seizures, shall not be violated, and no warrants shall issue, but upon probable cause, supported by oath or affirmation, and particularly describing the place to be searched, and the persons or things to be seized.

#### Amendment V

No person shall be held to answer for a capital, or otherwise infamous crime, unless on a presentment or indictment of a grand jury, except in cases arising in the land or naval forces, or in the militia, when in actual service in time of war or public danger; nor shall any person be subject for the same offense to be twice put in jeopardy of life or limb; nor shall be compelled in any criminal case to be a witness against himself, nor be deprived of life, liberty, or property, without due process of law; nor shall private property be taken for public use, without just compensation.

#### Amendment VI

In all criminal prosecutions, the accused shall enjoy the right to a speedy and public trial, by an impartial jury of the state and district wherein the crime shall have been committed, which district shall have been previously ascertained by law, and to be informed of the nature and cause of the accusation; to be confronted with the witnesses against

him; to have compulsory process for obtaining witnesses in his favor, and to have the assistance of counsel for his defense.

#### Amendment VII

In suits at common law, where the value in controversy shall exceed twenty dollars, the right of trial by jury shall be preserved, and no fact tried by a jury, shall be otherwise reexamined in any court of the United States, than according to the rules of the common law.

#### Amendment VIII

Excessive bail shall not be required, nor excessive fines imposed, nor cruel and unusual punishments inflicted.

#### Amendment IX

The enumeration in the Constitution, of certain rights, shall not be construed to deny or disparage others retained by the people.

#### Amendment X

The powers not delegated to the United States by the Constitution, nor prohibited by it to the states, are reserved to the states respectively, or to the people.

(See license.txt for the actual license terms)

Copyright 2001-@@YEAR@@ Sun Microsystems, Inc. 901 San Antonio Road, Palo Alto, California, 94303, U.S.A. All rights reserved.

Sun Microsystems, Inc. has intellectual property rights relating to technology embodied in this product. In particular, and without limitation, these intellectual property rights may include one or more of the U.S. patents listed at <http://www.sun.com/patents> and one or more additional patents or pending patent applications in the U.S. and other countries. This product is distributed under licenses restricting its use, copying, distribution, and decompilation. No part of this product may be reproduced in any form by any means without prior written authorization of Sun and its licensors, if any. Third party software, including font technology, is copyrighted and licensed from Sun suppliers. Sun, the Sun logo, and Sun Microsystems are trademarks or registered trademarks of Sun Microsystems, Inc. in the U.S. and other countries. This product includes software developed by the Apache Software Foundation (<http://www.apache.org/>). Federal Acquisitions: Commercial Software - Government Users Subject to Standard License Terms and Conditions.

-----  
Copyright 2001-@@YEAR@@ Sun Microsystems, Inc., 901 San Antonio Road, Palo Alto, Californie 94303 tats-Unis. Tous droits rservs. Distribue

par des licences qui en restreignent l'utilisation. Sun Microsystems, Inc. a les droits de propri t intellectuels relatants la technologie incorpore dans ce produit. En particulier, et sans la limitation, ces droits de propri t intellectuels peuvent inclure un ou plus des brevets amricains numrs <http://www.sun.com/patents> et un ou les brevets plus supplmentaires ou les applications de brevet en attente dans les Etats Unis et les autres pays. Ce produit ou document est protg par un copyright et distribu avec des licences qui en restreignent l'utilisation, la copie, la distribution, et la dcompilation. Aucune partie de ce produit ou document ne peut tre reproduite sous aucune forme, par quelque moyen que ce soit, sans l'autorisation pralable et crite de Sun et de ses bailleurs de licence, s'il y en a. Le logiciel dtenu par des tiers, et qui comprend la technologie relative aux polices de caractres, est protg par un copyright et licenci par des fournisseurs de Sun. Sun, le logo Sun, Sun Microsystems et sont des marques de fabrique ou des marques d'pos'es de Sun Microsystems, Inc. aux Etats-Unis et dans d'autres pays. Ce produit inclut le logiciel dvelopp par la base de Apache Software Foundation (<http://www.apache.org/>). L'accord du gouvernement des tats Unis est requis avant l'exportation du produit.

/\* =====

\* The Apache Software License, Version 1.1

\*

\* Copyright (c) 2001-2003 The Apache Software Foundation. All rights reserved.

\*

\* Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

\*

\* 1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

\*

\* 2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

\*

\* 3. The end-user documentation included with the redistribution, if any, must include the following acknowledgment:

\* "This product includes software developed by the

\* Apache Software Foundation (<http://www.apache.org/>)."

\* Alternately, this acknowledgment may appear in the software itself,

\* if and wherever such third-party acknowledgments normally appear.

\*

\* 4. The names "Apache" and "Apache Software Foundation" must

\* not be used to endorse or promote products derived from this

\* software without prior written permission. For written

\* permission, please contact [apache@apache.org](mailto:apache@apache.org).

\*

\* 5. Products derived from this software may not be called "Apache",  
\* nor may "Apache" appear in their name, without prior written  
\* permission of the Apache Software Foundation.

\*

\* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED  
\* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES  
\* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE  
\* DISCLAIMED. IN NO EVENT SHALL THE APACHE SOFTWARE FOUNDATION OR  
\* ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,  
\* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT  
\* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF  
\* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND  
\* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,  
\* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT  
\* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF  
\* SUCH DAMAGE.

\*

\*

\* This software consists of voluntary contributions made by many  
\* individuals on behalf of the Apache Software Foundation. For more  
\* information on the Apache Software Foundation, please see  
\* <http://www.apache.org/>.

\*/

/\* =====

\* The Apache Software License, Version 1.1

\*

\* Copyright (c) 2000 The Apache Software Foundation. All rights  
\* reserved.

\*

\* Redistribution and use in source and binary forms, with or without  
\* modification, are permitted provided that the following conditions  
\* are met:

\*

\* 1. Redistributions of source code must retain the above copyright  
\* notice, this list of conditions and the following disclaimer.

\*

\* 2. Redistributions in binary form must reproduce the above copyright  
\* notice, this list of conditions and the following disclaimer in  
\* the documentation and/or other materials provided with the  
\* distribution.

\*

\* 3. The end-user documentation included with the redistribution,  
\* if any, must include the following acknowledgment:

\* "This product includes software developed by the  
\* Apache Software Foundation (<http://www.apache.org/>)."

\* Alternately, this acknowledgment may appear in the software itself,

\* if and wherever such third-party acknowledgments normally appear.

\*

\* 4. The names "Apache" and "Apache Software Foundation" must  
\* not be used to endorse or promote products derived from this  
\* software without prior written permission. For written  
\* permission, please contact [apache@apache.org](mailto:apache@apache.org).

\*

\* 5. Products derived from this software may not be called "Apache",  
\* nor may "Apache" appear in their name, without prior written  
\* permission of the Apache Software Foundation.

\*

\* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED  
\* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES  
\* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE  
\* DISCLAIMED. IN NO EVENT SHALL THE APACHE SOFTWARE FOUNDATION OR  
\* ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,  
\* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT  
\* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF  
\* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND  
\* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,  
\* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT  
\* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF  
\* SUCH DAMAGE.

\* =====

\*

\* This software consists of voluntary contributions made by many  
\* individuals on behalf of the Apache Software Foundation. For more  
\* information on the Apache Software Foundation, please see  
\* <http://www.apache.org/>.

\*

\* Portions of this software are based upon public domain software  
\* originally written at the National Center for Supercomputing Applications,  
\* University of Illinois, Urbana-Champaign.

\*/

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,  
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by  
the copyright owner that is granting the License.



"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity

on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
  - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
  - (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
  - (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
  - (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one

of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a

result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

### COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL) Version 1.0

1. Definitions.

- 1.1. "Contributor" means each individual or entity that creates or contributes to the creation of Modifications.
- 1.2. "Contributor Version" means the combination of the Original Software, prior Modifications used by a Contributor (if any), and the Modifications made by that particular Contributor.
- 1.3. "Covered Software" means (a) the Original Software, or (b) Modifications, or (c) the combination of files containing Original Software with files containing Modifications, in each case including portions thereof.
- 1.4. "Executable" means the Covered Software in any form other than Source Code.
- 1.5. "Initial Developer" means the individual or entity that first makes Original Software available under this License.
- 1.6. "Larger Work" means a work which combines Covered Software or portions thereof with code not governed by the terms of this License.
- 1.7. "License" means this document.
- 1.8. "Licensable" means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed herein.
- 1.9. "Modifications" means the Source Code and Executable form of any of the following:
  - A. Any file that results from an addition to, deletion from or modification of the contents of a file containing Original Software or previous Modifications;
  - B. Any new file that contains any part of the Original Software or previous Modification; or
  - C. Any new file that is contributed or otherwise made available under the terms of this License.
- 1.10. "Original Software" means the Source Code and Executable form of computer software code that is originally released under this License.

1.11. "Patent Claims" means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent Licensable by grantor.

1.12. "Source Code" means (a) the common form of computer software code in which modifications are made and (b) associated documentation included in or with such code.

1.13. "You" (or "Your") means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License. For legal entities, "You" includes any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, "control" means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

## 2. License Grants.

### 2.1. The Initial Developer Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, the Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Initial Developer, to use, reproduce, modify, display, perform, sublicense and distribute the Original Software (or portions thereof), with or without Modifications, and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using or selling of Original Software, to make, have made, use, practice, sell, and offer for sale, and/or otherwise dispose of the Original Software (or portions thereof).

(c) The licenses granted in Sections 2.1(a) and (b) are effective on the date Initial Developer first distributes or otherwise makes the Original Software available to a third party under the terms of this License.

(d) Notwithstanding Section 2.1(b) above, no patent license is granted: (1) for code that You delete from the Original Software, or (2) for infringements caused by: (i) the modification of the Original Software, or (ii) the combination of the Original Software with other software or devices.

## 2.2. Contributor Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Contributor to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof), either on an unmodified basis, with other Modifications, as Covered Software and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor either alone and/or in combination with its Contributor Version (or portions of such combination), to make, use, sell, offer for sale, have made, and/or otherwise dispose of: (1) Modifications made by that Contributor (or portions thereof); and (2) the combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).

(c) The licenses granted in Sections 2.2(a) and 2.2(b) are effective on the date Contributor first distributes or otherwise makes the Modifications available to a third party.

(d) Notwithstanding Section 2.2(b) above, no patent license is granted: (1) for any code that Contributor has deleted from the Contributor Version; (2) for infringements caused by: (i) third party modifications of Contributor Version, or (ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or (3) under

Patent Claims infringed by Covered Software in the absence of Modifications made by that Contributor.

### 3. Distribution Obligations.

#### 3.1. Availability of Source Code.

Any Covered Software that You distribute or otherwise make available in Executable form must also be made available in Source Code form and that Source Code form must be distributed only under the terms of this License. You must include a copy of this License with every copy of the Source Code form of the Covered Software You distribute or otherwise make available. You must inform recipients of any such Covered Software in Executable form as to how they can obtain such Covered Software in Source Code form in a reasonable manner on or through a medium customarily used for software exchange.

#### 3.2. Modifications.

The Modifications that You create or to which You contribute are governed by the terms of this License. You represent that You believe Your Modifications are Your original creation(s) and/or You have sufficient rights to grant the rights conveyed by this License.

#### 3.3. Required Notices.

You must include a notice in each of Your Modifications that identifies You as the Contributor of the Modification. You may not remove or alter any copyright, patent or trademark notices contained within the Covered Software, or any notices of licensing or any descriptive text giving attribution to any Contributor or the Initial Developer.

#### 3.4. Application of Additional Terms.

You may not offer or impose any terms on any Covered Software in Source Code form that alters or restricts the applicable version of this License or the recipients rights hereunder. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, you may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it absolutely clear that any such warranty, support, indemnity or liability obligation is offered by



You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of warranty, support, indemnity or liability terms You offer.

### 3.5. Distribution of Executable Versions.

You may distribute the Executable form of the Covered Software under the terms of this License or under the terms of a license of Your choice, which may contain terms different from this License, provided that You are in compliance with the terms of this License and that the license for the Executable form does not attempt to limit or alter the recipients rights in the Source Code form from the rights set forth in this License. If You distribute the Covered Software in Executable form under a different license, You must make it absolutely clear that any terms which differ from this License are offered by You alone, not by the Initial Developer or Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer.

### 3.6. Larger Works.

You may create a Larger Work by combining Covered Software with other code not governed by the terms of this License and distribute the Larger Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled for the Covered Software.

## 4. Versions of the License.

### 4.1. New Versions.

Sun Microsystems, Inc. is the initial license steward and may publish revised and/or new versions of this License from time to time. Each version will be given a distinguishing version number. Except as provided in Section 4.3, no one other than the license steward has the right to modify this License.

### 4.2. Effect of New Versions.

You may always continue to use, distribute or otherwise make the Covered Software available under the terms of the

version of the License under which You originally received the Covered Software. If the Initial Developer includes a notice in the Original Software prohibiting it from being distributed or otherwise made available under any subsequent version of the License, You must distribute and make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. Otherwise, You may also choose to use, distribute or otherwise make the Covered Software available under the terms of any subsequent version of the License published by the license steward.

#### 4.3. Modified Versions.

When You are an Initial Developer and You want to create a new license for Your Original Software, You may create and use a modified version of this License if You: (a) rename the license and remove any references to the name of the license steward (except to note that the license differs from this License); and (b) otherwise make it clear that the license contains terms which differ from this License.

#### 5. DISCLAIMER OF WARRANTY.

COVERED SOFTWARE IS PROVIDED UNDER THIS LICENSE ON AN "AS IS" BASIS, WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES THAT THE COVERED SOFTWARE IS FREE OF DEFECTS, MERCHANTABLE, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED SOFTWARE IS WITH YOU. SHOULD ANY COVERED SOFTWARE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED SOFTWARE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

#### 6. TERMINATION.

6.1. This License and the rights granted hereunder will terminate automatically if You fail to comply with terms herein and fail to cure such breach within 30 days of becoming aware of the breach. Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive.

6.2. If You assert a patent infringement claim (excluding

declaratory judgment actions) against Initial Developer or a Contributor (the Initial Developer or Contributor against whom You assert such claim is referred to as "Participant") alleging that the Participant Software (meaning the Contributor Version where the Participant is a Contributor or the Original Software where the Participant is the Initial Developer) directly or indirectly infringes any patent, then any and all rights granted directly or indirectly to You by such Participant, the Initial Developer (if the Initial Developer is not the Participant) and all Contributors under Sections 2.1 and/or 2.2 of this License shall, upon 60 days notice from Participant terminate prospectively and automatically at the expiration of such 60 day notice period, unless if within such 60 day period You withdraw Your claim with respect to the Participant Software against such Participant either unilaterally or pursuant to a written agreement with Participant.

6.3. In the event of termination under Sections 6.1 or 6.2 above, all end user licenses that have been validly granted by You or any distributor hereunder prior to termination (excluding licenses granted to You by any distributor) shall survive termination.

## 7. LIMITATION OF LIABILITY.

UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED SOFTWARE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOST PROFITS, LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTYS NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

## 8. U.S. GOVERNMENT END USERS.

The Covered Software is a "commercial item," as that term is defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of "commercial

computer software" (as that term is defined at 48 C.F.R. 252.227-7014(a)(1)) and "commercial computer software documentation" as such terms are used in 48 C.F.R. 12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4 (June 1995), all U.S. Government End Users acquire Covered Software with only those rights set forth herein. This U.S. Government Rights clause is in lieu of, and supersedes, any other FAR, DFAR, or other clause or provision that addresses Government rights in computer software under this License.

#### 9. MISCELLANEOUS.

This License represents the complete agreement concerning subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by the law of the jurisdiction specified in a notice contained within the Original Software (except to the extent applicable law, if any, provides otherwise), excluding such jurisdictions conflict-of-law provisions. Any litigation relating to this License shall be subject to the jurisdiction of the courts located in the jurisdiction and venue specified in a notice contained within the Original Software, with the losing party responsible for costs, including, without limitation, court costs and reasonable attorneys fees and expenses. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not apply to this License. You agree that You alone are responsible for compliance with the United States export administration regulations (and the export control laws and regulation of any other countries) when You use, distribute or otherwise make available any Covered Software.

#### 10. RESPONSIBILITY FOR CLAIMS.

As between Initial Developer and the Contributors, each party is responsible for claims and damages arising, directly or indirectly, out of its utilization of rights under this License and You agree to work with Initial Developer and Contributors to distribute such responsibility on an equitable basis. Nothing herein is intended or shall be deemed to constitute any admission of liability.

Copyright (c) 2001, Sun Microsystems, Inc.  
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions

are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- \* Neither the name of Sun Microsystems, Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDERS OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

This license came from: <http://www.megginson.com/SAX/copying.html>

However please note future versions of SAX may be covered under <http://saxproject.org/?selected=pd>

This page is now out of date -- see the new SAX site at <http://www.saxproject.org/> for more up-to-date releases and other information. Please change your bookmarks.

SAX2 is Free!

I hereby abandon any property rights to SAX 2.0 (the Simple API for XML), and release all of the SAX 2.0 source code, compiled code, and documentation contained in this distribution into the Public Domain. SAX comes with NO WARRANTY or guarantee of fitness for any purpose.

David Megginson, [david@megginson.com](mailto:david@megginson.com)  
2000-05-05

This license came from:

<http://www.w3.org/Consortium/Legal/copyright-software-19980720>

#### W3C SOFTWARE NOTICE AND LICENSE

Copyright 1994-2001 World

Wide Web Consortium, ([World](http://www.w3.org/)

Wide Web Consortium), ([Massachusetts Institute of](http://www.lcs.mit.edu/)

Technology, ([Institut National de](http://www.inria.fr/)

Recherche en Informatique et en Automatique, ([Keio University](http://www.keio.ac.jp/)). All Rights Reserved.

<http://www.w3.org/Consortium/Legal/>

This W3C work (including software, documents, or other related items) is being provided by the copyright holders under the following license. By obtaining, using and/or copying this work, you (the licensee) agree that you have read, understood, and will comply with the following terms and conditions:

Permission to use, copy, modify, and distribute this software and its documentation, with or without modification, for any purpose and without fee or royalty is hereby granted, provided that you include the following on ALL copies of the software and documentation or portions thereof, including modifications, that you make:

The full text of this NOTICE in a location viewable to users of the redistributed or derivative work.

Any pre-existing intellectual property disclaimers, notices, or terms and conditions. If none exist, a short notice of the following form (hypertext is preferred, text is permitted) should be used within the body of any redistributed or derivative code:

"Copyright [date-of-software] World Wide Web Consortium, (Massachusetts Institute of Technology, Institut National de Recherche en Informatique et en Automatique, Keio University). All Rights Reserved.  
<http://www.w3.org/Consortium/Legal/>"

Notice of any changes or modifications to the W3C files, including the date changes were made. (We recommend you provide URIs to the location from which the code is derived.)

THIS SOFTWARE AND DOCUMENTATION IS PROVIDED "AS IS," AND COPYRIGHT HOLDERS MAKE NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO, WARRANTIES OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF THE SOFTWARE OR DOCUMENTATION WILL NOT INFRINGE ANY THIRD PARTY PATENTS, COPYRIGHTS, TRADEMARKS OR OTHER RIGHTS.

COPYRIGHT HOLDERS WILL NOT BE LIABLE FOR ANY DIRECT, INDIRECT, SPECIAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF ANY USE OF THE SOFTWARE OR DOCUMENTATION.

The name and trademarks of copyright holders may NOT be used in advertising or publicity pertaining to the software without specific, written prior permission. Title to copyright in this software and any associated documentation will at all times remain with copyright holders.

---

This formulation of W3C's notice and license became active on August 14 1998 so as to improve compatibility with GPL. This version ensures that W3C software licensing terms are no more restrictive than GPL and consequently W3C software may be distributed in GPL packages. See the older formulation for the policy prior to this date. Please see our Copyright FAQ for common questions about using materials from our site, including specific terms and conditions for packages like libwww, Amaya, and Jigsaw.

Other questions about this notice can be directed to [site-policy@w3.org](mailto:site-policy@w3.org).

webmaster

Sun Microsystems, Inc.

Binary Code License Agreement

READ THE TERMS OF THIS AGREEMENT AND ANY PROVIDED SUPPLEMENTAL LICENSE TERMS (COLLECTIVELY "AGREEMENT") CAREFULLY BEFORE OPENING THE SOFTWARE MEDIA PACKAGE. BY OPENING THE SOFTWARE MEDIA PACKAGE, YOU AGREE TO THE TERMS OF THIS AGREEMENT. IF YOU ARE ACCESSING THE SOFTWARE ELECTRONICALLY, INDICATE YOUR ACCEPTANCE OF THESE TERMS BY SELECTING THE "ACCEPT" BUTTON AT THE END OF THIS AGREEMENT. IF YOU DO NOT AGREE TO ALL THESE TERMS, PROMPTLY RETURN THE UNUSED SOFTWARE TO YOUR PLACE OF PURCHASE FOR A REFUND OR, IF THE SOFTWARE IS ACCESSED ELECTRONICALLY, SELECT THE "DECLINE" BUTTON AT THE END OF THIS AGREEMENT.

1. LICENSE TO USE. Sun grants you a non-exclusive and non-transferable license for the internal use only of the accompanying software and documentation and any error corrections provided by Sun (collectively "Software"), by the number of users and the class of computer hardware for which the corresponding fee has been paid.
2. RESTRICTIONS. Software is confidential and copyrighted. Title to Software and all associated intellectual property rights is retained by Sun and/or its licensors. Except as

specifically authorized in any Supplemental License Terms, you may not make copies of Software, other than a single copy of Software for archival purposes. Unless enforcement is prohibited by applicable law, you may not modify, decompile, or reverse engineer Software. You acknowledge that Software is not designed, licensed or intended for use in the design, construction, operation or maintenance of any nuclear facility. Sun disclaims any express or implied warranty of fitness for such uses. No right, title or interest in or to any trademark, service mark, logo or trade name of Sun or its licensors is granted under this Agreement.

3. LIMITED WARRANTY. Sun warrants to you that for a period of ninety (90) days from the date of purchase, as evidenced by a copy of the receipt, the media on which Software is furnished (if any) will be free of defects in materials and workmanship under normal use. Except for the foregoing, Software is provided "AS IS". Your exclusive remedy and Sun's entire liability under this limited warranty will be at Sun's option to replace Software media or refund the fee paid for Software.

4. DISCLAIMER OF WARRANTY. UNLESS SPECIFIED IN THIS AGREEMENT, ALL EXPRESS OR IMPLIED CONDITIONS, REPRESENTATIONS AND WARRANTIES, INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT ARE DISCLAIMED, EXCEPT TO THE EXTENT THAT THESE DISCLAIMERS ARE HELD TO BE LEGALLY INVALID.

5. LIMITATION OF LIABILITY. TO THE EXTENT NOT PROHIBITED BY LAW, IN NO EVENT WILL SUN OR ITS LICENSORS BE LIABLE FOR ANY LOST REVENUE, PROFIT OR DATA, OR FOR SPECIAL, INDIRECT, CONSEQUENTIAL, INCIDENTAL OR PUNITIVE DAMAGES, HOWEVER CAUSED REGARDLESS OF THE THEORY OF LIABILITY, ARISING OUT OF OR RELATED TO THE USE OF OR INABILITY TO USE SOFTWARE, EVEN IF SUN HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES. In no event will Sun's liability to you, whether in contract, tort (including negligence), or otherwise, exceed the amount paid by you for Software under this Agreement. The foregoing limitations will apply even if the above stated warranty fails of its essential purpose.

6. Termination. This Agreement is effective until terminated. You may terminate this Agreement at any time by destroying all copies of Software. This Agreement will terminate immediately without notice from Sun if you fail to



comply with any provision of this Agreement. Upon Termination, you must destroy all copies of Software.

7. Export Regulations. All Software and technical data delivered under this Agreement are subject to US export control laws and may be subject to export or import regulations in other countries. You agree to comply strictly with all such laws and regulations and acknowledge that you have the responsibility to obtain such licenses to export, re-export, or import as may be required after delivery to you.

8. U.S. Government Restricted Rights. If Software is being acquired by or on behalf of the U.S. Government or by a U.S. Government prime contractor or subcontractor (at any tier), then the Government's rights in Software and accompanying documentation will be only as set forth in this Agreement; this is in accordance with 48 CFR 227.7201 through 227.7202-4 (for Department of Defense (DOD) acquisitions) and with 48 CFR 2.101 and 12.212 (for non-DOD acquisitions).

9. Governing Law. Any action related to this Agreement will be governed by California law and controlling U.S. federal law. No choice of law rules of any jurisdiction will apply.

10. Severability. If any provision of this Agreement is held to be unenforceable, this Agreement will remain in effect with the provision omitted, unless omission would frustrate the intent of the parties, in which case this Agreement will immediately terminate.

11. Integration. This Agreement is the entire agreement between you and Sun relating to its subject matter. It supersedes all prior or contemporaneous oral or written communications, proposals, representations and warranties and prevails over any conflicting or additional terms of any quote, order, acknowledgment, or other communication between the parties relating to its subject matter during the term of this Agreement. No modification of this Agreement will be binding, unless in writing and signed by an authorized representative of each party.

SUN XML INSTANCE GENERATOR, VERSION 1.0 SUPPLEMENTAL LICENSE  
TERMS

These supplemental license terms ("Supplemental Terms") add to or modify the terms of the Binary Code License Agreement (collectively, the "Agreement"). Capitalized terms not defined in these Supplemental Terms shall have the same meanings ascribed to them in the Agreement. These Supplemental Terms shall supersede any inconsistent or conflicting terms in the Agreement, or in any license contained within the Software.

1. Software Internal Use and Development License Grant. Subject to the terms and conditions of this Agreement, including, but not limited to Section 4 (Java(TM) Technology Restrictions) of these Supplemental Terms, Sun grants to you, a non-exclusive, non-transferable, royalty-free and limited license to reproduce, modify, and create derivative works of the Software for the sole purpose of adding value and improving the Software for the development of applications ("Programs").

2. License to Distribute Software. Subject to the terms and conditions of this Agreement, including, but not limited to Section 4 (Java (TM) Technology Restrictions) of these Supplemental Terms, Sun grants you a non-exclusive, non-transferable, limited license to reproduce and distribute the Software modified by you as permitted in Section 1 of these Supplemental Terms ("Modified Software") in source or binary code form, provided that (i) you distribute the Modified Software only bundled as part of, and for the sole purpose of running, your Programs, (ii) the Modified Software adds value and improveS the function of the Software, (iv) you do not remove or alter any proprietary legends or notices contained in the Software, (v) you only distribute the Modified Software subject to a license agreement that protects Sun's interests consistent with the terms contained in this Agreement, and (vi) you agree to defend and indemnify Sun and its licensors from and against any damages, costs, liabilities, settlement amounts and/or expenses (including attorneys' fees) incurred in connection with any claim, lawsuit or action by any third party that arises or results from the use or distribution of any and all Programs and/or Modified Software.

3. Experimental Software. You acknowledge that the Software is experimental and may contain errors, defects, or deficiencies which cannot or will not be corrected by Sun. You shall have the sole responsibility to protect adequately and backup your data and/or equipment used in connection with the Software. You shall not claim against Sun for lost

data, re-run time, inaccurate output, work delays or lost profits resulting from your use of the Licensed Software.

4. Java Technology Restrictions. You may not modify the Java Platform Interface ("JPI", identified as classes contained within the "java" package or any subpackages of the "java" package), by creating additional classes within the JPI or otherwise causing the addition to or modification of the classes in the JPI. In the event that you create an additional class and associated API(s) which (i) extends the functionality of the Java platform, and (ii) is exposed to third party software developers for the purpose of developing additional software which invokes such additional API, you must promptly publish broadly an accurate specification for such API for free use by all developers. You may not create, or authorize your licensees to create, additional classes, interfaces, or subpackages that are in any way identified as "java", "javax", "sun" or similar convention as specified by Sun in any naming convention designation.

5. Trademarks and Logos. You acknowledge and agree as between you and Sun that Sun owns the SUN, SOLARIS, JAVA, JINI, FORTE, and iPLANET trademarks and all SUN, SOLARIS, JAVA, JINI, FORTE, and iPLANET-related trademarks, service marks, logos and other brand designations ("Sun Marks"), and you agree to comply with the Sun Trademark and Logo Usage Requirements currently located at <http://www.sun.com/policies/trademarks>. Any use you make of the Sun Marks inures to Sun's benefit.

6. Termination for Infringement. Either party may terminate this Agreement immediately should any Software become, or in either party's opinion be likely to become, the subject of a claim of infringement of any intellectual property right.

For inquiries please contact:

Sun Microsystems, Inc.

901 San Antonio Road, Palo Alto, California 94303

(LFI#100313/Form ID#011801)

Copyright (c) 2003, Kohsuke Kawaguchi

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Copyright (c) 2003 Sun Microsystems, Inc. All Rights Reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

-Redistribution of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

-Redistribution in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

Neither the name of Sun Microsystems, Inc. or the names of contributors may be used to endorse or promote products derived from this software without specific prior written permission.

This software is provided "AS IS," without a warranty of any kind. ALL EXPRESS OR IMPLIED CONDITIONS, REPRESENTATIONS AND WARRANTIES, INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT, ARE HEREBY EXCLUDED. SUN MICROSYSTEMS, INC. ("SUN") AND ITS LICENSORS SHALL NOT BE LIABLE FOR ANY DAMAGES SUFFERED BY LICENSEE AS A RESULT OF USING, MODIFYING OR DISTRIBUTING THIS SOFTWARE OR ITS DERIVATIVES. IN NO EVENT WILL SUN OR ITS LICENSORS BE LIABLE FOR ANY LOST REVENUE, PROFIT OR DATA, OR FOR DIRECT, INDIRECT, SPECIAL,

CONSEQUENTIAL, INCIDENTAL OR PUNITIVE DAMAGES, HOWEVER CAUSED AND REGARDLESS OF THE THEORY OF LIABILITY, ARISING OUT OF THE USE OF OR INABILITY TO USE THIS SOFTWARE, EVEN IF SUN HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

You acknowledge that this software is not designed, licensed or intended for use in the design, construction, operation or maintenance of any nuclear facility.

Sun Microsystems, Inc.  
Binary Code License Agreement

READ THE TERMS OF THIS AGREEMENT AND ANY PROVIDED SUPPLEMENTAL LICENSE TERMS (COLLECTIVELY "AGREEMENT") CAREFULLY BEFORE OPENING THE SOFTWARE MEDIA PACKAGE. BY OPENING THE SOFTWARE MEDIA PACKAGE, YOU AGREE TO THE TERMS OF THIS AGREEMENT. IF YOU ARE ACCESSING THE SOFTWARE ELECTRONICALLY, INDICATE YOUR ACCEPTANCE OF THESE TERMS BY SELECTING THE "ACCEPT" BUTTON AT THE END OF THIS AGREEMENT. IF YOU DO NOT AGREE TO ALL THESE TERMS, PROMPTLY RETURN THE UNUSED SOFTWARE TO YOUR PLACE OF PURCHASE FOR A REFUND OR, IF THE SOFTWARE IS ACCESSED ELECTRONICALLY, SELECT THE "DECLINE" BUTTON AT THE END OF THIS AGREEMENT.

1. LICENSE TO USE. Sun grants you a non-exclusive and non-transferable license for the internal use only of the accompanying software and documentation and any error corrections provided by Sun (collectively "Software"), by the number of users and the class of computer hardware for which the corresponding fee has been paid.

2. RESTRICTIONS. Software is confidential and copyrighted. Title to Software and all associated intellectual property rights is retained by Sun and/or its licensors. Except as specifically authorized in any Supplemental License Terms, you may not make copies of Software, other than a single copy of Software for archival purposes. Unless enforcement is prohibited by applicable law, you may not modify, decompile, or reverse engineer Software. You acknowledge that Software is not designed, licensed or intended for use in the design, construction, operation or maintenance of any nuclear facility. Sun disclaims any express or implied warranty of fitness for such uses. No right, title or interest in or to any trademark, service mark, logo or trade name of Sun or its licensors is granted under this Agreement.

3. LIMITED WARRANTY. Sun warrants to you that for a period of ninety (90) days from the date of purchase, as evidenced by a copy of the receipt, the media on which Software is furnished (if any) will be free of defects in materials and workmanship under normal use. Except for the foregoing, Software is provided "AS IS". Your exclusive remedy and Sun's entire liability under this limited warranty will be at Sun's option to replace Software media or refund the fee paid for Software.

4. DISCLAIMER OF WARRANTY. UNLESS SPECIFIED IN THIS AGREEMENT, ALL EXPRESS OR IMPLIED CONDITIONS, REPRESENTATIONS AND WARRANTIES, INCLUDING ANY IMPLIED

WARRANTY OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT ARE DISCLAIMED, EXCEPT TO THE EXTENT THAT THESE DISCLAIMERS ARE HELD TO BE LEGALLY INVALID.

5. LIMITATION OF LIABILITY. TO THE EXTENT NOT PROHIBITED BY LAW, IN NO EVENT WILL SUN OR ITS LICENSORS BE LIABLE FOR ANY LOST REVENUE, PROFIT OR DATA, OR FOR SPECIAL, INDIRECT, CONSEQUENTIAL, INCIDENTAL OR PUNITIVE DAMAGES, HOWEVER CAUSED REGARDLESS OF THE THEORY OF LIABILITY, ARISING OUT OF OR RELATED TO THE USE OF OR INABILITY TO USE SOFTWARE, EVEN IF SUN HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES. In no event will Sun's liability to you, whether in contract, tort (including negligence), or otherwise, exceed the amount paid by you for Software under this Agreement. The foregoing limitations will apply even if the above stated warranty fails of its essential purpose.

6. Termination. This Agreement is effective until terminated. You may terminate this Agreement at any time by destroying all copies of Software. This Agreement will terminate immediately without notice from Sun if you fail to comply with any provision of this Agreement. Upon Termination, you must destroy all copies of Software.

7. Export Regulations. All Software and technical data delivered under this Agreement are subject to US export control laws and may be subject to export or import regulations in other countries. You agree to comply strictly with all such laws and regulations and acknowledge that you have the responsibility to obtain such licenses to export, re-export, or import as may be required after delivery to you.

8. U.S. Government Restricted Rights. If Software is being acquired by or on behalf of the U.S. Government or by a U.S. Government prime contractor or subcontractor (at any tier), then the Government's rights in Software and accompanying documentation will be only as set forth in this Agreement; this is in accordance with 48 CFR 227.7201 through 227.7202-4 (for Department of Defense (DOD) acquisitions) and with 48 CFR 2.101 and 12.212 (for non-DOD acquisitions).

9. Governing Law. Any action related to this Agreement will be governed by California law and controlling U.S. federal law. No choice of law rules of any jurisdiction will apply.

10. Severability. If any provision of this Agreement is held to be unenforceable, this Agreement will remain in effect with the provision omitted, unless omission would frustrate the intent of the parties, in which case this Agreement will immediately terminate.

11. Integration. This Agreement is the entire agreement between you and Sun relating to its subject matter. It supersedes all prior or contemporaneous oral or written communications, proposals, representations

and warranties and prevails over any conflicting or additional terms of any quote, order, acknowledgment, or other communication between the parties relating to its subject matter during the term of this Agreement. No modification of this Agreement will be binding, unless in writing and signed by an authorized representative of each party.

## JAVA OPTIONAL PACKAGE

### JAVABEANS(TM) ACTIVATION FRAMEWORK, VERSION 1.0.2 SUPPLEMENTAL LICENSE TERMS

These supplemental license terms ("Supplemental Terms") add to or modify the terms of the Binary Code License Agreement (collectively, the "Agreement"). Capitalized terms not defined in these Supplemental Terms shall have the same meanings ascribed to them in the Agreement. These Supplemental Terms shall supersede any inconsistent or conflicting terms in the Agreement, or in any license contained within the Software.

1. Software Internal Use and Development License Grant. Subject to the terms and conditions of this Agreement, including, but not limited to Section 3 (Java(TM) Technology Restrictions) of these Supplemental Terms, Sun grants you a non-exclusive, non-transferable, limited license to reproduce internally and use internally the binary form of the Software, complete and unmodified, for the sole purpose of designing, developing and testing your Java applets and applications ("Programs").

2. License to Distribute Software. In addition to the license granted in Section 1 (Software Internal Use and Development License Grant) of these Supplemental Terms, subject to the terms and conditions of this Agreement, including but not limited to, Section 3 (Java Technology Restrictions) of these Supplemental Terms, Sun grants you a non-exclusive, non-transferable, limited license to reproduce and distribute the Software in binary code form only, provided that you (i) distribute the Software complete and unmodified and only bundled as part of your Programs, (ii) do not distribute additional software intended to replace any component(s) of the Software, (iii) do not remove or alter any proprietary legends or notices contained in the Software, (iv) only distribute the Software subject to a license agreement that protects Sun's interests consistent with the terms contained in this Agreement, and (v) agree to defend and indemnify Sun and its licensors from and against any damages, costs, liabilities, settlement amounts and/or expenses (including attorneys' fees) incurred in connection with any claim, lawsuit or action by any third party that arises or results from the use or distribution of any and all Programs and/or Software.

3. Java Technology Restrictions. You may not modify the Java Platform Interface ("JPI", identified as classes contained within the "java" package or any subpackages of the "java" package), by creating additional classes within the JPI or otherwise causing the addition to or modification of the

classes in the JPI. In the event that you create an additional class and associated API(s) which (i) extends the functionality of the Java platform, and (ii) is exposed to third party software developers for the purpose of developing additional software which invokes such additional API, you must promptly publish broadly an accurate specification for such API for free use by all developers. You may not create, or authorize your licensees to create additional classes, interfaces, or subpackages that are in any way identified as "java", "javax", "sun" or similar convention as specified by Sun in any naming convention designation.

4. No Support. Sun is under no obligation to support the Software or to provide you with updates or error corrections. You acknowledge that the Software may have defects or deficiencies which cannot or will not be corrected by Sun.

5. Trademarks and Logos. You acknowledge and agree as between you and Sun that Sun owns the SUN, SOLARIS, JAVA, JINI, FORTE, and iPLANET trademarks and all SUN, SOLARIS, JAVA, JINI, FORTE, and iPLANET-related trademarks, service marks, logos and other brand designations ("Sun Marks"), and you agree to comply with the Sun Trademark and Logo Usage Requirements currently located at <http://www.sun.com/policies/trademarks>. Any use you make of the Sun Marks inures to Sun's benefit.

6. Source Code. Software may contain source code that is provided solely for reference purposes pursuant to the terms of this Agreement. Source code may not be redistributed unless expressly provided for in this Agreement.

7. Termination for Infringement. Either party may terminate this Agreement immediately should any Software become, or in either party's opinion be likely to become, the subject of a claim of infringement of any intellectual property right.

For inquiries please contact: Sun Microsystems, Inc. 901 San Antonio Road,  
Palo Alto, California 94303  
(LFI#115020/Form ID#011801)

/\*

\* The Apache Software License, Version 1.1

\*

\*

\* Copyright (c) 1999-2002 The Apache Software Foundation. All rights reserved.

\*

\* Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

\*

\* 1. Redistributions of source code must retain the above copyright

\* notice, this list of conditions and the following disclaimer.



- \*
  - \* 2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
  - \*
    - \* 3. The end-user documentation included with the redistribution, if any, must include the following acknowledgment:
      - \* "This product includes software developed by the Apache Software Foundation (<http://www.apache.org/>)."
      - \* Alternately, this acknowledgment may appear in the software itself, if and wherever such third-party acknowledgments normally appear.
    - \*
      - \* 4. The names "Xerces" and "Apache Software Foundation" must not be used to endorse or promote products derived from this software without prior written permission. For written permission, please contact [apache@apache.org](mailto:apache@apache.org).
      - \*
        - \* 5. Products derived from this software may not be called "Apache", nor may "Apache" appear in their name, without prior written permission of the Apache Software Foundation.
- \* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE APACHE SOFTWARE FOUNDATION OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

\* =====

\* This software consists of voluntary contributions made by many individuals on behalf of the Apache Software Foundation and was originally based on software copyright (c) 1999, International Business Machines, Inc., <http://www.ibm.com>. For more information on the Apache Software Foundation, please see <http://www.apache.org/>.

Copyright (c) 2004 Kohsuke Kawaguchi

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without

restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.  
COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL) Version 1.0

#### 1. Definitions.

1.1. Contributor. means each individual or entity that creates or contributes to the creation of Modifications.

1.2. Contributor Version. means the combination of the Original Software, prior Modifications used by a Contributor (if any), and the Modifications made by that particular Contributor.

1.3. Covered Software. means (a) the Original Software, or (b) Modifications, or (c) the combination of files containing Original Software with files containing Modifications, in each case including portions thereof.

1.4. Executable. means the Covered Software in any form other than Source Code.

1.5. Initial Developer. means the individual or entity that first makes Original Software available under this License.

1.6. Larger Work. means a work which combines Covered Software or portions thereof with code not governed by the terms of this License.

1.7. License. means this document.

1.8. Licensable. means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed herein.

1.9. Modifications. means the Source Code and Executable form of any of the following:

A. Any file that results from an addition to, deletion from or modification of the contents of a file containing Original Software or previous Modifications;

B. Any new file that contains any part of the Original Software or previous Modification; or

C. Any new file that is contributed or otherwise made available under the terms of this License.

1.10. Original Software. means the Source Code and Executable form of computer software code that is originally released under this License.

1.11. Patent Claims. means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent Licensable by grantor.

1.12. Source Code. means (a) the common form of computer software code in which modifications are made and (b) associated documentation included in or with such code.

1.13. You. (or .Your.) means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License. For legal entities, .You. includes any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, .control. means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

## 2. License Grants.

### 2.1. The Initial Developer Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, the Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Initial Developer, to use, reproduce, modify, display, perform, sublicense and distribute the Original Software (or portions thereof), with or without Modifications, and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using or selling of Original Software, to make, have made, use, practice, sell, and offer for sale, and/or otherwise dispose of the Original Software (or portions thereof).

(c) The licenses granted in Sections 2.1(a) and (b) are effective on the date Initial Developer first distributes or otherwise makes the Original Software available to a third party under the terms of this License.

(d) Notwithstanding Section 2.1(b) above, no patent license is granted: (1) for code that You delete from the Original Software, or (2) for infringements caused by: (i) the modification of the Original Software, or (ii) the combination of the Original Software with other software or devices.

## 2.2. Contributor Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Contributor to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof), either on an unmodified basis, with other Modifications, as Covered Software and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor either alone and/or in combination with its Contributor Version (or portions of such combination), to make, use, sell, offer for sale, have made, and/or otherwise dispose of: (1) Modifications made by that Contributor (or portions thereof); and (2) the combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).

(c) The licenses granted in Sections 2.2(a) and 2.2(b) are effective on the date Contributor first distributes or otherwise makes the Modifications available to a third party.

(d) Notwithstanding Section 2.2(b) above, no patent license is granted: (1) for any code that Contributor has deleted from the Contributor Version; (2) for infringements caused by: (i) third party modifications of Contributor Version, or (ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or (3) under Patent

Claims infringed by Covered Software in the absence of Modifications made by that Contributor.

### 3. Distribution Obligations.

#### 3.1. Availability of Source Code.

Any Covered Software that You distribute or otherwise make available in Executable form must also be made available in Source Code form and that Source Code form must be distributed only under the terms of this License. You must include a copy of this License with every copy of the Source Code form of the Covered Software You distribute or otherwise make available. You must inform recipients of any such Covered Software in Executable form as to how they can obtain such Covered Software in Source Code form in a reasonable manner on or through a medium customarily used for software exchange.

#### 3.2. Modifications.

The Modifications that You create or to which You contribute are governed by the terms of this License. You represent that You believe Your Modifications are Your original creation(s) and/or You have sufficient rights to grant the rights conveyed by this License.

#### 3.3. Required Notices.

You must include a notice in each of Your Modifications that identifies You as the Contributor of the Modification. You may not remove or alter any copyright, patent or trademark notices contained within the Covered Software, or any notices of licensing or any descriptive text giving attribution to any Contributor or the Initial Developer.

#### 3.4. Application of Additional Terms.

You may not offer or impose any terms on any Covered Software in Source Code form that alters or restricts the applicable version of this License or the recipients' rights hereunder. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, you may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it absolutely clear that any such warranty, support, indemnity or liability obligation is offered by You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of warranty, support, indemnity or liability terms You offer.

#### 3.5. Distribution of Executable Versions.

You may distribute the Executable form of the Covered Software under the terms of this License or under the terms of a license of Your choice, which may contain terms different from this License, provided

that You are in compliance with the terms of this License and that the license for the Executable form does not attempt to limit or alter the recipient's rights in the Source Code form from the rights set forth in this License. If You distribute the Covered Software in Executable form under a different license, You must make it absolutely clear that any terms which differ from this License are offered by You alone, not by the Initial Developer or Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer.

### 3.6. Larger Works.

You may create a Larger Work by combining Covered Software with other code not governed by the terms of this License and distribute the Larger Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled for the Covered Software.

## 4. Versions of the License.

### 4.1. New Versions.

Sun Microsystems, Inc. is the initial license steward and may publish revised and/or new versions of this License from time to time. Each version will be given a distinguishing version number. Except as provided in Section 4.3, no one other than the license steward has the right to modify this License.

### 4.2. Effect of New Versions.

You may always continue to use, distribute or otherwise make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. If the Initial Developer includes a notice in the Original Software prohibiting it from being distributed or otherwise made available under any subsequent version of the License, You must distribute and make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. Otherwise, You may also choose to use, distribute or otherwise make the Covered Software available under the terms of any subsequent version of the License published by the license steward.

### 4.3. Modified Versions.

When You are an Initial Developer and You want to create a new license for Your Original Software, You may create and use a modified version of this License if You: (a) rename the license and remove any references to the name of the license steward (except to note that the license differs from this License); and (b) otherwise make it clear that the license contains terms which differ from this License.

## 5. DISCLAIMER OF WARRANTY.

COVERED SOFTWARE IS PROVIDED UNDER THIS LICENSE ON AN .AS IS. BASIS, WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES THAT THE COVERED SOFTWARE IS FREE OF DEFECTS, MERCHANTABILITY, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED SOFTWARE IS WITH YOU. SHOULD ANY COVERED SOFTWARE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED SOFTWARE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

## 6. TERMINATION.

6.1. This License and the rights granted hereunder will terminate automatically if You fail to comply with terms herein and fail to cure such breach within 30 days of becoming aware of the breach. Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive.

6.2. If You assert a patent infringement claim (excluding declaratory judgment actions) against Initial Developer or a Contributor (the Initial Developer or Contributor against whom You assert such claim is referred to as .Participant.) alleging that the Participant Software (meaning the Contributor Version where the Participant is a Contributor or the Original Software where the Participant is the Initial Developer) directly or indirectly infringes any patent, then any and all rights granted directly or indirectly to You by such Participant, the Initial Developer (if the Initial Developer is not the Participant) and all Contributors under Sections 2.1 and/or 2.2 of this License shall, upon 60 days notice from Participant terminate prospectively and automatically at the expiration of such 60 day notice period, unless if within such 60 day period You withdraw Your claim with respect to the Participant Software against such Participant either unilaterally or pursuant to a written agreement with Participant.

6.3. In the event of termination under Sections 6.1 or 6.2 above, all end user licenses that have been validly granted by You or any distributor hereunder prior to termination (excluding licenses granted to You by any distributor) shall survive termination.

## 7. LIMITATION OF LIABILITY.

UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED SOFTWARE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY

INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOST PROFITS, LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTY'S NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

#### 8. U.S. GOVERNMENT END USERS.

The Covered Software is a .commercial item, as that term is defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of .commercial computer software. (as that term is defined at 48 C.F.R. 252.227-7014(a)(1)) and .commercial computer software documentation. as such terms are used in 48 C.F.R. 12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4 (June 1995), all U.S. Government End Users acquire Covered Software with only those rights set forth herein. This U.S. Government Rights clause is in lieu of, and supersedes, any other FAR, DFAR, or other clause or provision that addresses Government rights in computer software under this License.

#### 9. MISCELLANEOUS.

This License represents the complete agreement concerning subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by the law of the jurisdiction specified in a notice contained within the Original Software (except to the extent applicable law, if any, provides otherwise), excluding such jurisdiction's conflict-of-law provisions. Any litigation relating to this License shall be subject to the jurisdiction of the courts located in the jurisdiction and venue specified in a notice contained within the Original Software, with the losing party responsible for costs, including, without limitation, court costs and reasonable attorneys' fees and expenses. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not apply to this License. You agree that You alone are responsible for compliance with the United States export administration regulations (and the export control laws and regulation of any other countries) when You use, distribute or otherwise make available any Covered Software.

#### 10. RESPONSIBILITY FOR CLAIMS.



As between Initial Developer and the Contributors, each party is responsible for claims and damages arising, directly or indirectly, out of its utilization of rights under this License and You agree to work with Initial Developer and Contributors to distribute such responsibility on an equitable basis. Nothing herein is intended or shall be deemed to constitute any admission of liability.

#### NOTICE PURSUANT TO SECTION 9 OF THE COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL)

The code released under the CDDL shall be governed by the laws of the State of California (excluding conflict-of-law provisions). Any litigation relating to this License shall be subject to the jurisdiction of the Federal Courts of the Northern District of California and the state courts of the State of California, with venue lying in Santa Clara County, California.

The GNU General Public License (GPL) Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc. 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

#### Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you

distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

## TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source

code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program

with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in

full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be

a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

#### NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM

(INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

## END OF TERMS AND CONDITIONS

### How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.

#### Copyright (C)

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author

Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'. This is free software, and you are welcome to redistribute it under certain conditions; type `show c' for details.

The hypothetical commands ``show w'` and ``show c'` should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than ``show w'` and ``show c'`; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program ``Gnomovision'` (which makes passes at compilers) written by James Hacker.

signature of Ty Coon, 1 April 1989  
Ty Coon, President of Vice

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

#### "CLASSPATH" EXCEPTION TO THE GPL VERSION 2

Certain source files distributed by Sun Microsystems, Inc. are subject to the following clarification and special exception to the GPL Version 2, but only where Sun has expressly included in the particular source file's header the words

"Sun designates this particular file as subject to the "Classpath" exception as provided by Sun in the License file that accompanied this code."

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License Version 2 cover the whole combination.

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module.? An independent module is a module which is not derived from or based on this library.? If you modify this library, you may extend this exception to your version of the library, but you are not obligated to do so.? If you do



not wish to do so, delete this exception statement from your version.

Copyright (c) 2001-@@YEAR@@ Sun Microsystems, Inc. All Rights Reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

- Redistribution in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

Neither the name of Sun Microsystems, Inc. or the names of contributors may be used to endorse or promote products derived from this software without specific prior written permission.

This software is provided "AS IS," without a warranty of any kind. ALL EXPRESS OR IMPLIED CONDITIONS, REPRESENTATIONS AND WARRANTIES, INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT, ARE HEREBY EXCLUDED. SUN AND ITS LICENSORS SHALL NOT BE LIABLE FOR ANY DAMAGES OR LIABILITIES SUFFERED BY LICENSEE AS A RESULT OF OR RELATING TO USE, MODIFICATION OR DISTRIBUTION OF THE SOFTWARE OR ITS DERIVATIVES. IN NO EVENT WILL SUN OR ITS LICENSORS BE LIABLE FOR ANY LOST REVENUE, PROFIT OR DATA, OR FOR DIRECT, INDIRECT, SPECIAL, CONSEQUENTIAL, INCIDENTAL OR PUNITIVE DAMAGES, HOWEVER CAUSED AND REGARDLESS OF THE THEORY OF LIABILITY, ARISING OUT OF THE USE OF OR INABILITY TO USE SOFTWARE, EVEN IF SUN HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

You acknowledge that Software is not designed, licensed or intended for use in the design, construction, operation or maintenance of any nuclear facility.

Copyright (c) 2003, Kohsuke Kawaguchi

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials

provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Copyright 2001-2005 (C) MetaStuff, Ltd. All Rights Reserved.

Redistribution and use of this software and associated documentation ("Software"), with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain copyright statements and notices. Redistributions must also contain a copy of this document.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The name "DOM4J" must not be used to endorse or promote products derived from this Software without prior written permission of MetaStuff, Ltd. For written permission, please contact [dom4j-info@metastuff.com](mailto:dom4j-info@metastuff.com).
4. Products derived from this Software may not be called "DOM4J" nor may "DOM4J" appear in their names without prior written permission of MetaStuff, Ltd. DOM4J is a registered trademark of MetaStuff, Ltd.
5. Due credit should be given to the DOM4J Project - <http://www.dom4j.org>

THIS SOFTWARE IS PROVIDED BY METASTUFF, LTD. AND CONTRIBUTORS ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT

NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL METASTUFF, LTD. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Copyright 2001-@@YEAR@@ Sun Microsystems, Inc. 901 San Antonio Road, Palo Alto, California, 94303, U.S.A. All rights reserved.

Sun Microsystems, Inc. has intellectual property rights relating to technology embodied in this product. In particular, and without limitation, these intellectual property rights may include one or more of the U.S. patents listed at <http://www.sun.com/patents> and one or more additional patents or pending patent applications in the U.S. and other countries. This product is distributed under licenses restricting its use, copying, distribution, and decompilation. No part of this product may be reproduced in any form by any means without prior written authorization of Sun and its licensors, if any. Third party software, including font technology, is copyrighted and licensed from Sun suppliers. Sun, the Sun logo, and Sun Microsystems are trademarks or registered trademarks of Sun Microsystems, Inc. in the U.S. and other countries. This product includes software developed by the Apache Software Foundation (<http://www.apache.org/>). Federal Acquisitions: Commercial Software - Government Users Subject to Standard License Terms and Conditions.

-----  
Copyright 2001-@@YEAR@@ Sun Microsystems, Inc., 901 San Antonio Road, Palo Alto, Californie 94303 tats-Unis. Tous droits rservs. Distribue par des licences qui en restreignent l'utilisation. Sun Microsystems, Inc. a les droits de proprit intellectuels relatants la technologie incorpore dans ce produit. En particulier, et sans la limitation, ces droits de proprit intellectuels peuvent inclure un ou plus des brevets amricains numrs <http://www.sun.com/patents> et un ou les brevets plus supplmentaires ou les applications de brevet en attente dans les Etats Unis et les autres pays. Ce produit ou document est protg par un copyright et distribu avec des licences qui en restreignent l'utilisation, la copie, la distribution, et la dcompilation. Aucune partie de ce produit ou document ne peut tre reproduite sous aucune forme, par quelque moyen que ce soit, sans l'autorisation pralable et crite de Sun et de ses bailleurs de licence, s'il y en a. Le logiciel dtenu par des tiers, et qui comprend la technologie relative aux polices de caractres, est

protgé par un copyright et licencié par des fournisseurs de Sun. Sun, le logo Sun, Sun Microsystems et sont des marques de fabrique ou des marques déposées de Sun Microsystems, Inc. aux États-Unis et dans d'autres pays. Ce produit inclut le logiciel développé par la base de Apache Software Foundation (<http://www.apache.org/>). L'accord du gouvernement des États-Unis est requis avant l'exportation du produit.  
COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL) Version 1.0

## 1. Definitions.

1.1. Contributor. means each individual or entity that creates or contributes to the creation of Modifications.

1.2. Contributor Version. means the combination of the Original Software, prior Modifications used by a Contributor (if any), and the Modifications made by that particular Contributor.

1.3. Covered Software. means (a) the Original Software, or (b) Modifications, or (c) the combination of files containing Original Software with files containing Modifications, in each case including portions thereof.

1.4. Executable. means the Covered Software in any form other than Source Code.

1.5. Initial Developer. means the individual or entity that first makes Original Software available under this License.

1.6. Larger Work. means a work which combines Covered Software or portions thereof with code not governed by the terms of this License.

1.7. License. means this document.

1.8. Licensable. means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed herein.

1.9. Modifications. means the Source Code and Executable form of any of the following:

A. Any file that results from an addition to, deletion from or modification of the contents of a file containing Original Software or previous Modifications;

B. Any new file that contains any part of the Original Software or previous Modification; or

C. Any new file that is contributed or otherwise made available under the terms of this License.

1.10. Original Software. means the Source Code and Executable form of computer software code that is originally released under this License.

1.11. Patent Claims. means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent Licensable by grantor.

1.12. Source Code. means (a) the common form of computer software code in which modifications are made and (b) associated documentation included in or with such code.

1.13. You. (or .Your.) means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License. For legal entities, .You. includes any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, .control. means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

## 2. License Grants.

### 2.1. The Initial Developer Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, the Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Initial Developer, to use, reproduce, modify, display, perform, sublicense and distribute the Original Software (or portions thereof), with or without Modifications, and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using or selling of Original Software, to make, have made, use, practice, sell, and offer for sale, and/or otherwise dispose of the Original Software (or portions thereof).

(c) The licenses granted in Sections 2.1(a) and (b) are effective on the date Initial Developer first distributes or otherwise makes the Original Software available to a third party under the terms of this License.

(d) Notwithstanding Section 2.1(b) above, no patent license is granted: (1) for code that You delete from the Original Software, or (2) for infringements caused by: (i) the modification of the Original Software, or (ii) the combination of the Original Software with other software or devices.

### 2.2. Contributor Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Contributor to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof), either on an unmodified basis, with other Modifications, as Covered Software and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor either alone and/or in combination with its Contributor Version (or portions of such combination), to make, use, sell, offer for sale, have made, and/or otherwise dispose of: (1) Modifications made by that Contributor (or portions thereof); and (2) the combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).

(c) The licenses granted in Sections 2.2(a) and 2.2(b) are effective on the date Contributor first distributes or otherwise makes the Modifications available to a third party.

(d) Notwithstanding Section 2.2(b) above, no patent license is granted: (1) for any code that Contributor has

deleted from the Contributor Version; (2) for infringements caused by: (i) third party modifications of Contributor Version, or (ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or (3) under Patent Claims infringed by Covered Software in the absence of Modifications made by that Contributor.

### 3. Distribution Obligations.

#### 3.1. Availability of Source Code.

Any Covered Software that You distribute or otherwise make available in Executable form must also be made available in Source Code form and that Source Code form must be distributed only under the terms of this License. You must include a copy of this License with every copy of the Source Code form of the Covered Software You distribute or otherwise make available. You must inform recipients of any such Covered Software in Executable form as to how they can obtain such Covered Software in Source Code form in a reasonable manner on or through a medium customarily used for software exchange.

#### 3.2. Modifications.

The Modifications that You create or to which You contribute are governed by the terms of this License. You represent that You believe Your Modifications are Your original creation(s) and/or You have sufficient rights to grant the rights conveyed by this License.

#### 3.3. Required Notices.

You must include a notice in each of Your Modifications that identifies You as the Contributor of the Modification. You may not remove or alter any copyright, patent or trademark notices contained within the Covered Software, or any notices of licensing or any descriptive text giving attribution to any Contributor or the Initial Developer.

#### 3.4. Application of Additional Terms.

You may not offer or impose any terms on any Covered Software in Source Code form that alters or restricts the applicable version of this License or the recipients' rights hereunder. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, you may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it absolutely clear that any such warranty, support, indemnity or liability obligation is offered by You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of warranty, support, indemnity or liability terms You offer.

#### 3.5. Distribution of Executable Versions.

You may distribute the Executable form of the Covered Software under the terms of this License or under the terms of a license of Your choice, which may contain terms different from this License, provided that You are in compliance with the terms of this License and that the license for the Executable form does not attempt to limit or alter the recipient's rights in the Source Code form from the rights set forth in this License. If You distribute the Covered Software in Executable form under a different license, You must make it absolutely clear that any terms which differ from this License are offered by You alone, not by the Initial Developer or Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer.

#### 3.6. Larger Works.

You may create a Larger Work by combining Covered Software with other code not governed by the terms of this License and distribute the Larger Work as a single product. In such a case, You must make sure the

requirements of this License are fulfilled for the Covered Software.

#### 4. Versions of the License.

##### 4.1. New Versions.

Sun Microsystems, Inc. is the initial license steward and may publish revised and/or new versions of this License from time to time. Each version will be given a distinguishing version number. Except as provided in Section 4.3, no one other than the license steward has the right to modify this License.

##### 4.2. Effect of New Versions.

You may always continue to use, distribute or otherwise make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. If the Initial Developer includes a notice in the Original Software prohibiting it from being distributed or otherwise made available under any subsequent version of the License, You must distribute and make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. Otherwise, You may also choose to use, distribute or otherwise make the Covered Software available under the terms of any subsequent version of the License published by the license steward.

##### 4.3. Modified Versions.

When You are an Initial Developer and You want to create a new license for Your Original Software, You may create and use a modified version of this License if You: (a) rename the license and remove any references to the name of the license steward (except to note that the license differs from this License); and (b) otherwise make it clear that the license contains terms which differ from this License.

#### 5. DISCLAIMER OF WARRANTY.

COVERED SOFTWARE IS PROVIDED UNDER THIS LICENSE ON AN .AS IS. BASIS, WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES THAT THE COVERED SOFTWARE IS FREE OF DEFECTS, MERCHANTABLE, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED SOFTWARE IS WITH YOU. SHOULD ANY COVERED SOFTWARE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED SOFTWARE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

#### 6. TERMINATION.

6.1. This License and the rights granted hereunder will terminate automatically if You fail to comply with terms herein and fail to cure such breach within 30 days of becoming aware of the breach. Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive.

6.2. If You assert a patent infringement claim (excluding declaratory judgment actions) against Initial Developer or a Contributor (the Initial Developer or Contributor against whom You assert such claim is referred to as .Participant.) alleging that the Participant Software (meaning the Contributor Version where the Participant is a Contributor or the Original Software where the Participant is the Initial Developer) directly or indirectly infringes any patent, then any and all rights granted directly or indirectly to You by such Participant, the Initial Developer (if the Initial Developer is not the Participant) and all Contributors under Sections 2.1 and/or 2.2 of this License shall,

upon 60 days notice from Participant terminate prospectively and automatically at the expiration of such 60 day notice period, unless if within such 60 day period You withdraw Your claim with respect to the Participant Software against such Participant either unilaterally or pursuant to a written agreement with Participant.

6.3. In the event of termination under Sections 6.1 or 6.2 above, all end user licenses that have been validly granted by You or any distributor hereunder prior to termination (excluding licenses granted to You by any distributor) shall survive termination.

## 7. LIMITATION OF LIABILITY.

UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED SOFTWARE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOST PROFITS, LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTY'S NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

## 8. U.S. GOVERNMENT END USERS.

The Covered Software is a .commercial item., as that term is defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of .commercial computer software. (as that term is defined at 48 C.F.R. ? 252.227-7014(a)(1)) and .commercial computer software documentation. as such terms are used in 48 C.F.R. 12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4 (June 1995), all U.S. Government End Users acquire Covered Software with only those rights set forth herein. This U.S. Government Rights clause is in lieu of, and supersedes, any other FAR, DFAR, or other clause or provision that addresses Government rights in computer software under this License.

## 9. MISCELLANEOUS.

This License represents the complete agreement concerning subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by the law of the jurisdiction specified in a notice contained within the Original Software (except to the extent applicable law, if any, provides otherwise), excluding such jurisdiction's conflict-of-law provisions. Any litigation relating to this License shall be subject to the jurisdiction of the courts located in the jurisdiction and venue specified in a notice contained within the Original Software, with the losing party responsible for costs, including, without limitation, court costs and reasonable attorneys. fees and expenses. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not apply to this License. You agree that You alone are responsible for compliance with the United States export administration regulations (and the export control laws and regulation of any other countries) when You use, distribute or otherwise make available any Covered Software.



## 10. RESPONSIBILITY FOR CLAIMS.

As between Initial Developer and the Contributors, each party is responsible for claims and damages arising, directly or indirectly, out of its utilization of rights under this License and You agree to work with Initial Developer and Contributors to distribute such responsibility on an equitable basis. Nothing herein is intended or shall be deemed to constitute any admission of liability.

### NOTICE PURSUANT TO SECTION 9 OF THE COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL)

The code released under the CDDL shall be governed by the laws of the State of California (excluding conflict-of-law provisions). Any litigation relating to this License shall be subject to the jurisdiction of the Federal Courts of the Northern District of California and the state courts of the State of California, with venue lying in Santa Clara County, California.

The GNU General Public License (GPL) Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc. 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

#### Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you

legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

## TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started

running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically

terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

#### NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

#### END OF TERMS AND CONDITIONS

#### How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.

Copyright (C)

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the

implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) year name of author
```

```
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'. This is free software, and you are welcome to redistribute it under certain conditions; type `show c' for details.
```

The hypothetical commands ``show w'` and ``show c'` should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than ``show w'` and ``show c'`; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

```
Yoyodyne, Inc., hereby disclaims all copyright interest in the program `Gnomovision' (which makes passes at compilers) written by James Hacker.
```

```
signature of Ty Coon, 1 April 1989
```

```
Ty Coon, President of Vice
```

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

## "CLASSPATH" EXCEPTION TO THE GPL VERSION 2

Certain source files distributed by Sun Microsystems, Inc. are subject to the following clarification and special exception to the GPL Version 2, but only where Sun has expressly included in the particular source file's header the words

```
"Sun designates this particular file as subject to the "Classpath" exception as provided by Sun in the License file that accompanied this code."
```

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License Version 2 cover the whole combination.

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module. An independent module is a module

which is not derived from or based on this library.? If you modify this library, you may extend this exception to your version of the library, but you are not obligated to do so.? If you do not wish to do so, delete this exception statement from your version.

Copyright (c) 2001-2005 Sun Microsystems, Inc. All Rights Reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- Redistribution in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

Neither the name of Sun Microsystems, Inc. or the names of contributors may be used to endorse or promote products derived from this software without specific prior written permission.

This software is provided "AS IS," without a warranty of any kind. ALL EXPRESS OR IMPLIED CONDITIONS, REPRESENTATIONS AND WARRANTIES, INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT, ARE HEREBY EXCLUDED. SUN AND ITS LICENSORS SHALL NOT BE LIABLE FOR ANY DAMAGES OR LIABILITIES SUFFERED BY LICENSEE AS A RESULT OF OR RELATING TO USE, MODIFICATION OR DISTRIBUTION OF THE SOFTWARE OR ITS DERIVATIVES. IN NO EVENT WILL SUN OR ITS LICENSORS BE LIABLE FOR ANY LOST REVENUE, PROFIT OR DATA, OR FOR DIRECT, INDIRECT, SPECIAL, CONSEQUENTIAL, INCIDENTAL OR PUNITIVE DAMAGES, HOWEVER CAUSED AND REGARDLESS OF THE THEORY OF LIABILITY, ARISING OUT OF THE USE OF OR INABILITY TO USE SOFTWARE, EVEN IF SUN HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

You acknowledge that Software is not designed, licensed or intended for use in the design, construction, operation or maintenance of any nuclear facility.

```
=====
== NOTICE file corresponding to the section 4 d of      ==
== the Apache License, Version 2.0,                    ==
== in this case for the Apache Ant distribution.         ==
=====
```

This product includes software developed by  
The Apache Software Foundation (<http://www.apache.org/>).

This product includes also software developed by :

- the W3C consortium (<http://www.w3c.org/>) ,
- the SAX project (<http://www.saxproject.org/>)

Please read the different LICENSE files present in the root directory of this distribution.

/\*

\* The Apache Software License, Version 1.1

\*

\* Copyright (c) 2001-2003 Ant-Contrib project. All rights reserved.

\*

\* Redistribution and use in source and binary forms, with or without  
\* modification, are permitted provided that the following conditions  
\* are met:

\*

\* 1. Redistributions of source code must retain the above copyright  
\* notice, this list of conditions and the following disclaimer.

\*

\* 2. Redistributions in binary form must reproduce the above copyright  
\* notice, this list of conditions and the following disclaimer in  
\* the documentation and/or other materials provided with the  
\* distribution.

\*

\* 3. The end-user documentation included with the redistribution, if  
\* any, must include the following acknowledgement:

\* "This product includes software developed by the  
\* Ant-Contrib project (<http://sourceforge.net/projects/ant-contrib>)."  
\* Alternately, this acknowledgement may appear in the software itself,  
\* if and wherever such third-party acknowledgements normally appear.

\*

\* 4. The name Ant-Contrib must not be used to endorse or promote products  
\* derived from this software without prior written permission. For  
\* written permission, please contact  
\* ant-contrib-developers@lists.sourceforge.net.

\*

\* 5. Products derived from this software may not be called "Ant-Contrib"  
\* nor may "Ant-Contrib" appear in their names without prior written  
\* permission of the Ant-Contrib project.

\*

\* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED  
\* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES  
\* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE  
\* DISCLAIMED. IN NO EVENT SHALL THE ANT-CONTRIB PROJECT OR ITS  
\* CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,  
\* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT  
\* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF  
\* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND  
\* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,  
\* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT  
\* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF  
\* SUCH DAMAGE.



\* =====  
\*/  
/\*  
\* \$Id: license.txt,v 1.2 2006/04/01 06:01:50 jeffsuttor Exp \$  
\* %W% %E%  
\*/

## COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL) Version 1.0 1.

### Definitions.

- 1.1. Contributor means each individual or entity that creates or contributes to the creation of Modifications.
- 1.2. Contributor Version means the combination of the Original Software, prior Modifications used by a Contributor (if any), and the Modifications made by that particular Contributor.
- 1.3. Covered Software means (a) the Original Software, or (b) Modifications, or (c) the combination of files containing Original Software with files containing Modifications, in each case including portions thereof.
- 1.4. Executable means the Covered Software in any form other than Source Code.
- 1.5. Initial Developer means the individual or entity that first makes Original Software available under this License.
- 1.6. Larger Work means a work which combines Covered Software or portions thereof with code not governed by the terms of this License.
- 1.7. License means this document.
- 1.8. Licensable means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed herein.
- 1.9. Modifications means the Source Code and Executable form of any of the following: A. Any file that results from an addition to, deletion from or modification of the contents of a file containing Original Software or previous Modifications; B. Any new file that contains any part of the Original Software or previous Modification; or C. Any new file that is contributed or otherwise made available under the terms of this License.
- 1.10. Original Software means the Source Code and Executable form of

computer software code that is originally released under this License.

1.11. Patent Claims means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent Licensable by grantor.

1.12. Source Code means (a) the common form of computer software code in which modifications are made and (b) associated documentation included in or with such code.

1.13. You (or Your) means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License. For legal entities, You includes any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, control means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

## 2. License Grants.

2.1. The Initial Developer Grant. Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, the Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Initial Developer, to use, reproduce, modify, display, perform, sublicense and distribute the Original Software (or portions thereof), with or without Modifications, and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using or selling of Original Software, to make, have made, use, practice, sell, and offer for sale, and/or otherwise dispose of the Original Software (or portions thereof);

(c) The licenses granted in Sections 2.1(a) and (b) are effective on the date Initial Developer first distributes or otherwise makes the Original Software available to a third party under the terms of this License;

(d) Notwithstanding Section 2.1(b) above, no patent license is granted: (1) for code that You delete from the Original Software, or (2) for infringements caused by: (i) the modification of the Original Software, or (ii) the combination of the Original Software with other

software or devices.

2.2. Contributor Grant. Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Contributor to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof), either on an unmodified basis, with other Modifications, as Covered Software and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor either alone and/or in combination with its Contributor Version (or portions of such combination), to make, use, sell, offer for sale, have made, and/or otherwise dispose of: (1) Modifications made by that Contributor (or portions thereof); and (2) the combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).

(c) The licenses granted in Sections 2.2(a) and 2.2(b) are effective on the date Contributor first distributes or otherwise makes the Modifications available to a third party.

(d) Notwithstanding Section 2.2(b) above, no patent license is granted: (1) for any code that Contributor has deleted from the Contributor Version; (2) for infringements caused by: (i) third party modifications of Contributor Version, or (ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or (3) under Patent Claims infringed by Covered Software in the absence of Modifications made by that Contributor.

### 3. Distribution Obligations.

3.1. Availability of Source Code. Any Covered Software that You distribute or otherwise make available in Executable form must also be made available in Source Code form and that Source Code form must be distributed only under the terms of this License. You must include a copy of this License with every copy of the Source Code form of the Covered Software You distribute or otherwise make available. You must inform recipients of any such Covered Software in Executable form as to how they can obtain such Covered Software in Source Code form in a reasonable manner on or through a medium customarily used for software exchange.

- 3.2. Modifications. The Modifications that You create or to which You contribute are governed by the terms of this License. You represent that You believe Your Modifications are Your original creation(s) and/or You have sufficient rights to grant the rights conveyed by this License.
- 3.3. Required Notices. You must include a notice in each of Your Modifications that identifies You as the Contributor of the Modification. You may not remove or alter any copyright, patent or trademark notices contained within the Covered Software, or any notices of licensing or any descriptive text giving attribution to any Contributor or the Initial Developer.
- 3.4. Application of Additional Terms. You may not offer or impose any terms on any Covered Software in Source Code form that alters or restricts the applicable version of this License or the recipients rights hereunder. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, you may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it absolutely clear that any such warranty, support, indemnity or liability obligation is offered by You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of warranty, support, indemnity or liability terms You offer.
- 3.5. Distribution of Executable Versions. You may distribute the Executable form of the Covered Software under the terms of this License or under the terms of a license of Your choice, which may contain terms different from this License, provided that You are in compliance with the terms of this License and that the license for the Executable form does not attempt to limit or alter the recipients rights in the Source Code form from the rights set forth in this License. If You distribute the Covered Software in Executable form under a different license, You must make it absolutely clear that any terms which differ from this License are offered by You alone, not by the Initial Developer or Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer.
- 3.6. Larger Works. You may create a Larger Work by combining Covered Software with other code not governed by the terms of this License and distribute the Larger Work as a single product. In

such a case, You must make sure the requirements of this License are fulfilled for the Covered Software.

#### 4. Versions of the License.

4.1. New Versions. Sun Microsystems, Inc. is the initial license steward and may publish revised and/or new versions of this License from time to time. Each version will be given a distinguishing version number. Except as provided in Section 4.3, no one other than the license steward has the right to modify this License.

4.2. Effect of New Versions. You may always continue to use, distribute or otherwise make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. If the Initial Developer includes a notice in the Original Software prohibiting it from being distributed or otherwise made available under any subsequent version of the License, You must distribute and make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. Otherwise, You may also choose to use, distribute or otherwise make the Covered Software available under the terms of any subsequent version of the License published by the license steward.

4.3. Modified Versions. When You are an Initial Developer and You want to create a new license for Your Original Software, You may create and use a modified version of this License if You: (a) rename the license and remove any references to the name of the license steward (except to note that the license differs from this License); and (b) otherwise make it clear that the license contains terms which differ from this License.

5. **DISCLAIMER OF WARRANTY. COVERED SOFTWARE IS PROVIDED UNDER THIS LICENSE ON AN AS IS BASIS, WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES THAT THE COVERED SOFTWARE IS FREE OF DEFECTS, MERCHANTABILITY, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED SOFTWARE IS WITH YOU. SHOULD ANY COVERED SOFTWARE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED SOFTWARE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.**

#### 6. TERMINATION.

6.1. This License and the rights granted hereunder will terminate automatically if You fail to comply with terms herein and fail to cure such breach within 30 days of becoming aware of the breach. Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive.

6.2. If You assert a patent infringement claim (excluding declaratory judgment actions) against Initial Developer or a Contributor (the Initial Developer or Contributor against whom You assert such claim is referred to as Participant) alleging that the Participant Software (meaning the Contributor Version where the Participant is a Contributor or the Original Software where the Participant is the Initial Developer) directly or indirectly infringes any patent, then any and all rights granted directly or indirectly to You by such Participant, the Initial Developer (if the Initial Developer is not the Participant) and all Contributors under Sections 2.1 and/or 2.2 of this License shall, upon 60 days notice from Participant terminate prospectively and automatically at the expiration of such 60 day notice period, unless if within such 60 day period You withdraw Your claim with respect to the Participant Software against such Participant either unilaterally or pursuant to a written agreement with Participant.

6.3. In the event of termination under Sections 6.1 or 6.2 above, all end user licenses that have been validly granted by You or any distributor hereunder prior to termination (excluding licenses granted to You by any distributor) shall survive termination.

7. LIMITATION OF LIABILITY. UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED SOFTWARE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOST PROFITS, LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTYS NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

8. U.S. GOVERNMENT END USERS. The Covered Software is a commercial item, as that term is defined in 48 C.F.R. 2.101 (Oct. 1995),

consisting of commercial computer software (as that term is defined at 48 C.F.R. 252.227-7014(a)(1)) and commercial computer software documentation as such terms are used in 48 C.F.R. 12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4 (June 1995), all U.S. Government End Users acquire Covered Software with only those rights set forth herein. This U.S. Government Rights clause is in lieu of, and supersedes, any other FAR, DFAR, or other clause or provision that addresses Government rights in computer software under this License.

9. MISCELLANEOUS. This License represents the complete agreement concerning subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by the law of the jurisdiction specified in a notice contained within the Original Software (except to the extent applicable law, if any, provides otherwise), excluding such jurisdictions conflict-of-law provisions. Any litigation relating to this License shall be subject to the jurisdiction of the courts located in the jurisdiction and venue specified in a notice contained within the Original Software, with the losing party responsible for costs, including, without limitation, court costs and reasonable attorneys fees and expenses. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not apply to this License. You agree that You alone are responsible for compliance with the United States export administration regulations (and the export control laws and regulation of any other countries) when You use, distribute or otherwise make available any Covered Software.

10. RESPONSIBILITY FOR CLAIMS. As between Initial Developer and the Contributors, each party is responsible for claims and damages arising, directly or indirectly, out of its utilization of rights under this License and You agree to work with Initial Developer and Contributors to distribute such responsibility on an equitable basis. Nothing herein is intended or shall be deemed to constitute any admission of liability.

NOTICE PURSUANT TO SECTION 9 OF THE COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL) The code released under the CDDL shall be governed by the laws of the State of California (excluding conflict-of-law provisions). Any litigation relating to this License shall be subject to the jurisdiction of the Federal Courts of the Northern District of California and the state courts of the State of California, with venue lying in Santa Clara County, California.

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.



"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
  - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.
6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. **Disclaimer of Warranty.** Unless required by applicable law or

agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");

you may not use this file except in compliance with the License.

You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Copyright (c) 2002-@@YEAR@@ Sun Microsystems, Inc. All Rights Reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- Redistribution in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

Neither the name of Sun Microsystems, Inc. or the names of contributors may be used to endorse or promote products derived from this software without specific prior written permission.

This software is provided "AS IS," without a warranty of any kind. ALL EXPRESS OR IMPLIED CONDITIONS, REPRESENTATIONS AND WARRANTIES, INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT, ARE HEREBY EXCLUDED. SUN AND ITS LICENSORS SHALL NOT BE LIABLE FOR ANY DAMAGES OR LIABILITIES SUFFERED BY LICENSEE AS A RESULT OF OR RELATING TO USE, MODIFICATION OR DISTRIBUTION OF THE SOFTWARE OR ITS DERIVATIVES. IN NO EVENT WILL SUN OR ITS LICENSORS BE LIABLE FOR ANY LOST REVENUE, PROFIT OR DATA, OR FOR DIRECT, INDIRECT, SPECIAL, CONSEQUENTIAL, INCIDENTAL OR PUNITIVE DAMAGES, HOWEVER CAUSED AND REGARDLESS OF THE THEORY OF LIABILITY, ARISING OUT OF THE USE OF OR INABILITY TO USE SOFTWARE, EVEN IF SUN HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

The CyberNeko Software License, Version 1.0

(C) Copyright 2002-2005, Andy Clark. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The end-user documentation included with the redistribution, if any, must include the following acknowledgment:  
"This product includes software developed by Andy Clark."  
Alternately, this acknowledgment may appear in the software itself, if and wherever such third-party acknowledgments normally appear.
4. The names "CyberNeko" and "NekoHTML" must not be used to endorse or promote products derived from this software without prior written permission. For written permission, please contact andyc@cyberneko.net.
5. Products derived from this software may not be called "CyberNeko", nor may "CyberNeko" appear in their name, without prior written permission of the author.

THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR OR OTHER CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

=====

This license is based on the Apache Software License, version 1.1.  
Copyright 2001 Sun Microsystems, Inc. 901 San Antonio Road, Palo Alto, California, 94303, U.S.A. All rights reserved.

Sun Microsystems, Inc. has intellectual property rights relating to technology embodied in this product. In particular, and without limitation, these intellectual property rights may include one or more of the U.S. patents listed at <http://www.sun.com/patents> and one or more additional patents or pending patent applications in the U.S. and other countries. This product is distributed under licenses restricting its use, copying, distribution, and decompilation. No part

of this product may be reproduced in any form by any means without prior written authorization of Sun and its licensors, if any. Third party software, including font technology, is copyrighted and licensed from Sun suppliers. Sun, the Sun logo, and Sun Microsystems are trademarks or registered trademarks of Sun Microsystems, Inc. in the U.S. and other countries. This product includes software developed by the Apache Software Foundation (<http://www.apache.org/>). Federal Acquisitions: Commercial Software - Government Users Subject to Standard License Terms and Conditions.

-----

Copyright 2001 Sun Microsystems, Inc., 901 San Antonio Road, Palo Alto, Californie 94303 tats-Unis. Tous droits rservs. Distribue par des licences qui en restreignent l'utilisation. Sun Microsystems, Inc. a les droits de propriit intellectuels relatants la technologie incorpore dans ce produit. En particulier, et sans la limitation, ces droits de propriit intellectuels peuvent inclure un ou plus des brevets amricains numrs <http://www.sun.com/patents> et un ou les brevets plus supplmentaires ou les applications de brevet en attente dans les Etats Unis et les autres pays. Ce produit ou document est protg par un copyright et distribu avec des licences qui en restreignent l'utilisation, la copie, la distribution, et la dcompilation. Aucune partie de ce produit ou document ne peut tre reproduite sous aucune forme, par quelque moyen que ce soit, sans l'autorisation pralable et crite de Sun et de ses bailleurs de licence, s'il y en a. Le logiciel dtenu par des tiers, et qui comprend la technologie relative aux polices de caractres, est protg par un copyright et licenci par des fournisseurs de Sun. Sun, le logo Sun, Sun Microsystems et sont des marques de fabrique ou des marques d'pos'es de Sun Microsystems, Inc. aux Etats-Unis et dans d'autres pays. Ce produit inclut le logiciel dvelopp par la base de Apache Software Foundation (<http://www.apache.org/>). L'accord du gouvernement des tats Unis est requis avant l'exportation du produit.

COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL)Version 1.1

## 1. Definitions.

1.1. "Contributor" means each individual or entity that creates or contributes to the creation of Modifications.

1.2. "Contributor Version" means the combination of the Original Software, prior Modifications used by a Contributor (if any), and the Modifications made by that particular Contributor.

1.3. "Covered Software" means (a) the Original Software, or (b) Modifications, or (c) the combination of files containing Original Software with files containing Modifications, in each case including portions thereof.

1.4. "Executable" means the Covered Software in any form other than Source Code.

1.5. "Initial Developer" means the individual or entity that first makes Original Software available under this License.

1.6. "Larger Work" means a work which combines Covered Software or portions thereof with code not governed by the terms of this License.

1.7. "License" means this document.

1.8. "Licensable" means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed herein.

1.9. "Modifications" means the Source Code and Executable form of any of the following:

A. Any file that results from an addition to, deletion from or modification of the contents of a file containing Original Software or previous Modifications;

B. Any new file that contains any part of the Original Software or previous Modification; or

C. Any new file that is contributed or otherwise made available under the terms of this License.

1.10. "Original Software" means the Source Code and Executable form of computer software code that is originally released under this License.

1.11. "Patent Claims" means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent Licensable by grantor.

1.12. "Source Code" means (a) the common form of computer software code in which modifications are made and (b) associated documentation included in or with such code.

1.13. "You" (or "Your") means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License. For legal entities, "You" includes any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, "control" means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

## 2. License Grants.

### 2.1. The Initial Developer Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, the Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Initial Developer, to use, reproduce, modify, display, perform, sublicense and distribute the Original Software (or portions thereof), with or without Modifications, and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using or selling of Original Software, to make, have made, use, practice, sell, and offer for sale, and/or otherwise dispose of the Original Software (or portions thereof).

(c) The licenses granted in Sections 2.1(a) and (b) are effective on the date Initial Developer first distributes or otherwise makes the Original Software available to a third party under the terms of this License.

(d) Notwithstanding Section 2.1(b) above, no patent license is granted: (1) for code that You delete from the Original Software, or (2) for infringements caused by: (i) the modification of the Original Software, or (ii) the combination of the Original Software with other software or devices.

## 2.2. Contributor Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Contributor to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof), either on an unmodified basis, with other Modifications, as Covered Software and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor either alone and/or in combination with its Contributor Version (or portions of such combination), to make, use, sell, offer for sale, have made, and/or otherwise dispose of: (1) Modifications made by that Contributor (or portions thereof); and (2) the combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).

(c) The licenses granted in Sections 2.2(a) and 2.2(b) are effective on the date Contributor first distributes or otherwise makes the Modifications available to a third party.

(d) Notwithstanding Section 2.2(b) above, no patent license is granted: (1) for any code that Contributor has deleted from the Contributor Version; (2) for infringements caused by: (i) third party modifications of Contributor Version, or (ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or (3) under Patent Claims infringed by Covered Software in the absence of Modifications made by that Contributor.

## 3. Distribution Obligations.

### 3.1. Availability of Source Code.

Any Covered Software that You distribute or otherwise make available in Executable form must also be made available in Source Code form and that Source Code form must be distributed only under the terms of this License. You must include a copy of this License with every copy of the Source Code form of the Covered Software You distribute or otherwise make available. You must inform recipients of any such Covered Software in Executable form as to how they can obtain such Covered Software in Source Code form in a reasonable manner on or through a medium customarily used for software exchange.

### 3.2. Modifications.

The Modifications that You create or to which You contribute are governed by the terms of this License. You represent that You believe Your Modifications are Your original creation(s) and/or You have sufficient rights to



grant the rights conveyed by this License.

### 3.3. Required Notices.

You must include a notice in each of Your Modifications that identifies You as the Contributor of the Modification. You may not remove or alter any copyright, patent or trademark notices contained within the Covered Software, or any notices of licensing or any descriptive text giving attribution to any Contributor or the Initial Developer.

### 3.4. Application of Additional Terms.

You may not offer or impose any terms on any Covered Software in Source Code form that alters or restricts the applicable version of this License or the recipients' rights hereunder. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, you may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it absolutely clear that any such warranty, support, indemnity or liability obligation is offered by You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of warranty, support, indemnity or liability terms You offer.

### 3.5. Distribution of Executable Versions.

You may distribute the Executable form of the Covered Software under the terms of this License or under the terms of a license of Your choice, which may contain terms different from this License, provided that You are in compliance with the terms of this License and that the license for the Executable form does not attempt to limit or alter the recipient's rights in the Source Code form from the rights set forth in this License. If You distribute the Covered Software in Executable form under a different license, You must make it absolutely clear that any terms which differ from this License are offered by You alone, not by the Initial Developer or Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer.

### 3.6. Larger Works.

You may create a Larger Work by combining Covered Software with other code not governed by the terms of this License and distribute the Larger Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled for the Covered Software.

## 4. Versions of the License.

### 4.1. New Versions.

Oracle is the initial license steward and may publish revised and/or new versions of this License from time to time. Each version will be given a distinguishing version number. Except as provided in Section 4.3, no one other than the license steward has the right to modify this License.

### 4.2. Effect of New Versions.

You may always continue to use, distribute or otherwise make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. If the Initial Developer

includes a notice in the Original Software prohibiting it from being distributed or otherwise made available under any subsequent version of the License, You must distribute and make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. Otherwise, You may also choose to use, distribute or otherwise make the Covered Software available under the terms of any subsequent version of the License published by the license steward.

#### 4.3. Modified Versions.

When You are an Initial Developer and You want to create a new license for Your Original Software, You may create and use a modified version of this License if You: (a) rename the license and remove any references to the name of the license steward (except to note that the license differs from this License); and (b) otherwise make it clear that the license contains terms which differ from this License.

### 5. DISCLAIMER OF WARRANTY.

COVERED SOFTWARE IS PROVIDED UNDER THIS LICENSE ON AN "AS IS" BASIS, WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES THAT THE COVERED SOFTWARE IS FREE OF DEFECTS, MERCHANTABILITY, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED SOFTWARE IS WITH YOU. SHOULD ANY COVERED SOFTWARE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED SOFTWARE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

### 6. TERMINATION.

6.1. This License and the rights granted hereunder will terminate automatically if You fail to comply with terms herein and fail to cure such breach within 30 days of becoming aware of the breach. Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive.

6.2. If You assert a patent infringement claim (excluding declaratory judgment actions) against Initial Developer or a Contributor (the Initial Developer or Contributor against whom You assert such claim is referred to as "Participant") alleging that the Participant Software (meaning the Contributor Version where the Participant is a Contributor or the Original Software where the Participant is the Initial Developer) directly or indirectly infringes any patent, then any and all rights granted directly or indirectly to You by such Participant, the Initial Developer (if the Initial Developer is not the Participant) and all Contributors under Sections 2.1 and/or 2.2 of this License shall, upon 60 days notice from Participant terminate prospectively and automatically at the expiration of such 60 day notice period, unless if within such 60 day period You withdraw Your claim with respect to the Participant Software against such Participant either unilaterally or pursuant to a written agreement with Participant.

6.3. If You assert a patent infringement claim against Participant alleging that the Participant Software directly or indirectly infringes any patent where such claim is resolved (such as by license or settlement) prior to the initiation of patent infringement litigation, then the reasonable value of the licenses granted by such Participant under Sections 2.1 or 2.2 shall be taken into account in determining the amount or value of any payment or license.

6.4. In the event of termination under Sections 6.1 or 6.2 above, all end user licenses that have been validly granted by You or any distributor hereunder prior to termination (excluding licenses granted to You by any

distributor) shall survive termination.

## 7. LIMITATION OF LIABILITY.

UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED SOFTWARE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTY'S NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

## 8. U.S. GOVERNMENT END USERS.

The Covered Software is a "commercial item," as that term is defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of "commercial computer software" (as that term is defined at 48 C.F.R. ? 252.227-7014(a)(1)) and "commercial computer software documentation" as such terms are used in 48 C.F.R. 12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4 (June 1995), all U.S. Government End Users acquire Covered Software with only those rights set forth herein. This U.S. Government Rights clause is in lieu of, and supersedes, any other FAR, DFAR, or other clause or provision that addresses Government rights in computer software under this License.

## 9. MISCELLANEOUS.

This License represents the complete agreement concerning subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by the law of the jurisdiction specified in a notice contained within the Original Software (except to the extent applicable law, if any, provides otherwise), excluding such jurisdiction's conflict-of-law provisions. Any litigation relating to this License shall be subject to the jurisdiction of the courts located in the jurisdiction and venue specified in a notice contained within the Original Software, with the losing party responsible for costs, including, without limitation, court costs and reasonable attorneys' fees and expenses. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not apply to this License. You agree that You alone are responsible for compliance with the United States export administration regulations (and the export control laws and regulation of any other countries) when You use, distribute or otherwise make available any Covered Software.

## 10. RESPONSIBILITY FOR CLAIMS.

As between Initial Developer and the Contributors, each party is responsible for claims and damages arising, directly or indirectly, out of its utilization of rights under this License and You agree to work with Initial Developer and Contributors to distribute such responsibility on an equitable basis. Nothing herein is intended or shall be deemed to constitute any admission of liability.

-----

## NOTICE PURSUANT TO SECTION 9 OF THE COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL)

The code released under the CDDL shall be governed by the laws of the State of California (excluding conflict-of-law provisions). Any litigation relating to this License shall be subject to the jurisdiction of the Federal Courts of the Northern District of California and the state courts of the State of California, with venue lying in Santa Clara County, California.

The GNU General Public License (GPL) Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc. 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

### Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the

original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

## TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do

not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the

sharing and reuse of software generally.

## NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

## END OF TERMS AND CONDITIONS

### How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.

Copyright (C)

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA



Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) year name of author
```

```
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'. This is free software, and you are welcome to redistribute it under certain conditions; type `show c' for details.
```

The hypothetical commands ``show w'` and ``show c'` should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than ``show w'` and ``show c'`; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

```
Yoyodyne, Inc., hereby disclaims all copyright interest in the program `Gnomovision' (which makes passes at compilers) written by James Hacker.
```

```
signature of Ty Coon, 1 April 1989
```

```
Ty Coon, President of Vice
```

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

## "CLASSPATH" EXCEPTION TO THE GPL VERSION 2

Certain source files distributed by Oracle are subject to the following clarification and special exception to the GPL Version 2, but only where Oracle has expressly included in the particular source file's header the words "Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the License file that accompanied this code."

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License Version 2 cover the whole combination.

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module. An independent module is a module which is not derived from or based on this library. If you modify this library, you may extend this exception to your version of the library, but you are not obligated to do so. If you do not wish to do so, delete this exception statement from your version.

```
/*  
 *           Apache License  
 *           Version 2.0, January 2004  
 *           http://www.apache.org/licenses/
```

\*  
\* TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION  
\*

\* 1. Definitions.  
\*

\* "License" shall mean the terms and conditions for use, reproduction,  
\* and distribution as defined by Sections 1 through 9 of this document.  
\*

\* "Licensor" shall mean the copyright owner or entity authorized by  
\* the copyright owner that is granting the License.  
\*

\* "Legal Entity" shall mean the union of the acting entity and all  
\* other entities that control, are controlled by, or are under common  
\* control with that entity. For the purposes of this definition,  
\* "control" means (i) the power, direct or indirect, to cause the  
\* direction or management of such entity, whether by contract or  
\* otherwise, or (ii) ownership of fifty percent (50%) or more of the  
\* outstanding shares, or (iii) beneficial ownership of such entity.  
\*

\* "You" (or "Your") shall mean an individual or Legal Entity  
\* exercising permissions granted by this License.  
\*

\* "Source" form shall mean the preferred form for making modifications,  
\* including but not limited to software source code, documentation  
\* source, and configuration files.  
\*

\* "Object" form shall mean any form resulting from mechanical  
\* transformation or translation of a Source form, including but  
\* not limited to compiled object code, generated documentation,  
\* and conversions to other media types.  
\*

\* "Work" shall mean the work of authorship, whether in Source or  
\* Object form, made available under the License, as indicated by a  
\* copyright notice that is included in or attached to the work  
\* (an example is provided in the Appendix below).  
\*

\* "Derivative Works" shall mean any work, whether in Source or Object  
\* form, that is based on (or derived from) the Work and for which the  
\* editorial revisions, annotations, elaborations, or other modifications  
\* represent, as a whole, an original work of authorship. For the purposes  
\* of this License, Derivative Works shall not include works that remain  
\* separable from, or merely link (or bind by name) to the interfaces of,  
\* the Work and Derivative Works thereof.  
\*

\* "Contribution" shall mean any work of authorship, including  
\* the original version of the Work and any modifications or additions  
\* to that Work or Derivative Works thereof, that is intentionally  
\* submitted to Licensor for inclusion in the Work by the copyright owner

\* or by an individual or Legal Entity authorized to submit on behalf of  
\* the copyright owner. For the purposes of this definition, "submitted"  
\* means any form of electronic, verbal, or written communication sent  
\* to the Licensor or its representatives, including but not limited to  
\* communication on electronic mailing lists, source code control systems,  
\* and issue tracking systems that are managed by, or on behalf of, the  
\* Licensor for the purpose of discussing and improving the Work, but  
\* excluding communication that is conspicuously marked or otherwise  
\* designated in writing by the copyright owner as "Not a Contribution."

\* "Contributor" shall mean Licensor and any individual or Legal Entity  
\* on behalf of whom a Contribution has been received by Licensor and  
\* subsequently incorporated within the Work.

\* 2. Grant of Copyright License. Subject to the terms and conditions of  
\* this License, each Contributor hereby grants to You a perpetual,  
\* worldwide, non-exclusive, no-charge, royalty-free, irrevocable  
\* copyright license to reproduce, prepare Derivative Works of,  
\* publicly display, publicly perform, sublicense, and distribute the  
\* Work and such Derivative Works in Source or Object form.

\* 3. Grant of Patent License. Subject to the terms and conditions of  
\* this License, each Contributor hereby grants to You a perpetual,  
\* worldwide, non-exclusive, no-charge, royalty-free, irrevocable  
\* (except as stated in this section) patent license to make, have made,  
\* use, offer to sell, sell, import, and otherwise transfer the Work,  
\* where such license applies only to those patent claims licensable  
\* by such Contributor that are necessarily infringed by their  
\* Contribution(s) alone or by combination of their Contribution(s)  
\* with the Work to which such Contribution(s) was submitted. If You  
\* institute patent litigation against any entity (including a  
\* cross-claim or counterclaim in a lawsuit) alleging that the Work  
\* or a Contribution incorporated within the Work constitutes direct  
\* or contributory patent infringement, then any patent licenses  
\* granted to You under this License for that Work shall terminate  
\* as of the date such litigation is filed.

\* 4. Redistribution. You may reproduce and distribute copies of the  
\* Work or Derivative Works thereof in any medium, with or without  
\* modifications, and in Source or Object form, provided that You  
\* meet the following conditions:

\* (a) You must give any other recipients of the Work or  
\* Derivative Works a copy of this License; and

\* (b) You must cause any modified files to carry prominent notices  
\* stating that You changed the files; and

\* (c) You must retain, in the Source form of any Derivative Works  
\* that You distribute, all copyright, patent, trademark, and  
\* attribution notices from the Source form of the Work,  
\* excluding those notices that do not pertain to any part of  
\* the Derivative Works; and  
\*

\* (d) If the Work includes a "NOTICE" text file as part of its  
\* distribution, then any Derivative Works that You distribute must  
\* include a readable copy of the attribution notices contained  
\* within such NOTICE file, excluding those notices that do not  
\* pertain to any part of the Derivative Works, in at least one  
\* of the following places: within a NOTICE text file distributed  
\* as part of the Derivative Works; within the Source form or  
\* documentation, if provided along with the Derivative Works; or,  
\* within a display generated by the Derivative Works, if and  
\* wherever such third-party notices normally appear. The contents  
\* of the NOTICE file are for informational purposes only and  
\* do not modify the License. You may add Your own attribution  
\* notices within Derivative Works that You distribute, alongside  
\* or as an addendum to the NOTICE text from the Work, provided  
\* that such additional attribution notices cannot be construed  
\* as modifying the License.  
\*

\* You may add Your own copyright statement to Your modifications and  
\* may provide additional or different license terms and conditions  
\* for use, reproduction, or distribution of Your modifications, or  
\* for any such Derivative Works as a whole, provided Your use,  
\* reproduction, and distribution of the Work otherwise complies with  
\* the conditions stated in this License.  
\*

\* 5. Submission of Contributions. Unless You explicitly state otherwise,  
\* any Contribution intentionally submitted for inclusion in the Work  
\* by You to the Licensor shall be under the terms and conditions of  
\* this License, without any additional terms or conditions.  
\* Notwithstanding the above, nothing herein shall supersede or modify  
\* the terms of any separate license agreement you may have executed  
\* with Licensor regarding such Contributions.  
\*

\* 6. Trademarks. This License does not grant permission to use the trade  
\* names, trademarks, service marks, or product names of the Licensor,  
\* except as required for reasonable and customary use in describing the  
\* origin of the Work and reproducing the content of the NOTICE file.  
\*

\* 7. Disclaimer of Warranty. Unless required by applicable law or  
\* agreed to in writing, Licensor provides the Work (and each  
\* Contributor provides its Contributions) on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or  
\* implied, including, without limitation, any warranties or conditions

\* of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A  
\* PARTICULAR PURPOSE. You are solely responsible for determining the  
\* appropriateness of using or redistributing the Work and assume any  
\* risks associated with Your exercise of permissions under this License.

\* 8. Limitation of Liability. In no event and under no legal theory,  
\* whether in tort (including negligence), contract, or otherwise,  
\* unless required by applicable law (such as deliberate and grossly  
\* negligent acts) or agreed to in writing, shall any Contributor be  
\* liable to You for damages, including any direct, indirect, special,  
\* incidental, or consequential damages of any character arising as a  
\* result of this License or out of the use or inability to use the  
\* Work (including but not limited to damages for loss of goodwill,  
\* work stoppage, computer failure or malfunction, or any and all  
\* other commercial damages or losses), even if such Contributor  
\* has been advised of the possibility of such damages.

\* 9. Accepting Warranty or Additional Liability. While redistributing  
\* the Work or Derivative Works thereof, You may choose to offer,  
\* and charge a fee for, acceptance of support, warranty, indemnity,  
\* or other liability obligations and/or rights consistent with this  
\* License. However, in accepting such obligations, You may act only  
\* on Your own behalf and on Your sole responsibility, not on behalf  
\* of any other Contributor, and only if You agree to indemnify,  
\* defend, and hold each Contributor harmless for any liability  
\* incurred by, or claims asserted against, such Contributor by reason  
\* of your accepting any such warranty or additional liability.

\* END OF TERMS AND CONDITIONS

\* APPENDIX: How to apply the Apache License to your work.

\* To apply the Apache License to your work, attach the following  
\* boilerplate notice, with the fields enclosed by brackets "[ ]"  
\* replaced with your own identifying information. (Don't include  
\* the brackets!) The text should be enclosed in the appropriate  
\* comment syntax for the file format. We also recommend that a  
\* file or class name and description of purpose be included on the  
\* same "printed page" as the copyright notice for easier  
\* identification within third-party archives.

\* Copyright [yyyy] [name of copyright owner]

\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*  
 \* Unless required by applicable law or agreed to in writing, software  
 \* distributed under the License is distributed on an "AS IS" BASIS,  
 \* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
 \* See the License for the specific language governing permissions and  
 \* limitations under the License.  
 \*/  
 /\* =====  
 \* The Apache Software License, Version 1.1  
 \*  
 \* Copyright (c) 2001 The Apache Software Foundation. All rights  
 \* reserved.  
 \*  
 \* Redistribution and use in source and binary forms, with or without  
 \* modification, are permitted provided that the following conditions  
 \* are met:  
 \*  
 \* 1. Redistributions of source code must retain the above copyright  
 \* notice, this list of conditions and the following disclaimer.  
 \*  
 \* 2. Redistributions in binary form must reproduce the above copyright  
 \* notice, this list of conditions and the following disclaimer in  
 \* the documentation and/or other materials provided with the  
 \* distribution.  
 \*  
 \* 3. The end-user documentation included with the redistribution,  
 \* if any, must include the following acknowledgment:  
 \* "This product includes software developed by the  
 \* Apache Software Foundation (<http://www.apache.org/>)."  
 \* Alternately, this acknowledgment may appear in the software itself,  
 \* if and wherever such third-party acknowledgments normally appear.  
 \*  
 \* 4. The names "Apache" and "Apache Software Foundation" and  
 \* "Apache BCEL" must not be used to endorse or promote products  
 \* derived from this software without prior written permission. For  
 \* written permission, please contact [apache@apache.org](mailto:apache@apache.org).  
 \*  
 \* 5. Products derived from this software may not be called "Apache",  
 \* "Apache BCEL", nor may "Apache" appear in their name, without  
 \* prior written permission of the Apache Software Foundation.  
 \*  
 \* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED  
 \* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES  
 \* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE  
 \* DISCLAIMED. IN NO EVENT SHALL THE APACHE SOFTWARE FOUNDATION OR  
 \* ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,  
 \* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT  
 \* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF

\* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND  
\* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,  
\* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT  
\* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF  
\* SUCH DAMAGE.

\* =====  
\*

\* This software consists of voluntary contributions made by many  
\* individuals on behalf of the Apache Software Foundation. For more  
\* information on the Apache Software Foundation, please see  
\* <<http://www.apache.org/>>.

\*/

Copyright (c) 2000-2003 Daisuke Okajima and Kohsuke Kawaguchi.  
All rights reserved.

Redistribution and use in source and binary forms, with or without  
modification, are permitted provided that the following conditions  
are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The end-user documentation included with the redistribution, if any, must include the following acknowledgment:

"This product includes software developed by Daisuke Okajima  
and Kohsuke Kawaguchi (<http://relaxngcc.sf.net/>)."

Alternately, this acknowledgment may appear in the software itself,  
if and wherever such third-party acknowledgments normally appear.

4. The names of the copyright holders must not be used to endorse or  
promote products derived from this software without prior written  
permission. For written permission, please contact the copyright  
holders.

5. Products derived from this software may not be called "RELAXNGCC",  
nor may "RELAXNGCC" appear in their name, without prior written  
permission of the copyright holders.

THIS SOFTWARE IS PROVIDED "AS IS" AND ANY EXPRESSED OR IMPLIED  
WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES  
OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.  
IN NO EVENT SHALL THE APACHE SOFTWARE FOUNDATION OR ITS CONTRIBUTORS

BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY,  
OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT  
OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR  
BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY,  
WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE  
OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE,  
EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.  
DO NOT TRANSLATE OR LOCALIZE

\*\*\*\*\*

%%The following software may be included in this product:  
XML-Namespacesupport

Use of any of this software is governed by the terms of the license below:

The "Artistic License"

#### Preamble

The intent of this document is to state the conditions under which a  
Package may be copied, such that the Copyright Holder maintains some  
semblance of artistic control over the development of the package,  
while giving the users of the package the right to use and distribute  
the Package in a more-or-less customary fashion, plus the right to make  
reasonable modifications.

#### Definitions:

"Package" refers to the collection of files distributed by the  
Copyright Holder, and derivatives of that collection of files  
created through textual modification.

"Standard Version" refers to such a Package if it has not been  
modified, or has been modified in accordance with the wishes  
of the Copyright Holder as specified below.

"Copyright Holder" is whoever is named in the copyright or  
copyrights for the package.

"You" is you, if you're thinking about copying or distributing  
this Package.

"Reasonable copying fee" is whatever you can justify on the  
basis of media cost, duplication charges, time of people involved,  
and so on. (You will not be required to justify it to the  
Copyright Holder, but only to the computing community at large  
as a market that must bear the fee.)



"Freely Available" means that no fee is charged for the item itself, though there may be fees involved in handling the item. It also means that recipients of the item may redistribute it under the same conditions they received it.

1. You may make and give away verbatim copies of the source form of the Standard Version of this Package without restriction, provided that you duplicate all of the original copyright notices and associated disclaimers.
2. You may apply bug fixes, portability fixes and other modifications derived from the Public Domain or from the Copyright Holder. A Package modified in such a way shall still be considered the Standard Version.
3. You may otherwise modify your copy of this Package in any way, provided that you insert a prominent notice in each changed file stating how and when you changed that file, and provided that you do at least ONE of the following:
  - a) place your modifications in the Public Domain or otherwise make them Freely Available, such as by posting said modifications to Usenet or an equivalent medium, or placing the modifications on a major archive site such as uunet.uu.net, or by allowing the Copyright Holder to include your modifications in the Standard Version of the Package.
  - b) use the modified Package only within your corporation or organization.
  - c) rename any non-standard executables so the names do not conflict with standard executables, which must also be provided, and provide a separate manual page for each non-standard executable that clearly documents how it differs from the Standard Version.
  - d) make other distribution arrangements with the Copyright Holder.
4. You may distribute the programs of this Package in object code or executable form, provided that you do at least ONE of the following:
  - a) distribute a Standard Version of the executables and library files, together with instructions (in the manual page or equivalent) on where to get the Standard Version.
  - b) accompany the distribution with the machine-readable source of the Package with your modifications.
  - c) give non-standard executables non-standard names, and clearly document the differences in manual pages (or equivalent), together with instructions on where to get the Standard Version.

d) make other distribution arrangements with the Copyright Holder.

5. You may charge a reasonable copying fee for any distribution of this Package. You may charge any fee you choose for support of this Package. You may not charge a fee for this Package itself. However, you may distribute this Package in aggregate with other (possibly commercial) programs as part of a larger (possibly commercial) software distribution provided that you do not advertise this Package as a product of your own. You may embed this Package's interpreter within an executable of yours (by linking); this shall be construed as a mere form of aggregation, provided that the complete Standard Version of the interpreter is so embedded.

6. The scripts and library files supplied as input to or produced as output from the programs of this Package do not automatically fall under the copyright of this Package, but belong to whoever generated them, and may be sold commercially, and may be aggregated with this Package. If such scripts or library files are aggregated with this Package via the so-called "undump" or "unexec" methods of producing a binary executable image, then distribution of such an image shall neither be construed as a distribution of this Package nor shall it fall under the restrictions of Paragraphs 3 and 4, provided that you do not represent such an executable image as a Standard Version of this Package.

7. C subroutines (or comparably compiled subroutines in other languages) supplied by you and linked into this Package in order to emulate subroutines and variables of the language defined by this Package shall not be considered part of this Package, but are the equivalent of input as in Paragraph 6, provided these subroutines do not change the language in any way that would cause it to fail the regression tests for the language.

8. Aggregation of this Package with a commercial distribution is always permitted provided that the use of this Package is embedded; that is, when no overt attempt is made to make this Package's interfaces visible to the end user of the commercial distribution. Such use shall not be construed as a distribution of this Package.

9. The name of the Copyright Holder may not be used to endorse or promote products derived from this software without specific prior written permission.

10. THIS PACKAGE IS PROVIDED "AS IS" AND WITHOUT ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, WITHOUT LIMITATION, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE.

The End

Additional License(s)

Copyright (c) 2001-2005 Robin Berjon. All rights reserved.

\*\*\*\*\*

%% The following software may be included in this product:

iso-relax.jar

Use of any of this software is governed by the terms of the license below:

The MIT License

Copyright (c)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Copyright 200

Additional License(s)

"copyright" and "license" results in the following hits:

- > \* The above copyright notice and this permission notice shall be included
- > \* distribute, sublicense, and/or sell copies of the Software, and to

GNU, GPL, LGPL reveals no hit. "?" hits a lot of things but none of them are relevant to the licensing terms.

\*\*\*\*\*

%%The following software may be included in this product:  
relaxngDatatype.jar

Use of any of this software is governed by the terms of the license below:

Copyright (c) 2001, Thai Open Source Software Center Ltd, Sun Microsystems.  
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

Neither the names of the copyright holders nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE REGENTS OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Additional License(s)

Got the following hits. No hit for GNU, GPL, LGPL.

- > Redistributions of source code must retain the above copyright
- > Neither the names of the copyright holders nor the names of its
- > this license is the BSD license.

\*\*\*\*\*

%%The following software may be included in this product:  
RELAX NG Object Model/Parser

Use of any of this software is governed by the terms of the license below:

The MIT License

Copyright (c)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Additional License(s)

See <https://rngom.dev.java.net/doc/index.html>

\*\*\*\*\*

%%The following software may be included in this product:  
RelaxNGCC

Use of any of this software is governed by the terms of the license below:

Copyright (c) 2000-2003 Daisuke Okajima and Kohsuke Kawaguchi.  
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The end-user documentation included with the redistribution, if any, must include the following acknowledgment:

"This product includes software developed by Daisuke Okajima and Kohsuke Kawaguchi (<http://relaxngcc.sf.net/>)."

Alternately, this acknowledgment may appear in the software itself, if and wherever such third-party acknowledgments normally appear.

4. The names of the copyright holders must not be used to endorse or promote products derived from this software without prior written permission. For written permission, please contact the copyright holders.
5. Products derived from this software may not be called "RELAXNGCC", nor may "RELAXNGCC" appear in their name, without prior written permission of the copyright holders.

THIS SOFTWARE IS PROVIDED "AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE APACHE SOFTWARE FOUNDATION OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Additional License(s)

None found

\*\*\*\*\*

% The following software may be included in this product:  
XML Resolver library

Use of any of this software is governed by the terms of the license below:

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the

editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the



Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the

same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Additional License(s)

All occurrences of copyright, license and (c) refer to the Apache 1.1 license.

No occurrences of GNU, GPL, LGPL.

\*\*\*\*\*

%The following software may be included in this product:

Stax API (only)

Use of any of this software is governed by the terms of the license below:

Streaming API for XML (JSR-173) Specification  
Reference Implementation  
License Agreement

READ THE TERMS OF THIS (THE "AGREEMENT") CAREFULLY BEFORE VIEWING OR USING THE SOFTWARE LICENS ED HEREUNDER. BY VIEWING OR USING THE SOFTWARE, YOU AGREE TO THE TERMS OF THIS AGREEMENT. IF YOU ARE ACCESSING THE SOFTWARE ELECTRONICALLY, INDICATE YOUR ACCEPTANCE OF THESE TERMS BY SELE CTING THE "ACCEPT" BUTTON AT THE END OF THIS AGREEMENT. IF YOU DO NOT AGREE TO ALL THESE TERMS , PROMPTLY RETURN THE UNUSED SOFTWARE TO ORIGINAL CONTRIBUTOR, DEFINED HEREIN.

1.0 DEFINITIONS.

1.1. "BEA" means BEA Systems, Inc., the licensor of the Original Code.

1.2. "Contributor" means BEA and each entity that creates or contributes to the creation of Modifications.

1.3. "Covered Code" means the Original Code or Modifications or the combination of the Original Code and Modifications, in each case including portions thereof and corresponding documentation released with the source code.

1.4. "Executable" means Covered Code in any form other than Source Code.

1.5. "FCS" means first commercial shipment of a product.

1.6. "Modifications" means any addition to or deletion from the substance or structure of either the Original Code or any previous Modifications. When Covered Code is released as a series of files, a Modification is:

(a) Any addition to or deletion from the contents of a file containing Original Code or previous Modifications.

(b) Any new file that contains any part of the Original Code or previous Modifications.

1.7. "Original Code" means Source Code of computer software code Reference Implementation.

1.8. "Patent Claims" means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent for which the grantor has the right to grant a license.

1.9. "Reference Implementation" means the prototype or "proof of concept" implementation of the Specification developed and made available for license by or on behalf of BEA.

1.10. "Source Code" means the preferred form of the Covered Code for making modifications to it, including all modules it contains, plus any associated documentation, interface definition files, scripts used to control compilation and installation of an Executable, or source code differential comparisons against either the Original Code or another well known,

available Code of the Contributor's choice.

1.11. "Specification" means the written specification for the Streaming API for XML, Java technology developed pursuant to the Java Community Process.

1.12. "Technology Compatibility Kit" or "TCK" means the documentation, testing tools and test suites associated with the Specification as may be revised by BEA from time to time, that is provided so that an implementer of the Specification may determine if its implementation is compliant with the Specification.

1.13. "You" (or "Your") means an individual or a legal entity exercising rights under, and complying with all of the terms of, this Agreement or a future version of this Agreement issued under Section 6.1. For legal entities, "You" includes any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, "control" means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

## 2.0 SOURCE CODE LICENSE.

2.1. Copyright Grant. Subject to the terms of this Agreement, each Contributor hereby grants You a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare derivative works of, publicly display, publicly perform, distribute and sublicense the Covered Code of such Contributor, if any, and such derivative works, in Source Code and Executable form.

2.2. Patent Grant. Subject to the terms of this Agreement, each Contributor hereby grants You a non-exclusive, worldwide, royalty-free patent license under the Patent Claims to make, use, sell, offer to sell, import and otherwise transfer the Covered Code prepared and provided by such Contributor, if any, in Source Code and Executable form. This patent license shall apply to the Covered Code if, at the time a Modification is added by the Contributor,

such addition  
of the Modification causes such combination to be covered by the Patent Claims.  
The patent li  
cense shall not apply to any other combinations which include the Modification.

2.3. Conditions to Grants. You understand that although each Contributor grants the licenses to the Covered Code prepared by it, no assurances are provided by any Contributor that the Covered Code does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to You for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, You hereby assume sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow You to distribute Covered Code, it is Your responsibility to acquire that license before distributing such code.

2.4. Contributors' Representation. Each Contributor represents that to its knowledge it has sufficient copyright rights in the Covered Code it provides, if any, to grant the copyright license set forth in this Agreement.

### 3.0 DISTRIBUTION RESTRICTIONS.

#### 3.1. Application of Agreement.

The Modifications which You create or to which You contribute are governed by the terms of this Agreement, including without limitation Section 2.0. The Source Code version of Covered Code may be distributed only under the terms of this Agreement or a future version of this Agreement released under Section 6.1, and You must include a copy of this Agreement with every copy of the Source Code You distribute. You may not offer or impose any terms on any Source Code version that alters or restricts the applicable version of this Agreement or the recipients' rights hereunder. However, You may include an additional document offering the additional rights described in Section 3.3.

3.2. Description of Modifications.

You must cause all Covered Code to which You contribute to contain a file documenting the changes You made to create that Covered Code and the date of any change. You must include a prominent statement that the Modification is derived, directly or indirectly, from Original Code provided by BEA and including the name of BEA in (a) the Source Code, and (b) in any notice in an Executable version or related documentation in which You describe the origin or ownership of the Covered Code.

\*\*\*\*\*

%%The following software may be included in this product:  
XMLWriter

Use of any of this software is governed by the terms of the license below:

XMLWriter IS FREE  
-----

I hereby abandon any property rights to XMLWriter 0.1, and release all of the XMLWriter 0.1 source code, compiled code, and documentation contained in this distribution into the Public Domain. XMLWriter comes with NO WARRANTY or guarantee of fitness for any purpose.

David Megginson  
david@megginson.com  
2000-04-19

Additional License(s)

I grep-ed the source. GNU and GPL has no hits, '?' yields 11 hits but none of them are license related. "copyright" and "license" yield no hits either.

\*\*\*\*\*

```
/*
* The Apache Software License, Version 1.1
*
*
* Copyright (c) 1999-2004 The Apache Software Foundation. All rights
* reserved.
*
```

\* Redistribution and use in source and binary forms, with or without  
 \* modification, are permitted provided that the following conditions  
 \* are met:  
 \*  
 \* 1. Redistributions of source code must retain the above copyright  
 \* notice, this list of conditions and the following disclaimer.  
 \*  
 \* 2. Redistributions in binary form must reproduce the above copyright  
 \* notice, this list of conditions and the following disclaimer in  
 \* the documentation and/or other materials provided with the  
 \* distribution.  
 \*  
 \* 3. The end-user documentation included with the redistribution,  
 \* if any, must include the following acknowledgment:  
 \* "This product includes software developed by the  
 \* Apache Software Foundation (<http://www.apache.org/>)."  
 \* Alternately, this acknowledgment may appear in the software itself,  
 \* if and wherever such third-party acknowledgments normally appear.  
 \*  
 \* 4. The names "Xerces" and "Apache Software Foundation" must  
 \* not be used to endorse or promote products derived from this  
 \* software without prior written permission. For written  
 \* permission, please contact [apache@apache.org](mailto:apache@apache.org).  
 \*  
 \* 5. Products derived from this software may not be called "Apache",  
 \* nor may "Apache" appear in their name, without prior written  
 \* permission of the Apache Software Foundation.  
 \*  
 \* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED  
 \* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES  
 \* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE  
 \* DISCLAIMED. IN NO EVENT SHALL THE APACHE SOFTWARE FOUNDATION OR  
 \* ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,  
 \* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT  
 \* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF  
 \* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND  
 \* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,  
 \* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT  
 \* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF  
 \* SUCH DAMAGE.  
 \*  
 \* =====  
 \*  
 \* This software consists of voluntary contributions made by many  
 \* individuals on behalf of the Apache Software Foundation and was  
 \* originally based on software copyright (c) 1999, International  
 \* Business Machines, Inc., <http://www.ibm.com>. For more  
 \* information on the Apache Software Foundation, please see  
 \* <<http://www.apache.org/>>.



\*/

## COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL) Version 1.0

### 1. Definitions.

1.1. Contributor means each individual or entity that creates or contributes to the creation of Modifications.

1.2. Contributor Version means the combination of the Original Software, prior Modifications used by a Contributor (if any), and the Modifications made by that particular Contributor.

1.3. Covered Software means (a) the Original Software, or (b) Modifications, or (c) the combination of files containing Original Software with files containing Modifications, in each case including portions thereof.

1.4. Executable means the Covered Software in any form other than Source Code.

1.5. Initial Developer means the individual or entity that first makes Original Software available under this License.

1.6. Larger Work means a work which combines Covered Software or portions thereof with code not governed by the terms of this License.

1.7. License means this document.

1.8. Licensable means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed herein.

1.9. Modifications means the Source Code and Executable form of any of the following:

A. Any file that results from an addition to, deletion from or modification of the contents of a file containing Original Software or previous Modifications;

B. Any new file that contains any part of the Original Software or previous Modification; or

C. Any new file that is contributed or otherwise made available under the terms of this License.

1.10. Original Software means the Source Code and Executable form of computer software code that is originally released under this License.

1.11. Patent Claims means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent Licensable by grantor.

1.12. Source Code means (a) the common form of computer software code in which modifications are made and (b) associated documentation included in or with such code.

1.13. You (or Your) means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License. For legal entities, You includes any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, control means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

## 2. License Grants.

### 2.1. The Initial Developer Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, the Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license:

- (a) under intellectual property rights (other than patent or trademark) Licensable by Initial Developer, to use, reproduce, modify, display, perform, sublicense and distribute the Original Software (or portions thereof), with or without Modifications, and/or as part of a Larger Work; and
- (b) under Patent Claims infringed by the making, using or selling of Original Software, to make, have made, use, practice, sell, and offer for sale, and/or otherwise dispose of the Original Software (or portions thereof).
- (c) The licenses granted in Sections 2.1(a) and (b) are effective on the date Initial Developer first distributes or otherwise makes the Original Software available to a third party under the terms of this License.
- (d) Notwithstanding Section 2.1(b) above, no patent license is granted: (1) for code that You delete from the Original Software, or (2) for infringements caused by: (i) the modification of the Original Software, or (ii) the combination of the Original Software with other software or devices.

### 2.2. Contributor Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

- (a) under intellectual property rights (other than patent or trademark) Licensable by Contributor to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof), either on an unmodified basis, with other Modifications, as Covered Software and/or as part of a Larger Work; and
- (b) under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor either alone and/or in combination with its Contributor Version (or portions of such combination), to make, use, sell, offer for sale, have made, and/or otherwise dispose of: (1) Modifications made by that Contributor (or portions thereof); and (2) the combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).
- (c) The licenses granted in Sections 2.2(a) and 2.2(b) are effective on the date Contributor first distributes or otherwise makes the Modifications available to a third party.
- (d) Notwithstanding Section 2.2(b) above, no patent license is granted: (1) for any code that Contributor has deleted from the Contributor Version; (2) for infringements caused by: (i) third party modifications of Contributor Version, or (ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or (3) under Patent Claims infringed by Covered Software in the absence of Modifications made by that Contributor.

## 3. Distribution Obligations.

### 3.1. Availability of Source Code.

Any Covered Software that You distribute or otherwise make available in Executable form must also be made available in Source Code form and that Source Code form must be distributed only under the terms of this License. You must include a copy of this License with every copy of the Source Code form of the Covered Software You distribute or otherwise make available. You must inform recipients of any such Covered Software in Executable form as to how they can obtain such Covered Software in Source Code form in a reasonable manner on or through a medium customarily used for software exchange.

### 3.2. Modifications.

The Modifications that You create or to which You contribute are governed by the terms of this License. You represent that You believe Your Modifications are Your original creation(s) and/or You have sufficient rights to grant the rights conveyed by this License.

### 3.3. Required Notices.

You must include a notice in each of Your Modifications that identifies You as the Contributor of the Modification. You may not remove or alter any copyright, patent or trademark notices contained within the Covered Software, or any notices of licensing or any descriptive text giving attribution to any Contributor or the Initial Developer.

### 3.4. Application of Additional Terms.

You may not offer or impose any terms on any Covered Software in Source Code form that alters or restricts the applicable version of this License or the recipients rights hereunder. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, you may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it absolutely clear that any such warranty, support, indemnity or liability obligation is offered by You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of warranty, support, indemnity or liability terms You offer.

### 3.5. Distribution of Executable Versions.

You may distribute the Executable form of the Covered Software under the terms of this License or under the terms of a license of Your choice, which may contain terms different from this License, provided that You are in compliance with the terms of this License and that the license for the Executable form does not attempt to limit or alter the recipients rights in the Source Code form from the rights set forth in this License. If You distribute the Covered Software in Executable form under a different license, You must make it absolutely clear that any terms which differ from this License are offered by You alone, not by the Initial Developer or Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer.

### 3.6. Larger Works.

You may create a Larger Work by combining Covered Software with other code not governed by the terms of this License and distribute the Larger Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled for the Covered Software.

## 4. Versions of the License.

### 4.1. New Versions.

Sun Microsystems, Inc. is the initial license steward and may publish revised and/or new versions of this License from time to time. Each version will be given a distinguishing version number. Except as provided in Section 4.3, no one other than the license steward has the right to modify this License.

### 4.2. Effect of New Versions.

You may always continue to use, distribute or otherwise make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. If the Initial Developer includes a notice in the Original Software prohibiting it from being distributed or otherwise made available under any subsequent version of the License, You must distribute and make the Covered Software available under the terms of

the version of the License under which You originally received the Covered Software. Otherwise, You may also choose to use, distribute or otherwise make the Covered Software available under the terms of any subsequent version of the License published by the license steward.

#### 4.3. Modified Versions.

When You are an Initial Developer and You want to create a new license for Your Original Software, You may create and use a modified version of this License if You: (a) rename the license and remove any references to the name of the license steward (except to note that the license differs from this License); and (b) otherwise make it clear that the license contains terms which differ from this License.

#### 5. DISCLAIMER OF WARRANTY.

COVERED SOFTWARE IS PROVIDED UNDER THIS LICENSE ON AN AS IS BASIS, WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES THAT THE COVERED SOFTWARE IS FREE OF DEFECTS, MERCHANTABLE, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED SOFTWARE IS WITH YOU. SHOULD ANY COVERED SOFTWARE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED SOFTWARE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

#### 6. TERMINATION.

6.1. This License and the rights granted hereunder will terminate automatically if You fail to comply with terms herein and fail to cure such breach within 30 days of becoming aware of the breach. Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive.

6.2. If You assert a patent infringement claim (excluding declaratory judgment actions) against Initial Developer or a Contributor (the Initial Developer or Contributor against whom You assert such claim is referred to as Participant) alleging that the Participant Software (meaning the Contributor Version where the Participant is a Contributor or the Original Software where the Participant is the Initial Developer) directly or indirectly infringes any patent, then any and all rights granted directly or indirectly to You by such Participant, the Initial Developer (if the Initial Developer is not the Participant) and all Contributors under Sections 2.1 and/or 2.2 of this License shall, upon 60 days notice from Participant terminate prospectively and automatically at the expiration of such 60 day notice period, unless if within such 60 day period You withdraw Your claim with respect to the Participant Software against such Participant either unilaterally or pursuant to a written agreement with Participant.

6.3. In the event of termination under Sections 6.1 or 6.2 above, all end user licenses that have been validly granted by You or any distributor hereunder prior to termination (excluding licenses granted to You by any distributor) shall survive termination.

#### 7. LIMITATION OF LIABILITY.

UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED SOFTWARE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR

CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOST PROFITS, LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTYS NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

#### 8. U.S. GOVERNMENT END USERS.

The Covered Software is a commercial item, as that term is defined in 48C.F.R.2.101 (Oct. 1995), consisting of commercial computer software (as that term is defined at 48 C.F.R. 252.227-7014(a)(1)) and commercial computer software documentation as such terms are used in 48C.F.R.12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4 (June 1995), all U.S. Government End Users acquire Covered Software with only those rights set forth herein. This U.S. Government Rights clause is in lieu of, and supersedes, any other FAR, DFAR, or other clause or provision that addresses Government rights in computer software under this License.

#### 9. MISCELLANEOUS.

This License represents the complete agreement concerning subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by the law of the jurisdiction specified in a notice contained within the Original Software (except to the extent applicable law, if any, provides otherwise), excluding such jurisdictions conflict-of-law provisions. Any litigation relating to this License shall be subject to the jurisdiction of the courts located in the jurisdiction and venue specified in a notice contained within the Original Software, with the losing party responsible for costs, including, without limitation, court costs and reasonable attorneys fees and expenses. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not apply to this License. You agree that You alone are responsible for compliance with the United States export administration regulations (and the export control laws and regulation of any other countries) when You use, distribute or otherwise make available any Covered Software.

#### 10. RESPONSIBILITY FOR CLAIMS.

As between Initial Developer and the Contributors, each party is responsible for claims and damages arising, directly or indirectly, out of its utilization of rights under this License and You agree to work with Initial Developer and Contributors to distribute such responsibility on an equitable basis. Nothing herein is intended or shall be deemed to constitute any admission of liability.

#### NOTICE PURSUANT TO SECTION 9 OF THE COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL)

The GlassFish code released under the CDDL shall be governed by the laws of the State of California (excluding conflict-of-law provisions). Any litigation relating to this License shall be subject to the jurisdiction of the Federal Courts of the Northern District of California and the state courts of the State of California, with venue lying in Santa Clara County, California.

xml-commons/LICENSE.txt \$Id: LICENSE.txt 226068 2003-07-06 03:27:45Z crossley \$  
See README.txt for additional licensing information.

```
/* =====  
* The Apache Software License, Version 1.1  
*  
* Copyright (c) 2001-2003 The Apache Software Foundation. All rights  
* reserved.  
*  
* Redistribution and use in source and binary forms, with or without  
* modification, are permitted provided that the following conditions  
* are met:  
*  
* 1. Redistributions of source code must retain the above copyright  
* notice, this list of conditions and the following disclaimer.  
*  
* 2. Redistributions in binary form must reproduce the above copyright  
* notice, this list of conditions and the following disclaimer in  
* the documentation and/or other materials provided with the  
* distribution.  
*  
* 3. The end-user documentation included with the redistribution,  
* if any, must include the following acknowledgment:  
* "This product includes software developed by the  
* Apache Software Foundation (http://www.apache.org/)."  
* Alternately, this acknowledgment may appear in the software itself,  
* if and wherever such third-party acknowledgments normally appear.  
*  
* 4. The names "Apache" and "Apache Software Foundation" must  
* not be used to endorse or promote products derived from this  
* software without prior written permission. For written  
* permission, please contact apache@apache.org.  
*  
* 5. Products derived from this software may not be called "Apache",  
* nor may "Apache" appear in their name, without prior written  
* permission of the Apache Software Foundation.  
*  
* THIS SOFTWARE IS PROVIDED ``AS IS'' AND ANY EXPRESSED OR IMPLIED  
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES  
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE  
* DISCLAIMED. IN NO EVENT SHALL THE APACHE SOFTWARE FOUNDATION OR  
* ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,  
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT  
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF  
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND  
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,  
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT  
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
```

\* SUCH DAMAGE.

\* =====

\*

\* This software consists of voluntary contributions made by many  
\* individuals on behalf of the Apache Software Foundation. For more  
\* information on the Apache Software Foundation, please see  
\* <<http://www.apache.org/>>.

\*/

## 1.129 jackson-integration-for-metrics 4.0.5

### 1.129.1 Available under license :

No license file was found, but licenses were detected in source scan.

Manifest-Version: 1.0

Bnd-LastModified: 1545938158164

Build-Jdk: 1.8.0\_191

Built-By: artem

Bundle-Description: A set of Jackson modules which provide serializers  
for most Metrics classes.

Bundle-License: <http://www.apache.org/licenses/LICENSE-2.0.html>

Bundle-ManifestVersion: 2

Bundle-Name: Jackson Integration for Metrics

Bundle-SymbolicName: io.dropwizard.metrics.json

Bundle-Version: 4.0.5

Created-By: Apache Maven Bundle Plugin

Export-Package: com.codahale.metrics.json;uses:="com.codahale.metrics,  
com.fasterxml.jackson.core,com.fasterxml.jackson.databind";version="4  
.0.5"

Implementation-Title: Jackson Integration for Metrics

Implementation-URL: <http://metrics.dropwizard.io/metrics-json>

Implementation-Vendor-Id: io.dropwizard.metrics

Implementation-Version: 4.0.5

Import-Package: com.codahale.metrics;version="[4.0,5)",com.codahale.me  
trics.health;version="[4.0,5)";resolution:=optional,com.fasterxml.jac  
kson.core;version="[2.9,3)",com.fasterxml.jackson.databind;version="[  
2.9,3)",com.fasterxml.jackson.databind.module;version="[2.9,3)",com.f  
asterxml.jackson.databind.ser;version="[2.9,3)",com.fasterxml.jackson  
.databind.ser.std;version="[2.9,3)"

Require-Capability: osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=1.8))"

Tool: Bnd-3.3.0.201609221906

Found in path(s):

\* /opt/cola/permits/1274705522\_1648836004.08/0/metrics-json-4-0-5-jar/META-INF/MANIFEST.MF

# 1.130 jvm-integration-for-metrics 4.0.5

## 1.130.1 Available under license :

No license file was found, but licenses were detected in source scan.

Manifest-Version: 1.0  
Bnd-LastModified: 1545937890888  
Build-Jdk: 1.8.0\_191  
Built-By: artem  
Bundle-Description: A set of classes which allow you to monitor critical aspects of your Java Virtual Machine using Metrics.  
Bundle-License: <http://www.apache.org/licenses/LICENSE-2.0.html>  
Bundle-ManifestVersion: 2  
Bundle-Name: JVM Integration for Metrics  
Bundle-SymbolicName: io.dropwizard.metrics.jvm  
Bundle-Version: 4.0.5  
Created-By: Apache Maven Bundle Plugin  
Export-Package: com.codahale.metrics.jvm;uses:="com.codahale.metrics,javax.management";version="4.0.5"  
Implementation-Title: JVM Integration for Metrics  
Implementation-URL: <http://metrics.dropwizard.io/metrics-jvm>  
Implementation-Vendor-Id: io.dropwizard.metrics  
Implementation-Version: 4.0.5  
Import-Package: org.slf4j;version="[1.6.0,2.0.0)",com.sun.management;resolution:=optional,com.codahale.metrics;version="[4.0,5)",javax.management  
Require-Capability: osgi.ee;filter="(&(osgi.ee=JavaSE)(version=1.8))"  
Tool: Bnd-3.3.0.201609221906

Found in path(s):

\* /opt/cola/permits/1274701574\_1648835908.24/0/metrics-jvm-4-0-5-jar/META-INF/MANIFEST.MF

# 1.131 bson 4.2.3

## 1.131.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*  
* Copyright 2008-present MongoDB, Inc.  
* Copyright 2018 Cezary Bartosiak  
*  
* Licensed under the Apache License, Version 2.0 (the "License");  
* you may not use this file except in compliance with the License.  
* You may obtain a copy of the License at  
*  
* http://www.apache.org/licenses/LICENSE-2.0
```



\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-  
jar/org/bson/codecs/jsr310/LocalDateCodec.java  
\* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-  
jar/org/bson/codecs/jsr310/InstantCodec.java  
\* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-  
jar/org/bson/codecs/jsr310/LocalTimeCodec.java  
\* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-  
jar/org/bson/codecs/jsr310/Js310CodecProvider.java  
\* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-  
jar/org/bson/codecs/jsr310/LocalDateTimeCodec.java

No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright 2008-present MongoDB, Inc.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-  
jar/org/bson/codecs/BsonCodecProvider.java  
\* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-  
jar/org/bson/codecs/pojo/IdGenerators.java  
\* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-jar/org/bson/codecs/BsonCodec.java  
\* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-  
jar/org/bson/codecs/pojo/ConventionObjectIdGeneratorsImpl.java  
\* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-  
jar/org/bson/codecs/pojo/IdGenerator.java  
\* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-

jar/org/bson/codecs/pojo/IdPropertyModelHolder.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2008-present MongoDB, Inc.

\* Copyright (c) 2008-2014 Atlassian Pty Ltd

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-

jar/org/bson/util/AbstractCopyOnWriteMap.java

\* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-

jar/org/bson/util/CopyOnWriteMap.java

\* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-jar/org/bson/assertions/Assertions.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2008-present MongoDB, Inc.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-jar/org/bson/StringUtils.java

\* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-

jar/org/bson/json/JsonDoubleConverter.java

\* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-jar/org/bson/json/JsonInt32Converter.java  
\* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-jar/org/bson/json/JsonNullConverter.java  
\* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-jar/org/bson/BSONDecoder.java  
\* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-jar/org/bson/json/ShellMaxKeyConverter.java  
\* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-jar/org/bson/BsonElement.java  
\* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-jar/org/bson/BsonMaxKey.java  
\* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-jar/org/bson/codecs/pojo/TypeData.java  
\* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-jar/org/bson/LazyBSONObject.java  
\* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-jar/org/bson/internal/UuidHelper.java  
\* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-jar/org/bson/codecs/pojo/PropertyModel.java  
\* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-jar/org/bson/internal/CodecCache.java  
\* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-jar/org/bson/codecs/pojo/InstanceCreator.java  
\* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-jar/org/bson/codecs/jsr310/DateTimeBasedCodec.java  
\* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-jar/org/bson/codecs/pojo/annotations/BsonDiscriminator.java  
\* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-jar/org/bson/internal/ChildCodecRegistry.java  
\* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-jar/org/bson/codecs/pojo/PropertyMetadata.java  
\* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-jar/org/bson/AbstractBsonWriter.java  
\* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-jar/org/bson/internal/OverridableUuidRepresentationCodecRegistry.java  
\* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-jar/org/bson/BsonNumber.java  
\* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-jar/org/bson/BSONCallbackAdapter.java  
\* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-jar/org/bson/codecs/pojo/PojoBuilderHelper.java  
\* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-jar/org/bson/json/JsonWriterSettings.java  
\* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-jar/org/bson/codecs/pojo/ConventionDefaultsImpl.java  
\* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-jar/org/bson/codecs/ObjectIdGenerator.java  
\* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-jar/org/bson/codecs/pojo/annotations/BsonId.java  
\* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-jar/org/bson/codecs/NumberCodecHelper.java  
\* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-jar/org/bson/codecs/pojo/TypeParameterMap.java  
\* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-jar/org/bson/BsonValue.java  
\* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-jar/org/bson/BSONCallback.java  
\* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-

jar/org/bson/codecs/pojo/TypeWithTypeParameters.java  
\* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-  
jar/org/bson/json/ShellInt64Converter.java  
\* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-jar/org/bson/BsonContextType.java  
\* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-  
jar/org/bson/NoOpFieldNameValidator.java  
\* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-  
jar/org/bson/codecs/DocumentCodec.java  
\* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-jar/org/bson/BsonString.java  
\* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-  
jar/org/bson/codecs/BsonDBPointerCodec.java  
\* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-  
jar/org/bson/codecs/DocumentCodecProvider.java  
\* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-  
jar/org/bson/codecs/pojo/ClassModelBuilder.java  
\* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-jar/org/bson/internal/Base64.java  
\* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-jar/org/bson/json/JsonScanner.java  
\* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-jar/org/bson/json/JsonToken.java  
\* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-jar/org/bson/BSON.java  
\* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-  
jar/org/bson/codecs/UuidCodecProvider.java  
\* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-  
jar/org/bson/codecs/pojo/InstanceCreatorFactoryImpl.java  
\* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-jar/org/bson/json/JsonTokenType.java  
\* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-  
jar/org/bson/codecs/pojo/Convention.java  
\* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-jar/org/bson/BasicBSONCallback.java  
\* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-jar/org/bson/diagnostics/Logger.java  
\* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-jar/org/bson/codecs/UuidCodec.java  
\* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-jar/org/bson/io/BsonInputMark.java  
\* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-jar/org/bson/io/package-info.java  
\* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-  
jar/org/bson/json/ExtendedJsonMinKeyConverter.java  
\* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-jar/org/bson/io/BsonInput.java  
\* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-jar/org/bson/package-info.java  
\* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-  
jar/org/bson/codecs/pojo/annotations/package-info.java  
\* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-  
jar/org/bson/json/JsonSymbolConverter.java  
\* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-jar/org/bson/BsonDocumentReader.java  
\* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-  
jar/org/bson/codecs/pojo/PropertyModelBuilder.java  
\* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-  
jar/org/bson/codecs/pojo/annotations/BsonIgnore.java  
\* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-jar/org/bson/BsonWriter.java  
\* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-jar/org/bson/BSONObject.java  
\* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-jar/org/bson/BsonBinarySubType.java  
\* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-

jar/org/bson/codecs/AtomicLongCodec.java  
\* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-  
jar/org/bson/codecs/pojo/PropertyModelSerializationImpl.java  
\* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-  
jar/org/bson/codecs/pojo/annotations/BsonRepresentation.java  
\* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-  
jar/org/bson/codecs/pojo/InstanceCreatorFactory.java  
\* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-jar/org/bson/BsonInt32.java  
\* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-jar/org/bson/RawBsonArray.java  
\* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-jar/org/bson/codecs/BooleanCodec.java  
\* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-jar/org/bson/codecs/DoubleCodec.java  
\* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-  
jar/org/bson/json/ShellBinaryConverter.java  
\* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-jar/org/bson/codecs/Decoder.java  
\* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-  
jar/org/bson/codecs/ValueCodecProvider.java  
\* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-jar/org/bson/conversions/Bson.java  
\* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-jar/org/bson/internal/LazyCodec.java  
\* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-  
jar/org/bson/codecs/pojo/PojoSpecializationHelper.java  
\* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-  
jar/org/bson/json/LegacyExtendedJsonRegularExpressionConverter.java  
\* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-  
jar/org/bson/json/ShellRegularExpressionConverter.java  
\* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-  
jar/org/bson/internal/ProvidersCodecRegistry.java  
\* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-jar/org/bson/codecs/pojo/package-  
info.java  
\* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-jar/org/bson/json/Converter.java  
\* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-jar/org/bson/codecs/SymbolCodec.java  
\* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-  
jar/org/bson/codecs/pojo/PropertyAccessor.java  
\* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-jar/org/bson/BSONEncoder.java  
\* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-  
jar/org/bson/codecs/BsonInt64Codec.java  
\* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-jar/org/bson/types/StringRangeSet.java  
\* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-  
jar/org/bson/codecs/OverridableUuidRepresentationCodec.java  
\* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-jar/org/bson/types/MinKey.java  
\* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-  
jar/org/bson/codecs/pojo/annotations/BsonCreator.java  
\* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-jar/org/bson/types/MaxKey.java  
\* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-  
jar/org/bson/codecs/pojo/PropertyCodecRegistryImpl.java  
\* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-jar/org/bson/json/JsonReader.java  
\* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-  
jar/org/bson/codecs/BsonObjectIdCodec.java  
\* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-

jar/org/bson/codecs/BsonBinaryCodec.java  
 \* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-  
 jar/org/bson/codecs/pojo/PropertySerialization.java  
 \* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-jar/org/bson/codecs/Encoder.java  
 \* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-jar/org/bson/BasicBSONDecoder.java  
 \* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-jar/org/bson/AbstractBsonReader.java  
 \* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-  
 jar/org/bson/codecs/JsonObjectCodecProvider.java  
 \* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-jar/org/bson/json/JsonStringBuffer.java  
 \* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-  
 jar/org/bson/codecs/AtomicIntegerCodec.java  
 \* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-jar/org/bson/json/JsonObject.java  
 \* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-jar/org/bson/io/BsonOutput.java  
 \* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-  
 jar/org/bson/json/JsonBooleanConverter.java  
 \* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-  
 jar/org/bson/codecs/BsonBooleanCodec.java  
 \* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-  
 jar/org/bson/codecs/pojo/PojoCodec.java  
 \* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-  
 jar/org/bson/codecs/RawBsonDocumentCodec.java  
 \* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-  
 jar/org/bson/json/ShellUndefinedConverter.java  
 \* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-  
 jar/org/bson/codecs/pojo/FallbackPropertyCodecProvider.java  
 \* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-jar/org/bson/RawBsonDocument.java  
 \* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-jar/org/bson/BsonInt64.java  
 \* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-jar/org/bson/codecs/MinKeyCodec.java  
 \* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-jar/org/bson/codecs/IntegerCodec.java  
 \* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-  
 jar/org/bson/codecs/pojo/annotations/BsonProperty.java  
 \* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-jar/org/bson/Transformer.java  
 \* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-  
 jar/org/bson/codecs/pojo/Conventions.java  
 \* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-  
 jar/org/bson/codecs/BsonTimestampCodec.java  
 \* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-jar/org/bson/types/ObjectId.java  
 \* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-  
 jar/org/bson/json/ExtendedJsonTimestampConverter.java  
 \* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-jar/org/bson/BsonBinaryReader.java  
 \* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-  
 jar/org/bson/codecs/MapCodecProvider.java  
 \* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-  
 jar/org/bson/codecs/BsonInt32Codec.java  
 \* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-  
 jar/org/bson/codecs/pojo/PropertyAccessorImpl.java  
 \* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-jar/org/bson/UuidRepresentation.java  
 \* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-

jar/org/bson/codecs/BsonDateTimeCodec.java  
\* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-  
jar/org/bson/codecs/ByteArrayCodec.java  
\* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-jar/org/bson/json/JsonWriter.java  
\* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-  
jar/org/bson/codecs/RepresentationConfigurable.java  
\* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-jar/org/bson/util/package-info.java  
\* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-  
jar/org/bson/codecs/BsonValueCodec.java  
\* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-jar/org/bson/ByteBufNIO.java  
\* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-  
jar/org/bson/codecs/BsonMinKeyCodec.java  
\* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-  
jar/org/bson/codecs/pojo/CreatorExecutable.java  
\* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-jar/org/bson/codecs/DateCodec.java  
\* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-  
jar/org/bson/BsonDocumentWrapper.java  
\* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-jar/org/bson/BsonReader.java  
\* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-  
jar/org/bson/codecs/BsonNullCodec.java  
\* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-jar/org/bson/types/package-info.java  
\* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-jar/org/bson/util/Function.java  
\* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-jar/org/bson/LazyBSONDecoder.java  
\* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-  
jar/org/bson/BsonRegularExpression.java  
\* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-  
jar/org/bson/json/ExtendedJsonInt32Converter.java  
\* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-  
jar/org/bson/codecs/EncoderContext.java  
\* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-jar/org/bson/BsonJavaScript.java  
\* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-jar/org/bson/io/BasicOutputBuffer.java  
\* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-  
jar/org/bson/json/ShellMinKeyConverter.java  
\* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-  
jar/org/bson/json/StrictCharacterStreamJsonWriterSettings.java  
\* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-jar/org/bson/BsonDecimal128.java  
\* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-  
jar/org/bson/codecs/BsonRegularExpressionCodec.java  
\* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-  
jar/org/bson/BsonBinaryWriterSettings.java  
\* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-jar/org/bson/codecs/LongCodec.java  
\* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-  
jar/org/bson/codecs/pojo/ConventionUseGettersAsSettersImpl.java  
\* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-  
jar/org/bson/codecs/pojo/LazyPropertyModelCodec.java  
\* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-jar/org/bson/BsonObjectId.java  
\* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-  
jar/org/bson/codecs/pojo/MapPropertyCodecProvider.java

- \* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-jar/org/bson/json/StrictCharacterStreamJsonWriter.java
- \* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-jar/org/bson/codecs/MapCodec.java
- \* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-jar/org/bson/BsonBoolean.java
- \* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-jar/org/bson/codecs/BsonArrayCodec.java
- \* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-jar/org/bson/io/ByteBufferBsonInput.java
- \* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-jar/org/bson/codecs/BsonValueCodecProvider.java
- \* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-jar/org/bson/codecs/BsonTypeCodecMap.java
- \* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-jar/org/bson/codecs/MaxKeyCodec.java
- \* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-jar/org/bson/codecs/BsonDocumentCodec.java
- \* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-jar/org/bson/codecs/StringCodec.java
- \* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-jar/org/bson/types/Decimal128.java
- \* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-jar/org/bson/codecs/pojo/PropertyReflectionUtils.java
- \* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-jar/org/bson/BsonBinary.java
- \* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-jar/org/bson/codecs/ShortCodec.java
- \* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-jar/org/bson/diagnostics/Loggers.java
- \* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-jar/org/bson/codecs/pojo/DiscriminatorLookup.java
- \* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-jar/org/bson/Document.java
- \* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-jar/org/bson/codecs/AtomicBooleanCodec.java
- \* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-jar/org/bson/codecs/JsonObjectCodec.java
- \* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-jar/org/bson/LazyBSONList.java
- \* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-jar/org/bson/json/LegacyExtendedJsonDateTimeConverter.java
- \* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-jar/org/bson/codecs/pojo/EnumPropertyCodecProvider.java
- \* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-jar/org/bson/diagnostics/package-info.java
- \* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-jar/org/bson/json/JsonStringConverter.java
- \* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-jar/org/bson/codecs/BsonDocumentWrapperCodec.java
- \* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-jar/org/bson/BsonBinaryWriter.java
- \* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-jar/org/bson/codecs/IdGenerator.java
- \* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-jar/org/bson/codecs/configuration/CodecRegistry.java
- \* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-jar/org/bson/codecs/pojo/CollectionPropertyCodecProvider.java
- \* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-jar/org/bson/codecs/pojo/ConventionSetPrivateFieldImpl.java



\* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-jar/org/bson/types/CodeWithScope.java  
\* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-jar/org/bson/BsonReaderMark.java  
\* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-jar/org/bson/json/RelaxedExtendedJsonInt64Converter.java  
\* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-jar/org/bson/json/JsonStreamBuffer.java  
\* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-jar/org/bson/types/Symbol.java  
\* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-jar/org/bson/json/ExtendedJsonMaxKeyConverter.java  
\* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-jar/org/bson/codecs/BsonStringCodec.java  
\* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-jar/org/bson/BsonDocumentWriter.java  
\* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-jar/org/bson/codecs/ByteCodec.java  
\* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-jar/org/bson/json/StrictJsonWriter.java  
\* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-jar/org/bson/internal/CycleDetectingCodecRegistry.java  
\* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-jar/org/bson/BsonMinKey.java  
\* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-jar/org/bson/json/JsonParseException.java  
\* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-jar/org/bson/codecs/CodeCodec.java  
\* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-jar/org/bson/json/ExtendedJsonDecimal128Converter.java  
\* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-jar/org/bson/json/JsonBuffer.java  
\* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-jar/org/bson/codecs/Codec.java  
\* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-jar/org/bson/codecs/pojo/LazyMissingCodec.java  
\* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-jar/org/bson/json/ExtendedJsonDateTimeConverter.java  
\* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-jar/org/bson/io/OutputBuffer.java  
\* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-jar/org/bson/BasicBSONObject.java  
\* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-jar/org/bson/codecs/configuration/CodecProvider.java  
\* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-jar/org/bson/BsonUndefined.java  
\* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-jar/org/bson/codecs/CollectibleCodec.java  
\* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-jar/org/bson/BsonWriterSettings.java  
\* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-jar/org/bson/RawBsonValueHelper.java  
\* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-jar/org/bson/types/BSONTimestamp.java  
\* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-jar/org/bson/json/ExtendedJsonBinaryConverter.java  
\* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-jar/org/bson/BsonSymbol.java  
\* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-jar/org/bson/BsonTimestamp.java  
\* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-jar/org/bson/codecs/configuration/package-info.java  
\* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-jar/org/bson/codecs/pojo/ConventionAnnotationImpl.java  
\* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-jar/org/bson/LazyBSONCallback.java

\* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-jar/org/bson/json/RelaxedExtendedJsonDateTimeConverter.java  
\* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-jar/org/bson/json/RelaxedExtendedJsonDoubleConverter.java  
\* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-jar/org/bson/json/package-info.java  
\* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-jar/org/bson/codecs/CharacterCodec.java  
\* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-jar/org/bson/codecs/BsonMaxKeyCodec.java  
\* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-jar/org/bson/codecs/IterableCodecProvider.java  
\* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-jar/org/bson/json/LegacyExtendedJsonBinaryConverter.java  
\* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-jar/org/bson/BSONException.java  
\* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-jar/org/bson/json/ShellDecimal128Converter.java  
\* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-jar/org/bson/types/Code.java  
\* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-jar/org/bson/codecs/BsonJavaScriptWithScopeCodec.java  
\* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-jar/org/bson/BsonArray.java  
\* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-jar/org/bson/BsonJavaScriptWithScope.java  
\* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-jar/org/bson/BsonType.java  
\* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-jar/org/bson/codecs/pojo/Either.java  
\* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-jar/org/bson/codecs/pojo/AutomaticPojoCodec.java  
\* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-jar/org/bson/codecs/pojo/PojoCodecImpl.java  
\* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-jar/org/bson/json/ExtendedJsonObjectIdConverter.java  
\* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-jar/org/bson/json/ExtendedJsonRegularExpressionConverter.java  
\* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-jar/org/bson/json/JsonMode.java  
\* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-jar/org/bson/json/ExtendedJsonInt64Converter.java  
\* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-jar/org/bson/codecs/pojo/InstanceCreatorImpl.java  
\* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-jar/org/bson/json/ShellDateTimeConverter.java  
\* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-jar/org/bson/types/Binary.java  
\* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-jar/org/bson/codecs/pojo/PropertyCodecRegistry.java  
\* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-jar/org/bson/EmptyBSONCallback.java  
\* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-jar/org/bson/BsonDateTime.java  
\* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-jar/org/bson/codecs/UuidCodecHelper.java  
\* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-jar/org/bson/codecs/pojo/PojoCodecProvider.java

\* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-jar/org/bson/BsonDouble.java  
\* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-jar/org/bson/codecs/IterableCodec.java  
\* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-jar/org/bson/codecs/Decimal128Codec.java  
\* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-jar/org/bson/assertions/package-info.java  
\* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-jar/org/bson/BsonNull.java  
\* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-jar/org/bson/BsonSerializationException.java  
\* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-jar/org/bson/conversions/package-info.java  
\* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-jar/org/bson/codecs/PatternCodec.java  
\* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-jar/org/bson/BsonDocument.java  
\* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-jar/org/bson/ByteBuf.java  
\* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-jar/org/bson/BsonInvalidOperationException.java  
\* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-jar/org/bson/FieldNameValidator.java  
\* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-jar/org/bson/codecs/pojo/ClassModel.java  
\* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-jar/org/bson/diagnostics/SLF4JLogger.java  
\* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-jar/org/bson/codecs/OverridableUuidRepresentationUuidCodec.java  
\* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-jar/org/bson/codecs/configuration/MapOfCodecsProvider.java  
\* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-jar/org/bson/json/ShellObjectIdConverter.java  
\* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-jar/org/bson/types/BasicBSONList.java  
\* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-jar/org/bson/codecs/pojo/PropertyCodecProvider.java  
\* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-jar/org/bson/BasicBSONEncoder.java  
\* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-jar/org/bson/types/CodeWScope.java  
\* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-jar/org/bson/codecs/ObjectIdCodec.java  
\* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-jar/org/bson/codecs/jsr310/package-info.java  
\* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-jar/org/bson/diagnostics/NoOpLogger.java  
\* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-jar/org/bson/codecs/BsonDecimal128Codec.java  
\* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-jar/org/bson/json/ExtendedJsonUndefinedConverter.java  
\* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-jar/org/bson/codecs/BsonJavaScriptCodec.java  
\* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-jar/org/bson/internal/CodecRegistryHelper.java  
\* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-jar/org/bson/codecs/DecoderContext.java  
\* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-

jar/org/bson/codecs/configuration/CodecRegistries.java  
\* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-jar/org/bson/codecs/package-info.java  
\* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-jar/org/bson/codecs/BigDecimalCodec.java  
\* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-jar/org/bson/codecs/configuration/CodecConfigurationException.java  
\* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-jar/org/bson/codecs/BinaryCodec.java  
\* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-jar/org/bson/json/ShellTimestampConverter.java  
\* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-jar/org/bson/codecs/BsonDoubleCodec.java  
\* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-jar/org/bson/codecs/FloatCodec.java  
\* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-jar/org/bson/codecs/CodeWithScopeCodec.java  
\* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-jar/org/bson/Bits.java  
\* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-jar/org/bson/codecs/BsonUndefinedCodec.java  
\* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-jar/org/bson/json/DateTimeFormatter.java  
\* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-jar/org/bson/BsonMaximumSizeExceededException.java  
\* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-jar/org/bson/BsonDbPointer.java  
\* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-jar/org/bson/json/ExtendedJsonDoubleConverter.java  
\* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-jar/org/bson/codecs/BsonSymbolCodec.java  
\* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-jar/org/bson/codecs/BsonTypeClassMap.java  
\* /opt/cola/permits/1340031383\_1654618478.100768/0/bson-4-2-3-sources-jar/org/bson/json/JsonJavaScriptConverter.java

# 1.132 spring-commons-logging-bridge 5.3.19

## 1.132.1 Available under license :

Apache License  
Version 2.0, January 2004  
<https://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
  - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
  - (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
  - (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
  - (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special,

incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

#### END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<https://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

=====

SPRING FRAMEWORK 5.3.19 SUBCOMPONENTS:



Spring Framework 5.3.19 includes a number of subcomponents with separate copyright notices and license terms. The product that includes this file does not necessarily use all the open source subcomponents referred to below. Your use of the source code for these subcomponents is subject to the terms and conditions of the following licenses.

>>> ASM 9.1 (org.ow2.asm:asm:9.1, org.ow2.asm:asm-commons:9.1):

Copyright (c) 2000-2011 INRIA, France Telecom  
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. Neither the name of the copyright holders nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Copyright (c) 1999-2009, OW2 Consortium <<https://www.ow2.org/>>

>>> CGLIB 3.3 (cglib:cglib:3.3):

Per the LICENSE file in the CGLIB JAR distribution downloaded from [https://github.com/cglib/cglib/releases/download/RELEASE\\_3\\_3\\_0/cglib-3.3.0.jar](https://github.com/cglib/cglib/releases/download/RELEASE_3_3_0/cglib-3.3.0.jar),

CGLIB 3.3 is licensed under the Apache License, version 2.0, the text of which is included above.

>>> Objenesis 3.2 (org.objenesis:objenesis:3.2):

Per the LICENSE file in the Objenesis ZIP distribution downloaded from <http://objenesis.org/download.html>, Objenesis 3.2 is licensed under the Apache License, version 2.0, the text of which is included above.

Per the NOTICE file in the Objenesis ZIP distribution downloaded from <http://objenesis.org/download.html> and corresponding to section 4d of the Apache License, Version 2.0, in this case for Objenesis:

Objenesis

Copyright 2006-2019 Joe Walnes, Henri Tremblay, Leonardo Mesquita

---

To the extent any open source components are licensed under the EPL and/or other similar licenses that require the source code and/or modifications to source code to be made available (as would be noted above), you may obtain a copy of the source code corresponding to the binaries for such open source components and modifications thereto, if any, (the "Source Files"), by downloading the Source Files from <https://spring.io/projects>, Pivotal's website at <https://network.pivotal.io/open-source>, or by sending a request, with your name and address to: Pivotal Software, Inc., 875 Howard Street, 5th floor, San Francisco, CA 94103, Attention: General Counsel. All such requests should clearly specify: OPEN SOURCE FILES REQUEST, Attention General Counsel. Pivotal can mail a copy of the Source Files to you on a CD or equivalent physical medium.

This offer to obtain a copy of the Source Files is valid for three years from the date you acquired this Software product. Alternatively, the Source Files may accompany the Software.

Spring Framework 5.3.19

Copyright (c) 2002-2022 Pivotal, Inc.

This product is licensed to you under the Apache License, Version 2.0 (the "License"). You may not use this product except in compliance with the License.

This product may include a number of subcomponents with separate copyright notices and license terms. Your use of the source code for these subcomponents is subject to the terms and conditions of the subcomponent's license, as noted in the license.txt file.

# 1.133 micronaut-redis 5.2.0

## 1.133.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2017-2020 original authors
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * https://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1331473606_1653513048.6155212/0/micronaut-redis-lettuce-5-2-0-sources-
jar/io/micronaut/configuration/lettuce/package-info.java
* /opt/cola/permits/1331473606_1653513048.6155212/0/micronaut-redis-lettuce-5-2-0-sources-
jar/io/micronaut/configuration/lettuce/cache/AsyncCacheCommands.java
* /opt/cola/permits/1331473606_1653513048.6155212/0/micronaut-redis-lettuce-5-2-0-sources-
jar/io/micronaut/configuration/lettuce/health/package-info.java
* /opt/cola/permits/1331473606_1653513048.6155212/0/micronaut-redis-lettuce-5-2-0-sources-
jar/io/micronaut/configuration/lettuce/cache/RedisCache.java
* /opt/cola/permits/1331473606_1653513048.6155212/0/micronaut-redis-lettuce-5-2-0-sources-
jar/io/micronaut/configuration/lettuce/session/package-info.java
* /opt/cola/permits/1331473606_1653513048.6155212/0/micronaut-redis-lettuce-5-2-0-sources-
jar/io/micronaut/configuration/lettuce/test/EmbeddedRedisServer.java
* /opt/cola/permits/1331473606_1653513048.6155212/0/micronaut-redis-lettuce-5-2-0-sources-
jar/io/micronaut/configuration/lettuce/cache/expiration/ExpirationAfterWritePolicy.java
* /opt/cola/permits/1331473606_1653513048.6155212/0/micronaut-redis-lettuce-5-2-0-sources-
jar/io/micronaut/configuration/lettuce/NamedRedisServersConfiguration.java
* /opt/cola/permits/1331473606_1653513048.6155212/0/micronaut-redis-lettuce-5-2-0-sources-
jar/io/micronaut/configuration/lettuce/AbstractRedisConfiguration.java
* /opt/cola/permits/1331473606_1653513048.6155212/0/micronaut-redis-lettuce-5-2-0-sources-
jar/io/micronaut/configuration/lettuce/cache/AbstractRedisCacheConfiguration.java
* /opt/cola/permits/1331473606_1653513048.6155212/0/micronaut-redis-lettuce-5-2-0-sources-
jar/io/micronaut/configuration/lettuce/RedisSetting.java
* /opt/cola/permits/1331473606_1653513048.6155212/0/micronaut-redis-lettuce-5-2-0-sources-
jar/io/micronaut/configuration/lettuce/cache/expiration/ConstantExpirationAfterWritePolicy.java
```

\* /opt/cola/permits/1331473606\_1653513048.6155212/0/micronaut-redis-lettuce-5-2-0-sources-jar/io/micronaut/configuration/lettuce/cache/package-info.java  
\* /opt/cola/permits/1331473606\_1653513048.6155212/0/micronaut-redis-lettuce-5-2-0-sources-jar/io/micronaut/configuration/lettuce/cache/RedisCacheConfiguration.java  
\* /opt/cola/permits/1331473606\_1653513048.6155212/0/micronaut-redis-lettuce-5-2-0-sources-jar/io/micronaut/configuration/lettuce/session/RedisHttpSessionConfiguration.java  
\* /opt/cola/permits/1331473606\_1653513048.6155212/0/micronaut-redis-lettuce-5-2-0-sources-jar/io/micronaut/configuration/lettuce/test/package-info.java  
\* /opt/cola/permits/1331473606\_1653513048.6155212/0/micronaut-redis-lettuce-5-2-0-sources-jar/io/micronaut/configuration/lettuce/DefaultRedisClientFactory.java  
\* /opt/cola/permits/1331473606\_1653513048.6155212/0/micronaut-redis-lettuce-5-2-0-sources-jar/io/micronaut/configuration/lettuce/cache/DefaultRedisCacheConfiguration.java  
\* /opt/cola/permits/1331473606\_1653513048.6155212/0/micronaut-redis-lettuce-5-2-0-sources-jar/io/micronaut/configuration/lettuce/DefaultRedisConfiguration.java  
\* /opt/cola/permits/1331473606\_1653513048.6155212/0/micronaut-redis-lettuce-5-2-0-sources-jar/io/micronaut/configuration/lettuce/AbstractRedisClientFactory.java  
\* /opt/cola/permits/1331473606\_1653513048.6155212/0/micronaut-redis-lettuce-5-2-0-sources-jar/io/micronaut/configuration/lettuce/NamedRedisClientFactory.java  
\* /opt/cola/permits/1331473606\_1653513048.6155212/0/micronaut-redis-lettuce-5-2-0-sources-jar/io/micronaut/configuration/lettuce/cache/SyncCacheCommands.java  
\* /opt/cola/permits/1331473606\_1653513048.6155212/0/micronaut-redis-lettuce-5-2-0-sources-jar/io/micronaut/configuration/lettuce/RedisConnectionUtil.java  
\* /opt/cola/permits/1331473606\_1653513048.6155212/0/micronaut-redis-lettuce-5-2-0-sources-jar/io/micronaut/configuration/lettuce/session/RedisSessionStore.java  
\* /opt/cola/permits/1331473606\_1653513048.6155212/0/micronaut-redis-lettuce-5-2-0-sources-jar/io/micronaut/configuration/lettuce/DefaultRedisClusterClientFactory.java  
\* /opt/cola/permits/1331473606\_1653513048.6155212/0/micronaut-redis-lettuce-5-2-0-sources-jar/io/micronaut/configuration/lettuce/session/RedisSessionCommands.java

No license file was found, but licenses were detected in source scan.

# Licensed under the Apache License, Version 2.0 (the "License");  
# you may not use this file except in compliance with the License.  
# You may obtain a copy of the License at  
# distributed under the License is distributed on an "AS IS" BASIS,

Found in path(s):

\* /opt/cola/permits/1331473606\_1653513048.6155212/0/micronaut-redis-lettuce-5-2-0-sources-jar/META-INF/native-image/io.micronaut.redis/redis-lettuce/native-image.properties

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2017-2021 original authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

- \*
- \* Unless required by applicable law or agreed to in writing, software
- \* distributed under the License is distributed on an "AS IS" BASIS,
- \* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- \* See the License for the specific language governing permissions and
- \* limitations under the License.
- \*/

Found in path(s):

- \* /opt/cola/permits/1331473606\_1653513048.6155212/0/micronaut-redis-lettuce-5-2-0-sources-jar/io/micronaut/configuration/lettuce/ClientResourcesMutator.java
- \* /opt/cola/permits/1331473606\_1653513048.6155212/0/micronaut-redis-lettuce-5-2-0-sources-jar/io/micronaut/configuration/lettuce/MetricsClientResourceMutator.java
- \* /opt/cola/permits/1331473606\_1653513048.6155212/0/micronaut-redis-lettuce-5-2-0-sources-jar/io/micronaut/configuration/lettuce/ThreadPoolClientResourceMutator.java
- \* /opt/cola/permits/1331473606\_1653513048.6155212/0/micronaut-redis-lettuce-5-2-0-sources-jar/io/micronaut/configuration/lettuce/health/RedisHealthIndicator.java

## 1.134 google-guice 4.2.2

### 1.134.1 Available under license :

Google Guice - Extensions - MultiBindings  
Copyright 2006-2018 Google, Inc.

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

#### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

##### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or

otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual,

worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents

of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.



9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

## 1.135 jackson-bom 2.13.2

### 1.135.1 Available under license :

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of

the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
  - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
  - (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
  - (c) You must retain, in the Source form of any Derivative Works

that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. **Disclaimer of Warranty.** Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A

PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

## 1.136 google-gson 2.8.6

### 1.136.1 Available under license :

Google Gson

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

#### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

##### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a

copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct

or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of



this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following

boilerplate notice, with the fields enclosed by brackets "[ ]"  
replaced with your own identifying information. (Don't include  
the brackets!) The text should be enclosed in the appropriate  
comment syntax for the file format. We also recommend that a  
file or class name and description of purpose be included on the  
same "printed page" as the copyright notice for easier  
identification within third-party archives.

Copyright 2008-2011 Google Inc.

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software  
distributed under the License is distributed on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,  
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by  
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all  
other entities that control, are controlled by, or are under common  
control with that entity. For the purposes of this definition,  
"control" means (i) the power, direct or indirect, to cause the  
direction or management of such entity, whether by contract or  
otherwise, or (ii) ownership of fifty percent (50%) or more of the  
outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity  
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,

including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual,

worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.
6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. **Disclaimer of Warranty.** Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. **Limitation of Liability.** In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. **Accepting Warranty or Additional Liability.** While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf

of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

# 1.137 dropwizard-servlet-support 2.0.25

## 1.137.1 Available under license :

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise

designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. **Grant of Copyright License.** Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. **Grant of Patent License.** Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. **Redistribution.** You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
  - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
  - (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
  - (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
  - (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must



include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly

negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright 2010-2013 Coda Hale and Yammer, Inc., 2014-2020 Dropwizard Team

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

# 1.138 asm-commons 8.0.1

## 1.138.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
// All rights reserved.
// Redistribution and use in source and binary forms, with or without
// modification, are permitted provided that the following conditions
// are met:
// 1. Redistributions of source code must retain the above copyright
// notice, this list of conditions and the following disclaimer.
// 2. Redistributions in binary form must reproduce the above copyright
// notice, this list of conditions and the following disclaimer in the
// documentation and/or other materials provided with the distribution.
// 3. Neither the name of the copyright holders nor the names of its
// this software without specific prior written permission.
/**
 * Constructs a new { @link GeneratorAdapter}. <i>Subclasses must not use this constructor</i>.
 * Instead, they must use the { @link #GeneratorAdapter(int, MethodVisitor, int, String, String)}
 * version.
 *
 * @param methodVisitor the method visitor to which this adapter delegates calls.
 * @param access the method's access flags (see { @link Opcodes}).
 * @param name the method's name.
 * @param descriptor the method's descriptor (see { @link Type}).
 * @throws IllegalStateException if a subclass calls this constructor.
 */
```

Found in path(s):

```
* /opt/cola/permits/1104664946_1604644137.35/0/asm-commons-8-0-1-sources-1-
jar/org/objectweb/asm/commons/GeneratorAdapter.java
```

No license file was found, but licenses were detected in source scan.

```
// All rights reserved.
// Redistribution and use in source and binary forms, with or without
// modification, are permitted provided that the following conditions
// are met:
// 1. Redistributions of source code must retain the above copyright
// notice, this list of conditions and the following disclaimer.
// 2. Redistributions in binary form must reproduce the above copyright
// notice, this list of conditions and the following disclaimer in the
// documentation and/or other materials provided with the distribution.
// 3. Neither the name of the copyright holders nor the names of its
// this software without specific prior written permission.
```

Found in path(s):

```
* /opt/cola/permits/1104664946_1604644137.35/0/asm-commons-8-0-1-sources-1-
```

jar/org/objectweb/asm/commons/ModuleTargetAttribute.java  
\* /opt/cola/permits/1104664946\_1604644137.35/0/asm-commons-8-0-1-sources-1-  
jar/org/objectweb/asm/commons/Remapper.java  
\* /opt/cola/permits/1104664946\_1604644137.35/0/asm-commons-8-0-1-sources-1-  
jar/org/objectweb/asm/commons/InstructionAdapter.java  
\* /opt/cola/permits/1104664946\_1604644137.35/0/asm-commons-8-0-1-sources-1-  
jar/org/objectweb/asm/commons/JSRInlinerAdapter.java  
\* /opt/cola/permits/1104664946\_1604644137.35/0/asm-commons-8-0-1-sources-1-  
jar/org/objectweb/asm/commons/AnnotationRemapper.java  
\* /opt/cola/permits/1104664946\_1604644137.35/0/asm-commons-8-0-1-sources-1-  
jar/org/objectweb/asm/commons/StaticInitMerger.java  
\* /opt/cola/permits/1104664946\_1604644137.35/0/asm-commons-8-0-1-sources-1-  
jar/org/objectweb/asm/commons/ModuleResolutionAttribute.java  
\* /opt/cola/permits/1104664946\_1604644137.35/0/asm-commons-8-0-1-sources-1-  
jar/org/objectweb/asm/commons/AnalyzerAdapter.java  
\* /opt/cola/permits/1104664946\_1604644137.35/0/asm-commons-8-0-1-sources-1-  
jar/org/objectweb/asm/commons/RecordComponentRemapper.java  
\* /opt/cola/permits/1104664946\_1604644137.35/0/asm-commons-8-0-1-sources-1-  
jar/org/objectweb/asm/commons/SimpleRemapper.java  
\* /opt/cola/permits/1104664946\_1604644137.35/0/asm-commons-8-0-1-sources-1-  
jar/org/objectweb/asm/commons/SignatureRemapper.java  
\* /opt/cola/permits/1104664946\_1604644137.35/0/asm-commons-8-0-1-sources-1-  
jar/org/objectweb/asm/commons/AdviceAdapter.java  
\* /opt/cola/permits/1104664946\_1604644137.35/0/asm-commons-8-0-1-sources-1-  
jar/org/objectweb/asm/commons/Method.java  
\* /opt/cola/permits/1104664946\_1604644137.35/0/asm-commons-8-0-1-sources-1-  
jar/org/objectweb/asm/commons/CodeSizeEvaluator.java  
\* /opt/cola/permits/1104664946\_1604644137.35/0/asm-commons-8-0-1-sources-1-  
jar/org/objectweb/asm/commons/TryCatchBlockSorter.java  
\* /opt/cola/permits/1104664946\_1604644137.35/0/asm-commons-8-0-1-sources-1-  
jar/org/objectweb/asm/commons/ModuleRemapper.java  
\* /opt/cola/permits/1104664946\_1604644137.35/0/asm-commons-8-0-1-sources-1-  
jar/org/objectweb/asm/commons/MethodRemapper.java  
\* /opt/cola/permits/1104664946\_1604644137.35/0/asm-commons-8-0-1-sources-1-  
jar/org/objectweb/asm/commons/ClassRemapper.java  
\* /opt/cola/permits/1104664946\_1604644137.35/0/asm-commons-8-0-1-sources-1-  
jar/org/objectweb/asm/commons/ModuleHashesAttribute.java  
\* /opt/cola/permits/1104664946\_1604644137.35/0/asm-commons-8-0-1-sources-1-  
jar/org/objectweb/asm/commons/TableSwitchGenerator.java  
\* /opt/cola/permits/1104664946\_1604644137.35/0/asm-commons-8-0-1-sources-1-  
jar/org/objectweb/asm/commons/FieldRemapper.java  
No license file was found, but licenses were detected in source scan.

// All rights reserved.  
// Redistribution and use in source and binary forms, with or without  
// modification, are permitted provided that the following conditions  
// are met:  
// 1. Redistributions of source code must retain the above copyright

```

// notice, this list of conditions and the following disclaimer.
// 2. Redistributions in binary form must reproduce the above copyright
// notice, this list of conditions and the following disclaimer in the
// documentation and/or other materials provided with the distribution.
// 3. Neither the name of the copyright holders nor the names of its
// this software without specific prior written permission.
/**
 * Constructs a new { @link LocalVariablesSorter}. <i>Subclasses must not use this constructor</i>.
 * Instead, they must use the { @link #LocalVariablesSorter(int, int, String, MethodVisitor)}
 * version.
 *
 * @param access access flags of the adapted method.
 * @param descriptor the method's descriptor (see { @link Type}).
 * @param methodVisitor the method visitor to which this adapter delegates calls.
 * @throws IllegalStateException if a subclass calls this constructor.
 */

```

Found in path(s):

```

* /opt/cola/permits/1104664946_1604644137.35/0/asm-commons-8-0-1-sources-1-
jar/org/objectweb/asm/commons/LocalVariablesSorter.java

```

No license file was found, but licenses were detected in source scan.

2011 INRIA, France Telecom

```

* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
* 1. Redistributions of source code must retain the above copyright
* notice, this list of conditions and the following disclaimer.
* 2. Redistributions in binary form must reproduce the above copyright
* notice, this list of conditions and the following disclaimer in the
* documentation and/or other materials provided with the distribution.
* 3. Neither the name of the copyright holders nor the names of its
* contributors may be used to endorse or promote products derived from
* this software without specific prior written permission.
*
* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS"
* AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
* ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE
* LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR
* CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF
* SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS
* INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN
* CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF
* THE POSSIBILITY OF SUCH DAMAGE.

```

Found in path(s):

```
* /opt/cola/permits/1104664946_1604644137.35/0/asm-commons-8-0-1-sources-1-jar/org/objectweb/asm/commons/package.html
```

No license file was found, but licenses were detected in source scan.

```
// All rights reserved.
// Redistribution and use in source and binary forms, with or without
// modification, are permitted provided that the following conditions
// are met:
// 1. Redistributions of source code must retain the above copyright
// notice, this list of conditions and the following disclaimer.
// 2. Redistributions in binary form must reproduce the above copyright
// notice, this list of conditions and the following disclaimer in the
// documentation and/or other materials provided with the distribution.
// 3. Neither the name of the copyright holders nor the names of its
// this software without specific prior written permission.
/**
 * Constructs a new { @link SerialVersionUIDAdder}. <i>Subclasses must not use this
 * constructor</i>. Instead, they must use the { @link #SerialVersionUIDAdder(int, ClassVisitor)}
 * version.
 *
 * @param classVisitor a { @link ClassVisitor} to which this visitor will delegate calls.
 * @throws IllegalStateException If a subclass calls this constructor.
 */
```

Found in path(s):

```
* /opt/cola/permits/1104664946_1604644137.35/0/asm-commons-8-0-1-sources-1-jar/org/objectweb/asm/commons/SerialVersionUIDAdder.java
```

# 1.139 guava v30.0

## 1.139.1 Available under license :

Doug Lea

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by

the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
  - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
  - (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
  - (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
  - (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained



within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. **Disclaimer of Warranty.** Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. **Limitation of Liability.** In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be

liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.

You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

# 1.140 io-grpc-grpc-protobuf-lite 1.39.0

## 1.140.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2014 The gRPC Authors
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1183892729_1655096107.2169387/0/grpc-protobuf-lite-1-39-0-sources-
jar/io/grpc/protobuf-lite/ProtoLiteUtils.java
* /opt/cola/permits/1183892729_1655096107.2169387/0/grpc-protobuf-lite-1-39-0-sources-
jar/io/grpc/protobuf-lite/ProtoInputStream.java
```

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2017 The gRPC Authors
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1183892729_1655096107.2169387/0/grpc-protobuf-lite-1-39-0-sources-
jar/io/grpc/protobuf-lite/package-info.java
```

# 1.141 spock-framework---bill-of-materials 2.0-groovy-3.0

## 1.141.1 Available under license :

```
=====
== NOTICE file corresponding to the section 4 d of           ==
== the Apache License, Version 2.0,                          ==
== in this case for the Spock distribution.                    ==
=====
```

This product includes software developed by  
The Apache Software Foundation (<http://www.apache.org/>).

It includes the following other software:

gentyref (<http://code.google.com/p/gentyref/>)

For licenses see the LICENSE file.

If any software distributed with Spock does not have an Apache 2 License, its license is explicitly listed in the LICENSE file.

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity

exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided

that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity,

or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

# 1.142 guava 31.0.1-jre

## 1.142.1 Available under license :

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2020 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except

\* in compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>



```
*
* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
express
* or implied. See the License for the specific language governing permissions and limitations under
* the License.
*/
/**
* Holder for web specializations of methods of { @code Floats }. Intended to be empty for regular
* version.
*/
```

Found in path(s):

```
*/opt/cola/permits/1288520115_1647351767.93/0/guava-31-0-1-jre-sources-
jar/com/google/common/primitives/FloatsMethodsForWeb.java
```

No license file was found, but licenses were detected in source scan.

```
/*
* Copyright (C) 2007 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
express
* or implied. See the License for the specific language governing permissions and limitations under
* the License.
*/
/*
* This following method is a modified version of one found in
* http://gee.cs.oswego.edu/cgi-bin/viewcvs.cgi/jsr166/src/test/tck/AbstractExecutorServiceTest.java?revision=1.30
* which contained the following notice:
*
* Written by Doug Lea with assistance from members of JCP JSR-166 Expert Group and released to
* the public domain, as explained at http://creativecommons.org/publicdomain/zero/1.0/
*
* Other contributors include Andrew Wright, Jeffrey Hayes, Pat Fisher, Mike Judd.
*/
```

Found in path(s):

```
*/opt/cola/permits/1288520115_1647351767.93/0/guava-31-0-1-jre-sources-
jar/com/google/common/util/concurrent/MoreExecutors.java
```

No license file was found, but licenses were detected in source scan.

```
/*
```

\* Written by Doug Lea with assistance from members of JCP JSR-166  
\* Expert Group and released to the public domain, as explained at  
\* <http://creativecommons.org/publicdomain/zero/1.0/>  
\*/

Found in path(s):

\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-  
jar/com/google/common/cache/LongAdder.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-  
jar/com/google/common/util/concurrent/AtomicDoubleArray.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-  
jar/com/google/common/hash/Striped64.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-  
jar/com/google/common/cache/Striped64.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-  
jar/com/google/common/hash/LongAdder.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2020 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except  
\* in compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License  
\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express

\* or implied. See the License for the specific language governing permissions and limitations under  
\* the License.

\*/

/\*\*

\* Holder for web specializations of methods of { @code Doubles }. Intended to be empty for regular  
\* version.

\*/

Found in path(s):

\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-  
jar/com/google/common/primitives/DoublesMethodsForWeb.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2011 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-  
jar/com/google/common/util/concurrent/AtomicLongMap.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-  
jar/com/google/common/collect/GwtTransient.java

No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright (C) 2013 The Guava Authors  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-  
jar/com/google/common/collect/MultimapBuilder.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-  
jar/com/google/common/collect/ImmutableMapEntry.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-  
jar/com/google/common/io/MoreFiles.java

No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright (C) 2014 The Guava Authors  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except  
\* in compliance with the License. You may obtain a copy of the License at  
\*  
\*/

\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software distributed under the License  
\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express  
\* or implied. See the License for the specific language governing permissions and limitations under  
\* the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-  
jar/com/google/common/eventbus/SubscriberRegistry.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-  
jar/com/google/common/base/MoreObjects.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-  
jar/com/google/common/eventbus/Subscriber.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-  
jar/com/google/common/util/concurrent/ListenerCallQueue.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-  
jar/com/google/common/eventbus/Dispatcher.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-  
jar/com/google/common/util/concurrent/TrustedListenableFutureTask.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-  
jar/com/google/common/math/Quantiles.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2007 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except  
\* in compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License  
\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express  
\* or implied. See the License for the specific language governing permissions and limitations under  
\* the License.

\*/

Found in path(s):

\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-  
jar/com/google/common/base/Functions.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-  
jar/com/google/common/base/Objects.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-  
jar/com/google/common/base/FinalizableSoftReference.java

\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/eventbus/AllowConcurrentEvents.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/util/concurrent/AbstractFuture.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/eventbus/DeadEvent.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/util/concurrent/package-info.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/util/concurrent/ExecutionList.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/io/MultiInputStream.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/collect/HashBiMap.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/io/LittleEndianDataInputStream.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/util/concurrent/ListenableFuture.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/base/Charsets.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/eventbus/EventBus.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/base/Defaults.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/eventbus/package-info.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/base/Predicates.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/io/Closeables.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/eventbus/Subscribe.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/io/CharStreams.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/eventbus/AsyncEventBus.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/base/Supplier.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/io/LineBuffer.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/base/Preconditions.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/io/Resources.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/io/LineReader.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/io/LittleEndianDataOutputStream.java

\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/base/Throwables.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/base/Predicate.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/io/ByteStreams.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/base/FinalizableReferenceQueue.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/io/Files.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/base/FinalizableWeakReference.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/base/AbstractIterator.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/primitives/Primitives.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/base/FinalizableReference.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/io/CountingOutputStream.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/base/FinalizablePhantomReference.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/collect/EnumMultiset.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/io/package-info.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/io/CountingInputStream.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/io/Flushables.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/base/package-info.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/util/concurrent/DirectExecutor.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/collect/Interners.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/base/Suppliers.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/base/Function.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright (C) 2012 The Guava Authors  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except  
\* in compliance with the License. You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License  
\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express  
\* or implied. See the License for the specific language governing permissions and limitations under  
\* the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/io/ByteSource.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/hash/AbstractByteHasher.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/reflect/AbstractInvocationHandler.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/reflect/Parameter.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/util/concurrent/ServiceManager.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/base/StandardSystemProperty.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/math/StatsAccumulator.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/collect/CartesianList.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/cache/LongAddable.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/reflect/TypeToInstanceMap.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/html/package-info.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/hash/ChecksumHashFunction.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/io/ByteSink.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/reflect/TypeCapture.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/math/LinearTransformation.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/collect/FilteredKeyMultimap.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/reflect/ClassPath.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/hash/LongAddables.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/xml/package-info.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-

jar/com/google/common/io/BaseEncoding.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-  
jar/com/google/common/escape/package-info.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-  
jar/com/google/common/util/concurrent/SmoothRateLimiter.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-  
jar/com/google/common/hash/SipHashFunction.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-  
jar/com/google/common/reflect/MutableTypeToInstanceMap.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-  
jar/com/google/common/io/CharSource.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-  
jar/com/google/common/reflect/package-info.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-  
jar/com/google/common/math/Stats.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-  
jar/com/google/common/collect/ImmutableRangeMap.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-  
jar/com/google/common/math/PairedStatsAccumulator.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-  
jar/com/google/common/io/FileWriteMode.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-  
jar/com/google/common/collect/ImmutableRangeSet.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-  
jar/com/google/common/io/CharSink.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-  
jar/com/google/common/hash/LongAddable.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-  
jar/com/google/common/cache/LongAddables.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-  
jar/com/google/common/util/concurrent/RateLimiter.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-  
jar/com/google/common/math/PairedStats.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-  
jar/com/google/common/reflect/Invokable.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-  
jar/com/google/common/reflect/ImmutableTypeToInstanceMap.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/io/Closer.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-  
jar/com/google/common/util/concurrent/ListenableScheduledFuture.java  
No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2010 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except

\* in compliance with the License. You may obtain a copy of the License at

\*



\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software distributed under the License  
\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express  
\* or implied. See the License for the specific language governing permissions and limitations under  
\* the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/primitives/package-info.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/annotations/Beta.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/util/concurrent/ListeningExecutorService.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/util/concurrent/ThreadFactoryBuilder.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/base/Ascii.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/base/Equivalence.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/base/Strings.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/util/concurrent/UncaughtExceptionHandler.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/util/concurrent/Atomics.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/collect/ContiguousSet.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/collect/SortedLists.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/net/package-info.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/util/concurrent/ForwardingBlockingQueue.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/util/concurrent/Monitor.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/annotations/package-info.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2007 The Guava Authors  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at

\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/collect/Multiset.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/collect/Iterables.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/collect/SortedSetMultimap.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/collect/MapDifference.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/collect/Sets.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/collect/HashMultiset.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/collect/TreeMultimap.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/collect/AbstractIterator.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/collect/package-info.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/collect/MutableClassToInstanceMap.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/collect/SetMultimap.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/collect/Multisets.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/collect/BiMap.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/collect/ForwardingSortedMap.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/collect/ReverseOrdering.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/collect/AbstractMapEntry.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/collect/ByFunctionOrdering.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/collect/Ordering.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-

jar/com/google/common/collect/ImmutableSet.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-  
jar/com/google/common/collect/ForwardingMapEntry.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-  
jar/com/google/common/collect/EnumHashMap.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-  
jar/com/google/common/collect/Interner.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-  
jar/com/google/common/collect/ForwardingObject.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-  
jar/com/google/common/collect/Multimap.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-  
jar/com/google/common/collect/ForwardingListIterator.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-  
jar/com/google/common/collect/LinkedListMultimap.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-  
jar/com/google/common/collect/ExplicitOrdering.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-  
jar/com/google/common/collect/ForwardingMultiset.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-  
jar/com/google/common/collect/ComparatorOrdering.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-  
jar/com/google/common/collect/ImmutableList.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-  
jar/com/google/common/collect/AbstractMapBasedMultimap.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-  
jar/com/google/common/collect/AbstractMultiset.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-  
jar/com/google/common/collect/ForwardingSortedSet.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-  
jar/com/google/common/collect/Lists.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-  
jar/com/google/common/collect/RegularImmutableSet.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-  
jar/com/google/common/collect/AbstractBiMap.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-  
jar/com/google/common/collect/ForwardingQueue.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-  
jar/com/google/common/collect/EnumBiMap.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-  
jar/com/google/common/collect/ForwardingMultimap.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-  
jar/com/google/common/collect/LinkedHashMultimap.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-  
jar/com/google/common/collect/Iterators.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-  
jar/com/google/common/collect/NaturalOrdering.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-

jar/com/google/common/collect/Multimaps.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-  
jar/com/google/common/collect/ForwardingMap.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-  
jar/com/google/common/collect/NullsFirstOrdering.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-  
jar/com/google/common/collect/NullsLastOrdering.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-  
jar/com/google/common/collect/UsingToStringOrdering.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-  
jar/com/google/common/collect/Maps.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-  
jar/com/google/common/collect/ClassToInstanceMap.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-  
jar/com/google/common/collect/ListMultimap.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-  
jar/com/google/common/collect/ConcurrentHashMultiset.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-  
jar/com/google/common/collect/ArrayListMultimap.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-  
jar/com/google/common/collect/ForwardingList.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-  
jar/com/google/common/collect/TreeMultiset.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-  
jar/com/google/common/collect/ForwardingSet.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-  
jar/com/google/common/collect/ForwardingConcurrentMap.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-  
jar/com/google/common/collect/AbstractListMultimap.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-  
jar/com/google/common/collect/AbstractMapBasedMultiset.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-  
jar/com/google/common/collect/ForwardingCollection.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-  
jar/com/google/common/collect/SingletonImmutableSet.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-  
jar/com/google/common/collect/AbstractSortedSetMultimap.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-  
jar/com/google/common/collect/HashMultimap.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-  
jar/com/google/common/collect/LexicographicalOrdering.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-  
jar/com/google/common/collect/CompoundOrdering.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-  
jar/com/google/common/collect/AbstractSetMultimap.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-  
jar/com/google/common/collect/ForwardingIterator.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-

jar/com/google/common/collect/Synchronized.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-  
jar/com/google/common/collect/ReverseNaturalOrdering.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-  
jar/com/google/common/collect/LinkedHashMultiset.java  
No license file was found, but licenses were detected in source scan.

```
/*  
* Copyright (C) 2017 The Guava Authors  
*  
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except  
* in compliance with the License. You may obtain a copy of the License at  
*  
* http://www.apache.org/licenses/LICENSE-2.0  
*  
* Unless required by applicable law or agreed to in writing, software distributed under the License  
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express  
* or implied. See the License for the specific language governing permissions and limitations under  
* the License.  
*/
```

Found in path(s):

\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-  
jar/com/google/common/primitives/ImmutableIntArray.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-  
jar/com/google/common/util/concurrent/ForwardingCondition.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-  
jar/com/google/common/util/concurrent/ForwardingLock.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-  
jar/com/google/common/primitives/ImmutableDoubleArray.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-  
jar/com/google/common/hash/AbstractHashFunction.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-  
jar/com/google/common/primitives/ImmutableLongArray.java  
No license file was found, but licenses were detected in source scan.

```
/*  
* Copyright (C) 2016 The Guava Authors  
*  
* Licensed under the Apache License, Version 2.0 (the "License");  
* you may not use this file except in compliance with the License.  
* You may obtain a copy of the License at  
*  
* http://www.apache.org/licenses/LICENSE-2.0  
*  
* Unless required by applicable law or agreed to in writing, software  
* distributed under the License is distributed on an "AS IS" BASIS,
```

- \* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- \* See the License for the specific language governing permissions and
- \* limitations under the License.
- \*/

Found in path(s):

- \* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/collect/LinkedHashMultimapGwtSerializationDependencies.java
- \* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/graph/DirectedNetworkConnections.java
- \* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/graph/ElementOrder.java
- \* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/graph/DirectedMultiNetworkConnections.java
- \* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/graph/ImmutableValueGraph.java
- \* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/collect/CollectCollectors.java
- \* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/graph/MutableValueGraph.java
- \* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/graph/AbstractGraphBuilder.java
- \* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/graph/StandardMutableGraph.java
- \* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/collect/ImmutableMultisetGwtSerializationDependencies.java
- \* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/collect/ArrayListMultimapGwtSerializationDependencies.java
- \* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/graph/GraphBuilder.java
- \* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/graph/StandardMutableValueGraph.java
- \* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/collect/Comparators.java
- \* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/graph/EndpointPairIterator.java
- \* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/graph/ValueGraphBuilder.java
- \* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/graph/MapRetrievalCache.java
- \* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/graph/ForwardingGraph.java
- \* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/graph/AbstractValueGraph.java
- \* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/graph/ValueGraph.java
- \* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/collect/MoreCollectors.java

\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/graph/UndirectedMultiNetworkConnections.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/graph/GraphConstants.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/graph/ForwardingValueGraph.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/graph/StandardMutableNetwork.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/graph/StandardNetwork.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/collect/RangeGwtSerializationDependencies.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/graph/StandardValueGraph.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/graph/MapIteratorCache.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/graph/AbstractUndirectedNetworkConnections.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/graph/NetworkConnections.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/collect/HashMultimapGwtSerializationDependencies.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/graph/AbstractGraph.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/graph/MultiEdgesConnecting.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/graph/AbstractNetwork.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/graph/UndirectedNetworkConnections.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/graph/NetworkBuilder.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/graph/ForwardingNetwork.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/graph/EdgesConnecting.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/graph/AbstractDirectedNetworkConnections.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/graph/GraphConnections.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/graph/DirectedGraphConnections.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/graph/UndirectedGraphConnections.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/graph/EndpointPair.java

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (C) 2019 The Guava Authors
 *
 * Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
 * in compliance with the License. You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software distributed under the License
 * is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
 * express
 * or implied. See the License for the specific language governing permissions and limitations under
 * the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1288520115_1647351767.93/0/guava-31-0-1-jre-sources-
jar/com/google/common/util/concurrent/Internal.java
* /opt/cola/permits/1288520115_1647351767.93/0/guava-31-0-1-jre-sources-
jar/com/google/common/primitives/Platform.java
```

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (C) 2007 The Guava Authors
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

```
/**
 * Returns an array containing all of the elements in the specified collection. This method
 * returns the elements in the order they are returned by the collection's iterator. The returned
 * array is "safe" in that no references to it are maintained by the collection. The caller is
 * thus free to modify the returned array.
 *
 * <p>This method assumes that the collection size doesn't change while the method is running.
 *
 * <p>TODO(kevinb): support concurrently modified collections?
 *
 * @param c the collection for which to return an array of elements
```



\*/

Found in path(s):

\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/collect/ObjectArrays.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2012 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except

\* in compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License

\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express

\* or implied. See the License for the specific language governing permissions and limitations under

\* the License.

\*/

/\*

\* This method was rewritten in Java from an intermediate step of the Murmur hash function in

\* <http://code.google.com/p/smhasher/source/browse/trunk/MurmurHash3.cpp>, which contained the

\* following header:

\*

\* MurmurHash3 was written by Austin Appleby, and is placed in the public domain. The author

\* hereby disclaims copyright to this source code.

\*/

Found in path(s):

\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/base/SmallCharMatcher.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2015 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you

\* may not use this file except in compliance with the License. You may

\* obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or

\* implied. See the License for the specific language governing

\* permissions and limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/collect/Streams.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2012 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/collect/CompactHashSet.java

\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/collect/FilteredMultimap.java

\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/collect/DescendingImmutableSortedSet.java

\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/collect/AbstractNavigableMap.java

\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/collect/FilteredSetMultimap.java

\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/collect/FilteredKeySetMultimap.java

\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/collect/ForwardingImmutableList.java

\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/collect/ForwardingImmutableSet.java

\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/collect/CompactLinkedHashSet.java

\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/collect/UnmodifiableSortedMultiset.java

\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/collect/EvictingQueue.java

\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-

jar/com/google/common/collect/CompactHashMap.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-  
jar/com/google/common/collect/TreeTraverser.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-  
jar/com/google/common/collect/DescendingMultiset.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-  
jar/com/google/common/collect/ImmutableEnumMap.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-  
jar/com/google/common/collect/FilteredEntryMultimap.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-  
jar/com/google/common/collect/RegularImmutableAsList.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-  
jar/com/google/common/collect/ForwardingNavigableMap.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-  
jar/com/google/common/collect/TransformedListIterator.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-  
jar/com/google/common/collect/FilteredKeyListMultimap.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-  
jar/com/google/common/collect/TreeRangeMap.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-  
jar/com/google/common/collect/CompactLinkedHashMap.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-  
jar/com/google/common/collect/ForwardingBlockingDeque.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-  
jar/com/google/common/collect/AbstractMultimap.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-  
jar/com/google/common/collect/FilteredEntrySetMultimap.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-  
jar/com/google/common/collect/RangeMap.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-  
jar/com/google/common/collect/ForwardingDeque.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-  
jar/com/google/common/collect/AbstractSortedKeySortedSetMultimap.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-  
jar/com/google/common/collect/AllEqualOrdering.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-  
jar/com/google/common/collect/ForwardingNavigableSet.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-  
jar/com/google/common/util/concurrent/ForwardingBlockingDeque.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-  
jar/com/google/common/collect/TransformedIterator.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-  
jar/com/google/common/collect/SortedMultisetBridge.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-  
jar/com/google/common/collect/ForwardingImmutableMap.java  
No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2013 The Guava Authors  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except  
\* in compliance with the License. You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software distributed under the License  
\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express  
\* or implied. See the License for the specific language governing permissions and limitations under  
\* the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-  
jar/com/google/common/reflect/TypeVisitor.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-  
jar/com/google/common/eventbus/SubscriberExceptionHandler.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-  
jar/com/google/common/collect/AbstractTable.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-  
jar/com/google/common/base/VerifyException.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-  
jar/com/google/common/base/Verify.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-  
jar/com/google/thirdparty/publicsuffix/PublicSuffixType.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-  
jar/com/google/common/collect/FilteredMultimapValues.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-  
jar/com/google/common/eventbus/SubscriberExceptionContext.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-  
jar/com/google/common/io/CharSequenceReader.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-  
jar/com/google/common/util/concurrent/WrappingScheduledExecutorService.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-  
jar/com/google/common/hash/HashingInputStream.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-  
jar/com/google/common/base/Utf8.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-  
jar/com/google/common/util/concurrent/Runnables.java  
No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2011 The Guava Authors  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except  
\* in compliance with the License. You may obtain a copy of the License at

\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software distributed under the  
\* License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND,  
either  
\* express or implied. See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-  
jar/com/google/common/collect/GeneralRange.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-  
jar/com/google/common/collect/RegularImmutableSortedMultiset.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-  
jar/com/google/common/collect/ImmutableSortedMultisetFauxverideShim.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-  
jar/com/google/common/collect/AbstractRangeSet.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-  
jar/com/google/common/collect/SortedIterable.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-  
jar/com/google/common/collect/Count.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-  
jar/com/google/common/collect/ImmutableSortedMultiset.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-  
jar/com/google/common/collect/SortedIterables.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-  
jar/com/google/common/collect/ForwardingSortedMultiset.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-  
jar/com/google/common/collect/RangeSet.java

No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright (C) 2015 The Guava Authors  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except  
\* in compliance with the License. You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software distributed under the License  
\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express  
\* or implied. See the License for the specific language governing permissions and limitations under  
\* the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/util/concurrent/Platform.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/io/ReaderInputStream.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/util/concurrent/InterruptibleTask.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/util/concurrent/AsyncCallable.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/hash/LittleEndianByteArray.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/collect/ConsumingQueueIterator.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/hash/MacHashFunction.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/util/concurrent/CombinedFuture.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/util/concurrent/AggregateFutureState.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/hash/FarmHashFingerprint64.java  
No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2018 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except  
\* in compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License  
\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
\* express

\* or implied. See the License for the specific language governing permissions and limitations under  
\* the License.

\*/

Found in path(s):

\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/hash/ImmutableSupplier.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/collect/JdkBackedImmutableMultiset.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/util/concurrent/ExecutionSequencer.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/collect/JdkBackedImmutableSet.java

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (C) 2011 The Guava Authors
 *
 * Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
 * in compliance with the License. You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software distributed under the License
 * is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
 * express
 * or implied. See the License for the specific language governing permissions and limitations under
 * the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1288520115_1647351767.93/0/guava-31-0-1-jre-sources-
jar/com/google/common/hash/AbstractStreamingHasher.java
* /opt/cola/permits/1288520115_1647351767.93/0/guava-31-0-1-jre-sources-
jar/com/google/common/cache/Cache.java
* /opt/cola/permits/1288520115_1647351767.93/0/guava-31-0-1-jre-sources-
jar/com/google/common/cache/AbstractLoadingCache.java
* /opt/cola/permits/1288520115_1647351767.93/0/guava-31-0-1-jre-sources-
jar/com/google/common/cache/CacheBuilderSpec.java
* /opt/cola/permits/1288520115_1647351767.93/0/guava-31-0-1-jre-sources-
jar/com/google/common/hash/BloomFilter.java
* /opt/cola/permits/1288520115_1647351767.93/0/guava-31-0-1-jre-sources-
jar/com/google/common/primitives/UnsignedLong.java
* /opt/cola/permits/1288520115_1647351767.93/0/guava-31-0-1-jre-sources-
jar/com/google/common/cache/ForwardingLoadingCache.java
* /opt/cola/permits/1288520115_1647351767.93/0/guava-31-0-1-jre-sources-
jar/com/google/common/collect/DescendingImmutableSortedMultiset.java
* /opt/cola/permits/1288520115_1647351767.93/0/guava-31-0-1-jre-sources-
jar/com/google/common/net/HostAndPort.java
* /opt/cola/permits/1288520115_1647351767.93/0/guava-31-0-1-jre-sources-
jar/com/google/common/hash/PrimitiveSink.java
* /opt/cola/permits/1288520115_1647351767.93/0/guava-31-0-1-jre-sources-
jar/com/google/common/math/IntMath.java
* /opt/cola/permits/1288520115_1647351767.93/0/guava-31-0-1-jre-sources-
jar/com/google/common/hash/Hasher.java
* /opt/cola/permits/1288520115_1647351767.93/0/guava-31-0-1-jre-sources-
jar/com/google/common/base/PairwiseEquivalence.java
* /opt/cola/permits/1288520115_1647351767.93/0/guava-31-0-1-jre-sources-
jar/com/google/common/cache/LoadingCache.java
* /opt/cola/permits/1288520115_1647351767.93/0/guava-31-0-1-jre-sources-
jar/com/google/common/primitives/ParseRequest.java
```

\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/hash/Hashing.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/math/DoubleUtils.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/cache/Weigher.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/primitives/UnsignedInteger.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/util/concurrent/AbstractScheduledService.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/util/concurrent/AbstractListeningExecutorService.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/primitives/UnsignedInts.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/util/concurrent/ExecutionError.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/hash/Funnel.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/reflect/TypeParameter.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/hash/BloomFilterStrategies.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/util/concurrent/CycleDetectingLockFactory.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/net/MediaType.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/util/concurrent/Uninterruptibles.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/net/HttpHeaders.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/cache/RemovalCause.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/cache/package-info.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/math/MathPreconditions.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/base/Ticker.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/base/Absent.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/util/concurrent/ForwardingExecutorService.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/collect/EmptyContiguousSet.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/math/DoubleMath.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/cache/RemovalListener.java



\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/collect/AbstractSortedMultiset.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/base/Enums.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/hash/AbstractCompositeHashFunction.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/base/Present.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/hash/Funnels.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/primitives/UnsignedLongs.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/hash/HashingOutputStream.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/base/Optional.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/math/BigIntegerMath.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/hash/AbstractHasher.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/collect/BoundType.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/collect/TreeRangeSet.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/cache/RemovalListeners.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/cache/ForwardingCache.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/util/concurrent/FutureCallback.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/hash/HashCode.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/math/package-info.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/hash/Murmur3\_128HashFunction.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/math/LongMath.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/hash/AbstractNonStreamingHashFunction.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/hash/MessageDigestHashFunction.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/hash/Murmur3\_32HashFunction.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/collect/Queues.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/cache/AbstractCache.java

\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/util/concurrent/ForwardingListeningExecutorService.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/collect/RegularImmutableMultiset.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/hash/Crc32cHashFunction.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/util/concurrent/WrappingExecutorService.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/util/concurrent/UncheckedExecutionException.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/hash/HashFunction.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/cache/CacheStats.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/cache/RemovalNotification.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/util/concurrent/AsyncFunction.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/collect/RegularContiguousSet.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/util/concurrent/ListeningScheduledExecutorService.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/base/FunctionalEquivalence.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/reflect/Types.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/cache/CacheLoader.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2011 The Guava Authors.

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except  
\* in compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License  
\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express

\* or implied. See the License for the specific language governing permissions and limitations under  
\* the License.

\*/

Found in path(s):

\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/hash/package-info.java

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (C) 2014 The Guava Authors
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1288520115_1647351767.93/0/guava-31-0-1-jre-sources-
jar/com/google/common/collect/TopKSelector.java
* /opt/cola/permits/1288520115_1647351767.93/0/guava-31-0-1-jre-sources-
jar/com/google/common/graph/Graphs.java
* /opt/cola/permits/1288520115_1647351767.93/0/guava-31-0-1-jre-sources-
jar/com/google/common/graph/PredecessorsFunction.java
* /opt/cola/permits/1288520115_1647351767.93/0/guava-31-0-1-jre-sources-
jar/com/google/common/graph/ImmutableNetwork.java
* /opt/cola/permits/1288520115_1647351767.93/0/guava-31-0-1-jre-sources-
jar/com/google/common/graph/Graph.java
* /opt/cola/permits/1288520115_1647351767.93/0/guava-31-0-1-jre-sources-
jar/com/google/common/graph/MutableGraph.java
* /opt/cola/permits/1288520115_1647351767.93/0/guava-31-0-1-jre-sources-
jar/com/google/common/graph/Network.java
* /opt/cola/permits/1288520115_1647351767.93/0/guava-31-0-1-jre-sources-
jar/com/google/common/graph/MutableNetwork.java
* /opt/cola/permits/1288520115_1647351767.93/0/guava-31-0-1-jre-sources-
jar/com/google/common/graph/SuccessorsFunction.java
* /opt/cola/permits/1288520115_1647351767.93/0/guava-31-0-1-jre-sources-
jar/com/google/common/io/InsecureRecursiveDeleteException.java
* /opt/cola/permits/1288520115_1647351767.93/0/guava-31-0-1-jre-sources-
jar/com/google/common/graph/ImmutableGraph.java
* /opt/cola/permits/1288520115_1647351767.93/0/guava-31-0-1-jre-sources-
jar/com/google/common/io/RecursiveDeleteOption.java
```

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (C) 2009 The Guava Authors
 *
```

```

* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
/**
 * Not supported. <b>You are attempting to create a map that may contain a non-{@code Comparable}
 * key.</b> Proper calls will resolve to the version in {@code ImmutableSortedMap}, not this dummy
 * version.
 *
 * @throws UnsupportedOperationException always
 * @deprecated <b>Pass a key of type {@code Comparable} to use {@link
 *     ImmutableSortedMap#of(Comparable, Object)}.</b>
 */

```

Found in path(s):

```

* /opt/cola/permits/1288520115_1647351767.93/0/guava-31-0-1-jre-sources-
jar/com/google/common/collect/ImmutableSortedMapFauxverideShim.java
No license file was found, but licenses were detected in source scan.

```

```

/*
 * Copyright (C) 2016 The Guava Authors
 *
 * Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
 * in compliance with the License. You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software distributed under the License
 * is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
 * express
 * or implied. See the License for the specific language governing permissions and limitations under
 * the License.
 */

```

Found in path(s):

```

* /opt/cola/permits/1288520115_1647351767.93/0/guava-31-0-1-jre-sources-
jar/com/google/common/base/JdkPattern.java
* /opt/cola/permits/1288520115_1647351767.93/0/guava-31-0-1-jre-sources-
jar/com/google/common/base/CommonPattern.java
* /opt/cola/permits/1288520115_1647351767.93/0/guava-31-0-1-jre-sources-

```

jar/com/google/common/base/CommonMatcher.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-  
jar/com/google/common/base/PatternCompiler.java  
No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (C) 2020 The Guava Authors
 *
 * Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
 * in compliance with the License. You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software distributed under the License
 * is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
 * express
 * or implied. See the License for the specific language governing permissions and limitations under
 * the License.
 */
/**
 * Holder for web specializations of methods of { @code Ints }. Intended to be empty for regular
 * version.
 */
```

Found in path(s):  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-  
jar/com/google/common/primitives/IntsMethodsForWeb.java  
No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (C) 2006 The Guava Authors
 *
 * Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
 * in compliance with the License. You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software distributed under the License
 * is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
 * express
 * or implied. See the License for the specific language governing permissions and limitations under
 * the License.
 */
```

Found in path(s):  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-  
jar/com/google/common/util/concurrent/FuturesGetChecked.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-

jar/com/google/common/util/concurrent/UncheckedTimeoutException.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-  
jar/com/google/common/util/concurrent/TimeLimiter.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-  
jar/com/google/common/util/concurrent/FluentFuture.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-  
jar/com/google/common/util/concurrent/ImmediateFuture.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-  
jar/com/google/common/escape/CharEscaper.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-  
jar/com/google/common/reflect/TypeToken.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-  
jar/com/google/common/io/PatternFilenameFilter.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-  
jar/com/google/common/annotations/VisibleForTesting.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-  
jar/com/google/common/util/concurrent/SimpleTimeLimiter.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-  
jar/com/google/common/util/concurrent/FakeTimeLimiter.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-  
jar/com/google/common/io/AppendableWriter.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-  
jar/com/google/common/util/concurrent/Futures.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-  
jar/com/google/common/util/concurrent/AbstractCatchingFuture.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-  
jar/com/google/common/util/concurrent/TimeoutFuture.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-  
jar/com/google/common/util/concurrent/GwtFuturesCatchingSpecialization.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-  
jar/com/google/common/escape/CharEscaperBuilder.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-  
jar/com/google/common/util/concurrent/AbstractTransformFuture.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-  
jar/com/google/common/util/concurrent/CollectionFuture.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-  
jar/com/google/common/base/CaseFormat.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-  
jar/com/google/common/util/concurrent/AggregateFuture.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-  
jar/com/google/common/util/concurrent/GwtFluentFutureCatchingSpecialization.java  
No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2009 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except

\* in compliance with the License. You may obtain a copy of the License at

\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software distributed under the  
\* License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND,  
either  
\* express or implied. See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-  
jar/com/google/common/collect/ImmutableSortedAsList.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright (C) 2005 The Guava Authors  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except  
\* in compliance with the License. You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software distributed under the License  
\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express  
\* or implied. See the License for the specific language governing permissions and limitations under  
\* the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-  
jar/com/google/common/reflect/Reflection.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright (C) 2009 The Guava Authors  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except  
\* in compliance with the License. You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software distributed under the License  
\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express  
\* or implied. See the License for the specific language governing permissions and limitations under  
\* the License.

\*/

Found in path(s):

- \* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/util/concurrent/ForwardingListenableFuture.java
- \* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/util/concurrent/Service.java
- \* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/cache/CacheBuilder.java
- \* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/util/concurrent/ForwardingFuture.java
- \* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/collect/MapMakerInternalMap.java
- \* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/annotations/GwtCompatible.java
- \* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/annotations/GwtIncompatible.java
- \* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/cache/LocalCache.java
- \* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/util/concurrent/AbstractExecutionThreadService.java
- \* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/util/concurrent/AbstractIdleService.java
- \* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/cache/ReferenceEntry.java
- \* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/net/InternetDomainName.java
- \* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/html/HtmlEscapers.java
- \* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/util/concurrent/AbstractService.java
- \* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/collect/Cut.java
- \* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/base/Platform.java
- \* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/util/concurrent/ForwardingFluentFuture.java
- \* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/escape/Escapers.java
- \* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/primitives/SignedBytes.java
- \* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/primitives/UnsignedBytes.java
- \* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/net/HostSpecifier.java
- \* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/escape/ArrayBasedCharEscaper.java
- \* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-



jar/com/google/common/base/Splitter.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-  
jar/com/google/common/escape/Platform.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-  
jar/com/google/common/collect/MapMaker.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-  
jar/com/google/common/collect/DenseImmutableTable.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-  
jar/com/google/common/net/UrlEscapers.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-  
jar/com/google/common/io/ByteArrayDataOutput.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-  
jar/com/google/common/collect/RegularImmutableTable.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-  
jar/com/google/common/util/concurrent/Callables.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-  
jar/com/google/common/escape/ArrayBasedEscaperMap.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-  
jar/com/google/common/reflect/TypeResolver.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-  
jar/com/google/common/io/ByteArrayDataInput.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-  
jar/com/google/common/escape/ArrayBasedUnicodeEscaper.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-  
jar/com/google/common/collect/SparseImmutableTable.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-  
jar/com/google/common/xml/XmlEscapers.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-  
jar/com/google/common/io/LineProcessor.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-  
jar/com/google/common/util/concurrent/JdkFutureAdapters.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-  
jar/com/google/common/util/concurrent/SettableFuture.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-  
jar/com/google/common/io/ByteProcessor.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright (C) 2015 The Guava Authors  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,

- \* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- \* See the License for the specific language governing permissions and
- \* limitations under the License.
- \*/

Found in path(s):

- \* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/graph/package-info.java
- \* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/collect/ImmutableBiMapFauxverideShim.java
- \* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/collect/CollectSpliterators.java

No license file was found, but licenses were detected in source scan.

/\*

- \* Copyright (C) 2018 The Guava Authors
- \*
- \* Licensed under the Apache License, Version 2.0 (the "License");
- \* you may not use this file except in compliance with the License.
- \* You may obtain a copy of the License at
- \*
- \* <http://www.apache.org/licenses/LICENSE-2.0>
- \*
- \* Unless required by applicable law or agreed to in writing, software
- \* distributed under the License is distributed on an "AS IS" BASIS,
- \* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- \* See the License for the specific language governing permissions and
- \* limitations under the License.
- \*/

Found in path(s):

- \* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/collect/JdkBackedImmutableBiMap.java
- \* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/collect/IndexedImmutableSet.java
- \* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/collect/BaseImmutableMultimap.java
- \* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/collect/JdkBackedImmutableMap.java

No license file was found, but licenses were detected in source scan.

/\*

- \* Copyright (C) 2010 The Guava Authors
- \*
- \* Licensed under the Apache License, Version 2.0 (the "License");
- \* you may not use this file except in compliance with the License.
- \* You may obtain a copy of the License at
- \*

\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-  
jar/com/google/common/collect/ForwardingSetMultimap.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-  
jar/com/google/common/collect/MinMaxPriorityQueue.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-  
jar/com/google/common/collect/ForwardingImmutableCollection.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-  
jar/com/google/common/collect/AbstractSequentialIterator.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-  
jar/com/google/common/collect/ForwardingListMultimap.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-  
jar/com/google/common/collect/UnmodifiableListIterator.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-  
jar/com/google/common/collect/ForwardingSortedSetMultimap.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-  
jar/com/google/common/collect/RowSortedTable.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-  
jar/com/google/common/collect/SortedMapDifference.java

No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright (C) 2009 The Guava Authors  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-

jar/com/google/common/collect/ImmutableClassToInstanceMap.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-  
jar/com/google/common/collect/DiscreteDomain.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-  
jar/com/google/common/collect/ImmutableSetMultimap.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-  
jar/com/google/common/collect/RegularImmutableSortedSet.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-  
jar/com/google/common/collect/ImmutableSortedSetFauxverideShim.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-  
jar/com/google/common/collect/ForwardingTable.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-  
jar/com/google/common/collect/ImmutableEnumSet.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-  
jar/com/google/common/collect/ImmutableAsList.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-  
jar/com/google/common/collect/AbstractIndexedListAdapter.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-  
jar/com/google/common/collect/EmptyImmutableSetMultimap.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-  
jar/com/google/common/collect/SingletonImmutableTable.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-  
jar/com/google/common/collect/TableCollectors.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-  
jar/com/google/common/collect/RegularImmutableList.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-  
jar/com/google/common/collect/ComparisonChain.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-  
jar/com/google/common/collect/ImmutableSortedMap.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-  
jar/com/google/common/collect/ImmutableTable.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-  
jar/com/google/common/collect/ArrayTable.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-  
jar/com/google/common/collect/ComputationException.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-  
jar/com/google/common/collect/SingletonImmutableList.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright (C) 2021 The Guava Authors  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\*

- \* Unless required by applicable law or agreed to in writing, software
- \* distributed under the License is distributed on an "AS IS" BASIS,
- \* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- \* See the License for the specific language governing permissions and
- \* limitations under the License.
- \*/

Found in path(s):

- \* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/escape/ParametricNullness.java
- \* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/io/ElementTypesAreNonnullByDefault.java
- \* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/base/ParametricNullness.java
- \* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/net/ParametricNullness.java
- \* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/xml/ParametricNullness.java
- \* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/util/concurrent/ElementTypesAreNonnullByDefault.java
- \* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/io/ParametricNullness.java
- \* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/escape/ElementTypesAreNonnullByDefault.java
- \* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/eventbus/ElementTypesAreNonnullByDefault.java
- \* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/reflect/ParametricNullness.java
- \* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/primitives/ParametricNullness.java
- \* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/graph/ElementTypesAreNonnullByDefault.java
- \* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/primitives/ElementTypesAreNonnullByDefault.java
- \* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/xml/ElementTypesAreNonnullByDefault.java
- \* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/hash/ParametricNullness.java
- \* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/reflect/ElementTypesAreNonnullByDefault.java
- \* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/collect/ElementTypesAreNonnullByDefault.java
- \* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/eventbus/ParametricNullness.java
- \* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/math/ParametricNullness.java
- \* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/net/ElementTypesAreNonnullByDefault.java

\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/cache/ElementTypesAreNonnullByDefault.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/math/ElementTypesAreNonnullByDefault.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/base/ElementTypesAreNonnullByDefault.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/cache/ParametricNullness.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/html/ElementTypesAreNonnullByDefault.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/collect/ParametricNullness.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/util/concurrent/ParametricNullness.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/graph/ParametricNullness.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/hash/ElementTypesAreNonnullByDefault.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/html/ParametricNullness.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2020 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except  
\* in compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License  
\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express

\* or implied. See the License for the specific language governing permissions and limitations under  
\* the License.

\*/

/\*\*

\* Holder for web specializations of methods of { @code Shorts }. Intended to be empty for regular  
\* version.

\*/

Found in path(s):

\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/primitives/ShortsMethodsForWeb.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2011 The Guava Authors

\*  
\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except  
\* in compliance with the License. You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software distributed under the License  
\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express  
\* or implied. See the License for the specific language governing permissions and limitations under  
\* the License.

\*/

/\*

\* This method was written by Doug Lea with assistance from members of JCP JSR-166 Expert Group  
\* and released to the public domain, as explained at  
\* <http://creativecommons.org/licenses/publicdomain>  
\*  
\* As of 2010/06/11, this method is identical to the (package private) hash method in OpenJDK 7's  
\* `java.util.HashMap` class.

\*/

Found in path(s):

\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-  
jar/com/google/common/util/concurrent/Striped.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2017 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-  
jar/com/google/common/graph/AbstractBaseGraph.java

\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-  
jar/com/google/common/util/concurrent/ClosingFuture.java

\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-

jar/com/google/common/graph/BaseGraph.java

\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-

jar/com/google/common/graph/Traverser.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2016 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except

\* in compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License

\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express

\* or implied. See the License for the specific language governing permissions and limitations under

\* the License.

\*/

/\*\*

\* Holder for extra methods of {@code Objects} only in web. Intended to be empty for regular

\* version.

\*/

Found in path(s):

\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-

jar/com/google/common/base/ExtraObjectsMethodsForWeb.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2020 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except

\* in compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License

\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express

\* or implied. See the License for the specific language governing permissions and limitations under

\* the License.

\*/

Found in path(s):

\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-

jar/com/google/common/math/BigDecimalMath.java

\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-



jar/com/google/common/util/concurrent/OverflowAvoidingLockSupport.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-  
jar/com/google/common/hash/Java8Compatibility.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-  
jar/com/google/common/math/ToDoubleRounder.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-  
jar/com/google/common/base/Java8Compatibility.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-  
jar/com/google/common/io/Java8Compatibility.java  
No license file was found, but licenses were detected in source scan.

```
/*  
 * Copyright (C) 2009 The Guava Authors  
 *  
 * Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except  
 * in compliance with the License. You may obtain a copy of the License at  
 *  
 * http://www.apache.org/licenses/LICENSE-2.0  
 *  
 * Unless required by applicable law or agreed to in writing, software distributed under the License  
 * is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
 * express  
 * or implied. See the License for the specific language governing permissions and limitations under  
 * the License.  
 */  
/**  
 * Outer class that exists solely to let us write {@code Partially.GwtIncompatible} instead of plain  
 * {@code GwtIncompatible}. This is more accurate for {@link Futures#catching}, which is available  
 * under GWT but with a slightly different signature.  
 *  
 * <p>We can't use {@code PartiallyGwtIncompatible} because then the GWT compiler wouldn't recognize  
 * it as a {@code GwtIncompatible} annotation. And for {@code Futures.catching}, we need the GWT  
 * compiler to autostrip the normal server method in order to expose the special, inherited GWT  
 * version.  
 */
```

Found in path(s):  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-  
jar/com/google/common/util/concurrent/Partially.java  
No license file was found, but licenses were detected in source scan.

```
/*  
 * Copyright (C) 2020 The Guava Authors  
 *  
 * Licensed under the Apache License, Version 2.0 (the "License");  
 * you may not use this file except in compliance with the License.  
 * You may obtain a copy of the License at  
 *  
 *  
 */
```

\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-  
jar/com/google/common/util/concurrent/ServiceManagerBridge.java  
No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2021 The Guava Authors  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except  
\* in compliance with the License. You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software distributed under the License  
\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express  
\* or implied. See the License for the specific language governing permissions and limitations under  
\* the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-  
jar/com/google/common/base/NullnessCasts.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-  
jar/com/google/common/util/concurrent/NullnessCasts.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-  
jar/com/google/common/collect/NullnessCasts.java  
No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2008 The Guava Authors  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software

- \* distributed under the License is distributed on an "AS IS" BASIS,
- \* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- \* See the License for the specific language governing permissions and
- \* limitations under the License.
- \*/

Found in path(s):

- \* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/collect/Platform.java
- \* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/collect/ImmutableMapEntrySet.java
- \* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/collect/ImmutableMapValues.java
- \* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/collect/Tables.java
- \* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/collect/Collections2.java
- \* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/collect/ImmutableMultiset.java
- \* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/collect/ImmutableMap.java
- \* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/collect/HashBasedTable.java
- \* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/collect/ImmutableMultimap.java
- \* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/collect/CollectPreconditions.java
- \* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/thirdparty/publicsuffix/PublicSuffixPatterns.java
- \* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/collect/ImmutableMapKeySet.java
- \* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/collect/StandardRowSortedTable.java
- \* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/collect/ImmutableListMultimap.java
- \* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/collect/RegularImmutableMap.java
- \* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/collect/PeekingIterator.java
- \* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/collect/Table.java
- \* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/collect/ImmutableEntry.java
- \* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/collect/RegularImmutableBiMap.java
- \* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/collect/SingletonImmutableBiMap.java
- \* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-

jar/com/google/common/collect/Serialization.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-  
jar/com/google/common/collect/ImmutableSortedSet.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-  
jar/com/google/common/collect/ImmutableBiMap.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-  
jar/com/google/common/collect/StandardTable.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-  
jar/com/google/common/collect/EmptyImmutableListMultimap.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-  
jar/com/google/common/collect/ImmutableCollection.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-  
jar/com/google/common/collect/Range.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-  
jar/com/google/common/collect/TreeBasedTable.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-  
jar/com/google/common/collect/UnmodifiableIterator.java  
No license file was found, but licenses were detected in source scan.

```
/*  
* Copyright (C) 2008 The Guava Authors  
*  
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except  
* in compliance with the License. You may obtain a copy of the License at  
*  
* http://www.apache.org/licenses/LICENSE-2.0  
*  
* Unless required by applicable law or agreed to in writing, software distributed under the License  
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
* express  
* or implied. See the License for the specific language governing permissions and limitations under  
* the License.  
*/
```

Found in path(s):

\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-  
jar/com/google/common/base/internal/Finalizer.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-  
jar/com/google/common/primitives/Booleans.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-  
jar/com/google/thirdparty/publicsuffix/TrieParser.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-  
jar/com/google/common/primitives/Ints.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-  
jar/com/google/common/util/concurrent/ListenableFutureTask.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-  
jar/com/google/common/primitives/Chars.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-

jar/com/google/common/primitives/Shorts.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-  
jar/com/google/common/escape/Escaper.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-  
jar/com/google/common/primitives/Floats.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-  
jar/com/google/common/base/Stopwatch.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-  
jar/com/google/common/io/FileBackedOutputStream.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-  
jar/com/google/common/base/CharMatcher.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-  
jar/com/google/common/escape/UnicodeEscaper.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-  
jar/com/google/common/collect/FluentIterable.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-  
jar/com/google/common/io/MultiReader.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-  
jar/com/google/common/base/Converter.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-  
jar/com/google/common/primitives/Doubles.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-  
jar/com/google/common/net/InetAddresses.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-  
jar/com/google/common/primitives/Longs.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-  
jar/com/google/common/primitives/Bytes.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-  
jar/com/google/common/base/Joiner.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-  
jar/com/google/common/util/concurrent/SequentialExecutor.java  
\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-  
jar/com/google/common/net/PercentEscaper.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2011 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not  
\* use this file except in compliance with the License. You may obtain a copy of  
\* the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations under

\* the License.

\*/

Found in path(s):

\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/collect/SortedMultiset.java

\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/collect/SortedMultisets.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2019 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/graph/IncidentEdgeSet.java

\* /opt/cola/permits/1288520115\_1647351767.93/0/guava-31-0-1-jre-sources-jar/com/google/common/collect/CompactHashing.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2008 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

```
/*  
 * This method was rewritten in Java from an intermediate step of the Murmur hash function in  
 * http://code.google.com/p/smhasher/source/browse/trunk/MurmurHash3.cpp, which contained the  
 * following header:  
 *  
 * MurmurHash3 was written by Austin Appleby, and is placed in the public domain. The author  
 * hereby disclaims copyright to this source code.  
 */
```

Found in path(s):

```
* /opt/cola/permits/1288520115_1647351767.93/0/guava-31-0-1-jre-sources-  
jar/com/google/common/collect/Hashing.java
```

## 1.143 swagger-core 2.1.12

### 1.143.1 Available under license :

Apache-2.0

## 1.144 micronaut-views 3.1.3

### 1.144.1 Available under license :

Micronaut includes references to parts of GraalVM 21.0 or later distributed under the UPL license below:

Copyright (c) 2018 - 2021 Oracle and/or its affiliates. All rights reserved

The Universal Permissive License (UPL), Version 1.0

Subject to the condition set forth below, permission is hereby granted to any person obtaining a copy of this software, associated documentation and/or data (collectively the "Software"), free of charge and under any and all copyright rights in the Software, and any and all patent rights owned or freely licensable by each licensor hereunder covering either (i) the unmodified Software as contributed to or provided by such licensor, or (ii) the Larger Works (as defined below), to deal in both

(a) the Software, and

(b) any piece of software and/or hardware listed in the lrgwrks.txt file if one is included with the Software (each a Larger Work to which the Software is contributed by such licensors),

without restriction, including without limitation the rights to copy, create derivative works of, display, perform, and distribute the Software and make, use, sell, offer for sale, import, export, have made, and have sold the Software and the Larger Work(s), and to sublicense the foregoing rights on either these or other terms.

This license is subject to the following condition:

The above copyright notice and either this complete permission notice or at a minimum a reference to the UPL must be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Apache License  
Version 2.0, January 2004  
<https://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the



editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the

same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

## 1.145 json-unit-core 2.19.0

### 1.145.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/**  
 * Copyright 2009-2019 the original author or authors.  
 *  
 * Licensed under the Apache License, Version 2.0 (the "License");  
 * you may not use this file except in compliance with the License.  
 * You may obtain a copy of the License at  
 *  
 * http://www.apache.org/licenses/LICENSE-2.0  
 *  
 * Unless required by applicable law or agreed to in writing, software  
 * distributed under the License is distributed on an "AS IS" BASIS,  
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
 * See the License for the specific language governing permissions and  
 * limitations under the License.  
 */
```

Found in path(s):

```
* /opt/cola/permits/1340076374_1654622289.9189506/0/json-unit-core-2-19-0-sources-1-jar/net/javacrumbs/jsonunit/core/Option.java  
* /opt/cola/permits/1340076374_1654622289.9189506/0/json-unit-core-2-19-0-sources-1-jar/net/javacrumbs/jsonunit/core/internal/Jackson2NodeFactory.java  
* /opt/cola/permits/1340076374_1654622289.9189506/0/json-unit-core-2-19-0-sources-1-jar/net/javacrumbs/jsonunit/core/internal/JsonUnitLogger.java  
* /opt/cola/permits/1340076374_1654622289.9189506/0/json-unit-core-2-19-0-sources-1-jar/net/javacrumbs/jsonunit/core/internal/JsonOrgNodeFactory.java
```

\* /opt/cola/permits/1340076374\_1654622289.9189506/0/json-unit-core-2-19-0-sources-1-jar/net/javacrumbs/jsonunit/core/internal/Utils.java

\* /opt/cola/permits/1340076374\_1654622289.9189506/0/json-unit-core-2-19-0-sources-1-jar/net/javacrumbs/jsonunit/core/internal/JsonSource.java

\* /opt/cola/permits/1340076374\_1654622289.9189506/0/json-unit-core-2-19-0-sources-1-jar/net/javacrumbs/jsonunit/core/internal/ClassUtils.java

\* /opt/cola/permits/1340076374\_1654622289.9189506/0/json-unit-core-2-19-0-sources-1-jar/net/javacrumbs/jsonunit/core/Configuration.java

\* /opt/cola/permits/1340076374\_1654622289.9189506/0/json-unit-core-2-19-0-sources-1-jar/net/javacrumbs/jsonunit/core/internal/Converter.java

\* /opt/cola/permits/1340076374\_1654622289.9189506/0/json-unit-core-2-19-0-sources-1-jar/net/javacrumbs/jsonunit/core/internal/GsonNodeFactory.java

\* /opt/cola/permits/1340076374\_1654622289.9189506/0/json-unit-core-2-19-0-sources-1-jar/net/javacrumbs/jsonunit/core/internal/GenericNodeBuilder.java

\* /opt/cola/permits/1340076374\_1654622289.9189506/0/json-unit-core-2-19-0-sources-1-jar/net/javacrumbs/jsonunit/core/internal/Context.java

\* /opt/cola/permits/1340076374\_1654622289.9189506/0/json-unit-core-2-19-0-sources-1-jar/net/javacrumbs/jsonunit/core/internal/DifferenceImpl.java

\* /opt/cola/permits/1340076374\_1654622289.9189506/0/json-unit-core-2-19-0-sources-1-jar/net/javacrumbs/jsonunit/core/internal/Node.java

\* /opt/cola/permits/1340076374\_1654622289.9189506/0/json-unit-core-2-19-0-sources-1-jar/net/javacrumbs/jsonunit/core/internal/JsonDifference.java

\* /opt/cola/permits/1340076374\_1654622289.9189506/0/json-unit-core-2-19-0-sources-1-jar/net/javacrumbs/jsonunit/core/internal/NodeBuilder.java

\* /opt/cola/permits/1340076374\_1654622289.9189506/0/json-unit-core-2-19-0-sources-1-jar/net/javacrumbs/jsonunit/core/internal/ArrayComparison.java

\* /opt/cola/permits/1340076374\_1654622289.9189506/0/json-unit-core-2-19-0-sources-1-jar/net/javacrumbs/jsonunit/core/internal/Options.java

\* /opt/cola/permits/1340076374\_1654622289.9189506/0/json-unit-core-2-19-0-sources-1-jar/net/javacrumbs/jsonunit/core/internal/DifferenceContextImpl.java

\* /opt/cola/permits/1340076374\_1654622289.9189506/0/json-unit-core-2-19-0-sources-1-jar/net/javacrumbs/jsonunit/core/listener/DifferenceContext.java

\* /opt/cola/permits/1340076374\_1654622289.9189506/0/json-unit-core-2-19-0-sources-1-jar/net/javacrumbs/jsonunit/core/ParametrizedMatcher.java

\* /opt/cola/permits/1340076374\_1654622289.9189506/0/json-unit-core-2-19-0-sources-1-jar/net/javacrumbs/jsonunit/core/internal/AbstractNodeFactory.java

\* /opt/cola/permits/1340076374\_1654622289.9189506/0/json-unit-core-2-19-0-sources-1-jar/net/javacrumbs/jsonunit/core/internal/NodeWrapper.java

\* /opt/cola/permits/1340076374\_1654622289.9189506/0/json-unit-core-2-19-0-sources-1-jar/net/javacrumbs/jsonunit/core/internal/PathMatcher.java

\* /opt/cola/permits/1340076374\_1654622289.9189506/0/json-unit-core-2-19-0-sources-1-jar/net/javacrumbs/jsonunit/core/internal/JsonUtils.java

\* /opt/cola/permits/1340076374\_1654622289.9189506/0/json-unit-core-2-19-0-sources-1-jar/net/javacrumbs/jsonunit/core/listener/DifferenceListener.java

\* /opt/cola/permits/1340076374\_1654622289.9189506/0/json-unit-core-2-19-0-sources-1-jar/net/javacrumbs/jsonunit/core/internal/MoshiNodeFactory.java

\* /opt/cola/permits/1340076374\_1654622289.9189506/0/json-unit-core-2-19-0-sources-1-jar/net/javacrumbs/jsonunit/core/internal/Diff.java

\* /opt/cola/permits/1340076374\_1654622289.9189506/0/json-unit-core-2-19-0-sources-1-jar/net/javacrumbs/jsonunit/providers/Jackson2ObjectMapperProvider.java  
\* /opt/cola/permits/1340076374\_1654622289.9189506/0/json-unit-core-2-19-0-sources-1-jar/net/javacrumbs/jsonunit/core/internal/Differences.java  
\* /opt/cola/permits/1340076374\_1654622289.9189506/0/json-unit-core-2-19-0-sources-1-jar/net/javacrumbs/jsonunit/core/internal/Path.java  
\* /opt/cola/permits/1340076374\_1654622289.9189506/0/json-unit-core-2-19-0-sources-1-jar/net/javacrumbs/jsonunit/core/internal/ExceptionUtils.java  
\* /opt/cola/permits/1340076374\_1654622289.9189506/0/json-unit-core-2-19-0-sources-1-jar/net/javacrumbs/jsonunit/core/internal/NodeFactory.java  
\* /opt/cola/permits/1340076374\_1654622289.9189506/0/json-unit-core-2-19-0-sources-1-jar/net/javacrumbs/jsonunit/core/Matchers.java  
\* /opt/cola/permits/1340076374\_1654622289.9189506/0/json-unit-core-2-19-0-sources-1-jar/net/javacrumbs/jsonunit/core/util/ResourceUtils.java  
\* /opt/cola/permits/1340076374\_1654622289.9189506/0/json-unit-core-2-19-0-sources-1-jar/net/javacrumbs/jsonunit/core/internal/AbstractNode.java  
\* /opt/cola/permits/1340076374\_1654622289.9189506/0/json-unit-core-2-19-0-sources-1-jar/net/javacrumbs/jsonunit/core/listener/Difference.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Copyright 2009-2019 the original author or authors.  
\* <p>  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\* <p>  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\* <p>  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1340076374\_1654622289.9189506/0/json-unit-core-2-19-0-sources-1-jar/net/javacrumbs/jsonunit/core/internal/ComparisonMatrix.java  
\* /opt/cola/permits/1340076374\_1654622289.9189506/0/json-unit-core-2-19-0-sources-1-jar/net/javacrumbs/jsonunit/core/internal/matchers/InternalMatcher.java  
\* /opt/cola/permits/1340076374\_1654622289.9189506/0/json-unit-core-2-19-0-sources-1-jar/net/javacrumbs/jsonunit/core/internal/JohnzonNodeFactory.java  
\* /opt/cola/permits/1340076374\_1654622289.9189506/0/json-unit-core-2-19-0-sources-1-jar/net/javacrumbs/jsonunit/core/internal/ArrayUtils.java

# 1.146 hibernate-validator 6.1.7.Final

## 1.146.1 Available under license :

Hibernate Validator, declare and validate application constraints

License: Apache License, Version 2.0

See the license.txt file in the root directory or <<http://www.apache.org/licenses/LICENSE-2.0>>.

Adam Stawicki

Ahmed Al Hafoudh

Alaa Nassef

Andrey Derevyanko

Andrey Rodionov

Asutosh Pandya

Benson Margulies

Brent Douglas

Carlos Vara

Carlo de Wolf

Chris Beckey

Christian Ivan

Dag Hovland

Damir Alibegovic

Dario Seidl

Davide D'Alto

Davide Marchignoli

Denis Tiago

Doug Lea

Emmanuel Bernard

Efthymis Sarbanis

Federico

Federico Mancini

Gavin King

George Gastaldi

Gerhard Petracek

Guillaume Husta

Guillaume Smet

Gunnar Morling

Hardy Ferentschik

Henno Vermeulen

Hillmer Chona

Jan-Willem Willebrands

Jason T. Greene

Jesper Preuss

Jiri Bilek

Julien Furgerot

Julien May

Juraci Krohling

Justin Nauman

Kathryn Killebrew  
Kazuki Shimizu  
Kevin Pollet  
Khalid Alqinyah  
Lee KyoungIl  
Leonardo Loch Zanivan  
Lucas Pouzac  
Lukas Niemeier  
Mark Hobson  
Marko Bekhta  
Matthias Kurz  
Mert Caliskan  
Michal Fotyga  
Nicola Ferraro  
Nicolas Franois  
Paolo Perrotta  
Pete Muir  
Rob Dickinson  
Sanne Grinovero  
Sebastian Bayerl  
Shahram Goodarzi  
Shane Bryzak  
Shelly McGowan  
Sjaak Derksen  
Steve Ebersole  
Strong Liu  
Tadhg Pearson  
Takashi Aoe  
Tomaz Cerar  
Tommy Johansen  
Victor Rezende dos Santos  
Willi Schnborn  
Xavier Sosnovsky  
Yanming Zhou  
Yoann Rodire

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by



the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
  - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
  - (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
  - (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
  - (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained

within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. **Disclaimer of Warranty.** Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. **Limitation of Liability.** In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be

liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.

You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

# 1.147 swagger-models 2.1.6

## 1.147.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/**
 * Copyright 2017 SmartBear Software
 * <p>
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 * <p>
 * http://www.apache.org/licenses/LICENSE-2.0
 * <p>
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1115978480_1607824979.21/0/swagger-models-2-1-6-sources-
jar/io/swagger/v3/oas/models/links/LinkParameter.java
* /opt/cola/permits/1115978480_1607824979.21/0/swagger-models-2-1-6-sources-
jar/io/swagger/v3/oas/models/info/Contact.java
* /opt/cola/permits/1115978480_1607824979.21/0/swagger-models-2-1-6-sources-
jar/io/swagger/v3/oas/models/media/ArraySchema.java
* /opt/cola/permits/1115978480_1607824979.21/0/swagger-models-2-1-6-sources-
jar/io/swagger/v3/oas/models/security/Scopes.java
* /opt/cola/permits/1115978480_1607824979.21/0/swagger-models-2-1-6-sources-
jar/io/swagger/v3/oas/models/media/PasswordSchema.java
* /opt/cola/permits/1115978480_1607824979.21/0/swagger-models-2-1-6-sources-
jar/io/swagger/v3/oas/models/media/ByteArraySchema.java
* /opt/cola/permits/1115978480_1607824979.21/0/swagger-models-2-1-6-sources-
jar/io/swagger/v3/oas/models/media/DateSchema.java
* /opt/cola/permits/1115978480_1607824979.21/0/swagger-models-2-1-6-sources-
jar/io/swagger/v3/oas/models/OpenAPI.java
* /opt/cola/permits/1115978480_1607824979.21/0/swagger-models-2-1-6-sources-
jar/io/swagger/v3/oas/models/media/IntegerSchema.java
* /opt/cola/permits/1115978480_1607824979.21/0/swagger-models-2-1-6-sources-
jar/io/swagger/v3/oas/models/media/Encoding.java
* /opt/cola/permits/1115978480_1607824979.21/0/swagger-models-2-1-6-sources-
jar/io/swagger/v3/oas/models/media/NumberSchema.java
* /opt/cola/permits/1115978480_1607824979.21/0/swagger-models-2-1-6-sources-
jar/io/swagger/v3/oas/models/ExternalDocumentation.java
* /opt/cola/permits/1115978480_1607824979.21/0/swagger-models-2-1-6-sources-
```

jar/io/swagger/v3/oas/models/responses/ApiResponse.java  
\* /opt/cola/permits/1115978480\_1607824979.21/0/swagger-models-2-1-6-sources-  
jar/io/swagger/v3/oas/models/media/BinarySchema.java  
\* /opt/cola/permits/1115978480\_1607824979.21/0/swagger-models-2-1-6-sources-  
jar/io/swagger/v3/oas/models/callbacks/Callback.java  
\* /opt/cola/permits/1115978480\_1607824979.21/0/swagger-models-2-1-6-sources-  
jar/io/swagger/v3/oas/models/Operation.java  
\* /opt/cola/permits/1115978480\_1607824979.21/0/swagger-models-2-1-6-sources-  
jar/io/swagger/v3/oas/models/security/SecurityRequirement.java  
\* /opt/cola/permits/1115978480\_1607824979.21/0/swagger-models-2-1-6-sources-  
jar/io/swagger/v3/oas/models/parameters/QueryParameter.java  
\* /opt/cola/permits/1115978480\_1607824979.21/0/swagger-models-2-1-6-sources-  
jar/io/swagger/v3/oas/models/media/ComposedSchema.java  
\* /opt/cola/permits/1115978480\_1607824979.21/0/swagger-models-2-1-6-sources-  
jar/io/swagger/v3/oas/models/media/XML.java  
\* /opt/cola/permits/1115978480\_1607824979.21/0/swagger-models-2-1-6-sources-  
jar/io/swagger/v3/oas/models/security/SecurityScheme.java  
\* /opt/cola/permits/1115978480\_1607824979.21/0/swagger-models-2-1-6-sources-  
jar/io/swagger/v3/oas/models/media/DateTimeSchema.java  
\* /opt/cola/permits/1115978480\_1607824979.21/0/swagger-models-2-1-6-sources-  
jar/io/swagger/v3/oas/models/media/MapSchema.java  
\* /opt/cola/permits/1115978480\_1607824979.21/0/swagger-models-2-1-6-sources-  
jar/io/swagger/v3/oas/models/media/EmailSchema.java  
\* /opt/cola/permits/1115978480\_1607824979.21/0/swagger-models-2-1-6-sources-  
jar/io/swagger/v3/oas/models/Paths.java  
\* /opt/cola/permits/1115978480\_1607824979.21/0/swagger-models-2-1-6-sources-  
jar/io/swagger/v3/oas/models/servers/ServerVariables.java  
\* /opt/cola/permits/1115978480\_1607824979.21/0/swagger-models-2-1-6-sources-  
jar/io/swagger/v3/oas/models/parameters/CookieParameter.java  
\* /opt/cola/permits/1115978480\_1607824979.21/0/swagger-models-2-1-6-sources-  
jar/io/swagger/v3/oas/models/media/UUIDSchema.java  
\* /opt/cola/permits/1115978480\_1607824979.21/0/swagger-models-2-1-6-sources-  
jar/io/swagger/v3/oas/models/servers/Server.java  
\* /opt/cola/permits/1115978480\_1607824979.21/0/swagger-models-2-1-6-sources-  
jar/io/swagger/v3/oas/models/links/Link.java  
\* /opt/cola/permits/1115978480\_1607824979.21/0/swagger-models-2-1-6-sources-  
jar/io/swagger/v3/oas/models/media/FileSchema.java  
\* /opt/cola/permits/1115978480\_1607824979.21/0/swagger-models-2-1-6-sources-  
jar/io/swagger/v3/oas/models/responses/ApiResponses.java  
\* /opt/cola/permits/1115978480\_1607824979.21/0/swagger-models-2-1-6-sources-  
jar/io/swagger/v3/oas/models/tags/Tag.java  
\* /opt/cola/permits/1115978480\_1607824979.21/0/swagger-models-2-1-6-sources-  
jar/io/swagger/v3/oas/models/security/OAuthFlow.java  
\* /opt/cola/permits/1115978480\_1607824979.21/0/swagger-models-2-1-6-sources-  
jar/io/swagger/v3/oas/models/security/OAuthFlows.java  
\* /opt/cola/permits/1115978480\_1607824979.21/0/swagger-models-2-1-6-sources-  
jar/io/swagger/v3/oas/models/media/StringSchema.java  
\* /opt/cola/permits/1115978480\_1607824979.21/0/swagger-models-2-1-6-sources-

jar/io/swagger/v3/oas/models/media/MediaType.java  
\* /opt/cola/permits/1115978480\_1607824979.21/0/swagger-models-2-1-6-sources-  
jar/io/swagger/v3/oas/models/parameters/Parameter.java  
\* /opt/cola/permits/1115978480\_1607824979.21/0/swagger-models-2-1-6-sources-  
jar/io/swagger/v3/oas/models/parameters/PathParameter.java  
\* /opt/cola/permits/1115978480\_1607824979.21/0/swagger-models-2-1-6-sources-  
jar/io/swagger/v3/oas/models/parameters/RequestBody.java  
\* /opt/cola/permits/1115978480\_1607824979.21/0/swagger-models-2-1-6-sources-  
jar/io/swagger/v3/oas/models/media/EncodingProperty.java  
\* /opt/cola/permits/1115978480\_1607824979.21/0/swagger-models-2-1-6-sources-  
jar/io/swagger/v3/oas/models/info/Info.java  
\* /opt/cola/permits/1115978480\_1607824979.21/0/swagger-models-2-1-6-sources-  
jar/io/swagger/v3/oas/models/examples/Example.java  
\* /opt/cola/permits/1115978480\_1607824979.21/0/swagger-models-2-1-6-sources-  
jar/io/swagger/v3/oas/models/parameters/HeaderParameter.java  
\* /opt/cola/permits/1115978480\_1607824979.21/0/swagger-models-2-1-6-sources-  
jar/io/swagger/v3/oas/models/media/BooleanSchema.java  
\* /opt/cola/permits/1115978480\_1607824979.21/0/swagger-models-2-1-6-sources-  
jar/io/swagger/v3/oas/models/servers/ServerVariable.java  
\* /opt/cola/permits/1115978480\_1607824979.21/0/swagger-models-2-1-6-sources-  
jar/io/swagger/v3/oas/models/Components.java  
\* /opt/cola/permits/1115978480\_1607824979.21/0/swagger-models-2-1-6-sources-  
jar/io/swagger/v3/oas/models/info/License.java  
\* /opt/cola/permits/1115978480\_1607824979.21/0/swagger-models-2-1-6-sources-  
jar/io/swagger/v3/oas/models/media/ObjectSchema.java  
\* /opt/cola/permits/1115978480\_1607824979.21/0/swagger-models-2-1-6-sources-  
jar/io/swagger/v3/oas/models/media/Schema.java  
\* /opt/cola/permits/1115978480\_1607824979.21/0/swagger-models-2-1-6-sources-  
jar/io/swagger/v3/oas/models/media/Content.java  
\* /opt/cola/permits/1115978480\_1607824979.21/0/swagger-models-2-1-6-sources-  
jar/io/swagger/v3/oas/models/PathItem.java  
\* /opt/cola/permits/1115978480\_1607824979.21/0/swagger-models-2-1-6-sources-  
jar/io/swagger/v3/oas/models/headers/Header.java

## 1.148 checker-qual 3.10.0

### 1.148.1 Available under license :

Checker Framework qualifiers

Copyright 2004-present by the Checker Framework developers

MIT License:

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is

furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.149 jopt-simple 5.0.4

### 1.149.1 Available under license :

The MIT License

Copyright (c) 2004-2015 Paul R. Holser, Jr.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.150 jackson-databind 2.13.2.2

### 1.150.1 Available under license :

# Jackson JSON processor

Jackson is a high-performance, Free/Open Source JSON processing library.

It was originally written by Tatu Saloranta (tatu.saloranta@iki.fi), and has



been in development since 2007.

It is currently developed by a community of developers.

## ## Licensing

Jackson 2.x core and extension components are licensed under Apache License 2.0

To find the details that apply to this artifact see the accompanying LICENSE file.

## ## Credits

A list of contributors may be found from CREDITS(-2.x) file, which is included in some artifacts (usually source distributions); but is always available from the source code management (SCM) system project uses.

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a

cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,

any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

# 1.151 asm-based-accessors-helper-used-by- json-smart 2.4.8

## 1.151.1 Available under license :

No license file was found, but licenses were detected in source scan.

<url><http://www.apache.org/licenses/LICENSE-2.0.txt></url>

Found in path(s):

\* /opt/cola/permits/1340076313\_1654762627.85568/0/accessors-smart-2-4-8-jar/META-INF/maven/net.minidev/accessors-smart/pom.xml

No license file was found, but licenses were detected in source scan.

Manifest-Version: 1.0

Bnd-LastModified: 1644737816481

Build-Jdk: 11.0.14

Built-By: uriel

Bundle-Description: Java reflect give poor performance on getter setter  
r an constructor calls, accessors-smart use ASM to speed up those calls.

Bundle-DocURL: <https://urielch.github.io/>

Bundle-License: <http://www.apache.org/licenses/LICENSE-2.0.txt>

Bundle-ManifestVersion: 2  
Bundle-Name: accessors-smart  
Bundle-SymbolicName: net.minidev.accessors-smart  
Bundle-Vendor: Chemouni Uriel  
Bundle-Version: 2.4.8  
Created-By: Apache Maven Bundle Plugin  
Export-Package: net.minidev.asm;uses:="org.objectweb.asm";version="2.4.8",net.minidev.asm.ex;version="2.4.8"  
Import-Package: org.objectweb.asm;version="[8.0,10)",net.minidev.asm.ex  
Require-Capability: osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=1.8))"  
Tool: Bnd-5.1.1.202006162103

Found in path(s):

\* /opt/cola/permits/1340076313\_1654762627.85568/0/accessors-smart-2-4-8-jar/META-INF/MANIFEST.MF

# 1.152 java-architecture-for-xml-binding 2.3.1

## 1.152.1 Available under license :

COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL)Version 1.1

### 1. Definitions.

- 1.1. "Contributor" means each individual or entity that creates or contributes to the creation of Modifications.
- 1.2. "Contributor Version" means the combination of the Original Software, prior Modifications used by a Contributor (if any), and the Modifications made by that particular Contributor.
- 1.3. "Covered Software" means (a) the Original Software, or (b) Modifications, or (c) the combination of files containing Original Software with files containing Modifications, in each case including portions thereof.
- 1.4. "Executable" means the Covered Software in any form other than Source Code.
- 1.5. "Initial Developer" means the individual or entity that first makes Original Software available under this License.
- 1.6. "Larger Work" means a work which combines Covered Software or portions thereof with code not governed by the terms of this License.
- 1.7. "License" means this document.
- 1.8. "Licensable" means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed herein.
- 1.9. "Modifications" means the Source Code and Executable form of any of the following:
  - A. Any file that results from an addition to, deletion from or modification of the contents of a file containing

Original Software or previous Modifications;

B. Any new file that contains any part of the Original Software or previous Modification; or

C. Any new file that is contributed or otherwise made available under the terms of this License.

1.10. "Original Software" means the Source Code and Executable form of computer software code that is originally released under this License.

1.11. "Patent Claims" means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent Licensable by grantor.

1.12. "Source Code" means (a) the common form of computer software code in which modifications are made and (b) associated documentation included in or with such code.

1.13. "You" (or "Your") means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License. For legal entities, "You" includes any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, "control" means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

## 2. License Grants.

### 2.1. The Initial Developer Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, the Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Initial Developer, to use, reproduce, modify, display, perform, sublicense and distribute the Original Software (or portions thereof), with or without Modifications, and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using or selling of Original Software, to make, have made, use, practice, sell, and offer for sale, and/or otherwise dispose of the Original Software (or portions thereof).

(c) The licenses granted in Sections 2.1(a) and (b) are effective on the date Initial Developer first distributes or otherwise makes the Original Software available to a third party under the terms of this License.

(d) Notwithstanding Section 2.1(b) above, no patent license is granted: (1) for code that You delete from the Original Software, or (2) for infringements caused by: (i) the modification of the Original Software, or (ii) the combination of the Original Software with other software or devices.

### 2.2. Contributor Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Contributor to use, reproduce,

modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof), either on an unmodified basis, with other Modifications, as Covered Software and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor either alone and/or in combination with its Contributor Version (or portions of such combination), to make, use, sell, offer for sale, have made, and/or otherwise dispose of: (1) Modifications made by that Contributor (or portions thereof); and (2) the combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).

(c) The licenses granted in Sections 2.2(a) and 2.2(b) are effective on the date Contributor first distributes or otherwise makes the Modifications available to a third party.

(d) Notwithstanding Section 2.2(b) above, no patent license is granted: (1) for any code that Contributor has deleted from the Contributor Version; (2) for infringements caused by: (i) third party modifications of Contributor Version, or (ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or (3) under Patent Claims infringed by Covered Software in the absence of Modifications made by that Contributor.

### 3. Distribution Obligations.

#### 3.1. Availability of Source Code.

Any Covered Software that You distribute or otherwise make available in Executable form must also be made available in Source Code form and that Source Code form must be distributed only under the terms of this License. You must include a copy of this License with every copy of the Source Code form of the Covered Software You distribute or otherwise make available. You must inform recipients of any such Covered Software in Executable form as to how they can obtain such Covered Software in Source Code form in a reasonable manner on or through a medium customarily used for software exchange.

#### 3.2. Modifications.

The Modifications that You create or to which You contribute are governed by the terms of this License. You represent that You believe Your Modifications are Your original creation(s) and/or You have sufficient rights to grant the rights conveyed by this License.

#### 3.3. Required Notices.

You must include a notice in each of Your Modifications that identifies You as the Contributor of the Modification. You may not remove or alter any copyright, patent or trademark notices contained within the Covered Software, or any notices of licensing or any descriptive text giving attribution to any Contributor or the Initial Developer.

#### 3.4. Application of Additional Terms.

You may not offer or impose any terms on any Covered Software in Source Code form that alters or restricts the applicable version of this License or the recipients' rights hereunder. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However,



you may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it absolutely clear that any such warranty, support, indemnity or liability obligation is offered by You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of warranty, support, indemnity or liability terms You offer.

### 3.5. Distribution of Executable Versions.

You may distribute the Executable form of the Covered Software under the terms of this License or under the terms of a license of Your choice, which may contain terms different from this License, provided that You are in compliance with the terms of this License and that the license for the Executable form does not attempt to limit or alter the recipient's rights in the Source Code form from the rights set forth in this License. If You distribute the Covered Software in Executable form under a different license, You must make it absolutely clear that any terms which differ from this License are offered by You alone, not by the Initial Developer or Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer.

### 3.6. Larger Works.

You may create a Larger Work by combining Covered Software with other code not governed by the terms of this License and distribute the Larger Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled for the Covered Software.

## 4. Versions of the License.

### 4.1. New Versions.

Oracle is the initial license steward and may publish revised and/or new versions of this License from time to time. Each version will be given a distinguishing version number. Except as provided in Section 4.3, no one other than the license steward has the right to modify this License.

### 4.2. Effect of New Versions.

You may always continue to use, distribute or otherwise make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. If the Initial Developer includes a notice in the Original Software prohibiting it from being distributed or otherwise made available under any subsequent version of the License, You must distribute and make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. Otherwise, You may also choose to use, distribute or otherwise make the Covered Software available under the terms of any subsequent version of the License published by the license steward.

### 4.3. Modified Versions.

When You are an Initial Developer and You want to create a new license for Your Original Software, You may create and use a modified version of this License if You: (a) rename the license and remove any references to the name of the license steward (except to note that the license differs from this License); and (b) otherwise make it clear that the license contains terms which differ from this License.

## 5. DISCLAIMER OF WARRANTY.

COVERED SOFTWARE IS PROVIDED UNDER THIS LICENSE ON AN "AS IS" BASIS, WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES THAT THE COVERED SOFTWARE IS FREE OF DEFECTS, MERCHANTABILITY, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED SOFTWARE IS WITH YOU. SHOULD ANY COVERED SOFTWARE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED SOFTWARE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

## 6. TERMINATION.

6.1. This License and the rights granted hereunder will terminate automatically if You fail to comply with terms herein and fail to cure such breach within 30 days of becoming aware of the breach. Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive.

6.2. If You assert a patent infringement claim (excluding declaratory judgment actions) against Initial Developer or a Contributor (the Initial Developer or Contributor against whom You assert such claim is referred to as "Participant") alleging that the Participant Software (meaning the Contributor Version where the Participant is a Contributor or the Original Software where the Participant is the Initial Developer) directly or indirectly infringes any patent, then any and all rights granted directly or indirectly to You by such Participant, the Initial Developer (if the Initial Developer is not the Participant) and all Contributors under Sections 2.1 and/or 2.2 of this License shall, upon 60 days notice from Participant terminate prospectively and automatically at the expiration of such 60 day notice period, unless if within such 60 day period You withdraw Your claim with respect to the Participant Software against such Participant either unilaterally or pursuant to a written agreement with Participant.

6.3. If You assert a patent infringement claim against Participant alleging that the Participant Software directly or indirectly infringes any patent where such claim is resolved (such as by license or settlement) prior to the initiation of patent infringement litigation, then the reasonable value of the licenses granted by such Participant under Sections 2.1 or 2.2 shall be taken into account in determining the amount or value of any payment or license.

6.4. In the event of termination under Sections 6.1 or 6.2 above, all end user licenses that have been validly granted by You or any distributor hereunder prior to termination (excluding licenses granted to You by any distributor) shall survive termination.

## 7. LIMITATION OF LIABILITY.

UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED SOFTWARE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTY'S NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME

JURISDICTIONS DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

#### 8. U.S. GOVERNMENT END USERS.

The Covered Software is a "commercial item," as that term is defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of "commercial computer software" (as that term is defined at 48 C.F.R. ? 252.227-7014(a)(1)) and "commercial computer software documentation" as such terms are used in 48 C.F.R. 12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4 (June 1995), all U.S. Government End Users acquire Covered Software with only those rights set forth herein. This U.S. Government Rights clause is in lieu of, and supersedes, any other FAR, DFAR, or other clause or provision that addresses Government rights in computer software under this License.

#### 9. MISCELLANEOUS.

This License represents the complete agreement concerning subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by the law of the jurisdiction specified in a notice contained within the Original Software (except to the extent applicable law, if any, provides otherwise), excluding such jurisdiction's conflict-of-law provisions. Any litigation relating to this License shall be subject to the jurisdiction of the courts located in the jurisdiction and venue specified in a notice contained within the Original Software, with the losing party responsible for costs, including, without limitation, court costs and reasonable attorneys' fees and expenses. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not apply to this License. You agree that You alone are responsible for compliance with the United States export administration regulations (and the export control laws and regulation of any other countries) when You use, distribute or otherwise make available any Covered Software.

#### 10. RESPONSIBILITY FOR CLAIMS.

As between Initial Developer and the Contributors, each party is responsible for claims and damages arising, directly or indirectly, out of its utilization of rights under this License and You agree to work with Initial Developer and Contributors to distribute such responsibility on an equitable basis. Nothing herein is intended or shall be deemed to constitute any admission of liability.

-----

#### NOTICE PURSUANT TO SECTION 9 OF THE COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL)

The code released under the CDDL shall be governed by the laws of the State of California (excluding conflict-of-law provisions). Any litigation relating to this License shall be subject to the jurisdiction of the Federal Courts of the Northern District of California and the state courts of the State of California, with venue lying in Santa Clara County, California.

The GNU General Public License (GPL) Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc. 59 Temple Place, Suite 330, Boston, MA 02111-1307  
USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

#### Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

#### TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under

copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-

free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

#### NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY

COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.

Copyright (C)

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author

Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'. This is free software, and you are welcome to redistribute it under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright



disclaimer" for the program, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program `Gnomovision' (which makes passes at compilers) written by James Hacker.

signature of Ty Coon, 1 April 1989

Ty Coon, President of Vice

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

## "CLASSPATH" EXCEPTION TO THE GPL VERSION 2

Certain source files distributed by Oracle are subject to the following clarification and special exception to the GPL Version 2, but only where Oracle has expressly included in the particular source file's header the words "Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the License file that accompanied this code."

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License Version 2 cover the whole combination.

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module. An independent module is a module which is not derived from or based on this library. If you modify this library, you may extend this exception to your version of the library, but you are not obligated to do so. If you do not wish to do so, delete this exception statement from your version.

# 1.153 apache-httpmime 4.5.13

## 1.153.1 Available under license :

Apache HttpClient Mime  
Copyright 1999-2020 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

## 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent

to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
  - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
  - (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
  - (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work,

excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any

risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
  
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

#### END OF TERMS AND CONDITIONS

#### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS,

WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.

# 1.154 jakarta-expression-language-3.0- implementation 3.0.4

## 1.154.1 Available under license :

# Notices for Jakarta Expression Language

This content is produced and maintained by the Jakarta Expression Language project.

\* Project home: <https://projects.eclipse.org/projects/ee4j.el>

## Trademarks

Jakarta Expression Language is a trademark of the Eclipse Foundation.

## Copyright

All content is the property of the respective authors or their employers. For more information regarding authorship of content, please consult the listed source code repository logs.

## Declared Project Licenses

This program and the accompanying materials are made available under the terms of the Eclipse Public License v. 2.0 which is available at <http://www.eclipse.org/legal/epl-2.0>. This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License v. 2.0 are satisfied: GNU General Public License, version 2 with the GNU Classpath Exception which is available at <https://www.gnu.org/software/classpath/license.html>.

SPDX-License-Identifier: EPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0

## Source Code

The project maintains the following source code repositories:

\* <https://github.com/eclipse-ee4j/el-ri>

## Third-party Content

## Cryptography

Content may contain encryption software. The country in which you are currently may have restrictions on the import, possession, and use, and/or re-export to another country, of encryption software. BEFORE using any encryption software, please check the country's laws, regulations and policies concerning the import, possession, or use, and re-export of encryption software, to see if this is permitted.

# Eclipse Public License - v 2.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

## 1. DEFINITIONS

"Contribution" means:

a) in the case of the initial Contributor, the initial content Distributed under this Agreement, and

b) in the case of each subsequent Contributor:

- i) changes to the Program, and
- ii) additions to the Program;

where such changes and/or additions to the Program originate from and are Distributed by that particular Contributor. A Contribution "originates" from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include changes or additions to the Program that are not Modified Works.

"Contributor" means any person or entity that Distributes the Program.

"Licensed Patents" mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions Distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement or any Secondary License (as applicable), including Contributors.

"Derivative Works" shall mean any work, whether in Source Code or other form, that is based on (or derived from) the Program and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship.

"Modified Works" shall mean any work in Source Code or other form that

results from an addition to, deletion from, or modification of the contents of the Program, including, for purposes of clarity any new file in Source Code form that contains any contents of the Program. Modified Works shall not include works that contain only declarations, interfaces, types, classes, structures, or files of the Program solely in each case in order to link to, bind by name, or subclass the Program or Modified Works thereof.

"Distribute" means the acts of a) distributing or b) making available in any manner that enables the transfer of a copy.

"Source Code" means the form of a Program preferred for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Secondary License" means either the GNU General Public License, Version 2.0, or any later versions of that license, including any exceptions or additional permissions as identified by the initial Contributor.

## 2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, Distribute and sublicense the Contribution of such Contributor, if any, and such Derivative Works.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in Source Code or other form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby



assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to Distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

e) Notwithstanding the terms of any Secondary License, no Contributor makes additional grants to any Recipient (other than those set forth in this Agreement) as a result of such Recipient's receipt of the Program under the terms of a Secondary License (if permitted under the terms of Section 3).

### 3. REQUIREMENTS

3.1 If a Contributor Distributes the Program in any form, then:

a) the Program must also be made available as Source Code, in accordance with section 3.2, and the Contributor must accompany the Program with a statement that the Source Code for the Program is available under this Agreement, and informs Recipients how to obtain it in a reasonable manner on or through a medium customarily used for software exchange; and

b) the Contributor may Distribute the Program under a license different than this Agreement, provided that such license:

i) effectively disclaims on behalf of all other Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;

ii) effectively excludes on behalf of all other Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;

iii) does not attempt to limit or alter the recipients' rights in the Source Code under section 3.2; and

iv) requires any subsequent distribution of the Program by any party to be under a license that satisfies the requirements of this section 3.

3.2 When the Program is Distributed as Source Code:

a) it must be made available under this Agreement, or if the Program (i) is combined with other material in a separate file or files made available under a Secondary License, and (ii) the initial Contributor attached to the Source Code the notice described in Exhibit A of this Agreement, then the Program may be made available under the terms of such Secondary Licenses, and

b) a copy of this Agreement must be included with each copy of the Program.

3.3 Contributors may not remove or alter any copyright, patent, trademark, attribution notices, disclaimers of warranty, or limitations of liability ("notices") contained within the Program from any copy of the Program which they Distribute, provided that Contributors may add their own appropriate notices.

#### 4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to

pay any damages as a result, the Commercial Contributor must pay those damages.

#### 5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

#### 6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

#### 7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's

rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be Distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to Distribute the Program (including its Contributions) under the new version.

Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved. Nothing in this Agreement is intended to be enforceable by any entity that is not a Contributor or Recipient. No third-party beneficiary rights are created under this Agreement.

#### Exhibit A - Form of Secondary Licenses Notice

"This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License, v. 2.0 are satisfied: {name license(s), version(s), and exceptions or additional permissions here}."

Simply including a copy of this Agreement, including this Exhibit A is not sufficient to license the Source Code under Secondary Licenses.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.

---

## The GNU General Public License (GPL) Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.  
51 Franklin Street, Fifth Floor  
Boston, MA 02110-1335  
USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

#### Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

## TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

- a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.
- b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part

thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.



7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by

the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

#### NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

#### END OF TERMS AND CONDITIONS

##### How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.

Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1335 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type
`show w'. This is free software, and you are welcome to redistribute
it under certain conditions; type `show c' for details.
```

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

```
Yoyodyne, Inc., hereby disclaims all copyright interest in the
program `Gnomovision' (which makes passes at compilers) written by
James Hacker.
```

```
signature of Ty Coon, 1 April 1989
Ty Coon, President of Vice
```

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

---

## ## CLASSPATH EXCEPTION

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License version 2 cover the whole combination.

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module. An independent module is a module which is not derived from or based on this library. If you modify this library, you may extend this exception to your version of the library, but you are not obligated to do so. If you do not wish to do so, delete this exception statement from your version.

# 1.155 dropwizard-metrics-support 2.0.25

## 1.155.1 Available under license :

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the

Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside

or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.
6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. **Disclaimer of Warranty.** Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. **Limitation of Liability.** In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. **Accepting Warranty or Additional Liability.** While redistributing the Work or Derivative Works thereof, You may choose to offer,

and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright 2010-2013 Coda Hale and Yammer, Inc., 2014-2020 Dropwizard Team

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

# 1.156 micronaut-test 3.1.1

## 1.156.1 Available under license :

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2017-2020 original authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at



- \*  
 \* <https://www.apache.org/licenses/LICENSE-2.0>  
 \*  
 \* Unless required by applicable law or agreed to in writing, software  
 \* distributed under the License is distributed on an "AS IS" BASIS,  
 \* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
 \* See the License for the specific language governing permissions and  
 \* limitations under the License.  
 \*/

Found in path(s):

- \* /opt/cola/permits/1331474237\_1653506865.917328/0/micronaut-test-junit5-3-1-1-sources-jar/io/micronaut/test/extensions/junit5/annotation/MicronautTest.java
- \* /opt/cola/permits/1331474237\_1653506865.917328/0/micronaut-test-junit5-3-1-1-sources-jar/io/micronaut/test/extensions/junit5/MicronautJUnit5Extension.java
- \* /opt/cola/permits/1331474237\_1653506865.917328/0/micronaut-test-junit5-3-1-1-sources-jar/io/micronaut/test/extensions/junit5/graal/MicronautJUnit5Graal.java

## 1.157 kafka-schema-registry-client 6.2.1

### 1.157.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
<project xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xmlns="http://maven.apache.org/POM/4.0.0"
  xsi:schemaLocation="http://maven.apache.org/POM/4.0.0 http://maven.apache.org/maven-v4_0_0.xsd">

  <modelVersion>4.0.0</modelVersion>

  <parent>
    <groupId>io.confluent</groupId>
    <artifactId>kafka-schema-registry-parent</artifactId>
    <version>6.2.1</version>
  </parent>

  <licenses>
    <license>
      <name>Apache License 2.0</name>
      <url>http://www.apache.org/licenses/LICENSE-2.0.html</url>
      <distribution>repo</distribution>
    </license>
  </licenses>

  <artifactId>kafka-schema-registry-client</artifactId>
  <packaging>jar</packaging>
  <name>kafka-schema-registry-client</name>
```

```

<dependencies>
  <dependency>
    <groupId>org.apache.kafka</groupId>
    <artifactId>kafka-clients</artifactId>
  </dependency>
  <dependency>
    <groupId>org.apache.avro</groupId>
    <artifactId>avro</artifactId>
  </dependency>
  <dependency>
    <groupId>org.apache.commons</groupId>
    <artifactId>commons-compress</artifactId>
  </dependency>
  <dependency>
    <groupId>com.fasterxml.jackson.core</groupId>
    <artifactId>jackson-databind</artifactId>
  </dependency>
  <dependency>
    <groupId>jakarta.ws.rs</groupId>
    <artifactId>jakarta.ws.rs-api</artifactId>
  </dependency>
  <dependency>
    <groupId>org.glassfish.jersey.core</groupId>
    <artifactId>jersey-common</artifactId>
    <version>${jersey.version}</version>
  </dependency>
  <dependency>
    <groupId>org.easymock</groupId>
    <artifactId>easymock</artifactId>
    <scope>test</scope>
  </dependency>
  <dependency>
    <groupId>org.powermock</groupId>
    <artifactId>powermock-module-junit4</artifactId>
    <scope>test</scope>
  </dependency>
  <dependency>
    <groupId>org.powermock</groupId>
    <artifactId>powermock-api-easymock</artifactId>
    <scope>test</scope>
  </dependency>
  <dependency>
    <groupId>junit</groupId>
    <artifactId>junit</artifactId>
    <scope>test</scope>
  </dependency>
  <dependency>
    <groupId>io.swagger</groupId>

```

```

    <artifactId>swagger-annotations</artifactId>
  </dependency>
</dependency>
  <groupId>io.swagger</groupId>
  <artifactId>swagger-core</artifactId>
  <version>1.6.2</version>
  <exclusions>
    <exclusion>
      <groupId>javax.validation</groupId>
      <artifactId>validation-api</artifactId>
    </exclusion>
    <exclusion>
      <groupId>com.google.guava</groupId>
      <artifactId>guava</artifactId>
    </exclusion>
  </exclusions>
</dependency>
<dependency>
  <groupId>com.google.guava</groupId>
  <artifactId>guava</artifactId>
  <version>${guava.version}</version>
</dependency>
</dependencies>
</project>

```

Found in path(s):

\* /opt/cola/permits/1340031511\_1654757594.2991207/0/kafka-schema-registry-client-6-2-1-jar/META-INF/maven/io.confluent/kafka-schema-registry-client/pom.xml

## 1.158 slf4j-api-module 1.7.32

### 1.158.1 Available under license :

No license file was found, but licenses were detected in source scan.

/\*\*

\* Copyright (c) 2004-2011 QOS.ch

\* All rights reserved.

\*

\* Permission is hereby granted, free of charge, to any person obtaining

\* a copy of this software and associated documentation files (the

\* "Software"), to deal in the Software without restriction, including

\* without limitation the rights to use, copy, modify, merge, publish,

\* distribute, sublicense, and/or sell copies of the Software, and to

\* permit persons to whom the Software is furnished to do so, subject to

\* the following conditions:

\*

\* The above copyright notice and this permission notice shall be

\* included in all copies or substantial portions of the Software.  
\*  
\* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,  
\* EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF  
\* MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND  
\* NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE  
\* LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION  
\* OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION  
\* WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.  
\*  
\*/

Found in path(s):

\* /opt/cola/permits/1267277703\_1648511906.32/0/slf4j-api-1-7-32-sources-jar/org/slf4j/MDC.java  
\* /opt/cola/permits/1267277703\_1648511906.32/0/slf4j-api-1-7-32-sources-jar/org/slf4j/Logger.java  
\* /opt/cola/permits/1267277703\_1648511906.32/0/slf4j-api-1-7-32-sources-jar/org/slf4j/impl/StaticMDCBinder.java  
\* /opt/cola/permits/1267277703\_1648511906.32/0/slf4j-api-1-7-32-sources-jar/org/slf4j/spi/MarkerFactoryBinder.java  
\* /opt/cola/permits/1267277703\_1648511906.32/0/slf4j-api-1-7-32-sources-jar/org/slf4j/helpers/BasicMarkerFactory.java  
\* /opt/cola/permits/1267277703\_1648511906.32/0/slf4j-api-1-7-32-sources-jar/org/slf4j/helpers/SubstituteLogger.java  
\* /opt/cola/permits/1267277703\_1648511906.32/0/slf4j-api-1-7-32-sources-jar/org/slf4j/LoggerFactory.java  
\* /opt/cola/permits/1267277703\_1648511906.32/0/slf4j-api-1-7-32-sources-jar/org/slf4j/helpers/BasicMDCAdapter.java  
\* /opt/cola/permits/1267277703\_1648511906.32/0/slf4j-api-1-7-32-sources-jar/org/slf4j/MarkerFactory.java  
\* /opt/cola/permits/1267277703\_1648511906.32/0/slf4j-api-1-7-32-sources-jar/org/slf4j/helpers/SubstituteLoggerFactory.java  
\* /opt/cola/permits/1267277703\_1648511906.32/0/slf4j-api-1-7-32-sources-jar/org/slf4j/Marker.java  
\* /opt/cola/permits/1267277703\_1648511906.32/0/slf4j-api-1-7-32-sources-jar/org/slf4j/helpers/BasicMarker.java  
\* /opt/cola/permits/1267277703\_1648511906.32/0/slf4j-api-1-7-32-sources-jar/org/slf4j/helpers/MarkerIgnoringBase.java  
\* /opt/cola/permits/1267277703\_1648511906.32/0/slf4j-api-1-7-32-sources-jar/org/slf4j/helpers/NOPLLogger.java  
\* /opt/cola/permits/1267277703\_1648511906.32/0/slf4j-api-1-7-32-sources-jar/org/slf4j/spi/LocationAwareLogger.java  
\* /opt/cola/permits/1267277703\_1648511906.32/0/slf4j-api-1-7-32-sources-jar/org/slf4j/helpers/NOPMDCAdapter.java  
\* /opt/cola/permits/1267277703\_1648511906.32/0/slf4j-api-1-7-32-sources-jar/org/slf4j/helpers/NOPLLoggerFactory.java  
\* /opt/cola/permits/1267277703\_1648511906.32/0/slf4j-api-1-7-32-sources-jar/org/slf4j/impl/StaticMarkerBinder.java  
\* /opt/cola/permits/1267277703\_1648511906.32/0/slf4j-api-1-7-32-sources-jar/org/slf4j/impl/StaticLoggerBinder.java  
\* /opt/cola/permits/1267277703\_1648511906.32/0/slf4j-api-1-7-32-sources-jar/org/slf4j/spi/LoggerFactoryBinder.java  
\* /opt/cola/permits/1267277703\_1648511906.32/0/slf4j-api-1-7-32-sources-jar/org/slf4j/IMarkerFactory.java  
\* /opt/cola/permits/1267277703\_1648511906.32/0/slf4j-api-1-7-32-sources-jar/org/slf4j/ILoggerFactory.java

\* /opt/cola/permits/1267277703\_1648511906.32/0/slf4j-api-1-7-32-sources-jar/org/slf4j/helpers/Util.java  
\* /opt/cola/permits/1267277703\_1648511906.32/0/slf4j-api-1-7-32-sources-jar/org/slf4j/helpers/MessageFormatter.java  
\* /opt/cola/permits/1267277703\_1648511906.32/0/slf4j-api-1-7-32-sources-jar/org/slf4j/spi/MDCAdapter.java  
\* /opt/cola/permits/1267277703\_1648511906.32/0/slf4j-api-1-7-32-sources-jar/org/slf4j/helpers/NamedLoggerBase.java  
\* /opt/cola/permits/1267277703\_1648511906.32/0/slf4j-api-1-7-32-sources-jar/org/slf4j/helpers/FormattingTuple.java

# 1.159 jersey-media-jaxb 2.31

## 1.159.1 Available under license :

# Notice for Jersey

This content is produced and maintained by the Eclipse Jersey project.

\* Project home: <https://projects.eclipse.org/projects/ee4j/jersey>

## Trademarks

Eclipse Jersey is a trademark of the Eclipse Foundation.

## Copyright

All content is the property of the respective authors or their employers. For more information regarding authorship of content, please consult the listed source code repository logs.

## Declared Project Licenses

This program and the accompanying materials are made available under the terms of the Eclipse Public License v. 2.0 which is available at <http://www.eclipse.org/legal/epl-2.0>. This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License v. 2.0 are satisfied: GNU General Public License, version 2 with the GNU Classpath Exception which is available at <https://www.gnu.org/software/classpath/license.html>.

SPDX-License-Identifier: EPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0

## Source Code

The project maintains the following source code repositories:

\* <https://github.com/eclipse-ee4j/jersey>

## Third-party Content

Angular JS, v1.6.6

\* License MIT (<http://www.opensource.org/licenses/mit-license.php>)

- \* Project: <http://angularjs.org>
- \* Copyright: (c) 2010-2017 Google, Inc.

#### aopalliance Version 1

- \* License: all the source code provided by AOP Alliance is Public Domain.
- \* Project: <http://aopalliance.sourceforge.net>
- \* Copyright: Material in the public domain is not protected by copyright

#### Bean Validation API 2.0.2

- \* License: Apache License, 2.0
- \* Project: <http://beanvalidation.org/1.1/>
- \* Copyright: 2009, Red Hat, Inc. and/or its affiliates, and individual contributors
- \* by the @authors tag.

#### Hibernate Validator CDI, 6.1.2.Final

- \* License: Apache License, 2.0
- \* Project: <https://beanvalidation.org/>
- \* Repackaged in `org.glassfish.jersey.server.validation.internal.hibernate`

#### Bootstrap v3.3.7

- \* License: MIT license (<https://github.com/twbs/bootstrap/blob/master/LICENSE>)
- \* Project: <http://getbootstrap.com>
- \* Copyright: 2011-2016 Twitter, Inc

#### Google Guava Version 18.0

- \* License: Apache License, 2.0
- \* Copyright (C) 2009 The Guava Authors

#### javax.inject Version: 1

- \* License: Apache License, 2.0
- \* Copyright (C) 2009 The JSR-330 Expert Group

#### Javassist Version 3.25.0-GA

- \* License: Apache License, 2.0
- \* Project: <http://www.javassist.org/>
- \* Copyright (C) 1999- Shigeru Chiba. All Rights Reserved.

#### Jackson JAX-RS Providers Version 2.10.1

- \* License: Apache License, 2.0
- \* Project: <https://github.com/FasterXML/jackson-jaxrs-providers>
- \* Copyright: (c) 2009-2011 FasterXML, LLC. All rights reserved unless otherwise indicated.

#### jQuery v1.12.4

- \* License: [jquery.org/license](http://jquery.org/license)
- \* Project: [jquery.org](http://jquery.org)
- \* Copyright: (c) jQuery Foundation

#### jQuery Barcode plugin 0.3

- \* License: MIT & GPL (<http://www.opensource.org/licenses/mit-license.php> & <http://www.gnu.org/licenses/gpl.html>)
- \* Project: <http://www.pasella.it/projects/jquery/barcode>
- \* Copyright: (c) 2009 Antonello Pasella [antonello.pasella@gmail.com](mailto:antonello.pasella@gmail.com)

#### JSR-166 Extension - JEP 266

- \* License: CC0
- \* No copyright
- \* Written by Doug Lea with assistance from members of JCP JSR-166 Expert Group and released to the public domain, as explained at <http://creativecommons.org/publicdomain/zero/1.0/>

#### KineticJS, v4.7.1

- \* License: MIT license (<http://www.opensource.org/licenses/mit-license.php>)
- \* Project: <http://www.kineticjs.com>, <https://github.com/ericdrowell/KineticJS>
- \* Copyright: Eric Rowell

#### org.objectweb.asm Version 8.0

- \* License: Modified BSD (<http://asm.objectweb.org/license.html>)
- \* Copyright (c) 2000-2011 INRIA, France Telecom. All rights reserved.

#### org.osgi.core version 6.0.0

- \* License: Apache License, 2.0
- \* Copyright (c) OSGi Alliance (2005, 2008). All Rights Reserved.

#### org.glassfish.jersey.server.internal.monitoring.core

- \* License: Apache License, 2.0
- \* Copyright (c) 2015-2018 Oracle and/or its affiliates. All rights reserved.
- \* Copyright 2010-2013 Coda Hale and Yammer, Inc.

#### W3.org documents

- \* License: W3C License
- \* Copyright: Copyright (c) 1994-2001 World Wide Web Consortium, (Massachusetts Institute of Technology, Institut National de Recherche en Informatique et en Automatique, Keio University). All Rights Reserved. <http://www.w3.org/Consortium/Legal/>
- # Eclipse Public License - v 2.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

#### 1. DEFINITIONS

"Contribution" means:

a) in the case of the initial Contributor, the initial content Distributed under this Agreement, and

b) in the case of each subsequent Contributor:

- i) changes to the Program, and
- ii) additions to the Program;

where such changes and/or additions to the Program originate from and are Distributed by that particular Contributor. A Contribution "originates" from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include changes or additions to the Program that are not Modified Works.

"Contributor" means any person or entity that Distributes the Program.

"Licensed Patents" mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions Distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement or any Secondary License (as applicable), including Contributors.

"Derivative Works" shall mean any work, whether in Source Code or other form, that is based on (or derived from) the Program and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship.

"Modified Works" shall mean any work in Source Code or other form that results from an addition to, deletion from, or modification of the contents of the Program, including, for purposes of clarity any new file in Source Code form that contains any contents of the Program. Modified Works shall not include works that contain only declarations, interfaces, types, classes, structures, or files of the Program solely in each case in order to link to, bind by name, or subclass the Program or Modified Works thereof.

"Distribute" means the acts of a) distributing or b) making available in any manner that enables the transfer of a copy.

"Source Code" means the form of a Program preferred for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Secondary License" means either the GNU General Public License, Version 2.0, or any later versions of that license, including any exceptions or additional permissions as identified by the initial Contributor.

## 2. GRANT OF RIGHTS



a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, Distribute and sublicense the Contribution of such Contributor, if any, and such Derivative Works.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in Source Code or other form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to Distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

e) Notwithstanding the terms of any Secondary License, no Contributor makes additional grants to any Recipient (other than those set forth in this Agreement) as a result of such Recipient's receipt of the Program under the terms of a Secondary License (if permitted under the terms of Section 3).

### 3. REQUIREMENTS

3.1 If a Contributor Distributes the Program in any form, then:

a) the Program must also be made available as Source Code, in

accordance with section 3.2, and the Contributor must accompany the Program with a statement that the Source Code for the Program is available under this Agreement, and informs Recipients how to obtain it in a reasonable manner on or through a medium customarily used for software exchange; and

b) the Contributor may Distribute the Program under a license different than this Agreement, provided that such license:

i) effectively disclaims on behalf of all other Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;

ii) effectively excludes on behalf of all other Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;

iii) does not attempt to limit or alter the recipients' rights in the Source Code under section 3.2; and

iv) requires any subsequent distribution of the Program by any party to be under a license that satisfies the requirements of this section 3.

### 3.2 When the Program is Distributed as Source Code:

a) it must be made available under this Agreement, or if the Program (i) is combined with other material in a separate file or files made available under a Secondary License, and (ii) the initial Contributor attached to the Source Code the notice described in Exhibit A of this Agreement, then the Program may be made available under the terms of such Secondary Licenses, and

b) a copy of this Agreement must be included with each copy of the Program.

3.3 Contributors may not remove or alter any copyright, patent, trademark, attribution notices, disclaimers of warranty, or limitations of liability ("notices") contained within the Program from any copy of the Program which they Distribute, provided that Contributors may add their own appropriate notices.

## 4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program,

the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

## 5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

## 6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, NEITHER RECIPIENT NOR ANY CONTRIBUTORS

SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

## 7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be Distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to Distribute the Program (including its Contributions) under the new version.

Except as expressly stated in Sections 2(a) and 2(b) above, Recipient

receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved. Nothing in this Agreement is intended to be enforceable by any entity that is not a Contributor or Recipient. No third-party beneficiary rights are created under this Agreement.

#### Exhibit A - Form of Secondary Licenses Notice

"This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License, v. 2.0 are satisfied: {name license(s), version(s), and exceptions or additional permissions here}."

Simply including a copy of this Agreement, including this Exhibit A is not sufficient to license the Source Code under Secondary Licenses.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.

---

## The GNU General Public License (GPL) Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.  
51 Franklin Street, Fifth Floor  
Boston, MA 02110-1335  
USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

#### Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price.

Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

## TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this

License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

- a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source



code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the

integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

#### NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH

YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.  
Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1335 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author  
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type  
'show w'. This is free software, and you are welcome to redistribute  
it under certain conditions; type 'show c' for details.

The hypothetical commands 'show w' and 'show c' should show the  
appropriate parts of the General Public License. Of course, the commands  
you use may be called something other than 'show w' and 'show c'; they  
could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your  
school, if any, to sign a "copyright disclaimer" for the program, if  
necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the  
program 'Gnomovision' (which makes passes at compilers) written by  
James Hacker.

signature of Ty Coon, 1 April 1989  
Ty Coon, President of Vice

This General Public License does not permit incorporating your program  
into proprietary programs. If your program is a subroutine library, you  
may consider it more useful to permit linking proprietary applications  
with the library. If this is what you want to do, use the GNU Library  
General Public License instead of this License.

---

#### ## CLASSPATH EXCEPTION

Linking this library statically or dynamically with other modules is  
making a combined work based on this library. Thus, the terms and  
conditions of the GNU General Public License version 2 cover the whole  
combination.

As a special exception, the copyright holders of this library give you  
permission to link this library with independent modules to produce an  
executable, regardless of the license terms of these independent  
modules, and to copy and distribute the resulting executable under  
terms of your choice, provided that you also meet, for each linked  
independent module, the terms and conditions of the license of that  
module. An independent module is a module which is not derived from or  
based on this library. If you modify this library, you may extend this  
exception to your version of the library, but you are not obligated to  
do so. If you do not wish to do so, delete this exception statement  
from your version.

# 1.160 jakarta-annotations-api 2.0.0

## 1.160.1 Available under license :

# Eclipse Public License - v 2.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

### 1. DEFINITIONS

"Contribution" means:

a) in the case of the initial Contributor, the initial content Distributed under this Agreement, and

b) in the case of each subsequent Contributor:

- i) changes to the Program, and
- ii) additions to the Program;

where such changes and/or additions to the Program originate from and are Distributed by that particular Contributor. A Contribution "originates" from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include changes or additions to the Program that are not Modified Works.

"Contributor" means any person or entity that Distributes the Program.

"Licensed Patents" mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions Distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement or any Secondary License (as applicable), including Contributors.

"Derivative Works" shall mean any work, whether in Source Code or other form, that is based on (or derived from) the Program and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship.

"Modified Works" shall mean any work in Source Code or other form that results from an addition to, deletion from, or modification of the contents of the Program, including, for purposes of clarity any new file

in Source Code form that contains any contents of the Program. Modified Works shall not include works that contain only declarations, interfaces, types, classes, structures, or files of the Program solely in each case in order to link to, bind by name, or subclass the Program or Modified Works thereof.

"Distribute" means the acts of a) distributing or b) making available in any manner that enables the transfer of a copy.

"Source Code" means the form of a Program preferred for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Secondary License" means either the GNU General Public License, Version 2.0, or any later versions of that license, including any exceptions or additional permissions as identified by the initial Contributor.

## 2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, Distribute and sublicense the Contribution of such Contributor, if any, and such Derivative Works.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in Source Code or other form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party

patent license is required to allow Recipient to Distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

e) Notwithstanding the terms of any Secondary License, no Contributor makes additional grants to any Recipient (other than those set forth in this Agreement) as a result of such Recipient's receipt of the Program under the terms of a Secondary License (if permitted under the terms of Section 3).

### 3. REQUIREMENTS

3.1 If a Contributor Distributes the Program in any form, then:

a) the Program must also be made available as Source Code, in accordance with section 3.2, and the Contributor must accompany the Program with a statement that the Source Code for the Program is available under this Agreement, and informs Recipients how to obtain it in a reasonable manner on or through a medium customarily used for software exchange; and

b) the Contributor may Distribute the Program under a license different than this Agreement, provided that such license:

i) effectively disclaims on behalf of all other Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;

ii) effectively excludes on behalf of all other Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;

iii) does not attempt to limit or alter the recipients' rights in the Source Code under section 3.2; and

iv) requires any subsequent distribution of the Program by any party to be under a license that satisfies the requirements of this section 3.

3.2 When the Program is Distributed as Source Code:

a) it must be made available under this Agreement, or if the Program (i) is combined with other material in a separate file or

files made available under a Secondary License, and (ii) the initial Contributor attached to the Source Code the notice described in Exhibit A of this Agreement, then the Program may be made available under the terms of such Secondary Licenses, and

b) a copy of this Agreement must be included with each copy of the Program.

3.3 Contributors may not remove or alter any copyright, patent, trademark, attribution notices, disclaimers of warranty, or limitations of liability ("notices") contained within the Program from any copy of the Program which they Distribute, provided that Contributors may add their own appropriate notices.

#### 4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.



## 5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

## 6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

## 7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable.

However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be Distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to Distribute the Program (including its Contributions) under the new version.

Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved. Nothing in this Agreement is intended to be enforceable by any entity that is not a Contributor or Recipient. No third-party beneficiary rights are created under this Agreement.

Exhibit A - Form of Secondary Licenses Notice

"This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License, v. 2.0 are satisfied: {name license(s), version(s), and exceptions or additional permissions here}."

Simply including a copy of this Agreement, including this Exhibit A is not sufficient to license the Source Code under Secondary Licenses.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.

---

## The GNU General Public License (GPL) Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.

51 Franklin Street, Fifth Floor  
Boston, MA 02110-1335  
USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

#### Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will

individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

## TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to

distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues),

conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the

Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

#### NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

#### END OF TERMS AND CONDITIONS

#### How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.  
Copyright (C) <year> <name of author>



This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1335 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type
`show w'. This is free software, and you are welcome to redistribute
it under certain conditions; type `show c' for details.
```

The hypothetical commands ``show w'` and ``show c'` should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than ``show w'` and ``show c'`; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

```
Yoyodyne, Inc., hereby disclaims all copyright interest in the
program `Gnomovision' (which makes passes at compilers) written by
James Hacker.
```

```
signature of Ty Coon, 1 April 1989
Ty Coon, President of Vice
```

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

---

## ## CLASSPATH EXCEPTION

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License version 2 cover the whole combination.

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module. An independent module is a module which is not derived from or based on this library. If you modify this library, you may extend this exception to your version of the library, but you are not obligated to do so. If you do not wish to do so, delete this exception statement from your version.

## # Notices for Jakarta Annotations

This content is produced and maintained by the Jakarta Annotations project.

\* Project home: <https://projects.eclipse.org/projects/ee4j.ca>

## ## Trademarks

Jakarta Annotations is a trademark of the Eclipse Foundation.

## ## Declared Project Licenses

This program and the accompanying materials are made available under the terms of the Eclipse Public License v. 2.0 which is available at <http://www.eclipse.org/legal/epl-2.0>. This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License v. 2.0 are satisfied: GNU General Public License, version 2 with the GNU Classpath Exception which is available at <https://www.gnu.org/software/classpath/license.html>.

SPDX-License-Identifier: EPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0

## ## Source Code

The project maintains the following source code repositories:

\* <https://github.com/eclipse-ee4j/common-annotations-api>

## ## Third-party Content

## ## Cryptography

Content may contain encryption software. The country in which you are currently may have restrictions on the import, possession, and use, and/or re-export to another country, of encryption software. BEFORE using any encryption software, please check the country's laws, regulations and policies concerning the import, possession, or use, and re-export of encryption software, to see if this is permitted.

# 1.161 okio 2.8.0

## 1.161.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (C) 2017 Square, Inc.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
*/opt/cola/permits/1340031362_1654618471.6843367/0/okio-2-8-0-sources-2-jar/commonMain/okio/Utf8.kt
```

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (C) 2018 Square, Inc.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
```

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1340031362\_1654618471.6843367/0/okio-2-8-0-sources-2-jar/jvmMain/okio/-DeprecatedUpgrade.kt

\* /opt/cola/permits/1340031362\_1654618471.6843367/0/okio-2-8-0-sources-2-jar/jvmMain/okio/-DeprecatedUtf8.kt

\* /opt/cola/permits/1340031362\_1654618471.6843367/0/okio-2-8-0-sources-2-jar/commonMain/okio/PeekSource.kt

\* /opt/cola/permits/1340031362\_1654618471.6843367/0/okio-2-8-0-sources-2-jar/jvmMain/okio/-DeprecatedOkio.kt

\* /opt/cola/permits/1340031362\_1654618471.6843367/0/okio-2-8-0-sources-2-jar/jvmMain/okio/Throttler.kt

No license file was found, but licenses were detected in source scan.

/\*

\* Licensed to the Apache Software Foundation (ASF) under one or more  
\* contributor license agreements. See the NOTICE file distributed with  
\* this work for additional information regarding copyright ownership.  
\* The ASF licenses this file to You under the Apache License, Version 2.0  
\* (the "License"); you may not use this file except in compliance with  
\* the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1340031362\_1654618471.6843367/0/okio-2-8-0-sources-2-jar/commonMain/okio/-Base64.kt

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2014 Square, Inc.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

- \* See the License for the specific language governing permissions and
- \* limitations under the License.
- \*/

Found in path(s):

- \* /opt/cola/permits/1340031362\_1654618471.6843367/0/okio-2-8-0-sources-2-jar/jvmMain/okio/SegmentPool.kt
- \* /opt/cola/permits/1340031362\_1654618471.6843367/0/okio-2-8-0-sources-2-jar/jvmMain/okio/Sink.kt
- \* /opt/cola/permits/1340031362\_1654618471.6843367/0/okio-2-8-0-sources-2-jar/jvmMain/okio/Source.kt
- \* /opt/cola/permits/1340031362\_1654618471.6843367/0/okio-2-8-0-sources-2-jar/jvmMain/okio/BufferedSource.kt
- \* /opt/cola/permits/1340031362\_1654618471.6843367/0/okio-2-8-0-sources-2-jar/jvmMain/okio/BufferedSink.kt
- \* /opt/cola/permits/1340031362\_1654618471.6843367/0/okio-2-8-0-sources-2-jar/jvmMain/okio/Buffer.kt
- \* /opt/cola/permits/1340031362\_1654618471.6843367/0/okio-2-8-0-sources-2-jar/jvmMain/okio/Timeout.kt
- \* /opt/cola/permits/1340031362\_1654618471.6843367/0/okio-2-8-0-sources-2-jar/commonMain/okio/SegmentPool.kt
- \* /opt/cola/permits/1340031362\_1654618471.6843367/0/okio-2-8-0-sources-2-jar/jvmMain/okio/ForwardingSource.kt
- \* /opt/cola/permits/1340031362\_1654618471.6843367/0/okio-2-8-0-sources-2-jar/jvmMain/okio/JvmOkio.kt
- \* /opt/cola/permits/1340031362\_1654618471.6843367/0/okio-2-8-0-sources-2-jar/jvmMain/okio/InflaterSource.kt
- \* /opt/cola/permits/1340031362\_1654618471.6843367/0/okio-2-8-0-sources-2-jar/commonMain/okio/Segment.kt
- \* /opt/cola/permits/1340031362\_1654618471.6843367/0/okio-2-8-0-sources-2-jar/jvmMain/okio/GzipSink.kt
- \* /opt/cola/permits/1340031362\_1654618471.6843367/0/okio-2-8-0-sources-2-jar/jvmMain/okio/DeflaterSink.kt
- \* /opt/cola/permits/1340031362\_1654618471.6843367/0/okio-2-8-0-sources-2-jar/jvmMain/okio/AsyncTimeout.kt
- \* /opt/cola/permits/1340031362\_1654618471.6843367/0/okio-2-8-0-sources-2-jar/jvmMain/okio/RealBufferedSource.kt
- \* /opt/cola/permits/1340031362\_1654618471.6843367/0/okio-2-8-0-sources-2-jar/jvmMain/okio/ForwardingSink.kt
- \* /opt/cola/permits/1340031362\_1654618471.6843367/0/okio-2-8-0-sources-2-jar/jvmMain/okio/GzipSource.kt
- \* /opt/cola/permits/1340031362\_1654618471.6843367/0/okio-2-8-0-sources-2-jar/jvmMain/okio/RealBufferedSink.kt

No license file was found, but licenses were detected in source scan.

/\*

- \* Copyright (C) 2015 Square, Inc.
- \*
- \* Licensed under the Apache License, Version 2.0 (the "License");
- \* you may not use this file except in compliance with the License.
- \* You may obtain a copy of the License at
- \*
- \* <http://www.apache.org/licenses/LICENSE-2.0>
- \*
- \* Unless required by applicable law or agreed to in writing, software
- \* distributed under the License is distributed on an "AS IS" BASIS,
- \* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- \* See the License for the specific language governing permissions and
- \* limitations under the License.
- \*/

Found in path(s):

- \* /opt/cola/permits/1340031362\_1654618471.6843367/0/okio-2-8-0-sources-2-

jar/jvmMain/okio/SegmentedByteString.kt  
\* /opt/cola/permits/1340031362\_1654618471.6843367/0/okio-2-8-0-sources-2-  
jar/jvmMain/okio/ForwardingTimeout.kt  
\* /opt/cola/permits/1340031362\_1654618471.6843367/0/okio-2-8-0-sources-2-  
jar/commonMain/okio/SegmentedByteString.kt  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright (C) 2018 Square, Inc.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1340031362\_1654618471.6843367/0/okio-2-8-0-sources-2-  
jar/commonMain/okio/internal/ByteString.kt  
\* /opt/cola/permits/1340031362\_1654618471.6843367/0/okio-2-8-0-sources-2-jar/commonMain/okio/-Util.kt  
\* /opt/cola/permits/1340031362\_1654618471.6843367/0/okio-2-8-0-sources-2-jar/jvmMain/okio/-Platform.kt  
\* /opt/cola/permits/1340031362\_1654618471.6843367/0/okio-2-8-0-sources-2-jar/commonMain/okio/-Platform.kt  
\* /opt/cola/permits/1340031362\_1654618471.6843367/0/okio-2-8-0-sources-2-jar/commonMain/okio/ByteString.kt  
\* /opt/cola/permits/1340031362\_1654618471.6843367/0/okio-2-8-0-sources-2-jar/commonMain/okio/internal/-  
Utf8.kt  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright (C) 2016 Square, Inc.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1340031362\_1654618471.6843367/0/okio-2-8-0-sources-2-jar/jvmMain/okio/HashingSink.kt  
\* /opt/cola/permits/1340031362\_1654618471.6843367/0/okio-2-8-0-sources-2-jar/jvmMain/okio/Pipe.kt  
\* /opt/cola/permits/1340031362\_1654618471.6843367/0/okio-2-8-0-sources-2-jar/jvmMain/okio/HashingSource.kt  
\* /opt/cola/permits/1340031362\_1654618471.6843367/0/okio-2-8-0-sources-2-jar/commonMain/okio/Options.kt

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2014 Square Inc.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1340031362\_1654618471.6843367/0/okio-2-8-0-sources-2-jar/jvmMain/okio/ByteString.kt

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2019 Square, Inc.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1340031362\_1654618471.6843367/0/okio-2-8-0-sources-2-

jar/commonMain/okio/internal/SegmentedByteString.kt

```
* /opt/cola/permits/1340031362_1654618471.6843367/0/okio-2-8-0-sources-2-
jar/commonMain/okio/internal/RealBufferedSink.kt
* /opt/cola/permits/1340031362_1654618471.6843367/0/okio-2-8-0-sources-2-
jar/commonMain/okio/internal/RealBufferedSource.kt
No license file was found, but licenses were detected in source scan.
```

```
/*
* Copyright (C) 2019 Square, Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):

```
* /opt/cola/permits/1340031362_1654618471.6843367/0/okio-2-8-0-sources-2-jar/commonMain/okio/Okio.kt
* /opt/cola/permits/1340031362_1654618471.6843367/0/okio-2-8-0-sources-2-
jar/commonMain/okio/internal/Buffer.kt
* /opt/cola/permits/1340031362_1654618471.6843367/0/okio-2-8-0-sources-2-
jar/commonMain/okio/BufferedSource.kt
* /opt/cola/permits/1340031362_1654618471.6843367/0/okio-2-8-0-sources-2-
jar/commonMain/okio/BufferedSink.kt
* /opt/cola/permits/1340031362_1654618471.6843367/0/okio-2-8-0-sources-2-jar/commonMain/okio/Timeout.kt
* /opt/cola/permits/1340031362_1654618471.6843367/0/okio-2-8-0-sources-2-jar/commonMain/okio/Source.kt
* /opt/cola/permits/1340031362_1654618471.6843367/0/okio-2-8-0-sources-2-
jar/commonMain/okio/RealBufferedSink.kt
* /opt/cola/permits/1340031362_1654618471.6843367/0/okio-2-8-0-sources-2-
jar/commonMain/okio/RealBufferedSource.kt
* /opt/cola/permits/1340031362_1654618471.6843367/0/okio-2-8-0-sources-2-jar/commonMain/okio/Buffer.kt
* /opt/cola/permits/1340031362_1654618471.6843367/0/okio-2-8-0-sources-2-jar/commonMain/okio/Sink.kt
```

## 1.162 bean-validation-api 2.0.2

### 1.162.1 Available under license :

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION



## 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted"

means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
  - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
  - (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
  - (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and

attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the

appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
  
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

#### END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright 2013 Cognifide Limited

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software

distributed under the License is distributed on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.

## 1.163 javabeans-activation-framework-api

### 1.2.1

#### 1.163.1 Available under license :

COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL) Version 1.1

##### 1. Definitions.

1.1. "Contributor" means each individual or entity that creates or contributes to the creation of Modifications.

1.2. "Contributor Version" means the combination of the Original Software, prior Modifications used by a Contributor (if any), and the Modifications made by that particular Contributor.

1.3. "Covered Software" means (a) the Original Software, or (b) Modifications, or (c) the combination of files containing Original Software with files containing Modifications, in each case including portions thereof.

1.4. "Executable" means the Covered Software in any form other than Source Code.

1.5. "Initial Developer" means the individual or entity that first makes Original Software available under this License.

1.6. "Larger Work" means a work which combines Covered Software or portions thereof with code not governed by the terms of this License.

1.7. "License" means this document.

1.8. "Licensable" means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed herein.

1.9. "Modifications" means the Source Code and Executable form of any of the following:

A. Any file that results from an addition to, deletion from or modification of the contents of a file containing Original Software or previous Modifications;

B. Any new file that contains any part of the Original Software or previous Modification; or

C. Any new file that is contributed or otherwise made available under the terms of this License.

1.10. "Original Software" means the Source Code and Executable form of computer software code that is originally released under this License.

1.11. "Patent Claims" means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent Licensable by grantor.

1.12. "Source Code" means (a) the common form of computer software code in which modifications are made and (b) associated documentation included in or with such code.

1.13. "You" (or "Your") means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License. For legal entities, "You" includes any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, "control" means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

## 2. License Grants.

### 2.1. The Initial Developer Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, the Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Initial Developer, to use, reproduce, modify, display, perform, sublicense and distribute the Original Software (or portions thereof), with or without Modifications, and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using or selling of Original Software, to make, have made, use, practice, sell, and offer for sale, and/or otherwise dispose of the Original Software (or portions thereof).

(c) The licenses granted in Sections 2.1(a) and (b) are effective on the date Initial Developer first distributes or otherwise makes the Original Software available to a third party under the terms of this License.

(d) Notwithstanding Section 2.1(b) above, no patent license is granted: (1) for code that You delete from the Original Software, or (2) for infringements caused by: (i) the modification of the Original Software, or (ii) the combination of the Original Software with other software or devices.

## 2.2. Contributor Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Contributor to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof), either on an unmodified basis, with other Modifications, as Covered Software and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor either alone and/or in combination with its Contributor Version (or portions of such combination), to make, use, sell, offer for sale, have made, and/or otherwise dispose of: (1) Modifications made by that Contributor (or portions thereof); and (2) the combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).

(c) The licenses granted in Sections 2.2(a) and 2.2(b) are effective on the date Contributor first distributes or otherwise makes the Modifications available to a third party.

(d) Notwithstanding Section 2.2(b) above, no patent license is granted: (1) for any code that Contributor has deleted from the Contributor Version; (2) for infringements caused by: (i) third party modifications of Contributor Version, or (ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or (3) under Patent Claims infringed by Covered Software in the absence of Modifications made by that Contributor.

## 3. Distribution Obligations.

### 3.1. Availability of Source Code.

Any Covered Software that You distribute or otherwise make available in Executable form must also be made available in Source Code form and that Source Code form must be distributed only under the terms of this License. You must include a copy of this License with every copy of the Source Code form of the Covered Software You distribute or otherwise make available. You must inform recipients of any such Covered Software in Executable form as to how they can obtain such Covered Software in Source Code form in a reasonable manner on or through a medium customarily used for software exchange.

### 3.2. Modifications.

The Modifications that You create or to which You contribute are governed by the terms of this License. You represent that You believe Your Modifications are Your original creation(s) and/or You have sufficient rights to grant the rights conveyed by this License.

### 3.3. Required Notices.

You must include a notice in each of Your Modifications that identifies You as the Contributor of the Modification. You may not remove or alter any copyright, patent or trademark notices contained within the Covered Software, or any notices of licensing or any descriptive text giving attribution to any Contributor or the Initial Developer.

### 3.4. Application of Additional Terms.

You may not offer or impose any terms on any Covered Software in Source Code form that alters or restricts the applicable version of this License or the recipients' rights hereunder. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, you may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it absolutely clear that any such warranty, support, indemnity or liability obligation is offered by You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of warranty, support, indemnity or liability terms You offer.

### 3.5. Distribution of Executable Versions.

You may distribute the Executable form of the Covered Software under the terms of this License or under the terms of a license of Your choice, which may contain terms different from this License,



provided that You are in compliance with the terms of this License and that the license for the Executable form does not attempt to limit or alter the recipient's rights in the Source Code form from the rights set forth in this License. If You distribute the Covered Software in Executable form under a different license, You must make it absolutely clear that any terms which differ from this License are offered by You alone, not by the Initial Developer or Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer.

### 3.6. Larger Works.

You may create a Larger Work by combining Covered Software with other code not governed by the terms of this License and distribute the Larger Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled for the Covered Software.

## 4. Versions of the License.

### 4.1. New Versions.

Oracle is the initial license steward and may publish revised and/or new versions of this License from time to time. Each version will be given a distinguishing version number. Except as provided in Section 4.3, no one other than the license steward has the right to modify this License.

### 4.2. Effect of New Versions.

You may always continue to use, distribute or otherwise make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. If the Initial Developer includes a notice in the Original Software prohibiting it from being distributed or otherwise made available under any subsequent version of the License, You must distribute and make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. Otherwise, You may also choose to use, distribute or otherwise make the Covered Software available under the terms of any subsequent version of the License published by the license steward.

### 4.3. Modified Versions.

When You are an Initial Developer and You want to create a new license for Your Original Software, You may create and use a modified version of this License if You: (a) rename the license and

remove any references to the name of the license steward (except to note that the license differs from this License); and (b) otherwise make it clear that the license contains terms which differ from this License.

## 5. DISCLAIMER OF WARRANTY.

COVERED SOFTWARE IS PROVIDED UNDER THIS LICENSE ON AN "AS IS" BASIS, WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES THAT THE COVERED SOFTWARE IS FREE OF DEFECTS, MERCHANTABILITY, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED SOFTWARE IS WITH YOU. SHOULD ANY COVERED SOFTWARE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED SOFTWARE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

## 6. TERMINATION.

6.1. This License and the rights granted hereunder will terminate automatically if You fail to comply with terms herein and fail to cure such breach within 30 days of becoming aware of the breach. Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive.

6.2. If You assert a patent infringement claim (excluding declaratory judgment actions) against Initial Developer or a Contributor (the Initial Developer or Contributor against whom You assert such claim is referred to as "Participant") alleging that the Participant Software (meaning the Contributor Version where the Participant is a Contributor or the Original Software where the Participant is the Initial Developer) directly or indirectly infringes any patent, then any and all rights granted directly or indirectly to You by such Participant, the Initial Developer (if the Initial Developer is not the Participant) and all Contributors under Sections 2.1 and/or 2.2 of this License shall, upon 60 days notice from Participant terminate prospectively and automatically at the expiration of such 60 day notice period, unless if within such 60 day period You withdraw Your claim with respect to the Participant Software against such Participant either unilaterally or pursuant to a written agreement with Participant.

6.3. If You assert a patent infringement claim against Participant alleging that the Participant Software directly or indirectly infringes any patent where such claim is resolved (such as by license or settlement) prior to the initiation of patent

infringement litigation, then the reasonable value of the licenses granted by such Participant under Sections 2.1 or 2.2 shall be taken into account in determining the amount or value of any payment or license.

6.4. In the event of termination under Sections 6.1 or 6.2 above, all end user licenses that have been validly granted by You or any distributor hereunder prior to termination (excluding licenses granted to You by any distributor) shall survive termination.

## 7. LIMITATION OF LIABILITY.

UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED SOFTWARE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTY'S NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

## 8. U.S. GOVERNMENT END USERS.

The Covered Software is a "commercial item," as that term is defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of "commercial computer software" (as that term is defined at 48 C.F.R. 252.227-7014(a)(1)) and "commercial computer software documentation" as such terms are used in 48 C.F.R. 12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4 (June 1995), all U.S. Government End Users acquire Covered Software with only those rights set forth herein. This U.S. Government Rights clause is in lieu of, and supersedes, any other FAR, DFAR, or other clause or provision that addresses Government rights in computer software under this License.

## 9. MISCELLANEOUS.

This License represents the complete agreement concerning subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by

the law of the jurisdiction specified in a notice contained within the Original Software (except to the extent applicable law, if any, provides otherwise), excluding such jurisdiction's conflict-of-law provisions. Any litigation relating to this License shall be subject to the jurisdiction of the courts located in the jurisdiction and venue specified in a notice contained within the Original Software, with the losing party responsible for costs, including, without limitation, court costs and reasonable attorneys' fees and expenses. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not apply to this License. You agree that You alone are responsible for compliance with the United States export administration regulations (and the export control laws and regulation of any other countries) when You use, distribute or otherwise make available any Covered Software.

#### 10. RESPONSIBILITY FOR CLAIMS.

As between Initial Developer and the Contributors, each party is responsible for claims and damages arising, directly or indirectly, out of its utilization of rights under this License and You agree to work with Initial Developer and Contributors to distribute such responsibility on an equitable basis. Nothing herein is intended or shall be deemed to constitute any admission of liability.

-----

#### NOTICE PURSUANT TO SECTION 9 OF THE COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL)

The code released under the CDDL shall be governed by the laws of the State of California (excluding conflict-of-law provisions). Any litigation relating to this License shall be subject to the jurisdiction of the Federal Courts of the Northern District of California and the state courts of the State of California, with venue lying in Santa Clara County, California.

The GNU General Public License (GPL) Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.  
51 Franklin Street, Fifth Floor  
Boston, MA 02110-1335  
USA

Everyone is permitted to copy and distribute verbatim copies

of this license document, but changing it is not allowed.

## Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and

modification follow.

## TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

- a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.
- b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.
- c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice

that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not



distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the

Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

## NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

## END OF TERMS AND CONDITIONS

### How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.  
Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1335 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type
`show w'. This is free software, and you are welcome to redistribute
it under certain conditions; type `show c' for details.
```

The hypothetical commands ``show w'` and ``show c'` should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than ``show w'` and ``show c'`; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

```
Yoyodyne, Inc., hereby disclaims all copyright interest in the
program `Gnomovision' (which makes passes at compilers) written by
James Hacker.
```

```
signature of Ty Coon, 1 April 1989
Ty Coon, President of Vice
```

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

#

Certain source files distributed by Oracle America, Inc. and/or its affiliates are subject to the following clarification and special exception to the GPLv2, based on the GNU Project exception for its Classpath libraries, known as the GNU Classpath Exception, but only where Oracle has expressly included in the particular source file's

header the words "Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code."

You should also note that Oracle includes multiple, independent programs in this software package. Some of those programs are provided under licenses deemed incompatible with the GPLv2 by the Free Software Foundation and others. For example, the package includes programs licensed under the Apache License, Version 2.0. Such programs are licensed to you under their original licenses.

Oracle facilitates your further distribution of this package by adding the Classpath Exception to the necessary parts of its GPLv2 code, which permits you to use that code in combination with other independent modules not licensed under the GPLv2. However, note that this would not permit you to commingle code under an incompatible license with Oracle's GPLv2 licensed code by, for example, cutting and pasting such code into a file also containing Oracle's GPLv2 licensed code and then distributing the result. Additionally, if you were to remove the Classpath Exception from any of the files to which it applies and distribute the result, you would likely be required to license some or all of the other code in that distribution under the GPLv2 as well, and since the GPLv2 is incompatible with the license terms of some items included in the distribution by Oracle, removing the Classpath Exception could therefore effectively compromise your ability to further distribute the package.

Proceed with caution and we recommend that you obtain the advice of a lawyer skilled in open source matters before removing the Classpath Exception or making modifications to this package which may subsequently be redistributed and/or involve the use of third party software.

#### CLASSPATH EXCEPTION

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License version 2 cover the whole combination.

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module. An independent module is a module which is not derived from or based on this library. If you modify this library, you may extend this exception to your version of the library, but you are not obligated to

do so. If you do not wish to do so, delete this exception statement from your version.

## 1.164 mockito 4.3.1

### 1.164.1 Available under license :

The MIT License

Copyright (c) 2007 Mockito contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.165 jcommander-library 1.72

### 1.165.1 Available under license :

No license file was found, but licenses were detected in source scan.

/\*\*

- \* Copyright (C) 2011 the original author or authors.
- \* See the notice.md file distributed with this work for additional
- \* information regarding copyright ownership.
- \*
- \* Licensed under the Apache License, Version 2.0 (the "License");
- \* you may not use this file except in compliance with the License.
- \* You may obtain a copy of the License at
- \*
- \* <http://www.apache.org/licenses/LICENSE-2.0>
- \*
- \* Unless required by applicable law or agreed to in writing, software
- \* distributed under the License is distributed on an "AS IS" BASIS,

- \* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- \* See the License for the specific language governing permissions and
- \* limitations under the License.
- \*/

Found in path(s):

- \* /opt/cola/permits/1009978799\_1649800662.98/0/jcommander-1-72-sources-jar/com/beust/jcommander/validators/NoValueValidator.java
- \* /opt/cola/permits/1009978799\_1649800662.98/0/jcommander-1-72-sources-jar/com/beust/jcommander/IPParameterValidator.java
- \* /opt/cola/permits/1009978799\_1649800662.98/0/jcommander-1-72-sources-jar/com/beust/jcommander/validators/PositiveInteger.java
- \* /opt/cola/permits/1009978799\_1649800662.98/0/jcommander-1-72-sources-jar/com/beust/jcommander/IPParameterValidator2.java
- \* /opt/cola/permits/1009978799\_1649800662.98/0/jcommander-1-72-sources-jar/com/beust/jcommander/validators/NoValidator.java

No license file was found, but licenses were detected in source scan.

/\*\*

- \* Copyright (C) 2010 the original author or authors.
- \* See the notice.md file distributed with this work for additional
- \* information regarding copyright ownership.
- \*
- \* Licensed under the Apache License, Version 2.0 (the "License");
- \* you may not use this file except in compliance with the License.
- \* You may obtain a copy of the License at
- \*
- \* <http://www.apache.org/licenses/LICENSE-2.0>
- \*
- \* Unless required by applicable law or agreed to in writing, software
- \* distributed under the License is distributed on an "AS IS" BASIS,
- \* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- \* See the License for the specific language governing permissions and
- \* limitations under the License.
- \*/

Found in path(s):

- \* /opt/cola/permits/1009978799\_1649800662.98/0/jcommander-1-72-sources-jar/com/beust/jcommander/ResourceBundle.java
- \* /opt/cola/permits/1009978799\_1649800662.98/0/jcommander-1-72-sources-jar/com/beust/jcommander/converters/BaseConverter.java
- \* /opt/cola/permits/1009978799\_1649800662.98/0/jcommander-1-72-sources-jar/com/beust/jcommander/internal/Sets.java
- \* /opt/cola/permits/1009978799\_1649800662.98/0/jcommander-1-72-sources-jar/com/beust/jcommander/ParameterDescription.java
- \* /opt/cola/permits/1009978799\_1649800662.98/0/jcommander-1-72-sources-jar/com/beust/jcommander/converters/IntegerConverter.java
- \* /opt/cola/permits/1009978799\_1649800662.98/0/jcommander-1-72-sources-

jar/com/beust/jcommander/converters/ISO8601DateConverter.java  
\* /opt/cola/permits/1009978799\_1649800662.98/0/jcommander-1-72-sources-  
jar/com/beust/jcommander/converters/StringConverter.java  
\* /opt/cola/permits/1009978799\_1649800662.98/0/jcommander-1-72-sources-  
jar/com/beust/jcommander/ParametersDelegate.java  
\* /opt/cola/permits/1009978799\_1649800662.98/0/jcommander-1-72-sources-  
jar/com/beust/jcommander/converters/LongConverter.java  
\* /opt/cola/permits/1009978799\_1649800662.98/0/jcommander-1-72-sources-  
jar/com/beust/jcommander/IDefaultProvider.java  
\* /opt/cola/permits/1009978799\_1649800662.98/0/jcommander-1-72-sources-  
jar/com/beust/jcommander/converters/FileConverter.java  
\* /opt/cola/permits/1009978799\_1649800662.98/0/jcommander-1-72-sources-  
jar/com/beust/jcommander/converters/PathConverter.java  
\* /opt/cola/permits/1009978799\_1649800662.98/0/jcommander-1-72-sources-  
jar/com/beust/jcommander/defaultprovider/PropertyFileDefaultProvider.java  
\* /opt/cola/permits/1009978799\_1649800662.98/0/jcommander-1-72-sources-  
jar/com/beust/jcommander/Parameters.java  
\* /opt/cola/permits/1009978799\_1649800662.98/0/jcommander-1-72-sources-  
jar/com/beust/jcommander/converters/InetAddressConverter.java  
\* /opt/cola/permits/1009978799\_1649800662.98/0/jcommander-1-72-sources-  
jar/com/beust/jcommander/IStringConverterFactory.java  
\* /opt/cola/permits/1009978799\_1649800662.98/0/jcommander-1-72-sources-  
jar/com/beust/jcommander/converters/BigDecimalConverter.java  
\* /opt/cola/permits/1009978799\_1649800662.98/0/jcommander-1-72-sources-  
jar/com/beust/jcommander/ParameterException.java  
\* /opt/cola/permits/1009978799\_1649800662.98/0/jcommander-1-72-sources-  
jar/com/beust/jcommander/converters/FloatConverter.java  
\* /opt/cola/permits/1009978799\_1649800662.98/0/jcommander-1-72-sources-  
jar/com/beust/jcommander/converters/NoConverter.java  
\* /opt/cola/permits/1009978799\_1649800662.98/0/jcommander-1-72-sources-  
jar/com/beust/jcommander/internal/Maps.java  
\* /opt/cola/permits/1009978799\_1649800662.98/0/jcommander-1-72-sources-  
jar/com/beust/jcommander/MissingCommandException.java  
\* /opt/cola/permits/1009978799\_1649800662.98/0/jcommander-1-72-sources-  
jar/com/beust/jcommander/converters/URICConverter.java  
\* /opt/cola/permits/1009978799\_1649800662.98/0/jcommander-1-72-sources-  
jar/com/beust/jcommander/IStringConverter.java  
\* /opt/cola/permits/1009978799\_1649800662.98/0/jcommander-1-72-sources-  
jar/com/beust/jcommander/internal/Lists.java  
\* /opt/cola/permits/1009978799\_1649800662.98/0/jcommander-1-72-sources-  
jar/com/beust/jcommander/converters/URLConverter.java  
\* /opt/cola/permits/1009978799\_1649800662.98/0/jcommander-1-72-sources-  
jar/com/beust/jcommander/converters/BooleanConverter.java  
\* /opt/cola/permits/1009978799\_1649800662.98/0/jcommander-1-72-sources-  
jar/com/beust/jcommander/internal/DefaultConverterFactory.java  
\* /opt/cola/permits/1009978799\_1649800662.98/0/jcommander-1-72-sources-  
jar/com/beust/jcommander/converters/DoubleConverter.java  
\* /opt/cola/permits/1009978799\_1649800662.98/0/jcommander-1-72-sources-

jar/com/beust/jcommander/converters/CharArrayConverter.java  
\* /opt/cola/permits/1009978799\_1649800662.98/0/jcommander-1-72-sources-  
jar/com/beust/jcommander/Parameter.java  
No license file was found, but licenses were detected in source scan.

```
/**  
 * Copyright (C) 2010 the original author or authors.  
 * See the notice.md file distributed with this work for additional  
 * information regarding copyright ownership.  
 *  
 * Licensed under the Apache License, Version 2.0 (the "License");  
 * you may not use this file except in compliance with the License.  
 * You may obtain a copy of the License at  
 *  
 * http://www.apache.org/licenses/LICENSE-2.0  
 *  
 * Unless required by applicable law or agreed to in writing, software  
 * distributed under the License is distributed on an "AS IS" BASIS,  
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
 * See the License for the specific language governing permissions and  
 * limitations under the License.  
 */
```

Found in path(s):

\* /opt/cola/permits/1009978799\_1649800662.98/0/jcommander-1-72-sources-  
jar/com/beust/jcommander/JCommander.java

# 1.166 jboss-logging 3.3.2.Final

## 1.166.1 Available under license :

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common



control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
  - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
  - (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
  - (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
  - (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or

documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill,

work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

#### END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

## 1.167 javax-annotation-api 1.3.2

## 1.167.1 Available under license :

COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL) Version 1.0

### 1. Definitions.

1.1. Contributor. means each individual or entity that creates or contributes to the creation of Modifications.

1.2. Contributor Version. means the combination of the Original Software, prior Modifications used by a Contributor (if any), and the Modifications made by that particular Contributor.

1.3. Covered Software. means (a) the Original Software, or (b) Modifications, or (c) the combination of files containing Original Software with files containing Modifications, in each case including portions thereof.

1.4. Executable. means the Covered Software in any form other than Source Code.

1.5. Initial Developer. means the individual or entity that first makes Original Software available under this License.

1.6. Larger Work. means a work which combines Covered Software or portions thereof with code not governed by the terms of this License.

1.7. License. means this document.

1.8. Licensable. means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed herein.

1.9. Modifications. means the Source Code and Executable form of any of the following:

A. Any file that results from an addition to, deletion from or modification of the contents of a file containing Original Software or previous Modifications;

B. Any new file that contains any part of the Original Software or previous Modification; or

C. Any new file that is contributed or otherwise made available under the terms of this License.

1.10. Original Software. means the Source Code and Executable form of computer software code that is originally released under this License.

1.11. Patent Claims. means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent Licensable by grantor.

1.12. Source Code. means (a) the common form of computer software code in which modifications are made and (b) associated documentation included in or with such code.

1.13. You. (or .Your.) means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License. For legal entities, .You. includes any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, .control. means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty

percent (50%) of the outstanding shares or beneficial ownership of such entity.

## 2. License Grants.

### 2.1. The Initial Developer Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, the Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Initial Developer, to use, reproduce, modify, display, perform, sublicense and distribute the Original Software (or portions thereof), with or without Modifications, and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using or selling of Original Software, to make, have made, use, practice, sell, and offer for sale, and/or otherwise dispose of the Original Software (or portions thereof).

(c) The licenses granted in Sections 2.1(a) and (b) are effective on the date Initial Developer first distributes or otherwise makes the Original Software available to a third party under the terms of this License.

(d) Notwithstanding Section 2.1(b) above, no patent license is granted: (1) for code that You delete from the Original Software, or (2) for infringements caused by: (i) the modification of the Original Software, or (ii) the combination of the Original Software with other software or devices.

### 2.2. Contributor Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Contributor to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof), either on an unmodified basis, with other Modifications, as Covered Software and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor either alone and/or in combination with its Contributor Version (or portions of such combination), to make, use, sell, offer for sale, have made, and/or otherwise dispose of: (1) Modifications made by that Contributor (or portions thereof); and (2) the combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).

(c) The licenses granted in Sections 2.2(a) and 2.2(b) are effective on the date Contributor first distributes or otherwise makes the Modifications available to a third party.

(d) Notwithstanding Section 2.2(b) above, no patent license is granted: (1) for any code that Contributor has deleted from the Contributor Version; (2) for infringements caused by: (i) third party modifications of Contributor Version, or (ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or (3) under Patent Claims infringed by Covered Software in the absence of Modifications made by that Contributor.

### 3. Distribution Obligations.

#### 3.1. Availability of Source Code.

Any Covered Software that You distribute or otherwise make available in Executable form must also be made available in Source Code form and that Source Code form must be distributed only under the terms of this License. You must include a copy of this License with every copy of the Source Code form of the Covered Software You distribute or otherwise make available. You must inform recipients of any such Covered Software in Executable form as to how they can obtain such Covered Software in Source Code form in a reasonable manner on or through a medium customarily used for software exchange.

#### 3.2. Modifications.

The Modifications that You create or to which You contribute are governed by the terms of this License. You represent that You believe Your Modifications are Your original creation(s) and/or You have sufficient rights to grant the rights conveyed by this License.

#### 3.3. Required Notices.

You must include a notice in each of Your Modifications that identifies You as the Contributor of the Modification. You may not remove or alter any copyright, patent or trademark notices contained within the Covered Software, or any notices of licensing or any descriptive text giving attribution to any Contributor or the Initial Developer.

#### 3.4. Application of Additional Terms.

You may not offer or impose any terms on any Covered Software in Source Code form that alters or restricts the applicable version of this License or the recipients' rights hereunder. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, you may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it absolutely clear that any such warranty, support, indemnity or liability obligation is offered by You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of warranty, support, indemnity or liability terms You offer.

#### 3.5. Distribution of Executable Versions.

You may distribute the Executable form of the Covered Software under the terms of this License or under the terms of a license of Your choice, which may contain terms different from this License, provided that You are in compliance with the terms of this License and that the license for the Executable form does not attempt to limit or alter the recipient's rights in the Source Code form from the rights set forth in this License. If You distribute the Covered Software in Executable form under a different license, You must make it absolutely clear that any terms which differ from this License are offered by You alone, not by the Initial Developer or Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer.

#### 3.6. Larger Works.

You may create a Larger Work by combining Covered Software with other code not governed by the terms of this License and distribute the Larger Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled for the Covered Software.

### 4. Versions of the License.

#### 4.1. New Versions.

Sun Microsystems, Inc. is the initial license steward and may publish revised and/or new versions of this License from time to time. Each version will be given a distinguishing version number. Except as provided in Section 4.3, no one other than the license steward has the right to modify this License.

#### 4.2. Effect of New Versions.

You may always continue to use, distribute or otherwise make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. If the Initial Developer includes a notice in the Original Software prohibiting it from being distributed or otherwise made available under any subsequent version of the License, You must distribute and make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. Otherwise, You may also choose to use, distribute or otherwise make the Covered Software available under the terms of any subsequent version of the License published by the license steward.

#### 4.3. Modified Versions.

When You are an Initial Developer and You want to create a new license for Your Original Software, You may create and use a modified version of this License if You: (a) rename the license and remove any references to the name of the license steward (except to note that the license differs from this License); and (b) otherwise make it clear that the license contains terms which differ from this License.

### 5. DISCLAIMER OF WARRANTY.

COVERED SOFTWARE IS PROVIDED UNDER THIS LICENSE ON AN .AS IS. BASIS, WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES THAT THE COVERED SOFTWARE IS FREE OF DEFECTS, MERCHANTABILITY, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED SOFTWARE IS WITH YOU. SHOULD ANY COVERED SOFTWARE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED SOFTWARE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

### 6. TERMINATION.

6.1. This License and the rights granted hereunder will terminate automatically if You fail to comply with terms herein and fail to cure such breach within 30 days of becoming aware of the breach. Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive.

6.2. If You assert a patent infringement claim (excluding declaratory judgment actions) against Initial Developer or a Contributor (the Initial Developer or Contributor against whom You assert such claim is referred to as .Participant.) alleging that the Participant Software (meaning the Contributor Version where the Participant is a Contributor or the Original Software where the Participant is the Initial Developer) directly or indirectly infringes any patent, then any and all rights granted directly or indirectly to You by such Participant, the Initial Developer (if the Initial Developer is not the Participant) and all Contributors under Sections 2.1 and/or 2.2 of this License shall, upon 60 days notice from Participant terminate prospectively and automatically at the expiration of such 60 day notice period, unless if within such 60 day period You withdraw Your claim with respect to the Participant Software against such Participant either unilaterally or pursuant to a written agreement with Participant.

6.3. In the event of termination under Sections 6.1 or 6.2 above, all end user licenses that have been validly



granted by You or any distributor hereunder prior to termination (excluding licenses granted to You by any distributor) shall survive termination.

#### 7. LIMITATION OF LIABILITY.

UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED SOFTWARE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOST PROFITS, LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTY'S NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

#### 8. U.S. GOVERNMENT END USERS.

The Covered Software is a .commercial item., as that term is defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of .commercial computer software. (as that term is defined at 48 C.F.R. ? 252.227-7014(a)(1)) and .commercial computer software documentation. as such terms are used in 48 C.F.R. 12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4 (June 1995), all U.S. Government End Users acquire Covered Software with only those rights set forth herein. This U.S. Government Rights clause is in lieu of, and supersedes, any other FAR, DFAR, or other clause or provision that addresses Government rights in computer software under this License.

#### 9. MISCELLANEOUS.

This License represents the complete agreement concerning subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by the law of the jurisdiction specified in a notice contained within the Original Software (except to the extent applicable law, if any, provides otherwise), excluding such jurisdiction's conflict-of-law provisions. Any litigation relating to this License shall be subject to the jurisdiction of the courts located in the jurisdiction and venue specified in a notice contained within the Original Software, with the losing party responsible for costs, including, without limitation, court costs and reasonable attorneys' fees and expenses. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not apply to this License. You agree that You alone are responsible for compliance with the United States export administration regulations (and the export control laws and regulation of any other countries) when You use, distribute or otherwise make available any Covered Software.

#### 10. RESPONSIBILITY FOR CLAIMS.

As between Initial Developer and the Contributors, each party is responsible for claims and damages arising, directly or indirectly, out of its utilization of rights under this License and You agree to work with Initial Developer

and Contributors to distribute such responsibility on an equitable basis. Nothing herein is intended or shall be deemed to constitute any admission of liability.

## NOTICE PURSUANT TO SECTION 9 OF THE COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL)

The code released under the CDDL shall be governed by the laws of the State of California (excluding conflict-of-law provisions). Any litigation relating to this License shall be subject to the jurisdiction of the Federal Courts of the Northern District of California and the state courts of the State of California, with venue lying in Santa Clara County, California.

The GNU General Public License (GPL) Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc. 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

### Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the

original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

## TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do

not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the

sharing and reuse of software generally.

## NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

## END OF TERMS AND CONDITIONS

### How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.

Copyright (C)

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) year name of author
```

```
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'. This is free software, and  
you are welcome to redistribute it under certain conditions; type `show c' for details.
```

The hypothetical commands ``show w'` and ``show c'` should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than ``show w'` and ``show c'`; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

```
Yoyodyne, Inc., hereby disclaims all copyright interest in the program `Gnomovision' (which makes passes at  
compilers) written by James Hacker.
```

```
signature of Ty Coon, 1 April 1989
```

```
Ty Coon, President of Vice
```

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

## "CLASSPATH" EXCEPTION TO THE GPL VERSION 2

Certain source files distributed by Sun Microsystems, Inc. are subject to the following clarification and special exception to the GPL Version 2, but only where Sun has expressly included in the particular source file's header the words

```
"Sun designates this particular file as subject to the "Classpath" exception as provided by Sun in the License file that  
accompanied this code."
```

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License Version 2 cover the whole combination.

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module.? An independent module is a module which is not derived from or based on this library.? If you modify this library, you may extend this exception to your version of the library, but you are not obligated to do so.? If you do not wish to do so, delete this exception statement from your version.

# 1.168 jdbc3-bom 3.20.1

## 1.168.1 Available under license :

# Jdbi 1 & 2

- Brian McCallister
- Martin Traverso
- Henning Schmiedehausen
- Jax Law
- maniax, for finding a nasty bug in named parameter substitution
- Robert Sfeir, for batch processing feature requests
- Henry Yandell, for `in` clause expansion feature request
- Patrick Burleson, for showing that `DBIException` should extend `RuntimeException`
- Thomas Risberg, for the Spring `DataAccessException` wrapping code
- Simone Gianni, for finding and solving a nasty `setNull` bug
- Thomas Dudziak

# Jdbi 3

- Steven Schlansker
- Matthew Hall
- Artem Prigoda
- Marnick L'Eau

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.



"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of

this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only

on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

# JDBI

Copyright (C) 2004 - 2015 Brian McCallister

----

# 1.169 swagger-core v1.6.2

## 1.169.1 Available under license :

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

## 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent

to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
  - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
  - (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
  - (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work,

excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any

risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
  
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

#### END OF TERMS AND CONDITIONS

#### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright 2020 SmartBear Software Inc.

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS,



WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.

# 1.170 scala 2.12.15

## 1.170.1 Available under license :

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,  
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by  
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all  
other entities that control, are controlled by, or are under common  
control with that entity. For the purposes of this definition,  
"control" means (i) the power, direct or indirect, to cause the  
direction or management of such entity, whether by contract or  
otherwise, or (ii) ownership of fifty percent (50%) or more of the  
outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity  
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,  
including but not limited to software source code, documentation  
source, and configuration files.

"Object" form shall mean any form resulting from mechanical  
transformation or translation of a Source form, including but  
not limited to compiled object code, generated documentation,  
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or  
Object form, made available under the License, as indicated by a  
copyright notice that is included in or attached to the work  
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object

form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a

file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Scala

Copyright (c) 2002-2021 EPFL

Copyright (c) 2011-2021 Lightbend, Inc.

Scala includes software developed at  
LAMP/EPFL (<https://lamp.epfl.ch/>) and  
Lightbend, Inc. (<https://www.lightbend.com/>).

Licensed under the Apache License, Version 2.0 (the "License").  
Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

This software includes projects with other licenses -- see `doc/LICENSE.md`.

## 1.171 metrics-health-checks 4.0.5

### 1.171.1 Available under license :

Apache-2.0

## 1.172 lettuce 5.2.1.RELEASE

### 1.172.1 Available under license :

Lettuce Java Redis Client 5.2.1.RELEASE

Copyright (c) 2011-2019 Mark Paluch

This product is licensed to you under the Apache License, Version 2.0

(the "License"). You may not use this product except in compliance with the License.

This product may include a number of subcomponents with separate copyright notices and license terms. Your use of the source code for these subcomponents is subject to the terms and conditions of the subcomponent's license, as noted in the license file.

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object

form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.



6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a

file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

## 1.173 jersey-ext-bean-validation 2.33

### 1.173.1 Available under license :

# Notice for Jersey

This content is produced and maintained by the Eclipse Jersey project.

\* Project home: <https://projects.eclipse.org/projects/ee4j.jersey>

## Trademarks

Eclipse Jersey is a trademark of the Eclipse Foundation.

## Copyright

All content is the property of the respective authors or their employers. For more information regarding authorship of content, please consult the listed source code repository logs.

## Declared Project Licenses

This program and the accompanying materials are made available under the terms of the Eclipse Public License v. 2.0 which is available at <http://www.eclipse.org/legal/epl-2.0>. This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License v. 2.0 are satisfied: GNU General Public License, version 2 with the GNU Classpath Exception which is available at <https://www.gnu.org/software/classpath/license.html>.

SPDX-License-Identifier: EPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0

## ## Source Code

The project maintains the following source code repositories:

- \* <https://github.com/eclipse-ee4j/jersey>

## ## Third-party Content

### Angular JS, v1.6.6

- \* License MIT (<http://www.opensource.org/licenses/mit-license.php>)
- \* Project: <http://angularjs.org>
- \* Copyright: (c) 2010-2017 Google, Inc.

### aopalliance Version 1

- \* License: all the source code provided by AOP Alliance is Public Domain.
- \* Project: <http://aopalliance.sourceforge.net>
- \* Copyright: Material in the public domain is not protected by copyright

### Bean Validation API 2.0.2

- \* License: Apache License, 2.0
- \* Project: <http://beanvalidation.org/1.1/>
- \* Copyright: 2009, Red Hat, Inc. and/or its affiliates, and individual contributors
- \* by the @authors tag.

### Hibernate Validator CDI, 6.1.2.Final

- \* License: Apache License, 2.0
- \* Project: <https://beanvalidation.org/>
- \* Repackaged in `org.glassfish.jersey.server.validation.internal.hibernate`

### Bootstrap v3.3.7

- \* License: MIT license (<https://github.com/twbs/bootstrap/blob/master/LICENSE>)
- \* Project: <http://getbootstrap.com>
- \* Copyright: 2011-2016 Twitter, Inc

### Google Guava Version 18.0

- \* License: Apache License, 2.0
- \* Copyright (C) 2009 The Guava Authors

### javax.inject Version: 1

- \* License: Apache License, 2.0
- \* Copyright (C) 2009 The JSR-330 Expert Group

### Javassist Version 3.25.0-GA

- \* License: Apache License, 2.0
- \* Project: <http://www.javassist.org/>
- \* Copyright (C) 1999- Shigeru Chiba. All Rights Reserved.

### Jackson JAX-RS Providers Version 2.10.1

- \* License: Apache License, 2.0

- \* Project: <https://github.com/FasterXML/jackson-jaxrs-providers>
- \* Copyright: (c) 2009-2011 FasterXML, LLC. All rights reserved unless otherwise indicated.

#### jQuery v1.12.4

- \* License: [jquery.org/license](http://jquery.org/license)
- \* Project: [jquery.org](http://jquery.org)
- \* Copyright: (c) jQuery Foundation

#### jQuery Barcode plugin 0.3

- \* License: MIT & GPL (<http://www.opensource.org/licenses/mit-license.php> & <http://www.gnu.org/licenses/gpl.html>)
- \* Project: <http://www.pasella.it/projects/jquery/barcode>
- \* Copyright: (c) 2009 Antonello Pasella [antonello.pasella@gmail.com](mailto:antonello.pasella@gmail.com)

#### JSR-166 Extension - JEP 266

- \* License: CC0
- \* No copyright
- \* Written by Doug Lea with assistance from members of JCP JSR-166 Expert Group and released to the public domain, as explained at <http://creativecommons.org/publicdomain/zero/1.0/>

#### KineticJS, v4.7.1

- \* License: MIT license (<http://www.opensource.org/licenses/mit-license.php>)
- \* Project: <http://www.kineticjs.com>, <https://github.com/ericdrowell/KineticJS>
- \* Copyright: Eric Rowell

#### org.objectweb.asm Version 8.0

- \* License: Modified BSD (<http://asm.objectweb.org/license.html>)
- \* Copyright (c) 2000-2011 INRIA, France Telecom. All rights reserved.

#### org.osgi.core version 6.0.0

- \* License: Apache License, 2.0
- \* Copyright (c) OSGi Alliance (2005, 2008). All Rights Reserved.

#### org.glassfish.jersey.server.internal.monitoring.core

- \* License: Apache License, 2.0
- \* Copyright (c) 2015-2018 Oracle and/or its affiliates. All rights reserved.
- \* Copyright 2010-2013 Coda Hale and Yammer, Inc.

#### W3.org documents

- \* License: W3C License
- \* Copyright: Copyright (c) 1994-2001 World Wide Web Consortium, (Massachusetts Institute of Technology, Institut National de Recherche en Informatique et en Automatique, Keio University). All Rights Reserved. <http://www.w3.org/Consortium/Legal/>
- # Eclipse Public License - v 2.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

## 1. DEFINITIONS

"Contribution" means:

a) in the case of the initial Contributor, the initial content Distributed under this Agreement, and

b) in the case of each subsequent Contributor:

i) changes to the Program, and

ii) additions to the Program;

where such changes and/or additions to the Program originate from and are Distributed by that particular Contributor. A Contribution "originates" from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include changes or additions to the Program that are not Modified Works.

"Contributor" means any person or entity that Distributes the Program.

"Licensed Patents" mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions Distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement or any Secondary License (as applicable), including Contributors.

"Derivative Works" shall mean any work, whether in Source Code or other form, that is based on (or derived from) the Program and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship.

"Modified Works" shall mean any work in Source Code or other form that results from an addition to, deletion from, or modification of the contents of the Program, including, for purposes of clarity any new file in Source Code form that contains any contents of the Program. Modified Works shall not include works that contain only declarations, interfaces, types, classes, structures, or files of the Program solely in each case in order to link to, bind by name, or subclass the Program or Modified Works thereof.

"Distribute" means the acts of a) distributing or b) making available in any manner that enables the transfer of a copy.

"Source Code" means the form of a Program preferred for making

modifications, including but not limited to software source code, documentation source, and configuration files.

"Secondary License" means either the GNU General Public License, Version 2.0, or any later versions of that license, including any exceptions or additional permissions as identified by the initial Contributor.

## 2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, Distribute and sublicense the Contribution of such Contributor, if any, and such Derivative Works.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in Source Code or other form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to Distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

e) Notwithstanding the terms of any Secondary License, no Contributor makes additional grants to any Recipient (other than

those set forth in this Agreement) as a result of such Recipient's receipt of the Program under the terms of a Secondary License (if permitted under the terms of Section 3).

### 3. REQUIREMENTS

3.1 If a Contributor Distributes the Program in any form, then:

a) the Program must also be made available as Source Code, in accordance with section 3.2, and the Contributor must accompany the Program with a statement that the Source Code for the Program is available under this Agreement, and informs Recipients how to obtain it in a reasonable manner on or through a medium customarily used for software exchange; and

b) the Contributor may Distribute the Program under a license different than this Agreement, provided that such license:

i) effectively disclaims on behalf of all other Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;

ii) effectively excludes on behalf of all other Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;

iii) does not attempt to limit or alter the recipients' rights in the Source Code under section 3.2; and

iv) requires any subsequent distribution of the Program by any party to be under a license that satisfies the requirements of this section 3.

3.2 When the Program is Distributed as Source Code:

a) it must be made available under this Agreement, or if the Program (i) is combined with other material in a separate file or files made available under a Secondary License, and (ii) the initial Contributor attached to the Source Code the notice described in Exhibit A of this Agreement, then the Program may be made available under the terms of such Secondary Licenses, and

b) a copy of this Agreement must be included with each copy of the Program.

3.3 Contributors may not remove or alter any copyright, patent, trademark, attribution notices, disclaimers of warranty, or limitations

of liability ("notices") contained within the Program from any copy of the Program which they Distribute, provided that Contributors may add their own appropriate notices.

#### 4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

#### 5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all



risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

## 6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

## 7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the

responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be Distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to Distribute the Program (including its Contributions) under the new version.

Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved. Nothing in this Agreement is intended to be enforceable by any entity that is not a Contributor or Recipient. No third-party beneficiary rights are created under this Agreement.

Exhibit A - Form of Secondary Licenses Notice

"This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License, v. 2.0 are satisfied: {name license(s), version(s), and exceptions or additional permissions here}."

Simply including a copy of this Agreement, including this Exhibit A is not sufficient to license the Source Code under Secondary Licenses.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.

---

## The GNU General Public License (GPL) Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.  
51 Franklin Street, Fifth Floor  
Boston, MA 02110-1335  
USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to

share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

## TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a

notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program

is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special

exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

## NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

## END OF TERMS AND CONDITIONS

### How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.

Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.



You should have received a copy of the GNU General Public License  
along with this program; if not, write to the Free Software  
Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1335 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this  
when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type
`show w'. This is free software, and you are welcome to redistribute
it under certain conditions; type `show c' for details.
```

The hypothetical commands `show w' and `show c' should show the  
appropriate parts of the General Public License. Of course, the commands  
you use may be called something other than `show w' and `show c'; they  
could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your  
school, if any, to sign a "copyright disclaimer" for the program, if  
necessary. Here is a sample; alter the names:

```
Yoyodyne, Inc., hereby disclaims all copyright interest in the
program `Gnomovision' (which makes passes at compilers) written by
James Hacker.
```

```
signature of Ty Coon, 1 April 1989
Ty Coon, President of Vice
```

This General Public License does not permit incorporating your program  
into proprietary programs. If your program is a subroutine library, you  
may consider it more useful to permit linking proprietary applications  
with the library. If this is what you want to do, use the GNU Library  
General Public License instead of this License.

---

#### ## CLASSPATH EXCEPTION

Linking this library statically or dynamically with other modules is  
making a combined work based on this library. Thus, the terms and  
conditions of the GNU General Public License version 2 cover the whole  
combination.

As a special exception, the copyright holders of this library give you  
permission to link this library with independent modules to produce an  
executable, regardless of the license terms of these independent

modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module. An independent module is a module which is not derived from or based on this library. If you modify this library, you may extend this exception to your version of the library, but you are not obligated to do so. If you do not wish to do so, delete this exception statement from your version.

# Notice for Jersey Bean Validation module

This content is produced and maintained by the Eclipse Jersey project.

\* <https://projects.eclipse.org/projects/ee4j.jersey>

## Trademarks

Eclipse Jersey is a trademark of the Eclipse Foundation.

## Copyright

All content is the property of the respective authors or their employers. For more information regarding authorship of content, please consult the listed source code repository logs.

## Declared Project Licenses

This program and the accompanying materials are made available under the terms of the Eclipse Public License v. 2.0 which is available at <http://www.eclipse.org/legal/epl-2.0>. This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License v. 2.0 are satisfied: GNU General Public License, version 2 with the GNU Classpath Exception which is available at <https://www.gnu.org/software/classpath/license.html>.

SPDX-License-Identifier: EPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0

## Source Code

The project maintains the following source code repositories:

\* <https://github.com/eclipse-ee4j/jersey>

## Third-party Content

Hibernate Validator CDI, 6.1.2.Final

\* License: Apache License, 2.0

\* Project: <https://beanvalidation.org/>

\* Repackaged in `org.glassfish.jersey.server.validation.internal.hibernate`

# 1.174 micronaut-security 3.3.0

## 1.174.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2017-2021 original authors
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * https://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1340076552_1654622362.3470192/0/micronaut-security-3-3-0-sources-jar/io/micronaut/security/authentication/ServerAuthentication.java
* /opt/cola/permits/1340076552_1654622362.3470192/0/micronaut-security-3-3-0-sources-jar/io/micronaut/security/filters/SecurityFilterConfigurationProperties.java
* /opt/cola/permits/1340076552_1654622362.3470192/0/micronaut-security-3-3-0-sources-jar/io/micronaut/security/filters/SecurityFilterConfiguration.java
* /opt/cola/permits/1340076552_1654622362.3470192/0/micronaut-security-3-3-0-sources-jar/io/micronaut/security/authentication/AbstractPrincipalArgumentBinder.java
```

No license file was found, but licenses were detected in source scan.

```
# Licensed under the Apache License, Version 2.0 (the "License");
# you may not use this file except in compliance with the License.
# You may obtain a copy of the License at
# distributed under the License is distributed on an "AS IS" BASIS,
```

Found in path(s):

```
* /opt/cola/permits/1340076552_1654622362.3470192/0/micronaut-security-3-3-0-sources-jar/META-INF/native-image/io.micronaut.security/micronaut-security/native-image.properties
```

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2017-2022 original authors
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
```

\* You may obtain a copy of the License at  
\*  
\* <https://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1340076552\_1654622362.3470192/0/micronaut-security-3-3-0-sources-jar/io/micronaut/security/x509/X509Configuration.java  
\* /opt/cola/permits/1340076552\_1654622362.3470192/0/micronaut-security-3-3-0-sources-jar/io/micronaut/security/x509/X509ConfigurationProperties.java  
\* /opt/cola/permits/1340076552\_1654622362.3470192/0/micronaut-security-3-3-0-sources-jar/io/micronaut/security/x509/X509AuthenticationFetcher.java  
\* /opt/cola/permits/1340076552\_1654622362.3470192/0/micronaut-security-3-3-0-sources-jar/io/micronaut/security/x509/X509AuthenticationArgumentBinder.java  
\* /opt/cola/permits/1340076552\_1654622362.3470192/0/micronaut-security-3-3-0-sources-jar/io/micronaut/security/x509/X509Authentication.java

No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright 2017-2020 original authors  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <https://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1340076552\_1654622362.3470192/0/micronaut-security-3-3-0-sources-jar/io/micronaut/security/errors/OauthErrorResponseException.java  
\* /opt/cola/permits/1340076552\_1654622362.3470192/0/micronaut-security-3-3-0-sources-jar/io/micronaut/security/token/reader/package-info.java  
\* /opt/cola/permits/1340076552\_1654622362.3470192/0/micronaut-security-3-3-0-sources-jar/io/micronaut/security/token/Claims.java  
\* /opt/cola/permits/1340076552\_1654622362.3470192/0/micronaut-security-3-3-0-sources-

jar/io/micronaut/security/config/SecurityConfiguration.java  
\* /opt/cola/permits/1340076552\_1654622362.3470192/0/micronaut-security-3-3-0-sources-  
jar/io/micronaut/security/token/propagation/TokenPropagationConfiguration.java  
\* /opt/cola/permits/1340076552\_1654622362.3470192/0/micronaut-security-3-3-0-sources-  
jar/io/micronaut/security/authentication/ClientAuthentication.java  
\* /opt/cola/permits/1340076552\_1654622362.3470192/0/micronaut-security-3-3-0-sources-  
jar/io/micronaut/security/config/SecurityConfigurationProperties.java  
\* /opt/cola/permits/1340076552\_1654622362.3470192/0/micronaut-security-3-3-0-sources-  
jar/io/micronaut/security/errors/OauthErrorResponseExceptionHandler.java  
\* /opt/cola/permits/1340076552\_1654622362.3470192/0/micronaut-security-3-3-0-sources-  
jar/io/micronaut/security/token/validator/TokenValidator.java  
\* /opt/cola/permits/1340076552\_1654622362.3470192/0/micronaut-security-3-3-0-sources-  
jar/io/micronaut/security/config/ForbiddenRedirectConfiguration.java  
\* /opt/cola/permits/1340076552\_1654622362.3470192/0/micronaut-security-3-3-0-sources-  
jar/io/micronaut/security/token/refresh/RefreshTokenPersistence.java  
\* /opt/cola/permits/1340076552\_1654622362.3470192/0/micronaut-security-3-3-0-sources-  
jar/io/micronaut/security/package-info.java  
\* /opt/cola/permits/1340076552\_1654622362.3470192/0/micronaut-security-3-3-0-sources-  
jar/io/micronaut/security/token/config/TokenConfigurationProperties.java  
\* /opt/cola/permits/1340076552\_1654622362.3470192/0/micronaut-security-3-3-0-sources-  
jar/io/micronaut/security/config/RefreshRedirectConfiguration.java  
\* /opt/cola/permits/1340076552\_1654622362.3470192/0/micronaut-security-3-3-0-sources-  
jar/io/micronaut/security/authentication/AuthenticationMode.java  
\* /opt/cola/permits/1340076552\_1654622362.3470192/0/micronaut-security-3-3-0-sources-  
jar/io/micronaut/security/errors/package-info.java  
\* /opt/cola/permits/1340076552\_1654622362.3470192/0/micronaut-security-3-3-0-sources-  
jar/io/micronaut/security/config/UnauthorizedRedirectConfiguration.java  
\* /opt/cola/permits/1340076552\_1654622362.3470192/0/micronaut-security-3-3-0-sources-  
jar/io/micronaut/security/errors/CookiePriorToLoginPersistence.java  
\* /opt/cola/permits/1340076552\_1654622362.3470192/0/micronaut-security-3-3-0-sources-  
jar/io/micronaut/security/token/MapClaims.java  
\* /opt/cola/permits/1340076552\_1654622362.3470192/0/micronaut-security-3-3-0-sources-  
jar/io/micronaut/security/token/propagation/HttpHeaderTokenPropagatorConfiguration.java  
\* /opt/cola/permits/1340076552\_1654622362.3470192/0/micronaut-security-3-3-0-sources-  
jar/io/micronaut/security/authentication/AuthenticationFailed.java  
\* /opt/cola/permits/1340076552\_1654622362.3470192/0/micronaut-security-3-3-0-sources-  
jar/io/micronaut/security/errors/IssuingAnAccessTokenErrorCode.java  
\* /opt/cola/permits/1340076552\_1654622362.3470192/0/micronaut-security-3-3-0-sources-  
jar/io/micronaut/security/authentication/AuthenticationResponse.java  
\* /opt/cola/permits/1340076552\_1654622362.3470192/0/micronaut-security-3-3-0-sources-  
jar/io/micronaut/security/token/propagation/HttpHeaderTokenPropagatorConfigurationProperties.java  
\* /opt/cola/permits/1340076552\_1654622362.3470192/0/micronaut-security-3-3-0-sources-  
jar/io/micronaut/security/rules/SecuredAnnotationRule.java  
\* /opt/cola/permits/1340076552\_1654622362.3470192/0/micronaut-security-3-3-0-sources-  
jar/io/micronaut/security/token/generator/TokenGenerator.java  
\* /opt/cola/permits/1340076552\_1654622362.3470192/0/micronaut-security-3-3-0-sources-  
jar/io/micronaut/security/token/RolesFinder.java  
\* /opt/cola/permits/1340076552\_1654622362.3470192/0/micronaut-security-3-3-0-sources-

jar/io/micronaut/security/endpoints/LogoutControllerConfiguration.java  
\* /opt/cola/permits/1340076552\_1654622362.3470192/0/micronaut-security-3-3-0-sources-  
jar/io/micronaut/security/errors/PriorToLoginPersistence.java  
\* /opt/cola/permits/1340076552\_1654622362.3470192/0/micronaut-security-3-3-0-sources-  
jar/io/micronaut/security/token/generator/RefreshTokenGenerator.java  
\* /opt/cola/permits/1340076552\_1654622362.3470192/0/micronaut-security-3-3-0-sources-  
jar/io/micronaut/security/authentication/AuthenticationFailureReason.java  
\* /opt/cola/permits/1340076552\_1654622362.3470192/0/micronaut-security-3-3-0-sources-  
jar/io/micronaut/security/endpoints/introspection/IntrospectionProcessor.java  
\* /opt/cola/permits/1340076552\_1654622362.3470192/0/micronaut-security-3-3-0-sources-  
jar/io/micronaut/security/endpoints/introspection/IntrospectionResponse.java  
\* /opt/cola/permits/1340076552\_1654622362.3470192/0/micronaut-security-3-3-0-sources-  
jar/io/micronaut/security/x509/package-info.java  
\* /opt/cola/permits/1340076552\_1654622362.3470192/0/micronaut-security-3-3-0-sources-  
jar/io/micronaut/security/endpoints/LogoutControllerConfigurationProperties.java  
\* /opt/cola/permits/1340076552\_1654622362.3470192/0/micronaut-security-3-3-0-sources-  
jar/io/micronaut/security/authentication/AuthenticationModeCondition.java  
\* /opt/cola/permits/1340076552\_1654622362.3470192/0/micronaut-security-3-3-0-sources-  
jar/io/micronaut/security/rules/SensitiveEndpointRule.java  
\* /opt/cola/permits/1340076552\_1654622362.3470192/0/micronaut-security-3-3-0-sources-  
jar/io/micronaut/security/authentication/CookieBasedAuthenticationModeCondition.java  
\* /opt/cola/permits/1340076552\_1654622362.3470192/0/micronaut-security-3-3-0-sources-  
jar/io/micronaut/security/endpoints/LoginControllerConfiguration.java  
\* /opt/cola/permits/1340076552\_1654622362.3470192/0/micronaut-security-3-3-0-sources-  
jar/io/micronaut/security/token/validator/package-info.java  
\* /opt/cola/permits/1340076552\_1654622362.3470192/0/micronaut-security-3-3-0-sources-  
jar/io/micronaut/security/errors/ErrorCode.java  
\* /opt/cola/permits/1340076552\_1654622362.3470192/0/micronaut-security-3-3-0-sources-  
jar/io/micronaut/security/handlers/package-info.java  
\* /opt/cola/permits/1340076552\_1654622362.3470192/0/micronaut-security-3-3-0-sources-  
jar/io/micronaut/security/event/package-info.java  
\* /opt/cola/permits/1340076552\_1654622362.3470192/0/micronaut-security-3-3-0-sources-  
jar/io/micronaut/security/endpoints/introspection/IntrospectionConfiguration.java  
\* /opt/cola/permits/1340076552\_1654622362.3470192/0/micronaut-security-3-3-0-sources-  
jar/io/micronaut/security/token/config/TokenConfiguration.java  
\* /opt/cola/permits/1340076552\_1654622362.3470192/0/micronaut-security-3-3-0-sources-  
jar/io/micronaut/security/rules/SecurityRule.java  
\* /opt/cola/permits/1340076552\_1654622362.3470192/0/micronaut-security-3-3-0-sources-  
jar/io/micronaut/security/event/LoginFailedEvent.java  
\* /opt/cola/permits/1340076552\_1654622362.3470192/0/micronaut-security-3-3-0-sources-  
jar/io/micronaut/security/token/propagation/TokenPropagator.java  
\* /opt/cola/permits/1340076552\_1654622362.3470192/0/micronaut-security-3-3-0-sources-  
jar/io/micronaut/security/authentication/BasicAuthAuthenticationConfiguration.java  
\* /opt/cola/permits/1340076552\_1654622362.3470192/0/micronaut-security-3-3-0-sources-  
jar/io/micronaut/security/authentication/jackson/SecurityJacksonModule.java  
\* /opt/cola/permits/1340076552\_1654622362.3470192/0/micronaut-security-3-3-0-sources-  
jar/io/micronaut/security/config/AuthenticationStrategy.java  
\* /opt/cola/permits/1340076552\_1654622362.3470192/0/micronaut-security-3-3-0-sources-

jar/io/micronaut/security/authentication/PrincipalArgumentBinder.java  
\* /opt/cola/permits/1340076552\_1654622362.3470192/0/micronaut-security-3-3-0-sources-  
jar/io/micronaut/security/filters/SecurityFilter.java  
\* /opt/cola/permits/1340076552\_1654622362.3470192/0/micronaut-security-3-3-0-sources-  
jar/io/micronaut/security/errors/ErrorResponse.java  
\* /opt/cola/permits/1340076552\_1654622362.3470192/0/micronaut-security-3-3-0-sources-  
jar/io/micronaut/security/event/LogoutEvent.java  
\* /opt/cola/permits/1340076552\_1654622362.3470192/0/micronaut-security-3-3-0-sources-  
jar/io/micronaut/security/token/reader/TokenResolver.java  
\* /opt/cola/permits/1340076552\_1654622362.3470192/0/micronaut-security-3-3-0-sources-  
jar/io/micronaut/security/authentication/AuthenticationRequest.java  
\* /opt/cola/permits/1340076552\_1654622362.3470192/0/micronaut-security-3-3-0-sources-  
jar/io/micronaut/security/token/reader/TokenReader.java  
\* /opt/cola/permits/1340076552\_1654622362.3470192/0/micronaut-security-3-3-0-sources-  
jar/io/micronaut/security/rules/IpPatternsRule.java  
\* /opt/cola/permits/1340076552\_1654622362.3470192/0/micronaut-security-3-3-0-sources-  
jar/io/micronaut/security/filters/package-info.java  
\* /opt/cola/permits/1340076552\_1654622362.3470192/0/micronaut-security-3-3-0-sources-  
jar/io/micronaut/security/rules/SecurityRuleResult.java  
\* /opt/cola/permits/1340076552\_1654622362.3470192/0/micronaut-security-3-3-0-sources-  
jar/io/micronaut/security/token/reader/DefaultTokenResolver.java  
\* /opt/cola/permits/1340076552\_1654622362.3470192/0/micronaut-security-3-3-0-sources-  
jar/io/micronaut/security/authentication/UsernamePasswordCredentials.java  
\* /opt/cola/permits/1340076552\_1654622362.3470192/0/micronaut-security-3-3-0-sources-  
jar/io/micronaut/security/event/LoginSuccessfulEvent.java  
\* /opt/cola/permits/1340076552\_1654622362.3470192/0/micronaut-security-3-3-0-sources-  
jar/io/micronaut/security/authentication/AuthenticationException.java  
\* /opt/cola/permits/1340076552\_1654622362.3470192/0/micronaut-security-3-3-0-sources-  
jar/io/micronaut/security/endpoints/LoginControllerConfigurationProperties.java  
\* /opt/cola/permits/1340076552\_1654622362.3470192/0/micronaut-security-3-3-0-sources-  
jar/io/micronaut/security/config/AuthenticationModeConfiguration.java  
\* /opt/cola/permits/1340076552\_1654622362.3470192/0/micronaut-security-3-3-0-sources-  
jar/io/micronaut/security/filters/AuthenticationFetcher.java  
\* /opt/cola/permits/1340076552\_1654622362.3470192/0/micronaut-security-3-3-0-sources-  
jar/io/micronaut/security/token/config/package-info.java  
\* /opt/cola/permits/1340076552\_1654622362.3470192/0/micronaut-security-3-3-0-sources-  
jar/io/micronaut/security/token/event/AccessTokenGeneratedEvent.java  
\* /opt/cola/permits/1340076552\_1654622362.3470192/0/micronaut-security-3-3-0-sources-  
jar/io/micronaut/security/rules/ConfigurationInterceptUrlMapRule.java  
\* /opt/cola/permits/1340076552\_1654622362.3470192/0/micronaut-security-3-3-0-sources-  
jar/io/micronaut/security/authentication/AuthenticationProvider.java  
\* /opt/cola/permits/1340076552\_1654622362.3470192/0/micronaut-security-3-3-0-sources-  
jar/io/micronaut/security/rules/InterceptUrlMapRule.java  
\* /opt/cola/permits/1340076552\_1654622362.3470192/0/micronaut-security-3-3-0-sources-  
jar/io/micronaut/security/config/InterceptUrlMapPattern.java  
\* /opt/cola/permits/1340076552\_1654622362.3470192/0/micronaut-security-3-3-0-sources-  
jar/io/micronaut/security/token/propagation/TokenPropagationConfigurationProperties.java  
\* /opt/cola/permits/1340076552\_1654622362.3470192/0/micronaut-security-3-3-0-sources-

jar/io/micronaut/security/authentication/package-info.java  
\* /opt/cola/permits/1340076552\_1654622362.3470192/0/micronaut-security-3-3-0-sources-  
jar/io/micronaut/security/config/package-info.java  
\* /opt/cola/permits/1340076552\_1654622362.3470192/0/micronaut-security-3-3-0-sources-  
jar/io/micronaut/security/token/propagation/package-info.java  
\* /opt/cola/permits/1340076552\_1654622362.3470192/0/micronaut-security-3-3-0-sources-  
jar/io/micronaut/security/token/package-info.java  
\* /opt/cola/permits/1340076552\_1654622362.3470192/0/micronaut-security-3-3-0-sources-  
jar/io/micronaut/security/token/DefaultRolesFinder.java  
\* /opt/cola/permits/1340076552\_1654622362.3470192/0/micronaut-security-3-3-0-sources-  
jar/io/micronaut/security/endpoints/LoginController.java  
\* /opt/cola/permits/1340076552\_1654622362.3470192/0/micronaut-security-3-3-0-sources-  
jar/io/micronaut/security/authentication/DefaultAuthorizationExceptionHandler.java  
\* /opt/cola/permits/1340076552\_1654622362.3470192/0/micronaut-security-3-3-0-sources-  
jar/io/micronaut/security/config/InterceptUrlMapConverter.java  
\* /opt/cola/permits/1340076552\_1654622362.3470192/0/micronaut-security-3-3-0-sources-  
jar/io/micronaut/security/authentication/BasicAuthAuthenticationFetcher.java  
\* /opt/cola/permits/1340076552\_1654622362.3470192/0/micronaut-security-3-3-0-sources-  
jar/io/micronaut/security/utils/DefaultSecurityService.java  
\* /opt/cola/permits/1340076552\_1654622362.3470192/0/micronaut-security-3-3-0-sources-  
jar/io/micronaut/security/token/event/package-info.java  
\* /opt/cola/permits/1340076552\_1654622362.3470192/0/micronaut-security-3-3-0-sources-  
jar/io/micronaut/security/token/TokenAuthenticationFetcher.java  
\* /opt/cola/permits/1340076552\_1654622362.3470192/0/micronaut-security-3-3-0-sources-  
jar/io/micronaut/security/endpoints/introspection/IntrospectionConfigurationProperties.java  
\* /opt/cola/permits/1340076552\_1654622362.3470192/0/micronaut-security-3-3-0-sources-  
jar/io/micronaut/security/endpoints/introspection/IntrospectionRequest.java  
\* /opt/cola/permits/1340076552\_1654622362.3470192/0/micronaut-security-3-3-0-sources-  
jar/io/micronaut/security/config/RedirectConfiguration.java  
\* /opt/cola/permits/1340076552\_1654622362.3470192/0/micronaut-security-3-3-0-sources-  
jar/io/micronaut/security/token/reader/HttpHeaderTokenReader.java  
\* /opt/cola/permits/1340076552\_1654622362.3470192/0/micronaut-security-3-3-0-sources-  
jar/io/micronaut/security/handlers/RedirectingLoginHandler.java  
\* /opt/cola/permits/1340076552\_1654622362.3470192/0/micronaut-security-3-3-0-sources-  
jar/io/micronaut/security/endpoints/package-info.java  
\* /opt/cola/permits/1340076552\_1654622362.3470192/0/micronaut-security-3-3-0-sources-  
jar/io/micronaut/security/token/propagation/TokenPropagationHttpClientFilter.java  
\* /opt/cola/permits/1340076552\_1654622362.3470192/0/micronaut-security-3-3-0-sources-  
jar/io/micronaut/security/config/TokenCookieConfiguration.java  
\* /opt/cola/permits/1340076552\_1654622362.3470192/0/micronaut-security-3-3-0-sources-  
jar/io/micronaut/security/authentication/AuthorizationException.java  
\* /opt/cola/permits/1340076552\_1654622362.3470192/0/micronaut-security-3-3-0-sources-  
jar/io/micronaut/security/rules/package-info.java  
\* /opt/cola/permits/1340076552\_1654622362.3470192/0/micronaut-security-3-3-0-sources-  
jar/io/micronaut/security/token/propagation/HttpHeaderTokenPropagator.java  
\* /opt/cola/permits/1340076552\_1654622362.3470192/0/micronaut-security-3-3-0-sources-  
jar/io/micronaut/security/endpoints/introspection/package-info.java  
\* /opt/cola/permits/1340076552\_1654622362.3470192/0/micronaut-security-3-3-0-sources-



```

jar/io/micronaut/security/token/generator/package-info.java
* /opt/cola/permits/1340076552_1654622362.3470192/0/micronaut-security-3-3-0-sources-
jar/io/micronaut/security/authentication/Authenticator.java
* /opt/cola/permits/1340076552_1654622362.3470192/0/micronaut-security-3-3-0-sources-
jar/io/micronaut/security/authentication/Authentication.java
* /opt/cola/permits/1340076552_1654622362.3470192/0/micronaut-security-3-3-0-sources-
jar/io/micronaut/security/token/TokenAuthenticationFactory.java
* /opt/cola/permits/1340076552_1654622362.3470192/0/micronaut-security-3-3-0-sources-
jar/io/micronaut/security/token/validator/RefreshTokenValidator.java
* /opt/cola/permits/1340076552_1654622362.3470192/0/micronaut-security-3-3-0-sources-
jar/io/micronaut/security/authentication/BasicAuthUtils.java
* /opt/cola/permits/1340076552_1654622362.3470192/0/micronaut-security-3-3-0-sources-
jar/io/micronaut/security/event/TokenValidatedEvent.java
* /opt/cola/permits/1340076552_1654622362.3470192/0/micronaut-security-3-3-0-sources-
jar/io/micronaut/security/token/event/RefreshTokenGeneratedEvent.java
* /opt/cola/permits/1340076552_1654622362.3470192/0/micronaut-security-3-3-0-sources-
jar/io/micronaut/security/endpoints/LogoutController.java
* /opt/cola/permits/1340076552_1654622362.3470192/0/micronaut-security-3-3-0-sources-
jar/io/micronaut/security/errors/ObtainingAuthorizationErrorCode.java
* /opt/cola/permits/1340076552_1654622362.3470192/0/micronaut-security-3-3-0-sources-
jar/io/micronaut/security/rules/AbstractSecurityRule.java
* /opt/cola/permits/1340076552_1654622362.3470192/0/micronaut-security-3-3-0-sources-
jar/io/micronaut/security/handlers/LoginHandler.java
* /opt/cola/permits/1340076552_1654622362.3470192/0/micronaut-security-3-3-0-sources-
jar/io/micronaut/security/config/RedirectConfigurationProperties.java
* /opt/cola/permits/1340076552_1654622362.3470192/0/micronaut-security-3-3-0-sources-
jar/io/micronaut/security/endpoints/introspection/DefaultIntrospectionProcessor.java
* /opt/cola/permits/1340076552_1654622362.3470192/0/micronaut-security-3-3-0-sources-
jar/io/micronaut/security/authentication/AuthenticationExceptionHandler.java
* /opt/cola/permits/1340076552_1654622362.3470192/0/micronaut-security-3-3-0-sources-
jar/io/micronaut/security/utis/SecurityService.java
* /opt/cola/permits/1340076552_1654622362.3470192/0/micronaut-security-3-3-0-sources-
jar/io/micronaut/security/authentication/AuthenticationArgumentBinder.java
* /opt/cola/permits/1340076552_1654622362.3470192/0/micronaut-security-3-3-0-sources-
jar/io/micronaut/security/handlers/LogoutHandler.java
* /opt/cola/permits/1340076552_1654622362.3470192/0/micronaut-security-3-3-0-sources-
jar/io/micronaut/security/endpoints/introspection/IntrospectionController.java

```

## 1.175 antlr 4.8-1

### 1.175.1 Available under license :

No license file was found, but licenses were detected in source scan.

```

/*
 * [The "BSD license"]
 * Copyright (c) 2012-2016 Terence Parr
 * Copyright (c) 2012-2016 Sam Harwell

```

\* All rights reserved.  
 \*  
 \* Redistribution and use in source and binary forms, with or without  
 \* modification, are permitted provided that the following conditions  
 \* are met:  
 \*  
 \* 1. Redistributions of source code must retain the above copyright  
 \* notice, this list of conditions and the following disclaimer.  
 \* 2. Redistributions in binary form must reproduce the above copyright  
 \* notice, this list of conditions and the following disclaimer in the  
 \* documentation and/or other materials provided with the distribution.  
 \* 3. The name of the author may not be used to endorse or promote products  
 \* derived from this software without specific prior written permission.  
 \*  
 \* THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR  
 \* IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES  
 \* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.  
 \* IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,  
 \* INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT  
 \* NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,  
 \* DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY  
 \* THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT  
 \* (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF  
 \* THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.  
 \*/

```
tree grammar BlockSetTransformer;
options {
language    = Java;
tokenVocab = ANTLRParser;
ASTLabelType = GrammarAST;
output     = AST;
filter     = true;
}

@header {
package org.antlr.v4.parse;
import org.antlr.v4.misc.Utills;
import org.antlr.v4.misc.*;
import org.antlr.v4.tool.*;
import org.antlr.v4.tool.ast.*;
import java.util.List;
import java.util.Set;
import java.util.HashSet;
import java.util.ArrayList;
import org.antlr.v4.runtime.misc.IntervalSet;
}
```

```

@members {
public String currentRuleName;
public GrammarAST currentAlt;
public Grammar g;
public BlockSetTransformer(TreeNodeStream input, Grammar g) {
    this(input, new RecognizerSharedState());
    this.g = g;
}
}

topdown
: ^(RULE (id=TOKEN_REF|id=RULE_REF) {currentRuleName=$id.text;} .+)
| setAlt
| ebnfBlockSet
| blockSet
;

setAlt
: {inContext("RULE BLOCK")}?
ALT {currentAlt = $start;}
;

// (BLOCK (ALT (+ (BLOCK (ALT INT) (ALT ID))))))
ebnfBlockSet
@after {
GrammarTransformPipeline.setGrammarPtr(g, $tree);
}
: ^(ebnfSuffix blockSet) -> ^(ebnfSuffix ^(BLOCK<BlockAST> ^(ALT<AltAST> blockSet)))
;

ebnfSuffix
@after {$tree = (GrammarAST)adaptor.dupNode($start);}
: OPTIONAL
| CLOSURE
| POSITIVE_CLOSURE
;

blockSet
@init {
boolean inLexer = Grammar.isTokenName(currentRuleName);
}
@after {
GrammarTransformPipeline.setGrammarPtr(g, $tree);
}
: {inContext("RULE")}? // top-level: rule block and > 1 alt
^(BLOCK ^(alt=ALT elementOptions? {((AltAST)$alt).altLabel==null}? setElement[inLexer]) (^(ALT
elementOptions? setElement[inLexer])))+)
-> ^(BLOCK<BlockAST>[$BLOCK.token] ^(ALT<AltAST>[$BLOCK.token,"ALT"]) ^(SET[$BLOCK.token,

```

```

"SET"] setElement+)))
| {!inContext("RULE")}? // if not rule block and > 1 alt
^(BLOCK ^(ALT elementOptions? setElement[inLexer]) ( ^(ALT elementOptions? setElement[inLexer]) )+)-
-> ^(SET[$BLOCK.token, "SET"] setElement+)
;

setElement[boolean inLexer]
@after {
GrammarTransformPipeline.setGrammarPtr(g, $tree);
}
: ( ^(a=STRING_LITERAL elementOptions) {!inLexer ||
CharSupport.getCharValueFromGrammarCharLiteral($a.getText())!=-1 }?
| a=STRING_LITERAL {!inLexer || CharSupport.getCharValueFromGrammarCharLiteral($a.getText())!=-1 }?
| {!inLexer}?=> ^(TOKEN_REF elementOptions)
| {!inLexer}?=> TOKEN_REF
| {inLexer}?=> ^(RANGE a=STRING_LITERAL b=STRING_LITERAL)
{CharSupport.getCharValueFromGrammarCharLiteral($a.getText())!=-1 &&
CharSupport.getCharValueFromGrammarCharLiteral($b.getText())!=-1 }?
)
;

elementOptions
: ^(ELEMENT_OPTIONS elementOption*)
;

elementOption
: ID
| ^(ASSIGN id=ID v=ID)
| ^(ASSIGN ID v=STRING_LITERAL)
| ^(ASSIGN ID v=ACTION)
| ^(ASSIGN ID v=INT)
;

```

Found in path(s):

\* /opt/cola/permits/1192255793\_1629156080.64/0/antlr4-4-8-1-sources-1-jar/org/antlr/v4/parse/BlockSetTransformer.g

No license file was found, but licenses were detected in source scan.

/\*

[The "BSD license"]

Copyright (c) 2010 Terence Parr

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright

notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

3. The name of the author may not be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

\*/

Found in path(s):

\* /opt/cola/permits/1192255793\_1629156080.64/0/antlr4-4-8-1-sources-1-jar/org/antlr/v4/parse/ATNBuilder.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (c) 2012-2017 The ANTLR Project. All rights reserved.

\* Use of this file is governed by the BSD 3-clause license that

\* can be found in the LICENSE.txt file in the project root.

\*/

Found in path(s):

\* /opt/cola/permits/1192255793\_1629156080.64/0/antlr4-4-8-1-sources-1-jar/org/antlr/v4/tool/ast/GrammarRootAST.java

\* /opt/cola/permits/1192255793\_1629156080.64/0/antlr4-4-8-1-sources-1-jar/org/antlr/v4/codegen/OutputModelWalker.java

\* /opt/cola/permits/1192255793\_1629156080.64/0/antlr4-4-8-1-sources-1-jar/org/antlr/v4/codegen/model/SerializedATN.java

\* /opt/cola/permits/1192255793\_1629156080.64/0/antlr4-4-8-1-sources-1-jar/org/antlr/v4/gui/PostScriptDocument.java

\* /opt/cola/permits/1192255793\_1629156080.64/0/antlr4-4-8-1-sources-1-jar/org/antlr/v4/tool/ast/GrammarASTWithOptions.java

\* /opt/cola/permits/1192255793\_1629156080.64/0/antlr4-4-8-1-sources-1-jar/org/antlr/v4/tool/ToolMessage.java

\* /opt/cola/permits/1192255793\_1629156080.64/0/antlr4-4-8-1-sources-1-jar/org/antlr/v4/codegen/model/LL1AltBlock.java

\* /opt/cola/permits/1192255793\_1629156080.64/0/antlr4-4-8-1-sources-1-jar/org/antlr/v4/misc/EscapeSequenceParsing.java

\* /opt/cola/permits/1192255793\_1629156080.64/0/antlr4-4-8-1-sources-1-jar/org/antlr/v4/codegen/model/Recognizer.java

\* /opt/cola/permits/1192255793\_1629156080.64/0/antlr4-4-8-1-sources-1-jar/org/antlr/v4/codegen/model/MatchNotSet.java

\* /opt/cola/permits/1192255793\_1629156080.64/0/antlr4-4-8-1-sources-1-jar/org/antlr/v4/tool/LexerGrammar.java

\* /opt/cola/permits/1192255793\_1629156080.64/0/antlr4-4-8-1-sources-1-

jar/org/antlr/v4/codegen/model/Wildcard.java  
\* /opt/cola/permits/1192255793\_1629156080.64/0/antlr4-4-8-1-sources-1-  
jar/org/antlr/v4/codegen/model/chunk/ActionText.java  
\* /opt/cola/permits/1192255793\_1629156080.64/0/antlr4-4-8-1-sources-1-  
jar/org/antlr/v4/automata/LexerATNFactory.java  
\* /opt/cola/permits/1192255793\_1629156080.64/0/antlr4-4-8-1-sources-1-  
jar/org/antlr/v4/codegen/model/decl/TokenTypeDecl.java  
\* /opt/cola/permits/1192255793\_1629156080.64/0/antlr4-4-8-1-sources-1-  
jar/org/antlr/v4/analysis/LeftRecursiveRuleAltInfo.java  
\* /opt/cola/permits/1192255793\_1629156080.64/0/antlr4-4-8-1-sources-1-jar/org/antlr/v4/codegen/Target.java  
\* /opt/cola/permits/1192255793\_1629156080.64/0/antlr4-4-8-1-sources-1-  
jar/org/antlr/v4/tool/ast/GrammarASTVisitor.java  
\* /opt/cola/permits/1192255793\_1629156080.64/0/antlr4-4-8-1-sources-1-  
jar/org/antlr/v4/parse/GrammarToken.java  
\* /opt/cola/permits/1192255793\_1629156080.64/0/antlr4-4-8-1-sources-1-  
jar/org/antlr/v4/codegen/OutputModelController.java  
\* /opt/cola/permits/1192255793\_1629156080.64/0/antlr4-4-8-1-sources-1-jar/org/antlr/v4/tool/ErrorSeverity.java  
\* /opt/cola/permits/1192255793\_1629156080.64/0/antlr4-4-8-1-sources-1-jar/org/antlr/v4/gui/TestRig.java  
\* /opt/cola/permits/1192255793\_1629156080.64/0/antlr4-4-8-1-sources-1-  
jar/org/antlr/v4/codegen/model/VisitorDispatchMethod.java  
\* /opt/cola/permits/1192255793\_1629156080.64/0/antlr4-4-8-1-sources-1-  
jar/org/antlr/v4/codegen/model/DispatchMethod.java  
\* /opt/cola/permits/1192255793\_1629156080.64/0/antlr4-4-8-1-sources-1-jar/org/antlr/v4/tool/ast/RuleRefAST.java  
\* /opt/cola/permits/1192255793\_1629156080.64/0/antlr4-4-8-1-sources-1-  
jar/org/antlr/v4/codegen/model/StarBlock.java  
\* /opt/cola/permits/1192255793\_1629156080.64/0/antlr4-4-8-1-sources-1-  
jar/org/antlr/v4/tool/GrammarSyntaxMessage.java  
\* /opt/cola/permits/1192255793\_1629156080.64/0/antlr4-4-8-1-sources-1-  
jar/org/antlr/v4/codegen/model/chunk/TokenRef.java  
\* /opt/cola/permits/1192255793\_1629156080.64/0/antlr4-4-8-1-sources-1-jar/org/antlr/v4/tool/ast/RangeAST.java  
\* /opt/cola/permits/1192255793\_1629156080.64/0/antlr4-4-8-1-sources-1-  
jar/org/antlr/v4/codegen/model/ArgAction.java  
\* /opt/cola/permits/1192255793\_1629156080.64/0/antlr4-4-8-1-sources-1-  
jar/org/antlr/v4/tool/ANTLRToolListener.java  
\* /opt/cola/permits/1192255793\_1629156080.64/0/antlr4-4-8-1-sources-1-  
jar/org/antlr/v4/tool/LabelElementPair.java  
\* /opt/cola/permits/1192255793\_1629156080.64/0/antlr4-4-8-1-sources-1-  
jar/org/antlr/v4/codegen/target/Python3Target.java  
\* /opt/cola/permits/1192255793\_1629156080.64/0/antlr4-4-8-1-sources-1-  
jar/org/antlr/v4/codegen/model/ExceptionClause.java  
\* /opt/cola/permits/1192255793\_1629156080.64/0/antlr4-4-8-1-sources-1-  
jar/org/antlr/v4/automata/TailEpsilonRemover.java  
\* /opt/cola/permits/1192255793\_1629156080.64/0/antlr4-4-8-1-sources-1-  
jar/org/antlr/v4/codegen/model/chunk/TokenPropertyRef\_line.java  
\* /opt/cola/permits/1192255793\_1629156080.64/0/antlr4-4-8-1-sources-1-jar/org/antlr/v4/tool/ErrorType.java  
\* /opt/cola/permits/1192255793\_1629156080.64/0/antlr4-4-8-1-sources-1-jar/org/antlr/v4/gui/Trees.java  
\* /opt/cola/permits/1192255793\_1629156080.64/0/antlr4-4-8-1-sources-1-jar/org/antlr/v4/tool/DOTGenerator.java  
\* /opt/cola/permits/1192255793\_1629156080.64/0/antlr4-4-8-1-sources-1-

jar/org/antlr/v4/misc/OrderedHashMap.java  
 \* /opt/cola/permits/1192255793\_1629156080.64/0/antlr4-4-8-1-sources-1-  
 jar/org/antlr/v4/codegen/model/Action.java  
 \* /opt/cola/permits/1192255793\_1629156080.64/0/antlr4-4-8-1-sources-1-  
 jar/org/antlr/v4/codegen/model/ListenerFile.java  
 \* /opt/cola/permits/1192255793\_1629156080.64/0/antlr4-4-8-1-sources-1-  
 jar/org/antlr/v4/codegen/model/LL1PlusBlockSingleAlt.java  
 \* /opt/cola/permits/1192255793\_1629156080.64/0/antlr4-4-8-1-sources-1-jar/org/antlr/v4/codegen/model/dbg.java  
 \* /opt/cola/permits/1192255793\_1629156080.64/0/antlr4-4-8-1-sources-1-  
 jar/org/antlr/v4/codegen/model/chunk/SetNonLocalAttr.java  
 \* /opt/cola/permits/1192255793\_1629156080.64/0/antlr4-4-8-1-sources-1-  
 jar/org/antlr/v4/codegen/model/chunk/ThisRulePropertyRef\_ctx.java  
 \* /opt/cola/permits/1192255793\_1629156080.64/0/antlr4-4-8-1-sources-1-jar/org/antlr/v4/misc/CharSupport.java  
 \* /opt/cola/permits/1192255793\_1629156080.64/0/antlr4-4-8-1-sources-1-  
 jar/org/antlr/v4/analysis/AnalysisPipeline.java  
 \* /opt/cola/permits/1192255793\_1629156080.64/0/antlr4-4-8-1-sources-1-  
 jar/org/antlr/v4/codegen/model/decl/ContextTokenGetterDecl.java  
 \* /opt/cola/permits/1192255793\_1629156080.64/0/antlr4-4-8-1-sources-1-  
 jar/org/antlr/v4/tool/ANTLRMessage.java  
 \* /opt/cola/permits/1192255793\_1629156080.64/0/antlr4-4-8-1-sources-1-jar/org/antlr/v4/misc/MutableInt.java  
 \* /opt/cola/permits/1192255793\_1629156080.64/0/antlr4-4-8-1-sources-1-  
 jar/org/antlr/v4/codegen/model/chunk/ActionTemplate.java  
 \* /opt/cola/permits/1192255793\_1629156080.64/0/antlr4-4-8-1-sources-1-  
 jar/org/antlr/v4/codegen/model/BaseListenerFile.java  
 \* /opt/cola/permits/1192255793\_1629156080.64/0/antlr4-4-8-1-sources-1-jar/org/antlr/v4/tool/ast/ActionAST.java  
 \* /opt/cola/permits/1192255793\_1629156080.64/0/antlr4-4-8-1-sources-1-  
 jar/org/antlr/v4/codegen/model/ModelElement.java  
 \* /opt/cola/permits/1192255793\_1629156080.64/0/antlr4-4-8-1-sources-1-  
 jar/org/antlr/v4/semantics/ActionSniffer.java  
 \* /opt/cola/permits/1192255793\_1629156080.64/0/antlr4-4-8-1-sources-1-  
 jar/org/antlr/v4/semantics/RuleCollector.java  
 \* /opt/cola/permits/1192255793\_1629156080.64/0/antlr4-4-8-1-sources-1-  
 jar/org/antlr/v4/codegen/model/decl/ContextGetterDecl.java  
 \* /opt/cola/permits/1192255793\_1629156080.64/0/antlr4-4-8-1-sources-1-  
 jar/org/antlr/v4/codegen/model/chunk/QRetValueRef.java  
 \* /opt/cola/permits/1192255793\_1629156080.64/0/antlr4-4-8-1-sources-1-jar/org/antlr/v4/tool/AttributeDict.java  
 \* /opt/cola/permits/1192255793\_1629156080.64/0/antlr4-4-8-1-sources-1-  
 jar/org/antlr/v4/analysis/LeftRecursiveRuleTransformer.java  
 \* /opt/cola/permits/1192255793\_1629156080.64/0/antlr4-4-8-1-sources-1-  
 jar/org/antlr/v4/codegen/model/OutputModelObject.java  
 \* /opt/cola/permits/1192255793\_1629156080.64/0/antlr4-4-8-1-sources-1-jar/org/antlr/v4/tool/ast/BlockAST.java  
 \* /opt/cola/permits/1192255793\_1629156080.64/0/antlr4-4-8-1-sources-1-  
 jar/org/antlr/v4/tool/AttributeResolver.java  
 \* /opt/cola/permits/1192255793\_1629156080.64/0/antlr4-4-8-1-sources-1-  
 jar/org/antlr/v4/codegen/model/chunk/LabelRef.java  
 \* /opt/cola/permits/1192255793\_1629156080.64/0/antlr4-4-8-1-sources-1-jar/org/antlr/v4/parse/ScopeParser.java  
 \* /opt/cola/permits/1192255793\_1629156080.64/0/antlr4-4-8-1-sources-1-  
 jar/org/antlr/v4/codegen/model/CodeBlockForAlt.java

\* /opt/cola/permits/1192255793\_1629156080.64/0/antlr4-4-8-1-sources-1-jar/org/antlr/v4/tool/ast/OptionalBlockAST.java  
\* /opt/cola/permits/1192255793\_1629156080.64/0/antlr4-4-8-1-sources-1-jar/org/antlr/v4/tool/ErrorMessageManager.java  
\* /opt/cola/permits/1192255793\_1629156080.64/0/antlr4-4-8-1-sources-1-jar/org/antlr/v4/codegen/model/chunk/TokenPropertyRef\_index.java  
\* /opt/cola/permits/1192255793\_1629156080.64/0/antlr4-4-8-1-sources-1-jar/org/antlr/v4/codegen/model/Parser.java  
\* /opt/cola/permits/1192255793\_1629156080.64/0/antlr4-4-8-1-sources-1-jar/org/antlr/v4/codegen/CodeGenerator.java  
\* /opt/cola/permits/1192255793\_1629156080.64/0/antlr4-4-8-1-sources-1-jar/org/antlr/v4/misc/Utils.java  
\* /opt/cola/permits/1192255793\_1629156080.64/0/antlr4-4-8-1-sources-1-jar/org/antlr/v4/codegen/model/chunk/TokenPropertyRef.java  
\* /opt/cola/permits/1192255793\_1629156080.64/0/antlr4-4-8-1-sources-1-jar/org/antlr/v4/gui/JFileChooserConfirmOverwrite.java  
\* /opt/cola/permits/1192255793\_1629156080.64/0/antlr4-4-8-1-sources-1-jar/org/antlr/v4/automata/ATNVisitor.java  
\* /opt/cola/permits/1192255793\_1629156080.64/0/antlr4-4-8-1-sources-1-jar/org/antlr/v4/codegen/model/decl/ContextTokenListIndexedGetterDecl.java  
\* /opt/cola/permits/1192255793\_1629156080.64/0/antlr4-4-8-1-sources-1-jar/org/antlr/v4/codegen/model/LL1OptionalBlock.java  
\* /opt/cola/permits/1192255793\_1629156080.64/0/antlr4-4-8-1-sources-1-jar/org/antlr/v4/codegen/model/decl/ContextRuleListIndexedGetterDecl.java  
\* /opt/cola/permits/1192255793\_1629156080.64/0/antlr4-4-8-1-sources-1-jar/org/antlr/v4/codegen/model/LL1StarBlockSingleAlt.java  
\* /opt/cola/permits/1192255793\_1629156080.64/0/antlr4-4-8-1-sources-1-jar/org/antlr/v4/tool/ast/PredAST.java  
\* /opt/cola/permits/1192255793\_1629156080.64/0/antlr4-4-8-1-sources-1-jar/org/antlr/v4/codegen/model/decl/RuleContextListDecl.java  
\* /opt/cola/permits/1192255793\_1629156080.64/0/antlr4-4-8-1-sources-1-jar/org/antlr/v4/semantics/BasicSemanticChecks.java  
\* /opt/cola/permits/1192255793\_1629156080.64/0/antlr4-4-8-1-sources-1-jar/org/antlr/v4/codegen/target/SwiftTarget.java  
\* /opt/cola/permits/1192255793\_1629156080.64/0/antlr4-4-8-1-sources-1-jar/org/antlr/v4/codegen/model/chunk/TokenPropertyRef\_text.java  
\* /opt/cola/permits/1192255793\_1629156080.64/0/antlr4-4-8-1-sources-1-jar/org/antlr/v4/codegen/model/decl/AttributeDecl.java  
\* /opt/cola/permits/1192255793\_1629156080.64/0/antlr4-4-8-1-sources-1-jar/org/antlr/v4/parse/ResyncToEndOfRuleBlock.java  
\* /opt/cola/permits/1192255793\_1629156080.64/0/antlr4-4-8-1-sources-1-jar/org/antlr/v4/codegen/model/VisitorFile.java  
\* /opt/cola/permits/1192255793\_1629156080.64/0/antlr4-4-8-1-sources-1-jar/org/antlr/v4/codegen/model/chunk/RulePropertyRef\_parser.java  
\* /opt/cola/permits/1192255793\_1629156080.64/0/antlr4-4-8-1-sources-1-jar/org/antlr/v4/tool/Grammar.java  
\* /opt/cola/permits/1192255793\_1629156080.64/0/antlr4-4-8-1-sources-1-jar/org/antlr/v4/tool/ast/AltAST.java  
\* /opt/cola/permits/1192255793\_1629156080.64/0/antlr4-4-8-1-sources-1-jar/org/antlr/v4/codegen/CodeGenPipeline.java  
\* /opt/cola/permits/1192255793\_1629156080.64/0/antlr4-4-8-1-sources-1-jar/org/antlr/v4/parse/v3TreeGrammarException.java  
\* /opt/cola/permits/1192255793\_1629156080.64/0/antlr4-4-8-1-sources-1-jar/org/antlr/v4/tool/ast/SetAST.java



\* /opt/cola/permits/1192255793\_1629156080.64/0/antlr4-4-8-1-sources-1-jar/org/antlr/v4/codegen/model/chunk/RulePropertyRef\_stop.java  
\* /opt/cola/permits/1192255793\_1629156080.64/0/antlr4-4-8-1-sources-1-jar/org/antlr/v4/codegen/model/decl/StructDecl.java  
\* /opt/cola/permits/1192255793\_1629156080.64/0/antlr4-4-8-1-sources-1-jar/org/antlr/v4/codegen/model/AltBlock.java  
\* /opt/cola/permits/1192255793\_1629156080.64/0/antlr4-4-8-1-sources-1-jar/org/antlr/v4/codegen/model/Sync.java  
\* /opt/cola/permits/1192255793\_1629156080.64/0/antlr4-4-8-1-sources-1-jar/org/antlr/v4/tool/ast/TerminalAST.java  
\* /opt/cola/permits/1192255793\_1629156080.64/0/antlr4-4-8-1-sources-1-jar/org/antlr/v4/gui/BasicFontMetrics.java  
\* /opt/cola/permits/1192255793\_1629156080.64/0/antlr4-4-8-1-sources-1-jar/org/antlr/v4/tool/ast/RuleAST.java  
\* /opt/cola/permits/1192255793\_1629156080.64/0/antlr4-4-8-1-sources-1-jar/org/antlr/v4/codegen/model/RuleElement.java  
\* /opt/cola/permits/1192255793\_1629156080.64/0/antlr4-4-8-1-sources-1-jar/org/antlr/v4/codegen/model/OptionalBlock.java  
\* /opt/cola/permits/1192255793\_1629156080.64/0/antlr4-4-8-1-sources-1-jar/org/antlr/v4/codegen/model/LL1Choice.java  
\* /opt/cola/permits/1192255793\_1629156080.64/0/antlr4-4-8-1-sources-1-jar/org/antlr/v4/codegen/model/RuleFunction.java  
\* /opt/cola/permits/1192255793\_1629156080.64/0/antlr4-4-8-1-sources-1-jar/org/antlr/v4/codegen/model/chunk/RetValRef.java  
\* /opt/cola/permits/1192255793\_1629156080.64/0/antlr4-4-8-1-sources-1-jar/org/antlr/v4/analysis/LeftRecursionDetector.java  
\* /opt/cola/permits/1192255793\_1629156080.64/0/antlr4-4-8-1-sources-1-jar/org/antlr/v4/codegen/CodeGeneratorExtension.java  
\* /opt/cola/permits/1192255793\_1629156080.64/0/antlr4-4-8-1-sources-1-jar/org/antlr/v4/gui/TreePostScriptGenerator.java  
\* /opt/cola/permits/1192255793\_1629156080.64/0/antlr4-4-8-1-sources-1-jar/org/antlr/v4/codegen/target/PHPTarget.java  
\* /opt/cola/permits/1192255793\_1629156080.64/0/antlr4-4-8-1-sources-1-jar/org/antlr/v4/semantics/UseDefAnalyzer.java  
\* /opt/cola/permits/1192255793\_1629156080.64/0/antlr4-4-8-1-sources-1-jar/org/antlr/v4/codegen/model/AddToLabelList.java  
\* /opt/cola/permits/1192255793\_1629156080.64/0/antlr4-4-8-1-sources-1-jar/org/antlr/v4/codegen/model/LL1OptionalBlockSingleAlt.java  
\* /opt/cola/permits/1192255793\_1629156080.64/0/antlr4-4-8-1-sources-1-jar/org/antlr/v4/codegen/model/BaseVisitorFile.java  
\* /opt/cola/permits/1192255793\_1629156080.64/0/antlr4-4-8-1-sources-1-jar/org/antlr/v4/codegen/model/ListenerDispatchMethod.java  
\* /opt/cola/permits/1192255793\_1629156080.64/0/antlr4-4-8-1-sources-1-jar/org/antlr/v4/parse/v4ParserException.java  
\* /opt/cola/permits/1192255793\_1629156080.64/0/antlr4-4-8-1-sources-1-jar/org/antlr/v4/codegen/model/chunk/LocalRef.java  
\* /opt/cola/permits/1192255793\_1629156080.64/0/antlr4-4-8-1-sources-1-jar/org/antlr/v4/tool/GrammarSemanticsMessage.java  
\* /opt/cola/permits/1192255793\_1629156080.64/0/antlr4-4-8-1-sources-1-jar/org/antlr/v4/parse/GrammarASTAdaptor.java

\* /opt/cola/permits/1192255793\_1629156080.64/0/antlr4-4-8-1-sources-1-jar/org/antlr/v4/codegen/model/decl/TokenListDecl.java  
\* /opt/cola/permits/1192255793\_1629156080.64/0/antlr4-4-8-1-sources-1-jar/org/antlr/v4/tool/ast/RuleElementAST.java  
\* /opt/cola/permits/1192255793\_1629156080.64/0/antlr4-4-8-1-sources-1-jar/org/antlr/v4/tool/ast/GrammarASTErrorNode.java  
\* /opt/cola/permits/1192255793\_1629156080.64/0/antlr4-4-8-1-sources-1-jar/org/antlr/v4/codegen/model/chunk/NonLocalAttrRef.java  
\* /opt/cola/permits/1192255793\_1629156080.64/0/antlr4-4-8-1-sources-1-jar/org/antlr/v4/codegen/model/decl/ElementListDecl.java  
\* /opt/cola/permits/1192255793\_1629156080.64/0/antlr4-4-8-1-sources-1-jar/org/antlr/v4/codegen/OutputModelFactory.java  
\* /opt/cola/permits/1192255793\_1629156080.64/0/antlr4-4-8-1-sources-1-jar/org/antlr/v4/codegen/model/chunk/RulePropertyRef\_start.java  
\* /opt/cola/permits/1192255793\_1629156080.64/0/antlr4-4-8-1-sources-1-jar/org/antlr/v4/codegen/model/chunk/ThisRulePropertyRef\_start.java  
\* /opt/cola/permits/1192255793\_1629156080.64/0/antlr4-4-8-1-sources-1-jar/org/antlr/v4/misc/Graph.java  
\* /opt/cola/permits/1192255793\_1629156080.64/0/antlr4-4-8-1-sources-1-jar/org/antlr/v4/codegen/model/InvokeRule.java  
\* /opt/cola/permits/1192255793\_1629156080.64/0/antlr4-4-8-1-sources-1-jar/org/antlr/v4/codegen/model/chunk/TokenPropertyRef\_int.java  
\* /opt/cola/permits/1192255793\_1629156080.64/0/antlr4-4-8-1-sources-1-jar/org/antlr/v4/Tool.java  
\* /opt/cola/permits/1192255793\_1629156080.64/0/antlr4-4-8-1-sources-1-jar/org/antlr/v4/automata/ATNOptimizer.java  
\* /opt/cola/permits/1192255793\_1629156080.64/0/antlr4-4-8-1-sources-1-jar/org/antlr/v4/codegen/model/Lexer.java  
\* /opt/cola/permits/1192255793\_1629156080.64/0/antlr4-4-8-1-sources-1-jar/org/antlr/v4/codegen/model/PlusBlock.java  
\* /opt/cola/permits/1192255793\_1629156080.64/0/antlr4-4-8-1-sources-1-jar/org/antlr/v4/codegen/target/Python2Target.java  
\* /opt/cola/permits/1192255793\_1629156080.64/0/antlr4-4-8-1-sources-1-jar/org/antlr/v4/codegen/target/JavaTarget.java  
\* /opt/cola/permits/1192255793\_1629156080.64/0/antlr4-4-8-1-sources-1-jar/org/antlr/v4/codegen/model/RuleSempredFunction.java  
\* /opt/cola/permits/1192255793\_1629156080.64/0/antlr4-4-8-1-sources-1-jar/org/antlr/v4/codegen/model/chunk/ThisRulePropertyRef\_text.java  
\* /opt/cola/permits/1192255793\_1629156080.64/0/antlr4-4-8-1-sources-1-jar/org/antlr/v4/codegen/LexerFactory.java  
\* /opt/cola/permits/1192255793\_1629156080.64/0/antlr4-4-8-1-sources-1-jar/org/antlr/v4/semantics/SymbolCollector.java  
\* /opt/cola/permits/1192255793\_1629156080.64/0/antlr4-4-8-1-sources-1-jar/org/antlr/v4/tool/GrammarParserInterpreter.java  
\* /opt/cola/permits/1192255793\_1629156080.64/0/antlr4-4-8-1-sources-1-jar/org/antlr/v4/codegen/model/decl/ContextRuleGetterDecl.java  
\* /opt/cola/permits/1192255793\_1629156080.64/0/antlr4-4-8-1-sources-1-jar/org/antlr/v4/parse/ToolANTLRLexer.java  
\* /opt/cola/permits/1192255793\_1629156080.64/0/antlr4-4-8-1-sources-1-jar/org/antlr/v4/codegen/model/LexerFile.java

- \* /opt/cola/permits/1192255793\_1629156080.64/0/antlr4-4-8-1-sources-1-jar/org/antlr/v4/codegen/model/LabeledOp.java
- \* /opt/cola/permits/1192255793\_1629156080.64/0/antlr4-4-8-1-sources-1-jar/org/antlr/v4/codegen/target/CSharpTarget.java
- \* /opt/cola/permits/1192255793\_1629156080.64/0/antlr4-4-8-1-sources-1-jar/org/antlr/v4/codegen/model/TestSetInline.java
- \* /opt/cola/permits/1192255793\_1629156080.64/0/antlr4-4-8-1-sources-1-jar/org/antlr/v4/codegen/model/decl/ContextTokenListGetterDecl.java
- \* /opt/cola/permits/1192255793\_1629156080.64/0/antlr4-4-8-1-sources-1-jar/org/antlr/v4/gui/TreeViewer.java
- \* /opt/cola/permits/1192255793\_1629156080.64/0/antlr4-4-8-1-sources-1-jar/org/antlr/v4/tool/LabelType.java
- \* /opt/cola/permits/1192255793\_1629156080.64/0/antlr4-4-8-1-sources-1-jar/org/antlr/v4/misc/FrequencySet.java
- \* /opt/cola/permits/1192255793\_1629156080.64/0/antlr4-4-8-1-sources-1-jar/org/antlr/v4/tool/ast/GrammarAST.java
- \* /opt/cola/permits/1192255793\_1629156080.64/0/antlr4-4-8-1-sources-1-jar/org/antlr/v4/codegen/UnicodeEscapes.java
- \* /opt/cola/permits/1192255793\_1629156080.64/0/antlr4-4-8-1-sources-1-jar/org/antlr/v4/automata/ATNPrinter.java
- \* /opt/cola/permits/1192255793\_1629156080.64/0/antlr4-4-8-1-sources-1-jar/org/antlr/v4/tool/DefaultToolListener.java
- \* /opt/cola/permits/1192255793\_1629156080.64/0/antlr4-4-8-1-sources-1-jar/org/antlr/v4/codegen/model/decl/ContextRuleListGetterDecl.java
- \* /opt/cola/permits/1192255793\_1629156080.64/0/antlr4-4-8-1-sources-1-jar/org/antlr/v4/tool/Attribute.java
- \* /opt/cola/permits/1192255793\_1629156080.64/0/antlr4-4-8-1-sources-1-jar/org/antlr/v4/codegen/model/CodeBlockForOuterMostAlt.java
- \* /opt/cola/permits/1192255793\_1629156080.64/0/antlr4-4-8-1-sources-1-jar/org/antlr/v4/tool/ast/QuantifierAST.java
- \* /opt/cola/permits/1192255793\_1629156080.64/0/antlr4-4-8-1-sources-1-jar/org/antlr/v4/semantics/SymbolChecks.java
- \* /opt/cola/permits/1192255793\_1629156080.64/0/antlr4-4-8-1-sources-1-jar/org/antlr/v4/codegen/model/MatchToken.java
- \* /opt/cola/permits/1192255793\_1629156080.64/0/antlr4-4-8-1-sources-1-jar/org/antlr/v4/codegen/model/ThrowRecognitionException.java
- \* /opt/cola/permits/1192255793\_1629156080.64/0/antlr4-4-8-1-sources-1-jar/org/antlr/v4/codegen/ParserFactory.java
- \* /opt/cola/permits/1192255793\_1629156080.64/0/antlr4-4-8-1-sources-1-jar/org/antlr/v4/codegen/DefaultOutputModelFactory.java
- \* /opt/cola/permits/1192255793\_1629156080.64/0/antlr4-4-8-1-sources-1-jar/org/antlr/v4/codegen/model/ThrowNoViableAlt.java
- \* /opt/cola/permits/1192255793\_1629156080.64/0/antlr4-4-8-1-sources-1-jar/org/antlr/v4/gui/SystemFontMetrics.java
- \* /opt/cola/permits/1192255793\_1629156080.64/0/antlr4-4-8-1-sources-1-jar/org/antlr/v4/codegen/model/CaptureNextTokenType.java
- \* /opt/cola/permits/1192255793\_1629156080.64/0/antlr4-4-8-1-sources-1-jar/org/antlr/v4/tool/LeftRecursionCyclesMessage.java
- \* /opt/cola/permits/1192255793\_1629156080.64/0/antlr4-4-8-1-sources-1-jar/org/antlr/v4/codegen/model/chunk/SetAttr.java
- \* /opt/cola/permits/1192255793\_1629156080.64/0/antlr4-4-8-1-sources-1-jar/org/antlr/v4/codegen/model/chunk/TokenPropertyRef\_channel.java

\* /opt/cola/permits/1192255793\_1629156080.64/0/antlr4-4-8-1-sources-1-jar/org/antlr/v4/automata/ATNFactory.java

\* /opt/cola/permits/1192255793\_1629156080.64/0/antlr4-4-8-1-sources-1-jar/org/antlr/v4/unicode/UnicodeDataTemplateController.java

\* /opt/cola/permits/1192255793\_1629156080.64/0/antlr4-4-8-1-sources-1-jar/org/antlr/v4/semantics/BlankActionSplitterListener.java

\* /opt/cola/permits/1192255793\_1629156080.64/0/antlr4-4-8-1-sources-1-jar/org/antlr/v4/codegen/model/chunk/ThisRulePropertyRef\_parser.java

\* /opt/cola/permits/1192255793\_1629156080.64/0/antlr4-4-8-1-sources-1-jar/org/antlr/v4/codegen/model/decl/AltLabelStructDecl.java

\* /opt/cola/permits/1192255793\_1629156080.64/0/antlr4-4-8-1-sources-1-jar/org/antlr/v4/analysis/LeftRecursiveRuleAnalyzer.java

\* /opt/cola/permits/1192255793\_1629156080.64/0/antlr4-4-8-1-sources-1-jar/org/antlr/v4/codegen/model/chunk/ArgRef.java

\* /opt/cola/permits/1192255793\_1629156080.64/0/antlr4-4-8-1-sources-1-jar/org/antlr/v4/tool/BuildDependencyGenerator.java

\* /opt/cola/permits/1192255793\_1629156080.64/0/antlr4-4-8-1-sources-1-jar/org/antlr/v4/tool/GrammarTransformPipeline.java

\* /opt/cola/permits/1192255793\_1629156080.64/0/antlr4-4-8-1-sources-1-jar/org/antlr/v4/gui/TreeLayoutAdaptor.java

\* /opt/cola/permits/1192255793\_1629156080.64/0/antlr4-4-8-1-sources-1-jar/org/antlr/v4/tool/GrammarInterpreterRuleContext.java

\* /opt/cola/permits/1192255793\_1629156080.64/0/antlr4-4-8-1-sources-1-jar/org/antlr/v4/semantics/SemanticPipeline.java

\* /opt/cola/permits/1192255793\_1629156080.64/0/antlr4-4-8-1-sources-1-jar/org/antlr/v4/gui/TreeTextProvider.java

\* /opt/cola/permits/1192255793\_1629156080.64/0/antlr4-4-8-1-sources-1-jar/org/antlr/v4/parse/ToolANTLRParser.java

\* /opt/cola/permits/1192255793\_1629156080.64/0/antlr4-4-8-1-sources-1-jar/org/antlr/v4/codegen/model/decl/CodeBlock.java

\* /opt/cola/permits/1192255793\_1629156080.64/0/antlr4-4-8-1-sources-1-jar/org/antlr/v4/codegen/target/CppTarget.java

\* /opt/cola/permits/1192255793\_1629156080.64/0/antlr4-4-8-1-sources-1-jar/org/antlr/v4/codegen/model/chunk/RulePropertyRef.java

\* /opt/cola/permits/1192255793\_1629156080.64/0/antlr4-4-8-1-sources-1-jar/org/antlr/v4/codegen/model/chunk/TokenPropertyRef\_type.java

\* /opt/cola/permits/1192255793\_1629156080.64/0/antlr4-4-8-1-sources-1-jar/org/antlr/v4/codegen/model/decl/Decl.java

\* /opt/cola/permits/1192255793\_1629156080.64/0/antlr4-4-8-1-sources-1-jar/org/antlr/v4/parse/TokenVocabParser.java

\* /opt/cola/permits/1192255793\_1629156080.64/0/antlr4-4-8-1-sources-1-jar/org/antlr/v4/codegen/model/decl/TokenDecl.java

\* /opt/cola/permits/1192255793\_1629156080.64/0/antlr4-4-8-1-sources-1-jar/org/antlr/v4/semantics/AttributeChecks.java

\* /opt/cola/permits/1192255793\_1629156080.64/0/antlr4-4-8-1-sources-1-jar/org/antlr/v4/codegen/target/JavaScriptTarget.java

\* /opt/cola/permits/1192255793\_1629156080.64/0/antlr4-4-8-1-sources-1-jar/org/antlr/v4/automata/ParserATNFactory.java

\* /opt/cola/permits/1192255793\_1629156080.64/0/antlr4-4-8-1-sources-1-jar/org/antlr/v4/parse/ActionSplitterListener.java  
\* /opt/cola/permits/1192255793\_1629156080.64/0/antlr4-4-8-1-sources-1-jar/org/antlr/v4/codegen/model/Choice.java  
\* /opt/cola/permits/1192255793\_1629156080.64/0/antlr4-4-8-1-sources-1-jar/org/antlr/v4/codegen/model/Loop.java  
\* /opt/cola/permits/1192255793\_1629156080.64/0/antlr4-4-8-1-sources-1-jar/org/antlr/v4/codegen/ActionTranslator.java  
\* /opt/cola/permits/1192255793\_1629156080.64/0/antlr4-4-8-1-sources-1-jar/org/antlr/v4/tool/ast/NotAST.java  
\* /opt/cola/permits/1192255793\_1629156080.64/0/antlr4-4-8-1-sources-1-jar/org/antlr/v4/tool/Rule.java  
\* /opt/cola/permits/1192255793\_1629156080.64/0/antlr4-4-8-1-sources-1-jar/org/antlr/v4/tool/ast/StarBlockAST.java  
\* /opt/cola/permits/1192255793\_1629156080.64/0/antlr4-4-8-1-sources-1-jar/org/antlr/v4/codegen/model/ParserFile.java  
\* /opt/cola/permits/1192255793\_1629156080.64/0/antlr4-4-8-1-sources-1-jar/org/antlr/v4/codegen/model/CaptureNextToken.java  
\* /opt/cola/permits/1192255793\_1629156080.64/0/antlr4-4-8-1-sources-1-jar/org/antlr/v4/codegen/model/chunk/TokenPropertyRef\_pos.java  
\* /opt/cola/permits/1192255793\_1629156080.64/0/antlr4-4-8-1-sources-1-jar/org/antlr/v4/codegen/model/chunk/ListLabelRef.java  
\* /opt/cola/permits/1192255793\_1629156080.64/0/antlr4-4-8-1-sources-1-jar/org/antlr/v4/codegen/model/ElementFrequenciesVisitor.java  
\* /opt/cola/permits/1192255793\_1629156080.64/0/antlr4-4-8-1-sources-1-jar/org/antlr/v4/codegen/model/RuleActionFunction.java  
\* /opt/cola/permits/1192255793\_1629156080.64/0/antlr4-4-8-1-sources-1-jar/org/antlr/v4/codegen/model/LeftRecursiveRuleFunction.java  
\* /opt/cola/permits/1192255793\_1629156080.64/0/antlr4-4-8-1-sources-1-jar/org/antlr/v4/codegen/model/OutputFile.java  
\* /opt/cola/permits/1192255793\_1629156080.64/0/antlr4-4-8-1-sources-1-jar/org/antlr/v4/codegen/model/LL1Loop.java  
\* /opt/cola/permits/1192255793\_1629156080.64/0/antlr4-4-8-1-sources-1-jar/org/antlr/v4/codegen/model/MatchSet.java  
\* /opt/cola/permits/1192255793\_1629156080.64/0/antlr4-4-8-1-sources-1-jar/org/antlr/v4/tool/Alternative.java  
\* /opt/cola/permits/1192255793\_1629156080.64/0/antlr4-4-8-1-sources-1-jar/org/antlr/v4/codegen/BlankOutputModelFactory.java  
\* /opt/cola/permits/1192255793\_1629156080.64/0/antlr4-4-8-1-sources-1-jar/org/antlr/v4/codegen/target/GoTarget.java  
\* /opt/cola/permits/1192255793\_1629156080.64/0/antlr4-4-8-1-sources-1-jar/org/antlr/v4/codegen/model/chunk/ThisRulePropertyRef\_stop.java  
\* /opt/cola/permits/1192255793\_1629156080.64/0/antlr4-4-8-1-sources-1-jar/org/antlr/v4/codegen/model/ThrowEarlyExitException.java  
\* /opt/cola/permits/1192255793\_1629156080.64/0/antlr4-4-8-1-sources-1-jar/org/antlr/v4/codegen/model/decl/RuleContextDecl.java  
\* /opt/cola/permits/1192255793\_1629156080.64/0/antlr4-4-8-1-sources-1-jar/org/antlr/v4/codegen/model/SemPred.java  
\* /opt/cola/permits/1192255793\_1629156080.64/0/antlr4-4-8-1-sources-1-jar/org/antlr/v4/tool/LeftRecursiveRule.java  
\* /opt/cola/permits/1192255793\_1629156080.64/0/antlr4-4-8-1-sources-1-jar/org/antlr/v4/codegen/model/chunk/RulePropertyRef\_ctx.java

```
* /opt/cola/permits/1192255793_1629156080.64/0/antlr4-4-8-1-sources-1-  
jar/org/antlr/v4/codegen/model/chunk/ActionChunk.java  
* /opt/cola/permits/1192255793_1629156080.64/0/antlr4-4-8-1-sources-1-  
jar/org/antlr/v4/codegen/model/SrcOp.java  
* /opt/cola/permits/1192255793_1629156080.64/0/antlr4-4-8-1-sources-1-  
jar/org/antlr/v4/codegen/model/chunk/RulePropertyRef_text.java  
* /opt/cola/permits/1192255793_1629156080.64/0/antlr4-4-8-1-sources-1-  
jar/org/antlr/v4/tool/ast/PlusBlockAST.java
```

No license file was found, but licenses were detected in source scan.

```
/*
```

```
* [The "BSD license"]
```

```
* Copyright (c) 2012-2016 Terence Parr
```

```
* Copyright (c) 2012-2016 Sam Harwell
```

```
* Copyright (c) 2015 Janyou
```

```
* All rights reserved.
```

```
*
```

```
* Redistribution and use in source and binary forms, with or without
```

```
* modification, are permitted provided that the following conditions
```

```
* are met:
```

```
*
```

```
* 1. Redistributions of source code must retain the above copyright
```

```
* notice, this list of conditions and the following disclaimer.
```

```
* 2. Redistributions in binary form must reproduce the above copyright
```

```
* notice, this list of conditions and the following disclaimer in the
```

```
* documentation and/or other materials provided with the distribution.
```

```
* 3. The name of the author may not be used to endorse or promote products
```

```
* derived from this software without specific prior written permission.
```

```
*
```

```
* THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR
```

```
* IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
```

```
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.
```

```
* IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,
```

```
* INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT
```

```
* NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
```

```
* DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
```

```
* THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
```

```
* (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF
```

```
* THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
```

```
*/
```

```
SwiftTypeInitMap ::= [
```

```
  "Int": "0",
```

```
  "Int64": "0",
```

```
  "Float": "0.0",
```

```
  "Double": "0.0",
```

```
  "Bool": "false",
```

```
  default: "nil" // anything other than a primitive type is an object
```

```

]
SwiftTypeMap ::= [
  "int": "Int",
  "float": "Float",
  "long": "Int64",
  "double": "Double",
  "bool": "Bool",
  "boolean": "Bool",
  default : key
]
// args must be <object-model-object>, <fields-resulting-in-STs>

accessLevelOpenOK(obj) ::= "<obj.accessLevel; null=\\"open\\">"
accessLevelNotOpen(obj) ::= "<obj.accessLevel; null=\\"public\\">"

```

```

ParserFile(file, parser, namedActions, contextSuperClass) ::= <<
<fileHeader(file.grammarFileName, file.ANTLRVersion)>
<if(file.genPackage)>
<!package <file.genPackage>;!>
<endif>
<namedActions.header>
import Antlr4

<parser>
>>

```

```

ListenerFile(file, header, namedActions) ::= <<
<fileHeader(file.grammarFileName, file.ANTLRVersion)>
<if(file.genPackage)>
<!package <file.genPackage>;!>
<endif>
<header>
import Antlr4

```

```

/**
 * This interface defines a complete listener for a parse tree produced by
 * { @link <file.parserName> }.
 */
<accessLevelNotOpen(file)> protocol <file.grammarName>Listener: ParseTreeListener {
  <file.listenerNames: {lname |
/**
  <if(file.listenerLabelRuleNames.(lname))>
  * Enter a parse tree produced by the { @code <lname> \}
  * labeled alternative in { @link <file.parserName> #<file.listenerLabelRuleNames.(lname)> \}.
  <else>
  * Enter a parse tree produced by { @link <file.parserName> #<lname> \}.
  <endif>
- Parameters:

```

```

- ctx: the parse tree
*/
func enter<lname; format="cap">(_ ctx: <file.parserName>.<lname; format="cap">Context)
/**
<if(file.listenerLabelRuleNames.(lname))>
* Exit a parse tree produced by the { @code <lname>\}
* labeled alternative in { @link <file.parserName>#<file.listenerLabelRuleNames.(lname)>\}.
<else>
* Exit a parse tree produced by { @link <file.parserName>#<lname>\}.
<endif>
- Parameters:
- ctx: the parse tree
*/
func exit<lname; format="cap">(_ ctx: <file.parserName>.<lname; format="cap">Context); separator="\n">
}
>>

```

```

BaseListenerFile(file, header, namedActions) ::= <<
<fileHeader(file.grammarFileName, file.ANTLRVersion)>
<if(file.genPackage)>
<!package <file.genPackage>;!>
<endif>
<header>

```

```
import Antlr4
```

```

/**
* This class provides an empty implementation of { @link <file.grammarName>Listener},
* which can be extended to create a listener which only needs to handle a subset
* of the available methods.
*/
<accessLevelOpenOK(file)> class <file.grammarName>BaseListener: <file.grammarName>Listener {
  <accessLevelNotOpen(file)> init() { \}
  <file.listenerNames:{lname |

/**
* { @inheritDoc\}
*
* \<p>The default implementation does nothing.\</p>
*/
<accessLevelOpenOK(file)> func enter<lname; format="cap">(_ ctx: <file.parserName>.<lname;
format="cap">Context) { \}
/**
* { @inheritDoc\}
*
* \<p>The default implementation does nothing.\</p>
*/

```



```
<accessLevelOpenOK(file)> func exit<lname; format="cap">(_ ctx: <file.parserName>.<lname;
format="cap">Context) { \}); separator="\n">
```

```
/**
```

```
 * { @inheritDoc\}
```

```
 *
```

```
 * \<p>The default implementation does nothing.\</p>
```

```
 */
```

```
<accessLevelOpenOK(file)> func enterEveryRule(_ ctx: ParserRuleContext) { }
```

```
/**
```

```
 * { @inheritDoc\}
```

```
 *
```

```
 * \<p>The default implementation does nothing.\</p>
```

```
 */
```

```
<accessLevelOpenOK(file)> func exitEveryRule(_ ctx: ParserRuleContext) { }
```

```
/**
```

```
 * { @inheritDoc\}
```

```
 *
```

```
 * \<p>The default implementation does nothing.\</p>
```

```
 */
```

```
<accessLevelOpenOK(file)> func visitTerminal(_ node: TerminalNode) { }
```

```
/**
```

```
 * { @inheritDoc\}
```

```
 *
```

```
 * \<p>The default implementation does nothing.\</p>
```

```
 */
```

```
<accessLevelOpenOK(file)> func visitErrorNode(_ node: ErrorNode) { }
```

```
}
```

```
>>
```

```
VisitorFile(file, header, namedActions) ::= <<
```

```
<fileHeader(file.grammarFileName, file.ANTLRVersion)>
```

```
<if(file.genPackage)>
```

```
<!package <file.genPackage>;!>
```

```
<endif>
```

```
<header>
```

```
import Antlr4
```

```
/**
```

```
 * This interface defines a complete generic visitor for a parse tree produced
```

```
 * by { @link <file.parserName> }.
```

```
 *
```

```
 * @param \<T> The return type of the visit operation. Use { @link Void } for
```

```
 * operations with no return type.
```

```
 */
```

```
<accessLevelOpenOK(file)> class <file.grammarName>Visitor\<T>: ParseTreeVisitor\<T> {
```

```
 <file.visitorNames:{lname |
```

```
 /**
```

```

<if(file.visitorLabelRuleNames.(lname))>
* Visit a parse tree produced by the { @code <lname>\}
* labeled alternative in { @link <file.parserName>#<file.visitorLabelRuleNames.(lname)>\}.
<else>
* Visit a parse tree produced by { @link <file.parserName>#<lname>\}.
<endif>
- Parameters:
- ctx: the parse tree
- returns: the visitor result
*/
<accessLevelOpenOK(file)> func visit<lname; format="cap">(_ ctx: <file.parserName>.<lname;
format="cap">Context) -> T {
fatalError(#function + " must be overridden")
\}
\}; separator="\n">
}
>>

```

```

BaseVisitorFile(file, header, namedActions) ::= <<
<fileHeader(file.grammarFileName, file.ANTLRVersion)>
<if(file.genPackage)>
<!package <file.genPackage>;!>
<endif>
<header>
import Antlr4

/**
* This class provides an empty implementation of { @link <file.grammarName>Visitor},
* which can be extended to create a visitor which only needs to handle a subset
* of the available methods.
*
* @param \<T> The return type of the visit operation. Use { @link Void} for
* operations with no return type.
*/
<accessLevelOpenOK(file)> class <file.grammarName>BaseVisitor\<T>: AbstractParseTreeVisitor\<T> {
<file.visitorNames:{ lname |
/**
* { @inheritDoc\}
*
* \<p>The default implementation returns the result of calling
* { @link #visitChildren\} on { @code ctx\}.\</p>
*/
<accessLevelOpenOK(file)> func visit<lname; format="cap">(_ ctx: <file.parserName>.<lname;
format="cap">Context) -> T? { return visitChildren(ctx) \}; separator="\n">
}
>>

```

```

fileHeader(grammarFileName, ANTLRVersion) ::= <<

```

```

// Generated from <grammarFileName; format="java-escape"> by ANTLR <ANTLRVersion>
>>

Parser(parser, funcs, atn, sempredFuncs, superClass) ::= <<
<Parser_(ctor="parser_ctor", ...)>
>>

Parser_(parser, funcs, atn, sempredFuncs, ctor, superClass) ::= <<
</*!@SuppressWarnings({"all", "warnings", "unchecked", "unused", "cast"})!>
<accessLevelOpenOK(parser)> class <parser.name>: <superClass; null="Parser"> {

internal static var _decisionToDFA: [DFA] = {
    var decisionToDFA = [DFA]()
    let length = <parser.name>._ATN.getNumberOfDecisions()
    for i in 0..\<length {
        </*! decisionToDFA[i] = DFA(<parser.name>._ATN.getDecisionState(i)!, i)!>
        decisionToDFA.append(DFA(<parser.name>._ATN.getDecisionState(i)!, i))
    }
    return decisionToDFA
}()

internal static let _sharedContextCache = PredictionContextCache()

<if(parser.tokens)>
<accessLevelNotOpen(parser)>
enum Tokens: Int {
case EOF = -1, <parser.tokens:{k | <k> = <parser.tokens.(k)>}; separator=", ", wrap, anchor>
}
<endif>

<accessLevelNotOpen(parser)>
static let <parser.rules:{r | RULE_<r.name> = <r.index>}; separator=", ", wrap, anchor>

<accessLevelNotOpen(parser)>
static let ruleNames: [String] = [
<parser.ruleNames:{r | "<r>"}; separator=", ", wrap, anchor>
]

<vocabulary(parser.literalNames, parser.symbolicNames,
    accessLevelNotOpen(parser))>

override <accessLevelOpenOK(parser)>
func getGrammarFileName() -> String { return "<parser.grammarFileName; format="java-escape">" }

override <accessLevelOpenOK(parser)>
func getRuleNames() -> [String] { return <parser.name>.ruleNames }

override <accessLevelOpenOK(parser)>

```

```

func getSerializedATN() -> String { return <parser.name>._serializedATN }

override <accessLevelOpenOK(parser)>
func getATN() -> ATN { return <parser.name>._ATN }

<namedActions.members>
<parser:(ctor)()>
<funcs; separator="\n">

<if(sempredFuncs)>
override <accessLevelOpenOK(parser)>
func sempred(_ localctx: RuleContext?, _ ruleIndex: Int, _ predIndex: Int) throws -> Bool {
switch (ruleIndex) {
<parser.sempredFuncs.values:{f}
case <f.ruleIndex>:
return try <f.name>_sempred(_ localctx?.castdown(<f.ctxType>.self), predIndex)); separator="\n">
default: return true
}
<!return true;!>
}
<sempredFuncs.values; separator="\n">
<endif>

<atn>

<accessLevelNotOpen(parser)>
static let _serializedATN = <parser.name>ATN().jsonString

<accessLevelNotOpen(parser)>
static let _ATN = ATNDeserializer().deserializeFromJson(_serializedATN)
}
>>

vocabulary(literalNames, symbolicNames, accessLevel) ::= <<
private static let _LITERAL_NAMES: [String?] = [
<literalNames:{t | <t>}; null="nil", separator=", ", wrap, anchor>
]
private static let _SYMBOLIC_NAMES: [String?] = [
<symbolicNames:{t | <t>}; null="nil", separator=", ", wrap, anchor>
]
<accessLevel>
static let VOCABULARY = Vocabulary(_LITERAL_NAMES, _SYMBOLIC_NAMES)
>>

dumpActions(recog, argFuncs, actionFuncs, sempredFuncs) ::= <<
<if(actionFuncs)>
override <accessLevelOpenOK(parser)>
func action(_ localctx: RuleContext?, _ ruleIndex: Int, _ actionIndex: Int) throws {

```

```

switch (ruleIndex) {
  <recog.actionFuncs.values: {f}
case <f.ruleIndex>:
  <f.name>_action((_localctx as <f.ctxType>?), actionIndex)
  }; separator="\n">
default: break
}
}
<actionFuncs.values; separator="\n">
<endif>
<if(sempredFuncs)>
override <accessLevelOpenOK(parser)>
func sempred(_ _localctx:RuleContext?, _ ruleIndex: Int, _ predIndex: Int) throws -> Bool {
  switch (ruleIndex) {
  <recog.sempredFuncs.values: {f}
case <f.ruleIndex>:
  return try <f.name>_sempred(_localctx?.castdown(<f.ctxType>.self), predIndex)); separator="\n">
default: return true
  }
  <!return true;!>
}
<sempredFuncs.values; separator="\n">
<endif>
>>

parser_ctor(p) ::= <<

override <accessLevelOpenOK(parser)>
func getVocabulary() -> Vocabulary {
  return <p.name>.VOCABULARY
}

override <accessLevelNotOpen(parser)>
init(_ input:TokenStream) throws {
  RuntimeMetaData.checkVersion("4.8", RuntimeMetaData.VERSION)
  try super.init(input)
  _interp = ParserATNSimulator(self,<p.name>._ATN,<p.name>._decisionToDFA,
  <parser.name>._sharedContextCache)
}

>>

/* This generates a private method since the actionIndex is generated, making an
* overriding implementation impossible to maintain.
*/
RuleActionFunction(r, actions) ::= <<
private func <r.name>_action(_ _localctx: <r.ctxType>?, _ actionIndex: Int) {
  switch (actionIndex) {

```

```

<actions:{index|
case <index>:
<actions.(index)>
}; separator="\n">
default: break
}
}
>>

```

```

/* This generates a private method since the predIndex is generated, making an
* overriding implementation impossible to maintain.
*/

```

```

RuleSempredFunction(r, actions) ::= <<
private func <r.name>_sempred(_ _localctx: <r.ctxType>!, _ predIndex: Int) throws -> Bool {
switch (predIndex) {
<actions:{index|
case <index>:return <actions.(index)>}; separator="\n">
default: return true
}
<!return true;!>
}
>>

```

```

RuleFunction(currentRule,args,code,locals,ruleCtx,altLabelCtxs,namedActions,finallyAction,postamble,exceptions)
::= <<
<ruleCtx>
<altLabelCtxs:{l | <altLabelCtxs.(l)>}; separator="\n">
@discardableResult
<if(currentRule.modifiers)><currentRule.modifiers:{f | <f> }><else> <accessLevelOpenOK(parser)> func
<endif><currentRule.name>( <if(first(args))>_ <endif><args; separator=", _">) throws -> <currentRule.ctxType> {
var _localctx: <currentRule.ctxType> = <currentRule.ctxType>(_ctx, getState())<currentRule.args:{a | ,
<a.name>}>>
try enterRule(_localctx, <currentRule.startState>, <parser.name>.RULE_<currentRule.name>)
<namedActions.init>
<locals; separator="\n">
defer {
<finallyAction>
try! exitRule()
}
do {
<if(currentRule.hasLookaheadBlock)>
var _alt:Int
<endif>
<code>
<postamble; separator="\n">
<namedActions.after>
}
<if(exceptions)>

```

```

<exceptions; separator="\n">
<else>
catch ANTLRException.recognition(let re) {
  _localctx.exception = re
  _errHandler.reportError(self, re)
  try _errHandler.recover(self, re)
}
<endif>

return _localctx
}
>>

LeftRecursiveRuleFunction(currentRule,args,code,locals,ruleCtx,altLabelCtxs,
namedActions,finallyAction,postamble) ::=
<<

<ruleCtx>
<altLabelCtxs:{l | <altLabelCtxs.(l)>}; separator="\n">

<if(currentRule.modifiers)><currentRule.modifiers:{f | <f> }><else> <accessLevelNotOpen(parser)> final <endif>
func <currentRule.name>( <if(first(args))>_ <endif><args; separator=", _">) throws -> <currentRule.ctxType> {
  return try <currentRule.name>(0<currentRule.args:{a | , <a.name>}>)
}
@discardableResult
private func <currentRule.name>(_ _p<args:{a | , <a>}>: Int) throws -> <currentRule.ctxType> {
  let _parentctx: ParserRuleContext? = _ctx
  var _parentState: Int = getState()
  var _localctx: <currentRule.ctxType> = <currentRule.ctxType>(_ctx, _parentState<currentRule.args:{a | ,
<a.name>}>)
  var _prevctx: <currentRule.ctxType> = _localctx
  var _startState: Int = <currentRule.startState>
  try enterRecursionRule(_localctx, <currentRule.startState>, <parser.name>.RULE_<currentRule.name>, _p)
  <namedActions.init>
  <locals; separator="\n">
  defer {
    <finallyAction>
    try! unrollRecursionContexts(_parentctx)
  }
  do {
  <if(currentRule.hasLookaheadBlock)>
  var _alt: Int
  <endif>
  <code>
  <postamble; separator="\n">
  <namedActions.after>
  }
  catch ANTLRException.recognition(let re) {

```

```

    _localctx.exception = re
    _errHandler.reportError(self, re)
    try _errHandler.recover(self, re)
  }

```

```

return _localctx;
}
>>

```

```

CodeBlockForOuterMostAlt(currentOuterMostAltCodeBlock, locals, preamble, ops) ::= <<
<if(currentOuterMostAltCodeBlock.altLabel)>_localctx = <currentOuterMostAltCodeBlock.altLabel;
format="cap">Context(_localctx);<endif>
try enterOuterAlt(_localctx, <currentOuterMostAltCodeBlock.alt.altNum>)
<CodeBlockForAlt(currentAltCodeBlock=currentOuterMostAltCodeBlock, ...)>
>>

```

```

CodeBlockForAlt(currentAltCodeBlock, locals, preamble, ops) ::= <<
<!/{!>
<locals; separator="\n">
<preamble; separator="\n">
<ops; separator="\n">
<!/{!>
>>

```

```

LL1AltBlock(choice, preamble, alts, error) ::= <<
setState(<choice.stateNumber>)
try _errHandler.sync(self)
<if(choice.label)><labelref(choice.label)> = try _input.LT(1)<endif>
<preamble; separator="\n">
switch (<parser.name>.Tokens(rawValue: try _input.LA(1))!) {
<choice.altLook,alts:{look,alt | <cases(ttypes=look)>
<alt>
break }; separator="\n">
default:
<error>
}
>>

```

```

LL1OptionalBlock(choice, alts, error) ::= <<
setState(<choice.stateNumber>)
try _errHandler.sync(self)
switch (<parser.name>.Tokens(rawValue: try _input.LA(1))!) {
<choice.altLook,alts:{look,alt | <cases(ttypes=look)>
<alt>
break }; separator="\n">
default:
break
}

```



>>

```
LL1OptionalBlockSingleAlt(choice, expr, alts, preamble, error, followExpr) ::= <<
  setState(<choice.stateNumber>)
  try _errHandler.sync(self)
  <preamble; separator="\n">
  if (<expr>) {
    <alts; separator="\n">
  }
  <!else if ( !(<followExpr> ) <error>!>
>>
```

```
LL1StarBlockSingleAlt(choice, loopExpr, alts, preamble, iteration) ::= <<
  setState(<choice.stateNumber>)
  try _errHandler.sync(self)
  <preamble; separator="\n">
  while (<loopExpr>) {
    <alts; separator="\n">
    setState(<choice.loopBackStateNumber>)
    try _errHandler.sync(self)
    <iteration>
  }
>>
```

```
LL1PlusBlockSingleAlt(choice, loopExpr, alts, preamble, iteration) ::= <<
  setState(<choice.blockStartStateNumber>) <! alt block decision !>
  try _errHandler.sync(self)
  <preamble; separator="\n">
  repeat {
    <alts; separator="\n">
    setState(<choice.stateNumber>); <! loopback/exit decision !>
    try _errHandler.sync(self)
    <iteration>
  } while (<loopExpr>)
>>
```

// LL(\*) stuff

```
AltBlock(choice, preamble, alts, error) ::= <<
  setState(<choice.stateNumber>)
  try _errHandler.sync(self)
  <if(choice.label)><labelref(choice.label)> = try _input.LT(1)<endif>
  <preamble; separator="\n">
  switch(try getInterpreter().adaptivePredict(_input,<choice.decision>, _ctx)) {
  <alts:{alt |
  case <i>:
    <alt>
  break }; separator="\n">
```

```
default: break
```

```
}
```

```
>>
```

```
OptionalBlock(choice, alts, error) ::= <<
```

```
setState(<choice.stateNumber>)
```

```
try _errHandler.sync(self)
```

```
switch (try getInterpreter().adaptivePredict(_input,<choice.decision>,_ctx)) {
```

```
<alts:{alt |
```

```
case <i><if(!choice.ast.greedy)>+1<endif>:
```

```
<alt>
```

```
break}; separator="\n">
```

```
default: break
```

```
}
```

```
>>
```

```
StarBlock(choice, alts, sync, iteration) ::= <<
```

```
setState(<choice.stateNumber>)
```

```
try _errHandler.sync(self)
```

```
_alt = try getInterpreter().adaptivePredict(_input,<choice.decision>,_ctx)
```

```
while (_alt != <choice.exitAlt> && _alt != ATN.INVALID_ALT_NUMBER) {
```

```
if ( _alt==1<if(!choice.ast.greedy)>+1<endif> ) {
```

```
<iteration>
```

```
<alts> <! should only be one !>
```

```
}
```

```
setState(<choice.loopBackStateNumber>)
```

```
try _errHandler.sync(self)
```

```
_alt = try getInterpreter().adaptivePredict(_input,<choice.decision>,_ctx)
```

```
}
```

```
>>
```

```
PlusBlock(choice, alts, error) ::= <<
```

```
setState(<choice.blockStartStateNumber>); <! alt block decision !>
```

```
try _errHandler.sync(self)
```

```
_alt = 1<if(!choice.ast.greedy)>+1<endif>;
```

```
repeat {
```

```
switch (_alt) {
```

```
<alts:{alt|
```

```
case <i><if(!choice.ast.greedy)>+1<endif>:
```

```
<alt>
```

```
break}; separator="\n">
```

```
default:
```

```
<error>
```

```
}
```

```
setState(<choice.loopBackStateNumber>); <! loopback/exit decision !>
```

```
try _errHandler.sync(self)
```

```
_alt = try getInterpreter().adaptivePredict(_input,<choice.decision>,_ctx)
```

```
} while (_alt != <choice.exitAlt> && _alt != ATN.INVALID_ALT_NUMBER)
```

>>

```
Sync(s) ::= "sync(<s.expecting.name>);"
```

```
ThrowNoViableAlt(t) ::= "throw ANTLRException.recognition(e: NoViableAltException(self))"
```

```
TestSetInline(s) ::= <<
```

```
<!<s.bitsets:{ bits | <if(rest(rest(bits.ttypes))><bitsetBitfieldComparison(s, bits)><else><bitsetInlineComparison(s, bits)><endif>}>; separator=" || ">!>
```

```
//closure
```

```
{ () -> Bool in
```

```
  <if(rest(s.bitsets)>>var<else>let<endif> testSet: Bool = <first(s.bitsets):{ bits | <if(rest(rest(bits.ttypes))><bitsetBitfieldComparison(s, bits)><else><bitsetInlineComparison(s, bits)><endif>}>> <rest(s.bitsets):{ bits | testSet = testSet || <if(rest(rest(bits.ttypes))><bitsetBitfieldComparison(s, bits)><else><bitsetInlineComparison(s, bits)><endif>}>; separator="\n">
```

```
  return testSet
```

```
}()
```

```
>>
```

```
// Java language spec 15.19 - shift operators mask operands rather than overflow to 0... need range test
```

```
testShiftInRange(shiftAmount) ::= <<
```

```
((<shiftAmount>) & ~0x3f) == 0
```

```
>>
```

```
// produces smaller bytecode only when bits.ttypes contains more than two items
```

```
bitsetBitfieldComparison(s, bits) ::= <<
```

```
<!(<testShiftInRange({ <offsetShift(s.varName, bits.shift)>})> && ((1 \<< <offsetShift(s.varName, bits.shift)> & (<bits.ttypes:{ ttype | (1 \<< <offsetShift(ttype, bits.shift)>)}>; separator=" | ">)) != 0)!>
```

```
{ () -> Bool in
```

```
  <! let test: Bool = (<testShiftInRange({ <offsetShift(s.varName, bits.shift)>})>)!>
```

```
  <!var temp: Int64 = Int64(<offsetShift(s.varName, bits.shift)>)!>
```

```
  <!temp = (temp \< 0) ? (64 + (temp % 64)) : (temp % 64)!>
```

```
  <!let test1: Int64 = (Int64(1) \<< temp)!>
```

```
  <!var test2: Int64 = (<first(bits.ttypes):{ ttype | Utils.bitLeftShift(<offsetShift(parserName(ttype), bits.shift)>)}>)!>
```

```
  <!<rest(bits.ttypes):{ ttype | test2 = test2 | Utils.bitLeftShift(<offsetShift(parserName(ttype), bits.shift)>)}>;
```

```
separator="\n">!>
```

```
  let testArray: [Int] = [<s.varName>, <bits.ttypes:{ ttype | <parserName(ttype)>}; separator=", ">]
```

```
  <!var test2: Int64 = Utils.testBitLeftShiftArray(testArray)!>
```

```
  return Utils.testBitLeftShiftArray(testArray, <bits.shift>)
```

```
}()
```

```
>>
```

```
isZero ::= [
```

```
"0": true,
```

```
default: false
```

```
]
```

```
parserName(ttype) ::= <%
```

```
<parser.name>.Tokens.<ttype>.rawValue
```

```

%>
offsetShift(shiftAmount, offset) ::= <%
<if(!isZero.(offset))>(<shiftAmount> - <offset>)<else><shiftAmount><endif>
%>

// produces more efficient bytecode when bits.ttypes contains at most two items
bitsetInlineComparison(s, bits) ::= <%
<bits.ttypes: { ttype | <s.varName> == <parser.name>.Tokens.<ttype>.rawValue }; separator=" || ">
%>

cases(ttypes) ::= <<
<trunc(ttypes): { t | case .<t>:fallthrough } ; separator="\n">
<last(ttypes): { t | case .<t>: } ; separator="\n">
>>

InvokeRule(r, argExprsChunks) ::= <<
setState(<r.stateNumber>)
<if(r.labels)>
try {
  let assignmentValue = try
<r.name>(<if(r.ast.options.p)><r.ast.options.p><if(argExprsChunks)>,<endif><endif><argExprsChunks>)
  <r.labels: {1 | <labelref(1)> = assignmentValue } ; separator="\n">
  }()
<else>try
<r.name>(<if(r.ast.options.p)><r.ast.options.p><if(argExprsChunks)>,<endif><endif><argExprsChunks>)<endif>
>>

MatchToken(m) ::= <<
setState(<m.stateNumber>)
<if(m.labels)>
try {
  let assignmentValue = try match(<parser.name>.Tokens.<m.name>.rawValue)
  <m.labels: {1 | <labelref(1)> = assignmentValue } ; separator="\n">
  }()
<else>try match(<parser.name>.Tokens.<m.name>.rawValue)<endif>
>>

MatchSet(m, expr, capture) ::= "<CommonSetStuff(m, expr, capture, false)>"

MatchNotSet(m, expr, capture) ::= "<CommonSetStuff(m, expr, capture, true)>"

CommonSetStuff(m, expr, capture, invert) ::= <<
setState(<m.stateNumber>)
<if(m.labels)><m.labels: {1 | <labelref(1)> = }>try _input.LT(1)<endif>
<capture>
if (<if(invert)><m.varName> \<= 0 || <else>!<endif>(<expr>)) {
  <if(m.labels)><m.labels: {1 | <labelref(1)> = }><endif>try _errHandler.recoverInline(self)<if(m.labels)> as
  Token<endif>

```

```

}
else {
  _errHandler.reportMatch(self)
  try consume()
}
>>

Wildcard(w) ::= <<
  setState(<w.stateNumber>)
  <if(w.labels)><w.labels:{1 | <labelref(1)> = }><endif>try matchWildcard();
>>

// ACTION STUFF

Action(a, foo, chunks) ::= "<chunks>"

ArgAction(a, chunks) ::= "<chunks>"

SemPred(p, chunks, failChunks) ::= <<
  setState(<p.stateNumber>)
  if (!(<chunks>)) {
    throw ANTLRException.recognition(e.FailedPredicateException(self, <p.predicate><if(failChunks)>,
    <failChunks><elseif(p.msg)>, <p.msg><endif>))
  }
>>

ExceptionClause(e, catchArg, catchAction) ::= <<
  catch (<catchArg>) {
    <catchAction>
  }
>>

// lexer actions are not associated with model objects

LexerSkipCommand() ::= "skip()"
LexerMoreCommand() ::= "more()"
LexerPopModeCommand() ::= "popMode()"

LexerTypeCommand(arg) ::= "_type = <arg>"
LexerChannelCommand(arg) ::= "_channel = <arg>"
LexerModeCommand(arg) ::= "_mode = <arg>"
LexerPushModeCommand(arg) ::= "pushMode(<arg>)"

ActionText(t) ::= "<t.text>"
ActionTemplate(t) ::= "<t.st>"
ArgRef(a) ::= "_localctx.<a.name>"
LocalRef(a) ::= "_localctx.<a.name>"
RetValRef(a) ::= "_localctx.<a.name>"

```

```

QRetValueRef(a) ::= "<ctx(a)>.<a.dict>.<a.name>"
/** How to translate $tokenLabel */
TokenRef(t) ::= "<ctx(t)>.<t.name>"
LabelRef(t) ::= "<ctx(t)>.<t.name>"
ListLabelRef(t) ::= "<ctx(t)>.<ListLabelName(t.name)>"
SetAttr(s,rhsChunks) ::= "<ctx(s)>.<s.name> = <rhsChunks>"

TokenLabelType() ::= "<file.TokenLabelType; null={Token}>"
InputSymbolType() ::= "<file.InputSymbolType; null={Token}>"

TokenPropertyRef_text(t) ::= "<ctx(t)>.<t.label> != nil ? <ctx(t)>.<t.label>!.getText()! : \"\""
TokenPropertyRef_type(t) ::= "<ctx(t)>.<t.label> != nil ? <ctx(t)>.<t.label>!.getType() : 0)"
TokenPropertyRef_line(t) ::= "<ctx(t)>.<t.label> != nil ? <ctx(t)>.<t.label>!.getLine() : 0)"
TokenPropertyRef_pos(t) ::= "<ctx(t)>.<t.label> != nil ? <ctx(t)>.<t.label>!.getCharPositionInLine() : 0)"
TokenPropertyRef_channel(t) ::= "<ctx(t)>.<t.label> != nil ? <ctx(t)>.<t.label>!.getChannel() : 0)"
TokenPropertyRef_index(t) ::= "<ctx(t)>.<t.label> != nil ? <ctx(t)>.<t.label>!.getTokenIndex() : 0)"
TokenPropertyRef_int(t) ::= "<ctx(t)>.<t.label> != nil ? Int(<ctx(t)>.<t.label>!.getText()!) : 0)"

RulePropertyRef_start(r) ::= "<ctx(r)>.<r.label> != nil ? (<ctx(r)>.<r.label>!.start?.description ?? \"\") : \"\""
RulePropertyRef_stop(r) ::= "<ctx(r)>.<r.label> != nil ? (<ctx(r)>.<r.label>!.stop?.description ?? \"\") : \"\""
RulePropertyRef_text(r) ::= "<ctx(r)>.<r.label> != nil ? try
_input.getText(<ctx(r)>.<r.label>!.start,<ctx(r)>.<r.label>!.stop) : \"\""
RulePropertyRef_ctx(r) ::= "<ctx(r)>.<r.label>"
RulePropertyRef_parser(r) ::= "self"

ThisRulePropertyRef_start(r) ::= "_localctx.start"
ThisRulePropertyRef_stop(r) ::= "_localctx.stop"
ThisRulePropertyRef_text(r) ::= "(try _input.getText(_localctx.start, try _input.LT(-1)))"
ThisRulePropertyRef_ctx(r) ::= "_localctx"
ThisRulePropertyRef_parser(r) ::= "self"

NonLocalAttrRef(s) ::= "((<s.ruleName; format=\"cap\">Context)getInvokingContext(<s.ruleIndex>)).<s.name>"
SetNonLocalAttr(s, rhsChunks) ::=
"((<s.ruleName; format=\"cap\">Context)getInvokingContext(<s.ruleIndex>)).<s.name> = <rhsChunks>"

AddToLabelList(a) ::= "<ctx(a.label)>.<a.listName>.append(<labelref(a.label)>)"

TokenDecl(t) ::= "<t.name>: <SwiftTypeMap.(TokenLabelType)>!"
TokenTypeDecl(t) ::= "var <t.name>: Int = 0"
TokenListDecl(t) ::= "<t.name>: [Token] = [Token]()"
RuleContextDecl(r) ::= "<r.name>: <r.ctxName>!"
RuleContextListDecl(rdecl) ::= "<rdecl.name>: [<rdecl.ctxName>] = [<rdecl.ctxName>]()"

ContextTokenGetterDecl(t) ::= <<
<accessLevelOpenOK(parser)>
func <t.name>() -> TerminalNode? {
return getToken(<parser.name>.Tokens.<t.name>.rawValue, 0)
}

```

```

>>
ContextTokenListGetterDecl(t) ::= <<
<accessLevelOpenOK(parser)>
func <t.name>() -> [TerminalNode] {
  return getTokens(<parser.name>.Tokens.<t.name>.rawValue)
}
>>

ContextTokenListIndexedGetterDecl(t) ::= <<
<accessLevelOpenOK(parser)>
func <t.name>(_ i: Int) -> TerminalNode? {
  return getToken(<parser.name>.Tokens.<t.name>.rawValue, i)
}
>>

ContextRuleGetterDecl(r) ::= <<
<accessLevelOpenOK(parser)>
func <r.name>() -> <r.ctxName>? {
  return getRuleContext(<r.ctxName>.self, 0)
}
>>

ContextRuleListGetterDecl(r) ::= <<
<accessLevelOpenOK(parser)>
func <r.name>() -> [<r.ctxName>] {
  return getRuleContexts(<r.ctxName>.self)
}
>>

ContextRuleListIndexedGetterDecl(r) ::= <<
<accessLevelOpenOK(parser)>
func <r.name>(_ i: Int) -> <r.ctxName>? {
  return getRuleContext(<r.ctxName>.self, i)
}
>>

LexerRuleContext() ::= "RuleContext"

/** The rule context name is the rule followed by a suffix; e.g.,
 * r becomes rContext.
 */
RuleContextNameSuffix() ::= "Context"

ImplicitTokenLabel(tokenName) ::= "_<tokenName>"
ImplicitRuleLabel(ruleName) ::= "_<ruleName>"
ImplicitSetLabel(id) ::= "_tset<id>"
ListLabelName(label) ::= "<label>"

CaptureNextToken(d) ::= "<d.varName> = try _input.LT(1)"
CaptureNextTokenType(d) ::= "<d.varName> = try _input.LA(1)"

StructDecl(struct,ctorAttrs,attrs,getters,dispatchMethods,interfaces,extensionMembers,

```

```

superClass={ParserRuleContext}) ::= <<

<accessLevelNotOpen(parser)> class <struct.name>:
<if(contextSuperClass)><contextSuperClass><else>ParserRuleContext<endif><if(interfaces)>, <interfaces;
separator=", "><endif> {
  <attrs:{a | <accessLevelOpenOK(parser)> var <a>}; separator="\n">
  <getters:{g | <g>}; separator="\n">
  <! <if(ctorAttrs)> <accessLevelNotOpen(parser)> init(_ parent: ParserRuleContext, _ invokingState: Int) {
super.init(parent, invokingState) }<endif> !>
  <if(ctorAttrs)>
  <accessLevelNotOpen(parser)> convenience init(_ parent: ParserRuleContext?, _ invokingState: Int<ctorAttrs:{a | ,
_ <a>}>) {
    self.init(parent, invokingState)
  <struct.ctorAttrs:{a | self.<a.name> = <a.name>;}; separator="\n">
  }
<endif>

  override <accessLevelOpenOK(parser)>
  func getRuleIndex() -> Int {
    return <parser.name>.RULE_<struct.derivedFromName>
  }
<if(struct.provideCopyFrom && struct.attrs)> <! don't need copy unless we have subclasses !>
  <accessLevelOpenOK(parser)>
  override func copyFrom(_ ctx_: ParserRuleContext) {
    super.copyFrom(ctx_)
    let ctx = ctx_ as! <struct.name>
    <struct.attrs:{a | self.<a.name> = ctx.<a.name>;}; separator="\n">
  }
<endif>
  <dispatchMethods; separator="\n">
  <extensionMembers; separator="\n">
}
>>

AltLabelStructDecl(struct,attrs,getters,dispatchMethods) ::= <<
<accessLevelNotOpen(parser)> class <struct.name>: <currentRule.name; format="cap">Context {
  <attrs:{a | <accessLevelNotOpen(parser)> var <a>}; separator="\n">
  <getters:{g | <g>}; separator="\n">

  <accessLevelNotOpen(parser)>
  init(_ ctx: <currentRule.name; format="cap">Context) {
    super.init()
    copyFrom(ctx)
  }
  <dispatchMethods; separator="\n">
}
>>

```



```

ListenerDispatchMethod(method) ::= <<
override <accessLevelOpenOK(parser)>
func <if(method.isEnter)>enter<else>exit<endif>Rule(_ listener: ParseTreeListener) {
  if let listener = listener as? <parser.grammarName>Listener {
    listener.<if(method.isEnter)>enter<else>exit<endif><struct.derivedFromName; format="cap">(self)
  }
}
>>

```

```

VisitorDispatchMethod(method) ::= <<
override <accessLevelOpenOK(parser)>
func accept<T>(_ visitor: ParseTreeVisitor<T>) -> T? {
  if let visitor = visitor as? <parser.grammarName>Visitor {
    return visitor.visit<struct.derivedFromName; format="cap">(self)
  }
  else if let visitor = visitor as? <parser.grammarName>BaseVisitor {
    return visitor.visit<struct.derivedFromName; format="cap">(self)
  }
  else {
    return visitor.visitChildren(self)
  }
}
>>

```

```

AttributeDecl(d) ::= "<d.name>: <SwiftTypeMap.(d.type)><if(d.initValue)> = <d.initValue><else>!<endif>"

```

```

/** If we don't know location of label def x, use this template (_localctx as! <x.ctx.name> */
labelref(x) ::= "<if(!x.isLocal)>_localctx.castdown(<x.ctx.name>.self).<endif><x.name>"

```

```

/** For any action chunk, what is correctly-typed context struct ptr? */
ctx(actionChunk) ::= "_localctx.castdown(<actionChunk.ctx.name>.self)"

```

```

// used for left-recursive rules
recRuleAltPredicate(ruleName,opPrec) ::= "precpred(_ctx, <opPrec>)"
recRuleSetReturnAction(src,name) ::= "$<name>=<src>.<name>"
recRuleSetStopToken() ::= "_ctx!.stop = try _input.LT(-1)"

```

```

recRuleAltStartAction(ruleName, ctxName, label, isListLabel) ::= <<
_localctx = <ctxName>Context(_parentctx, _parentState);
<if(label)>
<if(isListLabel)>
_localctx.<label>.append(_prevctx)
<else>
_localctx.<label> = _prevctx
<endif>
<endif>
<if(label)>_localctx.<label> = _prevctx;<endif>
try pushNewRecursionContext(_localctx, _startState, <parser.name>.RULE_<ruleName>)

```

```
>>
```

```
recRuleLabeledAltStartAction(ruleName, currentAltLabel, label, isListLabel) ::= <<  
  _localctx = <currentAltLabel; format="cap">Context( <ruleName; format="cap">Context(_parentctx,  
  _parentState))  
  <if(label)>  
  <if(isListLabel)>  
    (_localctx as! <currentAltLabel; format="cap">Context).<label>.append(_prevctx)  
  <else>  
    (_localctx as! <currentAltLabel; format="cap">Context).<label> = _prevctx  
  <endif>  
  <endif>  
  try pushNewRecursionContext(_localctx, _startState, <parser.name>.RULE_<ruleName>)  
>>
```

```
recRuleReplaceContext(ctxName) ::= <<  
  _localctx = <ctxName>Context(_localctx)  
  _ctx = _localctx  
  _prevctx = _localctx  
>>
```

```
recRuleSetPrevCtx() ::= <<  
  if _parseListeners != nil {  
    try triggerExitRuleEvent()  
  }  
  _prevctx = _localctx  
>>
```

```
LexerFile(lexerFile, lexer, namedActions) ::= <<  
  <fileHeader(lexerFile.grammarFileName, lexerFile.ANTLRVersion)>  
  <if(lexerFile.genPackage)>  
    <!package <lexerFile.genPackage>;!>  
  <endif>  
  <namedActions.header>  
  import Antlr4  
  
  <lexer>  
>>
```

```
Lexer(lexer, atn, actionFuncs, sempredFuncs, superClass) ::= <<  
  <accessLevelOpenOK(lexer)> class <lexer.name>: <superClass; null="Lexer"> {  
  
    internal static var _decisionToDFA: [DFA] = {  
      var decisionToDFA = [DFA]()  
      let length = <lexer.name>._ATN.getNumberOfDecisions()  
      for i in 0..  
<length {  
        <! decisionToDFA[i] = DFA(<lexer.name>._ATN.getDecisionState(i)!, i);!>  
        decisionToDFA.append(DFA(<lexer.name>._ATN.getDecisionState(i)!, i))  
      }  
    }  
  }  
>>
```

```

    }
    return decisionToDFA
}()

internal static let _sharedContextCache = PredictionContextCache()

<accessLevelNotOpen(lexer)>
static let <lexer.tokens:{k | <k>=<lexer.tokens.(k)>}; separator=", ", wrap, anchor>

<if(lexer.channels)>
<accessLevelNotOpen(lexer)>
static let <lexer.channels:{k | <k>=<lexer.channels.(k)>}; separator=", ", wrap, anchor>
<endif>
<if(rest(lexer.modes))>
<accessLevelNotOpen(lexer)>
static let <rest(lexer.modes){m | <m>=<i>}; separator=", ", wrap, anchor>
<endif>
<accessLevelNotOpen(lexer)>
static let channelNames: [String] = [
    "DEFAULT_TOKEN_CHANNEL", "HIDDEN"<if (lexer.channels)>, <lexer.channels:{c | <c>"}; separator=", ",
wrap, anchor><endif>
]

<accessLevelNotOpen(lexer)>
static let modeNames: [String] = [
    <lexer.modes:{m | "<m>"}; separator=", ", wrap, anchor>
]

<accessLevelNotOpen(lexer)>
static let ruleNames: [String] = [
    <lexer.ruleNames:{r | "<r>"}; separator=", ", wrap, anchor>
]

<vocabulary(lexer.literalNames, lexer.symbolicNames,
    accessLevelNotOpen(lexer))>

<namedActions.members>

override <accessLevelOpenOK(lexer)>
func getVocabulary() -> Vocabulary {
    return <lexer.name>.VOCABULARY
}

<accessLevelNotOpen(lexer)>
required init(_ input: CharStream) {
    RuntimeMetaData.checkVersion("<lexerFile.ANTLRVersion>", RuntimeMetaData.VERSION)
    super.init(input)
    _interp = LexerATNSimulator(self, <lexer.name>._ATN, <lexer.name>._decisionToDFA,

```

```

<lexer.name>._sharedContextCache)
}

override <accessLevelOpenOK(lexer)>
func getGrammarFileName() -> String { return "<lexer.grammarFileName>" }

override <accessLevelOpenOK(lexer)>
func getRuleNames() -> [String] { return <lexer.name>.ruleNames }

override <accessLevelOpenOK(lexer)>
func getSerializedATN() -> String { return <lexer.name>._serializedATN }

override <accessLevelOpenOK(lexer)>
func getChannelNames() -> [String] { return <lexer.name>.channelNames }

override <accessLevelOpenOK(lexer)>
func getModeNames() -> [String] { return <lexer.name>.modeNames }

override <accessLevelOpenOK(lexer)>
func getATN() -> ATN { return <lexer.name>._ATN }

<dumpActions(lexer, "", actionFuncs, sempredFuncs)>
<atn>

<accessLevelNotOpen(lexer)>
static let _serializedATN: String = <lexer.name>ATN().jsonString

<accessLevelNotOpen(lexer)>
static let _ATN: ATN = ATNDeserializer().deserializeFromJson(_serializedATN)
}
>>

/** Don't need to define anything. The tool generates a XParserATN.swift file (and same for lexer)
 * which is referenced from static field _serializedATN. This json string is passed to
 * deserializeFromJson(). Note this is not the "serialization as array of ints" that other targets
 * do. It is more or less the output of ATNPrinter which gets read back in.
 */
SerializedATN(model) ::= <<
>>

/** Using a type to init value map, try to init a type; if not in table
 * must be an object, default value is "null".
 */
initValue(typeName) ::= <<
<SwiftTypeInitMap.(typeName)>
>>

codeFileExtension() ::= ".swift"

```

Found in path(s):

```
* /opt/cola/permits/1192255793_1629156080.64/0/antlr4-4-8-1-sources-1-  
jar/org/antlr/v4/tool/templates/codegen/Swift/Swift.stg
```

No license file was found, but licenses were detected in source scan.

```
/*
```

```
[The "BSD licence"]
```

```
Copyright (c) 2006 Kay Roepke
```

```
All rights reserved.
```

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The name of the author may not be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

```
*/
```

```
/*
```

This file contains the actual layout of the messages emitted by ANTLR.

The text itself is coming out of the languages/\*stg files, according to the chosen locale.

This file contains the default format ANTLR uses.

```
*/
```

```
location(file, line, column) ::= "<file>(<line>,<column>)"
```

```
message(id, text) ::= "error <id> : <text>"
```

```
report(location, message, type) ::= "<location> : <type> <message.id> : <message.text>"
```

```
wantsSingleLineMessage() ::= "true"
```

Found in path(s):

```
* /opt/cola/permits/1192255793_1629156080.64/0/antlr4-4-8-1-sources-1-  
jar/org/antlr/v4/tool/templates/messages/formats/vs2005.stg
```

No license file was found, but licenses were detected in source scan.

```
/*
```

```
* [The "BSD license"]
```

```
* Copyright (c) 2012-2016 Terence Parr
```

```
* Copyright (c) 2012-2016 Sam Harwell
```

```
* All rights reserved.
```

```
*
```

```
* Redistribution and use in source and binary forms, with or without
```

```
* modification, are permitted provided that the following conditions
```

```
* are met:
```

```
*
```

```
* 1. Redistributions of source code must retain the above copyright
```

```
* notice, this list of conditions and the following disclaimer.
```

```
* 2. Redistributions in binary form must reproduce the above copyright
```

```
* notice, this list of conditions and the following disclaimer in the
```

```
* documentation and/or other materials provided with the distribution.
```

```
* 3. The name of the author may not be used to endorse or promote products
```

```
* derived from this software without specific prior written permission.
```

```
*
```

```
* THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR
```

```
* IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
```

```
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.
```

```
* IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,
```

```
* INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT
```

```
* NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
```

```
* DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
```

```
* THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
```

```
* (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF
```

```
* THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
```

```
*/
```

```
tree grammar SourceGenTriggers;
```

```
options {
```

```
language = Java;
```

```
tokenVocab = ANTLRParser;
```

```
ASTLabelType = GrammarAST;
```

```
}
```

```
@header {
```

```
package org antlr.v4.codegen;
```

```
import org antlr.v4.misc.Utils;
```

```
import org antlr.v4.codegen.model.*;
```

```
import org antlr.v4.codegen.model.decl.*;
```

```
import org antlr.v4.tool.*;
```

```
import org antlr.v4.tool.ast.*;
```

```

import java.util.Collections;
import java.util.Map;
import java.util.HashMap;
}

```

```

@members {
public OutputModelController controller;
public boolean hasLookaheadBlock;
public SourceGenTriggers(TreeNodeStream input, OutputModelController controller) {
this(input);
this.controller = controller;
}
}

```

```

dummy : block[null, null] ;

```

```

block[GrammarAST label, GrammarAST ebnfRoot] returns [List<? extends SrcOp> omos]
: ^( blk=BLOCK (^ (OPTIONS .+)) ?
{List<CodeBlockForAlt> alts = new ArrayList<CodeBlockForAlt>();
( alternative {alts.add($alternative.altCodeBlock);} )+
)
{
if ( alts.size()==1 && ebnfRoot==null) return alts;
if ( ebnfRoot==null ) {
Somos = DefaultOutputModelFactory.list(controller.getChoiceBlock((BlockAST)$blk, alts, $label));
}
else {
Choice choice = controller.getEBNFBlock($ebnfRoot, alts);
hasLookaheadBlock |= choice instanceof PlusBlock || choice instanceof StarBlock;
Somos = DefaultOutputModelFactory.list(choice);
}
}
;

```

```

alternative returns [CodeBlockForAlt altCodeBlock, List<SrcOp> ops]

```

```

@init {
boolean outerMost = inContext("RULE BLOCK");
}
@after {
controller.finishAlternative($altCodeBlock, $ops, outerMost);
}
: a=alt[outerMost] { $altCodeBlock=$a.altCodeBlock; $ops=$a.ops; }
;

```

```

alt[boolean outerMost] returns [CodeBlockForAlt altCodeBlock, List<SrcOp> ops]

```

```

@init {
// set alt if outer ALT only (the only ones with alt field set to Alternative object)
AltAST altAST = (AltAST)retval.start;

```

```

if ( outerMost ) controller.setCurrentOuterMostAlt(altAST.alt);
}
: {
List<SrcOp> elems = new ArrayList<SrcOp>();
// TODO: shouldn't we pass $start to controller.alternative()?
$altCodeBlock = controller.alternative(controller.getCurrentOuterMostAlt(), outerMost);
$altCodeBlock.ops = $ops = elems;
controller.setCurrentBlock($altCodeBlock);
}
^( ALT elementOptions? ( element {if ($element.omos!=null) elems.addAll($element.omos);} )+ )

| ^(ALT elementOptions? EPSILON)
    { $altCodeBlock = controller.epsilon(controller.getCurrentOuterMostAlt(), outerMost); }
;

element returns [List<? extends SrcOp> omos]
: labeledElement { $omos = $labeledElement.omos; }
| atom[null,false] { $omos = $atom.omos; }
| subrule { $omos = $subrule.omos; }
| ACTION { $omos = controller.action((ActionAST)$ACTION); }
| SEMPRED { $omos = controller.sempred((ActionAST)$SEMPRED); }
| ^(ACTION elementOptions) { $omos = controller.action((ActionAST)$ACTION); }
| ^(SEMPRED elementOptions) { $omos = controller.sempred((ActionAST)$SEMPRED); }
;

labeledElement returns [List<? extends SrcOp> omos]
: ^(ASSIGN ID atom[$ID,false] ) { $omos = $atom.omos; }
| ^(PLUS_ASSIGN ID atom[$ID,false]) { $omos = $atom.omos; }
| ^(ASSIGN ID block[$ID,null] ) { $omos = $block.omos; }
| ^(PLUS_ASSIGN ID block[$ID,null]) { $omos = $block.omos; }
;

subrule returns [List<? extends SrcOp> omos]
: ^(OPTIONAL b=block[null,$OPTIONAL])
{
$omos = $block.omos;
}
| ( ^(op=CLOSURE b=block[null,null])
| ^(op=POSITIVE_CLOSURE b=block[null,null])
)
{
List<CodeBlockForAlt> alts = new ArrayList<CodeBlockForAlt>();
SrcOp blk = $b.omos.get(0);
CodeBlockForAlt alt = new CodeBlockForAlt(controller.delegate);
alt.addOp(blk);
alts.add(alt);
SrcOp loop = controller.getEBNFBlock($op, alts); // "star it"
    hasLookaheadBlock |= loop instanceof PlusBlock || loop instanceof StarBlock;
}

```



```

        Somos = DefaultOutputModelFactory.list(loop);
    }
| block[null, null]    {$Somos = $block.omos;}
;

blockSet[GrammarAST label, boolean invert] returns [List<SrcOp> omos]
: ^(SET atom[label,invert]+) {$Somos = controller.set($SET, $label, invert);}
;

/*
addElement
: STRING_LITERAL
| TOKEN_REF
| ^(RANGE STRING_LITERAL STRING_LITERAL)
;
*/

// TODO: combine ROOT/BANG into one then just make new op ref'ing return value of atom/terminal...
// TODO: same for NOT
atom[GrammarAST label, boolean invert] returns [List<SrcOp> omos]
: ^(NOT a=atom[$label, true]) {$Somos = $a.omos;}
| range[label]    {$Somos = $range.omos;}
| ^(DOT ID terminal[$label])
| ^(DOT ID ruleref[$label])
| ^(WILDCARD .)    {$Somos = controller.wildcard($WILDCARD, $label);}
| WILDCARD        {$Somos = controller.wildcard($WILDCARD, $label);}
| terminal[label]  {$Somos = $terminal.omos;}
| ruleref[label]   {$Somos = $ruleref.omos;}
| blockSet[$label, invert] {$Somos = $blockSet.omos;}
;

ruleref[GrammarAST label] returns [List<SrcOp> omos]
: ^(RULE_REF ARG_ACTION? elementOptions?) {$Somos = controller.ruleRef($RULE_REF, $label,
$ARG_ACTION);}
;

range[GrammarAST label] returns [List<SrcOp> omos]
: ^(RANGE a=STRING_LITERAL b=STRING_LITERAL)
;

terminal[GrammarAST label] returns [List<SrcOp> omos]
: ^(STRING_LITERAL .) {$Somos = controller.stringRef($STRING_LITERAL, $label);}
| STRING_LITERAL    {$Somos = controller.stringRef($STRING_LITERAL, $label);}
| ^(TOKEN_REF ARG_ACTION .) {$Somos = controller.tokenRef($TOKEN_REF, $label, $ARG_ACTION);}
| ^(TOKEN_REF .)    {$Somos = controller.tokenRef($TOKEN_REF, $label, null);}
| TOKEN_REF        {$Somos = controller.tokenRef($TOKEN_REF, $label, null);}
;

```

```
elementOptions
: ^(ELEMENT_OPTIONS elementOption+)
;
```

```
elementOption
: ID
| ^(ASSIGN ID ID)
| ^(ASSIGN ID STRING_LITERAL)
| ^(ASSIGN ID ACTION)
| ^(ASSIGN ID INT)
;
```

Found in path(s):

```
* /opt/cola/permits/1192255793_1629156080.64/0/antlr4-4-8-1-sources-1-
jar/org/antlr/v4/codegen/SourceGenTriggers.g
```

No license file was found, but licenses were detected in source scan.

~ Copyright (c) 2012-2017 The ANTLR Project. All rights reserved.

Found in path(s):

```
* /opt/cola/permits/1192255793_1629156080.64/0/antlr4-4-8-1-sources-1-jar/META-
INF/maven/org/antlr/antlr4/pom.xml
```

No license file was found, but licenses were detected in source scan.

```
/*
```

```
* [The "BSD license"]
```

```
* Copyright (c) 2012-2016 Terence Parr
```

```
* Copyright (c) 2012-2016 Sam Harwell
```

```
* Copyright (c) 2014 Eric Vergnaud
```

```
* All rights reserved.
```

```
*
```

```
* Redistribution and use in source and binary forms, with or without
```

```
* modification, are permitted provided that the following conditions
```

```
* are met:
```

```
*
```

```
* 1. Redistributions of source code must retain the above copyright
```

```
* notice, this list of conditions and the following disclaimer.
```

```
* 2. Redistributions in binary form must reproduce the above copyright
```

```
* notice, this list of conditions and the following disclaimer in the
```

```
* documentation and/or other materials provided with the distribution.
```

```
* 3. The name of the author may not be used to endorse or promote products
```

```
* derived from this software without specific prior written permission.
```

```
*
```

```
* THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR
```

```
* IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
```

```
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.
```

```
* IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,
```

```
* INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT
```

```

* NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
* DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
* THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
* (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF
* THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
*/

```

```

/** ANTLR tool checks output templates are compatible with tool code generation.
* For now, a simple string match used on x.y of x.y.z scheme.
* Must match Tool.VERSION during load to templates.
*
* REQUIRED.
*/

```

```

pythonTypeInitMap ::= [
  "bool":"False",
  "int":"0",
  "float":"0.0",
  "str": "",
  default:"None" // anything other than a primitive type is an object
]

```

```

// args must be <object-model-object>, <fields-resulting-in-STs>

```

```

ParserFile(file, parser, namedActions, contextSuperClass) ::= <<
<fileHeader(file.grammarFileName, file.ANTLRVersion)>
# encoding: utf-8
from __future__ import print_function
from antlr4 import *
from io import StringIO
import sys

<namedActions.header>
<parser>

>>

```

```

ListenerFile(file, header, namedActions) ::= <<
<fileHeader(file.grammarFileName, file.ANTLRVersion)>
from antlr4 import *
<header>

```

```

# This class defines a complete listener for a parse tree produced by <file.parserName>.
class <file.grammarName>Listener(ParseTreeListener):

```

```

    <file.listenerNames>: { lname |
# Enter a parse tree produced by <file.parserName>#<lname>.
def enter<lname>(format="cap")>(self, ctx):

```

```

    pass

# Exit a parse tree produced by <file.parserName>#<lname>.
def exit<lname; format="cap">(self, ctx):
    pass

}; separator="\n">

>>

VisitorFile(file, header, namedActions) ::= <<
<fileHeader(file.grammarFileName, file.ANTLRVersion)>
from antlr4 import *
<header>

# This class defines a complete generic visitor for a parse tree produced by <file.parserName>.

class <file.grammarName>Visitor(ParseTreeVisitor):

    <file.visitorNames:{lname |
# Visit a parse tree produced by <file.parserName>#<lname>.
def visit<lname; format="cap">(self, ctx):
    return self.visitChildren(ctx)

}; separator="\n">

>>

fileHeader(grammarFileName, ANTLRVersion) ::= <<
# Generated from <grammarFileName> by ANTLR <ANTLRVersion>
>>

Parser(parser, funcs, atn, sempredFuncs, superClass) ::= <<
<Parser_(ctor="parser_ctor", ...)>
>>

Parser_(parser, funcs, atn, sempredFuncs, ctor, superClass) ::= <<
<if(superClass)>
if __name__ is not None and "." in __name__:
    from .<superClass> import <superClass>
else:
    from <superClass> import <superClass>

<endif>
<atn>

```

```

class <parser.name> ( <if(superClass)><superClass><else>Parser<endif> ):

    grammarFileName = "<parser.grammarFileName>"

    atn = ATNDeserializer().deserialize(serializedATN())

    decisionsToDFA = [ DFA(ds, i) for i, ds in enumerate(atn.decisionToState) ]

    sharedContextCache = PredictionContextCache()

    literalNames = [ <parser.literalNames:{t | u<t>}; null="u\\"<INVALID>\\"", separator=", ", wrap, anchor> ]

    symbolicNames = [ <parser.symbolicNames:{t | u<t>}; null="u\\"<INVALID>\\"", separator=", ", wrap, anchor> ]

    <parser.rules:{r | RULE_<r.name> = <r.index>}; separator="\n", wrap, anchor>

    ruleNames = [ <parser.ruleNames:{r | u"<r>"}; separator=", ", wrap, anchor> ]

    EOF = <TokenLabelType().EOF

    <if(parser.tokens)>
    <parser.tokens:{k | <k>=<parser.tokens.(k)>}; separator="\n", wrap, anchor>
    <endif>

    <parser:(ctor())>

    <namedActions.members>

    <funcs; separator="\n">

    <if(semanticPredFuncs)>
    def semanticPred(self, localctx, ruleIndex, predIndex):
        if self._predicates == None:
            self._predicates = dict()
    <parser.semanticPredFuncs.values:{f |
        self._predicates[<f.ruleIndex>] = self.<f.name>_semanticPred}; separator="\n    ">
        pred = self._predicates.get(ruleIndex, None)
        if pred is None:
            raise Exception("No predicate with index:" + str(ruleIndex))
        else:
            return pred(localctx, predIndex)

    <semanticPredFuncs.values; separator="\n">
    <endif>

    >>

```

```

dumpActions(recog, argFuncs, actionFuncs, sempredFuncs) ::= <<
<if(actionFuncs)>
def action(self, localctx, ruleIndex, actionIndex):
    if self._actions is None:
        actions = dict()
<recog.actionFuncs.values: {f|
    actions[<f.ruleIndex>] = self.<f.name>_action }; separator="\n">
    self._actions = actions
    action = self._actions.get(ruleIndex, None)
    if action is not None:
        action(localctx, actionIndex)
    else:
        raise Exception("No registered action for:" + str(ruleIndex))

<actionFuncs.values; separator="\n">

<endif>
<if(sempredFuncs)>
def sempred(self, localctx, ruleIndex, predIndex):
    if self._predicates is None:
        preds = dict()
<recog.sempredFuncs.values: {f|
    preds[<f.ruleIndex>] = self.<f.name>_sempred}; separator="\n">
    self._predicates = preds
    pred = self._predicates.get(ruleIndex, None)
    if pred is not None:
        return pred(localctx, predIndex)
    else:
        raise Exception("No registered predicate for:" + str(ruleIndex))

<sempredFuncs.values; separator="\n">
<endif>
>>

parser_ctor(p) ::= <<
def __init__(self, input, output=sys.stdout):
    super(<parser.name>, self).__init__(input, output=output)
    self.checkVersion("<file.ANTLRVersion>")
    self._interp = ParserATNSimulator(self, self.atn, self.decisionsToDFA, self.sharedContextCache)
    self._predicates = None

>>

/* This generates a private method since the actionIndex is generated, making an
* overriding implementation impossible to maintain.
*/
RuleActionFunction(r, actions) ::= <<

```

```

def <r.name>_action(self, localctx , actionIndex):
<actions:{index|
<if(first(actions))>
  if actionIndex == <index>:
    <actions.(index)>
<elseif(rest(actions))>
  elif actionIndex == <index>:
    <actions.(index)>
<endif> }; separator="\n">
>>

/* This generates a private method since the predIndex is generated, making an
* overriding implementation impossible to maintain.
*/
RuleSempredFunction(r, actions) ::= <<
def <r.name>_sempred(self, localctx, predIndex):
  <actions:{index|
<if(first(actions))>
  if predIndex == <index>:
    return <actions.(index)>
<elseif(rest(actions))>
  elif predIndex == <index>:
    return <actions.(index)>
<endif> }; separator="\n">
>>

RuleFunction(currentRule,args,code,locals,ruleCtx,altLabelCtxs,namedActions,finallyAction,postamble,exceptions)
::= <<

<ruleCtx>

<altLabelCtxs:{l | <altLabelCtxs.(l)>}; separator="\n">

def <currentRule.name>(self<currentRule.args:{a | , <a.name>}>):

  localctx = <parser.name>.<currentRule.ctxType>(self, self._ctx, self.state<currentRule.args:{a | , <a.name>}>)
  self.enterRule(localctx, <currentRule.startState>, self.RULE_<currentRule.name>)
  <namedActions.init>
  <locals; separator="\n">
  try:
    <code>
    <postamble; separator="\n">
    <namedActions.after>
  <if(exceptions)>
  <exceptions; separator="\n">
  <else>

```

```

except RecognitionException as re:
    localctx.exception = re
    self._errHandler.reportError(self, re)
    self._errHandler.recover(self, re)
<endif>
finally:
    <finallyAction>
    self.exitRule()
return localctx

>>

LeftRecursiveRuleFunction(currentRule,args,code,locals,ruleCtx,altLabelCtxs,
    namedActions,finallyAction,postamble) ::=
<<

<ruleCtx>
<altLabelCtxs:{l | <altLabelCtxs.(l)>} ; separator="\n">

def <currentRule.name>(self, _p=0<if(currentRule.args)>, <args:{a | , <a>}><endif>):
    _parentctx = self._ctx
    _parentState = self.state
    localctx = <parser.name>.<currentRule.ctxType>(self, self._ctx, _parentState<args:{a | , <a.name>}>)
    _prevctx = localctx
    _startState = <currentRule.startState>
    self.enterRecursionRule(localctx, <currentRule.startState>, self.RULE_<currentRule.name>, _p)
    <namedActions.init>
    <locals; separator="\n">
    try:
        <code>
        <postamble; separator="\n">
        <namedActions.after>
    except RecognitionException as re:
        localctx.exception = re
        self._errHandler.reportError(self, re)
        self._errHandler.recover(self, re)
    finally:
        <finallyAction>
        self.unrollRecursionContexts(_parentctx)
    return localctx

>>

CodeBlockForOuterMostAlt(currentOuterMostAltCodeBlock, locals, preamble, ops) ::= <<
<if(currentOuterMostAltCodeBlock.altLabel)>localctx = <parser.name>.<currentOuterMostAltCodeBlock.altLabel;
format="cap">Context(self, localctx)<endif>
self.enterOuterAlt(localctx, <currentOuterMostAltCodeBlock.alt.altNum>)
<CodeBlockForAlt(currentAltCodeBlock=currentOuterMostAltCodeBlock, ...)>

```



>>

```
CodeBlockForAlt(currentAltCodeBlock, locals, preamble, ops) ::= <<
<locals; separator="\n">
<preamble; separator="\n">
<ops; separator="\n">
>>
```

```
LL1AltBlock(choice, preamble, alts, error) ::= <<
self.state = <choice.stateNumber>
self._errHandler.sync(self)
<if(choice.label)><labelref(choice.label)> = _input.LT(1)<endif>
<preamble; separator="\n">
token = self._input.LA(1)
<choice.altLook,alts:{look,alt| <cases(ttypes=look)>
  <alt>
  pass}; separator="\n1">
else:
  <error>
>>
```

```
LL1OptionalBlock(choice, alts, error) ::= <<
self.state = <choice.stateNumber>
self._errHandler.sync(self)
token = self._input.LA(1)
<choice.altLook,alts:{look,alt| <cases(ttypes=look)>
  <alt>
  pass}; separator="\n1">
else:
  pass
>>
```

```
LL1OptionalBlockSingleAlt(choice, expr, alts, preamble, error, followExpr) ::= <<
self.state = <choice.stateNumber>
self._errHandler.sync(self)
<preamble; separator="\n">
if <expr>:
  <alts; separator="\n">

<!else if ( !(<followExpr> ) ) <error>!>
>>
```

```
LL1StarBlockSingleAlt(choice, loopExpr, alts, preamble, iteration) ::= <<
self.state = <choice.stateNumber>
self._errHandler.sync(self)
<preamble; separator="\n">
```

```

while <loopExpr>:
  <alts; separator="\n">
  self.state = <choice.loopBackStateNumber>
  self._errHandler.sync(self)
  <iteration>

>>

LL1PlusBlockSingleAlt(choice, loopExpr, alts, preamble, iteration) ::= <<
self.state = <choice.blockStartStateNumber> <! alt block decision !>
self._errHandler.sync(self)
<preamble; separator="\n">
while True:
  <alts; separator="\n">
  self.state = <choice.stateNumber> <! loopback/exit decision !>
  self._errHandler.sync(self)
  <iteration>
  if not (<loopExpr>):
    break

>>

// LL(*) stuff

AltBlock(choice, preamble, alts, error) ::= <<
self.state = <choice.stateNumber>
self._errHandler.sync(self)
<if(choice.label)><labelref(choice.label)> = _input.LT(1)<endif>
<preamble; separator="\n">
la_ = self._interp.adaptivePredict(self._input,<choice.decision>,self._ctx)
<alts:{ alt |
if la_ == <i>:
  <alt>
  pass
}; separator="\nel">

>>

OptionalBlock(choice, alts, error) ::= <<
self.state = <choice.stateNumber>
self._errHandler.sync(self)
la_ = self._interp.adaptivePredict(self._input,<choice.decision>,self._ctx)
<alts:{ alt |
if la_ == <i><if(!choice.ast.greedy)>+1<endif>:
  <alt>
}; separator="\nel">

>>

```

```

StarBlock(choice, alts, sync, iteration) ::= <<
self.state = <choice.stateNumber>
self._errHandler.sync(self)
_alt = self._interp.adaptivePredict(self._input,<choice.decision>,self._ctx)
while _alt!=<choice.exitAlt> and _alt!=ATN.INVALID_ALT_NUMBER:
  if _alt==1<if(!choice.ast.greedy)>+1<endif>:
    <iteration>
    <alts> <! should only be one !>
    self.state = <choice.loopBackStateNumber>
    self._errHandler.sync(self)
    _alt = self._interp.adaptivePredict(self._input,<choice.decision>,self._ctx)
>>

```

```

PlusBlock(choice, alts, error) ::= <<
self.state = <choice.blockStartStateNumber> <! alt block decision !>
self._errHandler.sync(self)
_alt = 1<if(!choice.ast.greedy)>+1<endif>
while _alt!=<choice.exitAlt> and _alt!=ATN.INVALID_ALT_NUMBER:
  <alts: {alt|
if _alt == <i><if(!choice.ast.greedy)>+1<endif>:
  <alt>
}; separator="\n"|>
  else:
    <error>
    self.state = <choice.loopBackStateNumber> <! loopback/exit decision !>
    self._errHandler.sync(self)
    _alt = self._interp.adaptivePredict(self._input,<choice.decision>,self._ctx)
>>

```

```

Sync(s) ::= "sync(<s.expecting.name>)"

```

```

ThrowNoViableAlt(t) ::= "raise NoViableAltException(self)"

```

```

TestSetInline(s) ::= <<
<s.bitsets: {bits | <if(rest(rest(bits.ttypes)))><bitsetBitfieldComparison(s, bits)><else><bitsetInlineComparison(s,
bits)><endif>}; separator=" or ">
>>

```

```

// Java language spec 15.19 - shift operators mask operands rather than overflow to 0... need range test
testShiftInRange(shiftAmount) ::= <<
((<shiftAmount>) & ~0x3f) == 0
>>

```

```

// produces smaller bytecode only when bits.ttypes contains more than two items
bitsetBitfieldComparison(s, bits) ::= <%

```

```
(<testShiftInRange({ <offsetShiftVar(s.varName, bits.shift)> })> and ((1 \<< <offsetShiftVar(s.varName, bits.shift)>) & (<bits.ttypes:{ ttype | (1 \<< <offsetShiftType(ttype, bits.shift)>)}; separator=" | ">)) != 0) %>
```

```
isZero ::= [  
  "0":true,  
  default:false  
]
```

```
offsetShiftVar(shiftAmount, offset) ::= <%  
<if(!isZero.(offset))><shiftAmount> - <offset><else><shiftAmount><endif>  
>%
```

```
offsetShiftType(shiftAmount, offset) ::= <%  
<if(!isZero.(offset))><parser.name>.<shiftAmount> - <offset><else><parser.name>.<shiftAmount><endif>  
>%
```

```
// produces more efficient bytecode when bits.ttypes contains at most two items  
bitsetInlineComparison(s, bits) ::= <%  
<bits.ttypes: { ttype | <s.varName>==<parser.name>.<ttype> }; separator=" or ">  
>%
```

```
cases(ttypes) ::= <<  
if token in [<ttypes: { t | <parser.name>.<t> }; separator=", ">]:  
>>
```

```
InvokeRule(r, argExprsChunks) ::= <<  
self.state = <r.stateNumber>  
<if(r.labels)><r.labels: {1 | <labelref(l)> =  
}><endif>self.<r.name><(if(r.ast.options.p)><r.ast.options.p><if(argExprsChunks)><endif><endif><argExprsChu  
nks>)<endif>  
>>
```

```
MatchToken(m) ::= <<  
self.state = <m.stateNumber>  
<if(m.labels)><m.labels: {1 | <labelref(l)> = }><endif>self.match(<parser.name>.<m.name>)<endif>  
>>
```

```
MatchSet(m, expr, capture) ::= "<CommonSetStuff(m, expr, capture, false)>"
```

```
MatchNotSet(m, expr, capture) ::= "<CommonSetStuff(m, expr, capture, true)>"
```

```
CommonSetStuff(m, expr, capture, invert) ::= <<  
self.state = <m.stateNumber>  
<if(m.labels)><m.labels: {1 | <labelref(l)> = }>self._input.LT(1)<endif>  
<capture>  
<if(invert)>if <m.varName> \<= 0 or <expr><else>if not(<expr>)<endif>:  
<if(m.labels)><m.labels: {1 | <labelref(l)> = }><else> <endif>self._errHandler.recoverInline(self)
```

```

else:
    self._errHandler.reportMatch(self)
    self.consume()
>>

Wildcard(w) ::= <<
self.state = <w.stateNumber>
<if(w.labels)><w.labels:{1 | <labelref(1)> = }><endif>self.matchWildcard()
>>

// ACTION STUFF

Action(a, foo, chunks) ::= "<chunks>"

ArgAction(a, chunks) ::= "<chunks>"

SemPred(p, chunks, failChunks) ::= <<
self.state = <p.stateNumber>
if not <chunks>:
    from antlr4.error.Errors import FailedPredicateException
    raise FailedPredicateException(self, <p.predicate><if(failChunks)>, <failChunks><elseif(p.msg)>,
    <p.msg><endif>)
>>

ExceptionClause(e, catchArg, catchAction) ::= <<
catch (<catchArg>) {
    <catchAction>
}
>>

// lexer actions are not associated with model objects

LexerSkipCommand() ::= "skip()"
LexerMoreCommand() ::= "more()"
LexerPopModeCommand() ::= "popMode()"

LexerTypeCommand(arg, grammar) ::= "_type = <arg>"
LexerChannelCommand(arg, grammar) ::= "_channel = <arg>"
LexerModeCommand(arg, grammar) ::= "_mode = <arg>"
LexerPushModeCommand(arg, grammar) ::= "pushMode(<arg>)"

ActionText(t) ::= "<t.text>"
ActionTemplate(t) ::= "<t.st>"
ArgRef(a) ::= "localctx.<a.name>"
LocalRef(a) ::= "localctx.<a.name>"
RetValRef(a) ::= "localctx.<a.name>"
QRetValRef(a) ::= "<ctx(a)>.<a.dict>.<a.name>"
/** How to translate $tokenLabel */

```

```

TokenRef(t) ::= "<ctx(t)>.<t.name>"
LabelRef(t) ::= "<ctx(t)>.<t.name>"
ListLabelRef(t) ::= "<ctx(t)>.<ListLabelName(t.name)>"
SetAttr(s,rhsChunks) ::= "<ctx(s)>.<s.name> = <rhsChunks>"

TokenLabelType() ::= "<file.TokenLabelType; null={Token}>"
InputSymbolType() ::= "<file.InputSymbolType; null={Token}>"

TokenPropertyRef_text(t) ::= "(None if <ctx(t)>.<t.label> is None else <ctx(t)>.<t.label>.text)"
TokenPropertyRef_type(t) ::= "(0 if <ctx(t)>.<t.label> is None else <ctx(t)>.<t.label>.type()"
TokenPropertyRef_line(t) ::= "(0 if <ctx(t)>.<t.label> is None else <ctx(t)>.<t.label>.line)"
TokenPropertyRef_pos(t) ::= "(0 if <ctx(t)>.<t.label> is None else <ctx(t)>.<t.label>.column)"
TokenPropertyRef_channel(t) ::= "(0 if (<ctx(t)>.<t.label> is None else <ctx(t)>.<t.label>.channel)"
TokenPropertyRef_index(t) ::= "(0 if <ctx(t)>.<t.label> is None else <ctx(t)>.<t.label>.tokenIndex)"
TokenPropertyRef_int(t) ::= "(0 if <ctx(t)>.<t.label> is None else int(<ctx(t)>.<t.label>.text))"

RulePropertyRef_start(r) ::= "(None if <ctx(r)>.<r.label> is None else <ctx(r)>.<r.label>.start)"
RulePropertyRef_stop(r) ::= "(None if <ctx(r)>.<r.label> is None else <ctx(r)>.<r.label>.stop)"
RulePropertyRef_text(r) ::= "(None if <ctx(r)>.<r.label> is None else
self._input.getText(<ctx(r)>.<r.label>.start,<ctx(r)>.<r.label>.stop))"
RulePropertyRef_ctx(r) ::= "<ctx(r)>.<r.label>"
RulePropertyRef_parser(r) ::= "self"

ThisRulePropertyRef_start(r) ::= "localctx.start"
ThisRulePropertyRef_stop(r) ::= "localctx.stop"
ThisRulePropertyRef_text(r) ::= "self._input.getText(localctx.start, self._input.LT(-1))"
ThisRulePropertyRef_ctx(r) ::= "localctx"
ThisRulePropertyRef_parser(r) ::= "self"

NonLocalAttrRef(s) ::= "getInvokingContext(<s.ruleIndex>).<s.name>"
SetNonLocalAttr(s, rhsChunks) ::= "getInvokingContext(<s.ruleIndex>).<s.name> = <rhsChunks>"

AddToLabelList(a) ::= "<ctx(a.label)>.<a.listName>.append(<labelref(a.label)>)"

TokenDecl(t) ::= "self.<t.name> = None # <TokenLabelType()>"
TokenTypeDecl(t) ::= "self.<t.name> = 0 # <TokenLabelType()> type"
TokenListDecl(t) ::= "self.<t.name> = list() # of <TokenLabelType()>s"
RuleContextDecl(r) ::= "self.<r.name> = None # <r.ctxName>"
RuleContextListDecl(rdecl) ::= "self.<rdecl.name> = list() # of <rdecl.ctxName>s"

ContextTokenGetterDecl(t) ::= <<
def <t.name>(self):
    return self.getToken(<parser.name>.<t.name>, 0)
>>

// should never be called
ContextTokenListGetterDecl(t) ::= <<
def <t.name>_list(self):

```

```

    return self.getTokens(<parser.name>.<t.name>)
>>

ContextTokenListIndexedGetterDecl(t) ::= <<
def <t.name>(self, i=None):
    if i is None:
        return self.getTokens(<parser.name>.<t.name>)
    else:
        return self.getToken(<parser.name>.<t.name>, i)
>>

ContextRuleGetterDecl(r) ::= <<
def <r.name>(self):
    return self.getTypedRuleContext(<parser.name>.<r.ctxName>,0)

>>

// should never be called
ContextRuleListGetterDecl(r) ::= <<
def <r.name>_list(self):
    return self.getTypedRuleContexts(<parser.name>.<r.ctxName>)

>>

ContextRuleListIndexedGetterDecl(r) ::= <<
def <r.name>(self, i=None):
    if i is None:
        return self.getTypedRuleContexts(<parser.name>.<r.ctxName>)
    else:
        return self.getTypedRuleContext(<parser.name>.<r.ctxName>,i)

>>

LexerRuleContext() ::= "RuleContext"

/** The rule context name is the rule followed by a suffix; e.g.,
 * r becomes rContext.
 */
RuleContextNameSuffix() ::= "Context"

ImplicitTokenLabel(tokenName) ::= "_<tokenName>"
ImplicitRuleLabel(ruleName) ::= "_<ruleName>"
ImplicitSetLabel(id) ::= "_tset<id>"
ListLabelName(label) ::= "<label>"

CaptureNextToken(d) ::= "<d.varName> = self._input.LT(1)"
CaptureNextTokenType(d) ::= "<d.varName> = self._input.LA(1)"

```

```
StructDecl(struct,ctorAttrs,attrs, getters,dispatchMethods,interfaces,extensionMembers) ::= <<  
class <struct.name>(<if(contextSuperClass)><contextSuperClass><else>ParserRuleContext<endif>):
```

```
def __init__(self, parser, parent=None, invokingState=-1<struct.ctorAttrs:{a | , <a.name>=None}>):  
    super(<parser.name>.<struct.name>, self).__init__(parent, invokingState)  
    self.parser = parser  
    <attrs:{a | <a>}; separator="\n">  
    <struct.ctorAttrs:{a | self.<a.name> = <a.name>}; separator="\n">
```

```
<getters:{g | <g>}; separator="\n\n">
```

```
def getRuleIndex(self):  
    return <parser.name>.RULE_<struct.derivedFromName>
```

```
<if(struct.provideCopyFrom)> <! don't need copy unless we have subclasses !>
```

```
def copyFrom(self, ctx):  
    super(<parser.name>.<struct.name>, self).copyFrom(ctx)  
    <struct.attrs:{a | self.<a.name> = ctx.<a.name>}; separator="\n">
```

```
<endif>
```

```
<dispatchMethods; separator="\n">  
<extensionMembers; separator="\n">
```

```
>>
```

```
AltLabelStructDecl(struct,attrs, getters,dispatchMethods) ::= <<  
class <struct.name>(<currentRule.name; format="cap">Context):
```

```
def __init__(self, parser, ctx): # actually a <parser.name>.<currentRule.name; format="cap">Context)  
    super(<parser.name>.<struct.name>, self).__init__(parser)  
    <attrs:{a | <a>}; separator="\n">  
    self.copyFrom(ctx)
```

```
<getters:{g | <g>}; separator="\n">
```

```
<dispatchMethods; separator="\n">
```

```
>>
```

```
ListenerDispatchMethod(method) ::= <<
```

```
def <if(method.isEnter)>enter<else>exit<endif>Rule(self, listener):  
    if hasattr(listener, "<if(method.isEnter)>enter<else>exit<endif><struct.derivedFromName; format="cap">"):  
        listener.<if(method.isEnter)>enter<else>exit<endif><struct.derivedFromName; format="cap">(self)
```

```
>>
```

```
VisitorDispatchMethod(method) ::= <<
```

```
def accept(self, visitor):
```



```

    if hasattr(visitor, "visit<struct.derivedFromName; format="cap">"):
        return visitor.visit<struct.derivedFromName; format="cap">(self)
    else:
        return visitor.visitChildren(self)

>>

AttributeDecl(d) ::= "self.<d.name> = <if(d.initValue)><d.initValue><else>None<endif>"

/** If we don't know location of label def x, use this template */
labelref(x) ::= "<if(!x.isLocal)>localctx.<endif><x.name>"

/** For any action chunk, what is correctly-typed context struct ptr? */
ctx(actionChunk) ::= "localctx"

// used for left-recursive rules
recRuleAltPredicate(ruleName,opPrec) ::= "self.precpred(self._ctx, <opPrec>)"
recRuleSetReturnAction(src,name) ::= "$<name>=<src>.<name>"
recRuleSetStopToken() ::= "self._ctx.stop = self._input.LT(-1)"

recRuleAltStartAction(ruleName, ctxName, label) ::= <<
localctx = <parser.name>.<ctxName>Context(self, _parentctx, _parentState)
<if(label)>localctx.<label> = _prevctx<endif>
self.pushNewRecursionContext(localctx, _startState, self.RULE_<ruleName>)
>>

recRuleLabeledAltStartAction(ruleName, currentAltLabel, label, isListLabel) ::= <<
localctx = <parser.name>.<currentAltLabel; format="cap">Context(self, <parser.name>.<ruleName>;
format="cap">Context(self, _parentctx, _parentState))
<if(label)>
<if(isListLabel)>
localctx.<label>.append(_prevctx)
<else>
localctx.<label> = _prevctx
<endif>
<endif>
self.pushNewRecursionContext(localctx, _startState, self.RULE_<ruleName>)
>>

recRuleReplaceContext(ctxName) ::= <<
localctx = <parser.name>.<ctxName>Context(self, localctx)
self._ctx = localctx
_prevctx = localctx
>>

recRuleSetPrevCtx() ::= <<
if self._parseListeners is not None:

```

```

    self.triggerExitRuleEvent()
    _prevctx = localctx
>>

```

```

LexerFile(lexerFile, lexer, namedActions) ::= <<
<fileHeader(lexerFile.grammarFileName, lexerFile.ANTLRVersion)>
# encoding: utf-8
from __future__ import print_function
from antlr4 import *
from io import StringIO
import sys

```

```

<namedActions.header>

```

```

<lexer>
>>

```

```

Lexer(lexer, atn, actionFuncs, sempredFuncs, superClass) ::= <<
<if(superClass)>
if __name__ is not None and "." in __name__:
    from .<superClass> import <superClass>
else:
    from <superClass> import <superClass>

```

```

<endif>

```

```

<atn>

```

```

class <lexer.name>(<if(superClass)><superClass><else>Lexer<endif>):

```

```

    atn = ATNDeserializer().deserialize(serializedATN())

```

```

    decisionsToDFA = [ DFA(ds, i) for i, ds in enumerate(atn.decisionToState) ]

```

```

<if(lexer.channels)>
    <lexer.channels:{c| <c> = <lexer.channels.(c)>}; separator="\n">

```

```

<endif>

```

```

<if(rest(lexer.modes))>
    <rest(lexer.modes):{m| <m> = <i>}; separator="\n">

```

```

<endif>

```

```

    <lexer.tokens:{k | <k> = <lexer.tokens.(k)>}; separator="\n", wrap, anchor>

```

```

    channelNames = [ u"DEFAULT_TOKEN_CHANNEL", u"HIDDEN"<if (lexer.channels)>, <lexer.channels:{c|
u"<c>"}; separator=", ", wrap, anchor><endif> ]

```

```

modeNames = [ <lexer.modes:{m| u"<m>"}; separator=", ", wrap, anchor> ]

literalNames = [ u"\<INVALID>",
    <lexer.literalNames:{t | u<t>}; separator=", ", wrap, anchor> ]

symbolicNames = [ u"\<INVALID>",
    <lexer.symbolicNames:{t | u<t>}; separator=", ", wrap, anchor> ]

ruleNames = [ <lexer.ruleNames:{r | u"<r>"}; separator=", ", wrap, anchor> ]

grammarFileName = u"<lexer.grammarFileName>"

def __init__(self, input=None, output=sys.stdout):
    super(<lexer.name>, self).__init__(input, output=output)
    self.checkVersion("<lexerFile.ANTLRVersion>")
    self._interp = LexerATNSimulator(self, self.atn, self.decisionsToDFA, PredictionContextCache())
    self._actions = None
    self._predicates = None

<namedActions.members>

<dumpActions(lexer, "", actionFuncs, sempredFuncs)>

>>

SerializedATN(model) ::= <<
<! only one segment, can be inlined !>

def serializedATN():
    with StringIO() as buf:
        buf.write(u"<model.serialized; wrap={ }<n>    buf.write(u" }>")
        return buf.getvalue()

>>

/** Using a type to init value map, try to init a type; if not in table
 * must be an object, default value is "null".
 */
initValue(typeName) ::= <<
<pythonTypeInitMap.(typeName)>
>>

codeFileExtension() ::= ".py"

Found in path(s):
* /opt/cola/permits/1192255793_1629156080.64/0/antlr4-4-8-1-sources-1-
jar/org/antlr/v4/tool/templates/codegen/Python2/Python2.stg

```

No license file was found, but licenses were detected in source scan.

```
/*
 * [The "BSD license"]
 * Copyright (c) 2012-2016 Terence Parr
 * Copyright (c) 2012-2016 Sam Harwell
 * All rights reserved.
 *
 * Redistribution and use in source and binary forms, with or without
 * modification, are permitted provided that the following conditions
 * are met:
 *
 * 1. Redistributions of source code must retain the above copyright
 * notice, this list of conditions and the following disclaimer.
 * 2. Redistributions in binary form must reproduce the above copyright
 * notice, this list of conditions and the following disclaimer in the
 * documentation and/or other materials provided with the distribution.
 * 3. The name of the author may not be used to endorse or promote products
 * derived from this software without specific prior written permission.
 *
 * THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS'' AND ANY EXPRESS OR
 * IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
 * OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.
 * IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,
 * INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT
 * NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
 * DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
 * THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
 * (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF
 * THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
 */

/** The definitive ANTLR v3 tree grammar to walk/visit ANTLR v4 grammars.
 * Parses trees created by ANTLRParser.g.
 *
 * Rather than have multiple tree grammars, one for each visit, I'm
 * creating this generic visitor that knows about context. All of the
 * boilerplate pattern recognition is done here. Then, subclasses can
 * override the methods they care about. This prevents a lot of the same
 * context tracking stuff like "set current alternative for current
 * rule node" that is repeated in lots of tree filters.
 */
tree grammar GrammarTreeVisitor;
options {
language    = Java;
tokenVocab = ANTLRParser;
ASTLabelType = GrammarAST;
}
```

```
// Include the copyright in this source and also the generated source
@header {
/*
[The "BSD license"]
Copyright (c) 2011 Terence Parr
All rights reserved.
```

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The name of the author may not be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

```
*/
package org.antlr.v4.parse;
import org.antlr.v4.Tool;
import org.antlr.v4.tool.*;
import org.antlr.v4.tool.ast.*;
import java.lang.reflect.InvocationTargetException;
import java.lang.reflect.Method;
}

@members {
public String grammarName;
public GrammarAST currentRuleAST;
public String currentModeName = LexerGrammar.DEFAULT_MODE_NAME;
public String currentRuleName;
public GrammarAST currentOuterAltRoot;
public int currentOuterAltNumber = 1; // 1..n
public int rewriteEBNFLevel = 0;
```

```

public GrammarTreeVisitor() { this(null); }

// Should be abstract but can't make gen'd parser abstract;
// subclasses should implement else everything goes to stderr!
public ErrorManager getErrorManager() { return null; }

public void visitGrammar(GrammarAST t) { visit(t, "grammarSpec"); }
public void visit(GrammarAST t, String ruleName) {
    CommonTreeNodeStream nodes = new CommonTreeNodeStream(new GrammarASTAdaptor(), t);
    setTreeNodeStream(nodes);
    try {
        Method m = getClass().getMethod(ruleName);
        m.invoke(this);
    }
    catch (Throwable e) {
        ErrorManager errMgr = getErrorManager();
        if ( e instanceof InvocationTargetException ) {
            e = e.getCause();
        }
        //e.printStackTrace(System.err);
        if ( errMgr==null ) {
            System.err.println("can't find rule "+ruleName+
                " or tree structure error: "+t.toStringTree()
            );
            e.printStackTrace(System.err);
        }
        else errMgr.toolError(ErrorType.INTERNAL_ERROR, e);
    }
}

public void discoverGrammar(GrammarRootAST root, GrammarAST ID) { }
public void finishPrequels(GrammarAST firstPrequel) { }
public void finishGrammar(GrammarRootAST root, GrammarAST ID) { }

public void grammarOption(GrammarAST ID, GrammarAST valueAST) { }
public void ruleOption(GrammarAST ID, GrammarAST valueAST) { }
public void blockOption(GrammarAST ID, GrammarAST valueAST) { }
public void defineToken(GrammarAST ID) { }
public void defineChannel(GrammarAST ID) { }
public void globalNamedAction(GrammarAST scope, GrammarAST ID, ActionAST action) { }
public void importGrammar(GrammarAST label, GrammarAST ID) { }

public void modeDef(GrammarAST m, GrammarAST ID) { }

public void discoverRules(GrammarAST rules) { }
public void finishRules(GrammarAST rule) { }
public void discoverRule(RuleAST rule, GrammarAST ID, List<GrammarAST> modifiers,
    ActionAST arg, ActionAST returns, GrammarAST thrws,

```

```

GrammarAST options, ActionAST locals,
List<GrammarAST> actions,
GrammarAST block) { }
public void finishRule(RuleAST rule, GrammarAST ID, GrammarAST block) { }
public void discoverLexerRule(RuleAST rule, GrammarAST ID, List<GrammarAST> modifiers,
GrammarAST block) { }
public void finishLexerRule(RuleAST rule, GrammarAST ID, GrammarAST block) { }
public void ruleCatch(GrammarAST arg, ActionAST action) { }
public void finallyAction(ActionAST action) { }
public void discoverOuterAlt(AltAST alt) { }
public void finishOuterAlt(AltAST alt) { }
public void discoverAlt(AltAST alt) { }
public void finishAlt(AltAST alt) { }

public void ruleRef(GrammarAST ref, ActionAST arg) { }
public void tokenRef(TerminalAST ref) { }
public void elementOption(GrammarASTWithOptions t, GrammarAST ID, GrammarAST valueAST) { }
public void stringRef(TerminalAST ref) { }
public void wildcardRef(GrammarAST ref) { }
public void actionInAlt(ActionAST action) { }
public void sempredInAlt(PredAST pred) { }
public void label(GrammarAST op, GrammarAST ID, GrammarAST element) { }
public void lexerCallCommand(int outerAltNumber, GrammarAST ID, GrammarAST arg) { }
public void lexerCommand(int outerAltNumber, GrammarAST ID) { }

protected void enterGrammarSpec(GrammarAST tree) { }
protected void exitGrammarSpec(GrammarAST tree) { }

protected void enterPrequelConstructs(GrammarAST tree) { }
protected void exitPrequelConstructs(GrammarAST tree) { }

protected void enterPrequelConstruct(GrammarAST tree) { }
protected void exitPrequelConstruct(GrammarAST tree) { }

protected void enterOptionsSpec(GrammarAST tree) { }
protected void exitOptionsSpec(GrammarAST tree) { }

protected void enterOption(GrammarAST tree) { }
protected void exitOption(GrammarAST tree) { }

protected void enterOptionValue(GrammarAST tree) { }
protected void exitOptionValue(GrammarAST tree) { }

protected void enterDelegateGrammars(GrammarAST tree) { }
protected void exitDelegateGrammars(GrammarAST tree) { }

protected void enterDelegateGrammar(GrammarAST tree) { }
protected void exitDelegateGrammar(GrammarAST tree) { }

```

protected void enterTokensSpec(GrammarAST tree) { }  
protected void exitTokensSpec(GrammarAST tree) { }

protected void enterTokenSpec(GrammarAST tree) { }  
protected void exitTokenSpec(GrammarAST tree) { }

protected void enterChannelsSpec(GrammarAST tree) { }  
protected void exitChannelsSpec(GrammarAST tree) { }

protected void enterChannelSpec(GrammarAST tree) { }  
protected void exitChannelSpec(GrammarAST tree) { }

protected void enterAction(GrammarAST tree) { }  
protected void exitAction(GrammarAST tree) { }

protected void enterRules(GrammarAST tree) { }  
protected void exitRules(GrammarAST tree) { }

protected void enterMode(GrammarAST tree) { }  
protected void exitMode(GrammarAST tree) { }

protected void enterLexerRule(GrammarAST tree) { }  
protected void exitLexerRule(GrammarAST tree) { }

protected void enterRule(GrammarAST tree) { }  
protected void exitRule(GrammarAST tree) { }

protected void enterExceptionGroup(GrammarAST tree) { }  
protected void exitExceptionGroup(GrammarAST tree) { }

protected void enterExceptionHandler(GrammarAST tree) { }  
protected void exitExceptionHandler(GrammarAST tree) { }

protected void enterFinallyClause(GrammarAST tree) { }  
protected void exitFinallyClause(GrammarAST tree) { }

protected void enterLocals(GrammarAST tree) { }  
protected void exitLocals(GrammarAST tree) { }

protected void enterRuleReturns(GrammarAST tree) { }  
protected void exitRuleReturns(GrammarAST tree) { }

protected void enterThrowsSpec(GrammarAST tree) { }  
protected void exitThrowsSpec(GrammarAST tree) { }

protected void enterRuleAction(GrammarAST tree) { }  
protected void exitRuleAction(GrammarAST tree) { }



```
protected void enterRuleModifier(GrammarAST tree) { }
protected void exitRuleModifier(GrammarAST tree) { }

protected void enterLexerRuleBlock(GrammarAST tree) { }
protected void exitLexerRuleBlock(GrammarAST tree) { }

protected void enterRuleBlock(GrammarAST tree) { }
protected void exitRuleBlock(GrammarAST tree) { }

protected void enterLexerOuterAlternative(AltAST tree) { }
protected void exitLexerOuterAlternative(AltAST tree) { }

protected void enterOuterAlternative(AltAST tree) { }
protected void exitOuterAlternative(AltAST tree) { }

protected void enterLexerAlternative(GrammarAST tree) { }
protected void exitLexerAlternative(GrammarAST tree) { }

protected void enterLexerElements(GrammarAST tree) { }
protected void exitLexerElements(GrammarAST tree) { }

protected void enterLexerElement(GrammarAST tree) { }
protected void exitLexerElement(GrammarAST tree) { }

protected void enterLabeledLexerElement(GrammarAST tree) { }
protected void exitLabeledLexerElement(GrammarAST tree) { }

protected void enterLexerBlock(GrammarAST tree) { }
protected void exitLexerBlock(GrammarAST tree) { }

protected void enterLexerAtom(GrammarAST tree) { }
protected void exitLexerAtom(GrammarAST tree) { }

protected void enterActionElement(GrammarAST tree) { }
protected void exitActionElement(GrammarAST tree) { }

protected void enterAlternative(AltAST tree) { }
protected void exitAlternative(AltAST tree) { }

protected void enterLexerCommand(GrammarAST tree) { }
protected void exitLexerCommand(GrammarAST tree) { }

protected void enterLexerCommandExpr(GrammarAST tree) { }
protected void exitLexerCommandExpr(GrammarAST tree) { }

protected void enterElement(GrammarAST tree) { }
protected void exitElement(GrammarAST tree) { }
```

```
protected void enterAstOperand(GrammarAST tree) { }
protected void exitAstOperand(GrammarAST tree) { }

protected void enterLabeledElement(GrammarAST tree) { }
protected void exitLabeledElement(GrammarAST tree) { }

protected void enterSubrule(GrammarAST tree) { }
protected void exitSubrule(GrammarAST tree) { }

protected void enterLexerSubrule(GrammarAST tree) { }
protected void exitLexerSubrule(GrammarAST tree) { }

protected void enterBlockSuffix(GrammarAST tree) { }
protected void exitBlockSuffix(GrammarAST tree) { }

protected void enterEbnfSuffix(GrammarAST tree) { }
protected void exitEbnfSuffix(GrammarAST tree) { }

protected void enterAtom(GrammarAST tree) { }
protected void exitAtom(GrammarAST tree) { }

protected void enterBlockSet(GrammarAST tree) { }
protected void exitBlockSet(GrammarAST tree) { }

protected void enterSetElement(GrammarAST tree) { }
protected void exitSetElement(GrammarAST tree) { }

protected void enterBlock(GrammarAST tree) { }
protected void exitBlock(GrammarAST tree) { }

protected void enterRuleref(GrammarAST tree) { }
protected void exitRuleref(GrammarAST tree) { }

protected void enterRange(GrammarAST tree) { }
protected void exitRange(GrammarAST tree) { }

protected void enterTerminal(GrammarAST tree) { }
protected void exitTerminal(GrammarAST tree) { }

protected void enterElementOptions(GrammarAST tree) { }
protected void exitElementOptions(GrammarAST tree) { }

protected void enterElementOption(GrammarAST tree) { }
protected void exitElementOption(GrammarAST tree) { }

@Override
public void traceIn(String ruleName, int ruleIndex) { }
```

```

    System.err.println("enter "+ruleName+": "+input.LT(1));
}

@Override
public void traceOut(String ruleName, int ruleIndex) {
    System.err.println("exit "+ruleName+": "+input.LT(1));
}
}

grammarSpec
@init {
    enterGrammarSpec($start);
}
@after {
    exitGrammarSpec($start);
}
: ^( GRAMMAR ID {grammarName=$ID.text;}
    {discoverGrammar((GrammarRootAST)$GRAMMAR, $ID);}
    prequelConstructs
    {finishPrequels($prequelConstructs.firstOne);}
    rules mode*
    {finishGrammar((GrammarRootAST)$GRAMMAR, $ID);}
)
;

prequelConstructs returns [GrammarAST firstOne=null]
@init {
    enterPrequelConstructs($start);
}
@after {
    exitPrequelConstructs($start);
}
: {$firstOne=$start;} prequelConstruct+
|
;

prequelConstruct
@init {
    enterPrequelConstructs($start);
}
@after {
    exitPrequelConstructs($start);
}
: optionsSpec
| delegateGrammars
| tokensSpec
| channelsSpec
| action

```

```

;

optionsSpec
@init {
enterOptionsSpec($start);
}
@after {
exitOptionsSpec($start);
}
: ^(OPTIONS option*)
;

option
@init {
enterOption($start);
boolean rule = inContext("RULE ...");
boolean block = inContext("BLOCK ...");
}
@after {
exitOption($start);
}
: ^(a=ASSIGN ID v=optionValue)
{
if ( block ) blockOption($ID, $v.start); // most specific first
else if ( rule ) ruleOption($ID, $v.start);
else grammarOption($ID, $v.start);
}
;

optionValue returns [String v]
@init {
enterOptionValue($start);
$v = $start.token.getText();
}
@after {
exitOptionValue($start);
}
: ID
| STRING_LITERAL
| INT
;

delegateGrammars
@init {
enterDelegateGrammars($start);
}
@after {
exitDelegateGrammars($start);
}

```

```
}  
: ^(IMPORT delegateGrammar+)  
;
```

```
delegateGrammar  
@init {  
  enterDelegateGrammar($start);  
}  
@after {  
  exitDelegateGrammar($start);  
}  
: ^(ASSIGN label=ID id=ID) {importGrammar($label, $id);}  
| id=ID {importGrammar(null, $id);}  
;
```

```
tokensSpec  
@init {  
  enterTokensSpec($start);  
}  
@after {  
  exitTokensSpec($start);  
}  
: ^(TOKENS_SPEC tokenSpec+)  
;
```

```
tokenSpec  
@init {  
  enterTokenSpec($start);  
}  
@after {  
  exitTokenSpec($start);  
}  
: ID {defineToken($ID);}  
;
```

```
channelsSpec  
@init {  
  enterChannelsSpec($start);  
}  
@after {  
  exitChannelsSpec($start);  
}  
: ^(CHANNELS channelSpec+)  
;
```

```
channelSpec  
@init {  
  enterChannelSpec($start);
```

```

}
@after {
    exitChannelSpec($start);
}
: ID {defineChannel($ID);}
;

action
@init {
    enterAction($start);
}
@after {
    exitAction($start);
}
: ^(AT sc=ID? name=ID ACTION) {globalNamedAction($sc, $name, (ActionAST)$ACTION);}
;

rules
@init {
    enterRules($start);
}
@after {
    exitRules($start);
}
: ^(RULES {discoverRules($RULES);} (rule|lexerRule)* {finishRules($RULES);})
;

mode
@init {
    enterMode($start);
}
@after {
    exitMode($start);
}
: ^( MODE ID {currentModeName=$ID.text; modeDef($MODE, $ID);} lexerRule* )
;

lexerRule
@init {
    enterLexerRule($start);
    List<GrammarAST> mods = new ArrayList<GrammarAST>();
    currentOuterAltNumber=0;
}
@after {
    exitLexerRule($start);
}
: ^( RULE TOKEN_REF
    {currentRuleName=$TOKEN_REF.text; currentRuleAST=$RULE;}

```

```

(^{RULEMODIFIERS m=FRAGMENT {mods.add($m);}})?
  {discoverLexerRule((RuleAST)$RULE, $TOKEN_REF, mods, (GrammarAST)input.LT(1));}
  lexerRuleBlock
  {
  finishLexerRule((RuleAST)$RULE, $TOKEN_REF, $lexerRuleBlock.start);
  currentRuleName=null; currentRuleAST=null;
  }
  )
;

rule
@init {
enterRule($start);
List<GrammarAST> mods = new ArrayList<GrammarAST>();
List<GrammarAST> actions = new ArrayList<GrammarAST>(); // track roots
currentOuterAltNumber=0;
}
@after {
exitRule($start);
}
: ^( RULE RULE_REF {currentRuleName=$RULE_REF.text; currentRuleAST=$RULE;}
(^{RULEMODIFIERS (m=ruleModifier {mods.add($m.start);})+})?
ARG_ACTION?
  ret=ruleReturns?
  thr=throwsSpec?
  loc=locals?
  ( opts=optionsSpec
| a=ruleAction {actions.add($a.start);}
)*
  {discoverRule((RuleAST)$RULE, $RULE_REF, mods, (ActionAST)$ARG_ACTION,
  $ret.start!=null?(ActionAST)$ret.start.getChild(0):null,
  $thr.start, $opts.start,
  $loc.start!=null?(ActionAST)$loc.start.getChild(0):null,
  actions, (GrammarAST)input.LT(1));}
  ruleBlock exceptionGroup
  {finishRule((RuleAST)$RULE, $RULE_REF, $ruleBlock.start); currentRuleName=null; currentRuleAST=null;}
  )
;

exceptionGroup
@init {
enterExceptionGroup($start);
}
@after {
exitExceptionGroup($start);
}
: exceptionHandler* finallyClause?
;

```

```
exceptionHandler
@init {
  enterExceptionHandler($start);
}
@after {
  exitExceptionHandler($start);
}
: ^(CATCH ARG_ACTION ACTION) {ruleCatch($ARG_ACTION, (ActionAST)$ACTION);}
;
```

```
finallyClause
@init {
  enterFinallyClause($start);
}
@after {
  exitFinallyClause($start);
}
: ^(FINALLY ACTION) {finallyAction((ActionAST)$ACTION);}
;
```

```
locals
@init {
  enterLocals($start);
}
@after {
  exitLocals($start);
}
: ^(LOCALS ARG_ACTION)
;
```

```
ruleReturns
@init {
  enterRuleReturns($start);
}
@after {
  exitRuleReturns($start);
}
: ^(RETURNS ARG_ACTION)
;
```

```
throwsSpec
@init {
  enterThrowsSpec($start);
}
@after {
  exitThrowsSpec($start);
}
;
```



```

: ^(THROWS ID+)
;

ruleAction
@init {
  enterRuleAction($start);
}
@after {
  exitRuleAction($start);
}
: ^(AT ID ACTION)
;

ruleModifier
@init {
  enterRuleModifier($start);
}
@after {
  exitRuleModifier($start);
}
: PUBLIC
| PRIVATE
| PROTECTED
| FRAGMENT
;

lexerRuleBlock
@init {
  enterLexerRuleBlock($start);
}
@after {
  exitLexerRuleBlock($start);
}
: ^( BLOCK
  ( {
    currentOuterAltRoot = (GrammarAST)input.LT(1);
    currentOuterAltNumber++;
  }
  lexerOuterAlternative
  )+
  )
;

ruleBlock
@init {
  enterRuleBlock($start);
}
@after {

```

```

exitRuleBlock($start);
}
: ^( BLOCK
  ( {
    currentOuterAltRoot = (GrammarAST)input.LT(1);
    currentOuterAltNumber++;
  }
  outerAlternative
)+
)
;

lexerOuterAlternative
@init {
  enterLexerOuterAlternative((AltAST)$start);
  discoverOuterAlt((AltAST)$start);
}
@after {
  finishOuterAlt((AltAST)$start);
  exitLexerOuterAlternative((AltAST)$start);
}
: lexerAlternative
;

outerAlternative
@init {
  enterOuterAlternative((AltAST)$start);
  discoverOuterAlt((AltAST)$start);
}
@after {
  finishOuterAlt((AltAST)$start);
  exitOuterAlternative((AltAST)$start);
}
: alternative
;

lexerAlternative
@init {
  enterLexerAlternative($start);
}
@after {
  exitLexerAlternative($start);
}
: ^(LEXER_ALT_ACTION lexerElements lexerCommand+)
  | lexerElements
;

```

```
lexerElements
@init {
  enterLexerElements($start);
}
@after {
  exitLexerElements($start);
}
: ^(ALT lexerElement+)
;
```

```
lexerElement
@init {
  enterLexerElement($start);
}
@after {
  exitLexerElement($start);
}
: labeledLexerElement
| lexerAtom
| lexerSubrule
| ACTION {actionInAlt((ActionAST)$ACTION);}
| SEMPRED {sempredInAlt((PredAST)$SEMPRED);}
| ^(ACTION elementOptions) {actionInAlt((ActionAST)$ACTION);}
| ^(SEMPRED elementOptions) {sempredInAlt((PredAST)$SEMPRED);}
| EPSILON
;
```

```
labeledLexerElement
@init {
  enterLabeledLexerElement($start);
}
@after {
  exitLabeledLexerElement($start);
}
: ^((ASSIGN|PLUS_ASSIGN) ID (lexerAtom|block))
;
```

```
lexerBlock
@init {
  enterLexerBlock($start);
}
@after {
  exitLexerBlock($start);
}
: ^(BLOCK optionsSpec? lexerAlternative+)
;
```

```
lexerAtom
```

```

@init {
  enterLexerAtom($start);
}
@after {
  exitLexerAtom($start);
}
: terminal
| ^(NOT blockSet)
| blockSet
| ^(WILDCARD elementOptions)
| WILDCARD
| LEXER_CHAR_SET
| range
| ruleref
;

```

actionElement

```

@init {
  enterActionElement($start);
}
@after {
  exitActionElement($start);
}
: ACTION
| ^(ACTION elementOptions)
| SEMPRED
| ^(SEMPRED elementOptions)
;

```

alternative

```

@init {
  enterAlternative((AltAST)$start);
  discoverAlt((AltAST)$start);
}
@after {
  finishAlt((AltAST)$start);
  exitAlternative((AltAST)$start);
}
: ^(ALT elementOptions? element+)
| ^(ALT elementOptions? EPSILON)
;

```

lexerCommand

```

@init {
  enterLexerCommand($start);
}
@after {
  exitLexerCommand($start);
}

```

```

}
: ^(LEXER_ACTION_CALL ID lexerCommandExpr)
  {lexerCallCommand(currentOuterAltNumber, $ID, $lexerCommandExpr.start);}
| ID
  {lexerCommand(currentOuterAltNumber, $ID);}
;

```

```

lexerCommandExpr
@init {
  enterLexerCommandExpr($start);
}
@after {
  exitLexerCommandExpr($start);
}
: ID
| INT
;

```

```

element
@init {
  enterElement($start);
}
@after {
  exitElement($start);
}
: labeledElement
| atom
| subrule
| ACTION    {actionInAlt((ActionAST)$ACTION);}
| SEMPRED   {sempredInAlt((PredAST)$SEMPRED);}
| ^(ACTION elementOptions) {actionInAlt((ActionAST)$ACTION);}
| ^(SEMPRED elementOptions) {sempredInAlt((PredAST)$SEMPRED);}
| range
| ^(NOT blockSet)
| ^(NOT block)
;

```

```

astOperand
@init {
  enterAstOperand($start);
}
@after {
  exitAstOperand($start);
}
: atom
| ^(NOT blockSet)
| ^(NOT block)
;

```

```
labeledElement
@init {
  enterLabeledElement($start);
}
@after {
  exitLabeledElement($start);
}
: ^((ASSIGN|PLUS_ASSIGN) ID element) {label($start, $ID, $element.start);}
;
```

```
subrule
@init {
  enterSubrule($start);
}
@after {
  exitSubrule($start);
}
: ^(blockSuffix block)
| block
;
```

```
lexerSubrule
@init {
  enterLexerSubrule($start);
}
@after {
  exitLexerSubrule($start);
}
: ^(blockSuffix lexerBlock)
| lexerBlock
;
```

```
blockSuffix
@init {
  enterBlockSuffix($start);
}
@after {
  exitBlockSuffix($start);
}
: ebnfSuffix
;
```

```
ebnfSuffix
@init {
  enterEbnfSuffix($start);
}
@after {
```

```

exitEbnfSuffix($start);
}
: OPTIONAL
| CLOSURE
| POSITIVE_CLOSURE
;

```

atom

```

@init {
enterAtom($start);
}
@after {
exitAtom($start);
}
: ^(DOT ID terminal)
| ^(DOT ID ruleref)
| ^(WILDCARD elementOptions) {wildcardRef($WILDCARD);}
| WILDCARD {wildcardRef($WILDCARD);}
| terminal
| blockSet
| ruleref
;

```

blockSet

```

@init {
enterBlockSet($start);
}
@after {
exitBlockSet($start);
}
: ^(SET setElement+)
;

```

setElement

```

@init {
enterSetElement($start);
}
@after {
exitSetElement($start);
}
: ^(STRING_LITERAL elementOptions) {stringRef((TerminalAST)$STRING_LITERAL);}
| ^(TOKEN_REF elementOptions) {tokenRef((TerminalAST)$TOKEN_REF);}
| STRING_LITERAL {stringRef((TerminalAST)$STRING_LITERAL);}
| TOKEN_REF {tokenRef((TerminalAST)$TOKEN_REF);}
| ^(RANGE a=STRING_LITERAL b=STRING_LITERAL)
{
stringRef((TerminalAST)$a);
stringRef((TerminalAST)$b);
}

```

```

    }
    | LEXER_CHAR_SET
;

block
@init {
enterBlock($start);
}
@after {
exitBlock($start);
}
: ^(BLOCK optionsSpec? ruleAction* ACTION? alternative+)
;

ruleref
@init {
enterRuleref($start);
}
@after {
exitRuleref($start);
}
: ^(RULE_REF arg=ARG_ACTION? elementOptions?)
{
ruleRef($RULE_REF, (ActionAST)$ARG_ACTION);
if ( $arg!=null ) actionInAlt((ActionAST)$arg);
}
;

range
@init {
enterRange($start);
}
@after {
exitRange($start);
}
: ^(RANGE STRING_LITERAL STRING_LITERAL)
;

terminal
@init {
enterTerminal($start);
}
@after {
exitTerminal($start);
}
: ^(STRING_LITERAL elementOptions)
{stringRef((TerminalAST)$STRING_LITERAL);}
| STRING_LITERAL {stringRef((TerminalAST)$STRING_LITERAL);}

```



```

| ^(TOKEN_REF elementOptions) {tokenRef((TerminalAST)$TOKEN_REF);}
| TOKEN_REF      {tokenRef((TerminalAST)$TOKEN_REF);}
;

elementOptions
@init {
  enterElementOptions($start);
}
@after {
  exitElementOptions($start);
}
: ^(ELEMENT_OPTIONS elementOption[(GrammarASTWithOptions)$start.getParent()]*);

elementOption[GrammarASTWithOptions t]
@init {
  enterElementOption($start);
}
@after {
  exitElementOption($start);
}
: ID      {elementOption(t, $ID, null);}
| ^(ASSIGN id=ID v=ID) {elementOption(t, $id, $v);}
| ^(ASSIGN ID v=STRING_LITERAL) {elementOption(t, $ID, $v);}
| ^(ASSIGN ID v=ACTION) {elementOption(t, $ID, $v);}
| ^(ASSIGN ID v=INT) {elementOption(t, $ID, $v);}
;

```

Found in path(s):

\* /opt/cola/permits/1192255793\_1629156080.64/0/antlr4-4-8-1-sources-1-jar/org/antlr/v4/parse/GrammarTreeVisitor.g

No license file was found, but licenses were detected in source scan.

```

/*
 * [The "BSD license"]
 * Copyright (c) 2012-2016 Terence Parr
 * Copyright (c) 2012-2016 Sam Harwell
 * All rights reserved.
 *
 * Redistribution and use in source and binary forms, with or without
 * modification, are permitted provided that the following conditions
 * are met:
 *
 * 1. Redistributions of source code must retain the above copyright
 * notice, this list of conditions and the following disclaimer.
 * 2. Redistributions in binary form must reproduce the above copyright
 * notice, this list of conditions and the following disclaimer in the
 * documentation and/or other materials provided with the distribution.

```

```

* 3. The name of the author may not be used to endorse or promote products
*   derived from this software without specific prior written permission.
*
* THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR
* IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.
* IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,
* INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT
* NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
* DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
* THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
* (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF
* THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
*/

```

```

/** How to generate rules derived from left-recursive rules.
* These rely on recRuleAltPredicate(),
* recRuleArg(), recRuleSetResultAction(), recRuleSetReturnAction()
* templates in main language.stg
*/

```

```

group LeftRecursiveRules;

```

```

recRule(ruleName, argName, primaryAlts, opAlts, setResultAction,
        userRetvals, leftRecursiveRuleRefLabels) ::=

```

```

<<
<ruleName><if(userRetvals)> returns [<userRetvals>]<endif>
: ( { } <primaryAlts:{ alt | <alt.altText> }; separator="\n    | ">
  )
  (
    <opAlts; separator="\n    | ">
  )*
;
>>

```

```

recRuleAlt(alt, precOption, opPrec, pred) ::= <<
{<pred>}?<<precOption>=<opPrec>> <alt.altText>
>>

```

Found in path(s):

```

* /opt/cola/permits/1192255793_1629156080.64/0/antlr4-4-8-1-sources-1-
jar/org/antlr/v4/tool/templates/LeftRecursiveRules.stg

```

No license file was found, but licenses were detected in source scan.

```

/*
* [The "BSD license"]
* Copyright (c) 2012-2016 Terence Parr
* Copyright (c) 2012-2016 Sam Harwell
* All rights reserved.

```

```

*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
* notice, this list of conditions and the following disclaimer.
* 2. Redistributions in binary form must reproduce the above copyright
* notice, this list of conditions and the following disclaimer in the
* documentation and/or other materials provided with the distribution.
* 3. The name of the author may not be used to endorse or promote products
* derived from this software without specific prior written permission.
*
* THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR
* IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.
* IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,
* INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT
* NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
* DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
* THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
* (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF
* THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
*/

```

```

// File   : A3Lexer.g
// Author  : Jim Idle (jimi@temporal-wave.com)
// Copyright : Free BSD - See @header clause below
// Version  : First implemented as part of ANTLR 3.2 this is the self
//           hosting ANTLR 3 Lexer.
//
// Description
// -----
// This is the definitive lexer grammar for parsing ANTLR V3.x.x grammars. All other
// grammars are derived from this grammar via source code control integration (perforce)
// or by the gdiff tool.
//
// This grammar and its associated grmmars A3Parser.g and A3Walker.g exhibit the following
// traits, which are recommended for all production quality grammars:
//
// 1) They are separate grammars, not composite grammars;
// 2) They implement all supporting methods in a superclass (at least this is recommended
//    for language targets that support inheritance;
// 3) All errors are pushed as far down the parsing chain as possible, which means
//    that the lexer tries to defer error reporting to the parser, and the parser
//    tries to defer error reporting to a semantic phase consisting of a single
//    walk of the AST. The reason for this is that the error messages produced
//    from later phases of the parse will generally have better context and so

```

```
// be more useful to the end user. Consider the message: "Syntax error at 'options'"
// vs: "You cannot specify two options{ } sections in a single grammar file".
// 4) The lexer is 'programmed' to catch common mistakes such as unterminated literals
// and report them specifically and not just issue confusing lexer mismatch errors.
//
```

```
/** Read in an ANTLR grammar and build an AST. Try not to do
 * any actions, just build the tree.
 *
 * The phases are:
 *
 * A3Lexer.g (this file)
 *     A3Parser.g
 *     A3Verify.g (derived from A3Walker.g)
 * assign.types.g
 * define.g
 * buildnfa.g
 * antlr.print.g (optional)
 * codegen.g
 *
 * Terence Parr
 * University of San Francisco
 * 2005
 * Jim Idle (this v3 grammar)
 * Temporal Wave LLC
 * 2009
 */
lexer grammar ANTLRLexer;
```

```
// =====
// Note that while this grammar does not care about order of constructs
// that don't really matter, such as options before @header etc, it must first
// be parsed by the original v2 parser, before it replaces it. That parser does
// care about order of structures. Hence we are constrained by the v2 parser
// for at least the first bootstrap release that causes this parser to replace
// the v2 version.
// =====
```

```
// -----
// Options
//
// V3 option directives to tell the tool what we are asking of it for this
// grammar.
//
options {
```

```
// Target language is Java, which is the default but being specific
// here as this grammar is also meant as a good example grammar for
```

```

// for users.
//
language    = Java;

// The super class that this lexer should expect to inherit from, and
// which contains any and all support routines for the lexer. This is
// commented out in this baseline (definitive or normative grammar)
// - see the ANTLR tool implementation for hints on how to use the super
// class
//
//superclass = AbstractA3Lexer;
}

```

```
tokens { SEMPRED; TOKEN_REF; RULE_REF; LEXER_CHAR_SET; ARG_ACTION; }
```

```

// Include the copyright in this source and also the generated source
//

```

```

@lexer::header {
/*
[The "BSD licence"]
Copyright (c) 2005-2009 Terence Parr
All rights reserved.

```

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The name of the author may not be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

```

*/
package org.antlr.v4.parse;
import org.antlr.v4.tool.*;
import org.antlr.v4.runtime.misc.Interval;

```

```

}

@members {
public static final int COMMENTS_CHANNEL = 2;

    public CommonTokenStream tokens; // track stream we push to; need for context info
    public boolean isLexerRule = false;

public void grammarError(ErrorType etype, org.antlr.runtime.Token token, Object... args) { }

/** scan backwards from current point in this.tokens list
 * looking for the start of the rule or subrule.
 * Return token or null if for some reason we can't find the start.
 */
public Token getRuleOrSubruleStartToken() {
    if ( tokens==null ) return null;
    int i = tokens.index();
    int n = tokens.size();
    if ( i>=n ) i = n-1; // seems index == n as we lex
    while ( i>=0 && i<n ) {
        int ttype = tokens.get(i).getType();
        if ( ttype == LPAREN || ttype == TOKEN_REF || ttype == RULE_REF ) {
            return tokens.get(i);
        }
        i--;
    }
    return null;
}

// -----
// Comments
//
// ANTLR comments can be multi or single line and we don't care
// which particularly. However we also accept Javadoc style comments
// of the form: /** ... */ and we do take care to distinguish those
// from ordinary multi-line comments
// Note how we guide the lexical PATH because we want to issue a decriptive
// error message in case of a standalone '/' character, which makes no
// sense in ANTLR source code. We also trap unterminated multi-line comments
//
fragment DOC_COMMENT : ;
COMMENT
@init {

    // Record the start line and offsets as if we need to report an
    // unterminated comment, then we want to show the start of the comment

```

```

// we think is broken, not the end, where people will have to try and work
// it out themselves.
//
int startLine = $line;
int offset = getCharPositionInLine();
}
: // Eat the first character only, then see if we have a comment
// or something silly.
//
'/' // Comment introducer

(
// Single line comment, possibly with embedded src/line directives
// in a similar style to the C pre-processor, allowing generated
// code to refer the programmer back to the original source code
// in case of error.
//
'/'
(
(' $ANTLR')=> ' $ANTLR' SRC
| ~(NLCHARS)*
)

| // Multi-line comment, which may be a documentation comment
// if it starts /** (note that we protect against accidentally
// recognizing a comment /**/ as a documentation comment
//
'/**' (
{ input.LA(2) != '/' }?=> '/*' { $type = DOC_COMMENT; }
| { true }?=> // Required to cover all alts with predicates
)

// Should we support embedded multiline comments here?
//
(
// Pick out end of multiline comment and exit the loop
// if we find it.
//
{ !(input.LA(1) == '*' && input.LA(2) == '/') }?

// Anything else other than the non-greedy match of
// the comment close sequence
//
.
)*
(
// Look for the comment terminator, but if it is accidentally
// unterminated, then we will hit EOF, which will trigger the

```

```

        // epsilon alt and hence we can issue an error message relative
        // to the start of the unterminated multi-line comment
        //
        /*'

|// Unterminated comment!
//
{
    // ErrorManager.msg(Msg.UNTERMINATED_DOC_COMMENT, startLine, offset, $pos, startLine,
offset, $pos, (Object)null);
}
)

|// There was nothing that made sense following the opening '/' and so
// we issue an error regarding the malformed comment
//
{
    // TODO: Insert error message relative to comment start
    //
}
)
{
    // We do not wish to pass the comments in to the parser. If you are
    // writing a formatter then you will want to preserve the comments off
    // channel, but could just skip and save token space if not.
    //
    $channel=COMMENTS_CHANNEL;
}
;

```

ARG\_OR\_CHARSET

```

options {k=1;}
: {isLexerRule}?=> LEXER_CHAR_SET {$type=LEXER_CHAR_SET;}
| {!isLexerRule}?=> ARG_ACTION
{
    $type=ARG_ACTION;
    // Set the token text to our gathered string minus outer [ ]
    String t = $text;
    t = t.substring(1,t.length()-1);
    setText(t);
}
;

```

fragment

LEXER\_CHAR\_SET

```

: '['
( '\\ ~(\r|\n)
| ~(\r|\n|\\|']')

```



```

)*
']
;

// -----
// Argument specs
//
// Certain argument lists, such as those specifying call parameters
// to a rule invocation, or input parameters to a rule specification
// are contained within square brackets. In the lexer we consume them
// all at once and sort them out later in the grammar analysis.
//
fragment
ARG_ACTION
: '['
  (
    ARG_ACTION

    | ("")=>ACTION_STRING_LITERAL

    | ("\")=>ACTION_CHAR_LITERAL

    | ~('[']')
  )*
  ']'
;

// -----
// Actions
//
// Other than making sure to distinguish between { and } embedded
// within what we have assumed to be literals in the action code, the
// job of the lexer is merely to gather the code within the action
// (delimited by { }) and pass it to the parser as a single token.
// We know that this token will be asked for its text somewhere
// in the upcoming parse, so setting the text here to exclude
// the delimiting { } is no additional overhead.
//
ACTION
: NESTED_ACTION
  ('?' {$type = SEMPRE;}
  ( (WSNLCHARS* '=>') => WSNLCHARS* '=>' // v3 gated sempred
  {
    Token t = new CommonToken(input, state.type, state.channel, state.tokenStartCharIndex, getCharIndex()-1);
    t.setLine(state.tokenStartLine);
    t.setText(state.text);
    t.setCharPositionInLine(state.tokenStartCharPositionInLine);
  }
  )
  )

```

```

    grammarError(ErrorType.V3_GATED_SEMPRED, t);
    }
    )?
    )?
    ;

// -----
// Action structure
//
// Many language targets use {} as block delimiters and so we
// must recursively match {} delimited blocks to balance the
// braces. Additionally, we must make some assumptions about
// literal string representation in the target language. We assume
// that they are delimited by ' or " and so consume these
// in their own alts so as not to inadvertently match {}.
// This rule calls itself on matching a {
//
fragment
NESTED_ACTION
@init {

    // Record the start line and offsets as if we need to report an
    // unterminated block, then we want to show the start of the comment
    // we think is broken, not the end, where people will have to try and work
    // it out themselves.
    //
    int startLine = getLine();
    int offset = getCharPositionInLine();
}

: // Action and other blocks start with opening {
  //
  '{'
  (
    // And now we can match one of a number of embedded
    // elements within the action until we find a
    // } that balances the opening {. If we do not find
    // the balanced } then we will hit EOF and can issue
    // an error message about the brace that we believe to
    // be mismatched. This won't be foolproof but we will
    // be able to at least report an error against the
    // opening brace that we feel is in error and this will
    // guide the user to the correction as best we can.
    //
    // An embedded {} block
    //

```

NESTED\_ACTION

```
|// What appears to be a literal  
//  
ACTION_CHAR_LITERAL
```

```
|// We have assumed that the target language has C/Java  
// type comments.  
//  
COMMENT
```

```
|// What appears to be a literal  
//  
ACTION_STRING_LITERAL
```

```
|// What appears to be an escape sequence  
//  
ACTION_ESC
```

```
|// Some other single character that is not  
// handled above  
//  
~(\\|\"|'|{|})
```

)\*

(

```
// Correctly balanced closing brace  
//  
'}'
```

```
|// Looks like have an imbalanced {} block, report  
// with respect to the opening brace.  
//  
{  
    // TODO: Report imbalanced { }  
    System.out.println("Block starting at line " + startLine + " offset " + (offset+1) + " contains imbalanced { } or  
is missing a }");  
}  
)  
;
```

// Keywords

// -----

// keywords used to specify ANTLR v3 grammars. Keywords may not be used as

// labels for rules or in any other context where they would be ambiguous

// with the keyword vs some other identifier

```

// OPTIONS, TOKENS, and CHANNELS must also consume the opening brace that captures
// their option block, as this is the easiest way to parse it separate
// to an ACTION block, despite it using the same {} delimiters.
//
OPTIONS   : 'options' WSNLCHARS* '{' ;
TOKENS_SPEC : 'tokens' WSNLCHARS* '{' ;
CHANNELS   : 'channels' WSNLCHARS* '{' ;

IMPORT    : 'import'      ;
FRAGMENT  : 'fragment'   ;
LEXER     : 'lexer'      ;
PARSER    : 'parser'     ;
GRAMMAR   : 'grammar'    ;
TREE_GRAMMAR : 'tree' WSNLCHARS* 'grammar' ;
PROTECTED : 'protected'  ;
PUBLIC    : 'public'     ;
PRIVATE   : 'private'    ;
RETURNS   : 'returns'    ;
LOCALS    : 'locals'     ;
THROWS    : 'throws'     ;
CATCH     : 'catch'      ;
FINALLY   : 'finally'    ;
MODE      : 'mode'       ;

// -----
// Punctuation
//
// Character sequences used as separators, delimiters, operators, etc
//
COLON     : ':'
    {
        // scan backwards, looking for a RULE_REF or TOKEN_REF.
        // which would indicate the start of a rule definition.
        // If we see a LPAREN, then it's the start of the subrule.
        // this.tokens is the token string we are pushing into, so
        // just loop backwards looking for a rule definition. Then
        // we set isLexerRule.
        Token t = getRuleOrSubruleStartToken();
        if ( t!=null ) {
            if ( t.getType()==RULE_REF ) isLexerRule = false;
            else if ( t.getType()==TOKEN_REF ) isLexerRule = true;
            // else must be subrule; don't alter context
        }
    }
;

COLONCOLON : '::'      ;
COMMA     : ','       ;
SEMI      : ';'       ;

```

```

LPAREN  : '('      ;
RPAREN  : ')'      ;
RARROW  : '->'    ;
LT      : '<'      ;
GT      : '>'      ;
ASSIGN  : '='      ;
QUESTION : '?'     ;
SYNPRED : '=>'    ;
    {
        Token t = new CommonToken(input, state.type, state.channel,
            state.tokenStartCharIndex, getCharIndex()-1);
        t.setLine(state.tokenStartLine);
        t.setText(state.text);
        t.setCharPositionInLine(state.tokenStartCharPositionInLine);
        grammarError(ErrorType.V3_SYNPRED, t);
        $channel=HIDDEN;
    }
    ;
STAR    : '*'      ;
PLUS    : '+'      ;
PLUS_ASSIGN : '+='  ;
OR      : '|'      ;
DOLLAR  : '$'      ;
DOT     : '.'      ; // can be WILDCARD or DOT in qid or imported rule ref
RANGE   : '..'     ;
AT      : '@'      ;
POUND   : '#'      ;
NOT     : '~'      ;
RBRACE  : '}'      ;

```

/\*\* Allow unicode rule/token names \*/

```

ID : a=NameStartChar NameChar*
    {
        if ( Grammar.isTokenName($a.text) ) $type = TOKEN_REF;
        else $type = RULE_REF;
    }
    ;

```

fragment

```

NameChar : NameStartChar
    | '0'..'9'
    | '_'
    | '\u00B7'
    | '\u0300..\u036F'
    | '\u203F..\u2040'
    ;

```

fragment

## NameStartChar

```
: 'A'..'Z' | 'a'..'z'
| '\u00C0'..'u00D6'
| '\u00D8'..'u00F6'
| '\u00F8'..'u02FF'
| '\u0370'..'u037D'
| '\u037F'..'u1FFF'
| '\u200C'..'u200D'
| '\u2070'..'u218F'
| '\u2C00'..'u2FEF'
| '\u3001'..'uD7FF'
| '\uF900'..'uFDCF'
| '\uFDF0'..'uFEFE'
| '\uFF00'..'uFFFD'
; // ignores | [\u10000-\uEFFFF] ;

// -----
// Literals embedded in actions
//
// Note that we have made the assumption that the language used within
// actions uses the fairly standard " and ' delimiters for literals and
// that within these literals, characters are escaped using the \ character.
// There are some languages which do not conform to this in all cases, such
// as by using /string/ and so on. We will have to deal with such cases if
// if they come up in targets.
//
// Within actions, or other structures that are not part of the ANTLR
// syntax, we may encounter literal characters. Within these, we do
// not want to inadvertently match things like '}' and so we eat them
// specifically. While this rule is called CHAR it allows for the fact that
// some languages may use/allow ' as the string delimiter.
//
fragment
ACTION_CHAR_LITERAL
: "\"" ((\\)=>ACTION_ESC | ~\" )* "\""
;

// Within actions, or other structures that are not part of the ANTLR
// syntax, we may encounter literal strings. Within these, we do
// not want to inadvertently match things like '}' and so we eat them
// specifically.
//
fragment
ACTION_STRING_LITERAL
: """" ((\\)=>ACTION_ESC | ~"" )* """"
;
```

```

// Within literal strings and characters that are not part of the ANTLR
// syntax, we must allow for escaped character sequences so that we do not
// inadvertently recognize the end of a string or character when the terminating
// delimiter has been escaped.
//
fragment
ACTION_ESC
: '\\' .
;

// -----
// Integer
//
// Obviously (I hope) match an arbitrary long sequence of digits.
//
INT : ('0'..'9')+
;

// -----
// Source spec
//
// A fragment rule for picking up information about an originating
// file from which the grammar we are parsing has been generated. This allows
// ANTLR to report errors against the originating file and not the generated
// file.
//
fragment
SRC : 'src' WSCHARS+ file=ACTION_STRING_LITERAL WSCHARS+ line=INT
{
    // TODO: Add target specific code to change the source file name and current line number
    //
}
;

// -----
// Literal string
//
// ANTLR makes no distinction between a single character literal and a
// multi-character string. All literals are single quote delimited and
// may contain unicode escape sequences of the form \uxxxx or \u{xxxxxx},
// where x is a valid hexadecimal number.
STRING_LITERAL
: '\" ( ( ESC_SEQ | ~('\\|\"|\"r|\"n') ) ) *
( '\"
| // Unterminated string literal
{
    Token t = new CommonToken(input, state.type, state.channel, state.tokenStartCharIndex, getCharIndex()-1);
    t.setLine(state.tokenStartLine);
}

```

```

        t.setText(state.text);
        t.setCharacterInLine(state.tokenStartCharPositionInLine);
        grammarError(ErrorType.UNTERMINATED_STRING_LITERAL, t);
    }
)
;

// A valid hex digit specification
//
fragment
HEX_DIGIT : ('0'..'9'|'a'..'f'|'A'..'F') ;

// Any kind of escaped character that we can embed within ANTLR
// literal strings.
//
fragment
ESC_SEQ
: '\w'
(
    // The standard escaped character set such as tab, newline, etc...
    'b'|'t'|'n'|'f'|'r'|'\''|'\"'

    | // A Java style Unicode escape sequence
    UNICODE_ESC

    | // A Swift/Hack style Unicode escape sequence
    UNICODE_EXTENDED_ESC

    | // An illegal escape sequence
    ~(b|t|n|f|r|'\'|'\"|'u') // \x for any invalid x (make sure to match char here)
    {
        Token t = new CommonToken(input, state.type, state.channel, getCharIndex()-2, getCharIndex()-1);
        t.setText(t.getText());
        t.setLine(input.getLine());
        t.setCharacterInLine(input.getCharPositionInLine()-2);
        grammarError(ErrorType.INVALID_ESCAPE_SEQUENCE, t, input.substring(getCharIndex()-
2,getCharIndex()-1));
    }
)
;

fragment
UNICODE_ESC
@init {

    // Flag to tell us whether we have a valid number of
    // hex digits in the escape sequence
    //

```



```

int hCount = 0;
}
: 'u' // Leadin for unicode escape sequence

// We now require 4 hex digits. Note though
// that we accept any number of characters
// and issue an error if we do not get 4. We cannot
// use an infinite count such as + because this
// might consume too many, so we lay out the lexical
// options and issue an error at the invalid paths.
//
(
(
HEX_DIGIT { hCount++; }
(
HEX_DIGIT { hCount++; }
(
HEX_DIGIT { hCount++; }
(
// Four valid hex digits, we are good
//
HEX_DIGIT { hCount++; }

|// Three valid digits
)

|// Two valid digits
)

|// One valid digit
)
)
|// No valid hex digits at all
)

// Now check the digit count and issue an error if we need to
//
{
if (hCount < 4) {
Interval badRange = Interval.of(getCharIndex()-2-hCount, getCharIndex());
String lastChar = input.substring(badRange.b, badRange.b);
if ( lastChar.codePointAt(0)=="\") {
badRange.b--;
}
String bad = input.substring(badRange.a, badRange.b);
Token t = new CommonToken(input, state.type, state.channel, badRange.a, badRange.b);
t.setLine(input.getLine());
t.setCharPositionInLine(input.getCharPositionInLine()-hCount-2);
}
}

```

```

        grammarError(ErrorType.INVALID_ESCAPE_SEQUENCE, t, bad);
    }
}
;

fragment
UNICODE_EXTENDED_ESC
: 'u{' // Leadin for unicode extended escape sequence

    HEX_DIGIT+ // One or more hexadecimal digits

    '}' // Leadout for unicode extended escape sequence

// Now check the digit count and issue an error if we need to
{
    int numDigits = getCharIndex()-state.tokenStartCharIndex-6;
    if (numDigits > 6) {
        Token t = new CommonToken(input, state.type, state.channel, state.tokenStartCharIndex, getCharIndex()-
1);
        t.setText(t.getText());
        t.setLine(input.getLine());
        t.setCharPositionInLine(input.getCharPositionInLine()-numDigits);
        grammarError(ErrorType.INVALID_ESCAPE_SEQUENCE, t,
input.substring(state.tokenStartCharIndex,getCharIndex()-1));
    }
}
;

// -----
// Whitespace
//
// Characters and character constructs that are of no import
// to the parser and are used to make the grammar easier to read
// for humans.
//
WS
: (
    ' '
    | '\t'
    | '\r'
    | '\n'
    | '\f'
)+
{$channel=HIDDEN;}
;

// A fragment rule for use in recognizing end of line in
// rules like COMMENT.

```

```

//
fragment
NLCHARS
: '\n' | '\r'
;

// A fragment rule for recognizing traditional whitespace
// characters within lexer rules.
//
fragment
WSCHARS
: ' ' | '\t' | '\f'
;

// A fragment rule for recognizing both traditional whitespace and
// end of line markers, when we don't care to distinguish but don't
// want any action code going on.
//
fragment
WSNLCHARS
: ' ' | '\t' | '\f' | '\n' | '\r'
;

// This rule allows ANTLR 4 to parse grammars using the UTF-8 encoding with a
// byte order mark. Since this Unicode character doesn't appear as a token
// anywhere else in the grammar, we can simply skip all instances of it without
// problem. This rule will not break usage of \uFEFF inside a LEXER_CHAR_SET or
// STRING_LITERAL.
UnicodeBOM
: '\uFEFF' {skip();}
;

// -----
// Illegal Character
//
// This is an illegal character trap which is always the last rule in the
// lexer specification. It matches a single character of any value and being
// the last rule in the file will match when no other rule knows what to do
// about the character. It is reported as an error but is not passed on to the
// parser. This means that the parser to deal with the gramamr file anyway
// but we will not try to analyse or code generate from a file with lexical
// errors.
//
ERRCHAR
: .
{
    Token t = new CommonToken(input, state.type, state.channel, state.tokenStartCharIndex, getCharIndex()-1);
    t.setLine(state.tokenStartLine);
}

```

```
t.setText(state.text);
t.setCharPositionInLine(state.tokenStartCharPositionInLine);
String msg = getTokenErrorDisplay(t) + " came as a complete surprise to me";
grammarError(ErrorType.SYNTAX_ERROR, t, msg);
state.syntaxErrors++;
skip();
}
;
```

Found in path(s):

```
* /opt/cola/permits/1192255793_1629156080.64/0/antlr4-4-8-1-sources-1-jar/org/antlr/v4/parse/ANTLRLexer.g
No license file was found, but licenses were detected in source scan.
```

```
/*
[The "BSD licence"]
Copyright (c) 2005-20012 Terence Parr
All rights reserved.
```

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The name of the author may not be used to endorse or promote products derived from this software without specific prior written permission.

```
THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR
IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.
IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,
INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT
NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF
THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
*/
```

Found in path(s):

```
* /opt/cola/permits/1192255793_1629156080.64/0/antlr4-4-8-1-sources-1-jar/org/antlr/v4/parse/ANTLRParser.java
No license file was found, but licenses were detected in source scan.
```

```
/*
* [The "BSD license"]
* Copyright (c) 2012-2016 Terence Parr
```

\* Copyright (c) 2012-2016 Sam Harwell  
 \* All rights reserved.  
 \*  
 \* Redistribution and use in source and binary forms, with or without  
 \* modification, are permitted provided that the following conditions  
 \* are met:  
 \*  
 \* 1. Redistributions of source code must retain the above copyright  
 \* notice, this list of conditions and the following disclaimer.  
 \* 2. Redistributions in binary form must reproduce the above copyright  
 \* notice, this list of conditions and the following disclaimer in the  
 \* documentation and/or other materials provided with the distribution.  
 \* 3. The name of the author may not be used to endorse or promote products  
 \* derived from this software without specific prior written permission.  
 \*  
 \* THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR  
 \* IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES  
 \* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.  
 \* IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,  
 \* INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT  
 \* NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,  
 \* DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY  
 \* THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT  
 \* (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF  
 \* THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.  
 \*/

```
javaTypeInitMap ::= [
  "int": "0",
  "long": "0",
  "float": "0.0f",
  "double": "0.0",
  "boolean": "false",
  "byte": "0",
  "short": "0",
  "char": "0",
  default: "null" // anything other than a primitive type is an object
]
```

```
// args must be <object-model-object>, <fields-resulting-in-STs>
```

```
ParserFile(file, parser, namedActions, contextSuperClass) ::= <<
<fileHeader(file.grammarFileName, file.ANTLRVersion)>
<if(file.genPackage)>
package <file.genPackage>;
<endif>
<namedActions.header>
import org.antlr.v4.runtime.atn.*;
```

```

import org.antlr.v4.runtime.dfa.DFA;
import org.antlr.v4.runtime.*;
import org.antlr.v4.runtime.misc.*;
import org.antlr.v4.runtime.tree.*;
import java.util.List;
import java.util.Iterator;
import java.util.ArrayList;

<parser>
>>

ListenerFile(file, header, namedActions) ::= <<
<fileHeader(file.grammarFileName, file.ANTLRVersion)>
<if(file.genPackage)>
package <file.genPackage>;
<endif>
<header>
import org.antlr.v4.runtime.tree.ParseTreeListener;

/**
 * This interface defines a complete listener for a parse tree produced by
 * { @link <file.parserName> }.
 */
public interface <file.grammarName>Listener extends ParseTreeListener {
    <file.listenerNames> {Iname |
/**
<if(file.listenerLabelRuleNames.(Iname))>
 * Enter a parse tree produced by the { @code <Iname>\}
 * labeled alternative in { @link <file.parserName>#<file.listenerLabelRuleNames.(Iname)>\}.
<else>
 * Enter a parse tree produced by { @link <file.parserName>#<Iname>\}.
<endif>
 * @param ctx the parse tree
 */
void enter<Iname; format="cap">(<file.parserName>.<Iname; format="cap">Context ctx);
/**
<if(file.listenerLabelRuleNames.(Iname))>
 * Exit a parse tree produced by the { @code <Iname>\}
 * labeled alternative in { @link <file.parserName>#<file.listenerLabelRuleNames.(Iname)>\}.
<else>
 * Exit a parse tree produced by { @link <file.parserName>#<Iname>\}.
<endif>
 * @param ctx the parse tree
 */
void exit<Iname; format="cap">(<file.parserName>.<Iname; format="cap">Context ctx);}; separator="\n">
}
>>

```

```

BaseListenerFile(file, header, namedActions) ::= <<
<fileHeader(file.grammarFileName, file.ANTLRVersion)>
<if(file.genPackage)>
package <file.genPackage>;
<endif>
<header>

import org.antlr.v4.runtime.ParserRuleContext;
import org.antlr.v4.runtime.tree.ErrorNode;
import org.antlr.v4.runtime.tree.TerminalNode;

/**
 * This class provides an empty implementation of { @link <file.grammarName>Listener},
 * which can be extended to create a listener which only needs to handle a subset
 * of the available methods.
 */
public class <file.grammarName>BaseListener implements <file.grammarName>Listener {
    <file.listenerNames: {lname |
/**
 * { @inheritDoc\}
 *
 * \<p>The default implementation does nothing.\</p>
 */
    @Override public void enter<lname; format="cap">(<file.parserName>.<lname; format="cap">Context ctx) { \}
/**
 * { @inheritDoc\}
 *
 * \<p>The default implementation does nothing.\</p>
 */
    @Override public void exit<lname; format="cap">(<file.parserName>.<lname; format="cap">Context ctx) { \} };
    separator="\n">

/**
 * { @inheritDoc\}
 *
 * \<p>The default implementation does nothing.\</p>
 */
    @Override public void enterEveryRule(ParserRuleContext ctx) { }
/**
 * { @inheritDoc\}
 *
 * \<p>The default implementation does nothing.\</p>
 */
    @Override public void exitEveryRule(ParserRuleContext ctx) { }
/**
 * { @inheritDoc\}
 *
 * \<p>The default implementation does nothing.\</p>

```

```

*/
@Override public void visitTerminal(TerminalNode node) { }
/**
 * { @inheritDoc\}
 *
 * \<p>The default implementation does nothing.\</p>
 */
@Override public void visitErrorNode(ErrorNode node) { }
}
>>

```

```

VisitorFile(file, header, namedActions) ::= <<
<fileHeader(file.grammarFileName, file.ANTLRVersion)>
<if(file.genPackage)>
package <file.genPackage>;
<endif>
<header>
import org.antlr.v4.runtime.tree.ParseTreeVisitor;

/**
 * This interface defines a complete generic visitor for a parse tree produced
 * by { @link <file.parserName> }.
 *
 * @param \<T> The return type of the visit operation. Use { @link Void } for
 * operations with no return type.
 */
public interface <file.grammarName>Visitor\<T> extends ParseTreeVisitor\<T> {
    <file.visitorNames:{ lname |
/**
<if(file.visitorLabelRuleNames.(lname))>
 * Visit a parse tree produced by the { @code <lname> }
 * labeled alternative in { @link <file.parserName>#<file.visitorLabelRuleNames.(lname)> }.
<else>
 * Visit a parse tree produced by { @link <file.parserName>#<lname> }.
<endif>
 * @param ctx the parse tree
 * @return the visitor result
 */
    T visit<lname; format="cap">(<file.parserName>.<lname; format="cap">Context ctx);}; separator="\n">
    }
>>

```

```

BaseVisitorFile(file, header, namedActions) ::= <<
<fileHeader(file.grammarFileName, file.ANTLRVersion)>
<if(file.genPackage)>
package <file.genPackage>;
<endif>
<header>

```



```

import org.antlr.v4.runtime.tree.AbstractParseTreeVisitor;

/**
 * This class provides an empty implementation of { @link <file.grammarName>Visitor},
 * which can be extended to create a visitor which only needs to handle a subset
 * of the available methods.
 *
 * @param \<T> The return type of the visit operation. Use { @link Void} for
 * operations with no return type.
 */
public class <file.grammarName>BaseVisitor<T> extends AbstractParseTreeVisitor<T> implements
<file.grammarName>Visitor<T> {
    <file.visitorNames>:{lname |
/**
 * { @inheritDoc\}
 *
 * \<p>The default implementation returns the result of calling
 * { @link #visitChildren\} on { @code ctx\}.\</p>
 */
    @Override public T visit<lname; format="cap">(<file.parserName>.<lname; format="cap">Context ctx) { return
    visitChildren(ctx; \}); separator="\n">
    }
    >>

fileHeader(grammarFileName, ANTLRVersion) ::= <<
// Generated from <grammarFileName; format="java-escape"> by ANTLR <ANTLRVersion>
>>

Parser(parser, funcs, atn, sempredFuncs, superClass) ::= <<
<Parser_(ctor="parser_ctor", ...)>
>>

Parser_(parser, funcs, atn, sempredFuncs, ctor, superClass) ::= <<
@SuppressWarnings({"all", "warnings", "unchecked", "unused", "cast"})
public class <parser.name> extends <superClass; null="Parser"> {
    static { RuntimeMetaData.checkVersion("<file.ANTLRVersion>", RuntimeMetaData.VERSION); }

    protected static final DFA[] _decisionToDFA;
    protected static final PredictionContextCache _sharedContextCache =
        new PredictionContextCache();
    <if(parser.tokens)>
    public static final int
    <parser.tokens:{k | <k>=<parser.tokens.(k)>}; separator=", ", wrap, anchor>;
    <endif>
    public static final int
    <parser.rules:{r | RULE_<r.name> = <r.index>}; separator=", ", wrap, anchor>;
    private static String[] makeRuleNames() {
        return new String[] {

```

```

    <parser.ruleNames:{r | "<r>"}; separator=", ", wrap, anchor>
    };
    }
    public static final String[] ruleNames = makeRuleNames();

    <vocabulary(parser.literalNames, parser.symbolicNames)>

    @Override
    public String getGrammarFileName() { return "<parser.grammarFileName; format="java-escape">"; }

    @Override
    public String[] getRuleNames() { return ruleNames; }

    @Override
    public String getSerializedATN() { return _serializedATN; }

    @Override
    public ATN getATN() { return _ATN; }

    <namedActions.members>
    <parser:(ctor)()>
    <funcs; separator="\n">

    <if(sempredFuncs)>
    public boolean sempred(RuleContext _localctx, int ruleIndex, int predIndex) {
        switch (ruleIndex) {
            <parser.sempredFuncs.values:{f}
        case <f.ruleIndex>:
            return <f.name>_sempred((<f.ctxType>)_localctx, predIndex);}; separator="\n">
        }
        return true;
    }
    <sempredFuncs.values; separator="\n">
    <endif>

    <atn>
    }
    >>

    vocabulary(literalNames, symbolicNames) ::= <<
    private static String[] makeLiteralNames() {
        return new String[] {
            <literalNames:{t | <t>}; null="null", separator=", ", wrap, anchor>
        };
    }
    private static final String[] _LITERAL_NAMES = makeLiteralNames();
    private static String[] makeSymbolicNames() {
        return new String[] {

```

```

    <symbolicNames:{t | <t>}; null="null", separator=", ", wrap, anchor>
    };
}
private static final String[] _SYMBOLIC_NAMES = makeSymbolicNames();
public static final Vocabulary VOCABULARY = new VocabularyImpl(_LITERAL_NAMES,
_SymbolicNames);

/**
 * @deprecated Use {@link #VOCABULARY} instead.
 */
@Deprecated
public static final String[] tokenNames;
static {
    tokenNames = new String[_SYMBOLIC_NAMES.length];
    for (int i = 0; i < tokenNames.length; i++) {
        tokenNames[i] = VOCABULARY.getLiteralName(i);
        if (tokenNames[i] == null) {
            tokenNames[i] = VOCABULARY.getSymbolicName(i);
        }

        if (tokenNames[i] == null) {
            tokenNames[i] = "<INVALID>";
        }
    }
}

@Override
@Deprecated
public String[] getTokenNames() {
    return tokenNames;
}

@Override

public Vocabulary getVocabulary() {
    return VOCABULARY;
}
>>

dumpActions(recog, argFuncs, actionFuncs, sempredFuncs) ::= <<
<if(actionFuncs)>
@Override
public void action(RuleContext _localctx, int ruleIndex, int actionIndex) {
    switch (ruleIndex) {
        <recog.actionFuncs.values:{f}
        case <f.ruleIndex>:
            <f.name>_action((<f.ctxType>)_localctx, actionIndex);
            break;}; separator="\n">

```

```

    }
    }
    <actionFuncs.values; separator="\n">
    <endif>
    <if(sempredFuncs)>
    @Override
    public boolean sempred(RuleContext _localctx, int ruleIndex, int predIndex) {
    switch (ruleIndex) {
    <recog.sempredFuncs.values:{f|
    case <f.ruleIndex>:
    return <f.name>_sempred((<f.ctxType>)_localctx, predIndex);}; separator="\n">
    }
    return true;
    }
    <sempredFuncs.values; separator="\n">
    <endif>
    >>

    parser_ctor(p) ::= <<
    public <p.name>(TokenStream input) {
    super(input);
    _interp = new ParserATNSimulator(this,_ATN,_decisionToDFA,_sharedContextCache);
    }
    >>

    /* This generates a private method since the actionIndex is generated, making an
    * overriding implementation impossible to maintain.
    */
    RuleActionFunction(r, actions) ::= <<
    private void <r.name>_action(<r.ctxType> _localctx, int actionIndex) {
    switch (actionIndex) {
    <actions:{index|
    case <index>:
    <actions.(index)>
    break;}; separator="\n">
    }
    }
    >>

    /* This generates a private method since the predIndex is generated, making an
    * overriding implementation impossible to maintain.
    */
    RuleSempredFunction(r, actions) ::= <<
    private boolean <r.name>_sempred(<r.ctxType> _localctx, int predIndex) {
    switch (predIndex) {
    <actions:{index|
    case <index>:
    return <actions.(index)>;}; separator="\n">

```

```

}
return true;
}
>>

```

```

RuleFunction(currentRule,args,code,locals,ruleCtx,altLabelCtxs,namedActions,finallyAction,postamble,exceptions)
::= <<

```

```

<ruleCtx>
<altLabelCtxs:{l | <altLabelCtxs.(l)>}; separator="\n">

<if(currentRule.modifiers)><currentRule.modifiers:{f | <f> }><else>public final <endif><currentRule.ctxType>
<currentRule.name><(args; separator=",")> throws RecognitionException {
  <currentRule.ctxType> _localctx = new <currentRule.ctxType>(_ctx, getState())<currentRule.args:{a | ,
<a.name>}>);
  enterRule(_localctx, <currentRule.startState>, RULE_<currentRule.name>);
  <namedActions.init>
  <locals; separator="\n">
  try {
  <if(currentRule.hasLookaheadBlock)>
    int _alt;
  <endif>
  <code>
  <postamble; separator="\n">
  <namedActions.after>
  }
  <if(exceptions)>
  <exceptions; separator="\n">
  <else>
  catch (RecognitionException re) {
    _localctx.exception = re;
    _errHandler.reportError(this, re);
    _errHandler.recover(this, re);
  }
  <endif>
  finally {
  <finallyAction>
  exitRule();
  }
  return _localctx;
  }
>>

```

```

LeftRecursiveRuleFunction(currentRule,args,code,locals,ruleCtx,altLabelCtxs,
  namedActions,finallyAction,postamble) ::=
<<

```

```

<ruleCtx>

```

```
<altLabelCtxs:{l | <altLabelCtxs.(l)>}; separator="\n">
```

```
<if(currentRule.modifiers)><currentRule.modifiers:{f | <f> }><else>public final <endif><currentRule.ctxType>  
<currentRule.name><(args; separator=", "> throws RecognitionException {  
  return <currentRule.name>(0<currentRule.args:{a | , <a.name>}>);  
}
```

```
private <currentRule.ctxType> <currentRule.name>(int _p<args:{a | , <a>}>) throws RecognitionException {  
  ParserRuleContext _parentctx = _ctx;  
  int _parentState = getState();  
  <currentRule.ctxType> _localctx = new <currentRule.ctxType>(_ctx, _parentState<currentRule.args:{a | ,  
<a.name>}>);  
  <currentRule.ctxType> _prevctx = _localctx;  
  int _startState = <currentRule.startState>;  
  enterRecursionRule(_localctx, <currentRule.startState>, RULE_<currentRule.name>, _p);  
  <namedActions.init>  
  <locals; separator="\n">  
  try {  
    <if(currentRule.hasLookaheadBlock)>  
      int _alt;  
    <endif>  
    <code>  
    <postamble; separator="\n">  
    <namedActions.after>  
  }  
  catch (RecognitionException re) {  
    _localctx.exception = re;  
    _errHandler.reportError(this, re);  
    _errHandler.recover(this, re);  
  }  
  finally {  
    <finallyAction>  
    unrollRecursionContexts(_parentctx);  
  }  
  return _localctx;  
}  
>>
```

```
CodeBlockForOuterMostAlt(currentOuterMostAltCodeBlock, locals, preamble, ops) ::= <<  
<if(currentOuterMostAltCodeBlock.altLabel)>_localctx = new <currentOuterMostAltCodeBlock.altLabel;  
format="cap">Context(_localctx);<endif>  
enterOuterAlt(_localctx, <currentOuterMostAltCodeBlock.alt.altNum>);  
<CodeBlockForAlt(currentAltCodeBlock=currentOuterMostAltCodeBlock, ...)>  
>>
```

```
CodeBlockForAlt(currentAltCodeBlock, locals, preamble, ops) ::= <<  
{  
<locals; separator="\n">
```

```

<preamble; separator="\n">
<ops; separator="\n">
}
>>

```

```

LL1AltBlock(choice, preamble, alts, error) ::= <<
setState(<choice.stateNumber>);
_errHandler.sync(this);
<if(choice.label)><labelref(choice.label)> = _input.LT(1);<endif>
<preamble; separator="\n">
switch (_input.LA(1)) {
<choice.altLook,alts:{look,alt| <cases(ttypes=look)>
<alt>
break;}; separator="\n">
default:
<error>
}
>>

```

```

LL1OptionalBlock(choice, alts, error) ::= <<
setState(<choice.stateNumber>);
_errHandler.sync(this);
switch (_input.LA(1)) {
<choice.altLook,alts:{look,alt| <cases(ttypes=look)>
<alt>
break;}; separator="\n">
default:
break;
}
>>

```

```

LL1OptionalBlockSingleAlt(choice, expr, alts, preamble, error, followExpr) ::= <<
setState(<choice.stateNumber>);
_errHandler.sync(this);
<preamble; separator="\n">
if (<expr>) {
<alts; separator="\n">
}
<!else if ( !(<followExpr>) ) <error>!>
>>

```

```

LL1StarBlockSingleAlt(choice, loopExpr, alts, preamble, iteration) ::= <<
setState(<choice.stateNumber>);
_errHandler.sync(this);
<preamble; separator="\n">
while (<loopExpr>) {
<alts; separator="\n">
setState(<choice.loopBackStateNumber>);
}
>>

```

```

_errHandler.sync(this);
<iteration>
}
>>

```

```

LL1PlusBlockSingleAlt(choice, loopExpr, alts, preamble, iteration) ::= <<
setState(<choice.blockStartStateNumber>); <! alt block decision !>
_errHandler.sync(this);
<preamble; separator="\n">
do {
<alts; separator="\n">
setState(<choice.stateNumber>); <! loopback/exit decision !>
_errHandler.sync(this);
<iteration>
} while ( <loopExpr> );
>>

```

```

// LL(*) stuff

```

```

AltBlock(choice, preamble, alts, error) ::= <<
setState(<choice.stateNumber>);
_errHandler.sync(this);
<if(choice.label)><labelref(choice.label)> = _input.LT(1);<endif>
<preamble; separator="\n">
switch ( getInterpreter().adaptivePredict(_input,<choice.decision>,_ctx) ) {
<alts:{alt |
case <i>:
<alt>
break;}; separator="\n">
}
>>

```

```

OptionalBlock(choice, alts, error) ::= <<
setState(<choice.stateNumber>);
_errHandler.sync(this);
switch ( getInterpreter().adaptivePredict(_input,<choice.decision>,_ctx) ) {
<alts:{alt |
case <i><if(!choice.ast.greedy)>+1<endif>:
<alt>
break;}; separator="\n">
}
>>

```

```

StarBlock(choice, alts, sync, iteration) ::= <<
setState(<choice.stateNumber>);
_errHandler.sync(this);
_alt = getInterpreter().adaptivePredict(_input,<choice.decision>,_ctx);
while ( _alt!=<choice.exitAlt> && _alt!=org.antlr.v4.runtime.atn.ATN.INVALID_ALT_NUMBER ) {

```



```

if ( _alt==1<if(!choice.ast.greedy)>+1<endif> ) {
  <iteration>
  <alts> <! should only be one !>
}
setState(<choice.loopBackStateNumber>);
_errHandler.sync(this);
_alt = getInterpreter().adaptivePredict(_input,<choice.decision>,_ctx);
}
>>

```

```

PlusBlock(choice, alts, error) ::= <<
setState(<choice.blockStartStateNumber>); <! alt block decision !>
_errHandler.sync(this);
_alt = 1<if(!choice.ast.greedy)>+1<endif>;
do {
  switch ( _alt ) {
  <alts:{alt|
case <i><if(!choice.ast.greedy)>+1<endif>:
  <alt>
  break;}; separator="\n">
  default:
  <error>
  }
  setState(<choice.loopBackStateNumber>); <! loopback/exit decision !>
  _errHandler.sync(this);
  _alt = getInterpreter().adaptivePredict(_input,<choice.decision>,_ctx);
} while ( _alt!=<choice.exitAlt> && _alt!=org.antlr.v4.runtime.atn.ATN.INVALID_ALT_NUMBER );
>>

```

```

Sync(s) ::= "sync(<s.expecting.name>);"

```

```

ThrowNoViableAlt(t) ::= "throw new NoViableAltException(this);"

```

```

TestSetInline(s) ::= <<
<s.bitsets:{bits | <if(rest(rest(bits.ttypes)))><bitsetBitfieldComparison(s, bits)><else><bitsetInlineComparison(s,
bits)><endif>; separator=" || ">
>>

```

```

// Java language spec 15.19 - shift operators mask operands rather than overflow to 0... need range test
testShiftInRange(shiftAmount) ::= <<
((<shiftAmount>) & ~0x3f) == 0
>>

```

```

// produces smaller bytecode only when bits.ttypes contains more than two items
bitsetBitfieldComparison(s, bits) ::= <%
(<testShiftInRange({<offsetShift(s.varName, bits.shift)>})> && ((1L \<< <offsetShift(s.varName, bits.shift)>) &
(<bits.ttypes:{ ttype | (1L \<< <offsetShift(ttype, bits.shift)>)}); separator=" | ">)) != 0
%>

```

```

isZero ::= [
"0":true,
default:false
]

offsetShift(shiftAmount, offset) ::= <%
<if(!isZero.(offset))><shiftAmount> - <offset><else><shiftAmount><endif>
%>

// produces more efficient bytecode when bits.ttypes contains at most two items
bitsetInlineComparison(s, bits) ::= <%
<bits.ttypes:{ ttype | <s.varName>===<ttype>}; separator=" || ">
%>

cases(ttypes) ::= <<
<ttypes:{ t | case <t>:}; separator="\n">
>>

InvokeRule(r, argExprsChunks) ::= <<
setState(<r.stateNumber>);
<if(r.labels)><r.labels:{1 | <labelref(l)> =
}><endif><r.name><(if(r.ast.options.p)><r.ast.options.p><if(argExprsChunks)><endif><endif><argExprsChunks>
);
>>

MatchToken(m) ::= <<
setState(<m.stateNumber>);
<if(m.labels)><m.labels:{1 | <labelref(l)> = }><endif>match(<m.name>);
>>

MatchSet(m, expr, capture) ::= "<CommonSetStuff(m, expr, capture, false)>"

MatchNotSet(m, expr, capture) ::= "<CommonSetStuff(m, expr, capture, true)>"

CommonSetStuff(m, expr, capture, invert) ::= <<
setState(<m.stateNumber>);
<if(m.labels)><m.labels:{1 | <labelref(l)> = }>_input.LT(1);<endif>
<capture>
if ( <if(invert)><m.varName> \<= 0 || <else>!<endif><expr> ) {
<if(m.labels)><m.labels:{1 | <labelref(l)> = (Token)}><endif>_errHandler.recoverInline(this);
}
else {
if ( _input.LA(1)===Token.EOF ) matchedEOF = true;
_errHandler.reportMatch(this);
consume();
}
>>

```

```

Wildcard(w) ::= <<
setState(<w.stateNumber>);
<if(w.labels)><w.labels:{1 | <labelref(l)> = }><endif>matchWildcard();
>>

// ACTION STUFF

Action(a, foo, chunks) ::= "<chunks>"

ArgAction(a, chunks) ::= "<chunks>"

SemPred(p, chunks, failChunks) ::= <<
setState(<p.stateNumber>);
if (!(<chunks>)) throw new FailedPredicateException(this, <p.predicate><if(failChunks)>,
<failChunks><elseif(p.msg)>, <p.msg><endif>);
>>

ExceptionClause(e, catchArg, catchAction) ::= <<
catch (<catchArg>) {
  <catchAction>
}
>>

// lexer actions are not associated with model objects

LexerSkipCommand() ::= "skip();"
LexerMoreCommand() ::= "more();"
LexerPopModeCommand() ::= "popMode();"

LexerTypeCommand(arg, grammar) ::= "_type = <arg>";
LexerChannelCommand(arg, grammar) ::= "_channel = <arg>";
LexerModeCommand(arg, grammar) ::= "_mode = <arg>";
LexerPushModeCommand(arg, grammar) ::= "pushMode(<arg>);"

ActionText(t) ::= "<t.text>"
ActionTemplate(t) ::= "<t.st>"
ArgRef(a) ::= "_localctx.<a.name>"
LocalRef(a) ::= "_localctx.<a.name>"
RetValRef(a) ::= "_localctx.<a.name>"
QRetValRef(a) ::= "<ctx(a)>.<a.dict>.<a.name>"
/** How to translate $tokenLabel */
TokenRef(t) ::= "<ctx(t)>.<t.name>"
LabelRef(t) ::= "<ctx(t)>.<t.name>"
ListLabelRef(t) ::= "<ctx(t)>.<ListLabelName(t.name)>"
SetAttr(s,rhsChunks) ::= "<ctx(s)>.<s.name> = <rhsChunks>";

TokenLabelType() ::= "<file.TokenLabelType; null={Token}>"

```

```

InputSymbolType() ::= "<file.InputSymbolType; null={Token}>"

TokenPropertyRef_text(t) ::= "<ctx(t)>.<t.label>!=null?<ctx(t)>.<t.label>.getText():null)"
TokenPropertyRef_type(t) ::= "<ctx(t)>.<t.label>!=null?<ctx(t)>.<t.label>.getType():0)"
TokenPropertyRef_line(t) ::= "<ctx(t)>.<t.label>!=null?<ctx(t)>.<t.label>.getLine():0)"
TokenPropertyRef_pos(t) ::= "<ctx(t)>.<t.label>!=null?<ctx(t)>.<t.label>.getCharPositionInLine():0)"
TokenPropertyRef_channel(t) ::= "<ctx(t)>.<t.label>!=null?<ctx(t)>.<t.label>.getChannel():0)"
TokenPropertyRef_index(t) ::= "<ctx(t)>.<t.label>!=null?<ctx(t)>.<t.label>.getTokenIndex():0)"
TokenPropertyRef_int(t) ::= "<ctx(t)>.<t.label>!=null?Integer.valueOf(<ctx(t)>.<t.label>.getText():0)"

RulePropertyRef_start(r) ::= "<ctx(r)>.<r.label>!=null?<ctx(r)>.<r.label>.start):null)"
RulePropertyRef_stop(r) ::= "<ctx(r)>.<r.label>!=null?<ctx(r)>.<r.label>.stop):null)"
RulePropertyRef_text(r) ::=
"<ctx(r)>.<r.label>!=null?_input.getText(<ctx(r)>.<r.label>.start,<ctx(r)>.<r.label>.stop):null)"
RulePropertyRef_ctx(r) ::= "<ctx(r)>.<r.label>"
RulePropertyRef_parser(r) ::= "this"

ThisRulePropertyRef_start(r) ::= "_localctx.start"
ThisRulePropertyRef_stop(r) ::= "_localctx.stop"
ThisRulePropertyRef_text(r) ::= "_input.getText(_localctx.start, _input.LT(-1))"
ThisRulePropertyRef_ctx(r) ::= "_localctx"
ThisRulePropertyRef_parser(r) ::= "this"

NonLocalAttrRef(s) ::= "(<s.ruleName; format=\"cap\">Context)getInvokingContext(<s.ruleIndex>).<s.name>"
SetNonLocalAttr(s, rhsChunks) ::=
"(<s.ruleName; format=\"cap\">Context)getInvokingContext(<s.ruleIndex>).<s.name> = <rhsChunks>);"

AddToLabelList(a) ::= "<ctx(a.label)>.<a.listName>.add(<labelref(a.label)>);"

TokenDecl(t) ::= "<TokenLabelType()> <t.name>"
TokenTypeDecl(t) ::= "int <t.name>);"
TokenListDecl(t) ::= "List<Token> <t.name> = new ArrayList<Token>()"
RuleContextDecl(r) ::= "<r.ctxName> <r.name>"
RuleContextListDecl(rdecl) ::= "List<<rdecl.ctxName>> <rdecl.name> = new ArrayList<<rdecl.ctxName>>()"

ContextTokenGetterDecl(t) ::=
"public TerminalNode <t.name>() { return getToken(<parser.name>.<t.name>, 0); }"
ContextTokenListGetterDecl(t) ::=
"public List<TerminalNode> <t.name>() { return getTokens(<parser.name>.<t.name>); }"
ContextTokenListIndexedGetterDecl(t) ::= <<
public TerminalNode <t.name>(int i) {
return getToken(<parser.name>.<t.name>, i);
}
>>
ContextRuleGetterDecl(r) ::= <<
public <r.ctxName> <r.name>() {
return getRuleContext(<r.ctxName>.class,0);
}

```

```

>>
ContextRuleListGetterDecl(r) ::= <<
public List<<r.ctxName>> <r.name>() {
    return getRuleContexts(<r.ctxName>.class);
}
>>

ContextRuleListIndexedGetterDecl(r) ::= <<
public <r.ctxName> <r.name>(int i) {
    return getRuleContext(<r.ctxName>.class,i);
}
>>

LexerRuleContext() ::= "RuleContext"

/** The rule context name is the rule followed by a suffix; e.g.,
 * r becomes rContext.
 */
RuleContextNameSuffix() ::= "Context"

ImplicitTokenLabel(tokenName) ::= "<tokenName>"
ImplicitRuleLabel(ruleName) ::= "<ruleName>"
ImplicitSetLabel(id) ::= "_tset<id>"
ListLabelName(label) ::= "<label>"

CaptureNextToken(d) ::= "<d.varName> = _input.LT(1);"
CaptureNextTokenType(d) ::= "<d.varName> = _input.LA(1);"

StructDecl(struct,ctorAttrs,attrs,getters,dispatchMethods,interfaces,extensionMembers)
::= <<
public static class <struct.name> extends
<if(contextSuperClass)><contextSuperClass><else>ParserRuleContext<endif><if(interfaces)> implements
<interfaces; separator=", "><endif> {
<attrs:{a | public <a>;}; separator="\n">
<getters:{g | <g>;}; separator="\n">
<if(ctorAttrs)>public <struct.name>(ParserRuleContext parent, int invokingState) { super(parent, invokingState);
}<endif>
public <struct.name>(ParserRuleContext parent, int invokingState<ctorAttrs:{a | , <a>>}) {
    super(parent, invokingState);
<struct.ctorAttrs:{a | this.<a.name> = <a.name>;}; separator="\n">
}
@Override public int getRuleIndex() { return RULE_<struct.derivedFromName>; }
<if(struct.provideCopyFrom)><! don't need copy unless we have subclasses !>
public <struct.name>() { }
public void copyFrom(<struct.name> ctx) {
    super.copyFrom(ctx);
<struct.attrs:{a | this.<a.name> = ctx.<a.name>;}; separator="\n">
}
<endif>

```

```

<dispatchMethods; separator="\n">
<extensionMembers; separator="\n">
}
>>

```

```

AltLabelStructDecl(struct,attrs, getters,dispatchMethods) ::= <<
public static class <struct.name> extends <currentRule.name; format="cap">Context {
<attrs:{a | public <a>;}; separator="\n">
<getters:{g | <g>;}; separator="\n">
public <struct.name>(<currentRule.name; format="cap">Context ctx) { copyFrom(ctx); }
<dispatchMethods; separator="\n">
}
>>

```

```

ListenerDispatchMethod(method) ::= <<
@Override
public void <if(method.isEnter)>enter<else>exit<endif>Rule(ParseTreeListener listener) {
if ( listener instanceof <parser.grammarName>Listener )
((<parser.grammarName>Listener)listener).<if(method.isEnter)>enter<else>exit<endif><struct.derivedFromName;
format="cap">(this);
}
>>

```

```

VisitorDispatchMethod(method) ::= <<
@Override
public <T> T accept(ParseTreeVisitor<? extends T> visitor) {
if ( visitor instanceof <parser.grammarName>Visitor ) return ((<parser.grammarName>Visitor<? extends
T>)visitor).visit<struct.derivedFromName; format="cap">(this);
else return visitor.visitChildren(this);
}
>>

```

```

AttributeDecl(d) ::= "<d.type> <d.name><if(d.initValue)> = <d.initValue><endif>"

```

```

/** If we don't know location of label def x, use this template */
labelref(x) ::= "<if(!x.isLocal)>((<x.ctx.name>)_localctx).<endif><x.name>"

```

```

/** For any action chunk, what is correctly-typed context struct ptr? */
ctx(actionChunk) ::= "((<actionChunk.ctx.name>)_localctx)"

```

```

// used for left-recursive rules
recRuleAltPredicate(ruleName,opPrec) ::= "precpred(_ctx, <opPrec>)"
recRuleSetReturnAction(src,name) ::= "$<name>=<src>.<name>";"
recRuleSetStopToken() ::= "_ctx.stop = _input.LT(-1);"

```

```

recRuleAltStartAction(ruleName, ctxName, label, isListLabel) ::= <<
_localctx = new <ctxName>Context(_parentctx, _parentState);
<if(label)>

```

```

<if(isListLabel)>
  _localctx.<label>.add(_prevctx);
<else>
  _localctx.<label> = _prevctx;
<endif>
<endif>
<if(label)>_localctx.<label> = _prevctx;<endif>
pushNewRecursionContext(_localctx, _startState, RULE_<ruleName>);
>>

```

```

recRuleLabeledAltStartAction(ruleName, currentAltLabel, label, isListLabel) ::= <<
  _localctx = new <currentAltLabel; format="cap">Context(new <ruleName; format="cap">Context(_parentctx,
  _parentState));
  <if(label)>
  <if(isListLabel)>
  ((<currentAltLabel; format="cap">Context)_localctx).<label>.add(_prevctx);
  <else>
  ((<currentAltLabel; format="cap">Context)_localctx).<label> = _prevctx;
  <endif>
  <endif>
  pushNewRecursionContext(_localctx, _startState, RULE_<ruleName>);
  >>

```

```

recRuleReplaceContext(ctxName) ::= <<
  _localctx = new <ctxName>Context(_localctx);
  _ctx = _localctx;
  _prevctx = _localctx;
  >>

```

```

recRuleSetPrevCtx() ::= <<
  if ( _parseListeners!=null ) triggerExitRuleEvent();
  _prevctx = _localctx;
  >>

```

```

LexerFile(lexerFile, lexer, namedActions) ::= <<
  <fileHeader(lexerFile.grammarFileName, lexerFile.ANTLRVersion)>
  <if(lexerFile.genPackage)>
  package <lexerFile.genPackage>;
  <endif>
  <namedActions.header>
  import org.antlr.v4.runtime.Lexer;
  import org.antlr.v4.runtime.CharStream;
  import org.antlr.v4.runtime.Token;
  import org.antlr.v4.runtime.TokenStream;
  import org.antlr.v4.runtime.*;
  import org.antlr.v4.runtime.atn.*;
  import org.antlr.v4.runtime.dfa.DFA;

```

```
import org.antlr.v4.runtime.misc.*;
```

```
<lexer>
```

```
>>
```

```
Lexer(lexer, atn, actionFuncs, sempredFuncs, superClass) ::= <<  
@SuppressWarnings({"all", "warnings", "unchecked", "unused", "cast"})  
public class <lexer.name> extends <superClass; null="Lexer"> {  
    static { RuntimeMetaData.checkVersion("<lexerFile.ANTLRVersion>", RuntimeMetaData.VERSION); }  
  
    protected static final DFA[] _decisionToDFA;  
    protected static final PredictionContextCache _sharedContextCache =  
        new PredictionContextCache();  
    <if(lexer.tokens)>  
    public static final int  
        <lexer.tokens:{k | <k>=<lexer.tokens.(k)>}; separator=", ", wrap, anchor>;  
    <endif>  
    <if(lexer.channels)>  
    public static final int  
        <lexer.channels:{c | <c>=<lexer.channels.(c)>}; separator=", ", wrap, anchor>;  
    <endif>  
    <if(rest(lexer.modes)>  
    public static final int  
        <rest(lexer.modes):{m | <m>=<i>}; separator=", ", wrap, anchor>;  
    <endif>  
    public static String[] channelNames = {  
        "DEFAULT_TOKEN_CHANNEL", "HIDDEN"<if (lexer.channels)>, <lexer.channels:{c | "<c>"}; separator=", ",  
wrap, anchor><endif>  
    };  
  
    public static String[] modeNames = {  
        <lexer.modes:{m | "<m>"}; separator=", ", wrap, anchor>  
    };  
  
    private static String[] makeRuleNames() {  
        return new String[] {  
            <lexer.ruleNames:{r | "<r>"}; separator=", ", wrap, anchor>  
        };  
    }  
    public static final String[] ruleNames = makeRuleNames();  
  
    <vocabulary(lexer.literalNames, lexer.symbolicNames)>  
  
    <namedActions.members>  
  
    public <lexer.name>(CharStream input) {  
        super(input);  
        _interp = new LexerATNSimulator(this, _ATN, _decisionToDFA, _sharedContextCache);  
    }  
}
```



```

}

@Override
public String getGrammarFileName() { return "<lexer.grammarFileName>"; }

@Override
public String[] getRuleNames() { return ruleNames; }

@Override
public String getSerializedATN() { return _serializedATN; }

@Override
public String[] getChannelNames() { return channelNames; }

@Override
public String[] getModeNames() { return modeNames; }

@Override
public ATN getATN() { return _ATN; }

<dumpActions(lexer, "", actionFuncs, sempredFuncs)>
<atn>
}
>>

SerializedATN(model) ::= <<
<if(rest(model.segments))>
<! requires segmented representation !>
private static final int _serializedATNSegments = <length(model.segments)>;
<model.segments:{segment|private static final String _serializedATNSegment<i0> =
"<segment; wrap={"+<\n><\t>"}>";}; separator="\n">
public static final String _serializedATN = Utils.join(
new String[] {
<model.segments:{segment | _serializedATNSegment<i0>}; separator=",\n">
},
""
);
<else>
<! only one segment, can be inlined !>
public static final String _serializedATN =
"<model.serialized; wrap={"+<\n><\t>"}>";
<endif>
public static final ATN _ATN =
new ATNDeserializer().deserialize(_serializedATN.toCharArray());
static {
_decisionToDFA = new DFA[_ATN.getNumberOfDecisions()];
for (int i = 0; i < _ATN.getNumberOfDecisions(); i++) {
_decisionToDFA[i] = new DFA(_ATN.getDecisionState(i), i);
}
}
}

```

```
}
<! org.antlr.v4.tool.DOTGenerator dot = new org.antlr.v4.tool.DOTGenerator(null);!>
<! System.out.println(dot.getDOT(_ATN.decisionToState.get(0), ruleNames, false));!>
<! System.out.println(dot.getDOT(_ATN.ruleToStartState[2], ruleNames, false));!>
}
>>
```

```
/** Using a type to init value map, try to init a type; if not in table
 * must be an object, default value is "null".
 */
initValue(typeName) ::= <<
<javaTypeInitMap.(typeName)>
>>
```

```
codeFileExtension() ::= ".java"
```

Found in path(s):

```
* /opt/cola/permits/1192255793_1629156080.64/0/antlr4-4-8-1-sources-1-
jar/org/antlr/v4/tool/templates/codegen/Java/Java.stg
```

No license file was found, but licenses were detected in source scan.

```
/*
 * [The "BSD license"]
 * Copyright (c) 2012-2016 Terence Parr
 * Copyright (c) 2012-2016 Sam Harwell
 * All rights reserved.
 *
 * Redistribution and use in source and binary forms, with or without
 * modification, are permitted provided that the following conditions
 * are met:
 *
 * 1. Redistributions of source code must retain the above copyright
 * notice, this list of conditions and the following disclaimer.
 * 2. Redistributions in binary form must reproduce the above copyright
 * notice, this list of conditions and the following disclaimer in the
 * documentation and/or other materials provided with the distribution.
 * 3. The name of the author may not be used to endorse or promote products
 * derived from this software without specific prior written permission.
 *
 * THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR
 * IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
 * OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.
 * IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,
 * INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT
 * NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
 * DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
 * THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
 * (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF
```

\* THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

\*/

```
phpTypeInitMap ::= [  
  "int": "0",  
  "long": "0",  
  "float": "0.0",  
  "double": "0.0",  
  "boolean": "false",  
  default: "null"  
]
```

// args must be <object-model-object>, <fields-resulting-in-STs>

```
ParserFile(file, parser, namedActions, contextSuperClass) ::= <<  
<fileHeader(file.grammarFileName, file.ANTLRVersion)>  
<parser>  
>>
```

```
ListenerFile(file, header, namedActions) ::= <<  
<fileHeader(file.grammarFileName, file.ANTLRVersion)>  
<if(file.genPackage)>  
namespace <file.genPackage>;  
<endif>  
<header>  
use Antlr\Antlr4\Runtime\Tree\ParseTreeListener;
```

```
/**
```

```
* This interface defines a complete listener for a parse tree produced by
```

```
* { @see <file.parserName> }.
```

```
*/
```

```
interface <file.grammarName>Listener extends ParseTreeListener {
```

```
  <file.listenerNames>: {Iname |
```

```
  /**
```

```
  <if(file.listenerLabelRuleNames.(Iname))>
```

```
  * Enter a parse tree produced by the `<Iname>`
```

```
  * labeled alternative in { @see <file.parserName>::<file.listenerLabelRuleNames.(Iname)>() }.
```

```
  <else>
```

```
  * Enter a parse tree produced by { @see <file.parserName>::<Iname>() }.
```

```
  <endif>
```

```
  * @param $context The parse tree.
```

```
  */
```

```
  public function enter<Iname; format="cap">(Context\<Iname; format="cap">Context $context) : void;
```

```
  /**
```

```
  <if(file.listenerLabelRuleNames.(Iname))>
```

```
  * Exit a parse tree produced by the `<Iname>` labeled alternative
```

```
  * in { @see <file.parserName>::<file.listenerLabelRuleNames.(Iname)>() }.
```

```
  <else>
```

```

* Exit a parse tree produced by { @see <file.parserName>::<lname>()}.
<endif>
* @param $context The parse tree.
*/
public function exit<lname; format="cap">(Context\\<lname; format="cap">Context $context) : void;
separator="\n">
}
>>

BaseListenerFile(file, header, namedActions) ::= <<
<fileHeader(file.grammarFileName, file.ANTLRVersion)>
<if(file.genPackage)>
namespace <file.genPackage>;
<endif>
<header>

use Antlr\\Antlr4\\Runtime\\ParserRuleContext;
use Antlr\\Antlr4\\Runtime\\Tree\\ErrorNode;
use Antlr\\Antlr4\\Runtime\\Tree\\TerminalNode;

/**
 * This class provides an empty implementation of { @see <file.grammarName>Listener },
 * which can be extended to create a listener which only needs to handle a subset
 * of the available methods.
 */
class <file.grammarName>BaseListener implements <file.grammarName>Listener
{
    <file.listenerNames:{lname |
/**
 * { @inheritdoc}
 *
 * The default implementation does nothing.
 */
public function enter<lname; format="cap">(Context\\<lname; format="cap">Context $context) : void {}

/**
 * { @inheritdoc}
 *
 * The default implementation does nothing.
 */
public function exit<lname; format="cap">(Context\\<lname; format="cap">Context $context) : void {}};
separator="\n">

/**
 * { @inheritdoc}
 *
 * The default implementation does nothing.
 */

```

```

public function enterEveryRule(ParserRuleContext $context) : void {}

/**
 * {@inheritdoc}
 *
 * The default implementation does nothing.
 */
public function exitEveryRule(ParserRuleContext $context) : void {}

/**
 * {@inheritdoc}
 *
 * The default implementation does nothing.
 */
public function visitTerminal(TerminalNode $node) : void {}

/**
 * {@inheritdoc}
 *
 * The default implementation does nothing.
 */
public function visitErrorNode(ErrorNode $node) : void {}
}
>>

```

```

VisitorFile(file, header, namedActions) ::= <<
<fileHeader(file.grammarFileName, file.ANTLRVersion)>
<if(file.genPackage)>
namespace <file.genPackage>;
<endif>

<header>
use Antlr\Antlr4\Runtime\Tree\ParseTreeVisitor;

/**
 * This interface defines a complete generic visitor for a parse tree produced by {@see <file.parserName>}.
 */
interface <file.grammarName>Visitor extends ParseTreeVisitor
{
    <file.visitorNames:{ Iname |
/**
<if(file.visitorLabelRuleNames.(Iname))>
 * Visit a parse tree produced by the `<Iname>` labeled alternative
 * in {@see <file.parserName>::<file.visitorLabelRuleNames.(Iname)>()}.
<else>
 * Visit a parse tree produced by {@see <file.parserName>::<Iname>()}.
<endif>
    }
}

```

```

* @param Context\<Iname; format="cap">Context $context The parse tree.
*
* @return mixed The visitor result.
*/
public function visit<Iname; format="cap">(Context\<Iname; format="cap">Context $context);};
separator="\n\n">
}
>>

BaseVisitorFile(file, header, namedActions) ::= <<
<fileHeader(file.grammarFileName, file.ANTLRVersion)>
<if(file.genPackage)>
namespace <file.genPackage>;
<endif>
<header>
use Antlr\Antlr4\Runtime\Tree\AbstractParseTreeVisitor;

/**
 * This class provides an empty implementation of { @see <file.grammarName>Visitor },
 * which can be extended to create a visitor which only needs to handle a subset
 * of the available methods.
 */
class <file.grammarName>BaseVisitor extends AbstractParseTreeVisitor implements <file.grammarName>Visitor
{
    <file.visitorNames:{Iname |
/**
 * { @inheritdoc\}
 *
 * The default implementation returns the result of calling
 * { @see self::visitChildren()\} on `context`.
 */
public function visit<Iname; format="cap">(Context\<Iname; format="cap">Context $context)
{
    return $this->visitChildren($context);
\}}; separator="\n\n">
}
>>

fileHeader(grammarFileName, ANTLRVersion) ::= <<
\<?php

/*
 * Generated from <grammarFileName> by ANTLR <ANTLRVersion>
 */

>>

Parser(parser, funcs, atn, sempredFuncs, superClass) ::= <<
<Parser_(ctor="parser_ctor", ...)>

```

>>

```
Parser_(parser, funcs, atn, sempredFuncs, ctor, superClass) ::= <<
namespace<if(file.genPackage)> <file.genPackage><endif> {
<if(namedActions.header)><namedActions.header><endif>
use Antlr\\Antlr4\\Runtime\\Atn\\ATN;
use Antlr\\Antlr4\\Runtime\\Atn\\ATNDeserializer;
use Antlr\\Antlr4\\Runtime\\Atn\\ParserATNSimulator;
use Antlr\\Antlr4\\Runtime\\Dfa\\DFA;
use Antlr\\Antlr4\\Runtime\\Error\\Exceptions\\FailedPredicateException;
use Antlr\\Antlr4\\Runtime\\Error\\Exceptions\\NoViableAltException;
use Antlr\\Antlr4\\Runtime\\PredictionContexts\\PredictionContextCache;
use Antlr\\Antlr4\\Runtime\\Error\\Exceptions\\RecognitionException;
use Antlr\\Antlr4\\Runtime\\RuleContext;
use Antlr\\Antlr4\\Runtime\\Token;
use Antlr\\Antlr4\\Runtime\\TokenStream;
use Antlr\\Antlr4\\Runtime\\Vocabulary;
use Antlr\\Antlr4\\Runtime\\VocabularyImpl;
use Antlr\\Antlr4\\Runtime\\RuntimeMetaData;
use Antlr\\Antlr4\\Runtime\\Parser;
<if(namedActions.definitions)><namedActions.definitions><endif>

final class <parser.name> extends <superClass; null="Parser">
{
<if(parser.tokens)>
public const <parser.tokens>:{k | <k> = <parser.tokens.(k)>}; separator=", ", wrap, anchor>;
<endif>

public const <parser.rules>:{r | RULE_<r.name> = <r.index>}; separator=", ", wrap, anchor>;

/**
 * @var array<string>
 */
public const RULE_NAMES = [
<parser.ruleNames>:{r | '<r>'}; separator=", ", wrap, anchor>
];

<vocabulary(parser.literalNames, parser.symbolicNames)>

<atn>
protected static $atn;
protected static $decisionToDFA;
protected static $sharedContextCache;
<if(namedActions.members)>

<namedActions.members>
<endif>
```

```

<parser:(ctor())>

private static function initialize() : void
{
    if (self::$atn !== null) {
        return;
    }

    RuntimeMetaData::checkVersion('<file.ANTLRVersion>', RuntimeMetaData::VERSION);

    $atn = (new ATNDeserializer()->deserialize(self::SERIALIZED_ATN);

    $decisionToDFA = [];
    for ($i = 0, $count = $atn->getNumberOfDecisions(); $i < $count; $i++) {
        $decisionToDFA[] = new DFA($atn->getDecisionState($i), $i);
    }

    self::$atn = $atn;
    self::$decisionToDFA = $decisionToDFA;
    self::$sharedContextCache = new PredictionContextCache();
}

public function getGrammarFileName() : string
{
    return "<parser.grammarFileName>";
}

public function getRuleNames() : array
{
    return self::RULE_NAMES;
}

public function getSerializedATN() : string
{
    return self::SERIALIZED_ATN;
}

public function getATN() : ATN
{
    return self::$atn;
}

public function getVocabulary() : Vocabulary
{
    static $vocabulary;

    return $vocabulary = $vocabulary ?? new VocabularyImpl(self::LITERAL_NAMES, self::SYMBOLIC_NAMES);
}

```



```

    }
<endif(funcs)>

    <funcs; separator="\n\n">
<endif>
<if(sempredFuncs)>

    public function sempred(?RuleContext $localContext, int $ruleIndex, int $predicateIndex) : bool
    {
        switch ($ruleIndex) {
            <parser.sempredFuncs.values:{f}
            case <f.ruleIndex>:
                return $this->sempred<f.name; format="cap">($localContext, $predicateIndex); separator="\n\n">

            default:
                return true;
        }
    }

    <sempredFuncs.values; separator="\n\n">
<endif>
}
}

namespace <if(file.genPackage)><file.genPackage>\\<endif>Context {
    use Antlr\\Antlr4\\Runtime\\ParserRuleContext;
    use Antlr\\Antlr4\\Runtime\\Token;
    use Antlr\\Antlr4\\Runtime\\Tree\\ParseTreeVisitor;
    use Antlr\\Antlr4\\Runtime\\Tree\\TerminalNode;
    use Antlr\\Antlr4\\Runtime\\Tree\\ParseTreeListener;
    use <if(file.genPackage)><file.genPackage>\\<endif><parser.name>;
    <if (file.genVisitor)>use <if(file.genPackage)><file.genPackage>\\<endif><file.grammarName>Visitor;<endif>
    <if (file.genListener)>use <if(file.genPackage)><file.genPackage>\\<endif><file.grammarName>Listener;<endif>
    <namedActions.contexts>

    <funcs :{ func | <func.ruleCtx><if(func.altLabelCtxs)>

    <func.altLabelCtxs:{l | <func.altLabelCtxs(l)>}; separator="\n\n"><endif> }; separator="\n\n">
    }
    >>

    vocabulary(literalNames, symbolicNames) ::= <<
    /**
    * @var array<string|null>
    */
    private const LITERAL_NAMES = [
        <literalNames:{t | <t>}; null="null", separator=", ", wrap, anchor>
    ];
}

```

```

/**
 * @var array<string>
 */
private const SYMBOLIC_NAMES = [
  <symbolicNames: {t | <t>}; null="null", separator=", ", wrap, anchor>
];
>>

dumpActions(recog, argFuncs, actionFuncs, sempredFuncs) ::= <<
<if(actionFuncs)>

public function action(?RuleContext $localContext, int $ruleIndex, int $actionIndex) : void
{
  switch ($ruleIndex) {
    <recog.actionFuncs.values: {f}
    case <f.ruleIndex>:
      $this->action<f.name; format="cap">($localContext, $actionIndex);
      break; }; separator="\n\n">
  }
}

<actionFuncs.values; separator="\n">
<endif>
<if(sempredFuncs)>

public function sempred(?RuleContext $localContext, int $ruleIndex, int $predicateIndex) : bool
{
  switch ($ruleIndex) {
    <recog.sempredFuncs.values: {f}
    case <f.ruleIndex>:
      return $this->sempred<f.name; format="cap">($localContext, $predicateIndex); }; separator="\n\n">
  }

  return true;
}
<sempredFuncs.values; separator="\n\n">
<endif>
>>

parser_ctor(p) ::= <<
public function __construct(TokenStream $input)
{
  parent::__construct($input);

  self::initialize();

  $this->interp = new ParserATNSimulator($this, self::$atn, self::$decisionToDFA, self::$sharedContextCache);

```

```

}
>>

/**
 * This generates a private method since the actionIndex is generated, making
 * an overriding implementation impossible to maintain.
 */
RuleActionFunction(r, actions) ::= <<
private function action<r.name; format="cap">(<r.ctxType> $localContext, int $actionIndex) : void
{
  switch ($actionIndex) {
    <actions:{index|
  case <index>:
    <actions.(index)>

  break;}; separator="\n\n">
  }
}
>>

/**
 * This generates a private method since the predicateIndex is generated, making
 * an overriding implementation impossible to maintain.
 */
RuleSempredFunction(r, actions) ::= <<
private function sempred<r.name; format="cap">(<Context\|<r.ctxType> $localContext, int $predicateIndex) : bool
{
  switch ($predicateIndex) {
    <actions:{index|
  case <index>:
    return <actions.(index)>;}; separator="\n\n">
  }

  return true;
}
>>

RuleFunction(currentRule,args,code,locals,ruleCtx,altLabelCtxs,namedActions,finallyAction,exceptions,postamble)
::= <<
/**
 * @throws RecognitionException
 */
<if(currentRule.modifiers)><currentRule.modifiers:{f | <f> }><endif>public function <currentRule.name>(<args;
separator=", ">) : Context\|<currentRule.ctxType>
{
  $localContext = new Context\|<currentRule.ctxType>($this->ctx, $this->getState())<currentRule.args:{a | ,
$a.name}>>);

```

```

$this->enterRule($localContext, <currentRule.startState>, self::RULE_<currentRule.name>);
<namedActions.init>
<locals; separator="\n">

try {
    <code>
    <postamble; separator="\n">
    <namedActions.after>
}<if(exceptions)><exceptions; separator="\n"><else> catch (RecognitionException $exception) {
    $localContext->exception = $exception;
    $this->errorHandler->reportError($this, $exception);
    $this->errorHandler->recover($this, $exception);
}<endif> finally {
    <finallyAction>
    $this->exitRule();
}

return $localContext;
}
>>

LeftRecursiveRuleFunction(currentRule,args,code,locals,ruleCtx,altLabelCtxs,namedActions,finallyAction,postamble) ::= <<
/**
 * @throws RecognitionException
 */
<if(currentRule.modifiers)><currentRule.modifiers:{f | <f> }><endif>public function <currentRule.name>(<args;
separator=", ">) : Context\<currentRule.ctxType>
{
return $this->recursive<currentRule.name; format="cap">(0<currentRule.args:{a | , <a.name>}>);
}

/**
 * @throws RecognitionException
 */
private function recursive<currentRule.name; format="cap">(int $precedence<args:{a | , <a>}>) :
Context\<currentRule.ctxType>
{
$parentContext = $this->ctx;
$parentState = $this->getState();
$localContext = new Context\<currentRule.ctxType>($this->ctx, $parentState<currentRule.args:{a | ,
<a.name>}>);
$previousContext = $localContext;
$startState = <currentRule.startState>;
$this->enterRecursionRule($localContext, <currentRule.startState>, self::RULE_<currentRule.name>,
$precedence);
<namedActions.init>
<locals; separator="\n">

```

```

try {
  <code>
  <postamble; separator="\n">
  <namedActions.after>
  } catch (RecognitionException $exception) {
    $localContext->exception = $exception;
    $this->errorHandler->reportError($this, $exception);
    $this->errorHandler->recover($this, $exception);
  } finally {
    <finallyAction>
    $this->unrollRecursionContexts($parentContext);
  }

  return $localContext;
}
>>

```

```

CodeBlockForOuterMostAlt(currentOuterMostAltCodeBlock, locals, preamble, ops) ::= <<
<if(currentOuterMostAltCodeBlock.altLabel)>$localContext = new
Context\<currentOuterMostAltCodeBlock.altLabel; format="cap">Context($localContext);<endif>
$this->enterOuterAlt($localContext, <currentOuterMostAltCodeBlock.alt.altNum>);
<CodeBlockForAlt(currentAltCodeBlock=currentOuterMostAltCodeBlock, ...)>
>>

```

```

CodeBlockForAlt(currentAltCodeBlock, locals, preamble, ops) ::= <<
<locals; separator="\n">
<preamble; separator="\n">
<ops; separator="\n">
>>

```

```

LL1AltBlock(choice, preamble, alts, error) ::= <<
$this->setState(<choice.stateNumber>);
$this->errorHandler->sync($this);
<if(choice.label)><labelref(choice.label)> = $this->input->LT(1);<endif>
<preamble; separator="\n">

```

```

switch ($this->input->LA(1)) {
  <choice.altLook,alts:{look,alt| <cases(ttypes=look)>
  <alt>
  break;}; separator="\n\n">

```

```

default:
  <error>
}
>>

```

```

LL1OptionalBlock(choice, alts, error) ::= <<

```

```

$this->setState(<choice.stateNumber>);
$this->errorHandler->sync($this);

switch ($this->input->LA(1)) {
    <choice.altLook,alts:{look,alt| <cases(ttypes=look)>
    <alt>
    break;}; separator="\n\n">

default:
    break;
}
>>

LL1OptionalBlockSingleAlt(choice, expr, alts, preamble, error, followExpr) ::= <<
$this->setState(<choice.stateNumber>);
$this->errorHandler->sync($this);
<preamble; separator="\n">

if (<expr>) {
    <alts; separator="\n">
}
>>

LL1StarBlockSingleAlt(choice, loopExpr, alts, preamble, iteration) ::= <<
$this->setState(<choice.stateNumber>);
$this->errorHandler->sync($this);

<preamble; separator="\n">
while (<loopExpr>) {
    <alts; separator="\n">
    $this->setState(<choice.loopBackStateNumber>);
    $this->errorHandler->sync($this);
    <iteration>
}
>>

LL1PlusBlockSingleAlt(choice, loopExpr, alts, preamble, iteration) ::= <<
$this->setState(<choice.blockStartStateNumber>); <! alt block decision !>
$this->errorHandler->sync($this);

<preamble; separator="\n">
do {
    <alts; separator="\n">
    $this->setState(<choice.stateNumber>); <! loopback/exit decision !>
    $this->errorHandler->sync($this);
    <iteration>
} while (<loopExpr>);
>>

```

```
// LL(*) stuff
```

```
AltBlock(choice, preamble, alts, error) ::= <<
```

```
$this->setState(<choice.stateNumber>);
```

```
$this->errorHandler->sync($this);
```

```
<if(choice.label)><labelref(choice.label)> = $this->input->LT(1);<endif>
```

```
<preamble; separator="\n">
```

```
switch ($this->getInterpreter()->adaptivePredict($this->input, <choice.decision>, $this->ctx)) {
```

```
<alts:{ alt |
```

```
case <i>:
```

```
<alt>
```

```
break;}; separator="\n\n">
```

```
}
```

```
>>
```

```
OptionalBlock(choice, alts, error) ::= <<
```

```
$this->setState(<choice.stateNumber>);
```

```
$this->errorHandler->sync($this);
```

```
switch ($this->getInterpreter()->adaptivePredict($this->input, <choice.decision>, $this->ctx)) {
```

```
<alts:{ alt |
```

```
case <i><if(!choice.ast.greedy)>+1<endif>:
```

```
<alt>
```

```
break;}; separator="\n\n">
```

```
}
```

```
>>
```

```
StarBlock(choice, alts, sync, iteration) ::= <<
```

```
$this->setState(<choice.stateNumber>);
```

```
$this->errorHandler->sync($this);
```

```
$alt = $this->getInterpreter()->adaptivePredict($this->input, <choice.decision>, $this->ctx);
```

```
while ($alt !== <choice.exitAlt> && $alt !== ATN::INVALID_ALT_NUMBER) {
```

```
if ($alt === 1<if(!choice.ast.greedy)>+1<endif>) {
```

```
<iteration>
```

```
<alts> <! should only be one !>
```

```
}
```

```
$this->setState(<choice.loopBackStateNumber>);
```

```
$this->errorHandler->sync($this);
```

```
$alt = $this->getInterpreter()->adaptivePredict($this->input, <choice.decision>, $this->ctx);
```

```
}
```

```
>>
```

```

PlusBlock(choice, alts, error) ::= <<
$this->setState(<choice.blockStartStateNumber>); <! alt block decision !>
$this->errorHandler->sync($this);

$alt = 1<if(!choice.ast.greedy)>+1<endif>;

do {
  switch ($alt) {
    <alts:{alt|
    case <i><if(!choice.ast.greedy)>+1<endif>:
    <alt>
    break;}; separator="\n\n">
    default:
    <error>
  }

$this->setState(<choice.loopBackStateNumber>); <! loopback/exit decision !>
$this->errorHandler->sync($this);

$alt = $this->getInterpreter()->adaptivePredict($this->input, <choice.decision>, $this->ctx);
} while ($alt !== <choice.exitAlt> && $alt !== ATN::INVALID_ALT_NUMBER);
>>

Sync(s) ::= "sync(<s.expecting.name>);"

ThrowNoViableAlt(t) ::= "throw new NoViableAltException($this);"

TestSetInline(s) ::= <<
<s.bitsets:{bits | <if(rest(rest(bits.ttypes)))><bitsetBitfieldComparison(s, bits)><else><bitsetInlineComparison(s,
bits)><endif>}; separator=" || ">
>>

// Java language spec 15.19 - shift operators mask operands rather than overflow to 0... need range test
testShiftInRange(shiftAmount) ::= <<
((<shiftAmount>) & ~0x3f) === 0
>>

// produces smaller bytecode only when bits.ttypes contains more than two items
bitsetBitfieldComparison(s, bits) ::= <%
(<testShiftInRange({<offsetShiftVar(s.varName, bits.shift)>})> && ((1 \<< <offsetShiftVar(s.varName,
bits.shift)>) & (<bits.ttypes:{ttype | (1 \<< <offsetShiftConst(ttype, bits.shift)>)}); separator=" | ">)) !== 0)
%>

isZero ::= [
"0":true,
default:false
]

```



```

offsetShiftVar(shiftAmount, offset) ::= <%
<if(!isZero(offset))>(<$<shiftAmount> - <offset>)<else><$<shiftAmount><endif>
%>
offsetShiftConst(shiftAmount, offset) ::= <%
<if(!isZero(offset))>(self::<shiftAmount> - <offset>)<else>self::<shiftAmount><endif>
%>

// produces more efficient bytecode when bits.ttypes contains at most two items
bitsetInlineComparison(s, bits) ::= <%
<bits.ttypes:{ ttype | <$<s.varName> === self::<ttype>}; separator=" || ">
%>

cases(ttypes) ::= <<
<ttypes:{ t | case self::<t>}; separator="\n">
>>

InvokeRule(r, argExprsChunks) ::= <<
$this->setState(<r.stateNumber>);
<if(r.labels)><r.labels:{1 | <labelref(1)> = }><endif>$this-><if(r.ast.options.p)>recursive<r.name>;
format="cap"><else><r.name><endif>(<if(r.ast.options.p)><r.ast.options.p><if(argExprsChunks)><endif><endif>
<argExprsChunks>);
>>

MatchToken(m) ::= <<
$this->setState(<m.stateNumber>);
<if(m.labels)><m.labels:{1 | <labelref(1)> = }><endif>$this->match(self::<m.name>);
>>

MatchSet(m, expr, capture) ::= "<CommonSetStuff(m, expr, capture, false)>"

MatchNotSet(m, expr, capture) ::= "<CommonSetStuff(m, expr, capture, true)>"

CommonSetStuff(m, expr, capture, invert) ::= <<
$this->setState(<m.stateNumber>);

<if(m.labels)><m.labels:{1 | <labelref(1)> = }>$this->input->LT(1);<endif>
<capture>

if (<if(invert)><$<m.varName> \<= 0 || <else>!<endif>(<expr>)) {
    <if(m.labels)><m.labels:{1 | <labelref(1)> = }><endif>$this->errorHandler->recoverInline($this);
} else {
    if ($this->input->LA(1) === Token::EOF) {
        $this->matchedEOF = true;
    }

    $this->errorHandler->reportMatch($this);
    $this->consume();
}

```

```

>>

Wildcard(w) ::= <<
$this->setState(<w.stateNumber>);
<if(w.labels)><w.labels:{1 | <labelref(l)> = }><endif>$this->matchWildcard();
>>

// ACTION STUFF

Action(a, foo, chunks) ::= "<chunks>"

ArgAction(a, chunks) ::= "<chunks>"

SemPred(p, chunks, failChunks) ::= <<
$this->setState(<p.stateNumber>);

if (!(<chunks>)) {
    throw new FailedPredicateException($this, <p.predicate><if(failChunks)>, <failChunks><elseif(p.msg)>,
    <p.msg><endif>);
}
>>

ExceptionClause(e, catchArg, catchAction) ::= <<
catch (<catchArg>) {
    <catchAction>
}
>>

// lexer actions are not associated with model objects

LexerSkipCommand() ::= "$this->skip();"
LexerMoreCommand() ::= "$this->more();"
LexerPopModeCommand() ::= "$this->popMode();"

LexerTypeCommand(arg, grammar) ::= "$this->type = <arg>";
LexerChannelCommand(arg, grammar) ::= "$this->channel = <arg>";
LexerModeCommand(arg, grammar) ::= "$this->mode = <arg>";
LexerPushModeCommand(arg, grammar) ::= "$this->pushMode(<arg>);"

ActionText(t) ::= "<t.text>"
ActionTemplate(t) ::= "<t.st>"
ArgRef(a) ::= "$localContext-><a.name>"
LocalRef(a) ::= "$localContext-><a.name>"
RetValRef(a) ::= "$localContext-><a.name>"
QRetValRef(a) ::= "<ctx(a)>-><a.dict>-><a.name>"
/** How to translate $tokenLabel */
TokenRef(t) ::= "<ctx(t)>-><t.name>"
LabelRef(t) ::= "<ctx(t)>-><t.name>"

```

```

ListLabelRef(t) ::= "<ctx(t)>-><ListLabelName(t.name)>"
SetAttr(s,rhsChunks) ::= "<ctx(s)>-><s.name> = <rhsChunks>;"

TokenLabelType() ::= "<file.TokenLabelType; null={Token}>"
InputSymbolType() ::= "<file.InputSymbolType; null={Token}>"

TokenPropertyRef_text(t) ::= "(<ctx(t)>-><t.label> != null ? <ctx(t)>-><t.label>->getText() : null)"
TokenPropertyRef_type(t) ::= "(<ctx(t)>-><t.label> != null ? <ctx(t)>-><t.label>->getType() : 0)"
TokenPropertyRef_line(t) ::= "(<ctx(t)>-><t.label> != null ? <ctx(t)>-><t.label>->getLine() : 0)"
TokenPropertyRef_pos(t) ::= "(<ctx(t)>-><t.label> != null ? <ctx(t)>-><t.label>->getCharPositionInLine() : 0)"
TokenPropertyRef_channel(t) ::= "(<ctx(t)>-><t.label> != null ? <ctx(t)>-><t.label>->getChannel() : 0)"
TokenPropertyRef_index(t) ::= "(<ctx(t)>-><t.label> != null ? <ctx(t)>-><t.label>->getTokenIndex() : 0)"
TokenPropertyRef_int(t) ::= "(<ctx(t)>-><t.label> != null ? (int) <ctx(t)>-><t.label>->getText() : 0)"

RulePropertyRef_start(r) ::= "(<ctx(r)>-><r.label> != null ? (<ctx(r)>-><r.label>->start) : null)"
RulePropertyRef_stop(r) ::= "(<ctx(r)>-><r.label> != null ? (<ctx(r)>-><r.label>->stop) : null)"
RulePropertyRef_text(r) ::= "(<ctx(r)>-><r.label> != null ? $this->input->getTextByTokens(<ctx(r)>-><r.label>->start, <ctx(r)>-><r.label>->stop) : null)"
RulePropertyRef_ctx(r) ::= "<ctx(r)>-><r.label>"
RulePropertyRef_parser(r) ::= "\$this"

ThisRulePropertyRef_start(r) ::= "$localContext->start"
ThisRulePropertyRef_stop(r) ::= "$localContext->stop"
ThisRulePropertyRef_text(r) ::= "$this->input->getTextByTokens($localContext->start, $this->input->LT(-1))"
ThisRulePropertyRef_ctx(r) ::= "$localContext"
ThisRulePropertyRef_parser(r) ::= "$this"

NonLocalAttrRef(s) ::= "\$this->getInvokingContext(<s.ruleIndex>)-><s.name>"
SetNonLocalAttr(s, rhsChunks) ::= "\$this->getInvokingContext(<s.ruleIndex>)-><s.name> = <rhsChunks>;"

AddToLabelList(a) ::= "<ctx(a.label)>-><a.listName>[] = <labelref(a.label)>;"

TokenDecl(t) ::= "<TokenLabelType()> $<t.name>"
TokenTypeDecl(t) ::= ""
TokenListDecl(t) ::= "array $<t.name> = []"
RuleContextDecl(r) ::= "<r.ctxName> $<r.name>"
RuleContextListDecl(rdecl) ::= "array $<rdecl.name> = []"
AttributeDecl(d) ::= "<d.type> $<d.name><if(d.initValue)> = <d.initValue><endif>"

PropertiesDecl(struct) ::= <<
<if(struct.tokenListDecls)>
<struct.tokenListDecls : { d | /**
* @var array<Token>|null $<d.name>
*/
public $<d.name>;}; separator="\n\n">
<endif>
<if(struct.tokenDecls)>
<if(struct.tokenListDecls)>

```

```

<endif>
<struct.tokenDecls : {d | /**
* @var <TokenLabelType()>|null $<d.name>
*/
public $<d.name>;}; separator="\n\n">
<endif>
<if(struct.ruleContextDecls)>
<if(struct.tokenListDecls || struct.tokenDecls)>

<endif>
<struct.ruleContextDecls : {d | /**
* @var <d.ctxName>|null $<d.name>
*/
public $<d.name>;}; separator="\n\n">
<endif>
<if(struct.ruleContextListDecls)>
<if(struct.tokenListDecls || struct.tokenDecls || struct.ruleContextDecls)>

<endif>
<struct.ruleContextListDecls : {d | /**
* @var array\<<d.ctxName>\>|null $<d.name>
*/
public $<d.name>;}; separator="\n\n">
<endif>
<if(struct.attributeDecls)>
<if(struct.tokenListDecls || struct.tokenDecls || struct.ruleContextDecls || struct.ruleContextListDecls)>

<endif>
<struct.attributeDecls : {d | /**
* @var <d.type><if(!d.initValue)>|null<endif> $<d.name>
*/
public $<d.name><if(d.initValue)> = <d.initValue><endif>;}; separator="\n\n">
<endif>

>>

ContextTokenGetterDecl(t) ::= <<
public function <t.name>() : ?TerminalNode
{
    return $this->getToken(<parser.name>::<t.name>, 0);
}
>>

ContextTokenListGetterDecl(t) ::= <<
>>

ContextTokenListIndexedGetterDecl(t) ::= <<

```

```

/**
 * @return array<TerminalNode>|TerminalNode|null
 */
public function <t.name>(?int $index = null)
{
    if ($index === null) {
        return $this->getTokens(<parser.name>::<t.name>);
    }

    return $this->getToken(<parser.name>::<t.name>, $index);
}
>>

ContextRuleGetterDecl(r) ::= <<
public function <r.name>() : ?<r.ctxName>
{
    return $this->getTypedRuleContext(<r.ctxName>::class, 0);
}
>>

ContextRuleListGetterDecl(r) ::= <<
>>

ContextRuleListIndexedGetterDecl(r) ::= <<
/**
 * @return array<<r.ctxName>>|<r.ctxName>|null
 */
public function <r.name>(?int $index = null)
{
    if ($index === null) {
        return $this->getTypedRuleContexts(<r.ctxName>::class);
    }

    return $this->getTypedRuleContext(<r.ctxName>::class, $index);
}
>>

LexerRuleContext() ::= "RuleContext"

/**
 * The rule context name is the rule followed by a suffix; e.g., r becomes rContext.
 */
RuleContextNameSuffix() ::= "Context"

ImplicitTokenLabel(tokenName) ::= "<tokenName>"
ImplicitRuleLabel(ruleName) ::= "<ruleName>"
ImplicitSetLabel(id) ::= "_tset<id>"
ListLabelName(label) ::= "<label>"

```

```
CaptureNextToken(d) ::= "$<d.varName> = \${this->input->LT(1)};"
CaptureNextTokenType(d) ::= "$<d.varName> = \${this->input->LA(1)};"
```

```
StructDecl(struct,ctorAttrs,attrs, getters,dispatchMethods,interfaces,extensionMembers) ::= <<
class <struct.name> extends
<if(contextSuperClass)><contextSuperClass><else>ParserRuleContext<endif><if(interfaces)> implements
<interfaces; separator=", "><endif>
{
<PropertiesDecl(struct)>
public function __construct(?ParserRuleContext $parent, ?int $invokingState = null<ctorAttrs:{a | , ?<a> = null}>)
{
parent::__construct($parent, $invokingState);
<if(struct.ctorAttrs)>

<struct.ctorAttrs:{a | \${this-><a.name> = \${<a.name>} ?? \${this-><a.name>};}; separator="\n">
<endif>
}

public function getRuleIndex() : int
{
return <parser.name>::RULE_<struct.derivedFromName>;
}
<if(getters)>

<getters:{g | <g>}; separator="\n\n">
<endif>
<if(struct.provideCopyFrom)> <! don't need copy unless we have subclasses !>
public function copyFrom(ParserRuleContext $context) : void
{
parent::copyFrom($context);

<struct.attrs:{a | \${this-><a.name> = \${<a.name>};}; separator="\n">
}
<endif>
<if(dispatchMethods)>

<dispatchMethods; separator="\n\n">
<endif>
<if(extensionMembers)>

<extensionMembers; separator="\n\n">
<endif>
}
>>
```

```
AltLabelStructDecl(struct,attrs, getters,dispatchMethods) ::= <<
class <struct.name> extends <struct.parentRule; format="cap">Context
```

```

{
<PropertiesDecl(struct)>
public function __construct(<struct.parentRule; format="cap">Context $context)
{
    parent::__construct($context);

    $this->copyFrom($context);
}
<if(getters)>

    <getters:{g | <g>}; separator="\n\n">
<endif>
<if(dispatchMethods)>

    <dispatchMethods; separator="\n\n">
<endif>
}
>>

ListenerDispatchMethod(method) ::= <<
public function <if(method.isEnter)>enter<else>exit<endif>Rule(ParseTreeListener $listener) : void
{
    if ($listener instanceof <parser.grammarName>Listener) {
        $listener-><if(method.isEnter)>enter<else>exit<endif><struct.derivedFromName; format="cap">($this);
    }
}
>>

VisitorDispatchMethod(method) ::= <<
public function accept(ParseTreeVisitor $visitor)
{
    if ($visitor instanceof <parser.grammarName>Visitor) {
        return $visitor->visit<struct.derivedFromName; format="cap">($this);
    }

    return $visitor->visitChildren($this);
}
>>

/** If we don't know location of label def x, use this template */
labelref(x) ::= "<if(!x.isLocal)>$localContext-><endif><x.name>"

/** For any action chunk, what is correctly-typed context struct ptr? */
ctx(actionChunk) ::= "$localContext"

// used for left-recursive rules
recRuleAltPredicate(ruleName,opPrec) ::= "\$this->precpred(\$this->ctx, <opPrec>)"

```

```

recRuleSetReturnAction(src,name) ::= "\$<name> = \$<src-><name>;"

recRuleSetStopToken()          ::= "$this->ctx->stop = $this->input->LT(-1);"

recRuleAltStartAction(ruleName, ctxName, label, isListLabel) ::= <<
$localContext = new Context\\<ctxName>Context($parentContext, $parentState);
<if(label)>
<if(isListLabel)>
$localContext-><label>[] = $previousContext;
<else>
$localContext-><label> = $previousContext;
<endif>
<endif>

$this->pushNewRecursionContext($localContext, $startState, self::RULE_<ruleName>);
>>

recRuleLabeledAltStartAction(ruleName, currentAltLabel, label, isListLabel) ::= <<
$localContext = new Context\\<currentAltLabel; format="cap">Context(new Context\\<ruleName;
format="cap">Context($parentContext, $parentState));
<if(label)>
<if(isListLabel)>
$localContext-><label>[] = $previousContext;
<else>
$localContext-><label> = $previousContext;
<endif>
<endif>

$this->pushNewRecursionContext($localContext, $startState, self::RULE_<ruleName>);
>>

recRuleReplaceContext(ctxName) ::= <<
$localContext = new Context\\<ctxName>Context($localContext);
$this->ctx = $localContext;
$previousContext = $localContext;
>>

recRuleSetPrevCtx() ::= <<
if ($this->getParseListeners() !== null) {
    $this->triggerExitRuleEvent();
}

$previousContext = $localContext;
>>

LexerFile(lexerFile, lexer, namedActions) ::= <<
<fileHeader(lexerFile.grammarFileName, lexerFile.ANTLRVersion)>

```



<lexer>

>>

```
Lexer(lexer, atn, actionFuncs, sempredFuncs, superClass) ::= <<
namespace<if(lexerFile.genPackage)> <lexerFile.genPackage><endif> {
<if(namedActions.header)><namedActions.header><endif>
use Antlr\\Antlr4\\Runtime\\Atn\\ATNDeserializer;
use Antlr\\Antlr4\\Runtime\\Atn\\LexerATNSimulator;
use Antlr\\Antlr4\\Runtime\\Lexer;
use Antlr\\Antlr4\\Runtime\\CharStream;
use Antlr\\Antlr4\\Runtime\\PredictionContexts\\PredictionContextCache;
use Antlr\\Antlr4\\Runtime\\RuleContext;
use Antlr\\Antlr4\\Runtime\\Atn\\ATN;
use Antlr\\Antlr4\\Runtime\\Dfa\\DFA;
use Antlr\\Antlr4\\Runtime\\Vocabulary;
use Antlr\\Antlr4\\Runtime\\RuntimeMetaData;
use Antlr\\Antlr4\\Runtime\\VocabularyImpl;
<if(namedActions.definitions)><namedActions.definitions><endif>

final class <lexer.name> extends <superClass; null="Lexer">
{
<if(lexer.tokens)>
public const <lexer.tokens:{k | <k> = <lexer.tokens.(k)>}; separator=", ", wrap, anchor>;
<endif>

<if(lexer.channels)>
public const <lexer.channels:{c | <c> = <lexer.channels.(c)>}; separator=", ", wrap, anchor>;
<endif>

<if(rest(lexer.modes))>
public const <rest(lexer.modes){m | <m>=<i>}; separator=", ", wrap, anchor>;
<endif>

/**
 * @var array<string>
 */
public const CHANNEL_NAMES = [
'DEFAULT_TOKEN_CHANNEL', 'HIDDEN'<if (lexer.channels)>, <lexer.channels:{c | '<c>'}; separator=", ",
wrap, anchor><endif>
];

/**
 * @var array<string>
 */
public const MODE_NAMES = [
<lexer.modes:{m | '<m>'}; separator=", ", wrap, anchor>
];
```

```

/**
 * @var array<string>
 */
public const RULE_NAMES = [
<lexer.ruleNames:{r | '<r>'}; separator=", ", wrap, anchor>
];

<vocabulary(lexer.literalNames, lexer.symbolicNames)>

<atn>
protected static $atn;
protected static $decisionToDFA;
protected static $sharedContextCache;
<if(namedActions.members)>

<namedActions.members>
<endif>

public function __construct(CharStream $input)
{
    parent::__construct($input);

    self::initialize();

    $this->interp = new LexerATNSimulator($this, self::$atn, self::$decisionToDFA, self::$sharedContextCache);
}

private static function initialize() : void
{
    if (self::$atn !== null) {
        return;
    }

    RuntimeMetaData::checkVersion('<lexerFile.ANTLRVersion>', RuntimeMetaData::VERSION);

    $atn = (new ATNDeserializer()->deserialize(self::SERIALIZED_ATN);

    $decisionToDFA = [];
    for ($i = 0, $count = $atn->getNumberOfDecisions(); $i < $count; $i++) {
        $decisionToDFA[] = new DFA($atn->getDecisionState($i), $i);
    }

    self::$atn = $atn;
    self::$decisionToDFA = $decisionToDFA;
    self::$sharedContextCache = new PredictionContextCache();
}

public static function vocabulary() : Vocabulary

```

```

{
    static $vocabulary;

    return $vocabulary = $vocabulary ?? new VocabularyImpl(self::LITERAL_NAMES, self::SYMBOLIC_NAMES);
}

public function getGrammarFileName() : string
{
    return '<lexer.grammarFileName>';
}

public function getRuleNames() : array
{
    return self::RULE_NAMES;
}

public function getSerializedATN() : string
{
    return self::SERIALIZED_ATN;
}

/**
 * @return array<string>
 */
public function getChannelNames() : array
{
    return self::CHANNEL_NAMES;
}

/**
 * @return array<string>
 */
public function getModeNames() : array
{
    return self::MODE_NAMES;
}

public function getATN() : ATN
{
    return self::$atn;
}

public function getVocabulary() : Vocabulary
{
    return self::vocabulary();
}
<dumpActions(lexer, "", actionFuncs, sempredFuncs)>
}

```

```

}
>>

SerializedATN(model) ::= <<
<if(rest(model.segments))>
/**
 * @var string
 */
private const SERIALIZED_ATN =
  <model.segments:{segment| "<segment; wrap={ " .<n>" }>"; separator=" .\n">;
<else>
/**
 * @var string
 */
private const SERIALIZED_ATN =
  "<model.serialized; wrap={ " .<n>  " }>";
<endif>
>>

/**
 * Using a type to init value map, try to init a type; if not in table
 * must be an object, default value is `null`.
 */
initValue(typeName) ::= <<
<phpTypeInitMap.(typeName)>
>>

codeFileExtension() ::= ".php"

```

Found in path(s):

```

* /opt/cola/permits/1192255793_1629156080.64/0/antlr4-4-8-1-sources-1-
jar/org/antlr/v4/tool/templates/codegen/PHP/PHP.stg

```

No license file was found, but licenses were detected in source scan.

```

/*
 * Copyright (c) 2012-2017 The ANTLR Project. All rights reserved.
 * Use of this file is governed by the BSD 3-clause license that
 * can be found in the LICENSE.txt file in the project root.
 */
/**

```

```

[The "BSD license"]
Copyright (c) 2011 Cay Horstmann
All rights reserved.

```

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The name of the author may not be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

\*/

Found in path(s):

\* /opt/cola/permits/1192255793\_1629156080.64/0/antlr4-4-8-1-sources-1-jar/org/antlr/v4/gui/GraphicsSupport.java

No license file was found, but licenses were detected in source scan.

/\*

[The "BSD licence"]

Copyright (c) 2006 Kay Roepke

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The name of the author may not be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT

(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

\*/

/\*

This file contains the actual layout of the messages emitted by ANTLR.

The text itself is coming out of the languages/\*stg files, according to the chosen locale.

This file contains the format that mimicks GCC output.

\*/

location(file, line, column) ::= "<file>:<line>:<column>:"

message(id, text) ::= "<text> [error <id>]"

report(location, message, type) ::= "<location> <type>: <message>"

wantsSingleLineMessage() ::= "true"

Found in path(s):

\* /opt/cola/permits/1192255793\_1629156080.64/0/antlr4-4-8-1-sources-1-jar/org/antlr/v4/tool/templates/messages/formats/gnu.stg

No license file was found, but licenses were detected in source scan.

/\*

\* [The "BSD license"]

\* Copyright (c) 2016, Mike Lischke

\* All rights reserved.

\*

\* Redistribution and use in source and binary forms, with or without

\* modification, are permitted provided that the following conditions

\* are met:

\*

\* 1. Redistributions of source code must retain the above copyright

\* notice, this list of conditions and the following disclaimer.

\* 2. Redistributions in binary form must reproduce the above copyright

\* notice, this list of conditions and the following disclaimer in the

\* documentation and/or other materials provided with the distribution.

\* 3. The name of the author may not be used to endorse or promote products

\* derived from this software without specific prior written permission.

\*

\* THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR

\* IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES

\* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.

\* IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,

\* INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT

\* NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,

\* DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY

\* THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT

\* (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF

\* THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

\*/

Found in path(s):

\* /opt/cola/permits/1192255793\_1629156080.64/0/antlr4-4-8-1-sources-1-jar/org/antlr/v4/tool/templates/codegen/Cpp/Files.stg

No license file was found, but licenses were detected in source scan.

/\*

\* [The "BSD license"]

\* Copyright (c) 2012-2016 Terence Parr

\* Copyright (c) 2012-2016 Sam Harwell

\* All rights reserved.

\*

\* Redistribution and use in source and binary forms, with or without

\* modification, are permitted provided that the following conditions

\* are met:

\*

\* 1. Redistributions of source code must retain the above copyright

\* notice, this list of conditions and the following disclaimer.

\* 2. Redistributions in binary form must reproduce the above copyright

\* notice, this list of conditions and the following disclaimer in the

\* documentation and/or other materials provided with the distribution.

\* 3. The name of the author may not be used to endorse or promote products

\* derived from this software without specific prior written permission.

\*

\* THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR

\* IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES

\* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.

\* IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,

\* INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT

\* NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,

\* DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY

\* THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT

\* (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF

\* THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

\*/

/\*\* Find left-recursive rules \*/

tree grammar LeftRecursiveRuleWalker;

options {

tokenVocab=ANTLRParser;

ASTLabelType=GrammarAST;

}

@header {

package org.antlr.v4.parse;

```

import org.antlr.v4.misc.*;
import org.antlr.v4.tool.*;
import org.antlr.v4.tool.ast.*;
}

@members {
private String ruleName;
private int currentOuterAltNumber; // which outer alt of rule?
public int numAlts; // how many alts for this rule total?

public void setAltAssoc(AltAST altTree, int alt) {}
public void binaryAlt(AltAST altTree, int alt) {}
public void prefixAlt(AltAST altTree, int alt) {}
public void suffixAlt(AltAST altTree, int alt) {}
public void otherAlt(AltAST altTree, int alt) {}
public void setReturnValues(GrammarAST t) {}
}

@rulecatch { }

// TODO: can get parser errors for not matching pattern; make them go away
public
rec_rule returns [boolean isLeftRec]
@init
{
currentOuterAltNumber = 1;
}
: ^( r=RULE id=RULE_REF {ruleName=$id.getText();}
ruleModifier?
// (ARG_ACTION)? shouldn't allow args, right?
^(RETURNS a=ARG_ACTION {setReturnValues($a);})?
// (^(THROWS .+)) ? don't allow
^(LOCALS ARG_ACTION) )? // TODO: copy these to gen'd code
^(OPTIONS .*)
| ^(AT ID ACTION) // TODO: copy
)*
ruleBlock { $isLeftRec = $ruleBlock.isLeftRec; }
exceptionGroup
)
;

exceptionGroup
: exceptionHandler* finallyClause?
;

exceptionHandler
: ^(CATCH ARG_ACTION ACTION)

```



```

;

finallyClause
: ^(FINALLY ACTION)
;

ruleModifier
: PUBLIC
| PRIVATE
| PROTECTED
;

ruleBlock returns [boolean isLeftRec]
@init{boolean lr=false; this.numAlts = $start.getChildCount();}
: ^( BLOCK
(
o=outerAlternative
{if ($o.isLeftRec) $isLeftRec = true;}
{currentOuterAltNumber++;}
)+
)
;

/** An alt is either prefix, suffix, binary, or ternary operation or "other" */
outerAlternative returns [boolean isLeftRec]
: (binary)=>    binary
                {binaryAlt((AltAST)$start, currentOuterAltNumber); $isLeftRec=true;}
| (prefix)=>    prefix
                {prefixAlt((AltAST)$start, currentOuterAltNumber);}
| (suffix)=>   suffix
                {suffixAlt((AltAST)$start, currentOuterAltNumber); $isLeftRec=true;}
| nonLeftRecur {otherAlt((AltAST)$start, currentOuterAltNumber);}
;

binary
: ^( ALT elementOptions? recurse element* recurse epsilonElement* )
  {setAltAssoc((AltAST)$ALT,currentOuterAltNumber);}
;

prefix
: ^( ALT elementOptions?
  element+
  recurse epsilonElement*
)
  {setAltAssoc((AltAST)$ALT,currentOuterAltNumber);}
;

suffix

```

```

: ^( ALT elementOptions? recurse element+ )
  {setAltAssoc((AltAST)$ALT,currentOuterAltNumber);}
;

nonLeftRecur
: ^(ALT elementOptions? element+)
;

recurse
: ^(ASSIGN ID recurseNoLabel)
| ^(PLUS_ASSIGN ID recurseNoLabel)
| recurseNoLabel
;

recurseNoLabel : {((CommonTree)input.LT(1)).getText().equals(ruleName)}? RULE_REF;

token returns [GrammarAST t=null]
: ^(ASSIGN ID s=token {$t = $s.t;})
| ^(PLUS_ASSIGN ID s=token {$t = $s.t;})
| b=STRING_LITERAL    {$t = $b;}
| ^(b=STRING_LITERAL elementOptions) {$t = $b;}
| ^(c=TOKEN_REF elementOptions) {$t = $c;}
| c=TOKEN_REF        {$t = $c;}
;

elementOptions
: ^(ELEMENT_OPTIONS elementOption*)
;

elementOption
: ID
| ^(ASSIGN ID ID)
| ^(ASSIGN ID STRING_LITERAL)
| ^(ASSIGN ID ACTION)
| ^(ASSIGN ID INT)
;

element
: atom
| ^(NOT element)
| ^(RANGE atom atom)
| ^(ASSIGN ID element)
| ^(PLUS_ASSIGN ID element)
| ^(SET setElement+)
| RULE_REF
| ebnf
| epsilonElement
;

```

```
epsilonElement
: ACTION
| SEMPRED
| EPSILON
| ^(ACTION elementOptions)
| ^(SEMPRED elementOptions)
;
```

```
setElement
: ^(STRING_LITERAL elementOptions)
| ^(TOKEN_REF elementOptions)
| STRING_LITERAL
| TOKEN_REF
;
```

```
ebnf: block
| ^( OPTIONAL block )
| ^( CLOSURE block )
| ^( POSITIVE_CLOSURE block )
;
```

```
block
: ^(BLOCK ACTION? alternative+)
;
```

```
alternative
: ^(ALT elementOptions? element+)
;
```

```
atom
: ^(RULE_REF ARG_ACTION? elementOptions?)
| ^(STRING_LITERAL elementOptions)
| STRING_LITERAL
| ^(TOKEN_REF elementOptions)
| TOKEN_REF
| ^(WILDCARD elementOptions)
| WILDCARD
| ^(DOT ID element)
;
```

Found in path(s):

\* /opt/cola/permits/1192255793\_1629156080.64/0/antlr4-4-8-1-sources-1-jar/org/antlr/v4/parse/LeftRecursiveRuleWalker.g

No license file was found, but licenses were detected in source scan.

/\*

\* [The "BSD license"]

```
* Copyright (c) 2015 Dan McLaughlin, Mike Lischke
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
* notice, this list of conditions and the following disclaimer.
* 2. Redistributions in binary form must reproduce the above copyright
* notice, this list of conditions and the following disclaimer in the
* documentation and/or other materials provided with the distribution.
* 3. The name of the author may not be used to endorse or promote products
* derived from this software without specific prior written permission.
*
* THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR
* IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.
* IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,
* INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT
* NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
* DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
* THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
* (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF
* THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
*/
```

Found in path(s):

```
* /opt/cola/permits/1192255793_1629156080.64/0/antlr4-4-8-1-sources-1-
jar/org/antlr/v4/tool/templates/codegen/Cpp/Cpp.stg
```

No license file was found, but licenses were detected in source scan.

```
/*
* [The "BSD license"]
* Copyright (c) 2012-2016 Terence Parr
* Copyright (c) 2012-2016 Sam Harwell
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
* notice, this list of conditions and the following disclaimer.
* 2. Redistributions in binary form must reproduce the above copyright
* notice, this list of conditions and the following disclaimer in the
* documentation and/or other materials provided with the distribution.
* 3. The name of the author may not be used to endorse or promote products
```

\* derived from this software without specific prior written permission.

\*

\* THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR

\* IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES

\* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.

\* IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,

\* INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT

\* NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,

\* DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY

\* THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT

\* (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF

\* THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

\*/

```
atn(startState, states, edges, rankdir, decisionRanks, useBox) ::= <<
digraph ATN {
rankdir=LR;
<decisionRanks; separator="\n">
<states; separator="\n">
<edges; separator="\n">
}
>>
```

```
dfa(name, startState, states, edges, rankdir, decisionRanks, useBox) ::= <<
digraph <name> {
<if(rankdir)>rankdir=<rankdir>;<endif>
<decisionRanks; separator="\n">
<states; separator="\n">
<edges; separator="\n">
}
>>
```

```
decision-rank(states) ::= <<
{rank=same; rankdir=TB; <states:{s | s<s>}; separator=" "; ">}
>>
```

```
edge(src,target,label,arrowhead,transitionIndex) ::= <<
<src><if(transitionIndex)>p<transitionIndex><endif> -> <target> [fontsize=11, fontname="Courier", arrowsize=.7,
label = "<label>"<if(arrowhead)>, arrowhead = <arrowhead><endif>];
>>
```

```
action-edge(src,target,label,arrowhead,transitionIndex) ::= <<
<src><if(transitionIndex)>p<transitionIndex><endif> -> <target> [fontsize=11, fontname="Courier", arrowsize=.7,
label = "<label>"<if(arrowhead)>, arrowhead = <arrowhead><endif>];
>>
```

```
epsilon-edge(src,label,target,arrowhead,transitionIndex,loopback=false) ::= <<
<src><if(transitionIndex)>p<transitionIndex><endif> -> <target> [fontname="Times-Italic",
```

```

label="&epsilon;"<if(loopback)>, style="dashed"<endif>];
>>

state(state, label, name, transitions) ::= <%
<name>[fontsize=11,
label="
  <! rest(transition) tests for decision states: these nodes have a non-empty set of transitions after the first one. !>
  <if(rest(transitions))>
    {
      <! Label on the left side of the record node. !>
      <label>
      |
      <! Named ports in order on right side of record node, no display text. !>
      {<transitions:{t|\<p<i0>>}; separator="|">}}
    <else>
      <label>
    <endif>
  "
  <if(rest(transitions))>
    , shape=record, fixedsize=false
  <else>
    , shape=circle, fixedsize=true, width=.55
  <endif>
  , peripheries=1];
%>

```

```

stopstate(name,label,actionIndex,useBox) ::= <<
<name>[fontsize=11, label="<label><if(actionIndex)>,\naction:<actionIndex><endif>",
<if(useBox)>shape=polygon,sides=4,peripheries=2,fixedsize=false<else>shape=doublecircle, fixedsize=true,
width=.6<endif>];
>>

```

Found in path(s):

```

* /opt/cola/permits/1192255793_1629156080.64/0/antlr4-4-8-1-sources-1-
jar/org/antlr/v4/tool/templates/dot/graphs.stg

```

No license file was found, but licenses were detected in source scan.

```

/*

```

```

[The "BSD licence"]

```

```

Copyright (c) 2006 Kay Roepke

```

```

All rights reserved.

```

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright

- notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The name of the author may not be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

\*/

/\*

This file contains the actual layout of the messages emitted by ANTLR.

This file contains the default format ANTLR uses.

\*/

location(file, line, column) ::= "<file>:<line>:<column>:"

message(id, text) ::= "<id> <text>"

report(location, message, type) ::= "<type><message.id>: <location> <message.text>"

wantsSingleLineMessage() ::= "false"

Found in path(s):

\* /opt/cola/permits/1192255793\_1629156080.64/0/antlr4-4-8-1-sources-1-jar/org/antlr/v4/tool/templates/messages/formats/antlr.stg

No license file was found, but licenses were detected in source scan.

/\*

\* [The "BSD license"]

\* Copyright (c) 2012-2016 Terence Parr

\* Copyright (c) 2012-2016 Sam Harwell

\* All rights reserved.

\*

\* Redistribution and use in source and binary forms, with or without

\* modification, are permitted provided that the following conditions

\* are met:

\*

\* 1. Redistributions of source code must retain the above copyright

\* notice, this list of conditions and the following disclaimer.

\* 2. Redistributions in binary form must reproduce the above copyright

\* notice, this list of conditions and the following disclaimer in the

\* documentation and/or other materials provided with the distribution.

\* 3. The name of the author may not be used to endorse or promote products

\* derived from this software without specific prior written permission.

\*

\* THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR

\* IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES

\* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.

\* IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,

\* INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT

\* NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,

\* DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY

\* THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT

\* (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF

\* THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

\*/

tree grammar ATNBuilder;

```
options {
    language = Java;
    tokenVocab = ANTLRParser;
    ASTLabelType = GrammarAST;
    // filter = true;
}
```

// Include the copyright in this source and also the generated source

@header {

/\*

[The "BSD license"]

Copyright (c) 2010 Terence Parr

All rights reserved.

Redistribution and use in source and binary forms, with or without  
modification, are permitted provided that the following conditions  
are met:

1. Redistributions of source code must retain the above copyright  
notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright  
notice, this list of conditions and the following disclaimer in the  
documentation and/or other materials provided with the distribution.
3. The name of the author may not be used to endorse or promote products  
derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR  
IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES  
OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.  
IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,  
INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT  
NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,  
DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY  
THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT



(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

\*/

```
package org.antlr.v4.parse;
import org.antlr.v4.tool.*;
import org.antlr.v4.tool.ast.*;
import org.antlr.v4.automata.ATNFactory;
}
```

```
@members {
    ATNFactory factory;
    public ATNBuilder(TreeNodeStream input, ATNFactory factory) {
        this(input);
        this.factory = factory;
    }
}
```

```
dummy : block[null] ; // avoid error about no start rule
```

```
ruleBlock[GrammarAST ebnfRoot] returns [ATNFactory.Handle p]
```

```
@init {
    List<ATNFactory.Handle> alts = new ArrayList<ATNFactory.Handle>();
    int alt = 1;
    factory.setCurrentOuterAlt(alt);
}
: ^(BLOCK
    (^ (OPTIONS .*)?
    ( a=alternative
        {alts.add($a.p); factory.setCurrentOuterAlt(++alt);}
    )+
    )
    {$p = factory.block((BlockAST)$BLOCK, ebnfRoot, alts);}
;
```

```
block[GrammarAST ebnfRoot] returns [ATNFactory.Handle p]
```

```
@init {List<ATNFactory.Handle> alts = new ArrayList<ATNFactory.Handle>();}
: ^(BLOCK (^ (OPTIONS .*)? (a=alternative {alts.add($a.p);}))+
    {$p = factory.block((BlockAST)$BLOCK, ebnfRoot, alts);}
;
```

```
alternative returns [ATNFactory.Handle p]
```

```
@init {List<ATNFactory.Handle> els = new ArrayList<ATNFactory.Handle>();}
: ^(LEXER_ALT_ACTION a=alternative lexerCommands
    {$p = factory.lexerAltCommands($a.p,$lexerCommands.p);}
| ^(ALT elementOptions? EPSILON) {$p = factory.epsilon($EPSILON);}
| ^(ALT elementOptions? (e=element {els.add($e.p);}))+ {$p = factory.alt(els);}
;
```

```
lexerCommands returns [ATNFactory.Handle p]
@init {List<ATNFactory.Handle> cmds = new ArrayList<ATNFactory.Handle>();}
: (c=lexerCommand {if ($c.cmd != null) cmds.add($c.cmd);}+
  {
    $p = factory.alt(cmds);
  }
);
```

```
lexerCommand returns [ATNFactory.Handle cmd]
: ^(LEXER_ACTION_CALL ID lexerCommandExpr)
  {$cmd = factory.lexerCallCommand($ID, $lexerCommandExpr.start);}
| ID
  {$cmd = factory.lexerCommand($ID);}
;
```

```
lexerCommandExpr
: ID
| INT
;
```

```
element returns [ATNFactory.Handle p]
: labeledElement {$p = $labeledElement.p;}
| atom {$p = $atom.p;}
| subrule {$p = $subrule.p;}
| ACTION {$p = factory.action((ActionAST)$ACTION);}
| SEMPRED {$p = factory.sempred((PredAST)$SEMPRED);}
| ^(ACTION .) {$p = factory.action((ActionAST)$ACTION);}
| ^(SEMPRED .) {$p = factory.sempred((PredAST)$SEMPRED);}
| ^(NOT b=blockSet[true]) {$p = $b.p;}
| LEXER_CHAR_SET {$p = factory.charSetLiteral($start);}
;
```

```
astOperand returns [ATNFactory.Handle p]
: atom {$p = $atom.p;}
| ^(NOT blockSet[true]) {$p = $blockSet.p;}
;
```

```
labeledElement returns [ATNFactory.Handle p]
: ^(ASSIGN ID element) {$p = factory.label($element.p);}
| ^(PLUS_ASSIGN ID element) {$p = factory.listLabel($element.p);}
;
```

```
subrule returns [ATNFactory.Handle p]
: ^(OPTIONAL block[$start]) {$p = $block.p;}
| ^(CLOSURE block[$start]) {$p = $block.p;}
| ^(POSITIVE_CLOSURE block[$start]) {$p = $block.p;}
| block[null] {$p = $block.p;}
;
```

```

blockSet[boolean invert] returns [ATNFactory.Handle p]
@init {List<GrammarAST> alts = new ArrayList<GrammarAST>();}
: ^(SET (setElement {alts.add($setElement.start);})+) {$p = factory.set($start, alts, $invert);}
;

/** Don't combine with atom otherwise it will build spurious ATN nodes */
setElement
: ^(STRING_LITERAL .)
| ^(TOKEN_REF .)
| STRING_LITERAL
| TOKEN_REF
| ^(RANGE a=STRING_LITERAL b=STRING_LITERAL)
| LEXER_CHAR_SET
;

atom returns [ATNFactory.Handle p]
: range {$p = $range.p;}
| ^(DOT ID terminal) {$p = $terminal.p;}
| ^(DOT ID ruleref) {$p = $ruleref.p;}
| ^(WILDCARD .) {$p = factory.wildcard($start);}
| WILDCARD {$p = factory.wildcard($start);}
| blockSet[false] {$p = $blockSet.p;}
| terminal {$p = $terminal.p;}
| ruleref {$p = $ruleref.p;}
;

ruleref returns [ATNFactory.Handle p]
: ^(RULE_REF ARG_ACTION? ^(ELEMENT_OPTIONS .*)) {$p = factory.ruleRef($RULE_REF);}
| ^(RULE_REF ARG_ACTION?) {$p = factory.ruleRef($RULE_REF);}
| RULE_REF {$p = factory.ruleRef($RULE_REF);}
;

range returns [ATNFactory.Handle p]
: ^(RANGE a=STRING_LITERAL b=STRING_LITERAL) {$p = factory.range($a,$b);}
;

terminal returns [ATNFactory.Handle p]
: ^(STRING_LITERAL .) {$p = factory.stringLiteral((TerminalAST)$start);}
| STRING_LITERAL {$p = factory.stringLiteral((TerminalAST)$start);}
| ^(TOKEN_REF ARG_ACTION .) {$p = factory.tokenRef((TerminalAST)$start);}
| ^(TOKEN_REF .) {$p = factory.tokenRef((TerminalAST)$start);}
| TOKEN_REF {$p = factory.tokenRef((TerminalAST)$start);}
;

elementOptions
: ^(ELEMENT_OPTIONS elementOption*)
;

```

```
elementOption
: ID
| ^(ASSIGN ID ID)
| ^(ASSIGN ID STRING_LITERAL)
| ^(ASSIGN ID ACTION)
| ^(ASSIGN ID INT)
;
```

Found in path(s):

\* /opt/cola/permits/1192255793\_1629156080.64/0/antlr4-4-8-1-sources-1-jar/org/antlr/v4/parse/ATNBuilder.g

No license file was found, but licenses were detected in source scan.

```
/*
 * [The "BSD license"]
 * Copyright (c) 2013 Terence Parr
 * Copyright (c) 2013 Sam Harwell
 * All rights reserved.
 *
 * Redistribution and use in source and binary forms, with or without
 * modification, are permitted provided that the following conditions
 * are met:
 *
 * 1. Redistributions of source code must retain the above copyright
 * notice, this list of conditions and the following disclaimer.
 * 2. Redistributions in binary form must reproduce the above copyright
 * notice, this list of conditions and the following disclaimer in the
 * documentation and/or other materials provided with the distribution.
 * 3. The name of the author may not be used to endorse or promote products
 * derived from this software without specific prior written permission.
 *
 * THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR
 * IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
 * OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.
 * IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,
 * INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT
 * NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
 * DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
 * THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
 * (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF
 * THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
 */

// args must be <object-model-object>, <fields-resulting-in-STs>

ParserFile(file, parser, namedActions, contextSuperClass) ::= <<
<fileHeader(file.grammarFileName, file.ANTLRVersion)>
<if(file.genPackage)>
```

```

namespace <file.genPackage> {
<endif>
<namedActions.header>
using System;
using System.IO;
using System.Text;
using System.Diagnostics;
using System.Collections.Generic;
using Antlr4.Runtime;
using Antlr4.Runtime.Atn;
using Antlr4.Runtime.Misc;
using Antlr4.Runtime.Tree;
using DFA = Antlr4.Runtime.Dfa.DFA;

<parser>
<if(file.genPackage)>
} // namespace <file.genPackage>
<endif>
>>

ListenerFile(file, header, namedActions) ::= <<
<fileHeader(file.grammarFileName, file.ANTLRVersion)>
<if(file.genPackage)>
namespace <file.genPackage> {
<endif>
<header>
using Antlr4.Runtime.Misc;
using IParseTreeListener = Antlr4.Runtime.Tree.IParseTreeListener;
using IToken = Antlr4.Runtime.IToken;

/// \<summary>
/// This interface defines a complete listener for a parse tree produced by
/// \<see cref="<csIdentifier.(file.parserName)>"/>.
/// \</summary>
[System.CodeDom.Compiler.GeneratedCode("ANTLR", "<file.ANTLRVersion>")]
[System.CLSCompliant(false)]
public interface I<file.grammarName>Listener : IParseTreeListener {
<file.listenerNames: {Iname |
/// \<summary>
<if(file.listenerLabelRuleNames.(Iname))>
/// Enter a parse tree produced by the \<c><Iname>\</c>
/// labeled alternative in \<see cref="<file.parserName>.<file.listenerLabelRuleNames.(Iname)>"/>.
<else>
/// Enter a parse tree produced by \<see cref="<file.parserName>.<Iname>"/>.
<endif>
/// \</summary>
/// \<param name="context">The parse tree.\</param>
void Enter<Iname; format="cap">([NotNull] <csIdentifier.(file.parserName)>.<Iname; format="cap">Context

```

```

context);
/// \<summary>
<if(file.listenerLabelRuleNames.(lname))>
/// Exit a parse tree produced by the \<c><lname>\</c>
/// labeled alternative in \<see cref="<file.parserName>.<file.listenerLabelRuleNames.(lname)>">.
<else>
/// Exit a parse tree produced by \<see cref="<file.parserName>.<lname>">.
<endif>
/// \</summary>
/// \<param name="context">The parse tree.\</param>
void Exit<lname; format="cap">([NotNull] <csIdentifier.(file.parserName)>.<lname; format="cap">Context
context);); separator="\n">
}
<if(file.genPackage)>
} // namespace <file.genPackage>
<endif>
>>

```

```

BaseListenerFile(file, header, namedActions) ::= <<
<fileHeader(file.grammarFileName, file.ANTLRVersion)>
<if(file.genPackage)>
namespace <file.genPackage> {
<endif>
<header>

```

```

using Antlr4.Runtime.Misc;
using IErrorNode = Antlr4.Runtime.Tree.IErrorNode;
using ITerminalNode = Antlr4.Runtime.Tree.ITerminalNode;
using IToken = Antlr4.Runtime.IToken;
using ParserRuleContext = Antlr4.Runtime.ParserRuleContext;

```

```

/// \<summary>
/// This class provides an empty implementation of \<see cref="I<file.grammarName>Listener">,
/// which can be extended to create a listener which only needs to handle a subset
/// of the available methods.
/// \</summary>
[System.CodeDom.Compiler.GeneratedCode("ANTLR", "<file.ANTLRVersion>")]
[System.CLSCompliant(false)]
public partial class <file.grammarName>BaseListener : I<file.grammarName>Listener {
    <file.listenerNames: {lname |
/// \<summary>
<if(file.listenerLabelRuleNames.(lname))>
/// Enter a parse tree produced by the \<c><lname>\</c>
/// labeled alternative in \<see cref="<file.parserName>.<file.listenerLabelRuleNames.(lname)>">.
<else>
/// Enter a parse tree produced by \<see cref="<file.parserName>.<lname>">.
<endif>
/// \<para>The default implementation does nothing.\</para>

```

```

/// \</summary>
/// \<param name="context">The parse tree.\</param>
public virtual void Enter<Iname; format="cap">([NotNull] <csIdentifier.(file.parserName)>.<Iname;
format="cap">Context context) { \}
/// \<summary>
<if(file.listenerLabelRuleNames.(Iname))>
/// Exit a parse tree produced by the \<c><Iname>\</c>
/// labeled alternative in \<see cref="<file.parserName>.<file.listenerLabelRuleNames.(Iname)>"/>.
<else>
/// Exit a parse tree produced by \<see cref="<file.parserName>.<Iname>"/>.
<endif>
/// \<para>The default implementation does nothing.\</para>
/// \</summary>
/// \<param name="context">The parse tree.\</param>
public virtual void Exit<Iname; format="cap">([NotNull] <csIdentifier.(file.parserName)>.<Iname;
format="cap">Context context) { \}); separator="\n"

```

```

/// \<inheritdoc>
/// \<remarks>The default implementation does nothing.\</remarks>
public virtual void EnterEveryRule([NotNull] ParserRuleContext context) { }
/// \<inheritdoc>
/// \<remarks>The default implementation does nothing.\</remarks>
public virtual void ExitEveryRule([NotNull] ParserRuleContext context) { }
/// \<inheritdoc>
/// \<remarks>The default implementation does nothing.\</remarks>
public virtual void VisitTerminal([NotNull] ITerminalNode node) { }
/// \<inheritdoc>
/// \<remarks>The default implementation does nothing.\</remarks>
public virtual void VisitErrorNode([NotNull] IErrorNode node) { }
}
<if(file.genPackage)>
} // namespace <file.genPackage>
<endif>
>>

```

```

VisitorFile(file, header, namedActions) ::= <<
<fileHeader(file.grammarFileName, file.ANTLRVersion)>
<if(file.genPackage)>
namespace <file.genPackage> {
<endif>
<header>
using Antlr4.Runtime.Misc;
using Antlr4.Runtime.Tree;
using IToken = Antlr4.Runtime.IToken;

```

```

/// \<summary>
/// This interface defines a complete generic visitor for a parse tree produced
/// by \<see cref="<csIdentifier.(file.parserName)>"/>.

```

```

/// \</summary>
/// \<typeparam name="Result">The return type of the visit operation.\</typeparam>
[System.CodeDom.Compiler.GeneratedCode("ANTLR", "<file.ANTLRVersion>")]
[System.CLSCompliant(false)]
public interface I<file.grammarName>Visitor<Result> : IParseTreeVisitor<Result> {
    <file.visitorNames:{Iname |
/// \<summary>
<if(file.visitorLabelRuleNames.(Iname))>
/// Visit a parse tree produced by the \<c><Iname>\</c>
/// labeled alternative in \<see cref="<file.parserName>.<file.visitorLabelRuleNames.(Iname)>">"/>.
<else>
/// Visit a parse tree produced by \<see cref="<file.parserName>.<Iname>">"/>.
<endif>
/// \</summary>
/// \<param name="context">The parse tree.\</param>
/// \<return>The visitor result.\</return>
Result Visit<Iname; format="cap">([NotNull] <csIdentifier.(file.parserName)>.<Iname; format="cap">Context
context);); separator="\n">
    }
<if(file.genPackage)>
} // namespace <file.genPackage>
<endif>
>>

```

```

BaseVisitorFile(file, header, namedActions) ::= <<
<fileHeader(file.grammarFileName, file.ANTLRVersion)>
<if(file.genPackage)>
namespace <file.genPackage> {
<endif>
<header>
using Antlr4.Runtime.Misc;
using Antlr4.Runtime.Tree;
using IToken = Antlr4.Runtime.IToken;
using ParserRuleContext = Antlr4.Runtime.ParserRuleContext;

/// \<summary>
/// This class provides an empty implementation of \<see cref="I<file.grammarName>Visitor{Result}">/>,
/// which can be extended to create a visitor which only needs to handle a subset
/// of the available methods.
/// \</summary>
/// \<typeparam name="Result">The return type of the visit operation.\</typeparam>
[System.CodeDom.Compiler.GeneratedCode("ANTLR", "<file.ANTLRVersion>")]
[System.CLSCompliant(false)]
public partial class <file.grammarName>BaseVisitor<Result> : AbstractParseTreeVisitor<Result>,
I<file.grammarName>Visitor<Result> {
    <file.visitorNames:{Iname |
/// \<summary>
<if(file.visitorLabelRuleNames.(Iname))>

```



```

    // Visit a parse tree produced by the <c><lname></c>
    // Labeled alternative in <see cref="<file.parserName>.<file.visitorLabelRuleNames.<lname>">"/>.
    <else>
    // Visit a parse tree produced by <see cref="<file.parserName>.<lname>">"/>.
    <endif>
    // <para>
    // The default implementation returns the result of calling <see
    cref="AbstractParseTreeVisitor{Result}.VisitChildren(IRuleNode)">"/>
    // on <paramref name="context"/>.
    // </para>
    // </summary>
    // <param name="context">The parse tree.</param>
    // <return>The visitor result.</return>
    public virtual Result Visit<lname; format="cap">([NotNull] <csIdentifier.<file.parserName>>.<lname;
    format="cap">Context context) { return VisitChildren(context); \}; separator="\n">
    }
    <if(file.genPackage)>
    } // namespace <file.genPackage>
    <endif>
    >>

fileHeader(grammarFileName, ANTLRVersion) ::= <<
//-----
// <auto-generated>
// This code was generated by a tool.
// ANTLR Version: <ANTLRVersion>
//
// Changes to this file may cause incorrect behavior and will be lost if
// the code is regenerated.
// </auto-generated>
//-----

// Generated from <grammarFileName> by ANTLR <ANTLRVersion>

// Unreachable code detected
#pragma warning disable 0162
// The variable '...' is assigned but its value is never used
#pragma warning disable 0219
// Missing XML comment for publicly visible type or member '...'
#pragma warning disable 1591
// Ambiguous reference in cref attribute
#pragma warning disable 419

>>

Parser(parser, funcs, atn, sempredFuncs, superClass) ::= <<
<Parser_(ctor="parser_ctor", ...)>
>>

```

```

Parser_(parser, funcs, atn, sempredFuncs, ctor, superClass) ::= <<
[System.CodeDom.Compiler.GeneratedCode("ANTLR", "<file.ANTLRVersion>")]
[System.CLSCompliant(false)]
public partial class <csIdentifier.(parser.name)> : <superClass; null="Parser"> {
protected static DFA[] decisionToDFA;
protected static PredictionContextCache sharedContextCache = new PredictionContextCache();
<if(parser.tokens)>
public const int
<parser.tokens:{k | <k>=<parser.tokens.(k)>}; separator=", ", wrap, anchor>;
<endif>
public const int
<parser.rules:{r | RULE_<r.name> = <r.index>}; separator=", ", wrap, anchor>;
public static readonly string[] ruleNames = {
<parser.ruleNames:{r | "<r">}; separator=", ", wrap, anchor>
};

<vocabulary(parser.literalNames, parser.symbolicNames)>

public override string GrammarFileName { get { return "<parser.grammarFileName>"; } }

public override string[] RuleNames { get { return ruleNames; } }

public override string SerializedAtn { get { return new string(_serializedATN); } }

static <csIdentifier.(parser.name)>() {
decisionToDFA = new DFA[_ATN.NumberOfDecisions];
for (int i = 0; i < _ATN.NumberOfDecisions; i++) {
decisionToDFA[i] = new DFA(_ATN.GetDecisionState(i), i);
}
}

<namedActions.members>
<parser:(ctor)()>
<funcs; separator="\n">

<if(sempredFuncs)>
public override bool Sempred(RuleContext _localctx, int ruleIndex, int predIndex) {
switch (ruleIndex) {
<parser.sempredFuncs.values:{f|
case <f.ruleIndex>: return <f.name>_sempred((<f.ctxType>)_localctx, predIndex);}; separator="\n">
}
return true;
}
<sempredFuncs.values; separator="\n">
<endif>

<atn>

```

```

}
>>

vocabulary(literalNames, symbolicNames) ::= <<
private static readonly string[] _LiteralNames = {
<literalNames:{t | <t>}; null="null", separator=", ", wrap, anchor>
};
private static readonly string[] _SymbolicNames = {
<symbolicNames:{t | <t>}; null="null", separator=", ", wrap, anchor>
};
public static readonly IVocabulary DefaultVocabulary = new Vocabulary(_LiteralNames, _SymbolicNames);

[NotNull]
public override IVocabulary Vocabulary
{
get
{
return DefaultVocabulary;
}
}
>>

dumpActions(recog, argFuncs, actionFuncs, sempredFuncs) ::= <<
<if(actionFuncs)>
public override void Action(RuleContext _localctx, int ruleIndex, int actionIndex) {
switch (ruleIndex) {
<recog.actionFuncs.values:{f}
case <f.ruleIndex> : <f.name>_action(<if(!recog.modes)>(<f.ctxType>)<endif>_localctx, actionIndex); break;};
separator="\n">
}
}
<actionFuncs.values; separator="\n">
<endif>
<if(sempredFuncs)>
public override bool Sempred(RuleContext _localctx, int ruleIndex, int predIndex) {
switch (ruleIndex) {
<recog.sempredFuncs.values:{f}
case <f.ruleIndex> : return <f.name>_sempred(<if(!recog.modes)>(<f.ctxType>)<endif>_localctx, predIndex);};
separator="\n">
}
return true;
}
<sempredFuncs.values; separator="\n">
<endif>
>>

parser_ctor(parser) ::= <<
public <csIdentifier.(parser.name)>(ITokenStream input) : this(input, Console.Out, Console.Error) { }

```

```

public <csIdentifier.(parser.name)>(ITokenStream input, TextWriter output, TextWriter errorOutput)
: base(input, output, errorOutput)
{
    Interpreter = new ParserATNSimulator(this, _ATN, decisionToDFA, sharedContextCache);
}
>>

/* This generates a private method since the actionIndex is generated, making an
* overriding implementation impossible to maintain.
*/
RuleActionFunction(r, actions) ::= <<
private void <r.name>_action(<r.ctxType> _localctx, int actionIndex) {
    switch (actionIndex) {
        <actions:{index|
case <index>: <actions.(index)> break; }; separator="\n">
    }
}
>>

/* This generates a private method since the predIndex is generated, making an
* overriding implementation impossible to maintain.
*/
RuleSempredFunction(r, actions) ::= <<
private bool <r.name>_sempred(<r.ctxType> _localctx, int predIndex) {
    switch (predIndex) {
        <actions:{index|
case <index>: return <actions.(index)>;}; separator="\n">
    }
    return true;
}
>>

RuleFunction(currentRule,args,code,locals,ruleCtx,altLabelCtxs,namedActions,finallyAction,postamble,exceptions)
::= <<

<if(ruleCtx)>
<ruleCtx>
<endif>
<altLabelCtxs:{l | <altLabelCtxs.(l)>}; separator="\n">

[RuleVersion(<namedActions.version; null="0">)]
<if(currentRule.modifiers)><currentRule.modifiers:{f | <f> }><else>public <endif><currentRule.ctxType>
<csIdentifier.(currentRule.name)>(<args; separator=", ">) {
    <currentRule.ctxType> _localctx = new <currentRule.ctxType>(Context, State<currentRule.args:{a | ,
<csIdentifier.(a.name)>>>);
    EnterRule(_localctx, <currentRule.startState>, RULE_<currentRule.name>);
    <namedActions.init>

```

```

<locals; separator="\n">
try {
<if(currentRule.hasLookaheadBlock)>
  int _alt;
<endif>
  <code>
  <postamble; separator="\n">
  <namedActions.after>
  }
  <if(exceptions)>
  <exceptions; separator="\n">
  <else>
catch (RecognitionException re) {
  _localctx.exception = re;
  ErrorHandler.ReportError(this, re);
  ErrorHandler.Recover(this, re);
  }
<endif>
finally {
  <finallyAction>
  ExitRule();
  }
return _localctx;
}
>>

```

```

LeftFactoredRuleFunction(currentRule,args,code,locals,namedActions,finallyAction,postamble) ::=
<<

```

```

<if(currentRule.modifiers)><currentRule.modifiers:{f | <f> }><else>private <endif><currentRule.ctxType>
<csIdentifier(currentRule.name)><(args; separator=", "> {
  <currentRule.ctxType> _localctx = new <currentRule.ctxType>(Context, State<currentRule.args:{a | ,
<csIdentifier(a.name)>>});
  EnterLeftFactoredRule(_localctx, <currentRule.startState>, RULE_<currentRule.variantOf>);
  <namedActions.init>
  <locals; separator="\n">
  try {
  <if(currentRule.hasLookaheadBlock)>
  int _alt;
<endif>
  <code>
  <postamble; separator="\n">
  <namedActions.after>
  }
catch (RecognitionException re) {
  _localctx.exception = re;
  ErrorHandler.ReportError(this, re);
  ErrorHandler.Recover(this, re);

```

```

}
finally {
  <finallyAction>
  ExitRule();
}
return _localctx;
}
>>

// This behaves similar to RuleFunction (enterRule is called, and no adjustments
// are made to the parse tree), but since it's still a variant no context class
// needs to be generated.
LeftUnfactoredRuleFunction(currentRule,args,code,locals,namedActions,finallyAction,postamble) ::=
<<

<if(currentRule.modifiers)><currentRule.modifiers:{f | <f> }><else>private <endif><currentRule.ctxType>
<csIdentifier(currentRule.name)><(args; separator=", "> {
  <currentRule.ctxType> _localctx = new <currentRule.ctxType>(Context, State<currentRule.args:{a | ,
  <csIdentifier(a.name)>}>>);
  EnterRule(_localctx, <currentRule.startState>, RULE_<currentRule.variantOf>);
  <namedActions.init>
  <locals; separator="\n">
  try {
  <if(currentRule.hasLookaheadBlock)>
    int _alt;
  <endif>
  <code>
  <postamble; separator="\n">
  <namedActions.after>
  }
  catch (RecognitionException re) {
    _localctx.exception = re;
    ErrorHandler.ReportError(this, re);
    ErrorHandler.Recover(this, re);
  }
  finally {
    <finallyAction>
    ExitRule();
  }
  return _localctx;
}
>>

LeftRecursiveRuleFunction(currentRule,args,code,locals,ruleCtx,altLabelCtxs,
  namedActions,finallyAction,postamble) ::=
<<

<ruleCtx>

```

```
<altLabelCtxs:{l | <altLabelCtxs.(l)>}; separator="\n">
```

```
[RuleVersion(<namedActions.version; null="0">)]
```

```
<if(currentRule.modifiers)><currentRule.modifiers:{f | <f> }><else>public <endif><currentRule.ctxType>  
<csIdentifier.(currentRule.name)>(<args; separator=", ">) {  
  return <csIdentifier.(currentRule.name)>(0<currentRule.args:{a | , <csIdentifier.(a.name)>}>);  
}
```

```
private <currentRule.ctxType> <csIdentifier.(currentRule.name)>(int _p<args:{a | , <a>}>) {  
  ParserRuleContext _parentctx = Context;  
  int _parentState = State;  
  <currentRule.ctxType> _localctx = new <currentRule.ctxType>(Context, _parentState<currentRule.args:{a | ,  
<csIdentifier.(a.name)>}>);  
  <currentRule.ctxType> _prevctx = _localctx;  
  int _startState = <currentRule.startState>;  
  EnterRecursionRule(_localctx, <currentRule.startState>, RULE_<currentRule.name>, _p);  
  <namedActions.init>  
  <locals; separator="\n">  
  try {  
    <if(currentRule.hasLookaheadBlock)>  
      int _alt;  
    <endif>  
    <code>  
    <postamble; separator="\n">  
    <namedActions.after>  
  }  
  catch (RecognitionException re) {  
    _localctx.exception = re;  
    ErrorHandler.ReportError(this, re);  
    ErrorHandler.Recover(this, re);  
  }  
  finally {  
    <finallyAction>  
    UnrollRecursionContexts(_parentctx);  
  }  
  return _localctx;  
}
```

```
>>  
  
CodeBlockForOuterMostAlt(currentOuterMostAltCodeBlock, locals, preamble, ops) ::= <<  
<if(currentOuterMostAltCodeBlock.altLabel)>_localctx = new <currentOuterMostAltCodeBlock.altLabel;  
format="cap">Context(_localctx);<endif>  
EnterOuterAlt(_localctx, <currentOuterMostAltCodeBlock.alt.altNum>);  
<CodeBlockForAlt(currentAltCodeBlock=currentOuterMostAltCodeBlock, ...)>  
>>
```

```
CodeBlockForAlt(currentAltCodeBlock, locals, preamble, ops) ::= <<  
{
```

```

<locals; separator="\n">
<preamble; separator="\n">
<ops; separator="\n">
}
>>

```

```

LL1AltBlock(choice, preamble, alts, error) ::= <<
State = <choice.stateNumber>;
ErrorHandler.Sync(this);
<if(choice.label)><labelref(choice.label)> = TokenStream.LT(1);<endif>
<preamble; separator="\n">
switch (TokenStream.LA(1)) {
<choice.altLook,alts:{look,alt| <cases(ttypes=look)>
<alt>
break;}; separator="\n">
default:
<error>
}
>>

```

```

LL1OptionalBlock(choice, alts, error) ::= <<
State = <choice.stateNumber>;
ErrorHandler.Sync(this);
switch (TokenStream.LA(1)) {
<choice.altLook,alts:{look,alt| <cases(ttypes=look)>
<alt>
break;}; separator="\n">
default:
break;
}
>>

```

```

LL1OptionalBlockSingleAlt(choice, expr, alts, preamble, error, followExpr) ::= <<
State = <choice.stateNumber>;
ErrorHandler.Sync(this);
<preamble; separator="\n">
if (<expr>) {
<alts; separator="\n">
}
<!else if ( !(<followExpr>) ) <error>!>
>>

```

```

LL1StarBlockSingleAlt(choice, loopExpr, alts, preamble, iteration) ::= <<
State = <choice.stateNumber>;
ErrorHandler.Sync(this);
<preamble; separator="\n">
while (<loopExpr>) {
<alts; separator="\n">
}
>>

```



```

State = <choice.loopBackStateNumber>;
ErrorHandler.Sync(this);
<iteration>
}
>>

```

```

LL1PlusBlockSingleAlt(choice, loopExpr, alts, preamble, iteration) ::= <<
State = <choice.blockStartStateNumber>;<! alt block decision !>
ErrorHandler.Sync(this);
<preamble; separator="\n">
do {
<alts; separator="\n">
State = <choice.stateNumber>;<! loopback/exit decision !>
ErrorHandler.Sync(this);
<iteration>
} while ( <loopExpr> );
>>

```

```
// LL(*) stuff
```

```

AltBlock(choice, preamble, alts, error) ::= <<
State = <choice.stateNumber>;
ErrorHandler.Sync(this);
<if(choice.label)><labelref(choice.label)> = TokenStream.LT(1);<endif>
<preamble; separator="\n">
switch ( Interpreter.AdaptivePredict(TokenStream,<choice.decision>,Context) ) {
<alts:{ alt |
case <i>:
<alt>
break;}; separator="\n">
}
>>

```

```

OptionalBlock(choice, alts, error) ::= <<
State = <choice.stateNumber>;
ErrorHandler.Sync(this);
switch ( Interpreter.AdaptivePredict(TokenStream,<choice.decision>,Context) ) {
<alts:{ alt |
case <i><if(!choice.ast.greedy)>+1<endif>:
<alt>
break;}; separator="\n">
}
>>

```

```

StarBlock(choice, alts, sync, iteration) ::= <<
State = <choice.stateNumber>;
ErrorHandler.Sync(this);
_alt = Interpreter.AdaptivePredict(TokenStream,<choice.decision>,Context);

```

```

while ( !_alt!=<choice.exitAlt> && !_alt!=global::Antlr4.Runtime.Atn.ATN.INVALID_ALT_NUMBER ) {
if ( !_alt==1<if(!choice.ast.greedy)>+1<endif> ) {
<iteration>
<alts> <! should only be one !>
}
State = <choice.loopBackStateNumber>;
ErrorHandler.Sync(this);
_alt = Interpreter.AdaptivePredict(TokenStream,<choice.decision>,Context);
}
>>

```

```

PlusBlock(choice, alts, error) ::= <<
State = <choice.blockStartStateNumber>;<! alt block decision !>
ErrorHandler.Sync(this);
_alt = 1<if(!choice.ast.greedy)>+1<endif>;
do {
switch ( !_alt ) {
<alts:{alt|
case <i><if(!choice.ast.greedy)>+1<endif>:
<alt>
break;}; separator="\n">
default:
<error>
}
State = <choice.loopBackStateNumber>;<! loopback/exit decision !>
ErrorHandler.Sync(this);
_alt = Interpreter.AdaptivePredict(TokenStream,<choice.decision>,Context);
} while ( !_alt!=<choice.exitAlt> && !_alt!=global::Antlr4.Runtime.Atn.ATN.INVALID_ALT_NUMBER );
>>

```

```

Sync(s) ::= "Sync(<s.expecting.name>);"

```

```

ThrowNoViableAlt(t) ::= "throw new NoViableAltException(this);"

```

```

TestSetInline(s) ::= <<
<s.bitsets:{bits | <if(rest(rest(bits.ttypes)))><bitsetBitfieldComparison(s, bits)><else><bitsetInlineComparison(s,
bits)><endif>}; separator=" || ">
>>

```

```

// Java language spec 15.19 - shift operators mask operands rather than overflow to 0... need range test
testShiftInRange(shiftAmount) ::= <<
((<shiftAmount>) & ~0x3f) == 0
>>

```

```

// produces smaller bytecode only when bits.ttypes contains more than two items
bitsetBitfieldComparison(s, bits) ::= <%
(<testShiftInRange(<offsetShift(s.varName, bits.shift)>)> && ((1L \<< <offsetShift(s.varName, bits.shift)> &
<bits.ttypes:{ttype | (1L \<< <offsetShift(tokenType.(ttype), bits.shift)>)}; separator=" | ">)) != 0)

```

```

%>

isZero ::= [
"0":true,
default:false
]

offsetShift(shiftAmount, offset) ::= <%
<if(!isZero(offset))><shiftAmount> - <offset><else><shiftAmount><endif>
%>

// produces more efficient bytecode when bits.ttypes contains at most two items
bitsetInlineComparison(s, bits) ::= <%
<bits.ttypes:{ ttype | <s.varName>==<tokenType.(ttype)>}; separator=" || ">
%>

cases(ttypes) ::= <<
<ttypes:{ t | case <tokenType.(t)>:}; separator="\n">
>>

InvokeRule(r, argExprsChunks) ::= <<
State = <r.stateNumber>; <if(r.labels)><r.labels:{1 | <labelref(l)> =
}><endif><csIdentifier.(r.name)><(<if(r.ast.options.p)><r.ast.options.p><if(argExprsChunks)><endif><endif><arg
ExprsChunks>);
>>

MatchToken(m) ::= <<
State = <m.stateNumber>; <if(m.labels)><m.labels:{1 | <labelref(l)> = }><endif>Match(<tokenType.(m.name)>);
>>

MatchSet(m, expr, capture) ::= "<CommonSetStuff(m, expr, capture, false)>"

MatchNotSet(m, expr, capture) ::= "<CommonSetStuff(m, expr, capture, true)>"

CommonSetStuff(m, expr, capture, invert) ::= <<
State = <m.stateNumber>;
<if(m.labels)><m.labels:{1 | <labelref(l)> = }>TokenStream.LT(1);<endif>
<capture>
if ( <if(invert)><m.varName> \<= 0 || <else>!<endif><(<expr>) ) {
<if(m.labels)><m.labels:{1 | <labelref(l)> = }><endif>ErrorHandler.RecoverInline(this);
}
else {
ErrorHandler.ReportMatch(this);
Consume();
}
>>

Wildcard(w) ::= <<

```

```

State = <w.stateNumber>;
<if(w.labels)><w.labels:{1 | <labelref(l)> = }><endif>MatchWildcard();
>>

// ACTION STUFF

Action(a, foo, chunks) ::= "<chunks>"

ArgAction(a, chunks) ::= "<chunks>"

SemPred(p, chunks, failChunks) ::= <<
State = <p.stateNumber>;
if (!<chunks>) throw new FailedPredicateException(this, <p.predicate><if(failChunks)>,
<failChunks><elseif(p.msg)>, <p.msg><endif>);
>>

ExceptionClause(e, catchArg, catchAction) ::= <<
catch (<catchArg>) {
  <catchAction>
}
>>

// lexer actions are not associated with model objects

LexerSkipCommand() ::= "Skip();"
LexerMoreCommand() ::= "More();"
LexerPopModeCommand() ::= "PopMode();"

LexerTypeCommand(arg, grammar) ::= "_type = <tokenType.(arg)>";
LexerChannelCommand(arg, grammar) ::= "_channel = <channelName.(arg)>";
LexerModeCommand(arg, grammar) ::= "_mode = <modeName.(arg)>";
LexerPushModeCommand(arg, grammar) ::= "PushMode(<modeName.(arg)>);"

ActionText(t) ::= "<t.text>"
ActionTemplate(t) ::= "<t.st>"
ArgRef(a) ::= "_localctx.<csIdentifier.(a.name)>"
LocalRef(a) ::= "_localctx.<csIdentifier.(a.name)>"
RetValRef(a) ::= "_localctx.<csIdentifier.(a.name)>"
QRetValRef(a) ::= "<ctx(a)>.<a.dict>.<csIdentifier.(a.name)>"
/** How to translate $tokenLabel */
TokenRef(t) ::= "<ctx(t)>.<csIdentifier.(tokenType.(t.name))>"
LabelRef(t) ::= "<ctx(t)>.<csIdentifier.(t.name)>"
ListLabelRef(t) ::= "<ctx(t)>.<ListLabelName(csIdentifier.(t.name))>"
SetAttr(s,rhsChunks) ::= "<ctx(s)>.<csIdentifier.(s.name)> = <rhsChunks>";

TokenLabelType() ::= "<file.TokenLabelType; null={IToken}>"
InputSymbolType() ::= "<file.InputSymbolType; null={IToken}>"

```

```

TokenPropertyRef_text(t) ::= "<ctx(t)>.<tokenType.(t.label)>!=null?<ctx(t)>.<tokenType.(t.label)>.Text:null)"
TokenPropertyRef_type(t) ::= "<ctx(t)>.<tokenType.(t.label)>!=null?<ctx(t)>.<tokenType.(t.label)>.Type:0)"
TokenPropertyRef_line(t) ::= "<ctx(t)>.<tokenType.(t.label)>!=null?<ctx(t)>.<tokenType.(t.label)>.Line:0)"
TokenPropertyRef_pos(t) ::=
"<ctx(t)>.<tokenType.(t.label)>!=null?<ctx(t)>.<tokenType.(t.label)>.CharPositionInLine:0)"
TokenPropertyRef_channel(t) ::=
"<ctx(t)>.<tokenType.(t.label)>!=null?<ctx(t)>.<tokenType.(t.label)>.Channel:0)"
TokenPropertyRef_index(t) ::=
"<ctx(t)>.<tokenType.(t.label)>!=null?<ctx(t)>.<tokenType.(t.label)>.TokenIndex:0)"
TokenPropertyRef_int(t) ::=
"<ctx(t)>.<tokenType.(t.label)>!=null?int.Parse(<ctx(t)>.<tokenType.(t.label)>.Text):0)"

RulePropertyRef_start(r) ::= "<ctx(r)>.<r.label>!=null?(<ctx(r)>.<r.label>.Start):null)"
RulePropertyRef_stop(r) ::= "<ctx(r)>.<r.label>!=null?(<ctx(r)>.<r.label>.Stop):null)"
RulePropertyRef_text(r) ::=
"<ctx(r)>.<r.label>!=null?TokenStream.GetText(<ctx(r)>.<r.label>.Start,<ctx(r)>.<r.label>.Stop):null)"
RulePropertyRef_ctx(r) ::= "<ctx(r)>.<r.label>"
RulePropertyRef_parser(r) ::= "this"

ThisRulePropertyRef_start(r) ::= "_localctx.Start"
ThisRulePropertyRef_stop(r) ::= "_localctx.Stop"
ThisRulePropertyRef_text(r) ::= "TokenStream.GetText(_localctx.Start, TokenStream.LT(-1))"
ThisRulePropertyRef_ctx(r) ::= "_localctx"
ThisRulePropertyRef_parser(r) ::= "this"

NonLocalAttrRef(s) ::= <%((<s.ruleName;
format="cap">Context)GetInvokingContext(<s.ruleIndex>)).<csIdentifier.(s.name)>%>
SetNonLocalAttr(s, rhsChunks) ::=
<%((<s.ruleName; format="cap">Context)GetInvokingContext(<s.ruleIndex>)).<csIdentifier.(s.name)> =
<rhsChunks>;%>

AddToLabelList(a) ::= "<ctx(a.label)>.<a.listName>.Add(<labelref(a.label)>);"

TokenDecl(t) ::= "<TokenLabelType()> <csIdentifier.(tokenType.(t.name))>"
TokenTypeDecl(t) ::= "int <csIdentifier.(tokenType.(t.name))>);"
TokenListDecl(t) ::= "IList<IToken> <csIdentifier.(tokenType.(t.name))> = new List<IToken>()"
RuleContextDecl(r) ::= "<r.ctxName> <csIdentifier.(r.name)>"
RuleContextListDecl(rdecl) ::= "IList<<rdecl.ctxName>> <csIdentifier.(rdecl.name)> = new
List<<rdecl.ctxName>>()"

contextGetterCollection(elementType) ::= <%
<elementType>[]
%>

ContextTokenGetterDecl(t) ::=
"public ITerminalNode <csIdentifier.(tokenType.(t.name))>() { return
GetToken(<csIdentifier.(parser.name)>.<csIdentifier.(tokenType.(t.name))>, 0); }"
ContextTokenListGetterDecl(t) ::= <<

```

```

public <contextGetterCollection("ITerminalNode")> <csIdentifier.(tokenType.(t.name))>() { return
GetTokens(<csIdentifier.(parser.name)>.<csIdentifier.(tokenType.(t.name))>); }
>>
ContextTokenListIndexedGetterDecl(t) ::= <<
public ITerminalNode <csIdentifier.(tokenType.(t.name))>(int i) {
return GetToken(<csIdentifier.(parser.name)>.<csIdentifier.(tokenType.(t.name))>, i);
}
>>
ContextRuleGetterDecl(r) ::= <<
public <r.ctxName> <csIdentifier.(r.name)>() {
return GetRuleContext\<<r.ctxName>\>(0);
}
>>
ContextRuleListGetterDecl(r) ::= <<
public <contextGetterCollection({<r.ctxName>})> <csIdentifier.(r.name)>() {
return GetRuleContexts\<<r.ctxName>\>();
}
>>
ContextRuleListIndexedGetterDecl(r) ::= <<
public <r.ctxName> <csIdentifier.(r.name)>(int i) {
return GetRuleContext\<<r.ctxName>\>(i);
}
>>

```

```

LexerRuleContext() ::= "RuleContext"

```

```

/** The rule context name is the rule followed by a suffix; e.g.,
* r becomes rContext.
*/

```

```

RuleContextNameSuffix() ::= "Context"

```

```

ImplicitTokenLabel(tokenName) ::= "_<tokenType.(tokenName)>"

```

```

ImplicitRuleLabel(ruleName) ::= "_<ruleName>"

```

```

ImplicitSetLabel(id) ::= "_tset<id>"

```

```

ListLabelName(label) ::= "_<label>"

```

```

CaptureNextToken(d) ::= "<d.varName> = TokenStream.LT(1);"

```

```

CaptureNextTokenType(d) ::= "<d.varName> = TokenStream.LA(1);"

```

```

StructDecl(struct,ctorAttrs,attrs,getters,dispatchMethods,interfaces,extensionMembers,
superClass={ParserRuleContext}) ::= <<

```

```

public partial class <struct.name> :

```

```

<if(contextSuperClass)><contextSuperClass><else>ParserRuleContext<endif><if(interfaces)>, <interfaces>;
separator=", "><endif> {

```

```

<attrs:{a | public <a>;}; separator="\n">

```

```

<getters:{g | <g>;}; separator="\n">

```

```

<if(ctorAttrs)>public <struct.name>(ParserRuleContext parent, int invokingState) : base(parent, invokingState) {
} <endif>

```

```

public <struct.name>(ParserRuleContext parent, int invokingState<ctorAttrs:{ a | , <a>}>)
: base(parent, invokingState)
{
  <struct.ctorAttrs:{ a | this.<csIdentifier.(a.name)> = <csIdentifier.(a.name)>;}; separator="\n">
}
public override int RuleIndex { get { return RULE_<struct.derivedFromName>; } }
<if(struct.provideCopyFrom)><! don't need copy unless we have subclasses !>
public <struct.name>() { }
public virtual void CopyFrom(<struct.name> context) {
  base.CopyFrom(context);
  <struct.attrs:{ a | this.<csIdentifier.(a.name)> = context.<csIdentifier.(a.name)>;}; separator="\n">
}
<endif>
<dispatchMethods; separator="\n">
<extensionMembers; separator="\n">
}
>>

```

```

AltLabelStructDecl(struct,attrs, getters,dispatchMethods) ::= <<
public partial class <struct.name> : <currentRule.name; format="cap">Context {
  <attrs:{ a | public <a>;}; separator="\n">
  <getters:{ g | <g>;}; separator="\n">
  public <struct.name>(<currentRule.name; format="cap">Context context) { CopyFrom(context); }
  <dispatchMethods; separator="\n">
}
>>

```

```

ListenerDispatchMethod(method) ::= <<
public override void <if(method.isEnter)>Enter<else>Exit<endif>Rule(IParseTreeListener listener) {
  I<parser.grammarName>Listener typedListener = listener as I<parser.grammarName>Listener;
  if (typedListener != null) typedListener.<if(method.isEnter)>Enter<else>Exit<endif><struct.derivedFromName;
format="cap">(this);
}
>>

```

```

VisitorDispatchMethod(method) ::= <<
public override TResult Accept<TResult>(IParseTreeVisitor<TResult> visitor) {
  I<parser.grammarName>Visitor<TResult> typedVisitor = visitor as I<parser.grammarName>Visitor<TResult>;
  if (typedVisitor != null) return typedVisitor.Visit<struct.derivedFromName; format="cap">(this);
  else return visitor.VisitChildren(this);
}
>>

```

```

AttributeDecl(d) ::= "<d.type> <csIdentifier.(d.name)><if(d.initValue)> = <d.initValue><endif>"

```

```

/** If we don't know location of label def x, use this template */

```

```

labelref(x) ::= "<if(!x.isLocal)><typedContext(x.ctx)>.<endif><csIdentifier.(x.name)>"

```

```

/** For any action chunk, what is correctly-typed context struct ptr? */
ctx(actionChunk) ::= "<typedContext(actionChunk.ctx)>"

// only casts _localctx to the type when the cast isn't redundant (i.e. to a sub-context for a labeled alt)
typedContext(ctx) ::= "<if(ctx.provideCopyFrom)>((<ctx.name>)_localctx)<else>_localctx<endif>"

// used for left-recursive rules
recRuleAltPredicate(ruleName,opPrec) ::= "Precpred(Context, <opPrec>)"
recRuleSetReturnAction(src,name) ::= "$<name>=$<src>.<name>";
recRuleSetStopToken() ::= "Context.Stop = TokenStream.LT(-1);"

recRuleAltStartAction(ruleName, ctxName, label, isListLabel) ::= <<
_localctx = new <ctxName>Context(_parentctx, _parentState);
<if(label)>
<if(isListLabel)>
_localctx.<label>.Add(_prevctx);
<else>
_localctx.<label> = _prevctx;
<endif>
<endif>
PushNewRecursionContext(_localctx, _startState, RULE_<ruleName>);
>>

recRuleLabeledAltStartAction(ruleName, currentAltLabel, label, isListLabel) ::= <<
_localctx = new <currentAltLabel; format="cap">Context(new <ruleName; format="cap">Context(_parentctx,
_parentState));
<if(label)>
<if(isListLabel)>
((<currentAltLabel; format="cap">Context)_localctx).<label>.Add(_prevctx);
<else>
((<currentAltLabel; format="cap">Context)_localctx).<label> = _prevctx;
<endif>
<endif>
PushNewRecursionContext(_localctx, _startState, RULE_<ruleName>);
>>

recRuleReplaceContext(ctxName) ::= <<
_localctx = new <ctxName>Context(_localctx);
Context = _localctx;
_prevctx = _localctx;
>>

recRuleSetPrevCtx() ::= <<
if ( ParseListeners!=null )
TriggerExitRuleEvent();
_prevctx = _localctx;
>>

```



```

LexerFile(file, lexer, namedActions) ::= <<
<fileHeader(file.grammarFileName, file.ANTLRVersion)>
<if(file.genPackage)>
namespace <file.genPackage> {
<endif>
<namedActions.header>
using System;
using System.IO;
using System.Text;
using Antlr4.Runtime;
using Antlr4.Runtime.Atn;
using Antlr4.Runtime.Misc;
using DFA = Antlr4.Runtime.Dfa.DFA;

<lexer>
<if(file.genPackage)>
} // namespace <file.genPackage>
<endif>
>>

```

```

Lexer(lexer, atn, actionFuncs, sempredFuncs, superClass) ::= <<
[System.CodeDom.Compiler.GeneratedCode("ANTLR", "<file.ANTLRVersion>")]
[System.CLSCompliant(false)]
public partial class <csIdentifier.(lexer.name)> : <superClass; null="Lexer"> {
protected static DFA[] decisionToDFA;
protected static PredictionContextCache sharedContextCache = new PredictionContextCache();
public const int
<lexer.tokens:{k | <tokenType.(k)>=<lexer.tokens.(k)>}; separator=", ", wrap, anchor>;
<if(lexer.channels)>
public const int
<lexer.channels:{k | <csIdentifier.(k)>=<lexer.channels.(k)>}; separator=", ", wrap, anchor>;
<endif>
<if(rest(lexer.modes))>
public const int
<rest(lexer.modes):{m | <m>=<i>}; separator=", ", wrap, anchor>;
<endif>
public static string[] channelNames = {
"DEFAULT_TOKEN_CHANNEL", "HIDDEN"<if (lexer.channels)>, <lexer.channels:{c | "<c">"}; separator=", ",
wrap, anchor><endif>
};

public static string[] modeNames = {
<lexer.modes:{m | "<m">"}; separator=", ", wrap, anchor>
};

public static readonly string[] ruleNames = {
<lexer.ruleNames:{r | "<r">"}; separator=", ", wrap, anchor>

```

```

};

<namedActions.members>

public <csIdentifier.(lexer.name)>(ICharStream input)
: this(input, Console.Out, Console.Error) { }

public <csIdentifier.(lexer.name)>(ICharStream input, TextWriter output, TextWriter errorOutput)
: base(input, output, errorOutput)
{
    Interpreter = new LexerATNSimulator(this, _ATN, decisionToDFA, sharedContextCache);
}

<vocabulary(lexer.literalNames, lexer.symbolicNames)>

public override string GrammarFileName { get { return "<lexer.grammarFileName>"; } }

public override string[] RuleNames { get { return ruleNames; } }

public override string[] ChannelNames { get { return channelNames; } }

public override string[] ModeNames { get { return modeNames; } }

public override string SerializedAtn { get { return new string(_serializedATN); } }

static <csIdentifier.(lexer.name)>() {
    decisionToDFA = new DFA[_ATN.NumberOfDecisions];
    for (int i = 0; i < _ATN.NumberOfDecisions; i++) {
        decisionToDFA[i] = new DFA(_ATN.GetDecisionState(i), i);
    }
}
<dumpActions(lexer, "", actionFuncs, sempredFuncs)>
<atn>
}
>>

SerializedATN(model) ::= <<
private static char[] _serializedATN = {
    <model.serialized; separator=", ", wrap>,
};

public static readonly ATN _ATN =
    new ATNDeserializer().Deserialize(_serializedATN);

>>

```

```
initValue(typeName) ::= <<
default(<typeName>)
>>
```

```
codeFileExtension() ::= ".cs"
```

```
modeName ::= [
  "DEFAULT_MODE" : "DefaultMode",
  default : key
]
```

```
channelName ::= [
  "HIDDEN" : "Hidden",
  "DEFAULT_TOKEN_CHANNEL" : "DefaultTokenChannel",
  default : key
]
```

```
tokenType ::= [
  "EOF" : "Eof",
  default : key
]
```

```
csIdentifier ::= [
  "abstract" : "@abstract",
  "as" : "@as",
  "base" : "@base",
  "bool" : "@bool",
  "break" : "@break",
  "byte" : "@byte",
  "case" : "@case",
  "catch" : "@catch",
  "char" : "@char",
  "checked" : "@checked",
  "class" : "@class",
  "const" : "@const",
  "continue" : "@continue",
  "decimal" : "@decimal",
  "default" : "@default",
  "delegate" : "@delegate",
  "do" : "@do",
  "double" : "@double",
  "else" : "@else",
  "enum" : "@enum",
  "event" : "@event",
  "explicit" : "@explicit",
  "extern" : "@extern",
  "false" : "@false",
  "finally" : "@finally",
```

"fixed" : "@fixed",  
"float" : "@float",  
"for" : "@for",  
"foreach" : "@foreach",  
"goto" : "@goto",  
"if" : "@if",  
"implicit" : "@implicit",  
"in" : "@in",  
"int" : "@int",  
"interface" : "@interface",  
"internal" : "@internal",  
"is" : "@is",  
"lock" : "@lock",  
"long" : "@long",  
"namespace" : "@namespace",  
"new" : "@new",  
"null" : "@null",  
"object" : "@object",  
"operator" : "@operator",  
"out" : "@out",  
"override" : "@override",  
"params" : "@params",  
"private" : "@private",  
"protected" : "@protected",  
"public" : "@public",  
"readonly" : "@readonly",  
"ref" : "@ref",  
"return" : "@return",  
"sbyte" : "@sbyte",  
"sealed" : "@sealed",  
"short" : "@short",  
"sizeof" : "@sizeof",  
"stackalloc" : "@stackalloc",  
"static" : "@static",  
"string" : "@string",  
"struct" : "@struct",  
"switch" : "@switch",  
"this" : "@this",  
"throw" : "@throw",  
"true" : "@true",  
"try" : "@try",  
"typeof" : "@typeof",  
"uint" : "@uint",  
"ulong" : "@ulong",  
"unchecked" : "@unchecked",  
"unsafe" : "@unsafe",  
"ushort" : "@ushort",  
"using" : "@using",

```
"virtual" : "@virtual",
"values" : "@values",
"void" : "@void",
"volatile" : "@volatile",
"while" : "@while",
default : key
]
```

Found in path(s):

```
*/opt/cola/permits/1192255793_1629156080.64/0/antlr4-4-8-1-sources-1-
jar/org/antlr/v4/tool/templates/codegen/CSharp/CSharp.stg
```

No license file was found, but licenses were detected in source scan.

```
/*
```

```
[The "BSD licence"]
```

```
Copyright (c) 2005-2009 Terence Parr
```

```
All rights reserved.
```

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The name of the author may not be used to endorse or promote products derived from this software without specific prior written permission.

```
THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR
IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.
IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,
INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT
NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF
THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
```

```
*/
```

Found in path(s):

```
*/opt/cola/permits/1192255793_1629156080.64/0/antlr4-4-8-1-sources-1-jar/org/antlr/v4/parse/ANTLRLexer.java
```

No license file was found, but licenses were detected in source scan.

```
/*
```

```
[The "BSD license"]
```

```
Copyright (c) 2011 Terence Parr
```

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The name of the author may not be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

\*/

Found in path(s):

\* /opt/cola/permits/1192255793\_1629156080.64/0/antlr4-4-8-1-sources-1-jar/org/antlr/v4/parse/GrammarTreeVisitor.java

No license file was found, but licenses were detected in source scan.

/\*

\* [The "BSD license"]

\* Copyright (c) 2012-2016 Terence Parr

\* Copyright (c) 2012-2016 Sam Harwell

\* All rights reserved.

\*

\* Redistribution and use in source and binary forms, with or without

\* modification, are permitted provided that the following conditions

\* are met:

\*

\* 1. Redistributions of source code must retain the above copyright

\* notice, this list of conditions and the following disclaimer.

\* 2. Redistributions in binary form must reproduce the above copyright

\* notice, this list of conditions and the following disclaimer in the

\* documentation and/or other materials provided with the distribution.

\* 3. The name of the author may not be used to endorse or promote products

\* derived from this software without specific prior written permission.

```

*
* THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR
* IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.
* IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,
* INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT
* NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
* DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
* THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
* (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF
* THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
*/

```

```
lexer grammar ActionSplitter;
```

```
options { filter=true; }
```

```
@header {
package org.antlr.v4.parse;
import org.antlr.v4.tool.*;
import org.antlr.v4.tool.ast.*;
}

```

```
@members {
ActionSplitterListener delegate;

```

```
public ActionSplitter(CharStream input, ActionSplitterListener delegate) {
    this(input, new RecognizerSharedState());
    this.delegate = delegate;
}

```

```
/** force filtering (and return tokens). triggers all above actions. */
```

```
public List<Token> getActionTokens() {
    List<Token> chunks = new ArrayList<Token>();
    Token t = nextToken();
    while ( t.getType()!=Token.EOF ) {
        chunks.add(t);
        t = nextToken();
    }
    return chunks;
}

```

```
private boolean isIDStartChar(int c) {
    return c == '_' || Character.isLetter(c);
}
}

```

```
// ignore comments right away
```

#### COMMENT

```
: /*' ( options {greedy=false;} : . )* */' {delegate.text($text);}
;
```

#### LINE\_COMMENT

```
: /*' ~(\n|\r)* \r? \n' {delegate.text($text);}
;
```

#### SET\_NONLOCAL\_ATTR

```
:'$ x=ID '::' y=ID WS? '=' expr=ATTR_VALUE_EXPR ';'
{
  delegate.setNonLocalAttr($text, $x, $y, $expr);
}
;
```

#### NONLOCAL\_ATTR

```
:'$ x=ID '::' y=ID {delegate.nonLocalAttr($text, $x, $y);}
;
```

#### QUALIFIED\_ATTR

```
:'$ x=ID '.' y=ID {input.LA(1)!=''}? {delegate.qualifiedAttr($text, $x, $y);}
;
```

#### SET\_ATTR

```
:'$ x=ID WS? '=' expr=ATTR_VALUE_EXPR ';'
{
  delegate.setAttr($text, $x, $expr);
}
;
```

#### ATTR

```
:'$ x=ID {delegate.attr($text, $x);}
;
```

// Anything else is just random text

#### TEXT

```
@init {StringBuilder buf = new StringBuilder();}
@after {delegate.text(buf.toString());}
: ( c=~(\\| '$) {buf.append((char)$c);}
  | '\\$' {buf.append('$);}
  | '\\ c=~('$) {buf.append('\\).append((char)$c);}
  | {!isIDStartChar(input.LA(2))}? => '$' {buf.append('$);}
)+
;
```

#### fragment

```
ID : ('a'..'z'|'A'..'Z'|'_') ('a'..'z'|'A'..'Z'|'0'..'9'|'_')*
```



```
;  
  
/** Don't allow an = as first char to prevent $x == 3; kind of stuff. */
```

```
fragment  
ATTR_VALUE_EXPR  
: ~'=' (~';')*  
;
```

```
fragment  
WS : ( '\t'\n'\r')+  
;
```

Found in path(s):

```
* /opt/cola/permits/1192255793_1629156080.64/0/antlr4-4-8-1-sources-1-jar/org/antlr/v4/parse/ActionSplitter.g  
No license file was found, but licenses were detected in source scan.
```

```
/*  
* [The "BSD license"]  
* Copyright (c) 2012-2016 Terence Parr  
* Copyright (c) 2012-2016 Sam Harwell  
* Copyright (c) 2014 Eric Verognaud  
* All rights reserved.  
*  
* Redistribution and use in source and binary forms, with or without  
* modification, are permitted provided that the following conditions  
* are met:  
*  
* 1. Redistributions of source code must retain the above copyright  
* notice, this list of conditions and the following disclaimer.  
* 2. Redistributions in binary form must reproduce the above copyright  
* notice, this list of conditions and the following disclaimer in the  
* documentation and/or other materials provided with the distribution.  
* 3. The name of the author may not be used to endorse or promote products  
* derived from this software without specific prior written permission.  
*  
* THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR  
* IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES  
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.  
* IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,  
* INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT  
* NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,  
* DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY  
* THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT  
* (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF  
* THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.  
*/
```

```
/** ANTLR tool checks output templates are compatible with tool code generation.
```

- \* For now, a simple string match used on x.y of x.y.z scheme.
- \* Must match Tool.VERSION during load to templates.
- \*
- \* REQUIRED.
- \*/

```
pythonTypeInitMap ::= [
  "bool":"False",
  "int":"0",
  "float":"0.0",
  "str": "",
  default:"None" // anything other than a primitive type is an object
]
```

```
// args must be <object-model-object>, <fields-resulting-in-STs>
```

```
ParserFile(file, parser, namedActions, contextSuperClass) ::= <<
<fileHeader(file.grammarFileName, file.ANTLRVersion)>
# encoding: utf-8
from antlr4 import *
from io import StringIO
import sys
if sys.version_info[1] > 5:
  from typing import TextIO
else:
  from typing.io import TextIO
```

```
<namedActions.header>
```

```
<parser>
```

```
>>
```

```
ListenerFile(file, header, namedActions) ::= <<
<fileHeader(file.grammarFileName, file.ANTLRVersion)>
from antlr4 import *
if __name__ is not None and "." in __name__:
  from .<file.parserName> import <file.parserName>
else:
  from <file.parserName> import <file.parserName>
<header>
```

```
# This class defines a complete listener for a parse tree produced by <file.parserName>.
```

```
class <file.grammarName>Listener(ParseTreeListener):
```

```
    <file.listenerNames>:{lname |
```

```
# Enter a parse tree produced by <file.parserName>#<lname>.
```

```
def enter<lname>(format="cap")>(self, ctx:<file.parserName>.<lname>; format="cap">Context):
```

```
    pass
```

```

# Exit a parse tree produced by <file.parserName>#<lname>.
def exit<lname; format="cap">(self, ctx:<file.parserName>.<lname; format="cap">Context):
    pass

}; separator="\n">

del <file.parserName>
>>

VisitorFile(file, header, namedActions) ::= <<
<fileHeader(file.grammarFileName, file.ANTLRVersion)>
from antlr4 import *
if __name__ is not None and "." in __name__:
    from .<file.parserName> import <file.parserName>
else:
    from <file.parserName> import <file.parserName>
<header>

# This class defines a complete generic visitor for a parse tree produced by <file.parserName>.

class <file.grammarName>Visitor(ParseTreeVisitor):

    <file.visitorNames:{lname |
# Visit a parse tree produced by <file.parserName>#<lname>.
def visit<lname; format="cap">(self, ctx:<file.parserName>.<lname; format="cap">Context):
    return self.visitChildren(ctx)

}; separator="\n">

del <file.parserName>
>>

fileHeader(grammarFileName, ANTLRVersion) ::= <<
# Generated from <grammarFileName> by ANTLR <ANTLRVersion>
>>

Parser(parser, funcs, atn, sempredFuncs, superClass) ::= <<
<Parser_(ctor="parser_ctor", ...)>
>>

Parser_(parser, funcs, atn, sempredFuncs, ctor, superClass) ::= <<
<if(superClass)>
if __name__ is not None and "." in __name__:
    from .<superClass> import <superClass>
else:

```

```

from <superClass> import <superClass>

<endif>
<atn>

class <parser.name> ( <if(superClass)><superClass><else>Parser<endif> ):

    grammarFileName = "<parser.grammarFileName>"

    atn = ATNDeserializer().deserialize(serializedATN())

    decisionsToDFA = [ DFA(ds, i) for i, ds in enumerate(atn.decisionToState) ]

    sharedContextCache = PredictionContextCache()

    literalNames = [ <parser.literalNames:{t | <t>}; null="\<INVALID>", separator=", ", wrap, anchor ]

    symbolicNames = [ <parser.symbolicNames:{t | <t>}; null="\<INVALID>", separator=", ", wrap, anchor ]

    <parser.rules:{r | RULE_<r.name> = <r.index>}; separator="\n", wrap, anchor>

    ruleNames = [ <parser.ruleNames:{r | "<r>"}; separator=", ", wrap, anchor ]

    EOF = <TokenLabelType().EOF>
    <if(parser.tokens)>
    <parser.tokens:{k | <k>=<parser.tokens.(k)>}; separator="\n", wrap, anchor>
    <endif>

    <parser:(ctor())>

    <namedActions.members>

    <funcs; separator="\n">

    <if(semPredFuncs)>
    def semPred(self, localctx:RuleContext, ruleIndex:int, predIndex:int):
        if self._predicates == None:
            self._predicates = dict()
    <parser.semPredFuncs.values:{f |
        self._predicates[<f.ruleIndex>] = self.<f.name>_semPred}; separator="\n    ">
        pred = self._predicates.get(ruleIndex, None)
        if pred is None:
            raise Exception("No predicate with index:" + str(ruleIndex))
        else:
            return pred(localctx, predIndex)

    <semPredFuncs.values; separator="\n">

```

```

<endif>

>>

dumpActions(recog, argFuncs, actionFuncs, sempredFuncs) ::= <<
<if(actionFuncs)>
def action(self, localctx:RuleContext, ruleIndex:int, actionIndex:int):
    if self._actions is None:
        actions = dict()
<recog.actionFuncs.values:{f|
    actions[<f.ruleIndex>] = self.<f.name>_action }; separator="\n">
    self._actions = actions
    action = self._actions.get(ruleIndex, None)
    if action is not None:
        action(localctx, actionIndex)
    else:
        raise Exception("No registered action for:" + str(ruleIndex))

<actionFuncs.values; separator="\n">

<endif>
<if(sempredFuncs)>
def sempred(self, localctx:RuleContext, ruleIndex:int, predIndex:int):
    if self._predicates is None:
        preds = dict()
<recog.sempredFuncs.values:{f|
    preds[<f.ruleIndex>] = self.<f.name>_sempred}; separator="\n">
    self._predicates = preds
    pred = self._predicates.get(ruleIndex, None)
    if pred is not None:
        return pred(localctx, predIndex)
    else:
        raise Exception("No registered predicate for:" + str(ruleIndex))

<sempredFuncs.values; separator="\n">
<endif>

>>

parser_ctor(p) ::= <<
def __init__(self, input:TokenStream, output:TextIO = sys.stdout):
    super().__init__(input, output)
    self.checkVersion("<file.ANTLRVersion>")
    self._interp = ParserATNSimulator(self, self.atn, self.decisionsToDFA, self.sharedContextCache)
    self._predicates = None

>>

```

```

/* This generates a private method since the actionIndex is generated, making an
* overriding implementation impossible to maintain.
*/

```

```

RuleActionFunction(r, actions) ::= <<

```

```

def <r.name>_action(self, localctx:<r.ctxType> , actionIndex:int):
<actions:{index|
<if(first(actions))>
  if actionIndex == <index>:
    <actions.(index)>
<elseif(rest(actions))>
  elif actionIndex == <index>:
    <actions.(index)>
<endif> }; separator="\n">
>>

```

```

/* This generates a private method since the predIndex is generated, making an
* overriding implementation impossible to maintain.
*/

```

```

*/

```

```

RuleSempredFunction(r, actions) ::= <<

```

```

def <r.name>_sempred(self, localctx:<r.ctxType>, predIndex:int):
  <actions:{index|
<if(first(actions))>
  if predIndex == <index>:
    return <actions.(index)>
<elseif(rest(actions))>
  elif predIndex == <index>:
    return <actions.(index)>
<endif> }; separator="\n">
>>

```

```

RuleFunction(currentRule,args,code,locals,ruleCtx,altLabelCtxs,namedActions,finallyAction,postamble,exceptions)
::= <<

```

```

<ruleCtx>

```

```

<altLabelCtxs:{l | <altLabelCtxs.(l)>}; separator="\n">

```

```

def <currentRule.name>(self<currentRule.args:{a | , <a.name><if(a.type)>:<a.type><endif>}>):

```

```

  localctx = <parser.name>.<currentRule.ctxType>(self, self._ctx, self.state<currentRule.args:{a | , <a.name>}>)
  self.enterRule(localctx, <currentRule.startState>, self.RULE_<currentRule.name>)
  <namedActions.init>
  <locals; separator="\n">
  try:
    <code>

```

```

    <postamble; separator="\n">
    <namedActions.after>
<if(exceptions)>
<exceptions; separator="\n">
<else>
except RecognitionException as re:
    localctx.exception = re
    self._errHandler.reportError(self, re)
    self._errHandler.recover(self, re)
<endif>
finally:
    <finallyAction>
    self.exitRule()
return localctx

>>

LeftRecursiveRuleFunction(currentRule,args,code,locals,ruleCtx,altLabelCtxs,
namedActions,finallyAction,postamble) ::=

<<

<ruleCtx>
<altLabelCtxs:{l | <altLabelCtxs.(l)>}; separator="\n">

def <currentRule.name>(self, _p:int=0<if(currentRule.args)>, <args:{a | , <a>}><endif>):
    _parentctx = self._ctx
    _parentState = self.state
    localctx = <parser.name>.<currentRule.ctxType>(self, self._ctx, _parentState<args:{a | , <a.name>}>)
    _prevctx = localctx
    _startState = <currentRule.startState>
    self.enterRecursionRule(localctx, <currentRule.startState>, self.RULE_<currentRule.name>, _p)
    <namedActions.init>
    <locals; separator="\n">
    try:
        <code>
        <postamble; separator="\n">
        <namedActions.after>
    except RecognitionException as re:
        localctx.exception = re
        self._errHandler.reportError(self, re)
        self._errHandler.recover(self, re)
    finally:
        <finallyAction>
        self.unrollRecursionContexts(_parentctx)
    return localctx

>>

```

```

CodeBlockForOuterMostAlt(currentOuterMostAltCodeBlock, locals, preamble, ops) ::= <<
<if(currentOuterMostAltCodeBlock.altLabel)>localctx = <parser.name>.<currentOuterMostAltCodeBlock.altLabel;
format="cap">Context(self, localctx)<endif>
self.enterOuterAlt(localctx, <currentOuterMostAltCodeBlock.alt.altNum>)
<CodeBlockForAlt(currentAltCodeBlock=currentOuterMostAltCodeBlock, ...)>
>>

```

```

CodeBlockForAlt(currentAltCodeBlock, locals, preamble, ops) ::= <<
<locals; separator="\n">
<preamble; separator="\n">
<ops; separator="\n">
>>

```

```

LL1AltBlock(choice, preamble, alts, error) ::= <<
self.state = <choice.stateNumber>
self._errHandler.sync(self)
<if(choice.label)><labelref(choice.label)> = _input.LT(1)<endif>
<preamble; separator="\n">
token = self._input.LA(1)
<choice.altLook,alts:{look,alt| <cases(ttypes=look)>
  <alt>
  pass}; separator="\nel">
else:
  <error>

>>

```

```

LL1OptionalBlock(choice, alts, error) ::= <<
self.state = <choice.stateNumber>
self._errHandler.sync(self)
token = self._input.LA(1)
<choice.altLook,alts:{look,alt| <cases(ttypes=look)>
  <alt>
  pass}; separator="\nel">
else:
  pass
>>

```

```

LL1OptionalBlockSingleAlt(choice, expr, alts, preamble, error, followExpr) ::= <<
self.state = <choice.stateNumber>
self._errHandler.sync(self)
<preamble; separator="\n">
if <expr>:
  <alts; separator="\n">

<!else if ( !(<followExpr> ) <error>!>
>>

```



```

LL1StarBlockSingleAlt(choice, loopExpr, alts, preamble, iteration) ::= <<
self.state = <choice.stateNumber>
self._errHandler.sync(self)
<preamble; separator="\n">
while <loopExpr>:
    <alts; separator="\n">
    self.state = <choice.loopBackStateNumber>
    self._errHandler.sync(self)
    <iteration>

>>

```

```

LL1PlusBlockSingleAlt(choice, loopExpr, alts, preamble, iteration) ::= <<
self.state = <choice.blockStartStateNumber> <! alt block decision !>
self._errHandler.sync(self)
<preamble; separator="\n">
while True:
    <alts; separator="\n">
    self.state = <choice.stateNumber> <! loopback/exit decision !>
    self._errHandler.sync(self)
    <iteration>
    if not (<loopExpr>):
        break

>>

```

```
// LL(*) stuff
```

```

AltBlock(choice, preamble, alts, error) ::= <<
self.state = <choice.stateNumber>
self._errHandler.sync(self)
<if(choice.label)><labelref(choice.label)> = _input.LT(1)<endif>
<preamble; separator="\n">
la_ = self._interp.adaptivePredict(self._input,<choice.decision>,self._ctx)
<alts:{ alt |
if la_ == <i>:
    <alt>
    pass
}; separator="\n">

>>

```

```

OptionalBlock(choice, alts, error) ::= <<
self.state = <choice.stateNumber>
self._errHandler.sync(self)
la_ = self._interp.adaptivePredict(self._input,<choice.decision>,self._ctx)
<alts:{ alt |

```

```
if la_ == <i><if(!choice.ast.greedy)>+1<endif>:
```

```
  <alt>
```

```
}; separator="\nel">
```

```
>>
```

```
StarBlock(choice, alts, sync, iteration) ::= <<
```

```
self.state = <choice.stateNumber>
```

```
self._errHandler.sync(self)
```

```
_alt = self._interp.adaptivePredict(self._input,<choice.decision>,self._ctx)
```

```
while _alt!=<choice.exitAlt> and _alt!=ATN.INVALID_ALT_NUMBER:
```

```
  if _alt==1<if(!choice.ast.greedy)>+1<endif>:
```

```
    <iteration>
```

```
    <alts> <! should only be one !>
```

```
self.state = <choice.loopBackStateNumber>
```

```
self._errHandler.sync(self)
```

```
_alt = self._interp.adaptivePredict(self._input,<choice.decision>,self._ctx)
```

```
>>
```

```
PlusBlock(choice, alts, error) ::= <<
```

```
self.state = <choice.blockStartStateNumber> <! alt block decision !>
```

```
self._errHandler.sync(self)
```

```
_alt = 1<if(!choice.ast.greedy)>+1<endif>
```

```
while _alt!=<choice.exitAlt> and _alt!=ATN.INVALID_ALT_NUMBER:
```

```
  <alts: {alt|
```

```
if _alt == <i><if(!choice.ast.greedy)>+1<endif>:
```

```
  <alt>
```

```
}; separator="\nel">
```

```
  else:
```

```
    <error>
```

```
self.state = <choice.loopBackStateNumber> <! loopback/exit decision !>
```

```
self._errHandler.sync(self)
```

```
_alt = self._interp.adaptivePredict(self._input,<choice.decision>,self._ctx)
```

```
>>
```

```
Sync(s) ::= "sync(<s.expecting.name>)"
```

```
ThrowNoViableAlt(t) ::= "raise NoViableAltException(self)"
```

```
TestSetInline(s) ::= <<
```

```
<s.bitsets: {bits | <if(rest(rest(bits.ttypes)))><bitsetBitfieldComparison(s, bits)><else><bitsetInlineComparison(s,  
bits)><endif>} ; separator=" or ">
```

```
>>
```

```
// Java language spec 15.19 - shift operators mask operands rather than overflow to 0... need range test
```

```
testShiftInRange(shiftAmount) ::= <<
```

```

((<shiftAmount>) & ~0x3f) == 0
>>

// produces smaller bytecode only when bits.ttypes contains more than two items
bitsetBitfieldComparison(s, bits) ::= <%
(<testShiftInRange({<offsetShiftVar(s.varName, bits.shift)>})> and ((1 <|< <offsetShiftVar(s.varName,
bits.shift)>) & (<bits.ttypes:{ttype | (1 <|< <offsetShiftType(ttype, bits.shift)>)}; separator=" | ">)) != 0)
%>

isZero ::= [
"0":true,
default:false
]

offsetShiftVar(shiftAmount, offset) ::= <%
<if(!isZero.(offset))><shiftAmount> - <offset><else><shiftAmount><endif>
%>

offsetShiftType(shiftAmount, offset) ::= <%
<if(!isZero.(offset))><parser.name>.<shiftAmount> - <offset><else><parser.name>.<shiftAmount><endif>
%>

// produces more efficient bytecode when bits.ttypes contains at most two items
bitsetInlineComparison(s, bits) ::= <%
<bits.ttypes:{ttype | <s.varName>==<parser.name>.<ttype>}; separator=" or ">
%>

cases(ttypes) ::= <<
if token in [<ttypes:{t | <parser.name>.<t>}; separator=", ">]:
>>

InvokeRule(r, argExprsChunks) ::= <<
self.state = <r.stateNumber>
<if(r.labels)><r.labels:{l | <labelref(l)> =
}><endif>self.<r.name><(if(r.ast.options.p)><r.ast.options.p><if(argExprsChunks)>,<endif><endif><argExprsChu
nks>)
>>

MatchToken(m) ::= <<
self.state = <m.stateNumber>
<if(m.labels)><m.labels:{l | <labelref(l)> = }><endif>self.match(<parser.name>.<m.name>)
>>

MatchSet(m, expr, capture) ::= "<CommonSetStuff(m, expr, capture, false)>"

MatchNotSet(m, expr, capture) ::= "<CommonSetStuff(m, expr, capture, true)>"

CommonSetStuff(m, expr, capture, invert) ::= <<

```

```

self.state = <m.stateNumber>
<if(m.labels)><m.labels:{1 | <labelref(l)> = }>self._input.LT(1)<endif>
<capture>
<if(invert)>if <m.varName> \<= 0 or <expr><else>if not(<expr>)<endif>:
<if(m.labels)><m.labels:{1 | <labelref(l)> = }><else> <endif>self._errHandler.recoverInline(self)
else:
    self._errHandler.reportMatch(self)
    self.consume()
>>

```

```

Wildcard(w) ::= <<
self.state = <w.stateNumber>
<if(w.labels)><w.labels:{1 | <labelref(l)> = }><endif>self.matchWildcard()
>>

```

```
// ACTION STUFF
```

```
Action(a, foo, chunks) ::= "<chunks>"
```

```
ArgAction(a, chunks) ::= "<chunks>"
```

```

SemPred(p, chunks, failChunks) ::= <<
self.state = <p.stateNumber>
if not <chunks>:
    from antlr4.error.Errors import FailedPredicateException
    raise FailedPredicateException(self, <p.predicate><if(failChunks)>, <failChunks><elseif(p.msg)>,
<p.msg><endif>)
>>

```

```

ExceptionClause(e, catchArg, catchAction) ::= <<
catch (<catchArg>) {
    <catchAction>
}
>>

```

```
// lexer actions are not associated with model objects
```

```

LexerSkipCommand() ::= "skip()"
LexerMoreCommand() ::= "more()"
LexerPopModeCommand() ::= "popMode()"

```

```

LexerTypeCommand(arg, grammar)    ::= "_type = <arg>"
LexerChannelCommand(arg, grammar) ::= "_channel = <arg>"
LexerModeCommand(arg, grammar)    ::= "_mode = <arg>"
LexerPushModeCommand(arg, grammar) ::= "pushMode(<arg>)"

```

```

ActionText(t) ::= "<t.text>"
ActionTemplate(t) ::= "<t.st>"

```

```

ArgRef(a) ::= "localctx.<a.name>"
LocalRef(a) ::= "localctx.<a.name>"
RetValRef(a) ::= "localctx.<a.name>"
QRetValRef(a) ::= "<ctx(a)>.<a.dict>.<a.name>"
/** How to translate $tokenLabel */
TokenRef(t) ::= "<ctx(t)>.<t.name>"
LabelRef(t) ::= "<ctx(t)>.<t.name>"
ListLabelRef(t) ::= "<ctx(t)>.<ListLabelName(t.name)>"
SetAttr(s,rhsChunks) ::= "<ctx(s)>.<s.name> = <rhsChunks>"

TokenLabelType() ::= "<file.TokenLabelType; null={Token}>"
InputSymbolType() ::= "<file.InputSymbolType; null={Token}>"

TokenPropertyRef_text(t) ::= "(None if <ctx(t)>.<t.label> is None else <ctx(t)>.<t.label>.text)"
TokenPropertyRef_type(t) ::= "(0 if <ctx(t)>.<t.label> is None else <ctx(t)>.<t.label>.type)"
TokenPropertyRef_line(t) ::= "(0 if <ctx(t)>.<t.label> is None else <ctx(t)>.<t.label>.line)"
TokenPropertyRef_pos(t) ::= "(0 if <ctx(t)>.<t.label> is None else <ctx(t)>.<t.label>.column)"
TokenPropertyRef_channel(t) ::= "(0 if (<ctx(t)>.<t.label> is None else <ctx(t)>.<t.label>.channel)"
TokenPropertyRef_index(t) ::= "(0 if <ctx(t)>.<t.label> is None else <ctx(t)>.<t.label>.tokenIndex)"
TokenPropertyRef_int(t) ::= "(0 if <ctx(t)>.<t.label> is None else int(<ctx(t)>.<t.label>.text))"

RulePropertyRef_start(r) ::= "(None if <ctx(r)>.<r.label> is None else <ctx(r)>.<r.label>.start)"
RulePropertyRef_stop(r) ::= "(None if <ctx(r)>.<r.label> is None else <ctx(r)>.<r.label>.stop)"
RulePropertyRef_text(r) ::= "(None if <ctx(r)>.<r.label> is None else
self._input.getText(<ctx(r)>.<r.label>.start,<ctx(r)>.<r.label>.stop))"
RulePropertyRef_ctx(r) ::= "<ctx(r)>.<r.label>"
RulePropertyRef_parser(r) ::= "self"

ThisRulePropertyRef_start(r) ::= "localctx.start"
ThisRulePropertyRef_stop(r) ::= "localctx.stop"
ThisRulePropertyRef_text(r) ::= "self._input.getText(localctx.start, self._input.LT(-1))"
ThisRulePropertyRef_ctx(r) ::= "localctx"
ThisRulePropertyRef_parser(r) ::= "self"

NonLocalAttrRef(s) ::= "getInvokingContext(<s.ruleIndex>).<s.name>"
SetNonLocalAttr(s, rhsChunks) ::= "getInvokingContext(<s.ruleIndex>).<s.name> = <rhsChunks>"

AddToLabelList(a) ::= "<ctx(a.label)>.<a.listName>.append(<labelref(a.label)>)"

TokenDecl(t) ::= "self.<t.name> = None # <TokenLabelType()>"
TokenTypeDecl(t) ::= "self.<t.name> = 0 # <TokenLabelType()> type"
TokenListDecl(t) ::= "self.<t.name> = list() # of <TokenLabelType()>s"
RuleContextDecl(r) ::= "self.<r.name> = None # <r.ctxName>"
RuleContextListDecl(rdecl) ::= "self.<rdecl.name> = list() # of <rdecl.ctxName>s"

ContextTokenGetterDecl(t) ::= <<
def <t.name>(self):
    return self.getToken(<parser.name>.<t.name>, 0)

```

```

>>

// should never be called
ContextTokenListGetterDecl(t) ::= <<
def <t.name>_list(self):
    return self.getTokens(<parser.name>.<t.name>)
>>

ContextTokenListIndexedGetterDecl(t) ::= <<
def <t.name>(self, i:int=None):
    if i is None:
        return self.getTokens(<parser.name>.<t.name>)
    else:
        return self.getToken(<parser.name>.<t.name>, i)
>>

ContextRuleGetterDecl(r)    ::= <<
def <r.name>(self):
    return self.getTypedRuleContext(<parser.name>.<r.ctxName>,0)

>>

// should never be called
ContextRuleListGetterDecl(r) ::= <<
def <r.name>_list(self):
    return self.getTypedRuleContexts(<parser.name>.<r.ctxName>)

>>

ContextRuleListIndexedGetterDecl(r) ::= <<
def <r.name>(self, i:int=None):
    if i is None:
        return self.getTypedRuleContexts(<parser.name>.<r.ctxName>)
    else:
        return self.getTypedRuleContext(<parser.name>.<r.ctxName>,i)

>>

LexerRuleContext() ::= "RuleContext"

/** The rule context name is the rule followed by a suffix; e.g.,
 * r becomes rContext.
 */
RuleContextNameSuffix() ::= "Context"

ImplicitTokenLabel(tokenName) ::= "_<tokenName>"
ImplicitRuleLabel(ruleName) ::= "_<ruleName>"
ImplicitSetLabel(id) ::= "_tset<id>"

```

```
ListLabelName(label) ::= "<label>"
```

```
CaptureNextToken(d) ::= "<d.varName> = self._input.LT(1)"
```

```
CaptureNextTokenType(d) ::= "<d.varName> = self._input.LA(1)"
```

```
StructDecl(struct,ctorAttrs,attrs, getters,dispatchMethods,interfaces,extensionMembers) ::= <<  
class <struct.name><(if(contextSuperClass)><contextSuperClass><else>ParserRuleContext<endif>>:
```

```
    def __init__(self, parser, parent:ParserRuleContext=None, invokingState:int=-1<struct.ctorAttrs:{ a | ,  
<a.name><(if(a.type)><a.type><endif>=None}>):
```

```
        super().__init__(parent, invokingState)
```

```
        self.parser = parser
```

```
        <attrs:{ a | <a>}; separator="\n">
```

```
        <struct.ctorAttrs:{ a | self.<a.name> = <a.name>}; separator="\n">
```

```
        <getters:{ g | <g>}; separator="\n\n">
```

```
    def getRuleIndex(self):
```

```
        return <parser.name>.RULE_<struct.derivedFromName>
```

```
<(if(struct.provideCopyFrom)><! don't need copy unless we have subclasses !>
```

```
    def copyFrom(self, ctx:ParserRuleContext):
```

```
        super().copyFrom(ctx)
```

```
        <struct.attrs:{ a | self.<a.name> = ctx.<a.name>}; separator="\n">
```

```
<endif>
```

```
    <dispatchMethods; separator="\n">
```

```
    <extensionMembers; separator="\n">
```

```
>>
```

```
AltLabelStructDecl(struct,attrs, getters,dispatchMethods) ::= <<
```

```
class <struct.name><(currentRule.name; format="cap">Context):
```

```
    def __init__(self, parser, ctx:ParserRuleContext): # actually a <parser.name>.<currentRule.name;  
format="cap">Context
```

```
        super().__init__(parser)
```

```
        <attrs:{ a | <a>}; separator="\n">
```

```
        self.copyFrom(ctx)
```

```
        <getters:{ g | <g>}; separator="\n">
```

```
        <dispatchMethods; separator="\n">
```

```
>>
```

```
ListenerDispatchMethod(method) ::= <<
```

```
def <(if(method.isEnter)>enter<else>exit<endif>Rule(self, listener:ParseTreeListener):
```

```

    if hasattr( listener, "<if(method.isEnter)>enter<else>exit<endif><struct.derivedFromName; format="cap">" ):
        listener.<if(method.isEnter)>enter<else>exit<endif><struct.derivedFromName; format="cap">(self)

>>

VisitorDispatchMethod(method) ::= <<
def accept(self, visitor:ParseTreeVisitor):
    if hasattr( visitor, "visit<struct.derivedFromName; format="cap">" ):
        return visitor.visit<struct.derivedFromName; format="cap">(self)
    else:
        return visitor.visitChildren(self)

>>

AttributeDecl(d) ::= "self.<d.name> = <if(d.initValue)><d.initValue><else>None<endif>"

/** If we don't know location of label def x, use this template */
labelref(x) ::= "<if(!x.isLocal)>localctx.<endif><x.name>"

/** For any action chunk, what is correctly-typed context struct ptr? */
ctx(actionChunk) ::= "localctx"

// used for left-recursive rules
recRuleAltPredicate(ruleName,opPrec) ::= "self.precpred(self._ctx, <opPrec>)"
recRuleSetReturnAction(src,name) ::= "$<name>=<src>.<name>"
recRuleSetStopToken() ::= "self._ctx.stop = self._input.LT(-1)"

recRuleAltStartAction(ruleName, ctxName, label) ::= <<
localctx = <parser.name>.<ctxName>Context(self, _parentctx, _parentState)
<if(label)>localctx.<label> = _prevctx<endif>
self.pushNewRecursionContext(localctx, _startState, self.RULE_<ruleName>)
>>

recRuleLabeledAltStartAction(ruleName, currentAltLabel, label, isListLabel) ::= <<
localctx = <parser.name>.<currentAltLabel; format="cap">Context(self, <parser.name>.<ruleName;
format="cap">Context(self, _parentctx, _parentState))
<if(label)>
<if(isListLabel)>
localctx.<label>.append(_prevctx)
<else>
localctx.<label> = _prevctx
<endif>
<endif>
self.pushNewRecursionContext(localctx, _startState, self.RULE_<ruleName>)
>>

recRuleReplaceContext(ctxName) ::= <<
localctx = <parser.name>.<ctxName>Context(self, localctx)

```



```
self._ctx = localctx
_prevctx = localctx
>>
```

```
recRuleSetPrevCtx() ::= <<
if self._parseListeners is not None:
    self.triggerExitRuleEvent()
_prevctx = localctx
>>
```

```
LexerFile(lexerFile, lexer, namedActions) ::= <<
<fileHeader(lexerFile.grammarFileName, lexerFile.ANTLRVersion)>
from antlr4 import *
from io import StringIO
from typing.io import TextIO
import sys
```

```
<namedActions.header>
```

```
<lexer>
>>
```

```
Lexer(lexer, atn, actionFuncs, sempredFuncs, superClass) ::= <<
```

```
<if(superClass)>
if __name__ is not None and "." in __name__:
    from .<superClass> import <superClass>
else:
    from <superClass> import <superClass>
```

```
<endif>
<atn>
```

```
class <lexer.name>(<if(superClass)><superClass><else>Lexer<endif>):
```

```
    atn = ATNDeserializer().deserialize(serializedATN())
```

```
    decisionsToDFA = [ DFA(ds, i) for i, ds in enumerate(atn.decisionToState) ]
```

```
<if(lexer.channels)>
    <lexer.channels: {c | <c> = <lexer.channels.(c)>} ; separator="\n">
```

```
<endif>
<if(rest(lexer.modes))>
    <rest(lexer.modes): {m | <m> = <i>} ; separator="\n">
```

```
<endif>
    <lexer.tokens: {k | <k> = <lexer.tokens.(k)>} ; separator="\n", wrap, anchor>
```

```

channelNames = [ u"DEFAULT_TOKEN_CHANNEL", u"HIDDEN"<if (lexer.channels)>, <lexer.channels:{c|
u"<c>"}; separator=", ", wrap, anchor><endif> ]

modeNames = [ <lexer.modes:{m| "<m>"}; separator=", ", wrap, anchor> ]

literalNames = [ "\\<INVALID>",
  <lexer.literalNames:{t | <t>}; separator=", ", wrap, anchor> ]

symbolicNames = [ "\\<INVALID>",
  <lexer.symbolicNames:{t | <t>}; separator=", ", wrap, anchor> ]

ruleNames = [ <lexer.ruleNames:{r | "<r>"}; separator=", ", wrap, anchor> ]

grammarFileName = "<lexer.grammarFileName>"

def __init__(self, input=None, output:TextIO = sys.stdout):
    super().__init__(input, output)
    self.checkVersion("<lexerFile.ANTLRVersion>")
    self._interp = LexerATNSimulator(self, self.atn, self.decisionsToDFA, PredictionContextCache())
    self._actions = None
    self._predicates = None

<namedActions.members>

<dumpActions(lexer, "", actionFuncs, sempredFuncs)>

>>

SerializedATN(model) ::= <<
<! only one segment, can be inlined !>

def serializedATN():
    with StringIO() as buf:
        buf.write("<model.serialized; wrap={ }<n>    buf.write({ }>")
        return buf.getvalue()

>>

/** Using a type to init value map, try to init a type; if not in table
 * must be an object, default value is "null".
 */
initValue(typeName) ::= <<
<pythonTypeInitMap.(typeName)>
>>

codeFileExtension() ::= ".py"

```

Found in path(s):

\* /opt/cola/permits/1192255793\_1629156080.64/0/antlr4-4-8-1-sources-1-jar/org/antlr/v4/tool/templates/codegen/Python3/Python3.stg

No license file was found, but licenses were detected in source scan.

\* [The "BSD license"]

\* All rights reserved.

\* Redistribution and use in source and binary forms, with or without  
\* modification, are permitted provided that the following conditions  
\* are met:

- \* 1. Redistributions of source code must retain the above copyright  
\* notice, this list of conditions and the following disclaimer.
- \* 2. Redistributions in binary form must reproduce the above copyright  
\* notice, this list of conditions and the following disclaimer in the  
\* documentation and/or other materials provided with the distribution.
- \* 3. The name of the author may not be used to endorse or promote products  
\* derived from this software without specific prior written permission.

[The "BSD licence"]

All rights reserved.

Redistribution and use in source and binary forms, with or without  
modification, are permitted provided that the following conditions  
are met:

1. Redistributions of source code must retain the above copyright  
notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright  
notice, this list of conditions and the following disclaimer in the  
documentation and/or other materials provided with the distribution.
3. The name of the author may not be used to endorse or promote products  
derived from this software without specific prior written permission.

Found in path(s):

\* /opt/cola/permits/1192255793\_1629156080.64/0/antlr4-4-8-1-sources-1-jar/org/antlr/v4/parse/ANTLRParser.g

No license file was found, but licenses were detected in source scan.

/\*

\* [The "BSD license"]

\* Copyright (c) 2012-2016 Terence Parr

\* Copyright (c) 2012-2016 Sam Harwell

\* Copyright (c) 2014 Eric Vergnaud

\* All rights reserved.

\*

\* Redistribution and use in source and binary forms, with or without  
\* modification, are permitted provided that the following conditions  
\* are met:

\*

- \* 1. Redistributions of source code must retain the above copyright  
\* notice, this list of conditions and the following disclaimer.
- \* 2. Redistributions in binary form must reproduce the above copyright

```

* notice, this list of conditions and the following disclaimer in the
* documentation and/or other materials provided with the distribution.
* 3. The name of the author may not be used to endorse or promote products
* derived from this software without specific prior written permission.
*
* THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR
* IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.
* IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,
* INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT
* NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
* DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
* THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
* (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF
* THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
*/

```

```

/** ANTLR tool checks output templates are compatible with tool code generation.
* For now, a simple string match used on x.y of x.y.z scheme.
* Must match Tool.VERSION during load to templates.
*
* REQUIRED.
*/

```

```

javascriptTypeInitMap ::= [
  "bool":"false",
  "int":"0",
  "float":"0.0",
  "str": "",
  default:"{}" // anything other than a primitive type is an object
]

```

```

// args must be <object-model-object>, <fields-resulting-in-STs>

```

```

ParserFile(file, parser, namedActions, contextSuperClass) ::= <<
<fileHeader(file.grammarFileName, file.ANTLRVersion)>
var antlr4 = require('antlr4/index');
<if(file.genListener)>
var <file.grammarName>Listener = require('./<file.grammarName>Listener').<file.grammarName>Listener;
<endif>
<if(file.genVisitor)>
var <file.grammarName>Visitor = require('./<file.grammarName>Visitor').<file.grammarName>Visitor;
<endif>

<namedActions.header>
<parser>
>>

```

```

ListenerFile(file, header, namedActions) ::= <<
<fileHeader(file.grammarFileName, file.ANTLRVersion)>
var antlr4 = require('antlr4/index');

// This class defines a complete listener for a parse tree produced by <file.parserName>.
function <file.grammarName>Listener() {
  antlr4.tree.ParseTreeListener.call(this);
  return this;
}

<file.grammarName>Listener.prototype = Object.create(antlr4.tree.ParseTreeListener.prototype);
<file.grammarName>Listener.prototype.constructor = <file.grammarName>Listener;

<file.listenerNames:{lname |
// Enter a parse tree produced by <file.parserName>#<lname>.
<file.grammarName>Listener.prototype.enter<lname; format="cap"> = function(ctx) {
\};

// Exit a parse tree produced by <file.parserName>#<lname>.
<file.grammarName>Listener.prototype.exit<lname; format="cap"> = function(ctx) {
\};

}; separator="\n">

exports.<file.grammarName>Listener = <file.grammarName>Listener;
>>

```

```

VisitorFile(file, header, namedActions) ::= <<
<fileHeader(file.grammarFileName, file.ANTLRVersion)>
var antlr4 = require('antlr4/index');

// This class defines a complete generic visitor for a parse tree produced by <file.parserName>.

function <file.grammarName>Visitor() {
  antlr4.tree.ParseTreeVisitor.call(this);
  return this;
}

<file.grammarName>Visitor.prototype = Object.create(antlr4.tree.ParseTreeVisitor.prototype);
<file.grammarName>Visitor.prototype.constructor = <file.grammarName>Visitor;

<file.visitorNames:{lname |
// Visit a parse tree produced by <file.parserName>#<lname>.
<file.grammarName>Visitor.prototype.visit<lname; format="cap"> = function(ctx) {
  return this.visitChildren(ctx);
\};

```

```

}; separator="\n">

exports.<file.grammarName>Visitor = <file.grammarName>Visitor;
>>

fileHeader(grammarFileName, ANTLRVersion) ::= <<
// Generated from <grammarFileName; format="java-escape"> by ANTLR <ANTLRVersion>
// jshint ignore: start
>>

Parser(parser, funcs, atn, sempredFuncs, superClass) ::= <<
<if(superClass)>
var <superClass> = require('./<superClass>').<superClass>;
<endif>

var grammarFileName = "<parser.grammarFileName; format="java-escape">";

<atn>

var atn = new antlr4.atn.ATNDeserializer().deserialize(serializedATN);

var decisionsToDFA = atn.decisionToState.map( function(ds, index) { return new antlr4.dfa.DFA(ds, index); });

var sharedContextCache = new antlr4.PredictionContextCache();

var literalNames = [ <parser.literalNames:{t | <t>}; null="null", separator=", ", wrap, anchor > ];

var symbolicNames = [ <parser.symbolicNames:{t | <t>}; null="null", separator=", ", wrap, anchor > ];

var ruleNames = [ <parser.ruleNames:{r | "<r">}; separator=", ", wrap, anchor > ];

function <parser.name> (input) {
<superClass; null="antlr4.Parser">.call(this, input);
  this._interp = new antlr4.atn.ParserATNSimulator(this, atn, decisionsToDFA, sharedContextCache);
  this.ruleNames = ruleNames;
  this.literalNames = literalNames;
  this.symbolicNames = symbolicNames;
<namedActions.members>
  return this;
}

<parser.name>.prototype = Object.create(<superClass; null="antlr4.Parser">.prototype);
<parser.name>.prototype.constructor = <parser.name>;

Object.defineProperty(<parser.name>.prototype, "atn", {
  get : function() {
    return atn;
  }
});

```

```

}
});

<parser.name>.EOF = antlr4.Token.EOF;
<if(parser.tokens)>
<parser.tokens:{k | <parser.name>.<k> = <parser.tokens.(k)>;}; separator="\n", wrap, anchor>
<endif>

<parser.rules:{r | <parser.name>.RULE_<r.name> = <r.index>;}; separator="\n", wrap, anchor>

<funcs; separator="\n">

<if(semanticPredFuncs)>
<parser.name>.prototype.semanticPred = function(localctx, ruleIndex, predIndex) {
switch(ruleIndex) {
<parser.semanticPredFuncs.values:{f | case <f.ruleIndex>:
return this.<f.name>_semanticPred(localctx, predIndex);}; separator="\n">
default:
throw "No predicate with index:" + ruleIndex;
}
};

<semanticPredFuncs.values; separator="\n">
<endif>

exports.<parser.name> = <parser.name>;

>>

dumpActions(recog, argFuncs, actionFuncs, semanticPredFuncs) ::= <<
<if(actionFuncs)>
<lexer.name>.prototype.action = function(localctx, ruleIndex, actionIndex) {
switch (ruleIndex) {
<recog.actionFuncs.values:{f|
case <f.ruleIndex>:
this.<f.name>_action(localctx, actionIndex);
break;}; separator="\n">
default:
throw "No registered action for:" + ruleIndex;
}
};

<actionFuncs.values; separator="\n">
<endif>
<if(semanticPredFuncs)>
<lexer.name>.prototype.semanticPred = function(localctx, ruleIndex, predIndex) {
switch (ruleIndex) {
<recog.semanticPredFuncs.values:{f| case <f.ruleIndex>:

```

```

return this.<f.name>_sempred(localctx, predIndex);}; separator="\n">
  default:
    throw "No registered predicate for:" + ruleIndex;
  }
};

<sempredFuncs.values; separator="\n">
<endif>
>>

/* This generates a private method since the actionIndex is generated, making an
* overriding implementation impossible to maintain.
*/
RuleActionFunction(r, actions) ::= <<

<lexer.name>.prototype.<r.name>_action = function(localctx , actionIndex) {
  switch (actionIndex) {
    <actions:{index|
case <index>:
    <actions.(index)>
    break;}; separator="\n">
  default:
    throw "No registered action for:" + actionIndex;
  }
};
>>

/* This generates a private method since the predIndex is generated, making an
* overriding implementation impossible to maintain.
*/
RuleSempredFunction(r, actions) ::= <<
<if (r.factory.g.lexer)><lexer.name><else><parser.name><endif>.prototype.<r.name>_sempred = function(localctx,
predIndex) {
  switch(predIndex) {
    <actions:{index| case <index>:
return <actions.(index)>;}; separator="\n">
  default:
    throw "No predicate with index:" + predIndex;
  }
};
>>

RuleFunction(currentRule,args,code,locals,ruleCtx,altLabelCtxs,namedActions,finallyAction,postamble,exceptions)
::= <<

<ruleCtx>

```



```

<altLabelCtxs:{l | <altLabelCtxs.(l)>}; separator="\n">

<! Define fields of this parser to export the context classes !>
<parser.name>.<currentRule.ctxType> = <currentRule.ctxType>;

<parser.name>.prototype.<currentRule.name> = function(<currentRule.args:{a | <a.name>}; separator=", ">) {

    var localctx = new <currentRule.ctxType>(this, this._ctx, this.state<currentRule.args:{a | , <a.name>}>>);
    this.enterRule(localctx, <currentRule.startState>, <parser.name>.RULE_<currentRule.name>);
    <namedActions.init>
    <locals; separator="\n">
    try {
        <code>
        <postamble; separator="\n">
        <namedActions.after>
    <if(exceptions)>
    <exceptions; separator="\n">
    <else>
    } catch (re) {
        if(re instanceof antlr4.error.RecognitionException) {
            localctx.exception = re;
            this._errHandler.reportError(this, re);
            this._errHandler.recover(this, re);
        } else {
            throw re;
        }
    }<endif> finally {
        <finallyAction>
        this.exitRule();
    }
    return localctx;
};

>>

```

```

LeftRecursiveRuleFunction(currentRule,args,code,locals,ruleCtx,altLabelCtxs,
    namedActions,finallyAction,postamble) ::=
<<

```

```

<ruleCtx>
<altLabelCtxs:{l | <altLabelCtxs.(l)>}; separator="\n">

<parser.name>.prototype.<currentRule.name> = function(_p<if(currentRule.args)>, <args:{a | , <a>}><endif>) {
    if(_p===undefined) {
        _p = 0;
    }
    var _parentctx = this._ctx;

```

```

var _parentState = this.state;
var localctx = new <currentRule.ctxType>(this, this._ctx, _parentState<args:{ a | , <a.name>}>);
var _prevctx = localctx;
var _startState = <currentRule.startState>;
this.enterRecursionRule(localctx, <currentRule.startState>, <parser.name>.RULE_<currentRule.name>, _p);
<namedActions.init>
<locals; separator="\n">
try {
  <code>
  <postamble; separator="\n">
  <namedActions.after>
} catch( error) {
  if(error instanceof antlr4.error.RecognitionException) {
    localctx.exception = error;
    this._errHandler.reportError(this, error);
    this._errHandler.recover(this, error);
  } else {
    throw error;
  }
} finally {
  <finallyAction>
  this.unrollRecursionContexts(_parentctx)
}
return localctx;
};
>>

```

```

CodeBlockForOuterMostAlt(currentOuterMostAltCodeBlock, locals, preamble, ops) ::= <<
<if(currentOuterMostAltCodeBlock.altLabel)>localctx = new <currentOuterMostAltCodeBlock.altLabel;
format="cap">Context(this, localctx);<endif>
this.enterOuterAlt(localctx, <currentOuterMostAltCodeBlock.alt.altNum>);
<CodeBlockForAlt(currentAltCodeBlock=currentOuterMostAltCodeBlock, ...)>
>>

```

```

CodeBlockForAlt(currentAltCodeBlock, locals, preamble, ops) ::= <<
<locals; separator="\n">
<preamble; separator="\n">
<ops; separator="\n">
>>

```

```

LL1AltBlock(choice, preamble, alts, error) ::= <<
this.state = <choice.stateNumber>;
this._errHandler.sync(this);
<if(choice.label)><labelref(choice.label)> = this._input.LT(1);<endif>
<preamble; separator="\n">
switch(this._input.LA(1)) {
<choice.altLook,alts:{look,alt| <cases(ttypes=look)>

```

```

    <alt>
    break; }; separator="\n">
default:
    <error>
}
>>

```

```

LL1OptionalBlock(choice, alts, error) ::= <<
this.state = <choice.stateNumber>;
this._errHandler.sync(this);
switch (this._input.LA(1)) {
<choice.altLook,alts:{look,alt| <cases(ttypes=look)>
    <alt>
    break; }; separator="\n">
default:
    break;
}
>>

```

```

LL1OptionalBlockSingleAlt(choice, expr, alts, preamble, error, followExpr) ::= <<
this.state = <choice.stateNumber>;
this._errHandler.sync(this);
<preamble; separator="\n">
if(<expr>) {
    <alts; separator="\n">
}
<!else if ( !(<followExpr> ) <error!>
>>

```

```

LL1StarBlockSingleAlt(choice, loopExpr, alts, preamble, iteration) ::= <<
this.state = <choice.stateNumber>;
this._errHandler.sync(this);
<preamble; separator="\n">
while(<loopExpr>) {
    <alts; separator="\n">
    this.state = <choice.loopBackStateNumber>;
    this._errHandler.sync(this);
    <iteration>
}
>>

```

```

LL1PlusBlockSingleAlt(choice, loopExpr, alts, preamble, iteration) ::= <<
this.state = <choice.blockStartStateNumber>; <! alt block decision !>
this._errHandler.sync(this);
<preamble; separator="\n">
do {
    <alts; separator="\n">
    this.state = <choice.stateNumber>; <! loopback/exit decision !>
}
>>

```

```

    this._errHandler.sync(this);
    <iteration>
} while(<loopExpr>);
>>

// LL(*) stuff

AltBlock(choice, preamble, alts, error) ::= <<
this.state = <choice.stateNumber>;
this._errHandler.sync(this);
<if(choice.label)><labelref(choice.label)> = _input.LT(1)<endif>
<preamble; separator="\n">
var la_ = this._interp.adaptivePredict(this._input,<choice.decision>,this._ctx);
switch(la_) {
<alts:{alt |
case <i>:
    <alt>
    break;
}; separator="\n">
}
>>

OptionalBlock(choice, alts, error) ::= <<
this.state = <choice.stateNumber>;
this._errHandler.sync(this);
var la_ = this._interp.adaptivePredict(this._input,<choice.decision>,this._ctx);
<alts:{alt |
if(la_===<i><if(!choice.ast.greedy)>+1<endif>) {
    <alt>
}; separator="\n} else ">
}
>>

StarBlock(choice, alts, sync, iteration) ::= <<
this.state = <choice.stateNumber>;
this._errHandler.sync(this);
var _alt = this._interp.adaptivePredict(this._input,<choice.decision>,this._ctx)
while(_alt!=<choice.exitAlt> && _alt!=antlr4.atn.ATN.INVALID_ALT_NUMBER) {
    if(_alt===1<if(!choice.ast.greedy)>+1<endif>) {
        <iteration>
        <alts> <! should only be one !>
    }
    this.state = <choice.loopBackStateNumber>;
    this._errHandler.sync(this);
    _alt = this._interp.adaptivePredict(this._input,<choice.decision>,this._ctx);
}
>>

```

```

PlusBlock(choice, alts, error) ::= <<
this.state = <choice.blockStartStateNumber>; <! alt block decision !>
this._errHandler.sync(this);
var _alt = 1<if(!choice.ast.greedy)>+1<endif>;
do {
  switch (_alt) {
    <alts:{ alt|
case <i><if(!choice.ast.greedy)>+1<endif>:
    <alt>
    break;}; separator="\n">
    default:
    <error>
  }
  this.state = <choice.loopBackStateNumber>; <! loopback/exit decision !>
  this._errHandler.sync(this);
  _alt = this._interp.adaptivePredict(this._input,<choice.decision>, this._ctx);
} while ( _alt!=<choice.exitAlt> && _alt!=antlr4.atn.ATN.INVALID_ALT_NUMBER );
>>

```

```

Sync(s) ::= "sync(<s.expecting.name>)"

```

```

ThrowNoViableAlt(t) ::= "throw new antlr4.error.NoViableAltException(this);"

```

```

TestSetInline(s) ::= <<
<s.bitsets:{bits | <if(rest(rest(bits.ttypes)))><bitsetBitfieldComparison(s, bits)><else><bitsetInlineComparison(s,
bits)><endif>}; separator=" || ">
>>

```

```

// Javascript language spec - shift operators are 32 bits long max
testShiftInRange(shiftAmount) ::= <<
((<shiftAmount>) & ~0x1f) == 0
>>

```

```

// produces smaller bytecode only when bits.ttypes contains more than two items
bitsetBitfieldComparison(s, bits) ::= <%
(<testShiftInRange({<offsetShiftVar(s.varName, bits.shift)>})> && ((1 \<< <offsetShiftVar(s.varName,
bits.shift)>) & (<bits.ttypes:{ttype | (1 \<< <offsetShiftType(ttype, bits.shift)>)}); separator=" | ">)) !== 0)
%>

```

```

isZero ::= [
"0":true,
default:false
]

```

```

offsetShiftVar(shiftAmount, offset) ::= <%
<if(!isZero.(offset))><shiftAmount> - <offset><else><shiftAmount><endif>
%>

```

```

offsetShiftType(shiftAmount, offset) ::= <%
<if(!isZero(offset))><parser.name>.<shiftAmount> - <offset><else><parser.name>.<shiftAmount><endif>
%>

// produces more efficient bytecode when bits.ttypes contains at most two items
bitsetInlineComparison(s, bits) ::= <%
<bits.ttypes: { ttype | <s.varName>===<parser.name>.<ttype> }; separator=" || ">
%>

cases(ttypes) ::= <<
<ttypes: { t | case <parser.name>.<t>; separator="\n">
>>

InvokeRule(r, argExprsChunks) ::= <<
this.state = <r.stateNumber>;
<if(r.labels)><r.labels: {1 | <labelref(l)> =
}><endif>this.<r.name><(if(r.ast.options.p)><r.ast.options.p><if(argExprsChunks)><endif><endif><argExprsChu
nks>;
>>

MatchToken(m) ::= <<
this.state = <m.stateNumber>;
<if(m.labels)><m.labels: {1 | <labelref(l)> = }><endif>this.match(<parser.name>.<m.name>);
>>

MatchSet(m, expr, capture) ::= "<CommonSetStuff(m, expr, capture, false)>"

MatchNotSet(m, expr, capture) ::= "<CommonSetStuff(m, expr, capture, true)>"

CommonSetStuff(m, expr, capture, invert) ::= <<
this.state = <m.stateNumber>;
<if(m.labels)><m.labels: {1 | <labelref(l)> = }>this._input.LT(1);<endif>
<capture>
<if(invert)>if(<m.varName>\<=0 || <expr><else>if(!(<expr>))<endif> {
  <if(m.labels)><m.labels: {1 | <labelref(l)> = }><endif>this._errHandler.recoverInline(this);
}
else {
  this._errHandler.reportMatch(this);
  this.consume();
}
>>

Wildcard(w) ::= <<
this.state = <w.stateNumber>;
<if(w.labels)><w.labels: {1 | <labelref(l)> = }><endif>this.matchWildcard();
>>

```

```

// ACTION STUFF

Action(a, foo, chunks) ::= "<chunks>"

ArgAction(a, chunks) ::= "<chunks>"

SemPred(p, chunks, failChunks) ::= <<
this.state = <p.stateNumber>;
if (!( <chunks>)) {
    throw new antlr4.error.FailedPredicateException(this, <p.predicate><if(failChunks)>,
<failChunks><elseif(p.msg)>, <p.msg><endif>);
}
>>

ExceptionClause(e, catchArg, catchAction) ::= <<
catch (<catchArg>) {
    <catchAction>
}
>>

// lexer actions are not associated with model objects

LexerSkipCommand() ::= "this.skip()"
LexerMoreCommand() ::= "this.more()"
LexerPopModeCommand() ::= "this.popMode()"
LexerTypeCommand(arg, grammar) ::= "this._type = <arg>"
LexerChannelCommand(arg, grammar) ::= "this._channel = <arg>"
LexerModeCommand(arg, grammar) ::= "this._mode = <arg>"
LexerPushModeCommand(arg, grammar) ::= "this.pushMode(<arg>)"

ActionText(t) ::= "<t.text>"
ActionTemplate(t) ::= "<t.st>"
ArgRef(a) ::= "localctx.<a.name>"
LocalRef(a) ::= "localctx.<a.name>"
RetValRef(a) ::= "localctx.<a.name>"
QRetValRef(a) ::= "<ctx(a)>.<a.dict>.<a.name>"
/** How to translate $tokenLabel */
TokenRef(t) ::= "<ctx(t)>.<t.name>"
LabelRef(t) ::= "<ctx(t)>.<t.name>"
ListLabelRef(t) ::= "<ctx(t)>.<ListLabelName(t.name)>"
SetAttr(s,rhsChunks) ::= "<ctx(s)>.<s.name> = <rhsChunks>"

TokenLabelType() ::= "<file.TokenLabelType; null={Token}>"
InputSymbolType() ::= "<file.InputSymbolType; null={Token}>"

TokenPropertyRef_text(t) ::= "<ctx(t)>.<t.label>===null ? null : <ctx(t)>.<t.label>.text)"
TokenPropertyRef_type(t) ::= "<ctx(t)>.<t.label>=== null ? 0 : <ctx(t)>.<t.label>.type)"
TokenPropertyRef_line(t) ::= "<ctx(t)>.<t.label>=== null ? 0 : <ctx(t)>.<t.label>.line)"

```

```

TokenPropertyRef_pos(t) ::= "<ctx(t)>.<t.label> === null ? 0 : <ctx(t)>.<t.label>.column)"
TokenPropertyRef_channel(t) ::= "<ctx(t)>.<t.label> === null ? 0 : <ctx(t)>.<t.label>.channel)"
TokenPropertyRef_index(t) ::= "<ctx(t)>.<t.label> === null ? 0 : <ctx(t)>.<t.label>.tokenIndex)"
TokenPropertyRef_int(t) ::= "<ctx(t)>.<t.label> === null ? 0 : parseInt(<ctx(t)>.<t.label>.text))"

RulePropertyRef_start(r) ::= "<ctx(r)>.<r.label>===null ? null : <ctx(r)>.<r.label>.start)"
RulePropertyRef_stop(r) ::= "<ctx(r)>.<r.label>===null ? null : <ctx(r)>.<r.label>.stop)"
RulePropertyRef_text(r) ::= "<ctx(r)>.<r.label>===null ? null : this._input.getText(new
antlr4.Interval(<ctx(r)>.<r.label>.start,<ctx(r)>.<r.label>.stop)))"
RulePropertyRef_ctx(r) ::= "<ctx(r)>.<r.label>"
RulePropertyRef_parser(r) ::= "this"

ThisRulePropertyRef_start(r) ::= "localctx.start"
ThisRulePropertyRef_stop(r) ::= "localctx.stop"
ThisRulePropertyRef_text(r) ::= "this._input.getText(new antlr4.Interval(localctx.start, this._input.LT(-1)))"
ThisRulePropertyRef_ctx(r) ::= "localctx"
ThisRulePropertyRef_parser(r) ::= "this"

NonLocalAttrRef(s) ::= "getInvokingContext(<s.ruleIndex>).<s.name>"
SetNonLocalAttr(s, rhsChunks) ::= "getInvokingContext(<s.ruleIndex>).<s.name> = <rhsChunks>"

AddToLabelList(a) ::= "<ctx(a.label)>.<a.listName>.push(<labelref(a.label)>);"

TokenDecl(t) ::= "this.<t.name> = null; // <TokenLabelType()>"
TokenTypeDecl(t) ::= "var <t.name> = 0; // <TokenLabelType()> type"
TokenListDecl(t) ::= "this.<t.name> = []; // of <TokenLabelType()>s"
RuleContextDecl(r) ::= "this.<r.name> = null; // <r.ctxName>"
RuleContextListDecl(rdecl) ::= "this.<rdecl.name> = []; // of <rdecl.ctxName>s"

ContextTokenGetterDecl(t) ::= <<
<t.name> = function() {
    return this.getToken(<parser.name>.<t.name>, 0);
};
>>

// should never be called
ContextTokenListGetterDecl(t) ::= <<
def <t.name>_list(self):
    return self.getTokens(<parser.name>.<t.name>)
>>

ContextTokenListIndexedGetterDecl(t) ::= <<
<t.name> = function(i) {
    if(i===undefined) {
        i = null;
    }
    if(i===null) {
        return this.getTokens(<parser.name>.<t.name>);
    }
};
>>

```



```

    } else {
        return this.getToken(<parser.name>.<t.name>, i);
    }
};

>>

ContextRuleGetterDecl(r) ::= <<
<r.name> = function() {
    return this.getTypedRuleContext(<r.ctxName>,0);
};
>>

// should never be called
ContextRuleListGetterDecl(r) ::= <<
def <r.name>_list(self):
    return self.getTypedRuleContexts(<parser.name>.<r.ctxName>)

>>

ContextRuleListIndexedGetterDecl(r) ::= <<
<r.name> = function(i) {
    if(i===undefined) {
        i = null;
    }
    if(i===null) {
        return this.getTypedRuleContexts(<r.ctxName>);
    } else {
        return this.getTypedRuleContext(<r.ctxName>,i);
    }
};
>>

LexerRuleContext() ::= "RuleContext"

/** The rule context name is the rule followed by a suffix; e.g.,
 * r becomes rContext.
 */
RuleContextNameSuffix() ::= "Context"

ImplicitTokenLabel(tokenName) ::= "_<tokenName>"
ImplicitRuleLabel(ruleName) ::= "_<ruleName>"
ImplicitSetLabel(id) ::= "_tset<id>"
ListLabelName(label) ::= "<label>"

CaptureNextToken(d) ::= "<d.varName> = self._input.LT(1)"
CaptureNextTokenType(d) ::= "<d.varName> = this._input.LA(1);"

```

```

StructDecl(struct,ctorAttrs,attrs, getters,dispatchMethods,interfaces,extensionMembers) ::= <<
function <struct.name>(parser, parent, invokingState<struct.ctorAttrs:{a | , <a.name>}>) {
  if(parent===undefined) {
    parent = null;
  }
  if(invokingState===undefined || invokingState===null) {
    invokingState = -1;
  }
  <if(contextSuperClass)><contextSuperClass><else>antlr4.ParserRuleContext<endif>.call(this, parent,
invokingState);
  this.parser = parser;
  this.ruleIndex = <parser.name>.RULE_<struct.derivedFromName>;
  <attrs:{a | <a>}; separator="\n">
  <struct.ctorAttrs:{a | this.<a.name> = <a.name> || null;}; separator="\n">
  return this;
}

<struct.name>.prototype =
Object.create(<if(contextSuperClass)><contextSuperClass><else>antlr4.ParserRuleContext<endif>.prototype);
<struct.name>.prototype.constructor = <struct.name>;

<getters:{g | <struct.name>.prototype.<g>}; separator="\n\n">

<if(struct.provideCopyFrom)> <! don't need copy unless we have subclasses !>
<struct.name>.prototype.copyFrom = function(ctx) {
  <if(contextSuperClass)><contextSuperClass><else>antlr4.ParserRuleContext<endif>.prototype.copyFrom.call(this,
ctx);
  <struct.attrs:{a | this.<a.name> = ctx.<a.name>}; separator="\n">
};
<endif>
<dispatchMethods; separator="\n">
<extensionMembers; separator="\n">

>>

AltLabelStructDecl(struct,attrs, getters,dispatchMethods) ::= <<
function <struct.name>(parser, ctx) {
  <currentRule.name; format="cap">Context.call(this, parser);
  <attrs:{a | <a>}; separator="\n">
  <currentRule.name; format="cap">Context.prototype.copyFrom.call(this, ctx);
  return this;
}

<struct.name>.prototype = Object.create(<currentRule.name; format="cap">Context.prototype);
<struct.name>.prototype.constructor = <struct.name>;

<! Define fields of this parser to export this struct/context class !>
<parser.name>.<struct.name> = <struct.name>;

```

```
<getters:{g | <struct.name>.prototype.<g>}; separator="\n\n">
```

```
<dispatchMethods; separator="\n">
```

```
>>
```

```
ListenerDispatchMethod(method) ::= <<
```

```
<struct.name>.prototype.<if(method.isEnter)>enter<else>exit<endif>Rule = function(listener) {  
  if(listener instanceof <parser.grammarName>Listener ) {  
    listener.<if(method.isEnter)>enter<else>exit<endif><struct.derivedFromName; format="cap">(this);  
  }  
};
```

```
>>
```

```
VisitorDispatchMethod(method) ::= <<
```

```
<struct.name>.prototype.accept = function(visitor) {  
  if ( visitor instanceof <parser.grammarName>Visitor ) {  
    return visitor.visit<struct.derivedFromName; format="cap">(this);  
  } else {  
    return visitor.visitChildren(this);  
  }  
};
```

```
>>
```

```
AttributeDecl(d) ::= "this.<d.name> = <if(d.initValue)><d.initValue><else>null<endif>"
```

```
/** If we don't know location of label def x, use this template */
```

```
labelref(x) ::= "<if(!x.isLocal)>localctx.<endif><x.name>"
```

```
/** For any action chunk, what is correctly-typed context struct ptr? */
```

```
ctx(actionChunk) ::= "localctx"
```

```
// used for left-recursive rules
```

```
recRuleAltPredicate(ruleName,opPrec) ::= "this.precpred(this._ctx, <opPrec>)"
```

```
recRuleSetReturnAction(src,name) ::= "$<name>=<src>.<name>"
```

```
recRuleSetStopToken() ::= "this._ctx.stop = this._input.LT(-1);"
```

```
recRuleAltStartAction(ruleName, ctxName, label) ::= <<
```

```
localctx = new <ctxName>Context(this, _parentctx, _parentState);
```

```
<if(label)>localctx.<label> = _prevctx;<endif>
```

```
this.pushNewRecursionContext(localctx, _startState, <parser.name>.RULE_<ruleName>);
```

```
>>
```

```
recRuleLabeledAltStartAction(ruleName, currentAltLabel, label, isListLabel) ::= <<
```

```
localctx = new <currentAltLabel; format="cap">Context(this, new <ruleName; format="cap">Context(this,  
_parentctx, _parentState));
```

```

<if(label)>
<if(isListLabel)>
localctx.<label>.push(_prevctx);
<else>
localctx.<label> = _prevctx;
<endif>
<endif>
this.pushNewRecursionContext(localctx, _startState, <parser.name>.RULE_<ruleName>);
>>

```

```

recRuleReplaceContext(ctxName) ::= <<
localctx = new <ctxName>Context(this, localctx);
this._ctx = localctx;
_prevctx = localctx;
>>

```

```

recRuleSetPrevCtx() ::= <<
if(this._parseListeners!==null) {
    this.triggerExitRuleEvent();
}
_prevctx = localctx;
>>

```

```

LexerFile(lexerFile, lexer, namedActions) ::= <<
<fileHeader(lexerFile.grammarFileName, lexerFile.ANTLRVersion)>
var antlr4 = require('antlr4/index');

```

```

<namedActions.header>

```

```

<lexer>

```

```

>>

```

```

Lexer(lexer, atn, actionFuncs, sempredFuncs, superClass) ::= <<

```

```

<if(superClass)>
var <superClass> = require('./<superClass>').<superClass>;
<endif>

```

```

<atn>

```

```

var atn = new antlr4.atn.ATNDeserializer().deserialize(serializedATN);

```

```

var decisionsToDFA = atn.decisionToState.map( function(ds, index) { return new antlr4.dfa.DFA(ds, index); });

```

```

function <lexer.name>(input) {
<if(superClass)><superClass><else>antlr4.Lexer<endif>.call(this, input);
    this._interp = new antlr4.atn.LexerATNSimulator(this, atn, decisionsToDFA, new

```

```

antlr4.PredictionContextCache());
<namedActions.members>
  return this;
}

<lexer.name>.prototype = Object.create(<if(superClass)><superClass><else>antlr4.Lexer<endif>.prototype);
<lexer.name>.prototype.constructor = <lexer.name>;

Object.defineProperty(<lexer.name>.prototype, "atn", {
  get : function() {
    return atn;
  }
});

<lexer.name>.EOF = antlr4.Token.EOF;
<lexer.tokens:{k | <lexer.name>.<k> = <lexer.tokens.(k)>; separator="\n", wrap, anchor>

<if(lexer.channels)>
<lexer.channels:{c| <lexer.name>.<c> = <lexer.channels.(c)>; separator="\n">

<endif>
<if(rest(lexer.modes))>
<rest(lexer.modes):{m| <lexer.name>.<m> = <i>; separator="\n">

<endif>
<lexer.name>.prototype.channelNames = [ "DEFAULT_TOKEN_CHANNEL", "HIDDEN"<if (lexer.channels)>,
<lexer.channels:{c| "<c>"}; separator=", ", wrap, anchor><endif> ];

<lexer.name>.prototype.modeNames = [ <lexer.modes:{m| "<m>"}; separator=", ", wrap, anchor> ];

<lexer.name>.prototype.literalNames = [ <lexer.literalNames:{t| <t>}; null="null", separator=", ", wrap, anchor> ];

<lexer.name>.prototype.symbolicNames = [ <lexer.symbolicNames:{t| <t>}; null="null", separator=", ", wrap,
anchor> ];

<lexer.name>.prototype.ruleNames = [ <lexer.ruleNames:{r| "<r>"}; separator=", ", wrap, anchor> ];

<lexer.name>.prototype.grammarFileName = "<lexer.grammarFileName>";

<dumpActions(lexer, "", actionFuncs, sempredFuncs)>

exports.<lexer.name> = <lexer.name>;

>>

SerializedATN(model) ::= <<
<! only one segment, can be inlined !>

```

```
var serializedATN = [<model.serialized; wrap={ "<n>  "}>"].join("");
```

```
>>
```

```
/** Using a type to init value map, try to init a type; if not in table
```

```
* must be an object, default value is "null".
```

```
*/
```

```
initValue(typeName) ::= <<
```

```
<javascriptTypeInitMap.(typeName)>
```

```
>>
```

```
codeFileExtension() ::= ".js"
```

```
Found in path(s):
```

```
* /opt/cola/permits/1192255793_1629156080.64/0/antlr4-4-8-1-sources-1-
```

```
jar/org/antlr/v4/tool/templates/codegen/JavaScript/JavaScript.stg
```

```
No license file was found, but licenses were detected in source scan.
```

```
/*
```

```
* [The "BSD license"]
```

```
* Copyright (c) 2012-2016 Terence Parr
```

```
* Copyright (c) 2012-2016 Sam Harwell
```

```
* All rights reserved.
```

```
*
```

```
* Redistribution and use in source and binary forms, with or without
```

```
* modification, are permitted provided that the following conditions
```

```
* are met:
```

```
*
```

```
* 1. Redistributions of source code must retain the above copyright
```

```
* notice, this list of conditions and the following disclaimer.
```

```
* 2. Redistributions in binary form must reproduce the above copyright
```

```
* notice, this list of conditions and the following disclaimer in the
```

```
* documentation and/or other materials provided with the distribution.
```

```
* 3. The name of the author may not be used to endorse or promote products
```

```
* derived from this software without specific prior written permission.
```

```
*
```

```
* THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR
```

```
* IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
```

```
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.
```

```
* IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,
```

```
* INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT
```

```
* NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
```

```
* DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
```

```
* THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
```

```
* (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF
```

```
* THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
```

```
*/
```

```
/** templates used to generate make-compatible dependencies */
```

```
/** Generate "f : x, y, z" dependencies for input
 * dependencies and generated files. in and out
 * are File objects. For example, you can say
 * <f.canonicalPath>
 */
dependencies(grammarFileName,in,out) ::= <<
<if(in)><grammarFileName>: <in; separator=", "><endif>
<out:{f | <f> : <grammarFileName>} ; separator="\n">
>>
```

Found in path(s):

```
* /opt/cola/permits/1192255793_1629156080.64/0/antlr4-4-8-1-sources-1-jar/org/antlr/v4/tool/templates/depend.stg
```

# 1.176 apache-commons-configuration 1.8

## 1.176.1 Available under license :

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

You must give any other recipients of the Work or Derivative Works a copy of this License; and

You must cause any modified files to carry prominent notices stating that You changed the files; and

You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices



that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be

enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software  
distributed under the License is distributed on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.

## 1.177 metrics-core 4.0.5

### 1.177.1 Available under license :

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

## 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to

You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

You must give any other recipients of the Work or Derivative Works a copy of this License; and  
You must cause any modified files to carry prominent notices stating that You changed the files; and  
You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

#### APPENDIX: HOW TO APPLY THE APACHE LICENSE TO YOUR WORK

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

## 1.178 reactive-streams v1.0.3

### 1.178.1 Available under license :

Copyright Statement for Contributions to the Reactive Streams Project

=====  
I hereby represent that all present, past and future contributions I make to the Reactive Streams project (which includes all repositories owned by the reactive-streams github organization) are governed by the Creative Commons

Zero 1.0 Universal copyright statement, placing my contributions in the public domain. This entails that to the extent possible under law I waive all copyright and related or neighboring rights to the code or documents I contribute. I also represent that I have the authority to perform the above waiver with respect to the entirety of my contributions.

The text of the copyright statement is included in the COPYING file at the root of the reactive-streams repository at <https://github.com/reactive-streams/reactive-streams-jvm/blob/master/COPYING>.

Underwriting parties:

github name | Real Name, Email Address used for git commits, Company

-----+-----  
rkuhn | Roland Kuhn, rk@rkuhn.info, Typesafe Inc.  
benjchristensen | Ben Christensen, benjchristensen@gmail.com, Netflix Inc.  
viktorklang | Viktor Klang, viktorklang@gmail.com, Typesafe Inc.  
smaldini | Stephane Maldini, stephane.maldini@gmail.com, Pivotal Software Inc.  
savulchik | Stanislav Savulchik, s.savulchik@gmail.com  
ktoso | Konrad Malawski, konrad.malawski@project13.pl, Typesafe Inc.  
ouertani | Slim Ouertani, ouertani@gmail.com  
2m | Martynas Mickevicius, mmartynas@gmail.com, Typesafe Inc.  
ldaley | Luke Daley, luke.daley@gradleware.com, Gradleware Inc.  
colinrgodsey | Colin Godsey, crgodsey@gmail.com, MediaMath Inc.  
davidmoten | Dave Moten, davidmoten@gmail.com  
briantopping | Brian Topping, brian.topping@gmail.com, Mauswerks LLC  
rstoyanchev | Rossen Stoyanchev, rstoyanchev@pivotal.io, Pivotal  
BjornHamels | Bjrn Hamels, bjorn@hamels.nl  
JakeWharton | Jake Wharton, jakewharton@gmail.com  
anthonyvdotbe | Anthony Vanelverdinghe, anthonyv.be@outlook.com  
seratch | Kazuhiro Sera, seratch@gmail.com, SmartNews, Inc.  
akarnokd | David Karnok, akarnokd@gmail.com  
egetman | Evgeniy Getman, getman.eugene@gmail.com  
patriknw | Patrik Nordwall, patrik.nordwall@gmail.com, Lightbend Inc  
angelsanz | ngel Sanz, angelsanz@users.noreply.github.com  
shenghaiyang | , shenghaiyang@aliyun.com  
kiiadi | Kyle Thomson, kylthoms@amazon.com, Amazon.com  
jroper | James Roper, james@jazzy.id.au, Lightbend Inc.  
olegdokuka | Oleh Dokuka, shadowgun@.i.ua, Netifi Inc.  
Scottmitch | Scott Mitchell, scott\_mitchell@apple.com, Apple Inc.  
retronym | Jason Zaugg, jzaugg@gmail.com, Lightbend Inc.  
Creative Commons Legal Code

CC0 1.0 Universal

CREATIVE COMMONS CORPORATION IS NOT A LAW FIRM AND DOES NOT PROVIDE LEGAL SERVICES. DISTRIBUTION OF THIS DOCUMENT DOES NOT CREATE AN ATTORNEY-CLIENT RELATIONSHIP. CREATIVE COMMONS PROVIDES THIS

INFORMATION ON AN "AS-IS" BASIS. CREATIVE COMMONS MAKES NO WARRANTIES REGARDING THE USE OF THIS DOCUMENT OR THE INFORMATION OR WORKS PROVIDED HEREUNDER, AND DISCLAIMS LIABILITY FOR DAMAGES RESULTING FROM THE USE OF THIS DOCUMENT OR THE INFORMATION OR WORKS PROVIDED HEREUNDER.

#### Statement of Purpose

The laws of most jurisdictions throughout the world automatically confer exclusive Copyright and Related Rights (defined below) upon the creator and subsequent owner(s) (each and all, an "owner") of an original work of authorship and/or a database (each, a "Work").

Certain owners wish to permanently relinquish those rights to a Work for the purpose of contributing to a commons of creative, cultural and scientific works ("Commons") that the public can reliably and without fear of later claims of infringement build upon, modify, incorporate in other works, reuse and redistribute as freely as possible in any form whatsoever and for any purposes, including without limitation commercial purposes. These owners may contribute to the Commons to promote the ideal of a free culture and the further production of creative, cultural and scientific works, or to gain reputation or greater distribution for their Work in part through the use and efforts of others.

For these and/or other purposes and motivations, and without any expectation of additional consideration or compensation, the person associating CC0 with a Work (the "Affirmer"), to the extent that he or she is an owner of Copyright and Related Rights in the Work, voluntarily elects to apply CC0 to the Work and publicly distribute the Work under its terms, with knowledge of his or her Copyright and Related Rights in the Work and the meaning and intended legal effect of CC0 on those rights.

1. Copyright and Related Rights. A Work made available under CC0 may be protected by copyright and related or neighboring rights ("Copyright and Related Rights"). Copyright and Related Rights include, but are not limited to, the following:

- i. the right to reproduce, adapt, distribute, perform, display, communicate, and translate a Work;
- ii. moral rights retained by the original author(s) and/or performer(s);
- iii. publicity and privacy rights pertaining to a person's image or likeness depicted in a Work;
- iv. rights protecting against unfair competition in regards to a Work, subject to the limitations in paragraph 4(a), below;
- v. rights protecting the extraction, dissemination, use and reuse of data in a Work;
- vi. database rights (such as those arising under Directive 96/9/EC of the European Parliament and of the Council of 11 March 1996 on the legal

protection of databases, and under any national implementation thereof, including any amended or successor version of such directive); and

vii. other similar, equivalent or corresponding rights throughout the world based on applicable law or treaty, and any national implementations thereof.

2. Waiver. To the greatest extent permitted by, but not in contravention of, applicable law, Affirmer hereby overtly, fully, permanently, irrevocably and unconditionally waives, abandons, and surrenders all of Affirmer's Copyright and Related Rights and associated claims and causes of action, whether now known or unknown (including existing as well as future claims and causes of action), in the Work (i) in all territories worldwide, (ii) for the maximum duration provided by applicable law or treaty (including future time extensions), (iii) in any current or future medium and for any number of copies, and (iv) for any purpose whatsoever, including without limitation commercial, advertising or promotional purposes (the "Waiver"). Affirmer makes the Waiver for the benefit of each member of the public at large and to the detriment of Affirmer's heirs and successors, fully intending that such Waiver shall not be subject to revocation, rescission, cancellation, termination, or any other legal or equitable action to disrupt the quiet enjoyment of the Work by the public as contemplated by Affirmer's express Statement of Purpose.

3. Public License Fallback. Should any part of the Waiver for any reason be judged legally invalid or ineffective under applicable law, then the Waiver shall be preserved to the maximum extent permitted taking into account Affirmer's express Statement of Purpose. In addition, to the extent the Waiver is so judged Affirmer hereby grants to each affected person a royalty-free, non transferable, non sublicensable, non exclusive, irrevocable and unconditional license to exercise Affirmer's Copyright and Related Rights in the Work (i) in all territories worldwide, (ii) for the maximum duration provided by applicable law or treaty (including future time extensions), (iii) in any current or future medium and for any number of copies, and (iv) for any purpose whatsoever, including without limitation commercial, advertising or promotional purposes (the "License"). The License shall be deemed effective as of the date CC0 was applied by Affirmer to the Work. Should any part of the License for any reason be judged legally invalid or ineffective under applicable law, such partial invalidity or ineffectiveness shall not invalidate the remainder of the License, and in such case Affirmer hereby affirms that he or she will not (i) exercise any of his or her remaining Copyright and Related Rights in the Work or (ii) assert any associated claims and causes of action with respect to the Work, in either case contrary to Affirmer's express Statement of Purpose.

4. Limitations and Disclaimers.



- a. No trademark or patent rights held by Affirmer are waived, abandoned, surrendered, licensed or otherwise affected by this document.
- b. Affirmer offers the Work as-is and makes no representations or warranties of any kind concerning the Work, express, implied, statutory or otherwise, including without limitation warranties of title, merchantability, fitness for a particular purpose, non infringement, or the absence of latent or other defects, accuracy, or the present or absence of errors, whether or not discoverable, all to the greatest extent permissible under applicable law.
- c. Affirmer disclaims responsibility for clearing rights of other persons that may apply to the Work or any use thereof, including without limitation any person's Copyright and Related Rights in the Work. Further, Affirmer disclaims responsibility for obtaining any necessary consents, permissions or other rights required for any use of the Work.
- d. Affirmer understands and acknowledges that Creative Commons is not a party to this document and has no duty or obligation with respect to this CC0 or use of the Work.

Licensed under Public Domain (CC0)

To the extent possible under law, the person who associated CC0 with this code has waived all copyright and related or neighboring rights to this code.

You should have received a copy of the CC0 legalcode along with this work. If not, see <http://creativecommons.org/publicdomain/zero/1.0/>.

## 1.179 micronaut 3.3.4

### 1.179.1 Available under license :

Micronaut includes references to parts of GraalVM 21.0 or later distributed under the UPL license below:

Copyright (c) 2018 - 2021 Oracle and/or its affiliates. All rights reserved

The Universal Permissive License (UPL), Version 1.0

Subject to the condition set forth below, permission is hereby granted to any person obtaining a copy of this software, associated documentation and/or data (collectively the "Software"), free of charge and under any and all copyright rights in the Software, and any and all patent rights owned or freely licensable by each licensor hereunder covering either (i) the unmodified Software as contributed to or provided by such licensor, or (ii) the Larger Works (as defined below), to deal in both

(a) the Software, and

(b) any piece of software and/or hardware listed in the lrgwrks.txt file if one is included with the Software (each a Larger Work to which the Software is contributed by such licensors),

without restriction, including without limitation the rights to copy, create derivative works of, display, perform, and distribute the Software and make, use, sell, offer for sale, import, export, have made, and have sold the Software and the Larger Work(s), and to sublicense the foregoing rights on either these or other terms.

This license is subject to the following condition:

The above copyright notice and either this complete permission notice or at a minimum a reference to the UPL must be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Apache License  
Version 2.0, January 2004  
<https://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You

institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.  
Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.
6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

## APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

# 1.180 antlr 2.7.7

## 1.180.1 Available under license :

[The BSD License]

Copyright (c) 2012 Terence Parr and Sam Harwell

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

Neither the name of the author nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

**THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY**

THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

# 1.181 caffeine-cache 2.9.2

## 1.181.1 Available under license :

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.



4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed

with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate

comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

## 1.182 netty/transport/classes/epoll

### 4.1.76.Final

#### 1.182.1 Available under license :

No license file was found, but licenses were detected in source scan.

Manifest-Version: 1.0

Implementation-Title: Netty/Transport/Classes/Epoll

Bundle-Description: Netty is an asynchronous event-driven network application framework for rapid development of maintainable high performance protocol servers and clients.

Automatic-Module-Name: io.netty.transport.classes.epoll

Bundle-License: <https://www.apache.org/licenses/LICENSE-2.0>

Bundle-SymbolicName: io.netty.transport-classes-epoll

Implementation-Version: 4.1.76.Final

Built-By: root

Bnd-LastModified: 1649784029628

Bundle-ManifestVersion: 2

Implementation-Vendor-Id: io.netty

Bundle-DocURL: <https://netty.io/>

Bundle-Vendor: The Netty Project

Import-Package: io.netty.buffer;version="[4.1,5)",io.netty.channel,io.netty.channel.socket;version="[4.1,5)",io.netty.channel.unix;version="[4.1,5)",io.netty.util;version="[4.1,5)",io.netty.util.collection;version="[4.1,5)",io.netty.util.concurrent;version="[4.1,5)",io.netty.util.internal;version="[4.1,5)",io.netty.util.internal.logging;version="[4.1,5)",sun.nio.ch;resolution:=optional,org.eclipse.jetty.npn;vers

ion="[1,2]";resolution:=optional,org.eclipse.jetty.alpn;version="[1,2  
)";resolution:=optional  
Require-Capability: osgi.ee;filter="(&(osgi.ee=JavaSE)(version=1.6))"  
Tool: Bnd-2.4.1.201501161923  
Implementation-Vendor: The Netty Project  
Export-Package: io.netty.channel.epoll;uses:="io.netty.buffer,io.netty  
.channel,io.netty.channel.socket,io.netty.channel.unix,io.netty.util,  
io.netty.util.concurrent";version="4.1.76"  
Bundle-Name: Netty/Transport/Classes/Epoll  
Bundle-Version: 4.1.76.Final  
Created-By: Apache Maven Bundle Plugin  
Build-Jdk: 1.8.0\_322  
Implementation-URL: <https://netty.io/netty-transport-classes-epoll/>

Found in path(s):

\* /opt/cola/permits/1340031687\_1654680249.7624245/0/netty-transport-classes-epoll-4-1-76-final-jar/META-INF/MANIFEST.MF

No license file was found, but licenses were detected in source scan.

<!--

~ Copyright 2021 The Netty Project

~

~ The Netty Project licenses this file to you under the Apache License,  
~ version 2.0 (the "License"); you may not use this file except in compliance  
~ with the License. You may obtain a copy of the License at:

~

~ <https://www.apache.org/licenses/LICENSE-2.0>

~

~ Unless required by applicable law or agreed to in writing, software  
~ distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
~ WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
~ License for the specific language governing permissions and limitations  
~ under the License.

-->

Found in path(s):

\* /opt/cola/permits/1340031687\_1654680249.7624245/0/netty-transport-classes-epoll-4-1-76-final-jar/META-INF/maven/io.netty/netty-transport-classes-epoll/pom.xml

## 1.183 disruptor-framework 3.4.2

### 1.183.1 Available under license :

No license file was found, but licenses were detected in source scan.

/\* Copyright 2016 Gil Tene

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1046386387\_1649800803.39/0/disruptor-3-4-2-sources-  
jar/com/lmax/disruptor/util/ThreadHints.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2013 LMAX Ltd.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1046386387\_1649800803.39/0/disruptor-3-4-2-sources-  
jar/com/lmax/disruptor/EventReleaser.java

\* /opt/cola/permits/1046386387\_1649800803.39/0/disruptor-3-4-2-sources-  
jar/com/lmax/disruptor/EventReleaseAware.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2011 LMAX Ltd.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>

- \*
- \* Unless required by applicable law or agreed to in writing, software
- \* distributed under the License is distributed on an "AS IS" BASIS,
- \* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- \* See the License for the specific language governing permissions and
- \* limitations under the License.
- \*/

Found in path(s):

- \* /opt/cola/permits/1046386387\_1649800803.39/0/disruptor-3-4-2-sources-jar/com/lmax/disruptor/LiteBlockingWaitStrategy.java
- \* /opt/cola/permits/1046386387\_1649800803.39/0/disruptor-3-4-2-sources-jar/com/lmax/disruptor/MultiProducerSequencer.java
- \* /opt/cola/permits/1046386387\_1649800803.39/0/disruptor-3-4-2-sources-jar/com/lmax/disruptor/SequenceGroup.java
- \* /opt/cola/permits/1046386387\_1649800803.39/0/disruptor-3-4-2-sources-jar/com/lmax/disruptor/LifecycleAware.java
- \* /opt/cola/permits/1046386387\_1649800803.39/0/disruptor-3-4-2-sources-jar/com/lmax/disruptor/dsl/Disruptor.java
- \* /opt/cola/permits/1046386387\_1649800803.39/0/disruptor-3-4-2-sources-jar/com/lmax/disruptor/AlertException.java
- \* /opt/cola/permits/1046386387\_1649800803.39/0/disruptor-3-4-2-sources-jar/com/lmax/disruptor/EventHandler.java
- \* /opt/cola/permits/1046386387\_1649800803.39/0/disruptor-3-4-2-sources-jar/com/lmax/disruptor/NoOpEventProcessor.java
- \* /opt/cola/permits/1046386387\_1649800803.39/0/disruptor-3-4-2-sources-jar/com/lmax/disruptor/util/DaemonThreadFactory.java
- \* /opt/cola/permits/1046386387\_1649800803.39/0/disruptor-3-4-2-sources-jar/com/lmax/disruptor/AggregateEventHandler.java
- \* /opt/cola/permits/1046386387\_1649800803.39/0/disruptor-3-4-2-sources-jar/com/lmax/disruptor/EventTranslatorTwoArg.java
- \* /opt/cola/permits/1046386387\_1649800803.39/0/disruptor-3-4-2-sources-jar/com/lmax/disruptor/WorkHandler.java
- \* /opt/cola/permits/1046386387\_1649800803.39/0/disruptor-3-4-2-sources-jar/com/lmax/disruptor/YieldingWaitStrategy.java
- \* /opt/cola/permits/1046386387\_1649800803.39/0/disruptor-3-4-2-sources-jar/com/lmax/disruptor/SingleProducerSequencer.java
- \* /opt/cola/permits/1046386387\_1649800803.39/0/disruptor-3-4-2-sources-jar/com/lmax/disruptor/PhasedBackoffWaitStrategy.java
- \* /opt/cola/permits/1046386387\_1649800803.39/0/disruptor-3-4-2-sources-jar/com/lmax/disruptor/EventTranslator.java
- \* /opt/cola/permits/1046386387\_1649800803.39/0/disruptor-3-4-2-sources-jar/com/lmax/disruptor/SequenceReportingEventHandler.java
- \* /opt/cola/permits/1046386387\_1649800803.39/0/disruptor-3-4-2-sources-jar/com/lmax/disruptor/IgnoreExceptionHandler.java
- \* /opt/cola/permits/1046386387\_1649800803.39/0/disruptor-3-4-2-sources-jar/com/lmax/disruptor/BatchEventProcessor.java
- \* /opt/cola/permits/1046386387\_1649800803.39/0/disruptor-3-4-2-sources-

jar/com/lmax/disruptor/EventProcessor.java  
\* /opt/cola/permits/1046386387\_1649800803.39/0/disruptor-3-4-2-sources-  
jar/com/lmax/disruptor/ExceptionHandler.java  
\* /opt/cola/permits/1046386387\_1649800803.39/0/disruptor-3-4-2-sources-  
jar/com/lmax/disruptor/BlockingWaitStrategy.java  
\* /opt/cola/permits/1046386387\_1649800803.39/0/disruptor-3-4-2-sources-  
jar/com/lmax/disruptor/WaitStrategy.java  
\* /opt/cola/permits/1046386387\_1649800803.39/0/disruptor-3-4-2-sources-  
jar/com/lmax/disruptor/EventTranslatorOneArg.java  
\* /opt/cola/permits/1046386387\_1649800803.39/0/disruptor-3-4-2-sources-jar/com/lmax/disruptor/util/Util.java  
\* /opt/cola/permits/1046386387\_1649800803.39/0/disruptor-3-4-2-sources-jar/com/lmax/disruptor/RingBuffer.java  
\* /opt/cola/permits/1046386387\_1649800803.39/0/disruptor-3-4-2-sources-  
jar/com/lmax/disruptor/AbstractSequencer.java  
\* /opt/cola/permits/1046386387\_1649800803.39/0/disruptor-3-4-2-sources-  
jar/com/lmax/disruptor/EventFactory.java  
\* /opt/cola/permits/1046386387\_1649800803.39/0/disruptor-3-4-2-sources-  
jar/com/lmax/disruptor/EventTranslatorThreeArg.java  
\* /opt/cola/permits/1046386387\_1649800803.39/0/disruptor-3-4-2-sources-  
jar/com/lmax/disruptor/BusySpinWaitStrategy.java  
\* /opt/cola/permits/1046386387\_1649800803.39/0/disruptor-3-4-2-sources-  
jar/com/lmax/disruptor/dsl/EventProcessorInfo.java  
\* /opt/cola/permits/1046386387\_1649800803.39/0/disruptor-3-4-2-sources-  
jar/com/lmax/disruptor/SleepingWaitStrategy.java  
\* /opt/cola/permits/1046386387\_1649800803.39/0/disruptor-3-4-2-sources-jar/com/lmax/disruptor/WorkerPool.java  
\* /opt/cola/permits/1046386387\_1649800803.39/0/disruptor-3-4-2-sources-  
jar/com/lmax/disruptor/dsl/EventHandlerGroup.java  
\* /opt/cola/permits/1046386387\_1649800803.39/0/disruptor-3-4-2-sources-  
jar/com/lmax/disruptor/dsl/ConsumerRepository.java  
\* /opt/cola/permits/1046386387\_1649800803.39/0/disruptor-3-4-2-sources-  
jar/com/lmax/disruptor/FatalExceptionHandler.java  
\* /opt/cola/permits/1046386387\_1649800803.39/0/disruptor-3-4-2-sources-  
jar/com/lmax/disruptor/SequenceBarrier.java  
\* /opt/cola/permits/1046386387\_1649800803.39/0/disruptor-3-4-2-sources-  
jar/com/lmax/disruptor/WorkProcessor.java  
\* /opt/cola/permits/1046386387\_1649800803.39/0/disruptor-3-4-2-sources-  
jar/com/lmax/disruptor/EventTranslatorVararg.java  
\* /opt/cola/permits/1046386387\_1649800803.39/0/disruptor-3-4-2-sources-  
jar/com/lmax/disruptor/dsl/ExceptionHandlerSetting.java  
\* /opt/cola/permits/1046386387\_1649800803.39/0/disruptor-3-4-2-sources-  
jar/com/lmax/disruptor/ProcessingSequenceBarrier.java  
No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2012 LMAX Ltd.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1046386387\_1649800803.39/0/disruptor-3-4-2-sources-jar/com/lmax/disruptor/dsl/ProducerType.java  
\* /opt/cola/permits/1046386387\_1649800803.39/0/disruptor-3-4-2-sources-jar/com/lmax/disruptor/Sequence.java  
\* /opt/cola/permits/1046386387\_1649800803.39/0/disruptor-3-4-2-sources-jar/com/lmax/disruptor/SequenceGroups.java  
\* /opt/cola/permits/1046386387\_1649800803.39/0/disruptor-3-4-2-sources-jar/com/lmax/disruptor/InsufficientCapacityException.java  
\* /opt/cola/permits/1046386387\_1649800803.39/0/disruptor-3-4-2-sources-jar/com/lmax/disruptor/DataProvider.java  
\* /opt/cola/permits/1046386387\_1649800803.39/0/disruptor-3-4-2-sources-jar/com/lmax/disruptor/Sequencer.java  
\* /opt/cola/permits/1046386387\_1649800803.39/0/disruptor-3-4-2-sources-jar/com/lmax/disruptor/Cursed.java  
\* /opt/cola/permits/1046386387\_1649800803.39/0/disruptor-3-4-2-sources-jar/com/lmax/disruptor/FixedSequenceGroup.java

## 1.184 jul-to-slf4j-bridge 1.7.26

### 1.184.1 Available under license :

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.185 xmlunit-xmlunit-core 2.8.0



## 1.185.1 Available under license :

No license file was found, but licenses were detected in source scan.

Manifest-Version: 1.0  
Bundle-License: <http://www.apache.org/licenses/LICENSE-2.0.txt>  
Bundle-SymbolicName: org.xmlunit.xmlunit-core  
Built-By: stefan  
X-Git-Hash: 5ae4f721496157ea252426fb891fc77e602d7438 (Branch main)  
Bnd-LastModified: 1604075567511  
Specification-Title: org.xmlunit.xmlunit-core  
Implementation-Vendor-Id: org.xmlunit  
Bundle-DocURL: <https://www.xmlunit.org/>  
Import-Package: javax.xml.bind,javax.xml.bind.annotation,javax.xml.bind.util,javax.xml.namespace,javax.xml.parsers,javax.xml.transform,javax.xml.transform.dom,javax.xml.transform.sax,javax.xml.transform.stream,javax.xml.validation,javax.xml.xpath,org.w3c.dom,org.xml.sax,org.xml.sax.helpers  
Require-Capability: osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=1.7))"  
Export-Package: org.xmlunit;version="2.8.0",org.xmlunit.builder;version="2.8.0",org.xmlunit.diff;version="2.8.0",org.xmlunit.input;version="2.8.0",org.xmlunit.transform;version="2.8.0",org.xmlunit.util;version="2.8.0",org.xmlunit.validation;version="2.8.0",org.xmlunit.xpath;version="2.8.0"  
Bundle-Name: org.xmlunit.xmlunit-core  
Implementation-Title: org.xmlunit.xmlunit-core  
Bundle-Description: XMLUnit for Java  
Automatic-Module-Name: org.xmlunit  
Implementation-Version: 2.8.0  
Specification-Vendor: XMLUnit  
Bundle-ManifestVersion: 2  
Bundle-Vendor: XMLUnit  
Tool: Bnd-3.2.0.201605172007  
Implementation-Vendor: XMLUnit  
Bundle-Version: 2.8.0  
X-Compile-Target-JDK: 1.7  
build-time: 2020-10-30T16:32:19Z  
X-Compile-Source-JDK: 1.7  
Created-By: Apache Maven Bundle Plugin  
Build-Jdk: 1.8.0\_272  
Specification-Version: 2.8  
Implementation-URL: <https://www.xmlunit.org/>

Found in path(s):

\* /opt/cola/permits/1340076293\_1654756743.3930087/0/xmlunit-core-2-8-0-jar/META-INF/MANIFEST.MF

No license file was found, but licenses were detected in source scan.

<!--

This file is licensed to You under the Apache License, Version 2.0

(the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

-->

Found in path(s):

\* /opt/cola/permits/1340076293\_1654756743.3930087/0/xmlunit-core-2-8-0-jar/META-INF/maven/org.xmlunit/xmlunit-core/pom.xml

# 1.186 apache-commons-lang 2.6

## 1.186.1 Available under license :

Apache Commons Lang (for Apache Directory Studio)  
Copyright 2003-2012 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of,

publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution

notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing

the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

# 1.187 javax-inject1-as-osgi-bundle 2.6.1

## 1.187.1 Available under license :

# Eclipse Public License - v 2.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

### 1. DEFINITIONS

"Contribution" means:

a) in the case of the initial Contributor, the initial content Distributed under this Agreement, and

b) in the case of each subsequent Contributor:

- i) changes to the Program, and
- ii) additions to the Program;

where such changes and/or additions to the Program originate from and are Distributed by that particular Contributor. A Contribution "originates" from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include changes or additions to the Program that are not Modified Works.

"Contributor" means any person or entity that Distributes the Program.

"Licensed Patents" mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions Distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement or any Secondary License (as applicable), including Contributors.

"Derivative Works" shall mean any work, whether in Source Code or other form, that is based on (or derived from) the Program and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship.

"Modified Works" shall mean any work in Source Code or other form that results from an addition to, deletion from, or modification of the contents of the Program, including, for purposes of clarity any new file in Source Code form that contains any contents of the Program. Modified Works shall not include works that contain only declarations, interfaces, types, classes, structures, or files of the Program solely in each case in order to link to, bind by name, or subclass the Program or Modified Works thereof.

"Distribute" means the acts of a) distributing or b) making available in any manner that enables the transfer of a copy.

"Source Code" means the form of a Program preferred for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Secondary License" means either the GNU General Public License, Version 2.0, or any later versions of that license, including any exceptions or additional permissions as identified by the initial Contributor.

## 2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, Distribute and sublicense the Contribution of such Contributor, if any, and such Derivative Works.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in Source Code or other form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to Distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

e) Notwithstanding the terms of any Secondary License, no Contributor makes additional grants to any Recipient (other than those set forth in this Agreement) as a result of such Recipient's receipt of the Program under the terms of a Secondary License



(if permitted under the terms of Section 3).

### 3. REQUIREMENTS

3.1 If a Contributor Distributes the Program in any form, then:

a) the Program must also be made available as Source Code, in accordance with section 3.2, and the Contributor must accompany the Program with a statement that the Source Code for the Program is available under this Agreement, and informs Recipients how to obtain it in a reasonable manner on or through a medium customarily used for software exchange; and

b) the Contributor may Distribute the Program under a license different than this Agreement, provided that such license:

i) effectively disclaims on behalf of all other Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;

ii) effectively excludes on behalf of all other Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;

iii) does not attempt to limit or alter the recipients' rights in the Source Code under section 3.2; and

iv) requires any subsequent distribution of the Program by any party to be under a license that satisfies the requirements of this section 3.

3.2 When the Program is Distributed as Source Code:

a) it must be made available under this Agreement, or if the Program (i) is combined with other material in a separate file or files made available under a Secondary License, and (ii) the initial Contributor attached to the Source Code the notice described in Exhibit A of this Agreement, then the Program may be made available under the terms of such Secondary Licenses, and

b) a copy of this Agreement must be included with each copy of the Program.

3.3 Contributors may not remove or alter any copyright, patent, trademark, attribution notices, disclaimers of warranty, or limitations of liability ("notices") contained within the Program from any copy of the Program which they Distribute, provided that Contributors may add

their own appropriate notices.

#### 4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

#### 5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors,

compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

## 6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

## 7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing

version number. The Program (including Contributions) may always be Distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to Distribute the Program (including its Contributions) under the new version.

Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved. Nothing in this Agreement is intended to be enforceable by any entity that is not a Contributor or Recipient. No third-party beneficiary rights are created under this Agreement.

#### Exhibit A - Form of Secondary Licenses Notice

"This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License, v. 2.0 are satisfied: {name license(s), version(s), and exceptions or additional permissions here}."

Simply including a copy of this Agreement, including this Exhibit A is not sufficient to license the Source Code under Secondary Licenses.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.

---

## The GNU General Public License (GPL) Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.  
51 Franklin Street, Fifth Floor  
Boston, MA 02110-1335  
USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

#### Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to

make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

## TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers

to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

- a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major

components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under



any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.  
Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software

Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1335 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type
`show w'. This is free software, and you are welcome to redistribute
it under certain conditions; type `show c' for details.
```

The hypothetical commands ``show w'` and ``show c'` should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than ``show w'` and ``show c'`; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

```
Yoyodyne, Inc., hereby disclaims all copyright interest in the
program `Gnomovision' (which makes passes at compilers) written by
James Hacker.
```

```
signature of Ty Coon, 1 April 1989
Ty Coon, President of Vice
```

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

---

```
## CLASSPATH EXCEPTION
```

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License version 2 cover the whole combination.

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked

independent module, the terms and conditions of the license of that module. An independent module is a module which is not derived from or based on this library. If you modify this library, you may extend this exception to your version of the library, but you are not obligated to do so. If you do not wish to do so, delete this exception statement from your version.

#### # Notices for Eclipse GlassFish

This content is produced and maintained by the Eclipse GlassFish project.

\* Project home: <https://projects.eclipse.org/projects/ee4j.glassfish>

#### ## Trademarks

Eclipse GlassFish, and GlassFish are trademarks of the Eclipse Foundation.

#### ## Copyright

All content is the property of the respective authors or their employers. For more information regarding authorship of content, please consult the listed source code repository logs.

#### ## Declared Project Licenses

This program and the accompanying materials are made available under the terms of the Eclipse Public License v. 2.0 which is available at <http://www.eclipse.org/legal/epl-2.0>. This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License v. 2.0 are satisfied: GNU General Public License, version 2 with the GNU Classpath Exception which is available at <https://www.gnu.org/software/classpath/license.html>.

SPDX-License-Identifier: EPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0

#### ## Source Code

The project maintains the following source code repositories:

- \* <https://github.com/eclipse-ee4j/glassfish-ha-api>
- \* <https://github.com/eclipse-ee4j/glassfish-logging-annotation-processor>
- \* <https://github.com/eclipse-ee4j/glassfish-shoal>
- \* <https://github.com/eclipse-ee4j/glassfish-cdi-porting-tck>
- \* <https://github.com/eclipse-ee4j/glassfish-jsftemplating>
- \* <https://github.com/eclipse-ee4j/glassfish-hk2-extra>
- \* <https://github.com/eclipse-ee4j/glassfish-hk2>
- \* <https://github.com/eclipse-ee4j/glassfish-fighterfish>

#### ## Third-party Content

This project leverages the following third party content.

None

## ## Cryptography

Content may contain encryption software. The country in which you are currently may have restrictions on the import, possession, and use, and/or re-export to another country, of encryption software. BEFORE using any encryption software, please check the country's laws, regulations and policies concerning the import, possession, or use, and re-export of encryption software, to see if this is permitted.

# 1.188 saxon-xslt-and-xquery-processor 10.3

## 1.188.1 Available under license :

Found license 'GNU Lesser General Public License' in '// This library is free software; you can redistribute it and/or // modify it under the terms of the GNU Lesser General Public // License as published by the Free Software Foundation; either // version 2.1 of the License, or (at your option) any later version. // This library is distributed in the hope that it will be useful, // but WITHOUT ANY WARRANTY; without even the implied warranty of // MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU // Lesser General Public License for more details. // You should have received a copy of the GNU Lesser General Public \* This grammar is in the PUBLIC DOMAIN'

Found license 'GNU Lesser General Public License' in '// This library is free software; you can redistribute it and/or // modify it under the terms of the GNU Lesser General Public // License as published by the Free Software Foundation; either // version 2.1 of the License, or (at your option) any later version. // This library is distributed in the hope that it will be useful, // but WITHOUT ANY WARRANTY; without even the implied warranty of // MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU // Lesser General Public License for more details. // You should have received a copy of the GNU Lesser General Public'

# 1.189 micronaut-kubernetes 3.4.0

## 1.189.1 Available under license :

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2017-2021 original authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

- \* distributed under the License is distributed on an "AS IS" BASIS,
- \* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- \* See the License for the specific language governing permissions and
- \* limitations under the License.
- \*/

Found in path(s):

- \* /opt/cola/permits/1331474306\_1653514752.2550623/0/micronaut-kubernetes-client-3-4-0-sources-jar/io/micronaut/kubernetes/client/PodNameResolver.java
  - \* /opt/cola/permits/1331474306\_1653514752.2550623/0/micronaut-kubernetes-client-3-4-0-sources-jar/io/micronaut/kubernetes/client/NamespaceResolver.java
  - \* /opt/cola/permits/1331474306\_1653514752.2550623/0/micronaut-kubernetes-client-3-4-0-sources-jar/io/micronaut/kubernetes/client/Apis.java
  - \* /opt/cola/permits/1331474306\_1653514752.2550623/0/micronaut-kubernetes-client-3-4-0-sources-jar/io/micronaut/kubernetes/client/OkHttpClientLogging.java
  - \* /opt/cola/permits/1331474306\_1653514752.2550623/0/micronaut-kubernetes-client-3-4-0-sources-jar/io/micronaut/kubernetes/client/ApisAutomaticFeatureMetadata.java
  - \* /opt/cola/permits/1331474306\_1653514752.2550623/0/micronaut-kubernetes-client-3-4-0-sources-jar/io/micronaut/kubernetes/client/ApiClientConfiguration.java
  - \* /opt/cola/permits/1331474306\_1653514752.2550623/0/micronaut-kubernetes-client-3-4-0-sources-jar/io/micronaut/kubernetes/client/DefaultNamespaceResolver.java
  - \* /opt/cola/permits/1331474306\_1653514752.2550623/0/micronaut-kubernetes-client-3-4-0-sources-jar/io/micronaut/kubernetes/client/ApiClientFactory.java
  - \* /opt/cola/permits/1331474306\_1653514752.2550623/0/micronaut-kubernetes-client-3-4-0-sources-jar/io/micronaut/kubernetes/client/DiscoveryFactory.java
  - \* /opt/cola/permits/1331474306\_1653514752.2550623/0/micronaut-kubernetes-client-3-4-0-sources-jar/io/micronaut/kubernetes/client/graalvm/KubernetesClientFeature.java
  - \* /opt/cola/permits/1331474306\_1653514752.2550623/0/micronaut-kubernetes-client-3-4-0-sources-jar/io/micronaut/kubernetes/client/ModelMapper.java
  - \* /opt/cola/permits/1331474306\_1653514752.2550623/0/micronaut-kubernetes-client-3-4-0-sources-jar/io/micronaut/kubernetes/client/DefaultPodNameResolver.java
- No license file was found, but licenses were detected in source scan.

/\*

- \* Copyright 2017-2022 original authors
- \*
- \* Licensed under the Apache License, Version 2.0 (the "License");
- \* you may not use this file except in compliance with the License.
- \* You may obtain a copy of the License at
- \*
- \* <https://www.apache.org/licenses/LICENSE-2.0>
- \*
- \* Unless required by applicable law or agreed to in writing, software
- \* distributed under the License is distributed on an "AS IS" BASIS,
- \* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- \* See the License for the specific language governing permissions and
- \* limitations under the License.
- \*/

Found in path(s):

\* /opt/cola/permits/1331474306\_1653514752.2550623/0/micronaut-kubernetes-client-3-4-0-sources-jar/io/micronaut/kubernetes/client/DiscoveryCache.java

# 1.190 apache-commons-math 3.4.1

## 1.190.1 Available under license :

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.



4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed

with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate

comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Apache Commons Math includes the following code provided to the ASF under the Apache License 2.0:

- The inverse error function implementation in the Erf class is based on CUDA code developed by Mike Giles, Oxford-Man Institute of Quantitative Finance, and published in GPU Computing Gems, volume 2, 2010 (grant received on March 23th 2013)
- The LinearConstraint, LinearObjectiveFunction, LinearOptimizer, Relationship, SimplexSolver and SimplexTableau classes in package org.apache.commons.math3.optimization.linear include software developed by Benjamin McCann (<http://www.benmccann.com>) and distributed with the following copyright: Copyright 2009 Google Inc. (grant received on March 16th 2009)
- The class "org.apache.commons.math3.exception.util.LocalizedFormatsTest" which is an adapted version of "OrekitMessagesTest" test class for the Orekit library
- The "org.apache.commons.math3.analysis.interpolation.HermiteInterpolator" has been imported from the Orekit space flight dynamics library.

=====

#### APACHE COMMONS MATH DERIVATIVE WORKS:

The Apache commons-math library includes a number of subcomponents whose implementation is derived from original sources written in C or Fortran. License terms of the original sources are reproduced below.

=====

For the lmdcr, lmpar and qrsolv Fortran routine from minpack and translated in  
the LevenbergMarquardtOptimizer class in package  
org.apache.commons.math3.optimization.general  
Original source copyright and license statement:

Minpack Copyright Notice (1999) University of Chicago. All rights reserved

Redistribution and use in source and binary forms, with or  
without modification, are permitted provided that the  
following conditions are met:

1. Redistributions of source code must retain the above  
copyright notice, this list of conditions and the following  
disclaimer.
2. Redistributions in binary form must reproduce the above  
copyright notice, this list of conditions and the following  
disclaimer in the documentation and/or other materials  
provided with the distribution.
3. The end-user documentation included with the  
redistribution, if any, must include the following  
acknowledgment:

"This product includes software developed by the  
University of Chicago, as Operator of Argonne National  
Laboratory.

Alternately, this acknowledgment may appear in the software  
itself, if and wherever such third-party acknowledgments  
normally appear.

4. WARRANTY DISCLAIMER. THE SOFTWARE IS SUPPLIED "AS IS"  
WITHOUT WARRANTY OF ANY KIND. THE COPYRIGHT HOLDER, THE  
UNITED STATES, THE UNITED STATES DEPARTMENT OF ENERGY, AND  
THEIR EMPLOYEES: (1) DISCLAIM ANY WARRANTIES, EXPRESS OR  
IMPLIED, INCLUDING BUT NOT LIMITED TO ANY IMPLIED WARRANTIES  
OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, TITLE  
OR NON-INFRINGEMENT, (2) DO NOT ASSUME ANY LEGAL LIABILITY  
OR RESPONSIBILITY FOR THE ACCURACY, COMPLETENESS, OR  
USEFULNESS OF THE SOFTWARE, (3) DO NOT REPRESENT THAT USE OF  
THE SOFTWARE WOULD NOT INFRINGE PRIVATELY OWNED RIGHTS, (4)  
DO NOT WARRANT THAT THE SOFTWARE WILL FUNCTION  
UNINTERRUPTED, THAT IT IS ERROR-FREE OR THAT ANY ERRORS WILL  
BE CORRECTED.

5. LIMITATION OF LIABILITY. IN NO EVENT WILL THE COPYRIGHT HOLDER, THE UNITED STATES, THE UNITED STATES DEPARTMENT OF ENERGY, OR THEIR EMPLOYEES: BE LIABLE FOR ANY INDIRECT, INCIDENTAL, CONSEQUENTIAL, SPECIAL OR PUNITIVE DAMAGES OF ANY KIND OR NATURE, INCLUDING BUT NOT LIMITED TO LOSS OF PROFITS OR LOSS OF DATA, FOR ANY REASON WHATSOEVER, WHETHER SUCH LIABILITY IS ASSERTED ON THE BASIS OF CONTRACT, TORT (INCLUDING NEGLIGENCE OR STRICT LIABILITY), OR OTHERWISE, EVEN IF ANY OF SAID PARTIES HAS BEEN WARNED OF THE POSSIBILITY OF SUCH LOSS OR DAMAGES.

=====

Copyright and license statement for the odex Fortran routine developed by E. Hairer and G. Wanner and translated in GraggBulirschStoerIntegrator class in package org.apache.commons.math3.ode.nonstiff:

Copyright (c) 2004, Ernst Hairer

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE REGENTS OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

=====

Copyright and license statement for the original Mersenne twister C routines translated in MersenneTwister class in package org.apache.commons.math3.random:

Copyright (C) 1997 - 2002, Makoto Matsumoto and Takuji Nishimura,

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The names of its contributors may not be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

=====

The initial code for shuffling an array (originally in class "org.apache.commons.math3.random.RandomDataGenerator", now replaced by a method in class "org.apache.commons.math3.util.MathArrays") was inspired from the algorithm description provided in "Algorithms", by Ian Craw and John Pulham (University of Aberdeen 1999). The textbook (containing a proof that the shuffle is uniformly random) is available here:  
<http://citeseerx.ist.psu.edu/viewdoc/download?doi=10.1.1.173.1898&rep=rep1&type=pdf>

=====

License statement for the direction numbers in the resource files for Sobol sequences.

-----

Licence pertaining to sobol.cc and the accompanying sets of direction numbers

-----

Copyright (c) 2008, Frances Y. Kuo and Stephen Joe

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- \* Neither the names of the copyright holders nor the names of the University of New South Wales and the University of Waikato and its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDERS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

=====

The initial commit of package "org.apache.commons.math3.ml.neuralnet" is an adapted version of code developed in the context of the Data Processing and Analysis Consortium (DPAC) of the "Gaia" project of the European Space Agency (ESA).

=====

The initial commit of the class "org.apache.commons.math3.special.BesselJ" is an adapted version of code translated from the netlib Fortran program, rjbesl <http://www.netlib.org/specfun/rjbesl> by R.J. Cody at Argonne National Laboratory (USA). There is no license or copyright statement included with the original Fortran sources.

=====

The BracketFinder (package org.apache.commons.math3.optimization.univariate) and PowellOptimizer (package org.apache.commons.math3.optimization.general) classes are based on the Python code in module "optimize.py" (version 0.5) developed by Travis E. Oliphant for the SciPy library (<http://www.scipy.org/>) Copyright 2003-2009 SciPy Developers.

SciPy license  
Copyright 2001, 2002 Enthought, Inc.  
All rights reserved.

Copyright 2003-2013 SciPy Developers.  
All rights reserved.

Redistribution and use in source and binary forms, with or without  
modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright  
notice, this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright  
notice, this list of conditions and the following disclaimer in the  
documentation and/or other materials provided with the distribution.
- \* Neither the name of Enthought nor the names of the SciPy Developers may  
be used to endorse or promote products derived from this software without  
specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS AS IS AND  
ANY  
EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED  
WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE  
DISCLAIMED. IN NO EVENT SHALL THE REGENTS OR CONTRIBUTORS BE LIABLE FOR ANY  
DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES  
(INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES;  
LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND  
ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT  
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS  
SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

=====  
Apache Commons Math  
Copyright 2001-2015 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

This product includes software developed for Orekit by  
CS Systemes d'Information (<http://www.c-s.fr/>)  
Copyright 2010-2012 CS Systemes d'Information

## 1.191 beanshell 2.0b6



## 1.191.1 Available under license :

ASM bytecode package in under a 3-clause BSD license (OK).

BSF - check these, probably public domain.

peter jodeleit: <http://commons.apache.org/proper/commons-bsf/>

engine - the jsr223 engine, some files need to be removed (sun javax stuff)

peter jodeleit: these files are obsolete if java 1.5 support is dropped, the file are part of the jdk since 1.6

JUnit

Common Public License - v 1.0

Deal with docs and build files, READMEs?

BSD License

Copyright (c) 2000-2006, [www.hamcrest.org](http://www.hamcrest.org)

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

Neither the name of Hamcrest nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Copyright (c) 2000-2011 INRIA, France Telecom  
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. Neither the name of the copyright holders nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

BeanShell Scripting for Java

Copyright 1997-2012 Patrick Niemeyer

Licensed under the Apache License, Version 2.0.

Granted to the Apache Software Foundation 2012

JUnit

Common Public License - v 1.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS COMMON PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

## 1. DEFINITIONS

"Contribution" means:

- a) in the case of the initial Contributor, the initial code and documentation distributed under this Agreement, and
- b) in the case of each subsequent Contributor:

i) changes to the Program, and

ii) additions to the Program;

where such changes and/or additions to the Program originate from and are distributed by that particular Contributor. A Contribution 'originates' from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include additions to the Program which: (i) are separate modules of software distributed in conjunction with the Program under their own license agreement, and (ii) are not derivative works of the Program.

"Contributor" means any person or entity that distributes the Program.

"Licensed Patents " mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement, including all Contributors.

## 2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare derivative works of, publicly display, publicly perform, distribute and sublicense the Contribution of such Contributor, if any, and such derivative works, in source code and object code form.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in source code and object code form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on

infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

### 3. REQUIREMENTS

A Contributor may choose to distribute the Program in object code form under its own license agreement, provided that:

- a) it complies with the terms and conditions of this Agreement; and
- b) its license agreement:
  - i) effectively disclaims on behalf of all Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;
  - ii) effectively excludes on behalf of all Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;
  - iii) states that any provisions which differ from this Agreement are offered by that Contributor alone and not by any other party; and
  - iv) states that source code for the Program is available from such Contributor, and informs licensees how to obtain it in a reasonable manner on or through a medium customarily used for software exchange.

When the Program is made available in source code form:

- a) it must be made available under this Agreement; and
- b) a copy of this Agreement must be included with each copy of the Program.

Contributors may not remove or alter any copyright notices contained within the Program.

Each Contributor must identify itself as the originator of its Contribution, if any, in a manner that reasonably allows subsequent Recipients to identify the

originator of the Contribution.

#### 4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

#### 5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

#### 6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

## 7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against a Contributor with respect to a patent applicable to software (including a cross-claim or counterclaim in a lawsuit), then any patent licenses granted by that Contributor to such Recipient under this Agreement shall terminate as of the date such litigation is filed. In addition, if Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. IBM is the initial Agreement Steward. IBM may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to distribute the Program (including its Contributions) under the new version. Except as expressly stated

in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved.

This Agreement is governed by the laws of the State of New York and the intellectual property laws of the United States of America. No party to this Agreement will bring a legal action under this Agreement more than one year after the cause of action arose. Each party waives its rights to a jury trial in any resulting litigation.

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work

(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses



granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]"

replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

```
/*
 * Licensed to the Apache Software Foundation (ASF) under one
 * or more contributor license agreements. See the NOTICE file
 * distributed with this work for additional information
 * regarding copyright ownership. The ASF licenses this file
 * to you under the Apache License, Version 2.0 (the
 * "License"); you may not use this file except in compliance
 * with the License. You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing,
 * software distributed under the License is distributed on an
 * "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY
 * KIND, either express or implied. See the License for the
 * specific language governing permissions and limitations
 * under the License.
 *
 *
 * This file is part of the BeanShell Java Scripting distribution.
 * Documentation and updates may be found at http://www.beanshell.org/
 * Patrick Niemeyer (pat@pat.net)
 * Author of Learning Java, O'Reilly & Associates
 *
 */
```

# 1.192 micronaut-oracle-cloud 2.0.4

## 1.192.1 Available under license :

Apache License  
Version 2.0, January 2004  
<https://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain

separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the

origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software  
distributed under the License is distributed on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.

## 1.193 protocol-buffer-java-api 3.19.3

### 1.193.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
// Copyright 2008 Google Inc. All rights reserved.  
// Redistribution and use in source and binary forms, with or without  
// modification, are permitted provided that the following conditions are  
// * Redistributions of source code must retain the above copyright  
// notice, this list of conditions and the following disclaimer.  
// * Redistributions in binary form must reproduce the above  
// copyright notice, this list of conditions and the following disclaimer  
// in the documentation and/or other materials provided with the  
// * Neither the name of Google Inc. nor the names of its  
// this software without specific prior written permission.
```

Found in path(s):

```
* /opt/cola/permits/1288694491_1648174751.39/0/protobuf-java-3-19-3-jar/google/protobuf/empty.proto  
* /opt/cola/permits/1288694491_1648174751.39/0/protobuf-java-3-19-3-jar/google/protobuf/source_context.proto  
* /opt/cola/permits/1288694491_1648174751.39/0/protobuf-java-3-19-3-jar/google/protobuf/wrappers.proto  
* /opt/cola/permits/1288694491_1648174751.39/0/protobuf-java-3-19-3-jar/google/protobuf/descriptor.proto  
* /opt/cola/permits/1288694491_1648174751.39/0/protobuf-java-3-19-3-jar/google/protobuf/duration.proto  
* /opt/cola/permits/1288694491_1648174751.39/0/protobuf-java-3-19-3-jar/google/protobuf/compiler/plugin.proto  
* /opt/cola/permits/1288694491_1648174751.39/0/protobuf-java-3-19-3-jar/google/protobuf/api.proto  
* /opt/cola/permits/1288694491_1648174751.39/0/protobuf-java-3-19-3-jar/google/protobuf/any.proto  
* /opt/cola/permits/1288694491_1648174751.39/0/protobuf-java-3-19-3-jar/google/protobuf/struct.proto  
* /opt/cola/permits/1288694491_1648174751.39/0/protobuf-java-3-19-3-jar/google/protobuf/timestamp.proto  
* /opt/cola/permits/1288694491_1648174751.39/0/protobuf-java-3-19-3-jar/google/protobuf/type.proto  
* /opt/cola/permits/1288694491_1648174751.39/0/protobuf-java-3-19-3-jar/google/protobuf/field_mask.proto
```

No license file was found, but licenses were detected in source scan.

Manifest-Version: 1.0

Automatic-Module-Name: com.google.protobuf



Bnd-LastModified: 1641921938097  
Build-Jdk: 1.8.0\_181-google-v7  
Built-By: acozzette  
Bundle-Description: Core Protocol Buffers library. Protocol Buffers are a way of encoding structured data in an efficient yet extensible format.  
Bundle-DocURL: <https://developers.google.com/protocol-buffers/>  
Bundle-License: <https://opensource.org/licenses/BSD-3-Clause>  
Bundle-ManifestVersion: 2  
Bundle-Name: Protocol Buffers [Core]  
Bundle-SymbolicName: com.google.protobuf  
Bundle-Version: 3.19.3  
Created-By: Apache Maven Bundle Plugin  
Export-Package: com.google.protobuf;version="3.19.3"  
Import-Package: sun.misc;resolution:=optional,com.google.protobuf;version="[3.19,4)"  
Require-Capability: osgi.ee;filter="(&(osgi.ee=JavaSE)(version=1.7))"  
Tool: Bnd-3.0.0.201509101326

Found in path(s):

\* /opt/cola/permits/1288694491\_1648174751.39/0/protobuf-java-3-19-3-jar/META-INF/MANIFEST.MF

## 1.194 jetbrains-annotations 13.0

### 1.194.1 Available under license :

Copyright 2000-2012 JetBrains s.r.o.

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

## 1.195 byte-buddy-agent 1.9.10

### 1.195.1 Available under license :

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

You must give any other recipients of the Work or Derivative Works a copy of this License; and

You must cause any modified files to carry prominent notices stating that You changed the files; and

You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or

conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

### APPENDIX: How to apply the Apache License to your work

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software  
distributed under the License is distributed on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.

# 1.196 micronaut-r2dbc 2.1.0

## 1.196.1 Available under license :

mcr.microsoft.com/mssql/server:2017-CU12

Apache License

Version 2.0, January 2004

<https://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical

transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable

by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use,

reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.  
Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.
6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. **Disclaimer of Warranty.** Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. **Limitation of Liability.** In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. **Accepting Warranty or Additional Liability.** While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.



## END OF TERMS AND CONDITIONS

### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

# 1.197 apache-zookeeper-jute 3.6.3

## 1.197.1 Available under license :

No license file was found, but licenses were detected in source scan.

<!--

/\*\*

- \* Licensed to the Apache Software Foundation (ASF) under one
- \* or more contributor license agreements. See the NOTICE file
- \* distributed with this work for additional information
- \* regarding copyright ownership. The ASF licenses this file
- \* to you under the Apache License, Version 2.0 (the
- \* "License"); you may not use this file except in compliance
- \* with the License. You may obtain a copy of the License at
- \*
- \* <http://www.apache.org/licenses/LICENSE-2.0>
- \*
- \* Unless required by applicable law or agreed to in writing, software
- \* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/  
-->

Found in path(s):

\* /opt/cola/permits/1340076546\_1654762753.2623293/0/zookeeper-jute-3-6-3-jar/META-INF/maven/org.apache.zookeeper/zookeeper-jute/pom.xml  
No license file was found, but licenses were detected in source scan.

/opt/cola/permits/1340076546\_1654762753.2623293/0/zookeeper-jute-3-6-3-jar/org/apache/jute/compiler/CGenerator.class: binary file matches  
/opt/cola/permits/1340076546\_1654762753.2623293/0/zookeeper-jute-3-6-3-jar/org/apache/jute/compiler/CppGenerator.class: binary file matches  
/opt/cola/permits/1340076546\_1654762753.2623293/0/zookeeper-jute-3-6-3-jar/org/apache/jute/compiler/JRecord.class: binary file matches

Found in path(s):

\* /bin/grep

## 1.198 micronaut-test 3.0.5

### 1.198.1 Available under license :

Bean Validation API

License: Apache License, Version 2.0

See the license.txt file in the root directory or <<http://www.apache.org/licenses/LICENSE-2.0>>.

COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL) Version 1.0

#### 1. Definitions.

1.1. Contributor. means each individual or entity that creates or contributes to the creation of Modifications.

1.2. Contributor Version. means the combination of the Original Software, prior Modifications used by a Contributor (if any), and the Modifications made by that particular Contributor.

1.3. Covered Software. means (a) the Original Software, or (b) Modifications, or (c) the combination of files containing Original Software with files containing Modifications, in each case including portions thereof.

1.4. Executable. means the Covered Software in any form other than Source Code.

1.5. Initial Developer. means the individual or entity that first makes Original Software available under this License.

1.6. Larger Work. means a work which combines Covered Software or portions thereof with code not governed by the terms of this License.

1.7. License. means this document.

1.8. Licensable. means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed herein.

1.9. Modifications. means the Source Code and Executable form of any of the following:

A. Any file that results from an addition to, deletion from or modification of the contents of a file containing Original Software or previous Modifications;

B. Any new file that contains any part of the Original Software or previous Modification; or

C. Any new file that is contributed or otherwise made available under the terms of this License.

1.10. Original Software. means the Source Code and Executable form of computer software code that is originally released under this License.

1.11. Patent Claims. means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent Licensable by grantor.

1.12. Source Code. means (a) the common form of computer software code in which modifications are made and (b) associated documentation included in or with such code.

1.13. You. (or .Your.) means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License. For legal entities, .You. includes any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, .control. means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

## 2. License Grants.

### 2.1. The Initial Developer Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, the Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Initial Developer, to use, reproduce, modify, display, perform, sublicense and distribute the Original Software (or portions thereof), with or without Modifications, and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using or selling of Original Software, to make, have made, use, practice, sell, and offer for sale, and/or otherwise dispose of the Original Software (or portions thereof).

(c) The licenses granted in Sections 2.1(a) and (b) are effective on the date Initial Developer first distributes or otherwise makes the Original Software available to a third party under the terms of this License.

(d) Notwithstanding Section 2.1(b) above, no patent license is granted: (1) for code that You delete from the

Original Software, or (2) for infringements caused by: (i) the modification of the Original Software, or (ii) the combination of the Original Software with other software or devices.

## 2.2. Contributor Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Contributor to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof), either on an unmodified basis, with other Modifications, as Covered Software and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor either alone and/or in combination with its Contributor Version (or portions of such combination), to make, use, sell, offer for sale, have made, and/or otherwise dispose of: (1) Modifications made by that Contributor (or portions thereof); and (2) the combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).

(c) The licenses granted in Sections 2.2(a) and 2.2(b) are effective on the date Contributor first distributes or otherwise makes the Modifications available to a third party.

(d) Notwithstanding Section 2.2(b) above, no patent license is granted: (1) for any code that Contributor has deleted from the Contributor Version; (2) for infringements caused by: (i) third party modifications of Contributor Version, or (ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or (3) under Patent Claims infringed by Covered Software in the absence of Modifications made by that Contributor.

## 3. Distribution Obligations.

### 3.1. Availability of Source Code.

Any Covered Software that You distribute or otherwise make available in Executable form must also be made available in Source Code form and that Source Code form must be distributed only under the terms of this License. You must include a copy of this License with every copy of the Source Code form of the Covered Software You distribute or otherwise make available. You must inform recipients of any such Covered Software in Executable form as to how they can obtain such Covered Software in Source Code form in a reasonable manner on or through a medium customarily used for software exchange.

### 3.2. Modifications.

The Modifications that You create or to which You contribute are governed by the terms of this License. You represent that You believe Your Modifications are Your original creation(s) and/or You have sufficient rights to grant the rights conveyed by this License.

### 3.3. Required Notices.

You must include a notice in each of Your Modifications that identifies You as the Contributor of the Modification. You may not remove or alter any copyright, patent or trademark notices contained within the Covered Software, or any notices of licensing or any descriptive text giving attribution to any Contributor or the Initial Developer.

### 3.4. Application of Additional Terms.

You may not offer or impose any terms on any Covered Software in Source Code form that alters or restricts the applicable version of this License or the recipients' rights hereunder. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, you may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it absolutely clear that any such warranty, support, indemnity or liability obligation is offered by You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of warranty, support, indemnity or liability terms You offer.

### 3.5. Distribution of Executable Versions.

You may distribute the Executable form of the Covered Software under the terms of this License or under the terms of a license of Your choice, which may contain terms different from this License, provided that You are in compliance with the terms of this License and that the license for the Executable form does not attempt to limit or alter the recipient's rights in the Source Code form from the rights set forth in this License. If You distribute the Covered Software in Executable form under a different license, You must make it absolutely clear that any terms which differ from this License are offered by You alone, not by the Initial Developer or Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer.

### 3.6. Larger Works.

You may create a Larger Work by combining Covered Software with other code not governed by the terms of this License and distribute the Larger Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled for the Covered Software.

## 4. Versions of the License.

### 4.1. New Versions.

Sun Microsystems, Inc. is the initial license steward and may publish revised and/or new versions of this License from time to time. Each version will be given a distinguishing version number. Except as provided in Section 4.3, no one other than the license steward has the right to modify this License.

### 4.2. Effect of New Versions.

You may always continue to use, distribute or otherwise make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. If the Initial Developer includes a notice in the Original Software prohibiting it from being distributed or otherwise made available under any subsequent version of the License, You must distribute and make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. Otherwise, You may also choose to use, distribute or otherwise make the Covered Software available under the terms of any subsequent version of the License published by the license steward.

### 4.3. Modified Versions.

When You are an Initial Developer and You want to create a new license for Your Original Software, You may create and use a modified version of this License if You: (a) rename the license and remove any references to the name of the license steward (except to note that the license differs from this License); and (b) otherwise make it clear that the license contains terms which differ from this License.

## 5. DISCLAIMER OF WARRANTY.

COVERED SOFTWARE IS PROVIDED UNDER THIS LICENSE ON AN .AS IS. BASIS, WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES THAT THE COVERED SOFTWARE IS FREE OF DEFECTS, MERCHANTABILITY, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED SOFTWARE IS WITH YOU. SHOULD ANY COVERED SOFTWARE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED SOFTWARE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

## 6. TERMINATION.

6.1. This License and the rights granted hereunder will terminate automatically if You fail to comply with terms herein and fail to cure such breach within 30 days of becoming aware of the breach. Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive.

6.2. If You assert a patent infringement claim (excluding declaratory judgment actions) against Initial Developer or a Contributor (the Initial Developer or Contributor against whom You assert such claim is referred to as .Participant.) alleging that the Participant Software (meaning the Contributor Version where the Participant is a Contributor or the Original Software where the Participant is the Initial Developer) directly or indirectly infringes any patent, then any and all rights granted directly or indirectly to You by such Participant, the Initial Developer (if the Initial Developer is not the Participant) and all Contributors under Sections 2.1 and/or 2.2 of this License shall, upon 60 days notice from Participant terminate prospectively and automatically at the expiration of such 60 day notice period, unless if within such 60 day period You withdraw Your claim with respect to the Participant Software against such Participant either unilaterally or pursuant to a written agreement with Participant.

6.3. In the event of termination under Sections 6.1 or 6.2 above, all end user licenses that have been validly granted by You or any distributor hereunder prior to termination (excluding licenses granted to You by any distributor) shall survive termination.

## 7. LIMITATION OF LIABILITY.

UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED SOFTWARE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOST PROFITS, LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTY.S NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

## 8. U.S. GOVERNMENT END USERS.

The Covered Software is a .commercial item., as that term is defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of .commercial computer software. (as that term is defined at 48 C.F.R. ? 252.227-7014(a)(1)) and .commercial computer software documentation. as such terms are used in 48 C.F.R. 12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4 (June 1995), all U.S. Government End Users acquire Covered Software with only those rights set forth herein. This U.S. Government Rights clause is in lieu of, and supersedes, any other FAR, DFAR, or other clause or provision that addresses Government rights in computer software under this License.

## 9. MISCELLANEOUS.

This License represents the complete agreement concerning subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by the law of the jurisdiction specified in a notice contained within the Original Software (except to the extent applicable law, if any, provides otherwise), excluding such jurisdiction.s conflict-of-law provisions. Any litigation relating to this License shall be subject to the jurisdiction of the courts located in the jurisdiction and venue specified in a notice contained within the Original Software, with the losing party responsible for costs, including, without limitation, court costs and reasonable attorneys. fees and expenses. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not apply to this License. You agree that You alone are responsible for compliance with the United States export administration regulations (and the export control laws and regulation of any other countries) when You use, distribute or otherwise make available any Covered Software.

## 10. RESPONSIBILITY FOR CLAIMS.

As between Initial Developer and the Contributors, each party is responsible for claims and damages arising, directly or indirectly, out of its utilization of rights under this License and You agree to work with Initial Developer and Contributors to distribute such responsibility on an equitable basis. Nothing herein is intended or shall be deemed to constitute any admission of liability.

## NOTICE PURSUANT TO SECTION 9 OF THE COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL)

The code released under the CDDL shall be governed by the laws of the State of California (excluding conflict-of-law provisions). Any litigation relating to this License shall be subject to the jurisdiction of the Federal Courts of the Northern District of California and the state courts of the State of California, with venue lying in Santa Clara County, California.

The GNU General Public License (GPL) Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc. 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

## Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

## TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its



contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

#### NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER

PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

## END OF TERMS AND CONDITIONS

### How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.

#### Copyright (C)

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author

Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'. This is free software, and you are welcome to redistribute it under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program `Gnomovision' (which makes passes at compilers) written by James Hacker.

signature of Ty Coon, 1 April 1989

Ty Coon, President of Vice

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

#### "CLASSPATH" EXCEPTION TO THE GPL VERSION 2

Certain source files distributed by Sun Microsystems, Inc. are subject to the following clarification and special exception to the GPL Version 2, but only where Sun has expressly included in the particular source file's header the words

"Sun designates this particular file as subject to the "Classpath" exception as provided by Sun in the License file that accompanied this code."

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License Version 2 cover the whole combination.

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module.? An independent module is a module which is not derived from or based on this library.? If you modify this library, you may extend this exception to your version of the library, but you are not obligated to do so.? If you do not wish to do so, delete this exception statement from your version.

# Jackson JSON processor

Jackson is a high-performance, Free/Open Source JSON processing library.

It was originally written by Tatu Saloranta (tatu.saloranta@iki.fi), and has been in development since 2007.

It is currently developed by a community of developers, as well as supported commercially by FasterXML.com.

#### ## Licensing

Jackson core and extension components may be licensed under different licenses. To find the details that apply to this artifact see the accompanying LICENSE file. For more information, including possible other licensing options, contact FasterXML.com (<http://fasterxml.com>).

#### ## Credits

A list of contributors may be found from CREDITS file, which is included in some artifacts (usually source distributions); but is always available from the source code management (SCM) system project uses.

Apache License  
Version 2.0, January 2004

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally

submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
  - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
  - (b) You must cause any modified files to carry prominent notices stating that You changed the files; and

- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.
6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. **Disclaimer of Warranty.** Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or



implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
  
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object

form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a

file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.

You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

## 1.199 javamail-api-no-providers 1.6.2

### 1.199.1 Available under license :

COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL) Version 1.1

#### 1. Definitions.

1.1. "Contributor" means each individual or entity that creates or contributes to the creation of Modifications.

1.2. "Contributor Version" means the combination of the Original Software, prior Modifications used by a Contributor (if any), and the Modifications made by that particular Contributor.

1.3. "Covered Software" means (a) the Original Software, or (b) Modifications, or (c) the combination of files containing Original Software with files containing Modifications, in each case including portions thereof.

1.4. "Executable" means the Covered Software in any form other than Source Code.

1.5. "Initial Developer" means the individual or entity that first makes Original Software available under this License.

1.6. "Larger Work" means a work which combines Covered Software or portions thereof with code not governed by the terms of this License.

1.7. "License" means this document.

1.8. "Licensable" means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed herein.

1.9. "Modifications" means the Source Code and Executable form of any of the following:

A. Any file that results from an addition to, deletion from or modification of the contents of a file containing Original Software or previous Modifications;

B. Any new file that contains any part of the Original Software or previous Modification; or

C. Any new file that is contributed or otherwise made available under the terms of this License.

1.10. "Original Software" means the Source Code and Executable form of computer software code that is originally released under this License.

1.11. "Patent Claims" means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent Licensable by grantor.

1.12. "Source Code" means (a) the common form of computer software code in which modifications are made and (b) associated documentation included in or with such code.

1.13. "You" (or "Your") means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License. For legal entities, "You" includes any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, "control" means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

## 2. License Grants.

### 2.1. The Initial Developer Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, the Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Initial Developer, to use, reproduce, modify, display, perform, sublicense and distribute the Original Software (or portions thereof), with or without Modifications, and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using or selling of Original Software, to make, have made, use, practice, sell, and offer for sale, and/or otherwise dispose of the Original Software (or portions thereof).

(c) The licenses granted in Sections 2.1(a) and (b) are effective on the date Initial Developer first distributes or otherwise makes the Original Software available to a third party under the terms of this License.

(d) Notwithstanding Section 2.1(b) above, no patent license is granted: (1) for code that You delete from the Original Software, or (2) for infringements caused by: (i) the modification of the Original Software, or (ii) the combination of the Original Software with other software or devices.

## 2.2. Contributor Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Contributor to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof), either on an unmodified basis, with other Modifications, as Covered Software and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor either alone and/or in combination with its Contributor Version (or portions of such combination), to make, use, sell, offer for sale, have made, and/or otherwise dispose of: (1) Modifications made by that Contributor (or portions thereof); and (2) the combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).

(c) The licenses granted in Sections 2.2(a) and 2.2(b) are effective on the date Contributor first distributes or otherwise makes the Modifications available to a third party.



(d) Notwithstanding Section 2.2(b) above, no patent license is granted: (1) for any code that Contributor has deleted from the Contributor Version; (2) for infringements caused by: (i) third party modifications of Contributor Version, or (ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or (3) under Patent Claims infringed by Covered Software in the absence of Modifications made by that Contributor.

### 3. Distribution Obligations.

#### 3.1. Availability of Source Code.

Any Covered Software that You distribute or otherwise make available in Executable form must also be made available in Source Code form and that Source Code form must be distributed only under the terms of this License. You must include a copy of this License with every copy of the Source Code form of the Covered Software You distribute or otherwise make available. You must inform recipients of any such Covered Software in Executable form as to how they can obtain such Covered Software in Source Code form in a reasonable manner on or through a medium customarily used for software exchange.

#### 3.2. Modifications.

The Modifications that You create or to which You contribute are governed by the terms of this License. You represent that You believe Your Modifications are Your original creation(s) and/or You have sufficient rights to grant the rights conveyed by this License.

#### 3.3. Required Notices.

You must include a notice in each of Your Modifications that identifies You as the Contributor of the Modification. You may not remove or alter any copyright, patent or trademark notices contained within the Covered Software, or any notices of licensing or any descriptive text giving attribution to any Contributor or the Initial Developer.

#### 3.4. Application of Additional Terms.

You may not offer or impose any terms on any Covered Software in Source Code form that alters or restricts the applicable version of this License or the recipients' rights hereunder. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, you may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it

absolutely clear that any such warranty, support, indemnity or liability obligation is offered by You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of warranty, support, indemnity or liability terms You offer.

### 3.5. Distribution of Executable Versions.

You may distribute the Executable form of the Covered Software under the terms of this License or under the terms of a license of Your choice, which may contain terms different from this License, provided that You are in compliance with the terms of this License and that the license for the Executable form does not attempt to limit or alter the recipient's rights in the Source Code form from the rights set forth in this License. If You distribute the Covered Software in Executable form under a different license, You must make it absolutely clear that any terms which differ from this License are offered by You alone, not by the Initial Developer or Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer.

### 3.6. Larger Works.

You may create a Larger Work by combining Covered Software with other code not governed by the terms of this License and distribute the Larger Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled for the Covered Software.

## 4. Versions of the License.

### 4.1. New Versions.

Oracle is the initial license steward and may publish revised and/or new versions of this License from time to time. Each version will be given a distinguishing version number. Except as provided in Section 4.3, no one other than the license steward has the right to modify this License.

### 4.2. Effect of New Versions.

You may always continue to use, distribute or otherwise make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. If the Initial Developer includes a notice in the Original Software prohibiting it from being distributed or otherwise made available under any subsequent version of the License, You must distribute and

make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. Otherwise, You may also choose to use, distribute or otherwise make the Covered Software available under the terms of any subsequent version of the License published by the license steward.

#### 4.3. Modified Versions.

When You are an Initial Developer and You want to create a new license for Your Original Software, You may create and use a modified version of this License if You: (a) rename the license and remove any references to the name of the license steward (except to note that the license differs from this License); and (b) otherwise make it clear that the license contains terms which differ from this License.

### 5. DISCLAIMER OF WARRANTY.

COVERED SOFTWARE IS PROVIDED UNDER THIS LICENSE ON AN "AS IS" BASIS, WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES THAT THE COVERED SOFTWARE IS FREE OF DEFECTS, MERCHANTABLE, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED SOFTWARE IS WITH YOU. SHOULD ANY COVERED SOFTWARE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED SOFTWARE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

### 6. TERMINATION.

6.1. This License and the rights granted hereunder will terminate automatically if You fail to comply with terms herein and fail to cure such breach within 30 days of becoming aware of the breach. Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive.

6.2. If You assert a patent infringement claim (excluding declaratory judgment actions) against Initial Developer or a Contributor (the Initial Developer or Contributor against whom You assert such claim is referred to as "Participant") alleging that the Participant Software (meaning the Contributor Version where the Participant is a Contributor or the Original Software where the Participant is the Initial Developer) directly or indirectly infringes any patent, then any and all rights granted directly or indirectly to You by such Participant, the Initial Developer (if the Initial Developer is not the Participant) and all Contributors under

Sections 2.1 and/or 2.2 of this License shall, upon 60 days notice from Participant terminate prospectively and automatically at the expiration of such 60 day notice period, unless if within such 60 day period You withdraw Your claim with respect to the Participant Software against such Participant either unilaterally or pursuant to a written agreement with Participant.

6.3. If You assert a patent infringement claim against Participant alleging that the Participant Software directly or indirectly infringes any patent where such claim is resolved (such as by license or settlement) prior to the initiation of patent infringement litigation, then the reasonable value of the licenses granted by such Participant under Sections 2.1 or 2.2 shall be taken into account in determining the amount or value of any payment or license.

6.4. In the event of termination under Sections 6.1 or 6.2 above, all end user licenses that have been validly granted by You or any distributor hereunder prior to termination (excluding licenses granted to You by any distributor) shall survive termination.

## 7. LIMITATION OF LIABILITY.

UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED SOFTWARE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTY'S NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

## 8. U.S. GOVERNMENT END USERS.

The Covered Software is a "commercial item," as that term is defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of "commercial computer software" (as that term is defined at 48 C.F.R. 252.227-7014(a)(1)) and "commercial computer software documentation" as such terms are used in 48 C.F.R. 12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4 (June 1995), all U.S. Government End Users acquire Covered Software

with only those rights set forth herein. This U.S. Government Rights clause is in lieu of, and supersedes, any other FAR, DFAR, or other clause or provision that addresses Government rights in computer software under this License.

#### 9. MISCELLANEOUS.

This License represents the complete agreement concerning subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by the law of the jurisdiction specified in a notice contained within the Original Software (except to the extent applicable law, if any, provides otherwise), excluding such jurisdiction's conflict-of-law provisions. Any litigation relating to this License shall be subject to the jurisdiction of the courts located in the jurisdiction and venue specified in a notice contained within the Original Software, with the losing party responsible for costs, including, without limitation, court costs and reasonable attorneys' fees and expenses. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not apply to this License. You agree that You alone are responsible for compliance with the United States export administration regulations (and the export control laws and regulation of any other countries) when You use, distribute or otherwise make available any Covered Software.

#### 10. RESPONSIBILITY FOR CLAIMS.

As between Initial Developer and the Contributors, each party is responsible for claims and damages arising, directly or indirectly, out of its utilization of rights under this License and You agree to work with Initial Developer and Contributors to distribute such responsibility on an equitable basis. Nothing herein is intended or shall be deemed to constitute any admission of liability.

-----

#### NOTICE PURSUANT TO SECTION 9 OF THE COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL)

The code released under the CDDL shall be governed by the laws of the State of California (excluding conflict-of-law provisions). Any litigation relating to this License shall be subject to the jurisdiction of the Federal Courts of the Northern District of California and the state courts of the State of California, with venue lying in Santa Clara County, California.

The GNU General Public License (GPL) Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.  
51 Franklin Street, Fifth Floor  
Boston, MA 02110-1335  
USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

#### Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we

want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

## TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

- a) You must cause the modified files to carry prominent notices

stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost



of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to

these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

#### NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

#### END OF TERMS AND CONDITIONS

#### How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey

the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.  
Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1335 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type
`show w'. This is free software, and you are welcome to redistribute
it under certain conditions; type `show c' for details.
```

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

```
Yoyodyne, Inc., hereby disclaims all copyright interest in the
program `Gnomovision' (which makes passes at compilers) written by
James Hacker.
```

```
signature of Ty Coon, 1 April 1989
Ty Coon, President of Vice
```

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you

may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

#

Certain source files distributed by Oracle America, Inc. and/or its affiliates are subject to the following clarification and special exception to the GPLv2, based on the GNU Project exception for its Classpath libraries, known as the GNU Classpath Exception, but only where Oracle has expressly included in the particular source file's header the words "Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code."

You should also note that Oracle includes multiple, independent programs in this software package. Some of those programs are provided under licenses deemed incompatible with the GPLv2 by the Free Software Foundation and others. For example, the package includes programs licensed under the Apache License, Version 2.0. Such programs are licensed to you under their original licenses.

Oracle facilitates your further distribution of this package by adding the Classpath Exception to the necessary parts of its GPLv2 code, which permits you to use that code in combination with other independent modules not licensed under the GPLv2. However, note that this would not permit you to commingle code under an incompatible license with Oracle's GPLv2 licensed code by, for example, cutting and pasting such code into a file also containing Oracle's GPLv2 licensed code and then distributing the result. Additionally, if you were to remove the Classpath Exception from any of the files to which it applies and distribute the result, you would likely be required to license some or all of the other code in that distribution under the GPLv2 as well, and since the GPLv2 is incompatible with the license terms of some items included in the distribution by Oracle, removing the Classpath Exception could therefore effectively compromise your ability to further distribute the package.

Proceed with caution and we recommend that you obtain the advice of a lawyer skilled in open source matters before removing the Classpath Exception or making modifications to this package which may subsequently be redistributed and/or involve the use of third party software.

#### CLASSPATH EXCEPTION

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License version 2 cover the whole

combination.

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module. An independent module is a module which is not derived from or based on this library. If you modify this library, you may extend this exception to your version of the library, but you are not obligated to do so. If you do not wish to do so, delete this exception statement from your version.

## 1.200 rxjava 1.2.9

### 1.200.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/**
 * Copyright 2014 Netflix, Inc.
 * <p/>
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 * <p/>
 * http://www.apache.org/licenses/LICENSE-2.0
 * <p/>
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1294624893_1648234539.84/0/rxjava-1-2-9-sources-
jar/rx/internal/util/ScalarSynchronousSingle.java
No license file was found, but licenses were detected in source scan.
```

```
/*
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
```

\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*  
\* Original License: <https://github.com/JCTools/JCTools/blob/master/LICENSE>  
\* Original location: <https://github.com/JCTools/JCTools/blob/master/jctools-core/src/main/java/org/jctools/queues/atomic/SpSCUnboundedAtomicArrayQueue.java>  
\*/

Found in path(s):

\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/internal/util/atomic/SpSCUnboundedAtomicArrayQueue.java  
No license file was found, but licenses were detected in source scan.

=====

Copyright 2014 Netflix, Inc.

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software  
distributed under the License is distributed on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.

=====

This package "rx.internal.operators" is for internal implementation details and can change at any time.

It is excluded from the public Javadocs (<http://netflix.github.io/RxJava/javadoc/>) and should not be relied upon by any code.

In short, changes to public signatures of these classes will not be accounted for in the versioning of RxJava.

Found in path(s):

\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/internal/operators/README.md  
No license file was found, but licenses were detected in source scan.

/\*\*

\* Copyright 2014 Netflix, Inc.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*  
\* Modified from <http://www.javacodegeeks.com/2013/08/simple-and-lightweight-pool-implementation.html>  
\*/

Found in path(s):

\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/internal/util/OpenHashSet.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*  
\* Original License: <https://github.com/JCTools/JCTools/blob/master/LICENSE>  
\* Original location: <https://github.com/JCTools/JCTools/blob/master/jctools-core/src/main/java/org/jctools/queues/SpSCArrayQueue.java>  
\*/

Found in path(s):

\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/internal/util/unsafe/SpSCArrayQueue.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software



\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*  
\* Original License: <https://github.com/JCTools/JCTools/blob/master/LICENSE>  
\* Original location: <https://github.com/JCTools/JCTools/blob/master/jctools-core/src/main/java/org/jctools/queues/ConcurrentCircularArrayQueue.java>  
\*/

Found in path(s):

\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/internal/util/unsafe/ConcurrentCircularArrayQueue.java  
No license file was found, but licenses were detected in source scan.

```
/**  
 * Copyright 2014 Netflix, Inc.  
 *  
 * Licensed under the Apache License, Version 2.0 (the "License");  
 * you may not use this file except in compliance with the License.  
 * You may obtain a copy of the License at  
 *  
 * http://www.apache.org/licenses/LICENSE-2.0  
 *  
 * Unless required by applicable law or agreed to in writing, software  
 * distributed under the License is distributed on an "AS IS" BASIS,  
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
 * See the License for the specific language governing permissions and  
 * limitations under the License.  
 */  
  
 * This mechanism for getting UNSAFE originally from:  
 *  
 * Original License: https://github.com/JCTools/JCTools/blob/master/LICENSE  
 * Original location: https://github.com/JCTools/JCTools/blob/master/jctools-core/src/main/java/org/jctools/util/UnsafeAccess.java  
 */
```

Found in path(s):

\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/internal/util/unsafe/UnsafeAccess.java  
No license file was found, but licenses were detected in source scan.

```
/**  
 * Copyright 2015 Netflix, Inc.  
 *  
 * Licensed under the Apache License, Version 2.0 (the "License");  
 * you may not use this file except in compliance with the License.
```

\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/SingleSubscriber.java  
\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/internal/util/BlockingUtils.java  
\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/singles/BlockingSingle.java  
\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/observables/AsyncOnSubscribe.java  
\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/internal/operators/SingleDoAfterTerminate.java

No license file was found, but licenses were detected in source scan.

Copyright 2014 Netflix, Inc.

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE>

2.0

Unless required by applicable law or agreed to in writing, software  
distributed under the License is distributed on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.

Found in path(s):

\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/internal/operators/package.html

No license file was found, but licenses were detected in source scan.

/\*

\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*  
\* Original License: <https://github.com/JCTools/JCTools/blob/master/LICENSE>  
\* Original location: <https://github.com/JCTools/JCTools/blob/master/jctools-core/src/main/java/org/jctools/queues/atomic/BaseLinkedQueue.java>  
\*/

Found in path(s):

\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/internal/util/unsafe/BaseLinkedQueue.java

No license file was found, but licenses were detected in source scan.

/\*

\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*  
\* Original License: <https://github.com/JCTools/JCTools/blob/master/LICENSE>  
\* Original location: <https://github.com/JCTools/JCTools/blob/master/jctools-core/src/main/java/org/jctools/queues/LinkedQueueNode.java>  
\*/

Found in path(s):

\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/internal/util/atomic/LinkedQueueNode.java

No license file was found, but licenses were detected in source scan.

/\*

\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and

\* limitations under the License.

\*

\* Original License: <https://github.com/JCTools/JCTools/blob/master/LICENSE>

\* Original location: <https://github.com/JCTools/JCTools/blob/master/jctools-core/src/main/java/org/jctools/queues/SpSCLinkedQueue.java>

\*/

Found in path(s):

\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/internal/util/unsafe/SpSCLinkedQueue.java

No license file was found, but licenses were detected in source scan.

/\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*

\* Original License: <https://github.com/JCTools/JCTools/blob/master/LICENSE>

\* Original location: <https://github.com/JCTools/JCTools/blob/master/jctools-core/src/main/java/org/jctools/queues/atomic/AtomicReferenceArrayQueue.java>

\*/

Found in path(s):

\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/internal/util/atomic/AtomicReferenceArrayQueue.java

No license file was found, but licenses were detected in source scan.

/\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*

\* Original License: <https://github.com/JCTools/JCTools/blob/master/LICENSE>  
\* Original location: <https://github.com/JCTools/JCTools/blob/master/jctools-core/src/main/java/org/jctools/queues/SpSCUnboundedArrayQueue.java>  
\*/

Found in path(s):

\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/internal/util/unsafe/SpSCUnboundedArrayQueue.java

No license file was found, but licenses were detected in source scan.

/\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*

\* Original License: <https://github.com/JCTools/JCTools/blob/master/LICENSE>

\* Original location: <https://github.com/JCTools/JCTools/blob/master/jctools-core/src/main/java/org/jctools/util/Pow2.java>

\*/

Found in path(s):

\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/internal/util/unsafe/Pow2.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Copyright 2016 Netflix, Inc.

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not

\* use this file except in compliance with the License. You may obtain a copy of

\* the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT

\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the

\* License for the specific language governing permissions and limitations under

\* the License.

\*/

Found in path(s):

- \* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/internal/operators/OnSubscribePublishMulticast.java
- \* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/internal/schedulers/SchedulerLifecycle.java
- \* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/internal/operators/OnSubscribeFromCallable.java
- \* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/internal/util/ExceptionsUtils.java
- \* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/internal/util/SuppressAnimalSniffer.java
- \* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/internal/operators/OnSubscribeTakeLastOne.java
- \* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/internal/operators/DeferredScalarSubscriber.java
- \* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/internal/operators/OnSubscribeReduce.java
- \* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/internal/operators/SingleOnSubscribeUsing.java
- \* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/internal/operators/SingleOperatorOnErrorResumeNext.java
- \* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/internal/operators/DeferredScalarSubscriberSafe.java
- \* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/internal/operators/OnSubscribeReduceSeed.java
- \* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/internal/operators/OnSubscribeCollect.java
- \* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/internal/operators/SingleOperatorZip.java
- \* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/internal/operators/OnSubscribeConcatMap.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Copyright 2015 Netflix, Inc.

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in

\* compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License is

\* distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See

\* the License for the specific language governing permissions and limitations under the License.

\*/

Found in path(s):

- \* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-

jar/rx/internal/operators/OnSubscribeCombineLatest.java

\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/Single.java

No license file was found, but licenses were detected in source scan.

/\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*

\* Original License: <https://github.com/JCTools/JCTools/blob/master/LICENSE>

\* Original location: <https://github.com/JCTools/JCTools/blob/master/jctools-core/src/main/java/org/jctools/queues/atomic/SpscLinkedAtomicQueue.java>

\*/

Found in path(s):

\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-

jar/rx/internal/util/atomic/SpscLinkedAtomicQueue.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Copyright 2014 Netflix, Inc.

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not

\* use this file except in compliance with the License. You may obtain a copy of

\* the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT

\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the

\* License for the specific language governing permissions and limitations under

\* the License.

\*/

Found in path(s):

\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-

jar/rx/internal/operators/OperatorDoAfterTerminate.java

\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-

jar/rx/internal/operators/OperatorMapPair.java

\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/internal/util/atomic/SpSCLinkedListArrayQueue.java  
\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/internal/operators/OperatorBufferWithStartEndObservable.java  
\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/internal/operators/OperatorWindowWithObservable.java  
\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/internal/operators/OperatorWindowWithTime.java  
\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/internal/operators/OperatorBufferWithTime.java  
\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/internal/operators/OperatorOnBackpressureLatest.java  
\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/internal/schedulers/ExecutorScheduler.java  
\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/internal/operators/OperatorDebounceWithSelector.java  
\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/internal/operators/SingleOnSubscribeDelaySubscriptionOther.java  
\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/internal/operators/OperatorWindowWithObservableFactory.java  
\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/internal/operators/OperatorSampleWithObservable.java  
\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/internal/operators/OnSubscribeTimerOnce.java  
\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/internal/schedulers/ScheduledAction.java  
\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/internal/operators/OperatorBufferWithSize.java  
\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/internal/schedulers/NewThreadWorker.java  
\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/internal/operators/OperatorSkipUntil.java  
\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/functions/Actions.java  
\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/internal/operators/OperatorEagerConcatMap.java  
\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/internal/operators/OperatorMulticast.java  
\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/internal/util/RxThreadFactory.java  
\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/internal/operators/OperatorPublish.java  
\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/internal/operators/OperatorDistinct.java  
\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/internal/operators/OnSubscribeDelaySubscription.java  
\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/internal/operators/OnSubscribeRefCount.java  
\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/internal/operators/OperatorWindowWithSize.java



\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/internal/operators/OperatorSwitch.java  
\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/internal/operators/OperatorDelayWithSelector.java  
\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/internal/operators/OnSubscribeSkipTimed.java  
\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/internal/operators/OperatorTakeTimed.java  
\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/internal/operators/OnSubscribeDelaySubscriptionWithSelector.java  
\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/internal/operators/OperatorWithLatestFrom.java  
\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/internal/operators/OnSubscribeDelaySubscriptionOther.java  
\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/internal/operators/OperatorSampleWithTime.java  
\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/internal/operators/OperatorRetryWithPredicate.java  
\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/internal/util/PlatformDependent.java  
\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/internal/operators/OperatorDebounceWithTime.java  
\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/internal/operators/OperatorWindowWithStartEndObservable.java  
\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/internal/operators/OnSubscribeTimerPeriodically.java  
\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/internal/operators/OperatorBufferWithSingleObservable.java  
\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/internal/operators/OperatorDistinctUntilChanged.java  
No license file was found, but licenses were detected in source scan.

/\*\*

\* Copyright 2014 Netflix, Inc.

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in

\* compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License is

\* distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See

\* the License for the specific language governing permissions and limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/Observable.java

\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/internal/util/UtilityFunctions.java

No license file was found, but licenses were detected in source scan.

```
/*
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 *
 * Original License: https://github.com/JCTools/JCTools/blob/master/LICENSE
 * Original location: https://github.com/JCTools/JCTools/blob/master/jctools-
core/src/main/java/org/jctools/queues/SpmcArrayQueue.java
 */
```

Found in path(s):

```
*/opt/cola/permits/1294624893_1648234539.84/0/rxjava-1-2-9-sources-
jar/rx/internal/util/unsafe/SpmcArrayQueue.java
```

No license file was found, but licenses were detected in source scan.

```
/*
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 *
 * Inspired from https://code.google.com/p/guava-
libraries/source/browse/guava/src/com/google/common/annotations/Beta.java
 */
```

Found in path(s):

```
*/opt/cola/permits/1294624893_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/annotations/Experimental.java
```

No license file was found, but licenses were detected in source scan.

```
/*
 * Licensed under the Apache License, Version 2.0 (the "License");
```

\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*  
\* Original License: <https://github.com/JCTools/JCTools/blob/master/LICENSE>  
\* Original location: <https://github.com/JCTools/JCTools/blob/master/jctools-core/src/main/java/org/jctools/queues/atomic/SpscAtomicArrayQueue.java>  
\*/

Found in path(s):

\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/internal/util/atomic/SpscExactAtomicArrayQueue.java  
\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/internal/util/atomic/SpscAtomicArrayQueue.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Copyright 2016 Netflix, Inc.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/internal/operators/SingleDoOnSubscribe.java  
\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/exceptions/AssemblyStackTraceException.java  
\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/internal/operators/EmptyObservableHolder.java  
\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/internal/operators/SingleFromFuture.java

\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/plugins/RxJavaSingleExecutionHookDefault.java  
\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/internal/operators/SingleDoOnUnsubscribe.java  
\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/internal/operators/SingleFromEmitter.java  
\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/plugins/RxJavaCompletableExecutionHook.java  
\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/internal/schedulers/GenericScheduledExecutorServiceFactory.java  
\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/internal/subscriptions/CancellableSubscription.java  
\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/internal/util/ActionObserver.java  
\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/internal/operators/OnSubscribeThrow.java  
\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/internal/operators/SingleOnErrorReturn.java  
\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/plugins/package-info.java  
\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/exceptions/package-info.java  
\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/internal/schedulers/SchedulePeriodicHelper.java  
\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/internal/operators/SingleDelay.java  
\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/subscriptions/package-info.java  
\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/Emitter.java  
\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/observers/package-info.java  
\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/internal/operators/CompletableFlatMapSingleToCompletable.java  
\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/BackpressureOverflow.java  
\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/internal/operators/SingleObserveOn.java  
\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/annotations/package-info.java  
\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/plugins/RxJavaHooks.java  
\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/internal/operators/SingleTimeout.java  
\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/internal/operators/OnSubscribeDetach.java  
\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/internal/operators/SingleFromCallable.java  
\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/singles/package-info.java  
\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/internal/operators/OnSubscribeOnAssemblySingle.java  
\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/internal/operators/OnSubscribeOnAssembly.java  
\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/internal/schedulers/SchedulerWhen.java  
\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/internal/util/ActionNotificationObserver.java  
\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-

jar/rx/plugins/RxJavaSingleExecutionHook.java  
\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/internal/operators/SingleTakeUntilObservable.java  
\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/internal/operators/SingleTakeUntilSingle.java  
\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/internal/operators/SingleFromObservable.java  
\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/internal/operators/SingleTakeUntilCompletable.java  
\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/internal/operators/OnSubscribeFlattenIterable.java  
\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/functions/Cancellable.java  
\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/observers/SafeCompletableSubscriber.java  
\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/internal/operators/NeverObservableHolder.java  
\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/observers/AsyncCompletableSubscriber.java  
\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/observables/package-info.java  
\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/internal/operators/OnSubscribeOnAssemblyCompletable.java  
\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/internal/observers/AssertableSubscriberObservable.java  
\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/observers/AssertableSubscriber.java  
\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/functions/package-info.java  
\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/internal/operators/OnSubscribeCreate.java  
\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/internal/operators/OnSubscribeLift.java  
\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/internal/operators/SingleLiftObservableOperator.java  
\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/internal/util/ActionSubscriber.java  
\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/internal/subscriptions/Unsubscribed.java  
\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/internal/util/InternalObservableUtils.java  
\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/internal/util/ObserverSubscriber.java  
\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/subjects/package-info.java  
\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/internal/operators/SingleToObservable.java  
No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2010 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*  
\* Originally from <https://code.google.com/p/guava-libraries/source/browse/guava/src/com/google/common/annotations/Beta.java>  
\*/

Found in path(s):

\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/annotations/Beta.java

No license file was found, but licenses were detected in source scan.

This package contains code that relies on `sun.misc.Unsafe`. Before using it you MUST assert `UnsafeAccess.isUnsafeAvailable() == true`

Much of the code in this package comes from or is inspired by the JCTools project:  
<https://github.com/JCTools/JCTools>

JCTools has now published artifacts (<https://github.com/JCTools/JCTools/issues/17>) so RxJava could add JCTools as a "shadow" dependency (<https://github.com/ReactiveX/RxJava/issues/1735>).

RxJava has a "zero dependency" policy for the core library, so if we do add it as a dependency, it won't be an externally visible dependency that results in a separate jar.

The license for the JCTools code is <https://github.com/JCTools/JCTools/blob/master/LICENSE>

As of June 10 2014 when this code was copied the LICENSE read as:

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common

control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
  - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
  - (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
  - (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
  - (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or



documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.
6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. **Disclaimer of Warranty.** Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. **Limitation of Liability.** In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill,

work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "{}" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright {yyyy} {name of copyright owner}

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Found in path(s):

\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/internal/util/unsafe/README.md  
No license file was found, but licenses were detected in source scan.

/\*\*

\* Copyright 2015 Netflix, Inc.

\*  
\* Licensed under the Apache License, Version 2.0 (the "License"); you may not  
\* use this file except in compliance with the License. You may obtain a copy of  
\* the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations under  
\* the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-  
jar/rx/internal/producers/QueuedProducer.java  
\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-  
jar/rx/internal/producers/QueuedValueProducer.java  
\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-  
jar/rx/internal/operators/BackpressureUtils.java  
\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-  
jar/rx/internal/producers/SingleDelayedProducer.java  
\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-  
jar/rx/internal/producers/ProducerArbiter.java  
\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-  
jar/rx/internal/producers/ProducerObserverArbiter.java  
\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-  
jar/rx/internal/producers/SingleProducer.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*  
\* Original License: <https://github.com/JCTools/JCTools/blob/master/LICENSE>  
\* Original location: <https://github.com/JCTools/JCTools/blob/master/jctools-core/src/main/java/org/jctools/queues/MpscLinkedQueue.java>  
\*/

Found in path(s):

\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/internal/util/unsafe/MpscLinkedQueue.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Copyright one 2014 Netflix, Inc.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/internal/operators/OnSubscribeToMultimap.java

No license file was found, but licenses were detected in source scan.

/\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*

\* Original License: <https://github.com/JCTools/JCTools/blob/master/LICENSE>

\* Original location: <https://github.com/JCTools/JCTools/blob/master/jctools-core/src/main/java/org/jctools/queues/MpmcArrayQueue.java>

\*/

Found in path(s):

\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/internal/util/unsafe/MpmcArrayQueue.java

No license file was found, but licenses were detected in source scan.

```
/**
 * Copyright 2014 Netflix, Inc.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1294624893_1648234539.84/0/rxjava-1-2-9-sources-
jar/rx/internal/operators/BlockingOperatorToFuture.java
* /opt/cola/permits/1294624893_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/internal/operators/OperatorCast.java
* /opt/cola/permits/1294624893_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/observers/SerializedSubscriber.java
* /opt/cola/permits/1294624893_1648234539.84/0/rxjava-1-2-9-sources-
jar/rx/internal/operators/CompletableOnSubscribeMergeDelayErrorArray.java
* /opt/cola/permits/1294624893_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/Subscriber.java
* /opt/cola/permits/1294624893_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/subjects/SerializedSubject.java
* /opt/cola/permits/1294624893_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/functions/Action0.java
* /opt/cola/permits/1294624893_1648234539.84/0/rxjava-1-2-9-sources-
jar/rx/internal/operators/OperatorSkipLastTimed.java
* /opt/cola/permits/1294624893_1648234539.84/0/rxjava-1-2-9-sources-
jar/rx/internal/operators/OnSubscribeAutoConnect.java
* /opt/cola/permits/1294624893_1648234539.84/0/rxjava-1-2-9-sources-
jar/rx/internal/operators/OperatorUnsubscribeOn.java
* /opt/cola/permits/1294624893_1648234539.84/0/rxjava-1-2-9-sources-
jar/rx/observables/ConnectableObservable.java
* /opt/cola/permits/1294624893_1648234539.84/0/rxjava-1-2-9-sources-
jar/rx/internal/operators/OperatorTakeWhile.java
* /opt/cola/permits/1294624893_1648234539.84/0/rxjava-1-2-9-sources-
jar/rx/internal/operators/OperatorTakeUntil.java
* /opt/cola/permits/1294624893_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/observers/TestObserver.java
* /opt/cola/permits/1294624893_1648234539.84/0/rxjava-1-2-9-sources-
jar/rx/internal/operators/OnSubscribeDefer.java
* /opt/cola/permits/1294624893_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/Scheduler.java
* /opt/cola/permits/1294624893_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/internal/util/SubscriptionList.java
* /opt/cola/permits/1294624893_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/Observer.java
* /opt/cola/permits/1294624893_1648234539.84/0/rxjava-1-2-9-sources-
jar/rx/internal/util/BackpressureDrainManager.java
```

\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/internal/operators/OperatorDoOnRequest.java  
\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/internal/operators/BufferUntilSubscriber.java  
\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/internal/operators/OperatorMaterialize.java  
\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/subscriptions/Subscriptions.java  
\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/functions/Action3.java  
\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/internal/operators/OperatorOnErrorResumeNextViaFunction.java  
\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/functions/Func4.java  
\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/subscriptions/MultipleAssignmentSubscription.java  
\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/observers/TestSubscriber.java  
\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/Producer.java  
\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/observers/Subscribers.java  
\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/internal/schedulers/CachedThreadScheduler.java  
\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/functions/Action1.java  
\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/internal/operators/OperatorSkip.java  
\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/internal/operators/CompletableOnSubscribeMergeArray.java  
\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/plugins/RxJavaObservableExecutionHookDefault.java  
\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/internal/schedulers/TrampolineScheduler.java  
\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/Notification.java  
\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/internal/util/RxRingBuffer.java  
\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/subjects/Subject.java  
\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/functions/Action.java  
\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/functions/Func1.java  
\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/internal/operators/CompletableOnSubscribeMergeIterable.java  
\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/internal/operators/OperatorTakeLastTimed.java  
\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/functions/Action7.java  
\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/internal/operators/OnSubscribeFromArray.java  
\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/functions/Functions.java  
\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/exceptions/MissingBackpressureException.java  
\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/internal/operators/CompletableOnSubscribeConcatIterable.java  
\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/internal/operators/OperatorToObservableList.java  
\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/internal/operators/OperatorDelay.java  
\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-

jar/rx/internal/operators/SingleOnSubscribeMap.java  
\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/subjects/PublishSubject.java  
\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/functions/ActionN.java  
\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/schedulers/TestScheduler.java  
\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/internal/operators/BlockingOperatorToIterator.java  
\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/internal/subscriptions/SequentialSubscription.java  
\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/internal/operators/OperatorDoOnSubscribe.java  
\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/schedulers/TimeInterval.java  
\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/schedulers/NewThreadScheduler.java  
\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/plugins/RxJavaObservableExecutionHook.java  
\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/internal/operators/CompletableOnSubscribeMerge.java  
\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/internal/operators/OperatorTakeUntilPredicate.java  
\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/exceptions/OnErrorThrowable.java  
\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/internal/operators/OperatorOnBackpressureDrop.java  
\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/internal/operators/OperatorToObservableSortedList.java  
\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/internal/operators/OperatorGroupBy.java  
\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/internal/operators/OnSubscribeMap.java  
\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/internal/schedulers/EventLoopsScheduler.java  
\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/subjects/TestSubject.java  
\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/internal/operators/OperatorDematerialize.java  
\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/functions/Action4.java  
\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/functions/Function.java  
\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/observables/BlockingObservable.java  
\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/internal/operators/OperatorTimeInterval.java  
\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/subscriptions/CompositeSubscription.java  
\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/internal/schedulers/ImmediateScheduler.java  
\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/internal/operators/NotificationLite.java  
\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/observables/GroupedObservable.java  
\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/schedulers/Schedulers.java  
\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-

jar/rx/internal/operators/OperatorMerge.java  
\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/schedulers/ImmediateScheduler.java  
\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/functions/Func5.java  
\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/Completable.java  
\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/functions/Action9.java  
\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/package-info.java  
\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/internal/operators/BlockingOperatorMostRecent.java  
\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/subscriptions/RefCountSubscription.java  
\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/functions/FuncN.java  
\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/subscriptions/BooleanSubscription.java  
\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/internal/operators/OperatorTakeLast.java  
\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/internal/operators/OperatorObserveOn.java  
\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/exceptions/OnCompletedFailedException.java  
\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/internal/operators/OnSubscribeSwitchIfEmpty.java  
\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/internal/schedulers/SleepingAction.java  
\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/observables/SyncOnSubscribe.java  
\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/subscriptions/SerialSubscription.java  
\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/internal/schedulers/NewThreadScheduler.java  
\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/functions/Action8.java  
\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/internal/operators/OnSubscribeFilter.java  
\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/internal/operators/OnSubscribeSingle.java  
\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/internal/operators/OperatorTimestamp.java  
\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/internal/schedulers/GenericScheduledExecutorService.java  
\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/functions/Func2.java  
\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/functions/Action5.java  
\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/exceptions/UnsubscribeFailedException.java  
\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/internal/operators/OperatorTimeoutWithSelector.java  
\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/internal/operators/OperatorZipIterable.java  
\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/internal/operators/OperatorSequenceEqual.java  
\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/internal/operators/OperatorAll.java  
\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/internal/operators/OperatorZip.java



\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/internal/operators/OperatorTimeoutBase.java  
\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/internal/operators/OperatorAsObservable.java  
\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/internal/operators/OnSubscribeGroupJoin.java  
\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/subjects/AsyncSubject.java  
\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/functions/Func3.java  
\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/internal/util/IndexedRingBuffer.java  
\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/internal/operators/OperatorIgnoreElements.java  
\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/functions/Func8.java  
\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/internal/util/ScalarSynchronousObservable.java  
\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/internal/operators/BlockingOperatorLatest.java  
\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/observers/Observers.java  
\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/internal/operators/SingleDoOnEvent.java  
\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/functions/Action2.java  
\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/internal/operators/OperatorScan.java  
\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/subjects/SubjectSubscriptionManager.java  
\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/plugins/RxJavaErrorHandler.java  
\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/internal/operators/CompletableOnSubscribeConcatArray.java  
\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/internal/operators/OnSubscribeFromIterable.java  
\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/internal/operators/OperatorAny.java  
\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/exceptions/Exceptions.java  
\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/functions/Func6.java  
\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/internal/operators/OperatorReplay.java  
\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/schedulers/package-info.java  
\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/exceptions/CompositeException.java  
\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/internal/operators/OnSubscribeRedo.java  
\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/observers/SerializedObserver.java  
\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/internal/operators/OperatorSkipLast.java  
\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/internal/operators/OnSubscribeToObservableFuture.java  
\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/internal/operators/OperatorDoOnUnsubscribe.java  
\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/functions/Action6.java  
\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/internal/operators/OperatorSkipWhile.java  
\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-

jar/rx/internal/operators/CompletableOnSubscribeTimeout.java  
\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-  
jar/rx/internal/operators/OperatorTimeout.java  
\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/functions/Func9.java  
\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-  
jar/rx/internal/operators/OperatorMapNotification.java  
\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/subjects/ReplaySubject.java  
\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-  
jar/rx/internal/operators/CompletableOnSubscribeMergeDelayErrorIterable.java  
\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/schedulers/TrampolineScheduler.java  
\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-  
jar/rx/internal/operators/CompletableOnSubscribeConcat.java  
\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-  
jar/rx/exceptions/OnErrorNotImplementedException.java  
\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/functions/Func0.java  
\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-  
jar/rx/internal/operators/CachedObservable.java  
\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/subjects/UnicastSubject.java  
\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-  
jar/rx/internal/operators/OnSubscribeRange.java  
\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-  
jar/rx/internal/operators/OnSubscribeAmb.java  
\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-  
jar/rx/internal/operators/OperatorThrottleFirst.java  
\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-  
jar/rx/internal/operators/OnSubscribeToMap.java  
\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/plugins/RxJavaPlugins.java  
\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-  
jar/rx/internal/operators/OnSubscribeUsing.java  
\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-  
jar/rx/internal/operators/OperatorOnBackpressureBuffer.java  
\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-  
jar/rx/internal/operators/OperatorSingle.java  
\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-  
jar/rx/internal/operators/OnSubscribeJoin.java  
\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/internal/util/LinkedList.java  
\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/observers/SafeSubscriber.java  
\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-  
jar/rx/exceptions/OnErrorFailedException.java  
\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-  
jar/rx/internal/operators/OnSubscribeDoOnEach.java  
\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-  
jar/rx/internal/operators/OperatorWithLatestFromMany.java  
\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/functions/Func7.java  
\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/Subscription.java  
\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-  
jar/rx/internal/operators/OperatorSerialize.java  
\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/subjects/BehaviorSubject.java

\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/internal/operators/OperatorTake.java  
\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/internal/operators/OperatorElementAt.java  
\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/schedulers/Stamped.java  
\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/internal/operators/OperatorSubscribeOn.java  
\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/internal/operators/BlockingOperatorNext.java

No license file was found, but licenses were detected in source scan.

/\*

\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*  
\* Original License: <https://github.com/JCTools/JCTools/blob/master/LICENSE>  
\* Original location: <https://github.com/JCTools/JCTools/blob/master/jctools-core/src/main/java/org/jctools/queues/atomic/MpscLinkedAtomicQueue.java>  
\*/

Found in path(s):

\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/internal/util/atomic/MpscLinkedAtomicQueue.java

No license file was found, but licenses were detected in source scan.

/\*

\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*  
\* Original License: <https://github.com/JCTools/JCTools/blob/master/LICENSE>  
\* Original location: [---

Open Source Used In AppDynamics\\_Cloud\\_Alerting\\_Health\\_Rule\\_API 2.0-310 1499](https://github.com/JCTools/JCTools/blob/master/jctools-</a></p></div><div data-bbox=)

core/src/main/java/org/jctools/queues/MessagePassingQueue.java

\*/

Found in path(s):

\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/internal/util/unsafe/MessagePassingQueue.java

No license file was found, but licenses were detected in source scan.

/\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*

\* Original License: <https://github.com/JCTools/JCTools/blob/master/LICENSE>

\* Original location: <https://github.com/JCTools/JCTools/blob/master/jctools-core/src/main/java/org/jctools/queues/QueueProgressIndicators.java>

\*/

Found in path(s):

\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/internal/util/unsafe/QueueProgressIndicators.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Copyright 2017 Netflix, Inc.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

```
* /opt/cola/permits/1294624893_1648234539.84/0/rxjava-1-2-9-sources-
jar/rx/internal/operators/OnSubscribeFlatMapCompletable.java
* /opt/cola/permits/1294624893_1648234539.84/0/rxjava-1-2-9-sources-
jar/rx/internal/operators/OnSubscribeFlatMapSingle.java
No license file was found, but licenses were detected in source scan.
```

```
/*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*
* Original License: https://github.com/JCTools/JCTools/blob/master/LICENSE
* Original location: https://github.com/JCTools/JCTools/blob/master/jctools-
core/src/main/java/org/jctools/queues/ConcurrentSequencedCircularArrayQueue.java
*/
```

Found in path(s):

```
* /opt/cola/permits/1294624893_1648234539.84/0/rxjava-1-2-9-sources-
jar/rx/internal/util/unsafe/ConcurrentSequencedCircularArrayQueue.java
No license file was found, but licenses were detected in source scan.
```

```
/**
* Copyright 2014 Netflix, Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

```
/**
* This plugin class provides 2 ways to customize {@link Scheduler} functionality
* 1. You may redefine entire schedulers, if you so choose. To do so, override
* the 3 methods that return Scheduler (io(), computation(), newThread()).
```

\* 2. You may wrap/decorate an { @link Action0}, before it is handed off to a Scheduler. The system-  
\* supplied Schedulers (Schedulers.ioScheduler, Schedulers.computationScheduler,  
\* Scheduler.newThreadScheduler) all use this hook, so it's a convenient way to  
\* modify Scheduler functionality without redefining Schedulers wholesale.  
\*  
\* Also, when redefining Schedulers, you are free to use/not use the onSchedule decoration hook.  
\* <p>  
\* See { @link RxJavaPlugins } or the RxJava GitHub Wiki for information on configuring plugins:  
\* <a  
href="https://github.com/ReactiveX/RxJava/wiki/Plugins">https://github.com/ReactiveX/RxJava/wiki/Plugins</a>.  
\*/

Found in path(s):

\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/plugins/RxJavaSchedulersHook.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* http://www.apache.org/licenses/LICENSE-2.0  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*  
\* Original License: https://github.com/JCTools/JCTools/blob/master/LICENSE  
\* Original location: https://github.com/JCTools/JCTools/blob/master/jctools-  
core/src/main/java/org/jctools/queues/atomic/BaseLinkedAtomicQueue.java  
\*/

Found in path(s):

\* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-  
jar/rx/internal/util/atomic/BaseLinkedAtomicQueue.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright 2016 Netflix, Inc.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* http://www.apache.org/licenses/LICENSE-2.0  
\*  
\*/

- \* Unless required by applicable law or agreed to in writing, software
- \* distributed under the License is distributed on an "AS IS" BASIS,
- \* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- \* See the License for the specific language governing permissions and
- \* limitations under the License.
- \*/

Found in path(s):

- \* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/SingleEmitter.java
- \* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/CompletableEmitter.java
- \* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/CompletableSubscriber.java
- \* /opt/cola/permits/1294624893\_1648234539.84/0/rxjava-1-2-9-sources-jar/rx/internal/operators/CompletableFromEmitter.java

## 1.201 jackson-module-scala 2.13.2

### 1.201.1 Available under license :

This copy of Jackson JSON processor Scala module is licensed under the Apache (Software) License, version 2.0 ("the License").

See the License for details about distribution rights, and the specific rights regarding derivative works.

You may obtain a copy of the License at:

<http://www.apache.org/licenses/LICENSE-2.0>

## 1.202 kafka-protobuf-provider 5.5.5

### 1.202.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
<project xmlns="http://maven.apache.org/POM/4.0.0" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xsi:schemaLocation="http://maven.apache.org/POM/4.0.0 http://maven.apache.org/xsd/maven-4.0.0.xsd">
```

```
<modelVersion>4.0.0</modelVersion>
```

```
<parent>
```

```
<groupId>io.confluent</groupId>
```

```
<artifactId>kafka-schema-registry-parent</artifactId>
```

```
<version>5.5.5</version>
```

```
</parent>
```

```
<licenses>
```

```
<license>
```

```
<name>Confluent Community License</name>
```

```
<url>http://www.confluent.io/confluent-community-license</url>
```

```
    <distribution>repo</distribution>
  </license>
</license>
  <name>Apache License 2.0</name>
  <url>http://www.apache.org/licenses/LICENSE-2.0.html</url>
  <distribution>repo</distribution>
</license>
</licenses>
```

```
<artifactId>kafka-protobuf-provider</artifactId>
<packaging>jar</packaging>
<name>kafka-protobuf-provider</name>
```

```
<dependencies>
  <dependency>
    <groupId>com.squareup.wire</groupId>
    <artifactId>wire-schema</artifactId>
  </dependency>
  <dependency>
    <groupId>org.jetbrains.kotlin</groupId>
    <artifactId>kotlin-stdlib</artifactId>
  </dependency>
  <dependency>
    <groupId>com.google.protobuf</groupId>
    <artifactId>protobuf-java</artifactId>
  </dependency>
  <dependency>
    <groupId>com.google.protobuf</groupId>
    <artifactId>protobuf-java-util</artifactId>
  </dependency>
  <dependency>
    <groupId>io.confluent</groupId>
    <artifactId>kafka-schema-registry-client</artifactId>
  </dependency>
  <dependency>
    <groupId>org.mockito</groupId>
    <artifactId>mockito-core</artifactId>
    <scope>test</scope>
  </dependency>
  <dependency>
    <groupId>junit</groupId>
    <artifactId>junit</artifactId>
    <scope>test</scope>
  </dependency>
</dependencies>
```

```
<build>
  <plugins>
```



```
<plugin>
  <groupId>com.github.os72</groupId>
  <artifactId>protoc-jar-maven-plugin</artifactId>
</plugin>
</plugins>
</build>
</project>
```

Found in path(s):

```
* /opt/cola/permits/1340031662_1654757729.7702703/0/kafka-protobuf-provider-5-5-5-jar/META-INF/maven/io.confluent/kafka-protobuf-provider/pom.xml
```

## 1.203 jackson-core 2.13.2

### 1.203.1 Available under license :

# Jackson JSON processor

Jackson is a high-performance, Free/Open Source JSON processing library. It was originally written by Tatu Saloranta (tatu.saloranta@iki.fi), and has been in development since 2007. It is currently developed by a community of developers.

## Licensing

Jackson 2.x core and extension components are licensed under Apache License 2.0. To find the details that apply to this artifact see the accompanying LICENSE file.

## Credits

A list of contributors may be found from CREDITS(-2.x) file, which is included in some artifacts (usually source distributions); but is always available from the source code management (SCM) system project uses.

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

#### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

##### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity

on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
  - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
  - (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
  - (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
  - (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one

of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a

result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. **Accepting Warranty or Additional Liability.** While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

## 1.204 feign-core 8.18.0

## 1.204.1 Available under license :

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2015 Netflix, Inc.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1274700542\_1645235077.45/0/feign-core-8-18-0-sources-jar/feign/Param.java

\* /opt/cola/permits/1274700542\_1645235077.45/0/feign-core-8-18-0-sources-jar/feign/QueryParam.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2014 Netflix, Inc.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1274700542\_1645235077.45/0/feign-core-8-18-0-sources-jar/feign/InvocationHandlerFactory.java

\* /opt/cola/permits/1274700542\_1645235077.45/0/feign-core-8-18-0-sources-jar/feign/SynchronousMethodHandler.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2008 Google Inc.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1274700542\_1645235077.45/0/feign-core-8-18-0-sources-jar/feign/Types.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright 2013 Netflix, Inc.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1274700542\_1645235077.45/0/feign-core-8-18-0-sources-jar/feign/Response.java  
\* /opt/cola/permits/1274700542\_1645235077.45/0/feign-core-8-18-0-sources-jar/feign/codec/ErrorDecoder.java  
\* /opt/cola/permits/1274700542\_1645235077.45/0/feign-core-8-18-0-sources-jar/feign/Contract.java  
\* /opt/cola/permits/1274700542\_1645235077.45/0/feign-core-8-18-0-sources-jar/feign/codec/EncodeException.java  
\* /opt/cola/permits/1274700542\_1645235077.45/0/feign-core-8-18-0-sources-jar/feign/Request.java  
\* /opt/cola/permits/1274700542\_1645235077.45/0/feign-core-8-18-0-sources-jar/feign/RequestInterceptor.java  
\* /opt/cola/permits/1274700542\_1645235077.45/0/feign-core-8-18-0-sources-jar/feign/auth/Base64.java  
\* /opt/cola/permits/1274700542\_1645235077.45/0/feign-core-8-18-0-sources-jar/feign/Util.java  
\* /opt/cola/permits/1274700542\_1645235077.45/0/feign-core-8-18-0-sources-jar/feign/RequestTemplate.java  
\* /opt/cola/permits/1274700542\_1645235077.45/0/feign-core-8-18-0-sources-jar/feign/Client.java  
\* /opt/cola/permits/1274700542\_1645235077.45/0/feign-core-8-18-0-sources-jar/feign/codec/StringDecoder.java  
\* /opt/cola/permits/1274700542\_1645235077.45/0/feign-core-8-18-0-sources-jar/feign/codec/DecodeException.java

```
* /opt/cola/permits/1274700542_1645235077.45/0/feign-core-8-18-0-sources-jar/feign/FeignException.java
* /opt/cola/permits/1274700542_1645235077.45/0/feign-core-8-18-0-sources-jar/feign/Target.java
* /opt/cola/permits/1274700542_1645235077.45/0/feign-core-8-18-0-sources-
jar/feign/auth/BasicAuthRequestInterceptor.java
* /opt/cola/permits/1274700542_1645235077.45/0/feign-core-8-18-0-sources-jar/feign/RetryableException.java
* /opt/cola/permits/1274700542_1645235077.45/0/feign-core-8-18-0-sources-jar/feign/Logger.java
* /opt/cola/permits/1274700542_1645235077.45/0/feign-core-8-18-0-sources-jar/feign/ReflectiveFeign.java
* /opt/cola/permits/1274700542_1645235077.45/0/feign-core-8-18-0-sources-jar/feign/Retryer.java
* /opt/cola/permits/1274700542_1645235077.45/0/feign-core-8-18-0-sources-jar/feign/Feign.java
* /opt/cola/permits/1274700542_1645235077.45/0/feign-core-8-18-0-sources-jar/feign/MethodMetadata.java
No license file was found, but licenses were detected in source scan.
```

```
/*
* Copyright 2013 Netflix, Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):

```
* /opt/cola/permits/1274700542_1645235077.45/0/feign-core-8-18-0-sources-jar/feign/codec/Decoder.java
* /opt/cola/permits/1274700542_1645235077.45/0/feign-core-8-18-0-sources-jar/feign/codec/Encoder.java
```

## 1.205 objenesis 2.6

### 1.205.1 Available under license :

```
// -----
// NOTICE file corresponding to the section 4d of The Apache License,
// Version 2.0, in this case for Objenesis
// -----
```

Objenesis

Copyright 2006-2017 Joe Walnes, Henri Tremblay, Leonardo Mesquita

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>



## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of

the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
  - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
  - (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
  - (c) You must retain, in the Source form of any Derivative Works

that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. **Disclaimer of Warranty.** Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A

PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

## 1.206 rxjava 2.1.10

### 1.206.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/**
 * Copyright (c) 2016-present, RxJava Contributors.
 *
 * Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in
 * compliance with the License. You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software distributed under the License is
 * distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express
 * or implied. See
 * the License for the specific language governing permissions and limitations under the License.
 */
/*
 * Original License: https://github.com/JCTools/JCTools/blob/master/LICENSE
 * Original location: https://github.com/JCTools/JCTools/blob/master/jctools-
 * core/src/main/java/org/jctools/util/Pow2.java
 */
```

Found in path(s):

`/opt/cola/permits/1274704089_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/internal/util/Pow2.java`

No license file was found, but licenses were detected in source scan.

```
/**
 * Copyright (c) 2016-present, RxJava Contributors.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
```

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/internal/schedulers/AbstractDirectTask.java

\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/internal/schedulers/SchedulerWhen.java

\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/internal/schedulers/InstantPeriodicTask.java

\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/internal/schedulers/ScheduledDirectTask.java

\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/internal/schedulers/ScheduledDirectPeriodicTask.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Copyright (c) 2016-present, RxJava Contributors.

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in

\* compliance with the License. You may obtain a copy of the License at

\* <http://www.apache.org/licenses/LICENSE-2.0>

\* Unless required by applicable law or agreed to in writing, software distributed under the License is

\* distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See

\* the License for the specific language governing permissions and limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/schedulers/SchedulerRunnableIntrospection.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Copyright (c) 2016-present, RxJava Contributors.

\* <p>

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in

\* compliance with the License. You may obtain a copy of the License at

\* <p>

\* <http://www.apache.org/licenses/LICENSE-2.0>

\* <p>

\* Unless required by applicable law or agreed to in writing, software distributed under the License is

\* distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See

\* the License for the specific language governing permissions and limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-

jar/io/reactivex/internal/operators/flowable/FlowableOnBackpressureError.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Copyright (c) 2016-present, RxJava Contributors.

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in

\* compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License is

\* distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See

\* the License for the specific language governing permissions and limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-

jar/io/reactivex/internal/operators/flowable/FlowableWithLatestFrom.java

\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-

jar/io/reactivex/internal/operators/flowable/FlowableFromObservable.java

\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-

jar/io/reactivex/internal/operators/single/SingleDelay.java

\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-

jar/io/reactivex/internal/util/QueueDrain.java

\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-

jar/io/reactivex/internal/observers/DeferredScalarObserver.java

\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-

jar/io/reactivex/internal/operators/flowable/FlowableElementAtSingle.java

\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-

jar/io/reactivex/internal/operators/flowable/FlowableSkipLastTimed.java

\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/functions/IntFunction.java

\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/ObservableOperator.java

\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-

jar/io/reactivex/internal/disposables/EmptyDisposable.java

\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-

jar/io/reactivex/internal/subscribers/SinglePostCompleteSubscriber.java

\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-

jar/io/reactivex/internal/operators/single/SingleDelayWithObservable.java

\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-

jar/io/reactivex/internal/operators/flowable/FlowableToList.java

\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-

jar/io/reactivex/internal/operators/flowable/FlowableFlatMapPublisher.java

\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-

jar/io/reactivex/ObservableOnSubscribe.java

\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-

jar/io/reactivex/internal/operators/maybe/MaybeDetach.java

\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/internal/operators/observable/ObservableDoAfterNext.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/exceptions/MissingBackpressureException.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/internal/operators/flowable/FlowableBlockingSubscribe.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/internal/operators/completable/CompletableFromCallable.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/internal/operators/flowable/FlowableMap.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/internal/operators/observable/ObservableBufferBoundarySupplier.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/internal/operators/observable/ObservableFlatMap.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/internal/operators/observable/ObservableAllSingle.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/parallel/ParallelFailureHandling.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/internal/operators/single/SingleDoOnSuccess.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/internal/operators/maybe/MaybeDelayWithCompletable.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/Flowable.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/internal/util/EndConsumerHelper.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/internal/operators/observable/ObservableIgnoreElements.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/functions/BiFunction.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/internal/operators/flowable/FlowableSequenceEqual.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/internal/operators/flowable/FlowableFlatMapCompletable.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/functions/Function.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/internal/operators/flowable/FlowableLimit.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/internal/operators/observable/ObservableSubscribeOn.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/internal/operators/observable/ObservableFlatMapSingle.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/internal/operators/flowable/FlowableAnySingle.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/internal/operators/flowable/FlowableZip.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/internal/operators/parallel/ParallelReduceFull.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/internal/operators/flowable/FlowableCount.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-



jar/io/reactivex/internal/operators/parallel/ParallelMap.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/operators/flowable/FlowableConcatMap.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/functions/LongConsumer.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/operators/observable/ObservableTakeUntil.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/operators/observable/ObservableCount.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/operators/observable/ObservableGroupBy.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/operators/completable/CompletableHide.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/operators/observable/ObservableDetach.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/operators/maybe/MaybeToSingle.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/flowables/ConnectableFlowable.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/MaybeConverter.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/SingleTransformer.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/operators/flowable/FlowablePublish.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/operators/flowable/FlowableSampleTimed.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/processors/PublishProcessor.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/operators/single/SingleToObservable.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/observers/BasicIntQueueDisposable.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/operators/maybe/MaybeFlatten.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/operators/completable/CompletableConcatIterable.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/operators/completable/CompletableError.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/operators/flowable/FlowableScalarXMap.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/operators/parallel/ParallelPeek.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/operators/maybe/MaybeMergeArray.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/functions/Function6.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/subjects/CompletableSubject.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/operators/single/SingleCreate.java

\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/internal/operators/maybe/MaybeFlatMapSingle.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/FlowableTransformer.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/internal/operators/observable/ObservableElementAtSingle.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/internal/operators/flowable/FlowableUsing.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/internal/operators/flowable/FlowableMaterialize.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/exceptions/UndeliverableException.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/internal/operators/flowable/FlowableToListSingle.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/internal/operators/observable/ObservableJust.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/internal/operators/single/SingleLift.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/internal/operators/completable/CompletableDelay.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/internal/operators/single/SingleAmb.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/internal/operators/observable/ObservableConcatWithSingle.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/internal/operators/completable/CompletableToSingle.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/internal/operators/observable/ObservableCountSingle.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/subjects/AsyncSubject.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/schedulers/Schedulers.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/annotations/Experimental.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/internal/schedulers/NonBlockingThread.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/internal/operators/maybe/MaybeFromSingle.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/internal/subscribers/DeferredScalarSubscriber.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/internal/util/LinkedList.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/internal/operators/observable/ObservableDefer.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/internal/operators/observable/ObservableTakeWhile.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/internal/operators/single/SingleSubscribeOn.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-

jar/io/reactivex/exceptions/ProtocolViolationException.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/util/EmptyComponent.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/operators/observable/ObservablePublishSelector.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/operators/flowable/FlowableTakeLastTimed.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/operators/maybe/MaybeObserveOn.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/operators/observable/ObservableDistinct.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/operators/observable/ObservableRepeatWhen.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/operators/observable/ObservableConcatMapCompletable.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/Observer.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/operators/parallel/ParallelSortedJoin.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/operators/completable/CompletableCreate.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/operators/observable/ObservableUsing.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/fuseable/FuseToMaybe.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/operators/flowable/FlowableAutoConnect.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/operators/observable/ObservableInterval.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/operators/observable/ObservableFromIterable.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/operators/flowable/FlowableSkipWhile.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/operators/flowable/FlowableFlatMap.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/operators/maybe/MaybeCount.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/operators/observable/ObservableFromArray.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/util/ListAddBiConsumer.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/operators/flowable/FlowableInterval.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/operators/observable/ObservableConcatMapEager.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/operators/completable/CompletableCache.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/operators/flowable/FlowableTakeLast.java

\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/internal/operators/completable/CompletableDoFinally.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/internal/operators/flowable/FlowableRepeatUntil.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/internal/operators/observable/ObservableSampleWithObservable.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/internal/operators/single/SingleJust.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/internal/operators/maybe/MaybeDoOnEvent.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/internal/operators/single/SingleDelayWithSingle.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/subjects/PublishSubject.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/internal/operators/observable/ObservableTimeout.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/internal/schedulers/DisposeOnCancel.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/MaybeOnSubscribe.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/internal/operators/flowable/FlowableAmb.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/internal/operators/observable/ObservableReduceWithSingle.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/internal/operators/observable/ObservableIgnoreElementsCompletable.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/internal/operators/single/SingleCache.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/internal/operators/maybe/MaybeDelayOtherPublisher.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/internal/subscribers/ForEachWhileSubscriber.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/internal/operators/flowable/FlowableLastMaybe.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/internal/operators/observable/ObservableError.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/internal/operators/flowable/FlowableFlatMapCompletableCompletable.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/internal/operators/observable/ObservableLastMaybe.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/internal/operators/observable/BlockingObservableLatest.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/functions/Consumer.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/internal/operators/completable/CompletableEmpty.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/processes/UnicastProcessor.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/internal/operators/observable/ObservableBlockingSubscribe.java

\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/internal/operators/observable/ObservableCollect.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/internal/queue/MpscLinkedQueue.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/internal/operators/flowable/FlowableRetryPredicate.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/internal/fuseable/QueueFuseable.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/internal/operators/flowable/FlowableInternalHelper.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/internal/operators/single/SingleZipArray.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/internal/operators/observable/ObservableConcatWithCompletable.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/subjects/Subject.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/internal/disposables/ListCompositeDisposable.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/observables/GroupedObservable.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/internal/operators/flowable/FlowableTakeUntil.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/internal/operators/flowable/FlowableSamplePublisher.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/internal/operators/observable/ObservableElementAt.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/schedulers/TestScheduler.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/internal/operators/maybe/MaybeFromAction.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/internal/operators/flowable/FlowableRepeat.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/internal/operators/observable/ObservableWindowBoundary.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/internal/operators/observable/ObservableFromPublisher.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/internal/operators/observable/ObservableThrottleFirstTimed.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/internal/schedulers/ImmediateThinScheduler.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/subjects/BehaviorSubject.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/internal/operators/flowable/FlowableSingle.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/internal/operators/maybe/MaybeToPublisher.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/MaybeOperator.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/internal/observers/BlockingFirstObserver.java

\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/internal/disposables/SequentialDisposable.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/internal/operators/maybe/MaybeOnErrorNext.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/internal/operators/observable/ObservableBufferBoundary.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/internal/subscribers/LambdaSubscriber.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/internal/operators/completable/CompletableFromRunnable.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/internal/operators/observable/ObservableAutoConnect.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/internal/operators/flowable/FlowableElementAtMaybe.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/internal/subscribers/BlockingFirstSubscriber.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/internal/operators/maybe/MaybeFromRunnable.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/CompletableOperator.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/internal/operators/observable/ObservableCombineLatest.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/internal/operators/single/SingleZipIterable.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/internal/operators/parallel/ParallelDoOnNextTry.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/internal/operators/observable/ObservableZipIterable.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/internal/operators/flowable/FlowableReplay.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/internal/operators/observable/ObservableMap.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/internal/operators/flowable/FlowableAll.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/internal/operators/maybe/MaybeDelay.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/FlowableOnSubscribe.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/internal/operators/single/SingleDefer.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/exceptions/Exceptions.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/internal/operators/maybe/MaybeDoFinally.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/internal/operators/observable/ObservableReduceMaybe.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/internal/operators/observable/ObservableCollectSingle.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-

jar/io/reactivex/internal/operators/parallel/ParallelReduce.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/util/SuppressAnimalSniffer.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/observers/InnerQueuedObserverSupport.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/operators/flowable/FlowableGenerate.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/SingleSource.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/operators/maybe/MaybeTimeoutMaybe.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/functions/Function4.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/subscribers/BasicFuseableConditionalSubscriber.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/operators/observable/ObservableBuffer.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/subjects/UnicastSubject.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/operators/maybe/MaybeLift.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/operators/flowable/FlowableBufferBoundary.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/operators/single/SingleDelayWithCompletable.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/queue/SpscLinkedListArrayQueue.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/operators/flowable/FlowableError.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/operators/flowable/FlowableFlatMapMaybe.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/MaybeTransformer.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/operators/flowable/FlowableReduceWithSingle.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/util/BlockingIgnoringReceiver.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/observers/InnerQueuedObserver.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/operators/flowable/FlowableReduceSeedSingle.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/operators/observable/ObservableAmb.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/operators/flowable/FlowableIgnoreElements.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/operators/flowable/FlowableDelay.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/operators/observable/ObservableRetryBiPredicate.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/operators/flowable/FlowableCollectSingle.java

\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/internal/operators/completable/CompletableResumeNext.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/internal/operators/single/SingleContains.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/internal/operators/flowable/FlowableOnBackpressureBuffer.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/internal/fuseable/HasUpstreamCompletableSource.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/SingleOperator.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/internal/operators/observable/ObservableConcatMap.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/internal/operators/flowable/FlowableDematerialize.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/internal/observers/CallbackCompletableObserver.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/internal/operators/observable/ObservableEmpty.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/annotations/Beta.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/internal/operators/completable/CompletableMergeDelayErrorArray.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/internal/operators/flowable/FlowableBuffer.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/functions/Function9.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/FlowableEmitter.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/internal/operators/flowable/FlowableJoin.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/internal/operators/flowable/FlowableConcatMapEagerPublisher.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/internal/operators/observable/ObservableRepeat.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/internal/operators/flowable/FlowableTimer.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/internal/operators/observable/ObservableFromFuture.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/internal/util/AppendOnlyLinkedList.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/internal/operators/maybe/MaybeSubscribeOn.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/internal/operators/flowable/FlowableDoOnLifecycle.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/internal/operators/completable/CompletableObserveOn.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/internal/operators/observable/ObservableLastSingle.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/internal/schedulers/RxThreadFactory.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/internal/operators/flowable/FlowableDoFinally.java



\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/functions/BiPredicate.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/internal/operators/observable/ObservableScalarXMap.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/internal/subscribers/StrictSubscriber.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/internal/operators/observable/ObservableDoOnLifecycle.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/internal/operators/observable/ObservableRangeLong.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/internal/operators/observable/ObservableFromUnsafeSource.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/internal/util/ConnectConsumer.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/internal/operators/single/SingleTimeout.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/internal/operators/completable/CompletablePeek.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/internal/util/BlockingHelper.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/internal/operators/parallel/ParallelJoin.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/internal/util/ExceptionHandler.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/internal/operators/observable/ObservableDoOnEach.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/internal/operators/single/SingleUsing.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/internal/operators/completable/CompletableDefer.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/internal/operators/flowable/FlowableConcatArray.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/internal/operators/flowable/FlowableBufferBoundarySupplier.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/internal/disposables/ObserverFullArbiter.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/internal/operators/observable/ObservableCreate.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/internal/operators/observable/ObservableTimeInterval.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/CompletableEmitter.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/observers/DisposableSingleObserver.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/internal/operators/single/SingleDoOnEvent.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/internal/util/SorterFunction.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/internal/operators/observable/ObservableMaterialize.java

- \* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/observers/DisposableMaybeObserver.java
- \* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/internal/operators/single/SingleFlatMapCompletable.java
- \* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/internal/operators/maybe/MaybeFlatMapCompletable.java
- \* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/internal/operators/observable/BlockingObservableNext.java
- \* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/internal/operators/flowable/FlowableDistinctUntilChanged.java
- \* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/internal/operators/single/SingleFromPublisher.java
- \* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/internal/operators/observable/ObservableHide.java
- \* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/internal/subscriptions/ScalarSubscription.java
- \* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/internal/operators/flowable/FlowableEmpty.java
- \* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/internal/operators/flowable/FlowableAny.java
- \* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/internal/queue/SpSCArrayQueue.java
- \* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/internal/util/ArrayListSupplier.java
- \* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/internal/operators/observable/ObservableTakeLastOne.java
- \* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/CompletableTransformer.java
- \* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/internal/operators/maybe/MaybeError.java
- \* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/internal/operators/single/SingleEquals.java
- \* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/internal/operators/flowable/FlowableObserveOn.java
- \* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/internal/subscribers/QueueDrainSubscriber.java
- \* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/FlowableSubscriber.java
- \* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/internal/operators/flowable/FlowableWindowBoundarySupplier.java
- \* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/internal/operators/observable/ObservableWithLatestFromMany.java
- \* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/internal/operators/observable/ObservableSkipUntil.java
- \* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/observers/LambdaConsumerIntrospection.java
- \* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/exceptions/OnErrorNotImplementedException.java
- \* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-

jar/io/reactivex/internal/observers/QueueDrainObserver.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/operators/flowable/FlowableTimeout.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/operators/observable/ObservableFlatMapCompletable.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/operators/maybe/MaybeIsEmpty.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/operators/flowable/FlowableSingleMaybe.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/operators/single/SingleDoFinally.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/operators/flowable/FlowableCountSingle.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/fuseable/ScalarCallable.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/subscribers/SafeSubscriber.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/operators/flowable/FlowableConcatWithSingle.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/fuseable/ConditionalSubscriber.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/operators/flowable/FlowableCombineLatest.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/operators/observable/ObservableWindowBoundarySupplier.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/observers/BaseTestConsumer.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/operators/flowable/FlowableRangeLong.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/operators/flowable/FlowableSequenceEqualSingle.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/operators/maybe/MaybeDefer.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/operators/observable/ObservableWindowTimed.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/parallel/ParallelTransformer.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/subscriptions/SubscriptionHelper.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/functions/ObjectHelper.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/operators/maybe/MaybeDelaySubscriptionOtherPublisher.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/operators/observable/ObservableOnErrorReturn.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/operators/flowable/FlowableOnBackpressureBufferStrategy.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-

jar/io/reactivex/internal/operators/completable/CompletableFromUnsafeSource.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/disposables/CompositeDisposable.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/operators/single/SingleFlatMapMaybe.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/operators/maybe/MaybeZipIterable.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/operators/maybe/MaybeFromCompletable.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/operators/maybe/MaybeFlatMapIterableObservable.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/operators/observable/ObservableWithLatestFrom.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/operators/observable/ObservableSkipLast.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/subscribers/DisposableSubscriber.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/operators/maybe/MaybeFlatMapNotification.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/operators/single/SingleFlatMapIterableFlowable.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/subscribers/BlockingSubscriber.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/operators/flowable/FlowableSingleSingle.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/operators/observable/ObservableFlattenIterable.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/operators/observable/ObservableScan.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/functions/Cancellable.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/observers/ResourceSingleObserver.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/operators/flowable/FlowableIntervalRange.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/operators/flowable/FlowableFilter.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/observers/SafeObserver.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/operators/observable/ObservableLift.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/subscribers/BlockingBaseSubscriber.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/operators/completable/CompletableDoOnEvent.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/functions/Function8.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/operators/observable/ObservableDebounce.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-

jar/io/reactivex/internal/operators/maybe/MaybeConcatArray.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/operators/maybe/MaybeMap.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/operators/completable/CompletableFromObservable.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/observers/BasicQueueDisposable.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/operators/single/SingleObserveOn.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/operators/maybe/MaybeOnErrorComplete.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/operators/parallel/ParallelMapTry.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/disposables/DisposableHelper.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/operators/observable/ObservableDebounceTimed.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/operators/maybe/MaybeEqualSingle.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/operators/flowable/FlowableLastSingle.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/operators/flowable/FlowableDebounce.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/observers/DeferredScalarDisposable.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/operators/single/SingleMap.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/operators/flowable/FlowableFromFuture.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/operators/maybe/MaybeNever.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/operators/observable/ObservableMergeWithMaybe.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/observers/ResourceMaybeObserver.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/operators/completable/CompletableOnErrorComplete.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/operators/completable/CompletableConcat.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/annotations/CheckReturnValue.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/operators/flowable/FlowableOnErrorNext.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/operators/observable/ObservableTimer.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/disposables/ReferenceDisposable.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-

jar/io/reactivex/internal/fuseable/FuseToObservable.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/operators/maybe/MaybeHide.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/operators/completable/CompletableAmb.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/operators/completable/CompletableNever.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/operators/parallel/ParallelFromPublisher.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/Completable.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/operators/flowable/FlowableReduce.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/operators/flowable/FlowableCreate.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/operators/parallel/ParallelFilter.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/operators/completable/CompletableToObservable.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/operators/flowable/FlowableOnBackpressureLatest.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/operators/observable/BlockingObservableMostRecent.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/util/AtomicThrowable.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/observers/LambdaObserver.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/observers/TestObserver.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/operators/observable/ObservablePublish.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/subjects/SerializedSubject.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/subscribers/SerializedSubscriber.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/functions/Predicate.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/operators/flowable/FlowableSkipUntil.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/operators/observable/ObservableMergeWithCompletable.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/operators/flowable/AbstractFlowableWithUpstream.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/operators/maybe/AbstractMaybeWithUpstream.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/operators/flowable/FlowableDoOnEach.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/operators/completable/CompletableToFlowable.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-

jar/io/reactivex/internal/operators/flowable/FlowableWindowBoundary.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/operators/maybe/MaybeTimeoutPublisher.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/SingleEmitter.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/operators/observable/ObservableSkip.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/operators/observable/ObservableBufferExactBoundary.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/operators/maybe/MaybeCache.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/operators/flowable/FlowableDefer.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/subscriptions/BasicQueueSubscription.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/operators/maybe/MaybeToObservable.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/operators/maybe/MaybeIgnoreElement.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/operators/observable/ObservableGenerate.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/operators/flowable/FlowableCache.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/operators/maybe/MaybeFromCallable.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/fuseable/HasUpstreamPublisher.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/operators/single/SingleOnErrorReturn.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/observers/SubscriberCompletableObserver.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/operators/flowable/FlowableWindow.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/operators/maybe/MaybeFromFuture.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/util/OpenHashSet.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/functions/Action.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/operators/observable/ObservableSingleSingle.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/operators/observable/ObservableOnErrorNext.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/observers/BasicFuseableObserver.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/operators/flowable/FlowableIgnoreElementsCompletable.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/util/HashMapSupplier.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-

jar/io/reactivex/internal/operators/completable/CompletableTimeout.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/operators/maybe/MaybeFlatMapIterableFlowable.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/Single.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/operators/observable/ObservableTakeLastTimed.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/disposables/Disposables.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/fuseable/HasUpstreamSingleSource.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/observers/ResourceCompletableObserver.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/operators/observable/ObservableSkipLastTimed.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/operators/flowable/FlowableSubscribeOn.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/operators/maybe/MaybeErrorCallable.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/operators/observable/ObservableDistinctUntilChanged.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/operators/observable/ObservableRetryWhen.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/subscriptions/ArrayCompositeSubscription.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/operators/maybe/MaybeConcatIterable.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/subscriptions/SubscriptionArbiter.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/operators/flowable/BlockingFlowableLatest.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/operators/observable/ObservableFilter.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/functions/BiConsumer.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/operators/maybe/MaybeCallbackObserver.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/operators/observable/ObservableSwitchIfEmpty.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/operators/maybe/MaybeIgnoreElementCompletable.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/schedulers/SchedulerMultiWorkerSupport.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/operators/observable/ObservableSwitchMap.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/operators/flowable/FlowableWithLatestFromMany.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/operators/single/SingleDoOnSubscribe.java



\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/internal/operators/single/SingleToFlowable.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/processors/AsyncProcessor.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/internal/operators/flowable/FlowableFromArray.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/internal/operators/single/SingleFromCallable.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/internal/subscribers/InnerQueuedSubscriberSupport.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/internal/operators/flowable/FlowableMapPublisher.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/disposables/SubscriptionDisposable.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/functions/Function3.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/internal/operators/observable/ObservableTakeUntilPredicate.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/internal/schedulers/NewThreadWorker.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/internal/operators/observable/ObservableBufferTimed.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/internal/operators/maybe/MaybeTimer.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/internal/operators/single/SingleInternalHelper.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/internal/util/NotificationLite.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/internal/operators/completable/CompletableMergeArray.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/internal/operators/maybe/MaybeOnErrorReturn.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/internal/operators/flowable/FlowableDelaySubscriptionOther.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/internal/observers/BlockingLastObserver.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/annotations/BackpressureKind.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/internal/operators/flowable/FlowableConcatMapPublisher.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/internal/operators/flowable/FlowableScanSeed.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/internal/operators/observable/ObservableFromCallable.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/internal/operators/observable/ObservableUnsubscribeOn.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/internal/operators/flowable/FlowableAllSingle.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-

jar/io/reactivex/internal/operators/observable/ObservableSampleTimed.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/operators/observable/ObservableReduceSeedSingle.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/operators/flowable/FlowableSkipLast.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/internal/fuseable/package-  
info.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/operators/flowable/FlowableTakeWhile.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/fuseable/QueueSubscription.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/processors/SerializedProcessor.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/operators/flowable/FlowableGroupBy.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/operators/maybe/MaybeIsEmptySingle.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/SingleOnSubscribe.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/fuseable/SimpleQueue.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/operators/flowable/FlowableFlattenIterable.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/MaybeSource.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/operators/completable/CompletableMergeDelayErrorIterable.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/observers/BlockingObserver.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/operators/single/SingleDoOnError.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/operators/observable/ObservableScanSeed.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/ObservableConverter.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/observers/BlockingBaseObserver.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/disposables/SerialDisposable.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/disposables/FutureDisposable.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/operators/completable/CompletableConcatArray.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/annotations/SchedulerSupport.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/operators/observable/ObservableSingleMaybe.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/parallel/ParallelFlowable.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/operators/observable/ObservableRefCount.java

\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/internal/util/MergerBiFunction.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/internal/operators/maybe/MaybeDoAfterSuccess.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/internal/operators/maybe/MaybeUnsubscribeOn.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/Scheduler.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/internal/operators/parallel/ParallelConcatMap.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/observers/ResourceObserver.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/internal/operators/flowable/FlowableRange.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/internal/operators/flowable/BlockingFlowableNext.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/internal/operators/flowable/FlowableJust.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/subscribers/ResourceSubscriber.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/internal/operators/observable/ObservableDelaySubscriptionOther.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/CompletableConverter.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/internal/operators/completable/CompletableSubscribeOn.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/subjects/SingleSubject.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/internal/operators/observable/ObservableSequenceEqualSingle.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/internal/observers/BiConsumerSingleObserver.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/internal/operators/flowable/FlowableConcatWithCompletable.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/internal/operators/flowable/FlowableDoAfterNext.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/CompletableSource.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/internal/operators/flowable/FlowableFromIterable.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/internal/operators/parallel/ParallelFlatMap.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/internal/operators/observable/ObservableWindow.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/internal/operators/maybe/MaybeFlatMapBiSelector.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/internal/operators/observable/ObserverResourceWrapper.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/ObservableSource.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-

jar/io/reactivex/internal/operators/single/SingleHide.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/operators/flowable/FlowableDetach.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/operators/flowable/FlowableSwitchMap.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/operators/single/SingleResumeNext.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/fuseable/HasUpstreamMaybeSource.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/subjects/ReplaySubject.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/operators/maybe/MaybeFilterSingle.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/observables/ConnectableObservable.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/observers/DisposableObserver.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/operators/maybe/MaybeZipArray.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/operators/parallel/ParallelFilterTry.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/subscribers/TestSubscriber.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/operators/flowable/FlowableZipIterable.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/operators/maybe/MaybeSwitchIfEmpty.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/flowables/GroupedFlowable.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/operators/observable/ObservableElementAtMaybe.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/operators/observable/ObservableNever.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/operators/maybe/MaybeConcatArrayDelayError.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/operators/flowable/FlowableSerialized.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/operators/maybe/MaybeContains.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/util/ObservableQueueDrain.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/fuseable/FuseToFlowable.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/disposables/DisposableContainer.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/annotations/Nullable.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/schedulers/Timed.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-

jar/io/reactivex/subscribers/DefaultSubscriber.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/operators/observable/ObservableDoFinally.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/operators/maybe/MaybeUsing.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/util/VolatileSizeArrayList.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/operators/flowable/FlowableWindowTimed.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/operators/flowable/FlowableOnBackpressureDrop.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/operators/flowable/FlowableOnErrorReturn.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/operators/observable/ObservableToList.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/operators/observable/ObservableSequenceEqual.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/operators/observable/ObservableAll.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/operators/flowable/FlowableConcatWithMaybe.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/operators/observable/ObservableConcatWithMaybe.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/operators/parallel/ParallelCollect.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/operators/observable/ObservableFlatMapMaybe.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/operators/observable/ObservableMapNotification.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/operators/flowable/FlowableBufferTimed.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/operators/completable/CompletableTimer.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/operators/maybe/MaybePeek.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/operators/flowable/FlowableConcatMapEager.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/operators/single/SingleDoAfterTerminate.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/operators/flowable/BlockingFlowableIterable.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/subscribers/BlockingLastSubscriber.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/functions/Function5.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/util/QueueDrainHelper.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/Observable.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-

jar/io/reactivex/internal/operators/flowable/FlowableCollect.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/observers/ResumeSingleObserver.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/operators/completable/CompletableMergeIterable.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/operators/observable/ObservableInternalHelper.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/operators/observable/ObservableRetryPredicate.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/FlowableConverter.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/subscribers/BasicFuseableSubscriber.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/annotations/NonNull.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/operators/flowable/FlowableTimeInterval.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/observers/DisposableLambdaObserver.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/operators/single/SingleDoOnDispose.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/observers/FullArbiterObserver.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/parallel/ParallelFlowableConverter.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/observers/DefaultObserver.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/util/HalfSerializer.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/operators/completable/CompletableDetach.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/fuseable/QueueDisposable.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/operators/observable/ObservableSerialized.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/operators/maybe/MaybeUnsafeCreate.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/schedulers/ScheduledRunnable.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/operators/parallel/ParallelRunOn.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/operators/flowable/FlowableElementAt.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/ObservableEmitter.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/operators/single/SingleTimer.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/subscribers/FutureSubscriber.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/MaybeObserver.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-

jar/io/reactivex/internal/observers/BlockingMultiObserver.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/operators/flowable/FlowableMergeWithCompletable.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/operators/maybe/MaybeFlatMapSingleElement.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/operators/flowable/FlowableMapNotification.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/operators/single/SingleNever.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/operators/observable/ObservableIntervalRange.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/Maybe.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/observers/DisposableCompletableObserver.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/operators/maybe/MaybeTakeUntilMaybe.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/SingleObserver.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/operators/observable/ObservableReplay.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/operators/observable/BlockingObservableIterable.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/operators/observable/ObservableDelay.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/functions/BooleanSupplier.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/disposables/Disposable.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/operators/observable/ObservableTimeoutTimed.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/operators/flowable/FlowableNever.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/Notification.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/operators/single/SingleFromUnsafeSource.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/processors/ReplayProcessor.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/operators/single/SingleFlatMapIterableObservable.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/operators/single/SingleTakeUntil.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/fuseable/SimplePlainQueue.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/BackpressureStrategy.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/util/BackpressureHelper.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/subscriptions/EmptySubscription.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-

jar/io/reactivex/internal/operators/single/SingleDetach.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/operators/single/SingleFlatMap.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/operators/observable/ObservableTake.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/operators/maybe/MaybeFilter.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/operators/single/SingleDoAfterSuccess.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/operators/flowable/FlowableThrottleFirstTimed.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/processors/BehaviorProcessor.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/operators/flowable/FlowableMergeWithSingle.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/subscriptions/BooleanSubscription.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/operators/observable/ObservableZip.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/operators/completable/CompletableLift.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/operators/flowable/FlowableHide.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/operators/flowable/FlowableRepeatWhen.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/observers/FutureSingleObserver.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/operators/flowable/FlowableRefCount.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/observers/SerializedObserver.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/subjects/MaybeSubject.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/schedulers/SingleScheduler.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/SingleConverter.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/operators/completable/CompletableMerge.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/ObservableTransformer.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/operators/flowable/FlowableSwitchIfEmpty.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/observers/EmptyCompletableObserver.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/operators/maybe/MaybeTakeUntilPublisher.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/schedulers/ExecutorScheduler.java



\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/internal/operators/flowable/FlowableScan.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/internal/operators/flowable/FlowableRetryBiPredicate.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/internal/operators/flowable/FlowableWindowBoundarySelector.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/MaybeEmitter.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/internal/operators/parallel/ParallelFromArray.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/internal/operators/flowable/FlowableUnsubscribeOn.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/CompletableObserver.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/internal/operators/completable/CompletableErrorSupplier.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/internal/operators/flowable/FlowableTakePublisher.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/internal/operators/completable/CompletableFromPublisher.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/Emitter.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/internal/operators/flowable/FlowableFromCallable.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/internal/subscriptions/AsyncSubscription.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/processors/FlowableProcessor.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/internal/operators/observable/ObservableTakeLast.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/internal/operators/flowable/FlowableTakeLastOne.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/internal/fuseable/HasUpstreamObservableSource.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/internal/observers/ForEachWhileObserver.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/internal/operators/flowable/FlowableRetryWhen.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/internal/operators/observable/ObservableAnySingle.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/internal/operators/maybe/MaybeSwitchIfEmptySingle.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/internal/subscriptions/BasicIntQueueSubscription.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/internal/functions/Functions.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/internal/operators/completable/CompletableUsing.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/internal/observers/ConsumerSingleObserver.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-

jar/io/reactivex/internal/operators/observable/ObservableSkipWhile.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/disposables/RunnableDisposable.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/operators/flowable/FlowableSkip.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/annotations/BackpressureSupport.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/operators/single/SingleUnsubscribeOn.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/operators/observable/ObservableRepeatUntil.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/operators/flowable/FlowableMergeWithMaybe.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/operators/observable/ObservableDematerialize.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/FlowableOperator.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/operators/observable/ObservableWindowBoundarySelector.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/plugins/RxJavaPlugins.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/operators/flowable/BlockingFlowableMostRecent.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/operators/observable/ObservableFlatMapCompletableCompletable.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/subscriptions/DeferredScalarSubscription.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/operators/observable/ObservableRange.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/operators/observable/AbstractObservableWithUpstream.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/operators/observable/ObservableObserveOn.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/operators/flowable/FlowableReduceMaybe.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/operators/flowable/FlowableTakeUntilPredicate.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/util/ErrorMessage.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/operators/observable/ObservableMergeWithSingle.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/functions/Function7.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/operators/flowable/FlowableTake.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/operators/maybe/MaybeToFlowable.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/disposables/CancellableDisposable.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-

jar/io/reactivex/internal/operators/maybe/MaybeCreate.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/operators/maybe/MaybeAmb.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/operators/completable/CompletableFromAction.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/operators/flowable/FlowableFromPublisher.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/operators/flowable/FlowableTimeoutTimed.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/operators/flowable/FlowableBufferExactBoundary.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/disposables/ActionDisposable.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/operators/maybe/MaybeEmpty.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/operators/completable/CompletableFromSingle.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/operators/completable/CompletableDisposeOn.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/observers/FutureObserver.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/subscribers/SubscriberResourceWrapper.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/operators/flowable/FlowableFlatMapSingle.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/operators/observable/ObservableToListSingle.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/CompletableOnSubscribe.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/operators/flowable/FlowableDebounceTimed.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/subscribers/InnerQueuedSubscriber.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/operators/observable/ObservableAny.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/operators/flowable/FlowableDistinct.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/operators/flowable/FlowableLift.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/disposables/ArrayCompositeDisposable.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/operators/single/SingleDelayWithPublisher.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/operators/single/SingleError.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-  
jar/io/reactivex/internal/operators/maybe/MaybeJust.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-

jar/io/reactivex/internal/operators/observable/ObservableCache.java

No license file was found, but licenses were detected in source scan.

```
/**
```

```
* Copyright (c) 2016-present, RxJava Contributors.
```

```
*
```

```
* Licensed under the Apache License, Version 2.0 (the "License");
```

```
* you may not use this file except in compliance with the License.
```

```
* You may obtain a copy of the License at
```

```
*
```

```
* http://www.apache.org/licenses/LICENSE-2.0
```

```
*
```

```
* Unless required by applicable law or agreed to in writing, software
```

```
* distributed under the License is distributed on an "AS IS" BASIS,
```

```
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
```

```
* See the License for the specific language governing permissions and
```

```
* limitations under the License.
```

```
*/
```

Found in path(s):

```
* /opt/cola/permits/1274704089_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/observers/package-info.java
```

```
* /opt/cola/permits/1274704089_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/internal/schedulers/IOScheduler.java
```

```
* /opt/cola/permits/1274704089_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/package-info.java
```

```
* /opt/cola/permits/1274704089_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/subscribers/package-info.java
```

```
* /opt/cola/permits/1274704089_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/internal/operators/observable/ObservableGroupJoin.java
```

```
* /opt/cola/permits/1274704089_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/internal/schedulers/TrampolineScheduler.java
```

```
* /opt/cola/permits/1274704089_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/plugins/package-info.java
```

```
* /opt/cola/permits/1274704089_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/exceptions/package-info.java
```

```
* /opt/cola/permits/1274704089_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/functions/package-info.java
```

```
* /opt/cola/permits/1274704089_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/internal/operators/flowable/FlowablePublishMulticast.java
```

```
* /opt/cola/permits/1274704089_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/schedulers/package-info.java
```

```
* /opt/cola/permits/1274704089_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/internal/schedulers/ComputationScheduler.java
```

```
* /opt/cola/permits/1274704089_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/annotations/package-info.java
```

```
* /opt/cola/permits/1274704089_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/disposables/package-info.java
```

```
* /opt/cola/permits/1274704089_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/BackpressureOverflowStrategy.java
```

\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/observables/package-info.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/internal/operators/flowable/FlowableGroupJoin.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/flowables/package-info.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/processors/package-info.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/internal/operators/observable/ObservableJoin.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/subjects/package-info.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/exceptions/CompositeException.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/parallel/package-info.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/internal/schedulers/SchedulerPoolFactory.java  
\* /opt/cola/permits/1274704089\_1645233859.96/0/rxjava-2-1-10-sources-jar/io/reactivex/internal/schedulers/NewThreadScheduler.java

# 1.207 netty-project 4.1.73.Final

## 1.207.1 Available under license :

Copyright (c) 2003-2008 Yuta Mori All Rights Reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

The person or persons who have associated work with this document (the "Dedicator" or "Certifier") hereby either (a) certifies that, to the best of his knowledge, the work of authorship identified is in the public domain of

the country from which the work is published, or (b) hereby dedicates whatever copyright the dedicator holds in the work of authorship identified below (the "Work") to the public domain. A certifier, moreover, dedicates any copyright interest he may have in the associated work, and for these purposes, is described as a "dedicator" below.

A certifier has taken reasonable steps to verify the copyright status of this work. Certifier recognizes that his good faith efforts may not shield him from liability if in fact the work certified is not in the public domain.

Dedicator makes this dedication for the benefit of the public at large and to the detriment of the Dedicator's heirs and successors. Dedicator intends this dedication to be an overt act of relinquishment in perpetuity of all present and future rights under copyright law, whether vested or contingent, in the Work. Dedicator understands that such relinquishment of all rights includes the relinquishment of all rights to enforce (by lawsuit or otherwise) those copyrights in the Work.

Dedicator recognizes that, once placed in the public domain, the Work may be freely reproduced, distributed, transmitted, used, modified, built upon, or otherwise exploited by anyone for any purpose, commercial or non-commercial, and in any way, including by methods that have not yet been invented or conceived.

Apache License  
Version 2.0, January 2004  
<https://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of

this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.



You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only

on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

Apache License  
Version 2.0, January 2004  
<https://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object

form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a

file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<https://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

The MIT License

Copyright (c) 2009 William Kinney

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Copyright 2009-2010 Ning, Inc.

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at <https://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software

distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Apache License  
Version 2.0, January 2004  
<https://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes

of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You



meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor,

except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

/\*

\* Copyright (c) 2004-2006, 2008, 2009, 2011 Apple Inc. All rights reserved.

\*

\* @APPLE\_LICENSE\_HEADER\_START@

\*

\* This file contains Original Code and/or Modifications of Original Code

\* as defined in and that are subject to the Apple Public Source License

\* Version 2.0 (the 'License'). You may not use this file except in

\* compliance with the License. Please obtain a copy of the License at

\* <https://www.opensource.apple.com/apsl/> and read it before using this

\* file.

\*  
\* The Original Code and all software distributed under the License are  
\* distributed on an 'AS IS' basis, WITHOUT WARRANTY OF ANY KIND, EITHER  
\* EXPRESS OR IMPLIED, AND APPLE HEREBY DISCLAIMS ALL SUCH WARRANTIES,  
\* INCLUDING WITHOUT LIMITATION, ANY WARRANTIES OF MERCHANTABILITY,  
\* FITNESS FOR A PARTICULAR PURPOSE, QUIET ENJOYMENT OR NON-INFRINGEMENT.  
\* Please see the License for the specific language governing rights and  
\* limitations under the License.

\*  
\* @APPLE\_LICENSE\_HEADER\_END@

\*/

The MIT License (MIT)

Copyright (c) 2014 Cory Benfield

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NON-INFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Copyright 2011, Google Inc.

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- \* Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Copyright (c) 2010-2011 Matthew J. Francis and Contributors of the jbzip2 Project

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

The person or persons who have associated work with this document (the "Dedicator" or "Certifier") hereby either (a) certifies that, to the best of his knowledge, the work of authorship identified is in the public domain of the country from which the work is published, or (b) hereby dedicates whatever copyright the dedicators holds in the work of authorship identified below (the "Work") to the public domain. A certifier, moreover, dedicates any copyright interest he may have in the associated work, and for these purposes, is described as a "dedicator" below.

A certifier has taken reasonable steps to verify the copyright status of this work. Certifier recognizes that his good faith efforts may not shield him from liability if in fact the work certified is not in the public domain.

Dedicator makes this dedication for the benefit of the public at large and to the detriment of the Dedicator's heirs and successors. Dedicator intends this dedication to be an overt act of relinquishment in perpetuate of all present and future rights under copyright law, whether vested or contingent, in the

Work. Dedicator understands that such relinquishment of all rights includes the relinquishment of all rights to enforce (by lawsuit or otherwise) those copyrights in the Work.

Dedicator recognizes that, once placed in the public domain, the Work may be freely reproduced, distributed, transmitted, used, modified, built upon, or otherwise exploited by anyone for any purpose, commercial or non-commercial, and in any way, including by methods that have not yet been invented or conceived.

Apache License  
Version 2.0, January 2004  
<https://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed

with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate



comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<https://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

The MIT License

Copyright (c) 2012, 2014, 2015, 2016 Tatsuhiro Tsujikawa  
Copyright (c) 2012, 2014, 2015, 2016 nghttp2 contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

The MIT License (MIT)

Copyright (c) 2000 - 2013 The Legion of the Bouncy Castle Inc.  
(<https://www.bouncycastle.org>)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal

in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Apache License  
Version 2.0, January 2004  
<https://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You

institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.  
Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.
6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. **Disclaimer of Warranty.** Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. **Limitation of Liability.** In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. **Accepting Warranty or Additional Liability.** While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

## APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "{}" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright {yyyy} {name of copyright owner}

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<https://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

(BSD License: <https://www.opensource.org/licenses/bsd-license>)

Copyright (c) 2011, Joe Walnes, Aslak Hellesøy and contributors  
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- \* Neither the name of the Webbit nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND

CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Copyright (c) 2000,2001,2002,2003,2004 ymnk, JCraft,Inc. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The names of the authors may not be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL JCRAFT, INC. OR ANY CONTRIBUTORS TO THIS SOFTWARE BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

/\*

\* Copyright (c) 2004-2007 QOS.ch

\* All rights reserved.

\*

\* Permission is hereby granted, free of charge, to any person obtaining

\* a copy of this software and associated documentation files (the

\* "Software"), to deal in the Software without restriction, including

\* without limitation the rights to use, copy, modify, merge, publish,

\* distribute, sublicense, and/or sell copies of the Software, and to

\* permit persons to whom the Software is furnished to do so, subject to

\* the following conditions:  
\*  
\* The above copyright notice and this permission notice shall be  
\* included in all copies or substantial portions of the Software.  
\*  
\* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,  
\* EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF  
\* MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND  
\* NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE  
\* LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION  
\* OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION  
\* WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.  
\*/

The Netty Project

=====

Please visit the Netty web site for more information:

\* <https://netty.io/>

Copyright 2014 The Netty Project

The Netty Project licenses this file to you under the Apache License, version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at:

<https://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Also, please refer to each LICENSE.<component>.txt file, which is located in the 'license' directory of the distribution file, for the license terms of the components that this product depends on.

-----  
This product contains the extensions to Java Collections Framework which has been derived from the works by JSR-166 EG, Doug Lea, and Jason T. Greene:

\* LICENSE:

\* [license/LICENSE.jsr166y.txt](#) (Public Domain)

\* HOMEPAGE:

\* <http://gee.cs.oswego.edu/cgi-bin/viewcvs.cgi/jsr166/>

\* <http://viewvc.jboss.org/cgi-bin/viewvc.cgi/jboss/cache/experimental/jsr166/>



This product contains a modified version of Robert Harder's Public Domain Base64 Encoder and Decoder, which can be obtained at:

- \* LICENSE:
  - \* license/LICENSE.base64.txt (Public Domain)
- \* HOMEPAGE:
  - \* <http://iharder.sourceforge.net/current/java/base64/>

This product contains a modified portion of 'Webbit', an event based WebSocket and HTTP server, which can be obtained at:

- \* LICENSE:
  - \* license/LICENSE.webbit.txt (BSD License)
- \* HOMEPAGE:
  - \* <https://github.com/joewalnes/webbit>

This product contains a modified portion of 'SLF4J', a simple logging facade for Java, which can be obtained at:

- \* LICENSE:
  - \* license/LICENSE.slf4j.txt (MIT License)
- \* HOMEPAGE:
  - \* <https://www.slf4j.org/>

This product contains a modified portion of 'Apache Harmony', an open source Java SE, which can be obtained at:

- \* NOTICE:
  - \* license/NOTICE.harmony.txt
- \* LICENSE:
  - \* license/LICENSE.harmony.txt (Apache License 2.0)
- \* HOMEPAGE:
  - \* <https://archive.apache.org/dist/harmony/>

This product contains a modified portion of 'jzip2', a Java bzip2 compression and decompression library written by Matthew J. Francis. It can be obtained at:

- \* LICENSE:
  - \* license/LICENSE.jbzip2.txt (MIT License)
- \* HOMEPAGE:
  - \* <https://code.google.com/p/jbzip2/>

This product contains a modified portion of 'libdivsufsort', a C API library to construct the suffix array and the Burrows-Wheeler transformed string for any input string of a constant-size alphabet written by Yuta Mori. It can be obtained at:

- \* LICENSE:

- \* license/LICENSE.libdivsufsort.txt (MIT License)

- \* HOMEPAGE:

- \* <https://github.com/y-256/libdivsufsort>

This product contains a modified portion of Nitsan Wakart's 'JCTools', Java Concurrency Tools for the JVM, which can be obtained at:

- \* LICENSE:

- \* license/LICENSE.jctools.txt (ASL2 License)

- \* HOMEPAGE:

- \* <https://github.com/JCTools/JCTools>

This product optionally depends on 'JZlib', a re-implementation of zlib in pure Java, which can be obtained at:

- \* LICENSE:

- \* license/LICENSE.jzlib.txt (BSD style License)

- \* HOMEPAGE:

- \* <http://www.jcraft.com/jzlib/>

This product optionally depends on 'Compress-LZF', a Java library for encoding and decoding data in LZF format, written by Tatu Saloranta. It can be obtained at:

- \* LICENSE:

- \* license/LICENSE.compress-lzf.txt (Apache License 2.0)

- \* HOMEPAGE:

- \* <https://github.com/ning/compress>

This product optionally depends on 'lz4', a LZ4 Java compression and decompression library written by Adrien Grand. It can be obtained at:

- \* LICENSE:

- \* license/LICENSE.lz4.txt (Apache License 2.0)

- \* HOMEPAGE:

- \* <https://github.com/jpountz/lz4-java>

This product optionally depends on 'lzma-java', a LZMA Java compression and decompression library, which can be obtained at:

- \* LICENSE:

- \* license/LICENSE.lzma-java.txt (Apache License 2.0)

- \* HOMEPAGE:

- \* <https://github.com/jponge/lzma-java>

This product optionally depends on 'zstd-jni', a zstd-jni Java compression and decompression library, which can be obtained at:

- \* LICENSE:

- \* license/LICENSE.zstd-jni.txt (Apache License 2.0)

- \* HOMEPAGE:

- \* <https://github.com/luben/zstd-jni>

This product contains a modified portion of 'jfastlz', a Java port of FastLZ compression and decompression library written by William Kinney. It can be obtained at:

- \* LICENSE:

- \* license/LICENSE.jfastlz.txt (MIT License)

- \* HOMEPAGE:

- \* <https://code.google.com/p/jfastlz/>

This product contains a modified portion of and optionally depends on 'Protocol Buffers', Google's data interchange format, which can be obtained at:

- \* LICENSE:

- \* license/LICENSE.protobuf.txt (New BSD License)

- \* HOMEPAGE:

- \* <https://github.com/google/protobuf>

This product optionally depends on 'Bouncy Castle Crypto APIs' to generate a temporary self-signed X.509 certificate when the JVM does not provide the equivalent functionality. It can be obtained at:

- \* LICENSE:

- \* license/LICENSE.bouncycastle.txt (MIT License)

- \* HOMEPAGE:

- \* <https://www.bouncycastle.org/>

This product optionally depends on 'Snappy', a compression library produced by Google Inc, which can be obtained at:

- \* LICENSE:

- \* license/LICENSE.snappy.txt (New BSD License)

- \* HOMEPAGE:

- \* <https://github.com/google/snappy>

This product optionally depends on 'JBoss Marshalling', an alternative Java serialization API, which can be obtained at:

- \* LICENSE:

- \* license/LICENSE.jboss-marshalling.txt (Apache License 2.0)

- \* HOMEPAGE:

- \* <https://github.com/jboss-remoting/jboss-marshalling>

This product optionally depends on 'Caliper', Google's micro-benchmarking framework, which can be obtained at:

- \* LICENSE:
  - \* license/LICENSE.caliper.txt (Apache License 2.0)
- \* HOMEPAGE:
  - \* <https://github.com/google/caliper>

This product optionally depends on 'Apache Commons Logging', a logging framework, which can be obtained at:

- \* LICENSE:
  - \* license/LICENSE.common-loggng.txt (Apache License 2.0)
- \* HOMEPAGE:
  - \* <https://commons.apache.org/logging/>

This product optionally depends on 'Apache Log4J', a logging framework, which can be obtained at:

- \* LICENSE:
  - \* license/LICENSE.log4j.txt (Apache License 2.0)
- \* HOMEPAGE:
  - \* <https://logging.apache.org/log4j/>

This product optionally depends on 'Aalto XML', an ultra-high performance non-blocking XML processor, which can be obtained at:

- \* LICENSE:
  - \* license/LICENSE.aalto-xml.txt (Apache License 2.0)
- \* HOMEPAGE:
  - \* <https://wiki.fasterxml.com/AaltoHome>

This product contains a modified version of 'HPACK', a Java implementation of the HTTP/2 HPACK algorithm written by Twitter. It can be obtained at:

- \* LICENSE:
  - \* license/LICENSE.hpack.txt (Apache License 2.0)
- \* HOMEPAGE:
  - \* <https://github.com/twitter/hpack>

This product contains a modified version of 'HPACK', a Java implementation of the HTTP/2 HPACK algorithm written by Cory Benfield. It can be obtained at:

- \* LICENSE:
  - \* license/LICENSE.hyper-hpack.txt (MIT License)
- \* HOMEPAGE:
  - \* <https://github.com/python-hyper/hpack/>

This product contains a modified version of 'HPACK', a Java implementation of the HTTP/2 HPACK algorithm written by Tatsuhiko Tsujikawa. It can be obtained at:

- \* LICENSE:
  - \* license/LICENSE.nghttp2-hpack.txt (MIT License)
- \* HOMEPAGE:
  - \* <https://github.com/nghttp2/nghttp2/>

This product contains a modified portion of 'Apache Commons Lang', a Java library provides utilities for the java.lang API, which can be obtained at:

- \* LICENSE:
  - \* license/LICENSE.common-lang.txt (Apache License 2.0)
- \* HOMEPAGE:
  - \* <https://commons.apache.org/proper/commons-lang/>

This product contains the Maven wrapper scripts from 'Maven Wrapper', that provides an easy way to ensure a user has everything necessary to run the Maven build.

- \* LICENSE:
  - \* license/LICENSE.mvn-wrapper.txt (Apache License 2.0)
- \* HOMEPAGE:
  - \* <https://github.com/takari/maven-wrapper>

This product contains the dnsinfo.h header file, that provides a way to retrieve the system DNS configuration on MacOS.

This private header is also used by Apple's open source mDNSResponder (<https://opensource.apple.com/tarballs/mDNSResponder/>).

- \* LICENSE:
  - \* license/LICENSE.dnsinfo.txt (Apple Public Source License 2.0)
- \* HOMEPAGE:
  - \* <https://www.opensource.apple.com/source/configd/configd-453.19/dnsinfo/dnsinfo.h>

This product optionally depends on 'Brotli4j', Brotli compression and decompression for Java., which can be obtained at:

- \* LICENSE:
  - \* license/LICENSE.brotli4j.txt (Apache License 2.0)
- \* HOMEPAGE:
  - \* <https://github.com/hyperxpro/Brotli4j>

Protocol Buffers - Google's data interchange format

Copyright 2013 Google Inc. All rights reserved.

<https://developers.google.com/protocol-buffers/>

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright

notice, this list of conditions and the following disclaimer.

\* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

\* Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Code generated by the Protocol Buffer compiler is owned by the owner of the input file used when generating it. This code is not standalone and requires a support library to be linked with it. This support library is itself covered by the above license.

This copy of Aalto XML processor is licensed under the Apache (Software) License, version 2.0 ("the License"). See the License for details about distribution rights, and the specific rights regarding derivative works.

You may obtain a copy of the License at:

<https://www.apache.org/licenses/>

A copy is also included with both the the downloadable source code package and jar that contains class bytecodes, as file "ASL 2.0". In both cases, that file should be located next to this file: in source distribution the location should be "release-notes/asl"; and in jar "META-INF/" Apache Harmony

Copyright 2006, 2010 The Apache Software Foundation.

This product includes software developed at  
The Apache Software Foundation (<https://www.apache.org/>).

# 1.208 jta 1.3.3

## 1.208.1 Available under license :

[subs="normal"]

....

Specification: {doctitle}

Version: {revnumber}

Status: {revremark}

Release: {revdate}

....

Copyright (c) 2019 Eclipse Foundation.

=== Eclipse Foundation Specification License

By using and/or copying this document, or the Eclipse Foundation document from which this statement is linked, you (the licensee) agree that you have read, understood, and will comply with the following terms and conditions:

Permission to copy, and distribute the contents of this document, or the Eclipse Foundation document from which this statement is linked, in any medium for any purpose and without fee or royalty is hereby granted, provided that you include the following on ALL copies of the document, or portions thereof, that you use:

- \* link or URL to the original Eclipse Foundation document.
- \* All existing copyright notices, or if one does not exist, a notice (hypertext is preferred, but a textual representation is permitted) of the form: "Copyright (c) [\$date-of-document] Eclipse Foundation, Inc. <<url to this license>>"

Inclusion of the full text of this NOTICE must be provided. We request that authorship attribution be provided in any software, documents, or other items or products that you create pursuant to the implementation of the contents of this document, or any portion thereof.

No right to create modifications or derivatives of Eclipse Foundation documents is granted pursuant to this license, except anyone may prepare and distribute derivative works and portions of this document in software that implements the specification, in supporting materials accompanying such software, and in documentation of such software, PROVIDED that all such works include the notice below. HOWEVER, the

publication of derivative works of this document for use as a technical specification is expressly prohibited.

The notice is:

"Copyright (c) 2018 Eclipse Foundation. This software or document includes material copied from or derived from [title and URI of the Eclipse Foundation specification document]."

==== Disclaimers

THIS DOCUMENT IS PROVIDED "AS IS," AND THE COPYRIGHT HOLDERS AND THE ECLIPSE FOUNDATION MAKE NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, NON-INFRINGEMENT, OR TITLE; THAT THE CONTENTS OF THE DOCUMENT ARE SUITABLE FOR ANY PURPOSE; NOR THAT THE IMPLEMENTATION OF SUCH CONTENTS WILL NOT INFRINGE ANY THIRD PARTY PATENTS, COPYRIGHTS, TRADEMARKS OR OTHER RIGHTS.

THE COPYRIGHT HOLDERS AND THE ECLIPSE FOUNDATION WILL NOT BE LIABLE FOR ANY DIRECT, INDIRECT, SPECIAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF ANY USE OF THE DOCUMENT OR THE PERFORMANCE OR IMPLEMENTATION OF THE CONTENTS THEREOF.

The name and trademarks of the copyright holders or the Eclipse Foundation may NOT be used in advertising or publicity pertaining to this document or its contents without specific, written prior permission. Title to copyright in this document will at all times remain with copyright holders.

# Eclipse Public License - v 2.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

## 1. DEFINITIONS

"Contribution" means:

a) in the case of the initial Contributor, the initial content Distributed under this Agreement, and

b) in the case of each subsequent Contributor:

- i) changes to the Program, and
- ii) additions to the Program;

where such changes and/or additions to the Program originate from and are Distributed by that particular Contributor. A Contribution



"originates" from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include changes or additions to the Program that are not Modified Works.

"Contributor" means any person or entity that Distributes the Program.

"Licensed Patents" mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions Distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement or any Secondary License (as applicable), including Contributors.

"Derivative Works" shall mean any work, whether in Source Code or other form, that is based on (or derived from) the Program and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship.

"Modified Works" shall mean any work in Source Code or other form that results from an addition to, deletion from, or modification of the contents of the Program, including, for purposes of clarity any new file in Source Code form that contains any contents of the Program. Modified Works shall not include works that contain only declarations, interfaces, types, classes, structures, or files of the Program solely in each case in order to link to, bind by name, or subclass the Program or Modified Works thereof.

"Distribute" means the acts of a) distributing or b) making available in any manner that enables the transfer of a copy.

"Source Code" means the form of a Program preferred for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Secondary License" means either the GNU General Public License, Version 2.0, or any later versions of that license, including any exceptions or additional permissions as identified by the initial Contributor.

## 2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare Derivative Works of, publicly display,

publicly perform, Distribute and sublicense the Contribution of such Contributor, if any, and such Derivative Works.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in Source Code or other form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to Distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

e) Notwithstanding the terms of any Secondary License, no Contributor makes additional grants to any Recipient (other than those set forth in this Agreement) as a result of such Recipient's receipt of the Program under the terms of a Secondary License (if permitted under the terms of Section 3).

### 3. REQUIREMENTS

3.1 If a Contributor Distributes the Program in any form, then:

a) the Program must also be made available as Source Code, in accordance with section 3.2, and the Contributor must accompany the Program with a statement that the Source Code for the Program is available under this Agreement, and informs Recipients how to obtain it in a reasonable manner on or through a medium customarily

used for software exchange; and

b) the Contributor may Distribute the Program under a license different than this Agreement, provided that such license:

i) effectively disclaims on behalf of all other Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;

ii) effectively excludes on behalf of all other Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;

iii) does not attempt to limit or alter the recipients' rights in the Source Code under section 3.2; and

iv) requires any subsequent distribution of the Program by any party to be under a license that satisfies the requirements of this section 3.

### 3.2 When the Program is Distributed as Source Code:

a) it must be made available under this Agreement, or if the Program (i) is combined with other material in a separate file or files made available under a Secondary License, and (ii) the initial Contributor attached to the Source Code the notice described in Exhibit A of this Agreement, then the Program may be made available under the terms of such Secondary Licenses, and

b) a copy of this Agreement must be included with each copy of the Program.

3.3 Contributors may not remove or alter any copyright, patent, trademark, attribution notices, disclaimers of warranty, or limitations of liability ("notices") contained within the Program from any copy of the Program which they Distribute, provided that Contributors may add their own appropriate notices.

## 4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor

("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

## 5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

## 6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)

ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

## 7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be Distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to Distribute the Program (including its Contributions) under the new version.

Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved. Nothing in this Agreement is intended

to be enforceable by any entity that is not a Contributor or Recipient.  
No third-party beneficiary rights are created under this Agreement.

#### Exhibit A - Form of Secondary Licenses Notice

"This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License, v. 2.0 are satisfied: {name license(s), version(s), and exceptions or additional permissions here}."

Simply including a copy of this Agreement, including this Exhibit A is not sufficient to license the Source Code under Secondary Licenses.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.

---

## The GNU General Public License (GPL) Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.  
51 Franklin Street, Fifth Floor  
Boston, MA 02110-1335  
USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

#### Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new

free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

## TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program

(independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest



your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program

except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to

the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

#### NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN

WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

## END OF TERMS AND CONDITIONS

### How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.  
Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1335 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author  
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'. This is free software, and you are welcome to redistribute it under certain conditions; type `show c' for details.

The hypothetical commands ``show w'` and ``show c'` should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than ``show w'` and ``show c'`; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program ``Gnomovision'` (which makes passes at compilers) written by James Hacker.

signature of Ty Coon, 1 April 1989

Ty Coon, President of Vice

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

---

#### ## CLASSPATH EXCEPTION

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License version 2 cover the whole combination.

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module. An independent module is a module which is not derived from or based on this library. If you modify this library, you may extend this exception to your version of the library, but you are not obligated to do so. If you do not wish to do so, delete this exception statement from your version.

# Notices for Jakarta Transactions

This content is produced and maintained by the Jakarta Transactions project.

\* Project home: <https://projects.eclipse.org/projects/ee4j.jta>

## ## Trademarks

Jakarta Transactions is a trademark of the Eclipse Foundation.

## ## Copyright

All content is the property of the respective authors or their employers. For more information regarding authorship of content, please consult the listed source code repository logs.

## ## Declared Project Licenses

This program and the accompanying materials are made available under the terms of the Eclipse Public License v. 2.0 which is available at <http://www.eclipse.org/legal/epl-2.0>. This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License v. 2.0 are satisfied: GNU General Public License, version 2 with the GNU Classpath Exception which is available at <https://www.gnu.org/software/classpath/license.html>.

SPDX-License-Identifier: EPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0

## ## Source Code

The project maintains the following source code repositories:

\* <https://github.com/eclipse-ee4j/jta-api>

## ## Third-party Content

This project leverages the following third party content.

None

## ## Cryptography

Content may contain encryption software. The country in which you are currently may have restrictions on the import, possession, and use, and/or re-export to another country, of encryption software. BEFORE using any encryption software, please check the country's laws, regulations and policies concerning the import, possession, or use, and re-export of encryption software, to see if this is permitted.

# 1.209 micronaut-cache 3.3.0

## 1.209.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2017-2020 original authors
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * https://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1331473554_1653513966.161154/0/micronaut-cache-core-3-3-0-sources-
jar/io/micronaut/cache/jcache/JCacheSyncCache.java
* /opt/cola/permits/1331473554_1653513966.161154/0/micronaut-cache-core-3-3-0-sources-
jar/io/micronaut/cache/DefaultCacheErrorHandler.java
* /opt/cola/permits/1331473554_1653513966.161154/0/micronaut-cache-core-3-3-0-sources-
jar/io/micronaut/cache/serialize/package-info.java
* /opt/cola/permits/1331473554_1653513966.161154/0/micronaut-cache-core-3-3-0-sources-
jar/io/micronaut/cache/interceptor/DefaultCacheKeyGenerator.java
* /opt/cola/permits/1331473554_1653513966.161154/0/micronaut-cache-core-3-3-0-sources-
jar/io/micronaut/cache/Cache.java
* /opt/cola/permits/1331473554_1653513966.161154/0/micronaut-cache-core-3-3-0-sources-
jar/io/micronaut/cache/CacheInfo.java
* /opt/cola/permits/1331473554_1653513966.161154/0/micronaut-cache-core-3-3-0-sources-
jar/io/micronaut/cache/package-info.java
* /opt/cola/permits/1331473554_1653513966.161154/0/micronaut-cache-core-3-3-0-sources-
jar/io/micronaut/cache/annotation/CacheInvalidate.java
* /opt/cola/permits/1331473554_1653513966.161154/0/micronaut-cache-core-3-3-0-sources-
jar/io/micronaut/cache/CacheErrorHandler.java
* /opt/cola/permits/1331473554_1653513966.161154/0/micronaut-cache-core-3-3-0-sources-
jar/io/micronaut/cache/AsyncCacheErrorHandler.java
* /opt/cola/permits/1331473554_1653513966.161154/0/micronaut-cache-core-3-3-0-sources-
jar/io/micronaut/cache/annotation/package-info.java
* /opt/cola/permits/1331473554_1653513966.161154/0/micronaut-cache-core-3-3-0-sources-
jar/io/micronaut/cache/interceptor/ParametersKey.java
* /opt/cola/permits/1331473554_1653513966.161154/0/micronaut-cache-core-3-3-0-sources-
jar/io/micronaut/cache/annotation/PutOperations.java
* /opt/cola/permits/1331473554_1653513966.161154/0/micronaut-cache-core-3-3-0-sources-
jar/io/micronaut/cache/interceptor/CacheKeyGenerator.java
```

\* /opt/cola/permits/1331473554\_1653513966.161154/0/micronaut-cache-core-3-3-0-sources-jar/io/micronaut/cache/discovery/DiscoveryClientCacheConfiguration.java

\* /opt/cola/permits/1331473554\_1653513966.161154/0/micronaut-cache-core-3-3-0-sources-jar/io/micronaut/cache/jcache/package-info.java

\* /opt/cola/permits/1331473554\_1653513966.161154/0/micronaut-cache-core-3-3-0-sources-jar/io/micronaut/cache/interceptor/CacheInterceptor.java

\* /opt/cola/permits/1331473554\_1653513966.161154/0/micronaut-cache-core-3-3-0-sources-jar/io/micronaut/cache/interceptor/KotlinSuspendFunCacheKeyGenerator.java

\* /opt/cola/permits/1331473554\_1653513966.161154/0/micronaut-cache-core-3-3-0-sources-jar/io/micronaut/cache/annotation/Cacheable.java

\* /opt/cola/permits/1331473554\_1653513966.161154/0/micronaut-cache-core-3-3-0-sources-jar/io/micronaut/cache/SyncCache.java

\* /opt/cola/permits/1331473554\_1653513966.161154/0/micronaut-cache-core-3-3-0-sources-jar/io/micronaut/cache/discovery/package-info.java

\* /opt/cola/permits/1331473554\_1653513966.161154/0/micronaut-cache-core-3-3-0-sources-jar/io/micronaut/cache/exceptions/package-info.java

\* /opt/cola/permits/1331473554\_1653513966.161154/0/micronaut-cache-core-3-3-0-sources-jar/io/micronaut/cache/AbstractMapBasedSyncCache.java

\* /opt/cola/permits/1331473554\_1653513966.161154/0/micronaut-cache-core-3-3-0-sources-jar/io/micronaut/cache/serialize/DefaultStringKeySerializer.java

\* /opt/cola/permits/1331473554\_1653513966.161154/0/micronaut-cache-core-3-3-0-sources-jar/io/micronaut/cache/DelegatingAsyncCache.java

\* /opt/cola/permits/1331473554\_1653513966.161154/0/micronaut-cache-core-3-3-0-sources-jar/io/micronaut/cache/annotation/InvalidateOperations.java

\* /opt/cola/permits/1331473554\_1653513966.161154/0/micronaut-cache-core-3-3-0-sources-jar/io/micronaut/cache/DynamicCacheManager.java

\* /opt/cola/permits/1331473554\_1653513966.161154/0/micronaut-cache-core-3-3-0-sources-jar/io/micronaut/cache/jcache/JCacheManager.java

\* /opt/cola/permits/1331473554\_1653513966.161154/0/micronaut-cache-core-3-3-0-sources-jar/io/micronaut/cache/DefaultCacheManager.java

\* /opt/cola/permits/1331473554\_1653513966.161154/0/micronaut-cache-core-3-3-0-sources-jar/io/micronaut/cache/AsyncCache.java

\* /opt/cola/permits/1331473554\_1653513966.161154/0/micronaut-cache-core-3-3-0-sources-jar/io/micronaut/cache/interceptor/package-info.java

\* /opt/cola/permits/1331473554\_1653513966.161154/0/micronaut-cache-core-3-3-0-sources-jar/io/micronaut/cache/discovery/CachingCompositeDiscoveryClient.java

\* /opt/cola/permits/1331473554\_1653513966.161154/0/micronaut-cache-core-3-3-0-sources-jar/io/micronaut/cache/exceptions/CacheSystemException.java

\* /opt/cola/permits/1331473554\_1653513966.161154/0/micronaut-cache-core-3-3-0-sources-jar/io/micronaut/cache/jcache/metrics/JCacheMetricsBinder.java

\* /opt/cola/permits/1331473554\_1653513966.161154/0/micronaut-cache-core-3-3-0-sources-jar/io/micronaut/cache/annotation/CacheConfig.java

\* /opt/cola/permits/1331473554\_1653513966.161154/0/micronaut-cache-core-3-3-0-sources-jar/io/micronaut/cache/annotation/CachePut.java

\* /opt/cola/permits/1331473554\_1653513966.161154/0/micronaut-cache-core-3-3-0-sources-jar/io/micronaut/cache/CacheConfiguration.java

\* /opt/cola/permits/1331473554\_1653513966.161154/0/micronaut-cache-core-3-3-0-sources-jar/io/micronaut/cache/DelegatingAsyncBlockingCache.java



```
* /opt/cola/permits/1331473554_1653513966.161154/0/micronaut-cache-core-3-3-0-sources-
jar/io/micronaut/cache/interceptor/ValueSupplierException.java
* /opt/cola/permits/1331473554_1653513966.161154/0/micronaut-cache-core-3-3-0-sources-
jar/io/micronaut/cache/CacheManager.java
No license file was found, but licenses were detected in source scan.
```

```
/*
* Copyright 2017-2021 original authors
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):

```
* /opt/cola/permits/1331473554_1653513966.161154/0/micronaut-cache-core-3-3-0-sources-
jar/io/micronaut/cache/annotation/CacheAnnotation.java
No license file was found, but licenses were detected in source scan.
```

```
# Licensed under the Apache License, Version 2.0 (the "License");
# you may not use this file except in compliance with the License.
# You may obtain a copy of the License at
# distributed under the License is distributed on an "AS IS" BASIS,
```

Found in path(s):

```
* /opt/cola/permits/1331473554_1653513966.161154/0/micronaut-cache-core-3-3-0-sources-jar/META-INF/native-
image/io.micronaut.cache/micronaut-cache-core/native-image.properties
```

## 1.210 micronaut-security 3.5.0

### 1.210.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
* Copyright 2017-2022 original authors
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
```

\*  
\* <https://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1331474204\_1653068520.815044/0/micronaut-security-3-5-0-sources-jar/io/micronaut/security/x509/X509AuthenticationArgumentBinder.java  
\* /opt/cola/permits/1331474204\_1653068520.815044/0/micronaut-security-3-5-0-sources-jar/io/micronaut/security/endpoints/ControllerConfiguration.java  
\* /opt/cola/permits/1331474204\_1653068520.815044/0/micronaut-security-3-5-0-sources-jar/io/micronaut/security/rules/SensitiveEndpointRule.java  
\* /opt/cola/permits/1331474204\_1653068520.815044/0/micronaut-security-3-5-0-sources-jar/io/micronaut/security/x509/X509AuthenticationFetcher.java  
\* /opt/cola/permits/1331474204\_1653068520.815044/0/micronaut-security-3-5-0-sources-jar/io/micronaut/security/x509/X509ConfigurationProperties.java  
\* /opt/cola/permits/1331474204\_1653068520.815044/0/micronaut-security-3-5-0-sources-jar/io/micronaut/security/token/propagation/AbstractOutgoingRequestProcessorMatcher.java  
\* /opt/cola/permits/1331474204\_1653068520.815044/0/micronaut-security-3-5-0-sources-jar/io/micronaut/security/x509/X509Configuration.java  
\* /opt/cola/permits/1331474204\_1653068520.815044/0/micronaut-security-3-5-0-sources-jar/io/micronaut/security/utills/LoggingUtils.java  
\* /opt/cola/permits/1331474204\_1653068520.815044/0/micronaut-security-3-5-0-sources-jar/io/micronaut/security/x509/X509Authentication.java

No license file was found, but licenses were detected in source scan.

# Licensed under the Apache License, Version 2.0 (the "License");  
# you may not use this file except in compliance with the License.  
# You may obtain a copy of the License at  
# distributed under the License is distributed on an "AS IS" BASIS,

Found in path(s):

\* /opt/cola/permits/1331474204\_1653068520.815044/0/micronaut-security-3-5-0-sources-jar/META-INF/native-image/io.micronaut.security/micronaut-security/native-image.properties

No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright 2017-2021 original authors  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*

\* <https://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1331474204\_1653068520.815044/0/micronaut-security-3-5-0-sources-jar/io/micronaut/security/filters/SecurityFilterConfiguration.java  
\* /opt/cola/permits/1331474204\_1653068520.815044/0/micronaut-security-3-5-0-sources-jar/io/micronaut/security/authentication/ServerAuthentication.java  
\* /opt/cola/permits/1331474204\_1653068520.815044/0/micronaut-security-3-5-0-sources-jar/io/micronaut/security/authentication/AbstractPrincipalArgumentBinder.java  
\* /opt/cola/permits/1331474204\_1653068520.815044/0/micronaut-security-3-5-0-sources-jar/io/micronaut/security/filters/SecurityFilterConfigurationProperties.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright 2017-2020 original authors  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <https://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1331474204\_1653068520.815044/0/micronaut-security-3-5-0-sources-jar/io/micronaut/security/authentication/AuthenticationRequest.java  
\* /opt/cola/permits/1331474204\_1653068520.815044/0/micronaut-security-3-5-0-sources-jar/io/micronaut/security/endpoints/introspection/IntrospectionRequest.java  
\* /opt/cola/permits/1331474204\_1653068520.815044/0/micronaut-security-3-5-0-sources-jar/io/micronaut/security/token/validator/TokenValidator.java  
\* /opt/cola/permits/1331474204\_1653068520.815044/0/micronaut-security-3-5-0-sources-jar/io/micronaut/security/handlers/LoginHandler.java  
\* /opt/cola/permits/1331474204\_1653068520.815044/0/micronaut-security-3-5-0-sources-jar/io/micronaut/security/authentication/BasicAuthUtils.java  
\* /opt/cola/permits/1331474204\_1653068520.815044/0/micronaut-security-3-5-0-sources-

jar/io/micronaut/security/authentication/AuthenticationMode.java  
\* /opt/cola/permits/1331474204\_1653068520.815044/0/micronaut-security-3-5-0-sources-  
jar/io/micronaut/security/filters/AuthenticationFetcher.java  
\* /opt/cola/permits/1331474204\_1653068520.815044/0/micronaut-security-3-5-0-sources-  
jar/io/micronaut/security/token/generator/TokenGenerator.java  
\* /opt/cola/permits/1331474204\_1653068520.815044/0/micronaut-security-3-5-0-sources-  
jar/io/micronaut/security/rules/ConfigurationInterceptUrlMapRule.java  
\* /opt/cola/permits/1331474204\_1653068520.815044/0/micronaut-security-3-5-0-sources-  
jar/io/micronaut/security/rules/SecurityRuleResult.java  
\* /opt/cola/permits/1331474204\_1653068520.815044/0/micronaut-security-3-5-0-sources-  
jar/io/micronaut/security/endpoints/LoginController.java  
\* /opt/cola/permits/1331474204\_1653068520.815044/0/micronaut-security-3-5-0-sources-  
jar/io/micronaut/security/token/TokenAuthenticationFetcher.java  
\* /opt/cola/permits/1331474204\_1653068520.815044/0/micronaut-security-3-5-0-sources-  
jar/io/micronaut/security/rules/AbstractSecurityRule.java  
\* /opt/cola/permits/1331474204\_1653068520.815044/0/micronaut-security-3-5-0-sources-  
jar/io/micronaut/security/token/generator/package-info.java  
\* /opt/cola/permits/1331474204\_1653068520.815044/0/micronaut-security-3-5-0-sources-  
jar/io/micronaut/security/token/reader/package-info.java  
\* /opt/cola/permits/1331474204\_1653068520.815044/0/micronaut-security-3-5-0-sources-  
jar/io/micronaut/security/token/validator/package-info.java  
\* /opt/cola/permits/1331474204\_1653068520.815044/0/micronaut-security-3-5-0-sources-  
jar/io/micronaut/security/endpoints/introspection/package-info.java  
\* /opt/cola/permits/1331474204\_1653068520.815044/0/micronaut-security-3-5-0-sources-  
jar/io/micronaut/security/handlers/RedirectingLoginHandler.java  
\* /opt/cola/permits/1331474204\_1653068520.815044/0/micronaut-security-3-5-0-sources-  
jar/io/micronaut/security/authentication/UsernamePasswordCredentials.java  
\* /opt/cola/permits/1331474204\_1653068520.815044/0/micronaut-security-3-5-0-sources-  
jar/io/micronaut/security/event/LoginFailedEvent.java  
\* /opt/cola/permits/1331474204\_1653068520.815044/0/micronaut-security-3-5-0-sources-  
jar/io/micronaut/security/handlers/LogoutHandler.java  
\* /opt/cola/permits/1331474204\_1653068520.815044/0/micronaut-security-3-5-0-sources-  
jar/io/micronaut/security/errors/package-info.java  
\* /opt/cola/permits/1331474204\_1653068520.815044/0/micronaut-security-3-5-0-sources-  
jar/io/micronaut/security/rules/IpPatternsRule.java  
\* /opt/cola/permits/1331474204\_1653068520.815044/0/micronaut-security-3-5-0-sources-  
jar/io/micronaut/security/endpoints/introspection/DefaultIntrospectionProcessor.java  
\* /opt/cola/permits/1331474204\_1653068520.815044/0/micronaut-security-3-5-0-sources-  
jar/io/micronaut/security/authentication/AuthenticationResponse.java  
\* /opt/cola/permits/1331474204\_1653068520.815044/0/micronaut-security-3-5-0-sources-  
jar/io/micronaut/security/token/event/RefreshTokenGeneratedEvent.java  
\* /opt/cola/permits/1331474204\_1653068520.815044/0/micronaut-security-3-5-0-sources-  
jar/io/micronaut/security/config/SecurityConfigurationProperties.java  
\* /opt/cola/permits/1331474204\_1653068520.815044/0/micronaut-security-3-5-0-sources-  
jar/io/micronaut/security/token/config/TokenConfigurationProperties.java  
\* /opt/cola/permits/1331474204\_1653068520.815044/0/micronaut-security-3-5-0-sources-  
jar/io/micronaut/security/token/RolesFinder.java  
\* /opt/cola/permits/1331474204\_1653068520.815044/0/micronaut-security-3-5-0-sources-

jar/io/micronaut/security/event/LogoutEvent.java  
\* /opt/cola/permits/1331474204\_1653068520.815044/0/micronaut-security-3-5-0-sources-  
jar/io/micronaut/security/config/package-info.java  
\* /opt/cola/permits/1331474204\_1653068520.815044/0/micronaut-security-3-5-0-sources-  
jar/io/micronaut/security/authentication/PrincipalArgumentBinder.java  
\* /opt/cola/permits/1331474204\_1653068520.815044/0/micronaut-security-3-5-0-sources-  
jar/io/micronaut/security/token/reader/HttpHeaderTokenReader.java  
\* /opt/cola/permits/1331474204\_1653068520.815044/0/micronaut-security-3-5-0-sources-  
jar/io/micronaut/security/endpoints/package-info.java  
\* /opt/cola/permits/1331474204\_1653068520.815044/0/micronaut-security-3-5-0-sources-  
jar/io/micronaut/security/errors/IssuingAnAccessTokenErrorCode.java  
\* /opt/cola/permits/1331474204\_1653068520.815044/0/micronaut-security-3-5-0-sources-  
jar/io/micronaut/security/token/propagation/HttpHeaderTokenPropagator.java  
\* /opt/cola/permits/1331474204\_1653068520.815044/0/micronaut-security-3-5-0-sources-  
jar/io/micronaut/security/handlers/package-info.java  
\* /opt/cola/permits/1331474204\_1653068520.815044/0/micronaut-security-3-5-0-sources-  
jar/io/micronaut/security/token/propagation/HttpHeaderTokenPropagatorConfiguration.java  
\* /opt/cola/permits/1331474204\_1653068520.815044/0/micronaut-security-3-5-0-sources-  
jar/io/micronaut/security/rules/SecuredAnnotationRule.java  
\* /opt/cola/permits/1331474204\_1653068520.815044/0/micronaut-security-3-5-0-sources-  
jar/io/micronaut/security/endpoints/introspection/IntrospectionProcessor.java  
\* /opt/cola/permits/1331474204\_1653068520.815044/0/micronaut-security-3-5-0-sources-  
jar/io/micronaut/security/authentication/Authenticator.java  
\* /opt/cola/permits/1331474204\_1653068520.815044/0/micronaut-security-3-5-0-sources-  
jar/io/micronaut/security/utis/SecurityService.java  
\* /opt/cola/permits/1331474204\_1653068520.815044/0/micronaut-security-3-5-0-sources-  
jar/io/micronaut/security/authentication/AuthenticationModeCondition.java  
\* /opt/cola/permits/1331474204\_1653068520.815044/0/micronaut-security-3-5-0-sources-  
jar/io/micronaut/security/utis/DefaultSecurityService.java  
\* /opt/cola/permits/1331474204\_1653068520.815044/0/micronaut-security-3-5-0-sources-  
jar/io/micronaut/security/endpoints/LogoutControllerConfiguration.java  
\* /opt/cola/permits/1331474204\_1653068520.815044/0/micronaut-security-3-5-0-sources-  
jar/io/micronaut/security/errors/PriorToLoginPersistence.java  
\* /opt/cola/permits/1331474204\_1653068520.815044/0/micronaut-security-3-5-0-sources-  
jar/io/micronaut/security/event/package-info.java  
\* /opt/cola/permits/1331474204\_1653068520.815044/0/micronaut-security-3-5-0-sources-  
jar/io/micronaut/security/token/propagation/package-info.java  
\* /opt/cola/permits/1331474204\_1653068520.815044/0/micronaut-security-3-5-0-sources-  
jar/io/micronaut/security/endpoints/LogoutController.java  
\* /opt/cola/permits/1331474204\_1653068520.815044/0/micronaut-security-3-5-0-sources-  
jar/io/micronaut/security/token/event/package-info.java  
\* /opt/cola/permits/1331474204\_1653068520.815044/0/micronaut-security-3-5-0-sources-  
jar/io/micronaut/security/authentication/BasicAuthAuthenticationConfiguration.java  
\* /opt/cola/permits/1331474204\_1653068520.815044/0/micronaut-security-3-5-0-sources-  
jar/io/micronaut/security/token/config/package-info.java  
\* /opt/cola/permits/1331474204\_1653068520.815044/0/micronaut-security-3-5-0-sources-  
jar/io/micronaut/security/token/propagation/TokenPropagator.java  
\* /opt/cola/permits/1331474204\_1653068520.815044/0/micronaut-security-3-5-0-sources-

jar/io/micronaut/security/token/refresh/RefreshTokenPersistence.java  
\* /opt/cola/permits/1331474204\_1653068520.815044/0/micronaut-security-3-5-0-sources-  
jar/io/micronaut/security/errors/ErrorCode.java  
\* /opt/cola/permits/1331474204\_1653068520.815044/0/micronaut-security-3-5-0-sources-  
jar/io/micronaut/security/endpoints/introspection/IntrospectionConfigurationProperties.java  
\* /opt/cola/permits/1331474204\_1653068520.815044/0/micronaut-security-3-5-0-sources-  
jar/io/micronaut/security/authentication/Authentication.java  
\* /opt/cola/permits/1331474204\_1653068520.815044/0/micronaut-security-3-5-0-sources-  
jar/io/micronaut/security/config/AuthenticationStrategy.java  
\* /opt/cola/permits/1331474204\_1653068520.815044/0/micronaut-security-3-5-0-sources-  
jar/io/micronaut/security/token/reader/TokenResolver.java  
\* /opt/cola/permits/1331474204\_1653068520.815044/0/micronaut-security-3-5-0-sources-  
jar/io/micronaut/security/token/reader/DefaultTokenResolver.java  
\* /opt/cola/permits/1331474204\_1653068520.815044/0/micronaut-security-3-5-0-sources-  
jar/io/micronaut/security/endpoints/LogoutControllerConfigurationProperties.java  
\* /opt/cola/permits/1331474204\_1653068520.815044/0/micronaut-security-3-5-0-sources-  
jar/io/micronaut/security/token/TokenAuthenticationFactory.java  
\* /opt/cola/permits/1331474204\_1653068520.815044/0/micronaut-security-3-5-0-sources-  
jar/io/micronaut/security/endpoints/introspection/IntrospectionConfiguration.java  
\* /opt/cola/permits/1331474204\_1653068520.815044/0/micronaut-security-3-5-0-sources-  
jar/io/micronaut/security/authentication/BasicAuthAuthenticationFetcher.java  
\* /opt/cola/permits/1331474204\_1653068520.815044/0/micronaut-security-3-5-0-sources-  
jar/io/micronaut/security/token/generator/RefreshTokenGenerator.java  
\* /opt/cola/permits/1331474204\_1653068520.815044/0/micronaut-security-3-5-0-sources-  
jar/io/micronaut/security/filters/SecurityFilter.java  
\* /opt/cola/permits/1331474204\_1653068520.815044/0/micronaut-security-3-5-0-sources-  
jar/io/micronaut/security/token/config/TokenConfiguration.java  
\* /opt/cola/permits/1331474204\_1653068520.815044/0/micronaut-security-3-5-0-sources-  
jar/io/micronaut/security/rules/SecurityRule.java  
\* /opt/cola/permits/1331474204\_1653068520.815044/0/micronaut-security-3-5-0-sources-  
jar/io/micronaut/security/token/reader/TokenReader.java  
\* /opt/cola/permits/1331474204\_1653068520.815044/0/micronaut-security-3-5-0-sources-  
jar/io/micronaut/security/token/Claims.java  
\* /opt/cola/permits/1331474204\_1653068520.815044/0/micronaut-security-3-5-0-sources-  
jar/io/micronaut/security/filters/package-info.java  
\* /opt/cola/permits/1331474204\_1653068520.815044/0/micronaut-security-3-5-0-sources-  
jar/io/micronaut/security/config/TokenCookieConfiguration.java  
\* /opt/cola/permits/1331474204\_1653068520.815044/0/micronaut-security-3-5-0-sources-  
jar/io/micronaut/security/authentication/AuthenticationFailed.java  
\* /opt/cola/permits/1331474204\_1653068520.815044/0/micronaut-security-3-5-0-sources-  
jar/io/micronaut/security/authentication/jackson/SecurityJacksonModule.java  
\* /opt/cola/permits/1331474204\_1653068520.815044/0/micronaut-security-3-5-0-sources-  
jar/io/micronaut/security/authentication/DefaultAuthorizationExceptionHandler.java  
\* /opt/cola/permits/1331474204\_1653068520.815044/0/micronaut-security-3-5-0-sources-  
jar/io/micronaut/security/config/SecurityConfiguration.java  
\* /opt/cola/permits/1331474204\_1653068520.815044/0/micronaut-security-3-5-0-sources-  
jar/io/micronaut/security/errors/ObtainingAuthorizationErrorCode.java  
\* /opt/cola/permits/1331474204\_1653068520.815044/0/micronaut-security-3-5-0-sources-

jar/io/micronaut/security/endpoints/introspection/IntrospectionController.java  
\* /opt/cola/permits/1331474204\_1653068520.815044/0/micronaut-security-3-5-0-sources-  
jar/io/micronaut/security/endpoints/introspection/IntrospectionResponse.java  
\* /opt/cola/permits/1331474204\_1653068520.815044/0/micronaut-security-3-5-0-sources-  
jar/io/micronaut/security/config/RefreshRedirectConfiguration.java  
\* /opt/cola/permits/1331474204\_1653068520.815044/0/micronaut-security-3-5-0-sources-  
jar/io/micronaut/security/token/propagation/HttpHeaderTokenPropagatorConfigurationProperties.java  
\* /opt/cola/permits/1331474204\_1653068520.815044/0/micronaut-security-3-5-0-sources-  
jar/io/micronaut/security/errors/OauthErrorResponseException.java  
\* /opt/cola/permits/1331474204\_1653068520.815044/0/micronaut-security-3-5-0-sources-  
jar/io/micronaut/security/rules/InterceptUrlMapRule.java  
\* /opt/cola/permits/1331474204\_1653068520.815044/0/micronaut-security-3-5-0-sources-  
jar/io/micronaut/security/authentication/AuthenticationFailureReason.java  
\* /opt/cola/permits/1331474204\_1653068520.815044/0/micronaut-security-3-5-0-sources-  
jar/io/micronaut/security/authentication/AuthenticationProvider.java  
\* /opt/cola/permits/1331474204\_1653068520.815044/0/micronaut-security-3-5-0-sources-  
jar/io/micronaut/security/rules/package-info.java  
\* /opt/cola/permits/1331474204\_1653068520.815044/0/micronaut-security-3-5-0-sources-  
jar/io/micronaut/security/token/validator/RefreshTokenValidator.java  
\* /opt/cola/permits/1331474204\_1653068520.815044/0/micronaut-security-3-5-0-sources-  
jar/io/micronaut/security/authentication/AuthorizationException.java  
\* /opt/cola/permits/1331474204\_1653068520.815044/0/micronaut-security-3-5-0-sources-  
jar/io/micronaut/security/errors/CookiePriorToLoginPersistence.java  
\* /opt/cola/permits/1331474204\_1653068520.815044/0/micronaut-security-3-5-0-sources-  
jar/io/micronaut/security/config/ForbiddenRedirectConfiguration.java  
\* /opt/cola/permits/1331474204\_1653068520.815044/0/micronaut-security-3-5-0-sources-  
jar/io/micronaut/security/config/RedirectConfigurationProperties.java  
\* /opt/cola/permits/1331474204\_1653068520.815044/0/micronaut-security-3-5-0-sources-  
jar/io/micronaut/security/errors/OauthErrorResponseExceptionHandler.java  
\* /opt/cola/permits/1331474204\_1653068520.815044/0/micronaut-security-3-5-0-sources-  
jar/io/micronaut/security/token/MapClaims.java  
\* /opt/cola/permits/1331474204\_1653068520.815044/0/micronaut-security-3-5-0-sources-  
jar/io/micronaut/security/token/propagation/TokenPropagationHttpClientFilter.java  
\* /opt/cola/permits/1331474204\_1653068520.815044/0/micronaut-security-3-5-0-sources-  
jar/io/micronaut/security/token/event/AccessTokenGeneratedEvent.java  
\* /opt/cola/permits/1331474204\_1653068520.815044/0/micronaut-security-3-5-0-sources-  
jar/io/micronaut/security/event/TokenValidatedEvent.java  
\* /opt/cola/permits/1331474204\_1653068520.815044/0/micronaut-security-3-5-0-sources-  
jar/io/micronaut/security/token/DefaultRolesFinder.java  
\* /opt/cola/permits/1331474204\_1653068520.815044/0/micronaut-security-3-5-0-sources-  
jar/io/micronaut/security/config/UnauthorizedRedirectConfiguration.java  
\* /opt/cola/permits/1331474204\_1653068520.815044/0/micronaut-security-3-5-0-sources-  
jar/io/micronaut/security/package-info.java  
\* /opt/cola/permits/1331474204\_1653068520.815044/0/micronaut-security-3-5-0-sources-  
jar/io/micronaut/security/authentication/AuthenticationException.java  
\* /opt/cola/permits/1331474204\_1653068520.815044/0/micronaut-security-3-5-0-sources-  
jar/io/micronaut/security/authentication/package-info.java  
\* /opt/cola/permits/1331474204\_1653068520.815044/0/micronaut-security-3-5-0-sources-

jar/io/micronaut/security/errors/ErrorResponse.java  
\* /opt/cola/permits/1331474204\_1653068520.815044/0/micronaut-security-3-5-0-sources-jar/io/micronaut/security/config/AuthenticationModeConfiguration.java  
\* /opt/cola/permits/1331474204\_1653068520.815044/0/micronaut-security-3-5-0-sources-jar/io/micronaut/security/x509/package-info.java  
\* /opt/cola/permits/1331474204\_1653068520.815044/0/micronaut-security-3-5-0-sources-jar/io/micronaut/security/config/RedirectConfiguration.java  
\* /opt/cola/permits/1331474204\_1653068520.815044/0/micronaut-security-3-5-0-sources-jar/io/micronaut/security/authentication/AuthenticationExceptionHandler.java  
\* /opt/cola/permits/1331474204\_1653068520.815044/0/micronaut-security-3-5-0-sources-jar/io/micronaut/security/authentication/AuthenticationArgumentBinder.java  
\* /opt/cola/permits/1331474204\_1653068520.815044/0/micronaut-security-3-5-0-sources-jar/io/micronaut/security/authentication/CookieBasedAuthenticationModeCondition.java  
\* /opt/cola/permits/1331474204\_1653068520.815044/0/micronaut-security-3-5-0-sources-jar/io/micronaut/security/token/package-info.java  
\* /opt/cola/permits/1331474204\_1653068520.815044/0/micronaut-security-3-5-0-sources-jar/io/micronaut/security/token/propagation/TokenPropagationConfigurationProperties.java  
\* /opt/cola/permits/1331474204\_1653068520.815044/0/micronaut-security-3-5-0-sources-jar/io/micronaut/security/endpoints/LoginControllerConfigurationProperties.java  
\* /opt/cola/permits/1331474204\_1653068520.815044/0/micronaut-security-3-5-0-sources-jar/io/micronaut/security/config/InterceptUrlMapPattern.java  
\* /opt/cola/permits/1331474204\_1653068520.815044/0/micronaut-security-3-5-0-sources-jar/io/micronaut/security/authentication/ClientAuthentication.java  
\* /opt/cola/permits/1331474204\_1653068520.815044/0/micronaut-security-3-5-0-sources-jar/io/micronaut/security/endpoints/LoginControllerConfiguration.java  
\* /opt/cola/permits/1331474204\_1653068520.815044/0/micronaut-security-3-5-0-sources-jar/io/micronaut/security/event/LoginSuccessfulEvent.java  
\* /opt/cola/permits/1331474204\_1653068520.815044/0/micronaut-security-3-5-0-sources-jar/io/micronaut/security/config/InterceptUrlMapConverter.java  
\* /opt/cola/permits/1331474204\_1653068520.815044/0/micronaut-security-3-5-0-sources-jar/io/micronaut/security/token/propagation/TokenPropagationConfiguration.java

## 1.211 kotlin-stdlib 1.6.10

### 1.211.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*  
* Copyright 2010-2016 JetBrains s.r.o.  
*  
* Licensed under the Apache License, Version 2.0 (the "License");  
* you may not use this file except in compliance with the License.  
* You may obtain a copy of the License at  
*  
* http://www.apache.org/licenses/LICENSE-2.0  
*  
* Unless required by applicable law or agreed to in writing, software
```



\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1331473828\_1653068625.3355322/0/kotlin-stdlib-1-6-10-sources-jar/kotlin/ArrayIntrinsics.kt  
\* /opt/cola/permits/1331473828\_1653068625.3355322/0/kotlin-stdlib-1-6-10-sources-jar/kotlin/reflect/KVisibility.kt  
\* /opt/cola/permits/1331473828\_1653068625.3355322/0/kotlin-stdlib-1-6-10-sources-jar/kotlin/internal/InternalAnnotations.kt  
\* /opt/cola/permits/1331473828\_1653068625.3355322/0/kotlin-stdlib-1-6-10-sources-jar/kotlin/String.kt  
\* /opt/cola/permits/1331473828\_1653068625.3355322/0/kotlin-stdlib-1-6-10-sources-jar/kotlin/Library.kt

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2010-2015 JetBrains s.r.o.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1331473828\_1653068625.3355322/0/kotlin-stdlib-1-6-10-sources-jar/kotlin/reflect/KDeclarationContainer.kt  
\* /opt/cola/permits/1331473828\_1653068625.3355322/0/kotlin-stdlib-1-6-10-sources-jar/kotlin/Comparable.kt  
\* /opt/cola/permits/1331473828\_1653068625.3355322/0/kotlin-stdlib-1-6-10-sources-jar/kotlin/Boolean.kt  
\* /opt/cola/permits/1331473828\_1653068625.3355322/0/kotlin-stdlib-1-6-10-sources-jar/kotlin/Number.kt  
\* /opt/cola/permits/1331473828\_1653068625.3355322/0/kotlin-stdlib-1-6-10-sources-jar/kotlin/Throwable.kt  
\* /opt/cola/permits/1331473828\_1653068625.3355322/0/kotlin-stdlib-1-6-10-sources-jar/kotlin/CharSequence.kt  
\* /opt/cola/permits/1331473828\_1653068625.3355322/0/kotlin-stdlib-1-6-10-sources-jar/kotlin/annotation/Annotations.kt  
\* /opt/cola/permits/1331473828\_1653068625.3355322/0/kotlin-stdlib-1-6-10-sources-jar/kotlin/Function.kt  
\* /opt/cola/permits/1331473828\_1653068625.3355322/0/kotlin-stdlib-1-6-10-sources-jar/kotlin/Any.kt  
\* /opt/cola/permits/1331473828\_1653068625.3355322/0/kotlin-stdlib-1-6-10-sources-jar/kotlin/Nothing.kt  
\* /opt/cola/permits/1331473828\_1653068625.3355322/0/kotlin-stdlib-1-6-10-sources-jar/kotlin/Unit.kt  
\* /opt/cola/permits/1331473828\_1653068625.3355322/0/kotlin-stdlib-1-6-10-sources-jar/kotlin/reflect/KParameter.kt

\* /opt/cola/permits/1331473828\_1653068625.3355322/0/kotlin-stdlib-1-6-10-sources-jar/kotlin/Iterator.kt

\* /opt/cola/permits/1331473828\_1653068625.3355322/0/kotlin-stdlib-1-6-10-sources-jar/kotlin/Char.kt

# 1.212 micronaut-aws 3.2.1

## 1.212.1 Available under license :

Apache License

Version 2.0, January 2004

<https://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the

editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the

same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

## 1.213 swagger-parser-v3 2.0.26

### 1.213.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
public License getLicense(ObjectNode node, String location, ParseResult result) {
```

Found in path(s):

```
* /opt/cola/permits/1340076216_1654622379.3371012/0/swagger-parser-v3-2-0-26-sources-1-jar/io/swagger/v3/parser/util/OpenAPIDeserializer.java
```

## 1.214 checker-qual 3.5.0

### 1.214.1 Available under license :

Checker Framework qualifiers

Copyright 2004-present by the Checker Framework developers

MIT License:

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.215 slf4j-api-module 1.7.25

## 1.216 rxjava 1.3.8

### 1.216.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 *
 * Original License: https://github.com/JCTools/JCTools/blob/master/LICENSE
 * Original location: https://github.com/JCTools/JCTools/blob/master/jctools-
core/src/main/java/org/jctools/util/Pow2.java
 */
```

Found in path(s):

```
*/opt/ws_local/PERMITS_SQL/1014221113_1591382734.95/0/rxjava-1-3-8-sources-
jar/rx/internal/util/unsafe/Pow2.java
```

No license file was found, but licenses were detected in source scan.

====

Copyright 2014 Netflix, Inc.

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

====

This package "rx.internal.operators" is for internal implementation details and can change at any time.

It is excluded from the public Javadocs (<http://netflix.github.io/RxJava/javadoc/>) and should not be relied upon by any code.

In short, changes to public signatures of these classes will not be accounted for in the versioning of RxJava.

Found in path(s):

\* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-jar/rx/internal/operators/README.md

No license file was found, but licenses were detected in source scan.

/\*\*

\* Copyright 2014 Netflix, Inc.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-jar/rx/internal/schedulers/GenericScheduledExecutorService.java

\* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-jar/rx/functions/ActionN.java

\* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-jar/rx/exceptions/OnErrorNotImplementedException.java

\* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-jar/rx/internal/operators/OperatorToObservableSortedList.java

\* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-jar/rx/functions/Action9.java

\* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-jar/rx/subjects/BehaviorSubject.java



- \* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-jar/rx/observers/SafeSubscriber.java
- \* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-jar/rx/internal/operators/OperatorOnBackpressureDrop.java
- \* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-jar/rx/exceptions/CompositeException.java
- \* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-jar/rx/internal/schedulers/NewThreadScheduler.java
- \* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-jar/rx/internal/operators/CompletableOnSubscribeMergeArray.java
- \* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-jar/rx/internal/operators/OperatorMaterialize.java
- \* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-jar/rx/functions/Func2.java
- \* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-jar/rx/observables/GroupedObservable.java
- \* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-jar/rx/internal/operators/OperatorTakeUntil.java
- \* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-jar/rx/functions/Action4.java
- \* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-jar/rx/internal/operators/CompletableOnSubscribeConcat.java
- \* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-jar/rx/internal/operators/OperatorTakeLast.java
- \* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-jar/rx/Observer.java
- \* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-jar/rx/internal/schedulers/CachedThreadScheduler.java
- \* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-jar/rx/functions/Action5.java
- \* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-jar/rx/plugins/RxJavaErrorHandler.java
- \* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-jar/rx/internal/operators/OperatorZip.java
- \* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-jar/rx/internal/util/RxRingBuffer.java
- \* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-jar/rx/internal/operators/OperatorToObservableList.java
- \* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-jar/rx/observers/Observers.java
- \* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-jar/rx/internal/operators/CompletableOnSubscribeConcatArray.java
- \* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-jar/rx/internal/operators/CompletableOnSubscribeMergeIterable.java
- \* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-jar/rx/subscriptions/Subscriptions.java
- \* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-jar/rx/subscriptions/BooleanSubscription.java
- \* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-jar/rx/internal/operators/OperatorSkipLastTimed.java
- \* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-jar/rx/internal/operators/OperatorSkip.java

\* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-jar/rx/functions/Action7.java  
\* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-jar/rx/internal/operators/BlockingOperatorToFuture.java  
\* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-jar/rx/internal/operators/OperatorTake.java  
\* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-jar/rx/internal/operators/OperatorUnsubscribeOn.java  
\* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-jar/rx/Subscriber.java  
\* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-jar/rx/functions/Action0.java  
\* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-jar/rx/internal/util/LinkedList.java  
\* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-jar/rx/subjects/SubjectSubscriptionManager.java  
\* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-jar/rx/internal/operators/OperatorTakeLastTimed.java  
\* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-jar/rx/exceptions/UnsubscribeFailedException.java  
\* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-jar/rx/schedulers/TestScheduler.java  
\* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-jar/rx/functions/Action1.java  
\* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-jar/rx/observers/TestObserver.java  
\* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-jar/rx/internal/operators/OperatorAny.java  
\* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-jar/rx/internal/operators/OperatorScan.java  
\* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-jar/rx/internal/schedulers/EventLoopsScheduler.java  
\* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-jar/rx/subjects/PublishSubject.java  
\* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-jar/rx/Scheduler.java  
\* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-jar/rx/plugins/RxJavaPlugins.java  
\* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-jar/rx/internal/operators/BlockingOperatorNext.java  
\* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-jar/rx/internal/operators/SingleOperatorCast.java  
\* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-jar/rx/internal/operators/OnSubscribeDoOnEach.java  
\* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-jar/rx/observables/BlockingObservable.java  
\* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-jar/rx/internal/schedulers/ImmediateScheduler.java  
\* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-jar/rx/observables/ConnectableObservable.java  
\* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-jar/rx/internal/operators/CachedObservable.java  
\* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-

jar/rx/exceptions/OnErrorFailedException.java  
\* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-jar/rx/functions/Func1.java  
\* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-jar/rx/internal/operators/CompletableOnSubscribeMergeDelayErrorArray.java  
\* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-jar/rx/internal/operators/OperatorIgnoreElements.java  
\* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-jar/rx/internal/operators/CompletableOnSubscribeMergeDelayErrorIterable.java  
\* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-jar/rx/internal/operators/BufferUntilSubscriber.java  
\* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-jar/rx/schedulers/TrampolineScheduler.java  
\* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-jar/rx/subscriptions/MultipleAssignmentSubscription.java  
\* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-jar/rx/internal/operators/NotificationLite.java  
\* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-jar/rx/internal/operators/OperatorAsObservable.java  
\* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-jar/rx/internal/operators/OnSubscribeToObservableFuture.java  
\* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-jar/rx/internal/operators/OperatorAll.java  
\* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-jar/rx/internal/operators/OperatorMerge.java  
\* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-jar/rx/internal/operators/OnSubscribeDefer.java  
\* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-jar/rx/internal/operators/OperatorTakeUntilPredicate.java  
\* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-jar/rx/internal/util/BackpressureDrainManager.java  
\* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-jar/rx/internal/subscriptions/SequentialSubscription.java  
\* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-jar/rx/internal/operators/SingleOnSubscribeMap.java  
\* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-jar/rx/schedulers/package-info.java  
\* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-jar/rx/internal/operators/OperatorDematerialize.java  
\* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-jar/rx/internal/operators/OperatorDoOnRequest.java  
\* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-jar/rx/internal/operators/OnSubscribeJoin.java  
\* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-jar/rx/internal/operators/OnSubscribeToMap.java  
\* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-jar/rx/observers/SerializedObserver.java  
\* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-jar/rx/internal/operators/BlockingOperatorLatest.java

\* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-jar/rx/subscriptions/SerialSubscription.java  
\* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-jar/rx/functions/Action6.java  
\* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-jar/rx/internal/operators/OnSubscribeAutoConnect.java  
\* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-jar/rx/internal/operators/OperatorThrottleFirst.java  
\* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-jar/rx/observers/TestSubscriber.java  
\* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-jar/rx/internal/operators/OperatorSkipWhile.java  
\* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-jar/rx/functions/Func9.java  
\* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-jar/rx/internal/operators/OperatorSubscribeOn.java  
\* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-jar/rx/internal/operators/OperatorTimestamp.java  
\* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-jar/rx/exceptions/MissingBackpressureException.java  
\* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-jar/rx/internal/operators/OperatorReplay.java  
\* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-jar/rx/subscriptions/CompositeSubscription.java  
\* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-jar/rx/internal/operators/OperatorZipIterable.java  
\* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-jar/rx/functions/Func5.java  
\* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-jar/rx/internal/operators/OperatorDelay.java  
\* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-jar/rx/internal/operators/OnSubscribeUsing.java  
\* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-jar/rx/functions/FuncN.java  
\* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-jar/rx/internal/operators/OnSubscribeSingle.java  
\* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-jar/rx/internal/util/SubscriptionList.java  
\* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-jar/rx/internal/operators/OperatorOnBackpressureBuffer.java  
\* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-jar/rx/subjects/TestSubject.java  
\* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-jar/rx/internal/operators/OperatorOnErrorResumeNextViaFunction.java  
\* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-jar/rx/exceptions/OnErrorThrowable.java  
\* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-jar/rx/schedulers/NewThreadScheduler.java  
\* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-jar/rx/internal/util/ScalarSynchronousObservable.java  
\* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-jar/rx/functions/Action3.java  
\* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-

jar/rx/internal/operators/OnSubscribeRedo.java  
\* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-  
jar/rx/subjects/SerializedSubject.java  
\* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-jar/rx/Completable.java  
\* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-  
jar/rx/internal/schedulers/TrampolineScheduler.java  
\* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-  
jar/rx/internal/operators/OnSubscribeGroupJoin.java  
\* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-  
jar/rx/internal/operators/CompletableOnSubscribeTimeout.java  
\* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-jar/rx/Subscription.java  
\* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-  
jar/rx/schedulers/Schedulers.java  
\* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-  
jar/rx/internal/operators/SingleDoOnEvent.java  
\* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-jar/rx/package-info.java  
\* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-  
jar/rx/internal/operators/OnSubscribeFilter.java  
\* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-  
jar/rx/internal/operators/OperatorSkipLast.java  
\* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-  
jar/rx/subjects/UnicastSubject.java  
\* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-  
jar/rx/internal/operators/OnSubscribeFromArray.java  
\* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-  
jar/rx/internal/schedulers/SleepingAction.java  
\* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-jar/rx/functions/Action8.java  
\* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-  
jar/rx/subjects/AsyncSubject.java  
\* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-  
jar/rx/schedulers/ImmediateScheduler.java  
\* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-  
jar/rx/internal/operators/OperatorTimeInterval.java  
\* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-jar/rx/functions/Func7.java  
\* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-  
jar/rx/internal/operators/OperatorDoOnUnsubscribe.java  
\* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-  
jar/rx/internal/operators/OperatorSingle.java  
\* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-  
jar/rx/internal/operators/CompletableOnSubscribeConcatIterable.java  
\* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-  
jar/rx/functions/Functions.java  
\* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-  
jar/rx/internal/operators/OperatorElementAt.java  
\* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-jar/rx/functions/Func0.java  
\* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-  
jar/rx/observables/SyncOnSubscribe.java  
\* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-

jar/rx/observers/Subscribers.java  
 \* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-  
 jar/rx/internal/operators/OnSubscribeAmb.java  
 \* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-  
 jar/rx/internal/operators/OnSubscribeMap.java  
 \* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-  
 jar/rx/schedulers/TimeInterval.java  
 \* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-  
 jar/rx/internal/operators/OperatorSequenceEqual.java  
 \* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-  
 jar/rx/internal/operators/OperatorMapNotification.java  
 \* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-  
 jar/rx/subjects/ReplaySubject.java  
 \* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-  
 jar/rx/internal/util/IndexedRingBuffer.java  
 \* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-  
 jar/rx/internal/operators/BlockingOperatorToIterator.java  
 \* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-jar/rx/Notification.java  
 \* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-jar/rx/functions/Func6.java  
 \* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-  
 jar/rx/subscriptions/RefCountSubscription.java  
 \* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-  
 jar/rx/internal/operators/OperatorCast.java  
 \* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-  
 jar/rx/exceptions/Exceptions.java  
 \* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-  
 jar/rx/internal/operators/OnSubscribeTimeoutSelectorWithFallback.java  
 \* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-  
 jar/rx/exceptions/OnCompletedFailedException.java  
 \* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-jar/rx/functions/Function.java  
 \* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-  
 jar/rx/internal/operators/OperatorTakeWhile.java  
 \* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-  
 jar/rx/internal/operators/OnSubscribeRange.java  
 \* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-  
 jar/rx/plugins/RxJavaObservableExecutionHook.java  
 \* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-  
 jar/rx/internal/operators/BlockingOperatorMostRecent.java  
 \* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-jar/rx/functions/Func4.java  
 \* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-jar/rx/subjects/Subject.java  
 \* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-  
 jar/rx/internal/operators/OnSubscribeTimeoutTimedWithFallback.java  
 \* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-  
 jar/rx/observers/SerializedSubscriber.java  
 \* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-jar/rx/functions/Action2.java  
 \* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-  
 jar/rx/internal/operators/OperatorWithLatestFromMany.java  
 \* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-

jar/rx/internal/operators/OperatorObserveOn.java  
\* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-  
jar/rx/internal/operators/OperatorSerialize.java  
\* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-jar/rx/functions/Func8.java  
\* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-jar/rx/Producer.java  
\* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-  
jar/rx/plugins/RxJavaObservableExecutionHookDefault.java  
\* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-jar/rx/functions/Action.java  
\* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-  
jar/rx/internal/operators/OperatorDoOnSubscribe.java  
\* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-  
jar/rx/internal/operators/OnSubscribeFromIterable.java  
\* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-  
jar/rx/internal/operators/OperatorGroupBy.java  
\* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-  
jar/rx/schedulers/Stamped.java  
\* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-  
jar/rx/internal/operators/OnSubscribeSwitchIfEmpty.java  
\* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-  
jar/rx/internal/operators/CompletableOnSubscribeMerge.java  
\* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-jar/rx/functions/Func3.java  
No license file was found, but licenses were detected in source scan.

This package contains code that relies on sun.misc.Unsafe. Before using it you MUST assert  
UnsafeAccess.isUnsafeAvailable() == true

Much of the code in this package comes from or is inspired by the JCTools project:  
<https://github.com/JCTools/JCTools>

JCTools has now published artifacts (<https://github.com/JCTools/JCTools/issues/17>) so RxJava could add JCTools as a "shadow" dependency (<https://github.com/ReactiveX/RxJava/issues/1735>).  
RxJava has a "zero dependency" policy for the core library, so if we do add it as a dependency, it won't be an externally visible dependency that results in a separate jar.

The license for the JCTools code is <https://github.com/JCTools/JCTools/blob/master/LICENSE>

As of June 10 2014 when this code was copied the LICENSE read as:

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,  
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but



excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. **Grant of Copyright License.** Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. **Grant of Patent License.** Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. **Redistribution.** You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
  - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
  - (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
  - (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
  - (d) If the Work includes a "NOTICE" text file as part of its

distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise,

unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "{}" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright {yyyy} {name of copyright owner}

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Found in path(s):

\* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-jar/rx/internal/util/unsafe/README.md

No license file was found, but licenses were detected in source scan.

/\*\*

\* Copyright 2016 Netflix, Inc.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-jar/rx/internal/operators/SingleTimeout.java

\* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-jar/rx/internal/operators/OnSubscribeOnAssemblySingle.java

\* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-jar/rx/observers/package-info.java

\* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-jar/rx/internal/operators/SingleFromObservable.java

\* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-jar/rx/internal/util/ObserverSubscriber.java

\* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-jar/rx/internal/operators/AssertableSubscriberObservable.java

\* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-jar/rx/internal/util/ActionSubscriber.java

\* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-jar/rx/plugins/RxJavaSingleExecutionHook.java

\* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-jar/rx/internal/operators/SingleFromCallable.java

\* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-jar/rx/internal/operators/OnSubscribeLift.java

\* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-jar/rx/annotations/package-info.java

\* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-jar/rx/observers/AsyncCompletableSubscriber.java

\* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-jar/rx/plugins/RxJavaCompletableExecutionHook.java

- \* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-jar/rx/internal/operators/SingleOnErrorReturn.java
- \* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-jar/rx/internal/operators/OnSubscribeDetach.java
- \* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-jar/rx/internal/operators/SingleTakeUntilCompletable.java
- \* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-jar/rx/exceptions/package-info.java
- \* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-jar/rx/internal/operators/OnSubscribeFlattenIterable.java
- \* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-jar/rx/functions/Cancellable.java
- \* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-jar/rx/internal/operators/SingleTakeUntilObservable.java
- \* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-jar/rx/Emitter.java
- \* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-jar/rx/internal/operators/EmptyObservableHolder.java
- \* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-jar/rx/internal/operators/SingleDoOnUnsubscribe.java
- \* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-jar/rx/exceptions/AssemblyStackTraceException.java
- \* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-jar/rx/internal/util/ActionNotificationObserver.java
- \* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-jar/rx/subscriptions/package-info.java
- \* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-jar/rx/internal/schedulers/SchedulePeriodicHelper.java
- \* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-jar/rx/internal/util/InternalObservableUtils.java
- \* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-jar/rx/internal/operators/OnSubscribeOnAssemblyCompletable.java
- \* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-jar/rx/observables/package-info.java
- \* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-jar/rx/BackpressureOverflow.java
- \* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-jar/rx/internal/operators/SingleObserveOn.java
- \* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-jar/rx/internal/operators/OnSubscribeOnAssembly.java
- \* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-jar/rx/plugins/RxJavaHooks.java
- \* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-jar/rx/functions/package-info.java
- \* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-jar/rx/internal/operators/SingleFromFuture.java
- \* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-jar/rx/plugins/package-info.java
- \* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-

jar/rx/internal/operators/SingleLiftObservableOperator.java  
\* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-jar/rx/subjects/package-info.java  
\* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-jar/rx/internal/operators/SingleToObservable.java  
\* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-jar/rx/internal/operators/SingleFromEmitter.java  
\* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-jar/rx/internal/operators/SingleDelay.java  
\* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-jar/rx/internal/schedulers/SchedulerWhen.java  
\* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-jar/rx/internal/operators/OnSubscribeThrow.java  
\* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-jar/rx/internal/util/ActionObserver.java  
\* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-jar/rx/internal/subscriptions/CancellableSubscription.java  
\* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-jar/rx/internal/operators/SingleTakeUntilSingle.java  
\* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-jar/rx/internal/subscriptions/Unsubscribed.java  
\* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-jar/rx/internal/operators/SingleDoOnSubscribe.java  
\* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-jar/rx/internal/operators/NeverObservableHolder.java  
\* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-jar/rx/observers/AssertableSubscriber.java  
\* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-jar/rx/observers/SafeCompletableSubscriber.java  
\* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-jar/rx/internal/operators/CompletableFlatMapSingleToCompletable.java  
\* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-jar/rx/singles/package-info.java  
\* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-jar/rx/internal/operators/OnSubscribeCreate.java  
\* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-jar/rx/plugins/RxJavaSingleExecutionHookDefault.java  
\* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-jar/rx/internal/schedulers/GenericScheduledExecutorServiceFactory.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\*/

\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*  
\* Original License: <https://github.com/JCTools/JCTools/blob/master/LICENSE>  
\* Original location: <https://github.com/JCTools/JCTools/blob/master/jctools-core/src/main/java/org/jctools/queues/atomic/SpscUnboundedAtomicArrayQueue.java>  
\*/

Found in path(s):

\* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-jar/rx/internal/util/atomic/SpscUnboundedAtomicArrayQueue.java  
No license file was found, but licenses were detected in source scan.

/\*\*

\* Copyright 2018 Netflix, Inc.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-jar/rx/internal/operators/OperatorGroupByEvicting.java  
No license file was found, but licenses were detected in source scan.

/\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.  
\*  
\* Original License: <https://github.com/JCTools/JCTools/blob/master/LICENSE>  
\* Original location: <https://github.com/JCTools/JCTools/blob/master/jctools-core/src/main/java/org/jctools/queues/ConcurrentCircularArrayQueue.java>  
\*/

Found in path(s):

\* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-jar/rx/internal/util/unsafe/ConcurrentCircularArrayQueue.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Copyright 2014 Netflix, Inc.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*

\* Modified from <http://www.javacodegeeks.com/2013/08/simple-and-lightweight-pool-implementation.html>

\*/

Found in path(s):

\* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-jar/rx/internal/util/OpenHashSet.java

No license file was found, but licenses were detected in source scan.

/\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*



\* Original License: <https://github.com/JCTools/JCTools/blob/master/LICENSE>  
\* Original location: <https://github.com/JCTools/JCTools/blob/master/jctools-core/src/main/java/org/jctools/queues/ConcurrentSequencedCircularArrayQueue.java>  
\*/

Found in path(s):

\* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-jar/rx/internal/util/unsafe/ConcurrentSequencedCircularArrayQueue.java

No license file was found, but licenses were detected in source scan.

/\*

\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.

\*

\* Original License: <https://github.com/JCTools/JCTools/blob/master/LICENSE>  
\* Original location: <https://github.com/JCTools/JCTools/blob/master/jctools-core/src/main/java/org/jctools/queues/SpmcArrayQueue.java>  
\*/

Found in path(s):

\* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-jar/rx/internal/util/unsafe/SpmcArrayQueue.java

No license file was found, but licenses were detected in source scan.

/\*

\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.

\*

\* Original License: <https://github.com/JCTools/JCTools/blob/master/LICENSE>  
\* Original location: <https://github.com/JCTools/JCTools/blob/master/jctools->

core/src/main/java/org/jctools/queues/MessagePassingQueue.java

\*/

Found in path(s):

\* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-jar/rx/internal/util/unsafe/MessagePassingQueue.java

No license file was found, but licenses were detected in source scan.

/\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*

\* Original License: <https://github.com/JCTools/JCTools/blob/master/LICENSE>

\* Original location: <https://github.com/JCTools/JCTools/blob/master/jctools-core/src/main/java/org/jctools/queues/atomic/BaseLinkedQueue.java>

\*/

Found in path(s):

\* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-jar/rx/internal/util/unsafe/BaseLinkedQueue.java

No license file was found, but licenses were detected in source scan.

/\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*

\* Original License: <https://github.com/JCTools/JCTools/blob/master/LICENSE>

\* Original location: <https://github.com/JCTools/JCTools/blob/master/jctools-core/src/main/java/org/jctools/queues/QueueProgressIndicators.java>

\*/

Found in path(s):

\* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-jar/rx/internal/util/unsafe/QueueProgressIndicators.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Copyright 2016 Netflix, Inc.

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not

\* use this file except in compliance with the License. You may obtain a copy of

\* the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT

\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the

\* License for the specific language governing permissions and limitations under

\* the License.

\*/

Found in path(s):

\* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-jar/rx/internal/operators/OnSubscribeCollect.java

\* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-jar/rx/internal/operators/DeferredScalarSubscriberSafe.java

\* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-jar/rx/internal/util/SuppressAnimalSniffer.java

\* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-jar/rx/internal/operators/OnSubscribeFromCallable.java

\* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-jar/rx/internal/schedulers/SchedulerLifecycle.java

\* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-jar/rx/internal/util/ExceptionsUtils.java

\* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-jar/rx/internal/operators/OnSubscribeReduceSeed.java

\* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-jar/rx/internal/operators/OnSubscribeConcatMap.java

\* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-jar/rx/internal/operators/DeferredScalarSubscriber.java

\* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-jar/rx/internal/operators/SingleOperatorOnErrorResumeNext.java

\* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-jar/rx/internal/operators/SingleOnSubscribeUsing.java

\* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-jar/rx/internal/operators/OnSubscribeReduce.java

\* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-

jar/rx/internal/operators/SingleOperatorZip.java  
\* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-  
jar/rx/internal/operators/OnSubscribeTakeLastOne.java  
\* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-  
jar/rx/internal/operators/OnSubscribePublishMulticast.java  
No license file was found, but licenses were detected in source scan.

```
/**  
 * Copyright 2015 Netflix, Inc.  
 *  
 * Licensed under the Apache License, Version 2.0 (the "License"); you may not  
 * use this file except in compliance with the License. You may obtain a copy of  
 * the License at  
 *  
 * http://www.apache.org/licenses/LICENSE-2.0  
 *  
 * Unless required by applicable law or agreed to in writing, software  
 * distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
 * WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
 * License for the specific language governing permissions and limitations under  
 * the License.  
 */
```

Found in path(s):

\* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-  
jar/rx/internal/producers/QueuedProducer.java  
\* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-  
jar/rx/internal/producers/SingleProducer.java  
\* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-  
jar/rx/internal/operators/BackpressureUtils.java  
\* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-  
jar/rx/internal/producers/ProducerArbiter.java  
\* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-  
jar/rx/internal/producers/SingleDelayedProducer.java  
\* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-  
jar/rx/internal/producers/QueuedValueProducer.java  
\* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-  
jar/rx/internal/producers/ProducerObserverArbiter.java  
No license file was found, but licenses were detected in source scan.

```
/*  
 * Licensed under the Apache License, Version 2.0 (the "License");  
 * you may not use this file except in compliance with the License.  
 * You may obtain a copy of the License at  
 *  
 * http://www.apache.org/licenses/LICENSE-2.0  
 *  
 * Unless required by applicable law or agreed to in writing, software
```

\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*  
\* Original License: <https://github.com/JCTools/JCTools/blob/master/LICENSE>  
\* Original location: <https://github.com/JCTools/JCTools/blob/master/jctools-core/src/main/java/org/jctools/queues/MpmcArrayQueue.java>  
\*/

Found in path(s):

\* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-jar/rx/internal/util/unsafe/MpmcArrayQueue.java  
No license file was found, but licenses were detected in source scan.

```
/**  
 * Copyright 2017 Netflix, Inc.  
 *  
 * Licensed under the Apache License, Version 2.0 (the "License");  
 * you may not use this file except in compliance with the License.  
 * You may obtain a copy of the License at  
 *  
 * http://www.apache.org/licenses/LICENSE-2.0  
 *  
 * Unless required by applicable law or agreed to in writing, software  
 * distributed under the License is distributed on an "AS IS" BASIS,  
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
 * See the License for the specific language governing permissions and  
 * limitations under the License.  
 */
```

Found in path(s):

\* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-jar/rx/internal/operators/OnSubscribeFlatMapCompletable.java  
\* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-jar/rx/internal/operators/OnSubscribeFlatMapSingle.java  
No license file was found, but licenses were detected in source scan.

```
/**  
 * Copyright one 2014 Netflix, Inc.  
 *  
 * Licensed under the Apache License, Version 2.0 (the "License");  
 * you may not use this file except in compliance with the License.  
 * You may obtain a copy of the License at  
 *  
 * http://www.apache.org/licenses/LICENSE-2.0  
 *  
 * Unless required by applicable law or agreed to in writing, software
```

\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-  
jar/rx/internal/operators/OnSubscribeToMultimap.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Copyright 2014 Netflix, Inc.

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not  
\* use this file except in compliance with the License. You may obtain a copy of  
\* the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations under  
\* the License.

\*/

Found in path(s):

\* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-  
jar/rx/internal/operators/OnSubscribeTimerPeriodically.java

\* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-  
jar/rx/internal/operators/OperatorBufferWithSingleObservable.java

\* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-  
jar/rx/internal/operators/OnSubscribeTimerOnce.java

\* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-  
jar/rx/internal/schedulers/ExecutorScheduler.java

\* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-  
jar/rx/internal/operators/OperatorWindowWithObservable.java

\* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-  
jar/rx/internal/operators/OperatorDistinctUntilChanged.java

\* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-  
jar/rx/internal/operators/OperatorMulticast.java

\* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-  
jar/rx/internal/operators/OnSubscribeDelaySubscription.java

\* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-  
jar/rx/internal/operators/OperatorRetryWithPredicate.java

\* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-  
jar/rx/internal/operators/OperatorMapPair.java

\* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-jar/rx/internal/operators/OperatorPublish.java  
\* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-jar/rx/internal/operators/OnSubscribeSkipTimed.java  
\* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-jar/rx/internal/operators/OperatorDelayWithSelector.java  
\* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-jar/rx/internal/schedulers/ScheduledAction.java  
\* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-jar/rx/internal/operators/OperatorTakeTimed.java  
\* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-jar/rx/internal/operators/OperatorBufferWithTime.java  
\* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-jar/rx/internal/operators/OnSubscribeRefCount.java  
\* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-jar/rx/internal/util/atomic/SpscLinkedListArrayQueue.java  
\* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-jar/rx/internal/operators/OperatorDistinct.java  
\* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-jar/rx/internal/operators/OperatorDebounceWithSelector.java  
\* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-jar/rx/internal/operators/OperatorDebounceWithTime.java  
\* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-jar/rx/internal/operators/OnSubscribeDelaySubscriptionWithSelector.java  
\* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-jar/rx/internal/schedulers/NewThreadWorker.java  
\* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-jar/rx/internal/operators/OperatorBufferWithSize.java  
\* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-jar/rx/internal/operators/OperatorWindowWithStartEndObservable.java  
\* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-jar/rx/internal/operators/SingleOnSubscribeDelaySubscriptionOther.java  
\* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-jar/rx/internal/util/PlatformDependent.java  
\* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-jar/rx/internal/util/RxThreadFactory.java  
\* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-jar/rx/internal/operators/OperatorBufferWithStartEndObservable.java  
\* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-jar/rx/internal/operators/OperatorDoAfterTerminate.java  
\* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-jar/rx/internal/operators/OperatorSwitch.java  
\* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-jar/rx/internal/operators/OperatorWithLatestFrom.java  
\* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-jar/rx/internal/operators/OnSubscribeDelaySubscriptionOther.java  
\* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-jar/rx/internal/operators/OperatorWindowWithSize.java

\* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-jar/rx/internal/operators/OperatorSampleWithObservable.java  
\* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-jar/rx/internal/operators/OperatorOnBackpressureLatest.java  
\* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-jar/rx/internal/operators/OperatorEagerConcatMap.java  
\* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-jar/rx/internal/operators/OperatorWindowWithObservableFactory.java  
\* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-jar/rx/internal/operators/OperatorSampleWithTime.java  
\* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-jar/rx/internal/operators/OperatorWindowWithTime.java  
\* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-jar/rx/functions/Actions.java  
\* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-jar/rx/internal/operators/OperatorSkipUntil.java

No license file was found, but licenses were detected in source scan.

/\*

\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*  
\* Original License: <https://github.com/JCTools/JCTools/blob/master/LICENSE>  
\* Original location: <https://github.com/JCTools/JCTools/blob/master/jctools-core/src/main/java/org/jctools/queues/atomic/MpscLinkedAtomicQueue.java>  
\*/

Found in path(s):

\* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-jar/rx/internal/util/atomic/MpscLinkedAtomicQueue.java

No license file was found, but licenses were detected in source scan.

/\*

\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software



\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*  
\* Original License: <https://github.com/JCTools/JCTools/blob/master/LICENSE>  
\* Original location: <https://github.com/JCTools/JCTools/blob/master/jctools-core/src/main/java/org/jctools/queues/atomic/BaseLinkedAtomicQueue.java>  
\*/

Found in path(s):

\* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-jar/rx/internal/util/atomic/BaseLinkedAtomicQueue.java  
No license file was found, but licenses were detected in source scan.

/\*\*

\* Copyright 2014 Netflix, Inc.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in  
\* compliance with the License. You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software distributed under the License is  
\* distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express  
\* or implied. See  
\* the License for the specific language governing permissions and limitations under the License.  
\*/

Found in path(s):

\* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-jar/rx/internal/util/UtilityFunctions.java  
\* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-jar/rx/Observable.java  
No license file was found, but licenses were detected in source scan.

/\*

\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*

\* Inspired from <https://code.google.com/p/guava-libraries/source/browse/guava/src/com/google/common/annotations/Beta.java>  
\*/

Found in path(s):

\* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-jar/rx/annotations/Experimental.java

No license file was found, but licenses were detected in source scan.

/\*

\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*  
\* Original License: <https://github.com/JCTools/JCTools/blob/master/LICENSE>  
\* Original location: <https://github.com/JCTools/JCTools/blob/master/jctools-core/src/main/java/org/jctools/queues/atomic/AtomicReferenceArrayQueue.java>  
\*/

Found in path(s):

\* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-jar/rx/internal/util/atomic/AtomicReferenceArrayQueue.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Copyright 2015 Netflix, Inc.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

- \* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-jar/rx/SingleSubscriber.java
- \* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-jar/rx/singles/BlockingSingle.java
- \* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-jar/rx/observables/AsyncOnSubscribe.java
- \* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-jar/rx/internal/operators/SingleDoAfterTerminate.java
- \* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-jar/rx/internal/util/BlockingUtils.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Copyright 2015 Netflix, Inc.

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in  
\* compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License is  
\* distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express  
or implied. See

\* the License for the specific language governing permissions and limitations under the License.

\*/

Found in path(s):

- \* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-jar/rx/internal/operators/OnSubscribeCombineLatest.java
- \* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-jar/rx/Single.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2016 Netflix, Inc.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

- \* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-jar/rx/CompletableEmitter.java
- \* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-jar/rx/internal/operators/CompletableFromEmitter.java
- \* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-jar/rx/CompletableSubscriber.java
- \* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-jar/rx/SingleEmitter.java

No license file was found, but licenses were detected in source scan.

/\*

- \* Licensed under the Apache License, Version 2.0 (the "License");
- \* you may not use this file except in compliance with the License.
- \* You may obtain a copy of the License at
- \*
- \* <http://www.apache.org/licenses/LICENSE-2.0>
- \*
- \* Unless required by applicable law or agreed to in writing, software
- \* distributed under the License is distributed on an "AS IS" BASIS,
- \* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- \* See the License for the specific language governing permissions and
- \* limitations under the License.
- \*
- \* Original License: <https://github.com/JCTools/JCTools/blob/master/LICENSE>
- \* Original location: <https://github.com/JCTools/JCTools/blob/master/jctools-core/src/main/java/org/jctools/queues/SpscLinkedQueue.java>

Found in path(s):

- \* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-jar/rx/internal/util/unsafe/SpscLinkedQueue.java

No license file was found, but licenses were detected in source scan.

/\*

- \* Licensed under the Apache License, Version 2.0 (the "License");
- \* you may not use this file except in compliance with the License.
- \* You may obtain a copy of the License at
- \*
- \* <http://www.apache.org/licenses/LICENSE-2.0>
- \*
- \* Unless required by applicable law or agreed to in writing, software
- \* distributed under the License is distributed on an "AS IS" BASIS,
- \* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- \* See the License for the specific language governing permissions and
- \* limitations under the License.
- \*
- \* Original License: <https://github.com/JCTools/JCTools/blob/master/LICENSE>
- \* Original location: [---

Open Source Used In AppDynamics\\_Cloud\\_Alerting\\_Health\\_Rule\\_API 2.0-310 1644](https://github.com/JCTools/JCTools/blob/master/jctools-</a></li></ul></div><div data-bbox=)

core/src/main/java/org/jctools/queues/SpSCArrayQueue.java

\*/

Found in path(s):

\* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-jar/rx/internal/util/unsafe/SpSCArrayQueue.java

No license file was found, but licenses were detected in source scan.

/\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*

\* Original License: <https://github.com/JCTools/JCTools/blob/master/LICENSE>

\* Original location: <https://github.com/JCTools/JCTools/blob/master/jctools-core/src/main/java/org/jctools/queues/MpscLinkedQueue.java>

\*/

Found in path(s):

\* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-jar/rx/internal/util/unsafe/MpscLinkedQueue.java

No license file was found, but licenses were detected in source scan.

Copyright 2014 Netflix, Inc.

Licensed under the Apache License, Version 2.0 (the "License");

you may not use this file except in compliance with the License.

You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE>

2.0

Unless required by applicable law or agreed to in writing, software

distributed under the License is distributed on an "AS IS" BASIS,

WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

See the License for the specific language governing permissions and

limitations under the License.

Found in path(s):

\* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-

jar/rx/internal/operators/package.html

No license file was found, but licenses were detected in source scan.

```
/*
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 *
 * Original License: https://github.com/JCTools/JCTools/blob/master/LICENSE
 * Original location: https://github.com/JCTools/JCTools/blob/master/jctools-
core/src/main/java/org/jctools/queues/atomic/SpSCAtomicArrayQueue.java
 */
```

Found in path(s):

\* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-jar/rx/internal/util/atomic/SpSCAtomicArrayQueue.java

\* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-jar/rx/internal/util/atomic/SpSCExactAtomicArrayQueue.java

No license file was found, but licenses were detected in source scan.

```
/**
 * Copyright 2014 Netflix, Inc.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
/**
 * This plugin class provides 2 ways to customize {@link Scheduler} functionality
 * 1. You may redefine entire schedulers, if you so choose. To do so, override
 * the 3 methods that return Scheduler (io(), computation(), newThread()).
 * 2. You may wrap/decorate an {@link Action0}, before it is handed off to a Scheduler. The system-
```

\* supplied Schedulers (Schedulers.ioScheduler, Schedulers.computationScheduler,  
\* Scheduler.newThreadScheduler) all use this hook, so it's a convenient way to  
\* modify Scheduler functionality without redefining Schedulers wholesale.  
\*  
\* Also, when redefining Schedulers, you are free to use/not use the onSchedule decoration hook.  
\* <p>  
\* See { @link RxJavaPlugins } or the RxJava GitHub Wiki for information on configuring plugins:  
\* <a  
href="https://github.com/ReactiveX/RxJava/wiki/Plugins">https://github.com/ReactiveX/RxJava/wiki/Plugins</a>.  
\*/

Found in path(s):

\* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-  
jar/rx/plugins/RxJavaSchedulersHook.java  
No license file was found, but licenses were detected in source scan.

/\*\*

\* Copyright 2014 Netflix, Inc.  
\* <p/>  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\* <p/>  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\* <p/>  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-  
jar/rx/internal/util/ScalarSynchronousSingle.java  
No license file was found, but licenses were detected in source scan.

/\*\*

\* Copyright 2014 Netflix, Inc.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,

```
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
/*
    * This mechanism for getting UNSAFE originally from:
    *
    * Original License: https://github.com/JCTools/JCTools/blob/master/LICENSE
    * Original location: https://github.com/JCTools/JCTools/blob/master/jctools-
core/src/main/java/org/jctools/util/UnsafeAccess.java
    */
```

Found in path(s):

```
*/opt/ws_local/PERMITS_SQL/1014221113_1591382734.95/0/rxjava-1-3-8-sources-
jar/rx/internal/util/unsafe/UnsafeAccess.java
```

No license file was found, but licenses were detected in source scan.

```
/*
* Copyright (C) 2010 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*
* Originally from https://code.google.com/p/guava-
libraries/source/browse/guava/src/com/google/common/annotations/Beta.java
*/
```

Found in path(s):

```
*/opt/ws_local/PERMITS_SQL/1014221113_1591382734.95/0/rxjava-1-3-8-sources-jar/rx/annotations/Beta.java
```

No license file was found, but licenses were detected in source scan.

```
/*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
```



\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.

\*

\* Original License: <https://github.com/JCTools/JCTools/blob/master/LICENSE>

\* Original location: <https://github.com/JCTools/JCTools/blob/master/jctools-core/src/main/java/org/jctools/queues/SpSCUnboundedArrayQueue.java>

\*/

Found in path(s):

\* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-jar/rx/internal/util/unsafe/SpSCUnboundedArrayQueue.java

No license file was found, but licenses were detected in source scan.

/\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*

\* Original License: <https://github.com/JCTools/JCTools/blob/master/LICENSE>

\* Original location: <https://github.com/JCTools/JCTools/blob/master/jctools-core/src/main/java/org/jctools/queues/atomic/SpSCLinkedAtomicQueue.java>

\*/

Found in path(s):

\* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-jar/rx/internal/util/atomic/SpSCLinkedAtomicQueue.java

No license file was found, but licenses were detected in source scan.

/\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*  
\* Original License: <https://github.com/JCTools/JCTools/blob/master/LICENSE>  
\* Original location: <https://github.com/JCTools/JCTools/blob/master/jctools-core/src/main/java/org/jctools/queues/LinkedListNode.java>  
\*/

Found in path(s):

\* /opt/ws\_local/PERMITS\_SQL/1014221113\_1591382734.95/0/rxjava-1-3-8-sources-jar/rx/internal/util/atomic/LinkedListNode.java

# 1.217 micronaut-kubernetes 3.3.0

## 1.217.1 Available under license :

Apache License

Version 2.0, January 2004

<https://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation,

and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s)

with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.  
Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.
6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. **Disclaimer of Warranty.** Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. **Limitation of Liability.** In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. **Accepting Warranty or Additional Liability.** While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

## 1.218 hk2-api-module 2.6.1

### 1.218.1 Available under license :

# Eclipse Public License - v 2.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

#### 1. DEFINITIONS

"Contribution" means:

a) in the case of the initial Contributor, the initial content Distributed under this Agreement, and

b) in the case of each subsequent Contributor:

- i) changes to the Program, and
- ii) additions to the Program;

where such changes and/or additions to the Program originate from and are Distributed by that particular Contributor. A Contribution

"originates" from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include changes or additions to the Program that are not Modified Works.

"Contributor" means any person or entity that Distributes the Program.

"Licensed Patents" mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions Distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement or any Secondary License (as applicable), including Contributors.

"Derivative Works" shall mean any work, whether in Source Code or other form, that is based on (or derived from) the Program and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship.

"Modified Works" shall mean any work in Source Code or other form that results from an addition to, deletion from, or modification of the contents of the Program, including, for purposes of clarity any new file in Source Code form that contains any contents of the Program. Modified Works shall not include works that contain only declarations, interfaces, types, classes, structures, or files of the Program solely in each case in order to link to, bind by name, or subclass the Program or Modified Works thereof.

"Distribute" means the acts of a) distributing or b) making available in any manner that enables the transfer of a copy.

"Source Code" means the form of a Program preferred for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Secondary License" means either the GNU General Public License, Version 2.0, or any later versions of that license, including any exceptions or additional permissions as identified by the initial Contributor.

## 2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare Derivative Works of, publicly display,

publicly perform, Distribute and sublicense the Contribution of such Contributor, if any, and such Derivative Works.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in Source Code or other form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to Distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

e) Notwithstanding the terms of any Secondary License, no Contributor makes additional grants to any Recipient (other than those set forth in this Agreement) as a result of such Recipient's receipt of the Program under the terms of a Secondary License (if permitted under the terms of Section 3).

### 3. REQUIREMENTS

3.1 If a Contributor Distributes the Program in any form, then:

a) the Program must also be made available as Source Code, in accordance with section 3.2, and the Contributor must accompany the Program with a statement that the Source Code for the Program is available under this Agreement, and informs Recipients how to obtain it in a reasonable manner on or through a medium customarily



used for software exchange; and

b) the Contributor may Distribute the Program under a license different than this Agreement, provided that such license:

i) effectively disclaims on behalf of all other Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;

ii) effectively excludes on behalf of all other Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;

iii) does not attempt to limit or alter the recipients' rights in the Source Code under section 3.2; and

iv) requires any subsequent distribution of the Program by any party to be under a license that satisfies the requirements of this section 3.

### 3.2 When the Program is Distributed as Source Code:

a) it must be made available under this Agreement, or if the Program (i) is combined with other material in a separate file or files made available under a Secondary License, and (ii) the initial Contributor attached to the Source Code the notice described in Exhibit A of this Agreement, then the Program may be made available under the terms of such Secondary Licenses, and

b) a copy of this Agreement must be included with each copy of the Program.

3.3 Contributors may not remove or alter any copyright, patent, trademark, attribution notices, disclaimers of warranty, or limitations of liability ("notices") contained within the Program from any copy of the Program which they Distribute, provided that Contributors may add their own appropriate notices.

## 4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor

("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

## 5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

## 6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)

ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

## 7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be Distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to Distribute the Program (including its Contributions) under the new version.

Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved. Nothing in this Agreement is intended

to be enforceable by any entity that is not a Contributor or Recipient.  
No third-party beneficiary rights are created under this Agreement.

#### Exhibit A - Form of Secondary Licenses Notice

"This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License, v. 2.0 are satisfied: {name license(s), version(s), and exceptions or additional permissions here}."

Simply including a copy of this Agreement, including this Exhibit A is not sufficient to license the Source Code under Secondary Licenses.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.

---

## The GNU General Public License (GPL) Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.  
51 Franklin Street, Fifth Floor  
Boston, MA 02110-1335  
USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

#### Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new

free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

## TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program

(independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest

your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program

except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to



the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

#### NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN

WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

## END OF TERMS AND CONDITIONS

### How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.  
Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1335 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author  
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'. This is free software, and you are welcome to redistribute it under certain conditions; type `show c' for details.

The hypothetical commands `show w` and `show c` should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w` and `show c`; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program `Gnomovision' (which makes passes at compilers) written by James Hacker.

signature of Ty Coon, 1 April 1989

Ty Coon, President of Vice

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

---

#### ## CLASSPATH EXCEPTION

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License version 2 cover the whole combination.

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module. An independent module is a module which is not derived from or based on this library. If you modify this library, you may extend this exception to your version of the library, but you are not obligated to do so. If you do not wish to do so, delete this exception statement from your version.

# Notices for Eclipse GlassFish

This content is produced and maintained by the Eclipse GlassFish project.

\* Project home: <https://projects.eclipse.org/projects/ee4j.glassfish>

## ## Trademarks

Eclipse GlassFish, and GlassFish are trademarks of the Eclipse Foundation.

## ## Copyright

All content is the property of the respective authors or their employers. For more information regarding authorship of content, please consult the listed source code repository logs.

## ## Declared Project Licenses

This program and the accompanying materials are made available under the terms of the Eclipse Public License v. 2.0 which is available at <http://www.eclipse.org/legal/epl-2.0>. This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License v. 2.0 are satisfied: GNU General Public License, version 2 with the GNU Classpath Exception which is available at <https://www.gnu.org/software/classpath/license.html>.

SPDX-License-Identifier: EPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0

## ## Source Code

The project maintains the following source code repositories:

- \* <https://github.com/eclipse-ee4j/glassfish-ha-api>
- \* <https://github.com/eclipse-ee4j/glassfish-logging-annotation-processor>
- \* <https://github.com/eclipse-ee4j/glassfish-shoal>
- \* <https://github.com/eclipse-ee4j/glassfish-cdi-porting-tck>
- \* <https://github.com/eclipse-ee4j/glassfish-jsftemplating>
- \* <https://github.com/eclipse-ee4j/glassfish-hk2-extra>
- \* <https://github.com/eclipse-ee4j/glassfish-hk2>
- \* <https://github.com/eclipse-ee4j/glassfish-fightersfish>

## ## Third-party Content

This project leverages the following third party content.

None

## ## Cryptography

Content may contain encryption software. The country in which you are currently may have restrictions on the import, possession, and use, and/or re-export to another country, of encryption software. BEFORE using any encryption software, please check the country's laws, regulations and policies concerning the import,

possession, or use, and re-export of encryption software, to see if this is permitted.

# 1.219 io-swagger-swagger-annotations 2.1.6

## 1.219.1 Available under license :

No license file was found, but licenses were detected in source scan.

Manifest-Version: 1.0

Automatic-Module-Name: io.swagger.v3.oas.annotations

Bnd-LastModified: 1607101094164

Build-Jdk: 1.8.0\_275

Built-By: runner

Bundle-Description: swagger-annotations

Bundle-License: <http://www.apache.org/licenses/LICENSE-2.0.html>

Bundle-ManifestVersion: 2

Bundle-Name: swagger-annotations

Bundle-SymbolicName: io.swagger.core.v3.swagger-annotations

Bundle-Version: 2.1.6

Created-By: Apache Maven Bundle Plugin

Export-Package: io.swagger.v3.oas.annotations;uses:="io.swagger.v3.oas.annotations.enums,io.swagger.v3.oas.annotations.extensions,io.swagger.v3.oas.annotations.info,io.swagger.v3.oas.annotations.media,io.swagger.v3.oas.annotations.parameters,io.swagger.v3.oas.annotations.responses,io.swagger.v3.oas.annotations.security,io.swagger.v3.oas.annotations.servers,io.swagger.v3.oas.annotations.tags";version="2.1.6",io.swagger.v3.oas.annotations.headers;uses:="io.swagger.v3.oas.annotations.media";version="2.1.6",io.swagger.v3.oas.annotations.extensions;version="2.1.6",io.swagger.v3.oas.annotations.media;uses:="io.swagger.v3.oas.annotations,io.swagger.v3.oas.annotations.extensions,io.swagger.v3.oas.annotations.headers";version="2.1.6",io.swagger.v3.oas.annotations.info;uses:="io.swagger.v3.oas.annotations.extensions";version="2.1.6",io.swagger.v3.oas.annotations.tags;uses:="io.swagger.v3.oas.annotations,io.swagger.v3.oas.annotations.extensions";version="2.1.6",io.swagger.v3.oas.annotations.links;uses:="io.swagger.v3.oas.annotations.extensions,io.swagger.v3.oas.annotations.servers";version="2.1.6",io.swagger.v3.oas.annotations.callbacks;uses:="io.swagger.v3.oas.annotations,io.swagger.v3.oas.annotations.extensions";version="2.1.6",io.swagger.v3.oas.annotations.security;uses:="io.swagger.v3.oas.annotations.enums,io.swagger.v3.oas.annotations.extensions";version="2.1.6",io.swagger.v3.oas.annotations.parameters;uses:="io.swagger.v3.oas.annotations.extensions,io.swagger.v3.oas.annotations.media";version="2.1.6",io.swagger.v3.oas.annotations.servers;uses:="io.swagger.v3.oas.annotations.extensions";version="2.1.6",io.swagger.v3.oas.annotations.responses;uses:="io.swagger.v3.oas.annotations.extensions,io.swagger.v3.oas.annotations.headers,io.swagger.v3.oas.annotations.links,io.swagger.v3.oas.annotations.media";version="2.1.6",io.swagger.v3.oas.annotat

ions.enums;version="2.1.6"  
implementation-version: 2.1.6  
Import-Package: io.swagger.v3.oas.annotations,io.swagger.v3.oas.annotations.enums,io.swagger.v3.oas.annotations.extensions,io.swagger.v3.oas.annotations.headers,io.swagger.v3.oas.annotations.info,io.swagger.v3.oas.annotations.links,io.swagger.v3.oas.annotations.media,io.swagger.v3.oas.annotations.parameters,io.swagger.v3.oas.annotations.responses,io.swagger.v3.oas.annotations.security,io.swagger.v3.oas.annotations.servers,io.swagger.v3.oas.annotations.tags  
mode: development  
package: io.swagger  
Require-Capability: osgi.ee;filter="(&(osgi.ee=JavaSE)(version=1.8))"  
Tool: Bnd-4.2.0.201903051501  
url: <https://github.com/swagger-api/swagger-core/modules/swagger-annotations>

Found in path(s):

\* /opt/cola/permits/1157297954\_1654214799.9876926/0/swagger-annotations-2-1-6-jar/META-INF/MANIFEST.MF

## 1.220 servicelocator-default-implementation

### 2.6.1

#### 1.220.1 Available under license :

# Eclipse Public License - v 2.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

#### 1. DEFINITIONS

"Contribution" means:

a) in the case of the initial Contributor, the initial content Distributed under this Agreement, and

b) in the case of each subsequent Contributor:

- i) changes to the Program, and
- ii) additions to the Program;

where such changes and/or additions to the Program originate from and are Distributed by that particular Contributor. A Contribution "originates" from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include changes or additions to the Program that are not Modified Works.

"Contributor" means any person or entity that Distributes the Program.

"Licensed Patents" mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions Distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement or any Secondary License (as applicable), including Contributors.

"Derivative Works" shall mean any work, whether in Source Code or other form, that is based on (or derived from) the Program and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship.

"Modified Works" shall mean any work in Source Code or other form that results from an addition to, deletion from, or modification of the contents of the Program, including, for purposes of clarity any new file in Source Code form that contains any contents of the Program. Modified Works shall not include works that contain only declarations, interfaces, types, classes, structures, or files of the Program solely in each case in order to link to, bind by name, or subclass the Program or Modified Works thereof.

"Distribute" means the acts of a) distributing or b) making available in any manner that enables the transfer of a copy.

"Source Code" means the form of a Program preferred for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Secondary License" means either the GNU General Public License, Version 2.0, or any later versions of that license, including any exceptions or additional permissions as identified by the initial Contributor.

## 2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, Distribute and sublicense the Contribution of such Contributor, if any, and such Derivative Works.

b) Subject to the terms of this Agreement, each Contributor hereby

grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in Source Code or other form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to Distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

e) Notwithstanding the terms of any Secondary License, no Contributor makes additional grants to any Recipient (other than those set forth in this Agreement) as a result of such Recipient's receipt of the Program under the terms of a Secondary License (if permitted under the terms of Section 3).

### 3. REQUIREMENTS

3.1 If a Contributor Distributes the Program in any form, then:

a) the Program must also be made available as Source Code, in accordance with section 3.2, and the Contributor must accompany the Program with a statement that the Source Code for the Program is available under this Agreement, and informs Recipients how to obtain it in a reasonable manner on or through a medium customarily used for software exchange; and

b) the Contributor may Distribute the Program under a license different than this Agreement, provided that such license:



i) effectively disclaims on behalf of all other Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;

ii) effectively excludes on behalf of all other Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;

iii) does not attempt to limit or alter the recipients' rights in the Source Code under section 3.2; and

iv) requires any subsequent distribution of the Program by any party to be under a license that satisfies the requirements of this section 3.

### 3.2 When the Program is Distributed as Source Code:

a) it must be made available under this Agreement, or if the Program (i) is combined with other material in a separate file or files made available under a Secondary License, and (ii) the initial Contributor attached to the Source Code the notice described in Exhibit A of this Agreement, then the Program may be made available under the terms of such Secondary Licenses, and

b) a copy of this Agreement must be included with each copy of the Program.

3.3 Contributors may not remove or alter any copyright, patent, trademark, attribution notices, disclaimers of warranty, or limitations of liability ("notices") contained within the Program from any copy of the Program which they Distribute, provided that Contributors may add their own appropriate notices.

## 4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified

Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

## 5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

## 6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

## 7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be Distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to Distribute the Program (including its Contributions) under the new version.

Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved. Nothing in this Agreement is intended to be enforceable by any entity that is not a Contributor or Recipient. No third-party beneficiary rights are created under this Agreement.

Exhibit A - Form of Secondary Licenses Notice

"This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License, v. 2.0 are satisfied: {name license(s), version(s), and exceptions or additional permissions here}."

Simply including a copy of this Agreement, including this Exhibit A is not sufficient to license the Source Code under Secondary Licenses.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.

---

## The GNU General Public License (GPL) Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.  
51 Franklin Street, Fifth Floor  
Boston, MA 02110-1335  
USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

#### Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These

restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

## TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source

code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

- a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.
- b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.
- c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will

not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be



a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

#### NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM

(INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

## END OF TERMS AND CONDITIONS

### How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.

Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1335 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type
`show w'. This is free software, and you are welcome to redistribute
it under certain conditions; type `show c' for details.
```

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they

could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program `Gnomovision' (which makes passes at compilers) written by James Hacker.

signature of Ty Coon, 1 April 1989

Ty Coon, President of Vice

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

---

#### ## CLASSPATH EXCEPTION

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License version 2 cover the whole combination.

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module. An independent module is a module which is not derived from or based on this library. If you modify this library, you may extend this exception to your version of the library, but you are not obligated to do so. If you do not wish to do so, delete this exception statement from your version.

#### # Notices for Eclipse GlassFish

This content is produced and maintained by the Eclipse GlassFish project.

\* Project home: <https://projects.eclipse.org/projects/ee4j.glassfish>

#### ## Trademarks

Eclipse GlassFish, and GlassFish are trademarks of the Eclipse Foundation.

## ## Copyright

All content is the property of the respective authors or their employers. For more information regarding authorship of content, please consult the listed source code repository logs.

## ## Declared Project Licenses

This program and the accompanying materials are made available under the terms of the Eclipse Public License v. 2.0 which is available at <http://www.eclipse.org/legal/epl-2.0>. This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License v. 2.0 are satisfied: GNU General Public License, version 2 with the GNU Classpath Exception which is available at <https://www.gnu.org/software/classpath/license.html>.

SPDX-License-Identifier: EPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0

## ## Source Code

The project maintains the following source code repositories:

- \* <https://github.com/eclipse-ee4j/glassfish-ha-api>
- \* <https://github.com/eclipse-ee4j/glassfish-logging-annotation-processor>
- \* <https://github.com/eclipse-ee4j/glassfish-shoal>
- \* <https://github.com/eclipse-ee4j/glassfish-cdi-porting-tck>
- \* <https://github.com/eclipse-ee4j/glassfish-jsftemplating>
- \* <https://github.com/eclipse-ee4j/glassfish-hk2-extra>
- \* <https://github.com/eclipse-ee4j/glassfish-hk2>
- \* <https://github.com/eclipse-ee4j/glassfish-fightersfish>

## ## Third-party Content

This project leverages the following third party content.

None

## ## Cryptography

Content may contain encryption software. The country in which you are currently may have restrictions on the import, possession, and use, and/or re-export to another country, of encryption software. BEFORE using any encryption software, please check the country's laws, regulations and policies concerning the import, possession, or use, and re-export of encryption software, to see if this is permitted.

# 1.221 kafka-avro-serializer 6.2.1

## 1.221.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
<project xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xmlns="http://maven.apache.org/POM/4.0.0"
  xsi:schemaLocation="http://maven.apache.org/POM/4.0.0 http://maven.apache.org/maven-v4_0_0.xsd">
```

```
<modelVersion>4.0.0</modelVersion>
```

```
<parent>
  <groupId>io.confluent</groupId>
  <artifactId>kafka-schema-registry-parent</artifactId>
  <version>6.2.1</version>
</parent>
```

```
<licenses>
  <license>
    <name>Apache License 2.0</name>
    <url>http://www.apache.org/licenses/LICENSE-2.0.html</url>
    <distribution>repo</distribution>
  </license>
</licenses>
```

```
<artifactId>kafka-avro-serializer</artifactId>
<packaging>jar</packaging>
<name>kafka-avro-serializer</name>
```

```
<dependencies>
  <dependency>
    <groupId>org.apache.kafka</groupId>
    <artifactId>kafka_${kafka.scala.version}</artifactId>
    <scope>provided</scope>
  </dependency>
  <dependency>
    <groupId>org.apache.avro</groupId>
    <artifactId>avro</artifactId>
  </dependency>
  <dependency>
    <groupId>org.apache.commons</groupId>
    <artifactId>commons-compress</artifactId>
  </dependency>
  <dependency>
    <groupId>io.confluent</groupId>
    <artifactId>kafka-schema-serializer</artifactId>
    <version>${io.confluent.schema-registry.version}</version>
```

```

</dependency>
<dependency>
  <groupId>io.confluent</groupId>
  <artifactId>kafka-schema-registry-client</artifactId>
  <version>${io.confluent.schema-registry.version}</version>
</dependency>

<dependency>
  <groupId>com.google.guava</groupId>
  <artifactId>guava</artifactId>
  <scope>test</scope>
</dependency>
<dependency>
  <groupId>junit</groupId>
  <artifactId>junit</artifactId>
  <scope>test</scope>
</dependency>
<dependency>
  <groupId>org.slf4j</groupId>
  <artifactId>slf4j-log4j12</artifactId>
  <scope>test</scope>
</dependency>
<dependency>
  <groupId>io.confluent</groupId>
  <artifactId>confluent-log4j</artifactId>
  <scope>test</scope>
</dependency>
</dependencies>

<build>
  <plugins>
    <plugin>
      <groupId>org.apache.avro</groupId>
      <artifactId>avro-maven-plugin</artifactId>
      <executions>
        <execution>
          <phase>generate-sources</phase>
          <goals>
            <goal>schema</goal>
          </goals>
          <configuration>
            <testSourceDirectory>${project.basedir}/src/test/avro</testSourceDirectory>
          </configuration>
        </execution>
      </executions>
    </plugin>
  </plugins>
</build>

```

</project>

Found in path(s):

\* /opt/cola/permits/1340031928\_1654757805.4736652/0/kafka-avro-serializer-6-2-1-jar/META-INF/maven/io.confluent/kafka-avro-serializer/pom.xml

## 1.222 asm 8.0.1

### 1.222.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
// All rights reserved.  
// Redistribution and use in source and binary forms, with or without  
// modification, are permitted provided that the following conditions  
// are met:  
// 1. Redistributions of source code must retain the above copyright  
// notice, this list of conditions and the following disclaimer.  
// 2. Redistributions in binary form must reproduce the above copyright  
// notice, this list of conditions and the following disclaimer in the  
// documentation and/or other materials provided with the distribution.  
// 3. Neither the name of the copyright holders nor the names of its  
// this software without specific prior written permission.
```

Found in path(s):

```
* /opt/ws_local/PERMITS_SQL/1093933321_1601047939.19/0/asm-8-0-1-sources-1-  
jar/org/objectweb/asm/CurrentFrame.java  
* /opt/ws_local/PERMITS_SQL/1093933321_1601047939.19/0/asm-8-0-1-sources-1-  
jar/org/objectweb/asm/Label.java  
* /opt/ws_local/PERMITS_SQL/1093933321_1601047939.19/0/asm-8-0-1-sources-1-  
jar/org/objectweb/asm/Type.java  
* /opt/ws_local/PERMITS_SQL/1093933321_1601047939.19/0/asm-8-0-1-sources-1-  
jar/org/objectweb/asm/FieldVisitor.java  
* /opt/ws_local/PERMITS_SQL/1093933321_1601047939.19/0/asm-8-0-1-sources-1-  
jar/org/objectweb/asm/ByteVector.java  
* /opt/ws_local/PERMITS_SQL/1093933321_1601047939.19/0/asm-8-0-1-sources-1-  
jar/org/objectweb/asm/RecordComponentVisitor.java  
* /opt/ws_local/PERMITS_SQL/1093933321_1601047939.19/0/asm-8-0-1-sources-1-  
jar/org/objectweb/asm/AnnotationVisitor.java  
* /opt/ws_local/PERMITS_SQL/1093933321_1601047939.19/0/asm-8-0-1-sources-1-  
jar/org/objectweb/asm/Handler.java  
* /opt/ws_local/PERMITS_SQL/1093933321_1601047939.19/0/asm-8-0-1-sources-1-  
jar/org/objectweb/asm/Constants.java  
* /opt/ws_local/PERMITS_SQL/1093933321_1601047939.19/0/asm-8-0-1-sources-1-  
jar/org/objectweb/asm/signature/SignatureReader.java  
* /opt/ws_local/PERMITS_SQL/1093933321_1601047939.19/0/asm-8-0-1-sources-1-  
jar/org/objectweb/asm/SymbolTable.java  
* /opt/ws_local/PERMITS_SQL/1093933321_1601047939.19/0/asm-8-0-1-sources-1-
```

jar/org/objectweb/asm/signature/SignatureWriter.java  
\* /opt/ws\_local/PERMITS\_SQL/1093933321\_1601047939.19/0/asm-8-0-1-sources-1-  
jar/org/objectweb/asm/AnnotationWriter.java  
\* /opt/ws\_local/PERMITS\_SQL/1093933321\_1601047939.19/0/asm-8-0-1-sources-1-  
jar/org/objectweb/asm/Handle.java  
\* /opt/ws\_local/PERMITS\_SQL/1093933321\_1601047939.19/0/asm-8-0-1-sources-1-  
jar/org/objectweb/asm/Attribute.java  
\* /opt/ws\_local/PERMITS\_SQL/1093933321\_1601047939.19/0/asm-8-0-1-sources-1-  
jar/org/objectweb/asm/FieldWriter.java  
\* /opt/ws\_local/PERMITS\_SQL/1093933321\_1601047939.19/0/asm-8-0-1-sources-1-  
jar/org/objectweb/asm/TypePath.java  
\* /opt/ws\_local/PERMITS\_SQL/1093933321\_1601047939.19/0/asm-8-0-1-sources-1-  
jar/org/objectweb/asm/MethodVisitor.java  
\* /opt/ws\_local/PERMITS\_SQL/1093933321\_1601047939.19/0/asm-8-0-1-sources-1-  
jar/org/objectweb/asm/signature/SignatureVisitor.java  
\* /opt/ws\_local/PERMITS\_SQL/1093933321\_1601047939.19/0/asm-8-0-1-sources-1-  
jar/org/objectweb/asm/MethodWriter.java  
\* /opt/ws\_local/PERMITS\_SQL/1093933321\_1601047939.19/0/asm-8-0-1-sources-1-  
jar/org/objectweb/asm/ClassVisitor.java  
\* /opt/ws\_local/PERMITS\_SQL/1093933321\_1601047939.19/0/asm-8-0-1-sources-1-  
jar/org/objectweb/asm/Edge.java  
\* /opt/ws\_local/PERMITS\_SQL/1093933321\_1601047939.19/0/asm-8-0-1-sources-1-  
jar/org/objectweb/asm/MethodTooLargeException.java  
\* /opt/ws\_local/PERMITS\_SQL/1093933321\_1601047939.19/0/asm-8-0-1-sources-1-  
jar/org/objectweb/asm/ConstantDynamic.java  
\* /opt/ws\_local/PERMITS\_SQL/1093933321\_1601047939.19/0/asm-8-0-1-sources-1-  
jar/org/objectweb/asm/ClassTooLargeException.java  
\* /opt/ws\_local/PERMITS\_SQL/1093933321\_1601047939.19/0/asm-8-0-1-sources-1-  
jar/org/objectweb/asm/RecordComponentWriter.java  
\* /opt/ws\_local/PERMITS\_SQL/1093933321\_1601047939.19/0/asm-8-0-1-sources-1-  
jar/org/objectweb/asm/Opcodes.java  
\* /opt/ws\_local/PERMITS\_SQL/1093933321\_1601047939.19/0/asm-8-0-1-sources-1-  
jar/org/objectweb/asm/ClassReader.java  
\* /opt/ws\_local/PERMITS\_SQL/1093933321\_1601047939.19/0/asm-8-0-1-sources-1-  
jar/org/objectweb/asm/ModuleWriter.java  
\* /opt/ws\_local/PERMITS\_SQL/1093933321\_1601047939.19/0/asm-8-0-1-sources-1-  
jar/org/objectweb/asm/Context.java  
\* /opt/ws\_local/PERMITS\_SQL/1093933321\_1601047939.19/0/asm-8-0-1-sources-1-  
jar/org/objectweb/asm/TypeReference.java  
\* /opt/ws\_local/PERMITS\_SQL/1093933321\_1601047939.19/0/asm-8-0-1-sources-1-  
jar/org/objectweb/asm/ModuleVisitor.java  
\* /opt/ws\_local/PERMITS\_SQL/1093933321\_1601047939.19/0/asm-8-0-1-sources-1-  
jar/org/objectweb/asm/Symbol.java  
\* /opt/ws\_local/PERMITS\_SQL/1093933321\_1601047939.19/0/asm-8-0-1-sources-1-  
jar/org/objectweb/asm/Frame.java  
\* /opt/ws\_local/PERMITS\_SQL/1093933321\_1601047939.19/0/asm-8-0-1-sources-1-  
jar/org/objectweb/asm/ClassWriter.java



No license file was found, but licenses were detected in source scan.

2011 INRIA, France Telecom

\* All rights reserved.

\*

\* Redistribution and use in source and binary forms, with or without

\* modification, are permitted provided that the following conditions

\* are met:

\* 1. Redistributions of source code must retain the above copyright

\* notice, this list of conditions and the following disclaimer.

\* 2. Redistributions in binary form must reproduce the above copyright

\* notice, this list of conditions and the following disclaimer in the

\* documentation and/or other materials provided with the distribution.

\* 3. Neither the name of the copyright holders nor the names of its

\* contributors may be used to endorse or promote products derived from

\* this software without specific prior written permission.

\*

\* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS"

\* AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE

\* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE

\* ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE

\* LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR

\* CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF

\* SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS

\* INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN

\* CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)

\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF

\* THE POSSIBILITY OF SUCH DAMAGE.

Found in path(s):

\* /opt/ws\_local/PERMITS\_SQL/1093933321\_1601047939.19/0/asm-8-0-1-sources-1-  
jar/org/objectweb/asm/signature/package.html

\* /opt/ws\_local/PERMITS\_SQL/1093933321\_1601047939.19/0/asm-8-0-1-sources-1-  
jar/org/objectweb/asm/package.html

## 1.223 kotlinox-coroutines-bom 1.5.1

### 1.223.1 Available under license :

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems,

and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
  - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
  - (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
  - (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. **Disclaimer of Warranty.** Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright 2000-2020 JetBrains s.r.o. and Kotlin Programming Language contributors.

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and

limitations under the License.

The MIT License (MIT)

Copyright (c) 2016 Parker Moore

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

=====  
== NOTICE file corresponding to the section 4 d of ==  
== the Apache License, Version 2.0, ==  
== in this case for the kotlinx.coroutines library. ==  
=====

kotlinx.coroutines library.  
Copyright 2016-2019 JetBrains s.r.o and respective authors and developers

# 1.224 micronaut-tracing 4.0.3

## 1.224.1 Available under license :

Apache License  
Version 2.0, January 2004  
<https://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
  - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
  - (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
  - (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
  - (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not



pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special,

incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

# 1.225 jackson-datatype-guava 2.13.2

## 1.225.1 Available under license :

This copy of Jackson JSON processor `jackson-datatype-guava` module is licensed under the Apache (Software) License, version 2.0 ("the License").

See the License for details about distribution rights, and the specific rights regarding derivate works.

You may obtain a copy of the License at:

<http://www.apache.org/licenses/LICENSE-2.0>

# 1.226 okio 2.8.0

## 1.226.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (C) 2015 Square, Inc.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 *     http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1274700344_1645235023.94/0/okio-2-8-0-sources-jar/jvmMain/okio/SegmentedByteString.kt
* /opt/cola/permits/1274700344_1645235023.94/0/okio-2-8-0-sources-
jar/commonMain/okio/SegmentedByteString.kt
* /opt/cola/permits/1274700344_1645235023.94/0/okio-2-8-0-sources-jar/jvmMain/okio/ForwardingTimeout.kt
```

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (C) 2019 Square, Inc.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
```

\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1274700344\_1645235023.94/0/okio-2-8-0-sources-jar/commonMain/okio/internal/RealBufferedSource.kt  
\* /opt/cola/permits/1274700344\_1645235023.94/0/okio-2-8-0-sources-jar/commonMain/okio/internal/RealBufferedSink.kt  
\* /opt/cola/permits/1274700344\_1645235023.94/0/okio-2-8-0-sources-jar/commonMain/okio/internal/SegmentedByteString.kt  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright (C) 2017 Square, Inc.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1274700344\_1645235023.94/0/okio-2-8-0-sources-jar/commonMain/okio/Utf8.kt  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright (C) 2019 Square, Inc.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\*/

- \* Unless required by applicable law or agreed to in writing, software
- \* distributed under the License is distributed on an "AS IS" BASIS,
- \* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- \* See the License for the specific language governing permissions and
- \* limitations under the License.
- \*/

Found in path(s):

- \* /opt/cola/permits/1274700344\_1645235023.94/0/okio-2-8-0-sources-jar/commonMain/okio/internal/Buffer.kt
- \* /opt/cola/permits/1274700344\_1645235023.94/0/okio-2-8-0-sources-jar/commonMain/okio/Timeout.kt
- \* /opt/cola/permits/1274700344\_1645235023.94/0/okio-2-8-0-sources-jar/commonMain/okio/BufferedSource.kt
- \* /opt/cola/permits/1274700344\_1645235023.94/0/okio-2-8-0-sources-jar/commonMain/okio/Sink.kt
- \* /opt/cola/permits/1274700344\_1645235023.94/0/okio-2-8-0-sources-jar/commonMain/okio/Buffer.kt
- \* /opt/cola/permits/1274700344\_1645235023.94/0/okio-2-8-0-sources-jar/commonMain/okio/RealBufferedSink.kt
- \* /opt/cola/permits/1274700344\_1645235023.94/0/okio-2-8-0-sources-jar/commonMain/okio/BufferedSink.kt
- \* /opt/cola/permits/1274700344\_1645235023.94/0/okio-2-8-0-sources-jar/commonMain/okio/Source.kt
- \* /opt/cola/permits/1274700344\_1645235023.94/0/okio-2-8-0-sources-jar/commonMain/okio/RealBufferedSource.kt
- \* /opt/cola/permits/1274700344\_1645235023.94/0/okio-2-8-0-sources-jar/commonMain/okio/Okio.kt

No license file was found, but licenses were detected in source scan.

/\*

- \* Copyright (C) 2014 Square, Inc.
- \*
- \* Licensed under the Apache License, Version 2.0 (the "License");
- \* you may not use this file except in compliance with the License.
- \* You may obtain a copy of the License at
- \*
- \* <http://www.apache.org/licenses/LICENSE-2.0>
- \*

- \* Unless required by applicable law or agreed to in writing, software
- \* distributed under the License is distributed on an "AS IS" BASIS,
- \* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- \* See the License for the specific language governing permissions and
- \* limitations under the License.
- \*/

Found in path(s):

- \* /opt/cola/permits/1274700344\_1645235023.94/0/okio-2-8-0-sources-jar/jvmMain/okio/SegmentPool.kt
- \* /opt/cola/permits/1274700344\_1645235023.94/0/okio-2-8-0-sources-jar/jvmMain/okio/InflaterSource.kt
- \* /opt/cola/permits/1274700344\_1645235023.94/0/okio-2-8-0-sources-jar/jvmMain/okio/ForwardingSource.kt
- \* /opt/cola/permits/1274700344\_1645235023.94/0/okio-2-8-0-sources-jar/jvmMain/okio/BufferedSink.kt
- \* /opt/cola/permits/1274700344\_1645235023.94/0/okio-2-8-0-sources-jar/jvmMain/okio/JvmOkio.kt
- \* /opt/cola/permits/1274700344\_1645235023.94/0/okio-2-8-0-sources-jar/commonMain/okio/Segment.kt
- \* /opt/cola/permits/1274700344\_1645235023.94/0/okio-2-8-0-sources-jar/jvmMain/okio/BufferedSource.kt
- \* /opt/cola/permits/1274700344\_1645235023.94/0/okio-2-8-0-sources-jar/jvmMain/okio/GzipSource.kt
- \* /opt/cola/permits/1274700344\_1645235023.94/0/okio-2-8-0-sources-jar/jvmMain/okio/DeflaterSink.kt
- \* /opt/cola/permits/1274700344\_1645235023.94/0/okio-2-8-0-sources-jar/jvmMain/okio/GzipSink.kt

\* /opt/cola/permits/1274700344\_1645235023.94/0/okio-2-8-0-sources-jar/jvmMain/okio/Buffer.kt  
\* /opt/cola/permits/1274700344\_1645235023.94/0/okio-2-8-0-sources-jar/jvmMain/okio/Source.kt  
\* /opt/cola/permits/1274700344\_1645235023.94/0/okio-2-8-0-sources-jar/jvmMain/okio/Sink.kt  
\* /opt/cola/permits/1274700344\_1645235023.94/0/okio-2-8-0-sources-jar/jvmMain/okio/Timeout.kt  
\* /opt/cola/permits/1274700344\_1645235023.94/0/okio-2-8-0-sources-jar/jvmMain/okio/RealBufferedSource.kt  
\* /opt/cola/permits/1274700344\_1645235023.94/0/okio-2-8-0-sources-jar/commonMain/okio/SegmentPool.kt  
\* /opt/cola/permits/1274700344\_1645235023.94/0/okio-2-8-0-sources-jar/jvmMain/okio/RealBufferedSink.kt  
\* /opt/cola/permits/1274700344\_1645235023.94/0/okio-2-8-0-sources-jar/jvmMain/okio/AsyncTimeout.kt  
\* /opt/cola/permits/1274700344\_1645235023.94/0/okio-2-8-0-sources-jar/jvmMain/okio/ForwardingSink.kt  
No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2018 Square, Inc.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1274700344\_1645235023.94/0/okio-2-8-0-sources-jar/commonMain/okio/-Util.kt

\* /opt/cola/permits/1274700344\_1645235023.94/0/okio-2-8-0-sources-jar/commonMain/okio/internal/ByteString.kt

\* /opt/cola/permits/1274700344\_1645235023.94/0/okio-2-8-0-sources-jar/commonMain/okio/-Platform.kt

\* /opt/cola/permits/1274700344\_1645235023.94/0/okio-2-8-0-sources-jar/jvmMain/okio/-Platform.kt

\* /opt/cola/permits/1274700344\_1645235023.94/0/okio-2-8-0-sources-jar/commonMain/okio/internal/-Utf8.kt

\* /opt/cola/permits/1274700344\_1645235023.94/0/okio-2-8-0-sources-jar/commonMain/okio/ByteString.kt

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2014 Square Inc.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1274700344\_1645235023.94/0/okio-2-8-0-sources-jar/jvmMain/okio/ByteString.kt  
No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2018 Square, Inc.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1274700344\_1645235023.94/0/okio-2-8-0-sources-jar/jvmMain/okio/-DeprecatedUpgrade.kt

\* /opt/cola/permits/1274700344\_1645235023.94/0/okio-2-8-0-sources-jar/jvmMain/okio/-DeprecatedUtf8.kt

\* /opt/cola/permits/1274700344\_1645235023.94/0/okio-2-8-0-sources-jar/commonMain/okio/PeekSource.kt

\* /opt/cola/permits/1274700344\_1645235023.94/0/okio-2-8-0-sources-jar/jvmMain/okio/-DeprecatedOkio.kt

\* /opt/cola/permits/1274700344\_1645235023.94/0/okio-2-8-0-sources-jar/jvmMain/okio/Throttler.kt

No license file was found, but licenses were detected in source scan.

/\*

\* Licensed to the Apache Software Foundation (ASF) under one or more

\* contributor license agreements. See the NOTICE file distributed with

\* this work for additional information regarding copyright ownership.

\* The ASF licenses this file to You under the Apache License, Version 2.0

\* (the "License"); you may not use this file except in compliance with

\* the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1274700344\_1645235023.94/0/okio-2-8-0-sources-jar/commonMain/okio/-Base64.kt

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2016 Square, Inc.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1274700344\_1645235023.94/0/okio-2-8-0-sources-jar/jvmMain/okio/HashingSink.kt

\* /opt/cola/permits/1274700344\_1645235023.94/0/okio-2-8-0-sources-jar/jvmMain/okio/Pipe.kt

\* /opt/cola/permits/1274700344\_1645235023.94/0/okio-2-8-0-sources-jar/jvmMain/okio/HashingSource.kt

\* /opt/cola/permits/1274700344\_1645235023.94/0/okio-2-8-0-sources-jar/commonMain/okio/Options.kt

## 1.227 jakarta-dependency-injection 2.0.1

### 1.227.1 Available under license :

# Notices for Eclipse Jakarta Dependency Injection

This content is produced and maintained by the Eclipse Jakarta Dependency Injection project.

\* Project home: <https://projects.eclipse.org/projects/cdi.batch>

## Trademarks

Jakarta Dependency Injection is a trademark of the Eclipse Foundation.

## Copyright

All content is the property of the respective authors or their employers. For more information regarding authorship of content, please consult the listed source code repository logs.

## Declared Project Licenses



This program and the accompanying materials are made available under the terms of the Apache License, Version 2.0 which is available at <https://www.apache.org/licenses/LICENSE-2.0>.

SPDX-License-Identifier: Apache-2.0

## ## Source Code

The project maintains the following source code repositories:

<https://github.com/eclipse-ee4j/injection-api>  
<https://github.com/eclipse-ee4j/injection-spec>  
<https://github.com/eclipse-ee4j/injection-tck>

## ## Third-party Content

This project leverages the following third party content.

None

## ## Cryptography

None

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity

exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided

that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity,

or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

# 1.228 micronaut-data 3.3.0

## 1.228.1 Available under license :

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2017-2020 original authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

- \* <https://www.apache.org/licenses/LICENSE-2.0>
- \*
- \* Unless required by applicable law or agreed to in writing, software
- \* distributed under the License is distributed on an "AS IS" BASIS,
- \* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- \* See the License for the specific language governing permissions and
- \* limitations under the License.
- \*/

Found in path(s):

- \* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/annotation/AutoPopulated.java
- \* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/model/runtime/DeleteOperation.java
- \* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/exceptions/NonUniqueResultException.java
- \* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/intercept/async/FindSliceAsyncInterceptor.java
- \* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/intercept/FindByIdInterceptor.java
- \* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/model/DefaultSort.java
- \* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/model/runtime/InsertOperation.java
- \* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/model/AbstractPersistentEntity.java
- \* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/model/DataType.java
- \* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/operations/PrimaryRepositoryOperations.java
- \* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/model/runtime/DefaultStoredDataOperation.java
- \* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/operations/RepositoryOperations.java
- \* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/intercept/reactive/FindAllReactiveInterceptor.java
- \* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/repository/CrudRepository.java
- \* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/model/query/builder/QueryBuilder.java
- \* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/model/runtime/RuntimeEmbedded.java
- \* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/exceptions/EmptyResultException.java
- \* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/model/PersistentProperty.java
- \* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/model/runtime/UpdateBatchOperation.java

\* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/intercept/DeleteAllInterceptor.java

\* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/annotation/event/PostPersist.java

\* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/repository/jpa/JpaSpecificationExecutor.java

\* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/repository/jpa/criteria/SpecificationComposition.java

\* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/annotation/Id.java

\* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/exceptions/OptimisticLockException.java

\* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/model/PersistentElement.java

\* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/model/query/builder/package-info.java

\* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/exceptions/MappingException.java

\* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/intercept/annotation/DataMethod.java

\* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/model/Sort.java

\* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/model/DefaultPage.java

\* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/model/query/builder/jpa/JpaQueryBuilder.java

\* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/intercept/SaveOneInterceptor.java

\* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/model/query/Criteria.java

\* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/model/runtime/RuntimePersistentEntity.java

\* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/model/runtime/package-info.java

\* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/intercept/async/DeleteAllAsyncInterceptor.java

\* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/intercept/async/SaveAllAsyncInterceptor.java

\* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/intercept/FindOptionalInterceptor.java

\* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/annotation/repeatable/JoinSpecifications.java

\* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/annotation/QueryHint.java

\* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/model/query/ProjectionList.java

\* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/annotation/Join.java

\* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/model/query/builder/sql/Dialect.java

\* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/annotation/RepositoryConfiguration.java

\* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/annotation/repeatable/QueryHints.java

\* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/intercept/async/package-info.java

\* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/intercept/reactive/CountReactiveInterceptor.java

\* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/model/naming/NamingStrategy.java

\* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/model/runtime/RuntimeAssociation.java

\* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/intercept/reactive/ExistsByReactiveInterceptor.java

\* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/operations/async/AsyncCapableRepository.java

\* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/intercept/reactive/UpdateAllEntitiesReactiveInterceptor.java

\* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/intercept/RepositoryMethodKey.java

\* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/model/naming/NamingStrategies.java

\* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/model/query/JoinPath.java

\* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/operations/reactive/package-info.java

\* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/annotation/Where.java

\* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/repository/reactive/ReactiveStreamsCrudRepository.java

\* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/annotation/event/PrePersist.java

\* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/model/Association.java

\* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/model/Embedded.java

\* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/intercept/async/ExistsByAsyncInterceptor.java

\* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/intercept/async/FindPageAsyncInterceptor.java

\* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/intercept/reactive/SaveOneReactiveInterceptor.java

\* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/model/package-info.java

\* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/repository/async/AsyncCrudRepository.java



\* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/model/runtime/StoredDataOperation.java

\* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/model/runtime/StoredQuery.java

\* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/model/runtime/UpdateOperation.java

\* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/repository/package-info.java

\* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/intercept/async/SaveEntityAsyncInterceptor.java

\* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/intercept/DataIntroductionAdvice.java

\* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/intercept/reactive/DeleteAllReactiveInterceptor.java

\* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/model/query/builder/AbstractSqlLikeQueryBuilder.java

\* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/model/query/DefaultQuery.java

\* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/model/query/builder/sql/package-info.java

\* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/model/query/factory/Restrictions.java

\* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/annotation/event/EntityEventMapping.java

\* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/intercept/UpdateInterceptor.java

\* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/intercept/async/SaveOneAsyncInterceptor.java

\* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/annotation/event/PostLoad.java

\* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/annotation/NamingStrategy.java

\* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/intercept/DeleteOneInterceptor.java

\* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/annotation/event/PostRemove.java

\* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/intercept/reactive/UpdateReactiveInterceptor.java

\* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/intercept/FindPageInterceptor.java

\* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/intercept/IterableResultInterceptor.java

\* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/annotation/Repository.java

\* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/repository/jpa/kotlin/CoroutineJpaSpecificationExecutor.kt

\* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/intercept/reactive/FindByIdReactiveInterceptor.java

\* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/model/runtime/AbstractPreparedDataOperation.java

\* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/intercept/async/FindByIdAsyncInterceptor.java

\* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/model/DefaultSlice.java

\* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/intercept/SaveAllInterceptor.java

\* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/intercept/CountInterceptor.java

\* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/model/PersistentEntity.java

\* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/intercept/annotation/package-info.java

\* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/intercept/annotation/DataMethodQueryParameter.java

\* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/intercept/SaveEntityInterceptor.java

\* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/annotation/sql/SqlMembers.java

\* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/model/query/QueryParameter.java

\* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/intercept/UpdateEntityInterceptor.java

\* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/intercept/reactive/SaveEntityReactiveInterceptor.java

\* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/annotation/Expandable.java

\* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/annotation/DateCreated.java

\* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/annotation/TypeDef.java

\* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/annotation/MappedProperty.java

\* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/intercept/ExistsByInterceptor.java

\* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/intercept/async/UpdateAsyncInterceptor.java

\* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/annotation/repeatable/package-info.java

\* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/exceptions/DataAccessResourceFailureException.java

\* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/model/query/factory/package-info.java

\* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/operations/async/package-info.java

\* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/intercept/FindSliceInterceptor.java

\* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/model/query/package-info.java

\* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/intercept/reactive/package-info.java

\* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/exceptions/package-info.java

\* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/model/query/builder/sql/SqlQueryBuilder.java

\* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/annotation/Embeddable.java

\* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/annotation/event/PreUpdate.java

\* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/annotation/sql/package-info.java

\* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/intercept/async/FindAllAsyncInterceptor.java

\* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/intercept/FindOneInterceptor.java

\* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/model/query/DefaultProjectionList.java

\* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/model/runtime/EntityInstanceOperation.java

\* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/intercept/reactive/FindPageReactiveInterceptor.java

\* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/intercept/package-info.java

\* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/model/runtime/PreparedDataOperation.java

\* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/model/runtime/EntityOperation.java

\* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/intercept/UpdateAllEntitiesInterceptor.java

\* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/annotation/Transient.java

\* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/model/runtime/convert/package-info.java

\* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/repository/GenericRepository.java

\* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/model/query/builder/QueryResult.java

\* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/model/AssociationUtils.java

\* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/annotation/package-info.java

\* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/model/query/factory/Projections.java

\* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/operations/reactive/ReactiveRepositoryOperations.java

\* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/annotation/TypeRole.java

\* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/intercept/async/UpdateAllEntriesAsyncInterceptor.java

\* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/model/runtime/InsertBatchOperation.java

\* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/intercept/reactive/UpdateEntityReactiveInterceptor.java

\* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/model/query/builder/jpa/package-info.java

\* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/annotation/event/PostUpdate.java

\* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/repository/reactive/RxJavaCrudRepository.java

\* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/model/naming/package-info.java

\* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/model/runtime/PagedQuery.java

\* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/model/query/QueryModel.java

\* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/annotation/MappedEntity.java

\* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/exceptions/DataAccessException.java

\* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/annotation/repeatable/WhereSpecifications.java

\* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/model/Slice.java

\* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/intercept/async/FindOneAsyncInterceptor.java

\* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/annotation/event/PreRemove.java

\* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/intercept/async/DeleteOneAsyncInterceptor.java

\* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/annotation/DataTransformer.java

\* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/model/query/AssociationQuery.java

\* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/model/Page.java

\* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/model/runtime/BatchOperation.java

\* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/model/Pageable.java

\* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/operations/async/AsyncRepositoryOperations.java

\* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/annotation/repeatable/TypeDefinitions.java

\* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/intercept/async/CountAsyncInterceptor.java

\* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/repository/PageableRepository.java

\* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/annotation/Version.java

\* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/intercept/reactive/DeleteOneReactiveInterceptor.java

\* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/repository/async/package-info.java

\* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/annotation/Relation.java

\* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/intercept/reactive/FindSliceReactiveInterceptor.java

\* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/repository/reactive/package-info.java

\* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/model/runtime/PreparedQuery.java

\* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/annotation/Query.java

\* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/intercept/async/UpdateEntityAsyncInterceptor.java

\* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/intercept/FindAllInterceptor.java

\* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/model/query/builder/sql/SqlQueryConfiguration.java

\* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/model/runtime/DeleteBatchOperation.java

\* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/model/runtime/RuntimePersistentProperty.java

\* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/model/DefaultPageable.java

\* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/annotation/DateUpdated.java

\* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/annotation/EmbeddedId.java

\* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/operations/package-info.java

\* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/intercept/DataInterceptor.java

\* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/intercept/FindStreamInterceptor.java

\* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/operations/reactive/ReactiveCapableRepository.java

\* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/intercept/reactive/FindOneReactiveInterceptor.java

\* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/intercept/reactive/SaveAllReactiveInterceptor.java

\* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/annotation/GeneratedValue.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2017-2021 original authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/repository/jpa/reactive/ReactorJpaSpecificationExecutor.java

\* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/model/jpa/criteria/impl/predicate/PersistentPropertyBetweenPredicate.java

\* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/model/jpa/criteria/impl/predicate/AbstractPredicate.java

\* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/repository/reactive/ReactorCrudRepository.java

\* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/annotation/Index.java

\* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/model/jpa/criteria/impl/selection/AliasedSelection.java

\* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/model/jpa/criteria/PersistentEntityCriteriaQuery.java

\* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/repository/jpa/async/AsyncJpaSpecificationExecutor.java

\* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/event/listeners/PostPersistEventListener.java

\* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/model/query/builder/QueryParameterBinding.java

\* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/event/listeners/PostUpdateEventListener.java

\* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/model/jpa/criteria/IPredicate.java

\* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/model/jpa/criteria/impl/selection/AbstractPersistentPropertyExpression.java

\* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-

jar/io/micronaut/data/model/jpa/criteria/PersistentEntityPath.java  
\* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-  
jar/io/micronaut/data/model/jpa/criteria/impl/query/QueryModelSelectionVisitor.java  
\* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-  
jar/io/micronaut/data/model/runtime/QueryParameterBinding.java  
\* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-  
jar/io/micronaut/data/model/runtime/convert/AttributeConverter.java  
\* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-  
jar/io/micronaut/data/model/jpa/criteria/impl/selection/AggregateExpression.java  
\* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-  
jar/io/micronaut/data/model/jpa/criteria/IEExpression.java  
\* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-  
jar/io/micronaut/data/model/jpa/criteria/impl/SelectionVisitor.java  
\* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-  
jar/io/micronaut/data/model/jpa/criteria/impl/CriteriaUtils.java  
\* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-  
jar/io/micronaut/data/operations/reactive/BlockingReactorRepositoryOperations.java  
\* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-  
jar/io/micronaut/data/model/jpa/criteria/impl/AbstractPersistentEntityCriteriaUpdate.java  
\* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-  
jar/io/micronaut/data/repository/jpa/criteria/DeleteSpecification.java  
\* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-  
jar/io/micronaut/data/model/jpa/criteria/impl/AbstractPersistentEntityCriteriaQuery.java  
\* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-  
jar/io/micronaut/data/repository/kotlin/CoroutineCrudRepository.kt  
\* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-  
jar/io/micronaut/data/model/jpa/criteria/impl/selection/CompoundSelection.java  
\* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-  
jar/io/micronaut/data/model/jpa/criteria/impl/PersistentPropertyOrder.java  
\* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-  
jar/io/micronaut/data/model/jpa/criteria/impl/AbstractPersistentEntityCriteriaDelete.java  
\* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-  
jar/io/micronaut/data/model/jpa/criteria/impl/LiteralExpression.java  
\* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-  
jar/io/micronaut/data/model/query/BindingParameter.java  
\* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-  
jar/io/micronaut/data/annotation/Indexes.java  
\* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-  
jar/io/micronaut/data/model/jpa/criteria/impl/predicate/NegatedPredicate.java  
\* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-  
jar/io/micronaut/data/event/EntityEventContext.java  
\* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-  
jar/io/micronaut/data/model/jpa/criteria/impl/QueryResultPersistentEntityCriteriaQuery.java  
\* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-  
jar/io/micronaut/data/repository/jpa/criteria/UpdateSpecification.java  
\* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-  
jar/io/micronaut/data/model/jpa/criteria/PersistentEntityRoot.java  
\* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-

jar/io/micronaut/data/model/jpa/criteria/impl/predicate/ExpressionBinaryPredicate.java  
\* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-  
jar/io/micronaut/data/model/jpa/criteria/PersistentEntityFrom.java  
\* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-  
jar/io/micronaut/data/model/jpa/criteria/impl/PredicateVisitor.java  
\* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-  
jar/io/micronaut/data/event/QueryEventContext.java  
\* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-  
jar/io/micronaut/data/model/PersistentPropertyPath.java  
\* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-  
jar/io/micronaut/data/model/jpa/criteria/impl/SelectionVisitable.java  
\* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-  
jar/io/micronaut/data/repository/jpa/criteria/QuerySpecification.java  
\* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-  
jar/io/micronaut/data/model/jpa/criteria/PersistentAssociationPath.java  
\* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-  
jar/io/micronaut/data/model/jpa/criteria/impl/IdExpression.java  
\* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-  
jar/io/micronaut/data/model/jpa/criteria/impl/predicate/PersistentPropertyBinaryPredicate.java  
\* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-  
jar/io/micronaut/data/model/jpa/criteria/impl/predicate/ConjunctionPredicate.java  
\* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-  
jar/io/micronaut/data/model/jpa/criteria/impl/predicate/PredicateBinaryOp.java  
\* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-  
jar/io/micronaut/data/model/runtime/RuntimeEntityRegistry.java  
\* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-  
jar/io/micronaut/data/model/jpa/criteria/impl/predicate/PersistentPropertyInValuesPredicate.java  
\* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-  
jar/io/micronaut/data/event/PersistenceEventException.java  
\* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-  
jar/io/micronaut/data/model/jpa/criteria/PersistentEntityCriteriaDelete.java  
\* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-  
jar/io/micronaut/data/model/jpa/criteria/impl/selection/AbstractNumericalPersistentPropertyExpression.java  
\* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-  
jar/io/micronaut/data/event/listeners/PostRemoveEventListener.java  
\* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-  
jar/io/micronaut/data/model/runtime/AttributeConverterRegistry.java  
\* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-  
jar/io/micronaut/data/model/jpa/criteria/impl/AbstractPersistentPropertyPath.java  
\* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-  
jar/io/micronaut/data/model/jpa/criteria/ISelection.java  
\* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-  
jar/io/micronaut/data/operations/reactive/ReactorReactiveCapableRepository.java  
\* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-  
jar/io/micronaut/data/model/jpa/criteria/impl/predicate/AbstractPersistentPropertyPredicate.java  
\* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-  
jar/io/micronaut/data/model/jpa/criteria/impl/util/Joiner.java  
\* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-



jar/io/micronaut/data/model/jpa/criteria/impl/PredicateVisitable.java  
\* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-  
jar/io/micronaut/data/model/runtime/PropertyAutoPopulator.java  
\* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-  
jar/io/micronaut/data/event/listeners/PreUpdateEventListener.java  
\* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-  
jar/io/micronaut/data/event/listeners/PreRemoveEventListener.java  
\* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-  
jar/io/micronaut/data/event/listeners/PrePersistEventListener.java  
\* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-  
jar/io/micronaut/data/model/jpa/criteria/impl/ParameterExpressionImpl.java  
\* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-  
jar/io/micronaut/data/model/jpa/criteria/impl/AbstractPersistentEntityJoinSupport.java  
\* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-  
jar/io/micronaut/data/event/PersistenceEventContext.java  
\* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-  
jar/io/micronaut/data/model/jpa/criteria/impl/query/QueryModelPredicateVisitor.java  
\* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-  
jar/io/micronaut/data/model/jpa/criteria/impl/predicate/PersistentPropertyInPredicate.java  
\* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-  
jar/io/micronaut/data/model/jpa/criteria/PersistentEntityJoin.java  
\* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-  
jar/io/micronaut/data/model/jpa/criteria/impl/predicate/DisjunctionPredicate.java  
\* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-  
jar/io/micronaut/data/model/jpa/criteria/impl/QueryModelPersistentEntityCriteriaQuery.java  
\* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-  
jar/io/micronaut/data/model/query/BindingContextImpl.java  
\* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-  
jar/io/micronaut/data/repository/jpa/reactive/ReactiveStreamsJpaSpecificationExecutor.java  
\* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-  
jar/io/micronaut/data/event/EntityEventListener.java  
\* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-  
jar/io/micronaut/data/model/jpa/criteria/impl/selection/AggregateType.java  
\* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-  
jar/io/micronaut/data/model/jpa/criteria/PersistentEntityCriteriaBuilder.java  
\* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-  
jar/io/micronaut/data/model/jpa/criteria/PersistentEntityCriteriaUpdate.java  
\* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-  
jar/io/micronaut/data/model/jpa/criteria/impl/AbstractCriteriaBuilder.java  
\* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-  
jar/io/micronaut/data/model/jpa/criteria/impl/predicate/PersistentPropertyUnaryPredicate.java  
\* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-  
jar/io/micronaut/data/repository/jpa/criteria/PredicateSpecification.java  
\* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-  
jar/io/micronaut/data/model/PersistentAssociationPath.java  
\* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-  
jar/io/micronaut/data/model/jpa/criteria/PersistentPropertyPath.java  
\* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-

jar/io/micronaut/data/model/jpa/criteria/impl/predicate/PredicateUnaryOp.java  
\* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-  
jar/io/micronaut/data/operations/reactive/ReactorReactiveRepositoryOperations.java  
No license file was found, but licenses were detected in source scan.

```
/*  
* Copyright 2017-2022 original authors  
*  
* Licensed under the Apache License, Version 2.0 (the "License");  
* you may not use this file except in compliance with the License.  
* You may obtain a copy of the License at  
*  
* https://www.apache.org/licenses/LICENSE-2.0  
*  
* Unless required by applicable law or agreed to in writing, software  
* distributed under the License is distributed on an "AS IS" BASIS,  
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
* See the License for the specific language governing permissions and  
* limitations under the License.  
*/
```

Found in path(s):

\* /opt/cola/permits/1340076324\_1654622287.4157107/0/micronaut-data-model-3-3-0-sources-  
jar/io/micronaut/data/operations/HintsCapableRepository.java

## 1.229 rest-assured-common 4.3.3

### 1.229.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*  
* Copyright 2019 the original author or authors.  
*  
* Licensed under the Apache License, Version 2.0 (the "License");  
* you may not use this file except in compliance with the License.  
* You may obtain a copy of the License at  
*  
* http://www.apache.org/licenses/LICENSE-2.0  
*  
* Unless required by applicable law or agreed to in writing, software  
* distributed under the License is distributed on an "AS IS" BASIS,  
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
* See the License for the specific language governing permissions and  
* limitations under the License.  
*/
```

Found in path(s):

\* /opt/cola/permits/1340076318\_1654622352.7082882/0/rest-assured-common-4-3-3-sources-2-jar/io/restassured/internal/common/assertion/AssertionSupport.groovy  
\* /opt/cola/permits/1340076318\_1654622352.7082882/0/rest-assured-common-4-3-3-sources-2-jar/io/restassured/common/mapper/factory/ObjectMapperFactory.java  
\* /opt/cola/permits/1340076318\_1654622352.7082882/0/rest-assured-common-4-3-3-sources-2-jar/io/restassured/common/mapper/DataToDeserialize.java  
\* /opt/cola/permits/1340076318\_1654622352.7082882/0/rest-assured-common-4-3-3-sources-2-jar/io/restassured/common/exception/PathException.java  
\* /opt/cola/permits/1340076318\_1654622352.7082882/0/rest-assured-common-4-3-3-sources-2-jar/io/restassured/internal/common/assertion/Assertion.groovy  
\* /opt/cola/permits/1340076318\_1654622352.7082882/0/rest-assured-common-4-3-3-sources-2-jar/io/restassured/internal/common/path/ObjectConverter.groovy  
\* /opt/cola/permits/1340076318\_1654622352.7082882/0/rest-assured-common-4-3-3-sources-2-jar/io/restassured/internal/common/assertion/GetAtPathFragmentEscaper.groovy  
\* /opt/cola/permits/1340076318\_1654622352.7082882/0/rest-assured-common-4-3-3-sources-2-jar/io/restassured/common/mapper/TypeRef.java  
\* /opt/cola/permits/1340076318\_1654622352.7082882/0/rest-assured-common-4-3-3-sources-2-jar/io/restassured/common/mapper/ObjectDeserializationContext.java  
\* /opt/cola/permits/1340076318\_1654622352.7082882/0/rest-assured-common-4-3-3-sources-2-jar/io/restassured/internal/common/classpath/ClassPathResolver.java  
\* /opt/cola/permits/1340076318\_1654622352.7082882/0/rest-assured-common-4-3-3-sources-2-jar/io/restassured/internal/common/mapper/ObjectDeserializationContextImpl.groovy  
\* /opt/cola/permits/1340076318\_1654622352.7082882/0/rest-assured-common-4-3-3-sources-2-jar/io/restassured/internal/common/assertion/AssertParameter.groovy  
\* /opt/cola/permits/1340076318\_1654622352.7082882/0/rest-assured-common-4-3-3-sources-2-jar/io/restassured/internal/common/assertion/HyphenQuoteFragmentEscaper.groovy  
\* /opt/cola/permits/1340076318\_1654622352.7082882/0/rest-assured-common-4-3-3-sources-2-jar/io/restassured/internal/common/assertion/PathFragmentEscaper.groovy  
\* /opt/cola/permits/1340076318\_1654622352.7082882/0/rest-assured-common-4-3-3-sources-2-jar/io/restassured/internal/common/assertion/EndToEndQuoteFragmentEscaper.groovy  
No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2019, 2020 the original author or authors.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1340076318\_1654622352.7082882/0/rest-assured-common-4-3-3-sources-2-jar/io/restassured/common/mapper/resolver/ObjectMapperResolver.java

## 1.230 bson 4.3.4

### 1.230.1 Available under license :

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2008-present MongoDB, Inc.

\* Copyright (c) 2008-2014 Atlassian Pty Ltd

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-jar/org/bson/util/AbstractCopyOnWriteMap.java

\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-jar/org/bson/util/CopyOnWriteMap.java

\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-jar/org/bson/assertions/Assertions.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2008-present MongoDB, Inc.

\* Copyright 2018 Cezary Bartosiak

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-jar/org/bson/codecs/jsr310/LocalDateTimeCodec.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-jar/org/bson/codecs/jsr310/LocalDateCodec.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-jar/org/bson/codecs/jsr310/Js310CodecProvider.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-jar/org/bson/codecs/jsr310/InstantCodec.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-jar/org/bson/codecs/jsr310/LocalTimeCodec.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2008-present MongoDB, Inc.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-jar/org/bson/codecs/pojo/IdPropertyModelHolder.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-jar/org/bson/codecs/pojo/IdGenerators.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-jar/org/bson/codecs/pojo/ConventionObjectIdGeneratorsImpl.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-jar/org/bson/codecs/BsonCodec.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-jar/org/bson/codecs/BsonCodecProvider.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-jar/org/bson/codecs/pojo/IdGenerator.java

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2008-present MongoDB, Inc.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1340031392_1654618461.4988017/0/bson-4-3-4-sources-1-
jar/org/bson/json/RelaxedExtendedJsonInt64Converter.java
* /opt/cola/permits/1340031392_1654618461.4988017/0/bson-4-3-4-sources-1-
jar/org/bson/codecs/MaxKeyCodec.java
* /opt/cola/permits/1340031392_1654618461.4988017/0/bson-4-3-4-sources-1-jar/org/bson/codecs/FloatCodec.java
* /opt/cola/permits/1340031392_1654618461.4988017/0/bson-4-3-4-sources-1-
jar/org/bson/FieldNameValidator.java
* /opt/cola/permits/1340031392_1654618461.4988017/0/bson-4-3-4-sources-1-
jar/org/bson/BsonJavaScriptWithScope.java
* /opt/cola/permits/1340031392_1654618461.4988017/0/bson-4-3-4-sources-1-
jar/org/bson/codecs/pojo/TypeWithTypeParameters.java
* /opt/cola/permits/1340031392_1654618461.4988017/0/bson-4-3-4-sources-1-
jar/org/bson/codecs/BsonDocumentCodec.java
* /opt/cola/permits/1340031392_1654618461.4988017/0/bson-4-3-4-sources-1-jar/org/bson/conversions/package-
info.java
* /opt/cola/permits/1340031392_1654618461.4988017/0/bson-4-3-4-sources-1-
jar/org/bson/codecs/JsonObjectCodecProvider.java
* /opt/cola/permits/1340031392_1654618461.4988017/0/bson-4-3-4-sources-1-jar/org/bson/codecs/Decoder.java
* /opt/cola/permits/1340031392_1654618461.4988017/0/bson-4-3-4-sources-1-jar/org/bson/json/JsonScanner.java
* /opt/cola/permits/1340031392_1654618461.4988017/0/bson-4-3-4-sources-1-jar/org/bson/Bits.java
* /opt/cola/permits/1340031392_1654618461.4988017/0/bson-4-3-4-sources-1-jar/org/bson/BsonType.java
* /opt/cola/permits/1340031392_1654618461.4988017/0/bson-4-3-4-sources-1-jar/org/bson/assertions/package-
info.java
* /opt/cola/permits/1340031392_1654618461.4988017/0/bson-4-3-4-sources-1-
jar/org/bson/codecs/configuration/CodecRegistry.java
* /opt/cola/permits/1340031392_1654618461.4988017/0/bson-4-3-4-sources-1-
jar/org/bson/codecs/BsonJavaScriptCodec.java
* /opt/cola/permits/1340031392_1654618461.4988017/0/bson-4-3-4-sources-1-jar/org/bson/types/Symbol.java
* /opt/cola/permits/1340031392_1654618461.4988017/0/bson-4-3-4-sources-1-
jar/org/bson/codecs/BsonRegularExpressionCodec.java
* /opt/cola/permits/1340031392_1654618461.4988017/0/bson-4-3-4-sources-1-jar/org/bson/internal/Base64.java
```

\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-jar/org/bson/codecs/pojo/Conventions.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-jar/org/bson/codecs/RepresentationConfigurable.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-jar/org/bson/codecs/pojo/PropertyReflectionUtils.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-jar/org/bson/NoOpFieldNameValidator.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-jar/org/bson/types/CodeWScope.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-jar/org/bson/codecs/BsonStringCodec.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-jar/org/bson/BsonString.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-jar/org/bson/codecs/MapCodec.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-jar/org/bson/codecs/pojo/ConventionUseGettersAsSettersImpl.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-jar/org/bson/json/ShellObjectIdConverter.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-jar/org/bson/codecs/CodeWithScopeCodec.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-jar/org/bson/codecs/pojo/PojoSpecializationHelper.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-jar/org/bson/BsonRegularExpression.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-jar/org/bson/codecs/configuration/CodecConfigurationException.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-jar/org/bson/json/LegacyExtendedJsonDateTimeConverter.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-jar/org/bson/codecs/IdGenerator.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-jar/org/bson/codecs/BsonMaxKeyCodec.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-jar/org/bson/json/ShellDateTimeConverter.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-jar/org/bson/codecs/AtomicBooleanCodec.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-jar/org/bson/types/CodeWithScope.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-jar/org/bson/codecs/BsonTimestampCodec.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-jar/org/bson/json/ShellMinKeyConverter.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-jar/org/bson/codecs/pojo/InstanceCreatorFactory.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-jar/org/bson/json/ExtendedJsonBinaryConverter.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-jar/org/bson/codecs/BsonTypeClassMap.java

\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-jar/org/bson/json/ShellInt64Converter.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-jar/org/bson/codecs/configuration/CodecRegistries.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-jar/org/bson/io/package-info.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-jar/org/bson/BsonArray.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-jar/org/bson/json/JsonSymbolConverter.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-jar/org/bson/BsonNumber.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-jar/org/bson/codecs/pojo/Convention.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-jar/org/bson/RawBsonValueHelper.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-jar/org/bson/BsonObjectId.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-jar/org/bson/LazyBSONDecoder.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-jar/org/bson/codecs/pojo/TypeData.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-jar/org/bson/types/Binary.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-jar/org/bson/BSONObject.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-jar/org/bson/codecs/UuidCodecProvider.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-jar/org/bson/codecs/pojo/Either.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-jar/org/bson/codecs/jsr310/DateTimeBasedCodec.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-jar/org/bson/internal/CodecRegistryHelper.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-jar/org/bson/package-info.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-jar/org/bson/json/ExtendedJsonDateTimeConverter.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-jar/org/bson/LazyBSONObject.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-jar/org/bson/codecs/BsonInt64Codec.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-jar/org/bson/ByteBuf.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-jar/org/bson/RawBsonDocument.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-jar/org/bson/codecs/pojo/annotations/BsonCreator.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-jar/org/bson/json/JsonDoubleConverter.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-jar/org/bson/codecs/pojo/annotations/BsonRepresentation.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-jar/org/bson/types/BasicBSONList.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-jar/org/bson/codecs/pojo/PropertySerialization.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-jar/org/bson/codecs/BinaryCodec.java



\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-jar/org/bson/codecs/PatternCodec.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-jar/org/bson/RawBsonArray.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-jar/org/bson/codecs/package-info.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-jar/org/bson/types/package-info.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-jar/org/bson/BSONEncoder.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-jar/org/bson/codecs/OverridableUuidRepresentationCodec.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-jar/org/bson/json/ShellTimestampConverter.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-jar/org/bson/BasicBSONCallback.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-jar/org/bson/types/ObjectId.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-jar/org/bson/json/ExtendedJsonDecimal128Converter.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-jar/org/bson/json/ExtendedJsonInt32Converter.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-jar/org/bson/json/JsonWriter.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-jar/org/bson/json/ShellMaxKeyConverter.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-jar/org/bson/json/ExtendedJsonUndefinedConverter.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-jar/org/bson/codecs/Codec.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-jar/org/bson/BsonInt64.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-jar/org/bson/codecs/pojo/TypeParameterMap.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-jar/org/bson/diagnostics/package-info.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-jar/org/bson/json/ShellUndefinedConverter.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-jar/org/bson/codecs/pojo/ConventionSetPrivateFieldImpl.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-jar/org/bson/codecs/pojo/AutomaticPojoCodec.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-jar/org/bson/codecs/pojo/PojoCodecProvider.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-jar/org/bson/BsonDocumentWrapper.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-jar/org/bson/json/JsonToken.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-jar/org/bson/json/ShellDecimal128Converter.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-jar/org/bson/codecs/pojo/EnumPropertyCodecProvider.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-jar/org/bson/json/LegacyExtendedJsonBinaryConverter.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-jar/org/bson/codecs/CharacterCodec.java

\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-jar/org/bson/BasicBSONDecoder.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-jar/org/bson/codecs/pojo/annotations/BsonIgnore.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-jar/org/bson/BsonBinaryWriterSettings.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-jar/org/bson/BsonBinary.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-jar/org/bson/codecs/BsonArrayCodec.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-jar/org/bson/codecs/BsonDBPointerCodec.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-jar/org/bson/codecs/BsonValueCodecProvider.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-jar/org/bson/codecs/DocumentCodec.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-jar/org/bson/codecs/BsonJavaScriptWithScopeCodec.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-jar/org/bson/BsonSerializationException.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-jar/org/bson/codecs/LongCodec.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-jar/org/bson/codecs/pojo/MapPropertyCodecProvider.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-jar/org/bson/codecs/pojo/annotations/BsonId.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-jar/org/bson/json/Converter.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-jar/org/bson/AbstractBsonWriter.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-jar/org/bson/codecs/BsonDocumentWrapperCodec.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-jar/org/bson/json/DateTimeFormatter.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-jar/org/bson/BSONCallbackAdapter.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-jar/org/bson/codecs/BsonObjectIdCodec.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-jar/org/bson/codecs/pojo/package-info.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-jar/org/bson/BsonMinKey.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-jar/org/bson/io/BasicOutputBuffer.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-jar/org/bson/codecs/BsonDecimal128Codec.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-jar/org/bson/codecs/pojo/LazyMissingCodec.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-jar/org/bson/codecs/BsonSymbolCodec.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-jar/org/bson/codecs/jsr310/package-info.java

\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-jar/org/bson/json/JsonObject.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-jar/org/bson/codecs/ShortCodec.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-jar/org/bson/codecs/BsonValueCodec.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-jar/org/bson/BsonDateTime.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-jar/org/bson/json/ExtendedJsonTimestampConverter.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-jar/org/bson/types/BSONTimestamp.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-jar/org/bson/json/StrictJsonWriter.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-jar/org/bson/codecs/ValueCodecProvider.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-jar/org/bson/json/ExtendedJsonRegularExpressionConverter.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-jar/org/bson/BsonElement.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-jar/org/bson/codecs/IntegerCodec.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-jar/org/bson/codecs/BsonNullCodec.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-jar/org/bson/io/BsonInput.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-jar/org/bson/json/JsonInt32Converter.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-jar/org/bson/codecs/BsonMinKeyCodec.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-jar/org/bson/codecs/pojo/CreatorExecutable.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-jar/org/bson/codecs/pojo/PropertyCodecRegistry.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-jar/org/bson/util/Function.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-jar/org/bson/BsonDecimal128.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-jar/org/bson/codecs/pojo/annotations/package-info.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-jar/org/bson/BasicBSONObject.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-jar/org/bson/BsonBinaryReader.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-jar/org/bson/codecs/pojo/InstanceCreatorImpl.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-jar/org/bson/codecs/BooleanCodec.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-jar/org/bson/BsonContextType.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-jar/org/bson/internal/ChildCodecRegistry.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-jar/org/bson/BsonWriterSettings.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-jar/org/bson/codecs/Encoder.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-jar/org/bson/codecs/MinKeyCodec.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-

jar/org/bson/AbstractBsonReader.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-  
jar/org/bson/codecs/pojo/PropertyCodecRegistryImpl.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-  
jar/org/bson/json/StrictCharacterStreamJsonWriter.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-  
jar/org/bson/codecs/MapCodecProvider.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-  
jar/org/bson/codecs/pojo/PropertyModel.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-  
jar/org/bson/json/JsonParseException.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-  
jar/org/bson/BsonDocumentWriter.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-jar/org/bson/codecs/CodeCodec.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-jar/org/bson/Document.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-  
jar/org/bson/codecs/EncoderContext.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-  
jar/org/bson/json/RelaxedExtendedJsonDateTimeConverter.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-  
jar/org/bson/codecs/JsonObjectCodec.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-jar/org/bson/diagnostics/Logger.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-jar/org/bson/BsonReaderMark.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-  
jar/org/bson/UuidRepresentation.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-jar/org/bson/json/package-info.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-  
jar/org/bson/codecs/IterableCodec.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-  
jar/org/bson/BsonInvalidOperationException.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-  
jar/org/bson/codecs/RawBsonDocumentCodec.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-  
jar/org/bson/codecs/pojo/PropertyModelBuilder.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-  
jar/org/bson/json/RelaxedExtendedJsonDoubleConverter.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-  
jar/org/bson/BasicBSONEncoder.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-  
jar/org/bson/codecs/OverridableUuidRepresentationUuidCodec.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-  
jar/org/bson/codecs/pojo/InstanceCreator.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-  
jar/org/bson/internal/CycleDetectingCodecRegistry.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-  
jar/org/bson/codecs/BsonUndefinedCodec.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-  
jar/org/bson/diagnostics/Loggers.java

\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-jar/org/bson/json/StrictCharacterStreamJsonWriterSettings.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-jar/org/bson/internal/CodecCache.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-jar/org/bson/json/JsonJavaScriptConverter.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-jar/org/bson/codecs/pojo/FallbackPropertyCodecProvider.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-jar/org/bson/codecs/pojo/PropertyAccessor.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-jar/org/bson/internal/LazyCodec.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-jar/org/bson/BsonUndefined.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-jar/org/bson/BsonValue.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-jar/org/bson/json/JsonStreamBuffer.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-jar/org/bson/codecs/DoubleCodec.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-jar/org/bson/BsonBinarySubType.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-jar/org/bson/json/ShellRegularExpressionConverter.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-jar/org/bson/codecs/ByteArrayCodec.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-jar/org/bson/types/Code.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-jar/org/bson/types/StringRangeSet.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-jar/org/bson/json/ExtendedJsonInt64Converter.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-jar/org/bson/codecs/UuidCodecHelper.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-jar/org/bson/codecs/AtomicIntegerCodec.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-jar/org/bson/codecs/BsonBinaryCodec.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-jar/org/bson/codecs/SymbolCodec.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-jar/org/bson/codecs/NumberCodecHelper.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-jar/org/bson/codecs/BsonTypeCodecMap.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-jar/org/bson/codecs/AtomicLongCodec.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-jar/org/bson/codecs/pojo/PropertyModelSerializationImpl.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-jar/org/bson/io/OutputBuffer.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-jar/org/bson/json/JsonBuffer.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-jar/org/bson/codecs/ByteCodec.java

\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-jar/org/bson/BSONException.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-jar/org/bson/BsonDouble.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-jar/org/bson/codecs/BsonInt32Codec.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-jar/org/bson/BSONDecoder.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-jar/org/bson/codecs/DateCodec.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-jar/org/bson/codecs/pojo/PropertyCodecProvider.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-jar/org/bson/BsonDocument.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-jar/org/bson/LazyBSONList.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-jar/org/bson/BsonBoolean.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-jar/org/bson/codecs/BsonDateTimeCodec.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-jar/org/bson/codecs/pojo/DiscriminatorLookup.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-jar/org/bson/codecs/pojo/PojoCodec.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-jar/org/bson/LazyBSONCallback.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-jar/org/bson/json/ExtendedJsonDoubleConverter.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-jar/org/bson/BsonWriter.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-jar/org/bson/diagnostics/SLF4JLogger.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-jar/org/bson/ByteBufNIO.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-jar/org/bson/json/JsonMode.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-jar/org/bson/codecs/BsonDoubleCodec.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-jar/org/bson/json/ExtendedJsonMinKeyConverter.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-jar/org/bson/codecs/CollectibleCodec.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-jar/org/bson/codecs/pojo/LazyPropertyModelCodec.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-jar/org/bson/BsonDbPointer.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-jar/org/bson/codecs/pojo/PojoCodecImpl.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-jar/org/bson/BsonMaximumSizeExceededException.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-jar/org/bson/BsonNull.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-jar/org/bson/json/JsonStringConverter.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-jar/org/bson/BsonReader.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-jar/org/bson/BsonSymbol.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-jar/org/bson/codecs/pojo/PropertyAccessorImpl.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-jar/org/bson/codecs/pojo/InstanceCreatorFactoryImpl.java

\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-jar/org/bson/codecs/ObjectIdCodec.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-jar/org/bson/codecs/pojo/ConventionAnnotationImpl.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-jar/org/bson/json/ExtendedJsonMaxKeyConverter.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-jar/org/bson/json/JsonWriterSettings.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-jar/org/bson/codecs/IterableCodecProvider.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-jar/org/bson/codecs/DocumentCodecProvider.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-jar/org/bson/codecs/pojo/PropertyMetadata.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-jar/org/bson/conversions/Bson.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-jar/org/bson/codecs/Decimal128Codec.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-jar/org/bson/codecs/configuration/MapOfCodecsProvider.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-jar/org/bson/codecs/pojo/ConventionDefaultsImpl.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-jar/org/bson/util/package-info.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-jar/org/bson/codecs/UuidCodec.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-jar/org/bson/json/JsonTokenType.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-jar/org/bson/StringUtils.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-jar/org/bson/io/ByteBufferBsonInput.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-jar/org/bson/BsonInt32.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-jar/org/bson/BsonMaxKey.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-jar/org/bson/codecs/BigDecimalCodec.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-jar/org/bson/internal/OverridableUuidRepresentationCodecRegistry.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-jar/org/bson/json/ExtendedJsonObjectIdConverter.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-jar/org/bson/BsonBinaryWriter.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-jar/org/bson/BSONCallback.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-jar/org/bson/diagnostics/NoOpLogger.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-jar/org/bson/json/LegacyExtendedJsonRegularExpressionConverter.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-jar/org/bson/json/JsonReader.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-jar/org/bson/codecs/pojo/PojoBuilderHelper.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-jar/org/bson/json/JsonBooleanConverter.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-

jar/org/bson/EmptyBSONCallback.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-  
jar/org/bson/internal/UuidHelper.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-jar/org/bson/Transformer.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-  
jar/org/bson/codecs/pojo/annotations/BsonDiscriminator.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-jar/org/bson/types/Decimal128.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-  
jar/org/bson/codecs/configuration/CodecProvider.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-  
jar/org/bson/codecs/configuration/package-info.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-  
jar/org/bson/codecs/pojo/ClassModel.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-  
jar/org/bson/codecs/BsonBooleanCodec.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-  
jar/org/bson/internal/ProvidersCodecRegistry.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-  
jar/org/bson/codecs/pojo/ClassModelBuilder.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-  
jar/org/bson/json/JsonNullConverter.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-  
jar/org/bson/json/UuidStringValidator.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-  
jar/org/bson/codecs/DecoderContext.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-  
jar/org/bson/codecs/pojo/CollectionPropertyCodecProvider.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-jar/org/bson/types/MaxKey.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-  
jar/org/bson/codecs/ObjectIdGenerator.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-jar/org/bson/BsonJavaScript.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-  
jar/org/bson/json/JsonStringBuffer.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-  
jar/org/bson/json/ShellBinaryConverter.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-jar/org/bson/io/BsonInputMark.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-jar/org/bson/BSON.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-jar/org/bson/BsonTimestamp.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-  
jar/org/bson/BsonDocumentReader.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-jar/org/bson/types/MinKey.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-  
jar/org/bson/codecs/StringCodec.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-  
jar/org/bson/codecs/pojo/annotations/BsonProperty.java  
\* /opt/cola/permits/1340031392\_1654618461.4988017/0/bson-4-3-4-sources-1-jar/org/bson/io/BsonOutput.java



# 1.231 metrics-utility-servlets 4.0.5

## 1.231.1 Available under license :

No license file was found, but licenses were detected in source scan.

Manifest-Version: 1.0  
Bnd-LastModified: 1545938238563  
Build-Jdk: 1.8.0\_191  
Built-By: artem  
Bundle-Description: A set of utility servlets for Metrics, allowing you to expose valuable information about your production environment.  
Bundle-License: <http://www.apache.org/licenses/LICENSE-2.0.html>  
Bundle-ManifestVersion: 2  
Bundle-Name: Metrics Utility Servlets  
Bundle-SymbolicName: io.dropwizard.metrics.servlets  
Bundle-Version: 4.0.5  
Created-By: Apache Maven Bundle Plugin  
Export-Package: com.codahale.metrics.servlets;uses:="com.codahale.metrics,com.codahale.metrics.health,javax.servlet,javax.servlet.http";version="4.0.5"  
Implementation-Title: Metrics Utility Servlets  
Implementation-URL: <http://metrics.dropwizard.io/metrics-servlets>  
Implementation-Vendor-Id: io.dropwizard.metrics  
Implementation-Version: 4.0.5  
Import-Package: javax.servlet;version="[2.5.0,4.0.0)",javax.servlet.http;version="[2.5.0,4.0.0)",com.codahale.metrics;version="[4.0,5)",com.codahale.metrics.health;version="[4.0,5)",com.codahale.metrics.json;version="[4.0,5)",com.codahale.metrics.jvm;version="[4.0,5)",com.fasterxml.xml.jackson.databind;version="[2.9,3)",com.fasterxml.xml.jackson.databind.util;version="[2.9,3)",com.papertrail.profiler,org.joda.time;version="[2.9,3)"  
Require-Capability: osgi.ee;filter="(&(osgi.ee=JavaSE)(version=1.8))"  
Tool: Bnd-3.3.0.201609221906

Found in path(s):

\* /opt/cola/permits/1274701310\_1648835822.95/0/metrics-servlets-4-0-5-jar/META-INF/MANIFEST.MF

# 1.232 joda-time v2.10.10

## 1.232.1 Available under license :

=====  
= NOTICE file corresponding to section 4d of the Apache License Version 2.0 =  
=====

This product includes software developed by  
Joda.org (<https://www.joda.org/>).

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
  - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.
6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. **Disclaimer of Warranty.** Unless required by applicable law or

agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");

you may not use this file except in compliance with the License.

You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

## 1.233 ktor-bom 1.6.1

### 1.233.1 Available under license :

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

#### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

##### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You

institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.



5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.  
Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.
6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "{}" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright {yyyy} {name of copyright owner}

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

## 1.234 jackson-jaxrs 2.13.2

### 1.234.1 Available under license :

This copy of Jackson JSON processor databind module is licensed under the Apache (Software) License, version 2.0 ("the License"). See the License for details about distribution rights, and the specific rights regarding derivate works.

You may obtain a copy of the License at:

<http://www.apache.org/licenses/LICENSE-2.0>

# Jackson JSON processor

Jackson is a high-performance, Free/Open Source JSON processing library. It was originally written by Tatu Saloranta (tatu.saloranta@iki.fi), and has been in development since 2007.

It is currently developed by a community of developers, as well as supported commercially by FasterXML.com.

## Licensing

Jackson core and extension components may be licensed under different licenses.

To find the details that apply to this artifact see the accompanying LICENSE file.  
For more information, including possible other licensing options, contact  
FasterXML.com (<http://fasterxml.com>).

## ## Credits

A list of contributors may be found from CREDITS file, which is included  
in some artifacts (usually source distributions); but is always available  
from the source code management (SCM) system project uses.

# 1.235 stringtemplate4 4.0.8

## 1.235.1 Available under license :

ANTLR Project Contributors Certification of Origin and Rights

All contributors to StringTemplate v4 must formally agree to abide by this  
certificate of origin by signing on the bottom with their github  
userid, full name, email address (you can obscure your e-mail, but it  
must be computable by human), and date.

By signing this agreement, you are warranting and representing that  
you have the right to release code contributions or other content free  
of any obligations to third parties and are granting Terence Parr and  
ANTLR project contributors, henceforth referred to as The ANTLR  
Project, a license to incorporate it into The ANTLR Project tools  
(such as ANTLRWorks and StringTemplate) or related works under the BSD  
license. You understand that The ANTLR Project may or may not  
incorporate your contribution and you warrant and represent the  
following:

1. I am the creator of all my contributions. I am the author of all  
contributed work submitted and further warrant and represent that  
such work is my original creation and I have the right to license  
it to The ANTLR Project for release under the 3-clause BSD  
license. I hereby grant The ANTLR Project a nonexclusive,  
irrevocable, royalty-free, worldwide license to reproduce,  
distribute, prepare derivative works, and otherwise use this  
contribution as part of the ANTLR project, associated  
documentation, books, and tools at no cost to The ANTLR Project.
2. I have the right to submit. This submission does not violate the  
rights of any person or entity and that I have legal authority over  
this submission and to make this certification.
3. If I violate another's rights, liability lies with me. I agree to  
defend, indemnify, and hold The ANTLR Project and ANTLR users  
harmless from any claim or demand, including reasonable attorney

fees, made by any third party due to or arising out of my violation of these terms and conditions or my violation of the rights of another person or entity.

4. I understand and agree that this project and the contribution are public and that a record of the contribution (including all personal information I submit with it, including my sign-off) is maintained indefinitely and may be redistributed consistent with this project or the open source license indicated in the file.

I have read this agreement and do so certify by adding my signoff to the end of the following contributors list.

#### CONTRIBUTORS:

YYYY/MM/DD, github id, Full name, email  
2012/07/12, parrt, Terence Parr, parrt@antlr.org  
2012/08/13, pgelinas, Pascal Glinas, pascal.gelinas@polymtl.ca  
[The "BSD license"]  
Copyright (c) 2011-2013 Terence Parr  
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The name of the author may not be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

# 1.236 micronaut-aws 3.1.1

## 1.236.1 Available under license :

Apache License  
Version 2.0, January 2004  
<https://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain

separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the

origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.



Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software  
distributed under the License is distributed on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.

## 1.237 hdrhistogram 2.1.9

### 1.237.1 Available under license :

Public Domain

## 1.238 asm 9.1

### 1.238.1 Available under license :

No license file was found, but licenses were detected in source scan.

2011 INRIA, France Telecom

\* All rights reserved.

\*

\* Redistribution and use in source and binary forms, with or without

\* modification, are permitted provided that the following conditions

\* are met:

\* 1. Redistributions of source code must retain the above copyright

\* notice, this list of conditions and the following disclaimer.

\* 2. Redistributions in binary form must reproduce the above copyright

\* notice, this list of conditions and the following disclaimer in the

\* documentation and/or other materials provided with the distribution.

\* 3. Neither the name of the copyright holders nor the names of its

\* contributors may be used to endorse or promote products derived from

\* this software without specific prior written permission.

\*

\* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS"

\* AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE

\* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE

\* ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE

\* LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR

\* CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF

\* SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS

\* INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN  
\* CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF  
\* THE POSSIBILITY OF SUCH DAMAGE.

Found in path(s):

\* /opt/cola/permits/1150153141\_1627681655.27/0/asm-9-1-sources-1-jar/org/objectweb/asm/signature/package.html

\* /opt/cola/permits/1150153141\_1627681655.27/0/asm-9-1-sources-1-jar/org/objectweb/asm/package.html

No license file was found, but licenses were detected in source scan.

// All rights reserved.

// Redistribution and use in source and binary forms, with or without

// modification, are permitted provided that the following conditions

// are met:

// 1. Redistributions of source code must retain the above copyright

// notice, this list of conditions and the following disclaimer.

// 2. Redistributions in binary form must reproduce the above copyright

// notice, this list of conditions and the following disclaimer in the

// documentation and/or other materials provided with the distribution.

// 3. Neither the name of the copyright holders nor the names of its

// this software without specific prior written permission.

Found in path(s):

\* /opt/cola/permits/1150153141\_1627681655.27/0/asm-9-1-sources-1-jar/org/objectweb/asm/TypePath.java

\* /opt/cola/permits/1150153141\_1627681655.27/0/asm-9-1-sources-1-jar/org/objectweb/asm/Frame.java

\* /opt/cola/permits/1150153141\_1627681655.27/0/asm-9-1-sources-1-

jar/org/objectweb/asm/RecordComponentWriter.java

\* /opt/cola/permits/1150153141\_1627681655.27/0/asm-9-1-sources-1-

jar/org/objectweb/asm/AnnotationVisitor.java

\* /opt/cola/permits/1150153141\_1627681655.27/0/asm-9-1-sources-1-jar/org/objectweb/asm/ModuleVisitor.java

\* /opt/cola/permits/1150153141\_1627681655.27/0/asm-9-1-sources-1-jar/org/objectweb/asm/ModuleWriter.java

\* /opt/cola/permits/1150153141\_1627681655.27/0/asm-9-1-sources-1-jar/org/objectweb/asm/CurrentFrame.java

\* /opt/cola/permits/1150153141\_1627681655.27/0/asm-9-1-sources-1-jar/org/objectweb/asm/AnnotationWriter.java

\* /opt/cola/permits/1150153141\_1627681655.27/0/asm-9-1-sources-1-jar/org/objectweb/asm/ConstantDynamic.java

\* /opt/cola/permits/1150153141\_1627681655.27/0/asm-9-1-sources-1-jar/org/objectweb/asm/ClassWriter.java

\* /opt/cola/permits/1150153141\_1627681655.27/0/asm-9-1-sources-1-

jar/org/objectweb/asm/signature/SignatureVisitor.java

\* /opt/cola/permits/1150153141\_1627681655.27/0/asm-9-1-sources-1-jar/org/objectweb/asm/Attribute.java

\* /opt/cola/permits/1150153141\_1627681655.27/0/asm-9-1-sources-1-jar/org/objectweb/asm/Opcodes.java

\* /opt/cola/permits/1150153141\_1627681655.27/0/asm-9-1-sources-1-jar/org/objectweb/asm/Handle.java

\* /opt/cola/permits/1150153141\_1627681655.27/0/asm-9-1-sources-1-

jar/org/objectweb/asm/MethodTooLargeException.java

\* /opt/cola/permits/1150153141\_1627681655.27/0/asm-9-1-sources-1-

jar/org/objectweb/asm/signature/SignatureReader.java

\* /opt/cola/permits/1150153141\_1627681655.27/0/asm-9-1-sources-1-jar/org/objectweb/asm/TypeReference.java

\* /opt/cola/permits/1150153141\_1627681655.27/0/asm-9-1-sources-1-jar/org/objectweb/asm/Context.java

\* /opt/cola/permits/1150153141\_1627681655.27/0/asm-9-1-sources-1-jar/org/objectweb/asm/Label.java

\* /opt/cola/permits/1150153141\_1627681655.27/0/asm-9-1-sources-1-jar/org/objectweb/asm/Type.java  
\* /opt/cola/permits/1150153141\_1627681655.27/0/asm-9-1-sources-1-jar/org/objectweb/asm/signature/SignatureWriter.java  
\* /opt/cola/permits/1150153141\_1627681655.27/0/asm-9-1-sources-1-jar/org/objectweb/asm/FieldVisitor.java  
\* /opt/cola/permits/1150153141\_1627681655.27/0/asm-9-1-sources-1-jar/org/objectweb/asm/Handler.java  
\* /opt/cola/permits/1150153141\_1627681655.27/0/asm-9-1-sources-1-jar/org/objectweb/asm/SymbolTable.java  
\* /opt/cola/permits/1150153141\_1627681655.27/0/asm-9-1-sources-1-jar/org/objectweb/asm/ClassReader.java  
\* /opt/cola/permits/1150153141\_1627681655.27/0/asm-9-1-sources-1-jar/org/objectweb/asm/Edge.java  
\* /opt/cola/permits/1150153141\_1627681655.27/0/asm-9-1-sources-1-jar/org/objectweb/asm/RecordComponentVisitor.java  
\* /opt/cola/permits/1150153141\_1627681655.27/0/asm-9-1-sources-1-jar/org/objectweb/asm/Constants.java  
\* /opt/cola/permits/1150153141\_1627681655.27/0/asm-9-1-sources-1-jar/org/objectweb/asm/Symbol.java  
\* /opt/cola/permits/1150153141\_1627681655.27/0/asm-9-1-sources-1-jar/org/objectweb/asm/FieldWriter.java  
\* /opt/cola/permits/1150153141\_1627681655.27/0/asm-9-1-sources-1-jar/org/objectweb/asm/MethodWriter.java  
\* /opt/cola/permits/1150153141\_1627681655.27/0/asm-9-1-sources-1-jar/org/objectweb/asm/MethodVisitor.java  
\* /opt/cola/permits/1150153141\_1627681655.27/0/asm-9-1-sources-1-jar/org/objectweb/asm/ClassTooLargeException.java  
\* /opt/cola/permits/1150153141\_1627681655.27/0/asm-9-1-sources-1-jar/org/objectweb/asm/ByteVector.java  
\* /opt/cola/permits/1150153141\_1627681655.27/0/asm-9-1-sources-1-jar/org/objectweb/asm/ClassVisitor.java

## 1.239 swagger-core 2.1.7

### 1.239.1 Available under license :

Apache-2.0

## 1.240 paranamer-core 2.8

### 1.240.1 Available under license :

<OWNER> = Regents of the University of California

<ORGANIZATION> = University of California, Berkeley

<YEAR> = 1998

In the original BSD license, both occurrences of the phrase "COPYRIGHT HOLDERS AND CONTRIBUTORS" in the disclaimer read "REGENTS AND CONTRIBUTORS".

Here is the license template:

Copyright (c) <YEAR>, <OWNER>

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

Neither the name of the <ORGANIZATION> nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

## 1.241 tagsoup 1.2.1

### 1.241.1 Available under license :

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

#### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

##### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

You must give any other recipients of the Work or Derivative Works a copy of this License; and

You must cause any modified files to carry prominent notices stating that You changed the files; and

You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf

and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

### APPENDIX: How to apply the Apache License to your work

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

# 1.242 jackson-datatype-jsr310 2.13.2

## 1.242.1 Available under license :

This copy of Jackson JSON processor streaming parser/generator is licensed under the Apache (Software) License, version 2.0 ("the License").

See the License for details about distribution rights, and the specific rights regarding derivate works.

You may obtain a copy of the License at:

<http://www.apache.org/licenses/LICENSE-2.0>

# 1.243 checker-qual 3.12.0

## 1.243.1 Available under license :

Checker Framework qualifiers

Copyright 2004-present by the Checker Framework developers

MIT License:

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.244 micronaut-reactor 2.2.2

## 1.244.1 Available under license :

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2017-2019 original authors



```
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):

```
*/opt/cola/permits/1331473741_1653068550.395305/0/micronaut-reactor-2-2-2-sources-1-
jar/io/micronaut/reactor/convert/ReactorConverterRegistrar.java
No license file was found, but licenses were detected in source scan.
```

```
/*
* Copyright 2017-2021 original authors
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):

```
*/opt/cola/permits/1331473741_1653068550.395305/0/micronaut-reactor-2-2-2-sources-1-
jar/io/micronaut/reactor/convert/ReactorToRxJava2ConverterRegistrar.java
*/opt/cola/permits/1331473741_1653068550.395305/0/micronaut-reactor-2-2-2-sources-1-
jar/io/micronaut/reactor/convert/ReactorToRxJava3ConverterRegistrar.java
```

## 1.245 jackson-dataformat-yaml 2.13.2

### 1.245.1 Available under license :

# Jackson JSON processor

Jackson is a high-performance, Free/Open Source JSON processing library.

It was originally written by Tatu Saloranta (tatu.saloranta@iki.fi), and has been in development since 2007.

It is currently developed by a community of developers, as well as supported commercially by FasterXML.com.

## ## Licensing

Jackson core and extension components may be licensed under different licenses. To find the details that apply to this artifact see the accompanying LICENSE file. For more information, including possible other licensing options, contact FasterXML.com (<http://fasterxml.com>).

## ## Credits

A list of contributors may be found from CREDITS file, which is included in some artifacts (usually source distributions); but is always available from the source code management (SCM) system project uses.

This copy of Jackson JSON processor YAML module is licensed under the Apache (Software) License, version 2.0 ("the License").

See the License for details about distribution rights, and the specific rights regarding derivate works.

You may obtain a copy of the License at:

<http://www.apache.org/licenses/LICENSE-2.0>

# 1.246 micronaut-micrometer 4.2.0

## 1.246.1 Available under license :

Apache License

Version 2.0, January 2004

<https://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition,

"control" means (i) the power, direct or indirect, to cause the

direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of

this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and

wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor

has been advised of the possibility of such damages.

9. **Accepting Warranty or Additional Liability.** While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

# 1.247 scala-collection-compat 2.4.4

## 1.247.1 Available under license :

No license file was found, but licenses were detected in source scan.

/\*

\* Scala (<https://www.scala-lang.org>)

\*  
\* Copyright EPFL and Lightbend, Inc.  
\*  
\* Licensed under Apache License 2.0  
\* (<http://www.apache.org/licenses/LICENSE-2.0>).  
\*  
\* See the NOTICE file distributed with this work for  
\* additional information regarding copyright ownership.  
\*/

Found in path(s):

\* /opt/cola/permits/1340076124\_1654622278.5991988/0/scala-collection-compat-2-11-2-4-4-sources-1-jar/scala/collection/compat/PackageShared.scala  
\* /opt/cola/permits/1340076124\_1654622278.5991988/0/scala-collection-compat-2-11-2-4-4-sources-1-jar/scala/collection/compat/CompatImpl.scala  
\* /opt/cola/permits/1340076124\_1654622278.5991988/0/scala-collection-compat-2-11-2-4-4-sources-1-jar/scala/collection/compat/immutable/ArraySeq.scala  
\* /opt/cola/permits/1340076124\_1654622278.5991988/0/scala-collection-compat-2-11-2-4-4-sources-1-jar/scala/annotation/unused.scala  
\* /opt/cola/permits/1340076124\_1654622278.5991988/0/scala-collection-compat-2-11-2-4-4-sources-1-jar/scala/util/ChainingOps.scala  
\* /opt/cola/permits/1340076124\_1654622278.5991988/0/scala-collection-compat-2-11-2-4-4-sources-1-jar/scala/collection/compat/immutable/LazyList.scala  
\* /opt/cola/permits/1340076124\_1654622278.5991988/0/scala-collection-compat-2-11-2-4-4-sources-1-jar/scala/collection/compat/BuildFrom.scala  
\* /opt/cola/permits/1340076124\_1654622278.5991988/0/scala-collection-compat-2-11-2-4-4-sources-1-jar/scala/collection/compat/package.scala  
\* /opt/cola/permits/1340076124\_1654622278.5991988/0/scala-collection-compat-2-11-2-4-4-sources-1-jar/scala/annotation/nowarn.scala  
\* /opt/cola/permits/1340076124\_1654622278.5991988/0/scala-collection-compat-2-11-2-4-4-sources-1-jar/scala/util/control/compat/ControlThrowable.scala  
\* /opt/cola/permits/1340076124\_1654622278.5991988/0/scala-collection-compat-2-11-2-4-4-sources-1-jar/scala/util/Using.scala

## 1.248 jackson-datatype-jdk8 2.13.2

### 1.248.1 Available under license :

Apache-2.0

## 1.249 findbugs-annotations 2.0.1

### 1.249.1 Available under license :

Found license 'GNU Lesser General Public License' in '\* This library is free software; you can redistribute it and/or \* modify it under the terms of the GNU Lesser General Public \* License as published by the Free Software Foundation; either \* version 2.1 of the License, or (at your option) any later version. \* This library is distributed in the hope that it will be useful, \* but WITHOUT ANY WARRANTY; without even the implied warranty of \*

MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU \* Lesser General Public License for more details. \* You should have received a copy of the GNU Lesser General Public'

## 1.250 cloudevents---api 2.1.1

### 1.250.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
<!--
~ Copyright 2018-Present The CloudEvents Authors
~ <p>
~ Licensed under the Apache License, Version 2.0 (the "License");
~ you may not use this file except in compliance with the License.
~ You may obtain a copy of the License at
~ <p>
~ http://www.apache.org/licenses/LICENSE-2.0
~ <p>
~ Unless required by applicable law or agreed to in writing, software
~ distributed under the License is distributed on an "AS IS" BASIS,
~ WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
~ See the License for the specific language governing permissions and
~ limitations under the License.
~
-->
```

Found in path(s):

```
* /opt/cola/permits/1337069596_1654221635.0898836/0/cloudevents-api-2-1-1-jar/META-INF/maven/io.cloudevents/cloudevents-api/pom.xml
```

## 1.251 jedis jedis-3.0.1

### 1.251.1 Available under license :

Copyright (c) 2010 Jonathan Leibusky

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.



THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.252 mockserver-core 5.11.2

### 1.252.1 Available under license :

No license file was found, but licenses were detected in source scan.

license:

Found in path(s):

\* /opt/cola/permits/1340076503\_1654622390.49028/0/mockserver-core-5-11-2-sources-1-jar/org/mockserver/openapi/mock-server-openapi-embedded-model.yaml

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2017 SmartBear Software

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1340076503\_1654622390.49028/0/mockserver-core-5-11-2-sources-1-jar/org/mockserver/openapi/examples/models/FloatExample.java

\* /opt/cola/permits/1340076503\_1654622390.49028/0/mockserver-core-5-11-2-sources-1-jar/org/mockserver/openapi/examples/ExampleBuilder.java

\* /opt/cola/permits/1340076503\_1654622390.49028/0/mockserver-core-5-11-2-sources-1-jar/org/mockserver/openapi/examples/models/DecimalExample.java

\* /opt/cola/permits/1340076503\_1654622390.49028/0/mockserver-core-5-11-2-sources-1-jar/org/mockserver/openapi/examples/models/IntegerExample.java

\* /opt/cola/permits/1340076503\_1654622390.49028/0/mockserver-core-5-11-2-sources-1-

```

jar/org/mockserver/openapi/examples/models/ArrayExample.java
* /opt/cola/permits/1340076503_1654622390.49028/0/mockserver-core-5-11-2-sources-1-
jar/org/mockserver/openapi/examples/models/LongExample.java
* /opt/cola/permits/1340076503_1654622390.49028/0/mockserver-core-5-11-2-sources-1-
jar/org/mockserver/openapi/examples/models/Example.java
* /opt/cola/permits/1340076503_1654622390.49028/0/mockserver-core-5-11-2-sources-1-
jar/org/mockserver/openapi/examples/JsonExampleDeserializer.java
* /opt/cola/permits/1340076503_1654622390.49028/0/mockserver-core-5-11-2-sources-1-
jar/org/mockserver/openapi/examples/models/DoubleExample.java
* /opt/cola/permits/1340076503_1654622390.49028/0/mockserver-core-5-11-2-sources-1-
jar/org/mockserver/openapi/examples/models/BooleanExample.java
* /opt/cola/permits/1340076503_1654622390.49028/0/mockserver-core-5-11-2-sources-1-
jar/org/mockserver/openapi/examples/JsonNodeExampleSerializer.java
* /opt/cola/permits/1340076503_1654622390.49028/0/mockserver-core-5-11-2-sources-1-
jar/org/mockserver/openapi/examples/models/AbstractExample.java
* /opt/cola/permits/1340076503_1654622390.49028/0/mockserver-core-5-11-2-sources-1-
jar/org/mockserver/openapi/examples/models/ObjectExample.java
* /opt/cola/permits/1340076503_1654622390.49028/0/mockserver-core-5-11-2-sources-1-
jar/org/mockserver/openapi/examples/models/StringExample.java
* /opt/cola/permits/1340076503_1654622390.49028/0/mockserver-core-5-11-2-sources-1-
jar/org/mockserver/openapi/examples/XmlExampleSerializer.java
* /opt/cola/permits/1340076503_1654622390.49028/0/mockserver-core-5-11-2-sources-1-
jar/org/mockserver/openapi/examples/models/BigIntegerExample.java

```

## 1.253 kafka-protobuf-serializer 5.5.5

### 1.253.1 Available under license :

No license file was found, but licenses were detected in source scan.

```

<project xmlns="http://maven.apache.org/POM/4.0.0" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xsi:schemaLocation="http://maven.apache.org/POM/4.0.0 http://maven.apache.org/xsd/maven-4.0.0.xsd">

```

```

  <modelVersion>4.0.0</modelVersion>

```

```

  <parent>

```

```

    <groupId>io.confluent</groupId>

```

```

    <artifactId>kafka-schema-registry-parent</artifactId>

```

```

    <version>5.5.5</version>

```

```

  </parent>

```

```

  <licenses>

```

```

    <license>

```

```

      <name>Confluent Community License</name>

```

```

      <url>http://www.confluent.io/confluent-community-license</url>

```

```

      <distribution>repo</distribution>

```

```

    </license>

```

```

    <license>

```

```
<name>Apache License 2.0</name>
<url>http://www.apache.org/licenses/LICENSE-2.0.html</url>
<distribution>repo</distribution>
</license>
</licenses>
```

```
<artifactId>kafka-protobuf-serializer</artifactId>
<packaging>jar</packaging>
<name>kafka-protobuf-serializer</name>
```

```
<dependencies>
  <dependency>
    <groupId>org.apache.kafka</groupId>
    <artifactId>kafka_${kafka.scala.version}</artifactId>
    <scope>provided</scope>
  </dependency>
  <dependency>
    <groupId>io.confluent</groupId>
    <artifactId>kafka-protobuf-provider</artifactId>
  </dependency>
  <dependency>
    <groupId>com.google.protobuf</groupId>
    <artifactId>protobuf-java-util</artifactId>
  </dependency>
  <dependency>
    <groupId>io.confluent</groupId>
    <artifactId>kafka-schema-serializer</artifactId>
  </dependency>
  <dependency>
    <groupId>io.confluent</groupId>
    <artifactId>kafka-schema-registry-client</artifactId>
  </dependency>
  <dependency>
    <groupId>io.confluent</groupId>
    <artifactId>kafka-schema-registry</artifactId>
    <scope>test</scope>
  </dependency>
  <dependency>
    <groupId>io.confluent</groupId>
    <artifactId>kafka-schema-registry</artifactId>
    <type>test-jar</type>
    <scope>test</scope>
  </dependency>
  <dependency>
    <groupId>org.apache.kafka</groupId>
    <artifactId>connect-api</artifactId>
    <scope>provided</scope>
  </dependency>
```

```

<dependency>
  <groupId>org.apache.kafka</groupId>
  <artifactId>kafka-clients</artifactId>
  <classifier>test</classifier>
  <scope>test</scope>
</dependency>
<dependency>
  <groupId>org.apache.kafka</groupId>
  <artifactId>kafka_${kafka.scala.version}</artifactId>
  <classifier>test</classifier>
  <scope>test</scope>
</dependency>
<dependency>
  <groupId>org.mockito</groupId>
  <artifactId>mockito-core</artifactId>
  <scope>test</scope>
</dependency>
<dependency>
  <groupId>junit</groupId>
  <artifactId>junit</artifactId>
  <scope>test</scope>
</dependency>
</dependencies>

<build>
  <plugins>
    <plugin>
      <groupId>com.github.os72</groupId>
      <artifactId>protoc-jar-maven-plugin</artifactId>
    </plugin>
    <plugin>
      <groupId>org.apache.maven.plugins</groupId>
      <artifactId>maven-jar-plugin</artifactId>
      <version>2.6</version>
      <executions>
        <execution>
          <goals>
            <goal>test-jar</goal>
          </goals>
          <phase>test-compile</phase>
        </execution>
      </executions>
    </plugin>
  </plugins>
</build>
</project>

```

Found in path(s):

# 1.254 apache-commons-lang 3.12.0

## 1.254.1 Available under license :

Apache Commons Lang  
Copyright 2001-2021 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<https://www.apache.org/>).

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or

Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work

or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work

by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.



To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

## 1.255 junit-5-bill-of-materials 5.8.2

### 1.255.1 Available under license :

```
import java.io.File
import java.net.URI
```

```
data class License(val name: String, val url: URI, val headerFile: File)
    Apache License
    =====
```

```
_Version 2.0, January 2004_
_&lt;<https://www.apache.org/licenses/>&gt;_
```

```
### Terms and Conditions for use, reproduction, and distribution
```

```
#### 1. Definitions
```

License shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

Licensor shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

Legal Entity shall mean the union of the acting entity and all other entities

that control, are controlled by, or are under common control with that entity. For the purposes of this definition, control means **(i)** the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or **(ii)** ownership of fifty percent (50%) or more of the outstanding shares, or **(iii)** beneficial ownership of such entity.

You (or Your) shall mean an individual or Legal Entity exercising permissions granted by this License.

Source form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

Object form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

Work shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

Derivative Works shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

Contribution shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, submitted means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as Not a Contribution.

Contributor shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

## #### 2. Grant of Copyright License

Subject to the terms and conditions of this License, each Contributor hereby

grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

#### #### 3. Grant of Patent License

Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

#### #### 4. Redistribution

You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- \* **(a)** You must give any other recipients of the Work or Derivative Works a copy of this License; and
- \* **(b)** You must cause any modified files to carry prominent notices stating that You changed the files; and
- \* **(c)** You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- \* **(d)** If the Work includes a NOTICE text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

#### #### 5. Submission of Contributions

Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

#### #### 6. Trademarks

This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

#### #### 7. Disclaimer of Warranty

Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an AS IS BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

#### #### 8. Limitation of Liability

In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

#### #### 9. Accepting Warranty or Additional Liability

While redistributing the Work or Derivative Works thereof, You may choose to

offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

Eclipse Public License - v 2.0

=====

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE (AGREEMENT). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

### ### 1. Definitions

Contribution means:

\* \*\*a)\*\*\* in the case of the initial Contributor, the initial content Distributed under this Agreement, and

\* \*\*b)\*\*\* in the case of each subsequent Contributor:

\* \*\*i)\*\*\* changes to the Program, and

\* \*\*ii)\*\*\* additions to the Program;

where such changes and/or additions to the Program originate from and are Distributed by that particular Contributor. A Contribution originates from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include changes or additions to the Program that are not Modified Works.

Contributor means any person or entity that Distributes the Program.

Licensed Patents mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

Program means the Contributions Distributed in accordance with this Agreement.

Recipient means anyone who receives the Program under this Agreement or any Secondary License (as applicable), including Contributors.

Derivative Works shall mean any work, whether in Source Code or other form, that is based on (or derived from) the Program and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship.

Modified Works shall mean any work in Source Code or other form that results from an addition to, deletion from, or modification of the contents of the Program, including, for purposes of clarity any new file in Source Code form that contains any contents of the Program. Modified Works shall not include works that contain only declarations, interfaces, types, classes, structures, or files of the Program solely in each case in order to link to, bind by name, or subclass the Program or Modified Works thereof.

Distribute means the acts of \*\*a)\*\*\* distributing or \*\*b)\*\*\* making available in any manner that enables the transfer of a copy.

Source Code means the form of a Program preferred for making modifications, including but not limited to software source code, documentation source, and configuration files.

Secondary License means either the GNU General Public License, Version 2.0, or any later versions of that license, including any exceptions or additional permissions as identified by the initial Contributor.

### ### 2. Grant of Rights

\*\*a)\*\* Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, Distribute and sublicense the Contribution of such Contributor, if any, and such Derivative Works.

\*\*b)\*\* Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in Source Code or other form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

\*\*c)\*\* Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to Distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

\*\*d)\*\* Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

\*\*e)\*\* Notwithstanding the terms of any Secondary License, no Contributor makes additional grants to any Recipient (other than those set forth in this Agreement) as a result of such Recipient's receipt of the Program under the terms of a Secondary License (if permitted under the terms of Section 3).

### ### 3. Requirements

\*\*3.1\*\* If a Contributor Distributes the Program in any form, then:

\* \*\*a)\*\* the Program must also be made available as Source Code, in accordance with section 3.2, and the Contributor must accompany the Program with a statement that the Source Code for the Program is available under this Agreement, and informs Recipients how to obtain it in a reasonable manner on or through a medium customarily used for software exchange; and

\* \*\*b)\*\* the Contributor may Distribute the Program under a license different than this Agreement, provided that such license:

\* \*\*i)\*\* effectively disclaims on behalf of all other Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of

merchantability and fitness for a particular purpose;

\* \*\*i)\*\*\* effectively excludes on behalf of all other Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;

\* \*\*iii)\*\*\* does not attempt to limit or alter the recipients' rights in the Source Code under section 3.2; and

\* \*\*iv)\*\*\* requires any subsequent distribution of the Program by any party to be under a license that satisfies the requirements of this section 3.

**3.2** When the Program is Distributed as Source Code:

\* \*\*a)\*\*\* it must be made available under this Agreement, or if the Program \*(i)\* is combined with other material in a separate file or files made available under a Secondary License, and \*(ii)\* the initial Contributor attached to the Source Code the notice described in Exhibit A of this Agreement, then the Program may be made available under the terms of such Secondary Licenses, and

\* \*\*b)\*\*\* a copy of this Agreement must be included with each copy of the Program.

**3.3** Contributors may not remove or alter any copyright, patent, trademark, attribution notices, disclaimers of warranty, or limitations of liability (notices) contained within the Program from any copy of the Program which they Distribute, provided that Contributors may add their own appropriate notices.

#### ### 4. Commercial Distribution

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor (Commercial Contributor) hereby agrees to defend and indemnify every other Contributor (Indemnified Contributor) against any losses, damages and costs (collectively Losses) arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: **a)** promptly notify the Commercial Contributor in writing of such claim, and **b)** allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

#### ### 5. No Warranty

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, THE PROGRAM IS PROVIDED ON AN AS IS BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR

FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

### ### 6. Disclaimer of Liability

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

### ### 7. General

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be Distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to Distribute the Program (including its Contributions) under the new version.

Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved. Nothing in this Agreement is intended to be enforceable by any entity that is not a Contributor or Recipient. No third-party beneficiary rights are created under this Agreement.



#### #### Exhibit A - Form of Secondary Licenses Notice

> This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License, v. 2.0 are satisfied: {name license(s), version(s), and exceptions or additional permissions here}.

Simply including a copy of this Agreement, including this Exhibit A is not sufficient to license the Source Code under Secondary Licenses.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.

Apache License

=====

\_Version 2.0, January 2004\_

\_&lt;<<https://www.apache.org/licenses/>>>&gt;\_

### Terms and Conditions for use, reproduction, and distribution

#### 1. Definitions

License shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

Licensor shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

Legal Entity shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, control means **(i)** the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or **(ii)** ownership of fifty percent (50%) or more of the outstanding shares, or **(iii)** beneficial ownership of such entity.

You (or Your) shall mean an individual or Legal Entity exercising permissions granted by this License.

Source form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

Object form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

Work shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

Derivative Works shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

Contribution shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, submitted means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as Not a Contribution.

Contributor shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

#### #### 2. Grant of Copyright License

Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

#### #### 3. Grant of Patent License

Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory

patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

#### #### 4. Redistribution

You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- \* **(a)** You must give any other recipients of the Work or Derivative Works a copy of this License; and
- \* **(b)** You must cause any modified files to carry prominent notices stating that You changed the files; and
- \* **(c)** You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- \* **(d)** If the Work includes a NOTICE text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

#### #### 5. Submission of Contributions

Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

#### #### 6. Trademarks

This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

#### #### 7. Disclaimer of Warranty

Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an AS IS BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

#### #### 8. Limitation of Liability

In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

#### #### 9. Accepting Warranty or Additional Liability

While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

\_END OF TERMS AND CONDITIONS\_

#### ### APPENDIX: How to apply the Apache License to your work

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets `[]` replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on

the same printed page as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<https://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Open Source Licenses

=====

This product may include a number of subcomponents with separate copyright notices and license terms. Your use of the source code for these subcomponents is subject to the terms and conditions of the subcomponent's license, as noted in the LICENSE-<subcomponent>.md files.

[[contributors]]

== Contributors

Browse the {junit5-repo}/graphs/contributors[current list of contributors] directly on GitHub.

## 1.256 google-gson 2.8.5

### 1.256.1 Available under license :

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

#### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

##### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or

indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

You must give any other recipients of the Work or Derivative Works a copy of this License; and

You must cause any modified files to carry prominent notices stating that You changed the files; and

You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

## 1.257 java-servlet-api 4.0.1

### 1.257.1 Available under license :

COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL) Version 1.0

#### 1. Definitions.

1.1. Contributor. means each individual or entity that creates or contributes to the creation of Modifications.

1.2. Contributor Version. means the combination of the Original Software, prior Modifications used by a Contributor (if any), and the Modifications made by that particular Contributor.

1.3. Covered Software. means (a) the Original Software, or (b) Modifications, or (c) the combination of files containing Original Software with files containing Modifications, in each case including portions thereof.



1.4. Executable. means the Covered Software in any form other than Source Code.

1.5. Initial Developer. means the individual or entity that first makes Original Software available under this License.

1.6. Larger Work. means a work which combines Covered Software or portions thereof with code not governed by the terms of this License.

1.7. License. means this document.

1.8. Licensable. means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed herein.

1.9. Modifications. means the Source Code and Executable form of any of the following:

A. Any file that results from an addition to, deletion from or modification of the contents of a file containing Original Software or previous Modifications;

B. Any new file that contains any part of the Original Software or previous Modification; or

C. Any new file that is contributed or otherwise made available under the terms of this License.

1.10. Original Software. means the Source Code and Executable form of computer software code that is originally released under this License.

1.11. Patent Claims. means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent Licensable by grantor.

1.12. Source Code. means (a) the common form of computer software code in which modifications are made and (b) associated documentation included in or with such code.

1.13. You. (or .Your.) means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License. For legal entities, .You. includes any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, .control. means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

## 2. License Grants.

### 2.1. The Initial Developer Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, the Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Initial Developer, to use, reproduce, modify, display, perform, sublicense and distribute the Original Software (or portions thereof), with or without Modifications, and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using or selling of Original Software, to make, have made, use, practice, sell, and offer for sale, and/or otherwise dispose of the Original Software (or portions thereof).

(c) The licenses granted in Sections 2.1(a) and (b) are effective on the date Initial Developer first distributes or otherwise makes the Original Software available to a third party under the terms of this License.

(d) Notwithstanding Section 2.1(b) above, no patent license is granted: (1) for code that You delete from the Original Software, or (2) for infringements caused by: (i) the modification of the Original Software, or (ii) the combination of the Original Software with other software or devices.

## 2.2. Contributor Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Contributor to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof), either on an unmodified basis, with other Modifications, as Covered Software and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor either alone and/or in combination with its Contributor Version (or portions of such combination), to make, use, sell, offer for sale, have made, and/or otherwise dispose of: (1) Modifications made by that Contributor (or portions thereof); and (2) the combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).

(c) The licenses granted in Sections 2.2(a) and 2.2(b) are effective on the date Contributor first distributes or otherwise makes the Modifications available to a third party.

(d) Notwithstanding Section 2.2(b) above, no patent license is granted: (1) for any code that Contributor has deleted from the Contributor Version; (2) for infringements caused by: (i) third party modifications of Contributor Version, or (ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or (3) under Patent Claims infringed by Covered Software in the absence of Modifications made by that Contributor.

## 3. Distribution Obligations.

### 3.1. Availability of Source Code.

Any Covered Software that You distribute or otherwise make available in Executable form must also be made available in Source Code form and that Source Code form must be distributed only under the terms of this License. You must include a copy of this License with every copy of the Source Code form of the Covered Software You distribute or otherwise make available. You must inform recipients of any such Covered Software in Executable form as to how they can obtain such Covered Software in Source Code form in a reasonable manner on or through a medium customarily used for software exchange.

### 3.2. Modifications.

The Modifications that You create or to which You contribute are governed by the terms of this License. You

represent that You believe Your Modifications are Your original creation(s) and/or You have sufficient rights to grant the rights conveyed by this License.

### 3.3. Required Notices.

You must include a notice in each of Your Modifications that identifies You as the Contributor of the Modification. You may not remove or alter any copyright, patent or trademark notices contained within the Covered Software, or any notices of licensing or any descriptive text giving attribution to any Contributor or the Initial Developer.

### 3.4. Application of Additional Terms.

You may not offer or impose any terms on any Covered Software in Source Code form that alters or restricts the applicable version of this License or the recipients' rights hereunder. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, you may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it absolutely clear that any such warranty, support, indemnity or liability obligation is offered by You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of warranty, support, indemnity or liability terms You offer.

### 3.5. Distribution of Executable Versions.

You may distribute the Executable form of the Covered Software under the terms of this License or under the terms of a license of Your choice, which may contain terms different from this License, provided that You are in compliance with the terms of this License and that the license for the Executable form does not attempt to limit or alter the recipient's rights in the Source Code form from the rights set forth in this License. If You distribute the Covered Software in Executable form under a different license, You must make it absolutely clear that any terms which differ from this License are offered by You alone, not by the Initial Developer or Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer.

### 3.6. Larger Works.

You may create a Larger Work by combining Covered Software with other code not governed by the terms of this License and distribute the Larger Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled for the Covered Software.

## 4. Versions of the License.

### 4.1. New Versions.

Sun Microsystems, Inc. is the initial license steward and may publish revised and/or new versions of this License from time to time. Each version will be given a distinguishing version number. Except as provided in Section 4.3, no one other than the license steward has the right to modify this License.

### 4.2. Effect of New Versions.

You may always continue to use, distribute or otherwise make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. If the Initial Developer includes a notice in the Original Software prohibiting it from being distributed or otherwise made available under any subsequent version of the License, You must distribute and make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. Otherwise, You may also choose to use, distribute or otherwise make the Covered Software available under the terms of any subsequent version of the License published by the license steward.

#### 4.3. Modified Versions.

When You are an Initial Developer and You want to create a new license for Your Original Software, You may create and use a modified version of this License if You: (a) rename the license and remove any references to the name of the license steward (except to note that the license differs from this License); and (b) otherwise make it clear that the license contains terms which differ from this License.

#### 5. DISCLAIMER OF WARRANTY.

COVERED SOFTWARE IS PROVIDED UNDER THIS LICENSE ON AN .AS IS. BASIS, WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES THAT THE COVERED SOFTWARE IS FREE OF DEFECTS, MERCHANTABILITY, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED SOFTWARE IS WITH YOU. SHOULD ANY COVERED SOFTWARE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED SOFTWARE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

#### 6. TERMINATION.

6.1. This License and the rights granted hereunder will terminate automatically if You fail to comply with terms herein and fail to cure such breach within 30 days of becoming aware of the breach. Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive.

6.2. If You assert a patent infringement claim (excluding declaratory judgment actions) against Initial Developer or a Contributor (the Initial Developer or Contributor against whom You assert such claim is referred to as .Participant.) alleging that the Participant Software (meaning the Contributor Version where the Participant is a Contributor or the Original Software where the Participant is the Initial Developer) directly or indirectly infringes any patent, then any and all rights granted directly or indirectly to You by such Participant, the Initial Developer (if the Initial Developer is not the Participant) and all Contributors under Sections 2.1 and/or 2.2 of this License shall, upon 60 days notice from Participant terminate prospectively and automatically at the expiration of such 60 day notice period, unless if within such 60 day period You withdraw Your claim with respect to the Participant Software against such Participant either unilaterally or pursuant to a written agreement with Participant.

6.3. In the event of termination under Sections 6.1 or 6.2 above, all end user licenses that have been validly granted by You or any distributor hereunder prior to termination (excluding licenses granted to You by any distributor) shall survive termination.

#### 7. LIMITATION OF LIABILITY.

UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED SOFTWARE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOST PROFITS, LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH

PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTY.S NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

#### 8. U.S. GOVERNMENT END USERS.

The Covered Software is a .commercial item., as that term is defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of .commercial computer software. (as that term is defined at 48 C.F.R. ? 252.227-7014(a)(1)) and .commercial computer software documentation. as such terms are used in 48 C.F.R. 12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4 (June 1995), all U.S. Government End Users acquire Covered Software with only those rights set forth herein. This U.S. Government Rights clause is in lieu of, and supersedes, any other FAR, DFAR, or other clause or provision that addresses Government rights in computer software under this License.

#### 9. MISCELLANEOUS.

This License represents the complete agreement concerning subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by the law of the jurisdiction specified in a notice contained within the Original Software (except to the extent applicable law, if any, provides otherwise), excluding such jurisdiction.s conflict-of-law provisions. Any litigation relating to this License shall be subject to the jurisdiction of the courts located in the jurisdiction and venue specified in a notice contained within the Original Software, with the losing party responsible for costs, including, without limitation, court costs and reasonable attorneys. fees and expenses. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not apply to this License. You agree that You alone are responsible for compliance with the United States export administration regulations (and the export control laws and regulation of any other countries) when You use, distribute or otherwise make available any Covered Software.

#### 10. RESPONSIBILITY FOR CLAIMS.

As between Initial Developer and the Contributors, each party is responsible for claims and damages arising, directly or indirectly, out of its utilization of rights under this License and You agree to work with Initial Developer and Contributors to distribute such responsibility on an equitable basis. Nothing herein is intended or shall be deemed to constitute any admission of liability.

#### NOTICE PURSUANT TO SECTION 9 OF THE COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL)

The code released under the CDDL shall be governed by the laws of the State of California (excluding conflict-of-law provisions). Any litigation relating to this License shall be subject to the jurisdiction of the Federal Courts of the Northern District of California and the state courts of the State of California, with venue lying in Santa Clara County, California.

The GNU General Public License (GPL) Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc. 59 Temple Place, Suite 330, Boston, MA 02111-1307  
USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

#### Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

#### TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying

it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on

the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as



to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

## NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.

Copyright (C)

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author

Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'. This is free software, and you are welcome to redistribute it under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program `Gnomovision' (which makes passes at compilers) written by James Hacker.

signature of Ty Coon, 1 April 1989

Ty Coon, President of Vice

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

#### "CLASSPATH" EXCEPTION TO THE GPL VERSION 2

Certain source files distributed by Sun Microsystems, Inc. are subject to the following clarification and special exception to the GPL Version 2, but only where Sun has expressly included in the particular source file's header the words

"Sun designates this particular file as subject to the "Classpath" exception as provided by Sun in the License file that accompanied this code."

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License Version 2 cover the whole combination.

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module.? An independent module is a module which is not derived from or based on this library.? If you modify this library, you may extend this exception to your version of the library, but you are not obligated to do so.? If you do not wish to do so, delete this exception statement from your version.

## 1.258 micronaut-problem-json 2.2.2

### 1.258.1 Available under license :

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2017-2021 original authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1331473572\_1653068678.1544204/0/micronaut-problem-json-2-2-2-sources-jar/io/micronaut/problem/conf/ProblemConfigurationProperties.java  
\* /opt/cola/permits/1331473572\_1653068678.1544204/0/micronaut-problem-json-2-2-2-sources-jar/io/micronaut/problem/ProblemErrorResponseProcessor.java  
\* /opt/cola/permits/1331473572\_1653068678.1544204/0/micronaut-problem-json-2-2-2-sources-jar/io/micronaut/problem/violations/Violation.java  
\* /opt/cola/permits/1331473572\_1653068678.1544204/0/micronaut-problem-json-2-2-2-sources-jar/io/micronaut/problem/HttpStatusType.java  
\* /opt/cola/permits/1331473572\_1653068678.1544204/0/micronaut-problem-json-2-2-2-sources-jar/io/micronaut/problem/conf/MixinThrowableProblem.java  
\* /opt/cola/permits/1331473572\_1653068678.1544204/0/micronaut-problem-json-2-2-2-sources-jar/io/micronaut/problem/conf/ProblemConfiguration.java  
\* /opt/cola/permits/1331473572\_1653068678.1544204/0/micronaut-problem-json-2-2-2-sources-jar/io/micronaut/problem/conf/ThrowableProblemObjectMapperBeanCreatedEventListener.java  
\* /opt/cola/permits/1331473572\_1653068678.1544204/0/micronaut-problem-json-2-2-2-sources-jar/io/micronaut/problem/serde/ProblemSerdeImport.java  
\* /opt/cola/permits/1331473572\_1653068678.1544204/0/micronaut-problem-json-2-2-2-sources-jar/io/micronaut/problem/violations/ConstraintViolationThrowableProblem.java  
\* /opt/cola/permits/1331473572\_1653068678.1544204/0/micronaut-problem-json-2-2-2-sources-jar/io/micronaut/problem/ThrowableProblemHandler.java  
\* /opt/cola/permits/1331473572\_1653068678.1544204/0/micronaut-problem-json-2-2-2-sources-jar/io/micronaut/problem/violations/ProblemConstraintViolationExceptionHandler.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2017-2020 original authors  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <https://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1331473572\_1653068678.1544204/0/micronaut-problem-json-2-2-2-sources-jar/io/micronaut/problem/conf/package-info.java

\* /opt/cola/permits/1331473572\_1653068678.1544204/0/micronaut-problem-json-2-2-2-sources-jar/io/micronaut/problem/package-info.java

\* /opt/cola/permits/1331473572\_1653068678.1544204/0/micronaut-problem-json-2-2-2-sources-jar/io/micronaut/problem/violations/package-info.java

# 1.259 joda-time v2.10.8

## 1.259.1 Available under license :

=====

= NOTICE file corresponding to section 4d of the Apache License Version 2.0 =

=====

This product includes software developed by  
Joda.org (<https://www.joda.org/>).

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made,

use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability



incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

# 1.260 jackson-module-afterburner 2.13.2

## 1.260.1 Available under license :

# Jackson JSON processor

Jackson is a high-performance, Free/Open Source JSON processing library.

It was originally written by Tatu Saloranta (tatu.saloranta@iki.fi), and has been in development since 2007.

It is currently developed by a community of developers, as well as supported commercially by FasterXML.com.

## Licensing

Jackson core and extension components (as well their dependencies) may be licensed under different licenses.

To find the details that apply to this artifact see the accompanying LICENSE file.

For more information, including possible other licensing options, contact

FasterXML.com (<http://fasterxml.com>).

## ## Credits

A list of contributors may be found from CREDITS file, which is included in some artifacts (usually source distributions); but is always available from the source code management (SCM) system project uses.

This copy of Jackson JSON processor `jackson-module-afterburner` module is licensed under the Apache (Software) License, version 2.0 ("the License").

See the License for details about distribution rights, and the specific rights regarding derivate works.

You may obtain a copy of the License at:

<http://www.apache.org/licenses/LICENSE-2.0>

Additional licensing information exists for following 3rd party library dependencies

## ### ASM

ASM: a very small and fast Java bytecode manipulation framework  
Copyright (c) 2000-2011 INRIA, France Telecom  
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. Neither the name of the copyright holders nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

# 1.261 jackson-coreutils 2.0

## 1.261.1 Available under license :

This software is dual-licensed under:

- the Lesser General Public License (LGPL) version 3.0 or, at your option, any later version;
- the Apache Software License (ASL) version 2.0.

The text of both licenses is included (under the names LGPL-3.0.txt and ASL-2.0.txt respectively).

Direct link to the sources:

- LGPL 3.0: <https://www.gnu.org/licenses/lgpl-3.0.txt>
- ASL 2.0: <http://www.apache.org/licenses/LICENSE-2.0.txt>

GNU LESSER GENERAL PUBLIC LICENSE  
Version 3, 29 June 2007

Copyright (C) 2007 Free Software Foundation, Inc. <<http://fsf.org/>>

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

This version of the GNU Lesser General Public License incorporates the terms and conditions of version 3 of the GNU General Public License, supplemented by the additional permissions listed below.

### 0. Additional Definitions.

As used herein, "this License" refers to version 3 of the GNU Lesser General Public License, and the "GNU GPL" refers to version 3 of the GNU General Public License.

"The Library" refers to a covered work governed by this License, other than an Application or a Combined Work as defined below.

An "Application" is any work that makes use of an interface provided by the Library, but which is not otherwise based on the Library. Defining a subclass of a class defined by the Library is deemed a mode of using an interface provided by the Library.

A "Combined Work" is a work produced by combining or linking an Application with the Library. The particular version of the Library with which the Combined Work was made is also called the "Linked Version".

The "Minimal Corresponding Source" for a Combined Work means the Corresponding Source for the Combined Work, excluding any source code for portions of the Combined Work that, considered in isolation, are based on the Application, and not on the Linked Version.

The "Corresponding Application Code" for a Combined Work means the object code and/or source code for the Application, including any data and utility programs needed for reproducing the Combined Work from the Application, but excluding the System Libraries of the Combined Work.

#### 1. Exception to Section 3 of the GNU GPL.

You may convey a covered work under sections 3 and 4 of this License without being bound by section 3 of the GNU GPL.

#### 2. Conveying Modified Versions.

If you modify a copy of the Library, and, in your modifications, a facility refers to a function or data to be supplied by an Application that uses the facility (other than as an argument passed when the facility is invoked), then you may convey a copy of the modified version:

- a) under this License, provided that you make a good faith effort to ensure that, in the event an Application does not supply the function or data, the facility still operates, and performs whatever part of its purpose remains meaningful, or
- b) under the GNU GPL, with none of the additional permissions of this License applicable to that copy.

#### 3. Object Code Incorporating Material from Library Header Files.

The object code form of an Application may incorporate material from a header file that is part of the Library. You may convey such object code under terms of your choice, provided that, if the incorporated material is not limited to numerical parameters, data structure layouts and accessors, or small macros, inline functions and templates (ten or fewer lines in length), you do both of the following:

- a) Give prominent notice with each copy of the object code that the Library is used in it and that the Library and its use are covered by this License.
- b) Accompany the object code with a copy of the GNU GPL and this license document.

#### 4. Combined Works.

You may convey a Combined Work under terms of your choice that, taken together, effectively do not restrict modification of the portions of the Library contained in the Combined Work and reverse engineering for debugging such modifications, if you also do each of the following:

- a) Give prominent notice with each copy of the Combined Work that the Library is used in it and that the Library and its use are covered by this License.
- b) Accompany the Combined Work with a copy of the GNU GPL and this license document.
- c) For a Combined Work that displays copyright notices during execution, include the copyright notice for the Library among these notices, as well as a reference directing the user to the copies of the GNU GPL and this license document.
- d) Do one of the following:
  - 0) Convey the Minimal Corresponding Source under the terms of this License, and the Corresponding Application Code in a form suitable for, and under terms that permit, the user to recombine or relink the Application with a modified version of the Linked Version to produce a modified Combined Work, in the manner specified by section 6 of the GNU GPL for conveying Corresponding Source.
  - 1) Use a suitable shared library mechanism for linking with the Library. A suitable mechanism is one that (a) uses at run time a copy of the Library already present on the user's computer system, and (b) will operate properly with a modified version of the Library that is interface-compatible with the Linked Version.
- e) Provide Installation Information, but only if you would otherwise be required to provide such information under section 6 of the GNU GPL, and only to the extent that such information is necessary to install and execute a modified version of the Combined Work produced by recombining or relinking the Application with a modified version of the Linked Version. (If you use option 4d0, the Installation Information must accompany the Minimal Corresponding Source and Corresponding Application Code. If you use option 4d1, you must provide the Installation Information in the manner specified by section 6 of the GNU GPL for conveying Corresponding Source.)

## 5. Combined Libraries.

You may place library facilities that are a work based on the Library side by side in a single library together with other library facilities that are not Applications and are not covered by this License, and convey such a combined library under terms of your choice, if you do both of the following:

- a) Accompany the combined library with a copy of the same work based on the Library, uncombined with any other library facilities, conveyed under the terms of this License.
- b) Give prominent notice with the combined library that part of it is a work based on the Library, and explaining where to find the accompanying uncombined form of the same work.

## 6. Revised Versions of the GNU Lesser General Public License.

The Free Software Foundation may publish revised and/or new versions of the GNU Lesser General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library as you received it specifies that a certain numbered version of the GNU Lesser General Public License "or any later version" applies to it, you have the option of following the terms and conditions either of that published version or of any later version published by the Free Software Foundation. If the Library as you received it does not specify a version number of the GNU Lesser General Public License, you may choose any version of the GNU Lesser General Public License ever published by the Free Software Foundation.

If the Library as you received it specifies that a proxy can decide whether future versions of the GNU Lesser General Public License shall apply, that proxy's public statement of acceptance of any version is permanent authorization for you to choose that version for the Library.

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems,

and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
  - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
  - (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
  - (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and



(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. **Disclaimer of Warranty.** Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

#### END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and

limitations under the License.

# 1.262 io-grpc-grpc-context 1.30.2

## 1.262.1 Available under license :

Envoy

Copyright 2016-2019 Envoy Project Authors

Licensed under Apache License 2.0. See LICENSE for terms.

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work

(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses

granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]"

replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner].

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

protoc-gen-validate

Copyright 2019 Envoy Project Authors

Licensed under Apache License 2.0. See LICENSE for terms.

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.



3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed

as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.
6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. **Disclaimer of Warranty.** Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. **Limitation of Liability.** In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. **Accepting Warranty or Additional Liability.** While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this

License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

/\*

\* Copyright 2015 The gRPC Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Copyright 2014 The gRPC Authors

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software  
distributed under the License is distributed on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.

-----  
This product contains a modified portion of 'OkHttp', an open source  
HTTP & SPDY client for Android and Java applications, which can be obtained  
at:

- \* LICENSE:
  - \* [okhttp/third\\_party/okhttp/LICENSE](http://okhttp.org/third_party/okhttp/LICENSE) (Apache License 2.0)
- \* HOMEPAGE:
  - \* <https://github.com/square/okhttp>
- \* LOCATION\_IN\_GRPC:
  - \* [okhttp/third\\_party/okhttp](http://okhttp.org/third_party/okhttp)

This product contains a modified portion of 'Envoy', an open source  
cloud-native high-performance edge/middle/service proxy, which can be  
obtained at:

- \* LICENSE:
  - \* [xds/third\\_party/envoy/LICENSE](http://xds.org/third_party/envoy/LICENSE) (Apache License 2.0)
- \* NOTICE:
  - \* [xds/third\\_party/envoy/NOTICE](http://xds.org/third_party/envoy/NOTICE)
- \* HOMEPAGE:
  - \* <https://www.envoyproxy.io>
- \* LOCATION\_IN\_GRPC:
  - \* [xds/third\\_party/envoy](http://xds.org/third_party/envoy)

This product contains a modified portion of 'protoc-gen-validate (PGV)',  
an open source protoc plugin to generate polyglot message validators,  
which can be obtained at:

- \* LICENSE:
  - \* [xds/third\\_party/protoc-gen-validate/LICENSE](http://xds.org/third_party/protoc-gen-validate/LICENSE) (Apache License 2.0)
- \* NOTICE:
  - \* [xds/third\\_party/protoc-gen-validate/NOTICE](http://xds.org/third_party/protoc-gen-validate/NOTICE)

- \* HOMEPAGE:
  - \* <https://github.com/envoyproxy/protoc-gen-validate>
- \* LOCATION\_IN\_GRPC:
  - \* xds/third\_party/protoc-gen-validate

This product contains a modified portion of 'udpa',  
an open source universal data plane API, which can be obtained at:

- \* LICENSE:
  - \* xds/third\_party/udpa/LICENSE (Apache License 2.0)
- \* HOMEPAGE:
  - \* <https://github.com/cncf/udpa>
- \* LOCATION\_IN\_GRPC:
  - \* xds/third\_party/udpa

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You

institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.  
Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.
6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. **Disclaimer of Warranty.** Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. **Limitation of Liability.** In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. **Accepting Warranty or Additional Liability.** While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS



APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

## 1.263 j2objc-annotations 1.3

### 1.263.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*  
* Licensed under the Apache License, Version 2.0 (the "License");  
* you may not use this file except in compliance with the License.  
* You may obtain a copy of the License at  
*  
* http://www.apache.org/licenses/LICENSE-2.0  
*  
* Unless required by applicable law or agreed to in writing, software  
* distributed under the License is distributed on an "AS IS" BASIS,  
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
* See the License for the specific language governing permissions and  
* limitations under the License.  
*/
```

Found in path(s):

```
* /opt/cola/permits/1131003150_1612875443.99/0/j2objc-annotations-1-3-sources-3-  
jar/com/google/j2objc/annotations/RetainedWith.java
```

```
* /opt/cola/permits/1131003150_1612875443.99/0/j2objc-annotations-1-3-sources-3-
jar/com/google/j2objc/annotations/Property.java
* /opt/cola/permits/1131003150_1612875443.99/0/j2objc-annotations-1-3-sources-3-
jar/com/google/j2objc/annotations/LoopTranslation.java
* /opt/cola/permits/1131003150_1612875443.99/0/j2objc-annotations-1-3-sources-3-
jar/com/google/j2objc/annotations/ObjectiveCName.java
* /opt/cola/permits/1131003150_1612875443.99/0/j2objc-annotations-1-3-sources-3-
jar/com/google/j2objc/annotations/ReflectionSupport.java
* /opt/cola/permits/1131003150_1612875443.99/0/j2objc-annotations-1-3-sources-3-
jar/com/google/j2objc/annotations/RetainedLocalRef.java
* /opt/cola/permits/1131003150_1612875443.99/0/j2objc-annotations-1-3-sources-3-
jar/com/google/j2objc/annotations/J2ObjCIncompatible.java
No license file was found, but licenses were detected in source scan.
```

```
/*
* Copyright 2012 Google Inc. All Rights Reserved.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):

```
* /opt/cola/permits/1131003150_1612875443.99/0/j2objc-annotations-1-3-sources-3-
jar/com/google/j2objc/annotations/Weak.java
* /opt/cola/permits/1131003150_1612875443.99/0/j2objc-annotations-1-3-sources-3-
jar/com/google/j2objc/annotations/AutoreleasePool.java
* /opt/cola/permits/1131003150_1612875443.99/0/j2objc-annotations-1-3-sources-3-
jar/com/google/j2objc/annotations/WeakOuter.java
```

## 1.264 rest-assured 4.3.3

### 1.264.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
* Copyright 2020 the original author or authors.
*
* Licensed under the Apache License, Version 2.0 (the "License");
```

\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1340076275\_1654622400.298697/0/rest-assured-4-3-3-sources-2-jar/io/restassured/internal/ResponseParserRegistrar.java  
\* /opt/cola/permits/1340076275\_1654622400.298697/0/rest-assured-4-3-3-sources-2-jar/io/restassured/internal/mapping/JsonbMapper.groovy  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright 2019 the original author or authors.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1340076275\_1654622400.298697/0/rest-assured-4-3-3-sources-2-jar/io/restassured/internal/mapping/ObjectMapperDeserializationContextImpl.groovy  
\* /opt/cola/permits/1340076275\_1654622400.298697/0/rest-assured-4-3-3-sources-2-jar/io/restassured/internal/http/ResponseParseException.java  
\* /opt/cola/permits/1340076275\_1654622400.298697/0/rest-assured-4-3-3-sources-2-jar/io/restassured/mapper/ObjectMapperSerializationContext.java  
\* /opt/cola/permits/1340076275\_1654622400.298697/0/rest-assured-4-3-3-sources-2-jar/io/restassured/config/Config.java  
\* /opt/cola/permits/1340076275\_1654622400.298697/0/rest-assured-4-3-3-sources-2-jar/io/restassured/assertion/BodyMatcherGroup.groovy  
\* /opt/cola/permits/1340076275\_1654622400.298697/0/rest-assured-4-3-3-sources-2-jar/io/restassured/http/Method.java

\* /opt/cola/permits/1340076275\_1654622400.298697/0/rest-assured-4-3-3-sources-2-jar/io/restassured/config/JsonConfig.java

\* /opt/cola/permits/1340076275\_1654622400.298697/0/rest-assured-4-3-3-sources-2-jar/io/restassured/internal/filter/SendRequestFilter.groovy

\* /opt/cola/permits/1340076275\_1654622400.298697/0/rest-assured-4-3-3-sources-2-jar/io/restassured/internal/RestAssuredResponseImpl.groovy

\* /opt/cola/permits/1340076275\_1654622400.298697/0/rest-assured-4-3-3-sources-2-jar/io/restassured/authentication/NoAuthScheme.groovy

\* /opt/cola/permits/1340076275\_1654622400.298697/0/rest-assured-4-3-3-sources-2-jar/io/restassured/config/HttpClientConfig.java

\* /opt/cola/permits/1340076275\_1654622400.298697/0/rest-assured-4-3-3-sources-2-jar/io/restassured/authentication/BasicAuthScheme.groovy

\* /opt/cola/permits/1340076275\_1654622400.298697/0/rest-assured-4-3-3-sources-2-jar/io/restassured/internal/NameAndValue.java

\* /opt/cola/permits/1340076275\_1654622400.298697/0/rest-assured-4-3-3-sources-2-jar/io/restassured/response/ResponseBodyExtractionOptions.java

\* /opt/cola/permits/1340076275\_1654622400.298697/0/rest-assured-4-3-3-sources-2-jar/io/restassured/internal/support/FileReader.groovy

\* /opt/cola/permits/1340076275\_1654622400.298697/0/rest-assured-4-3-3-sources-2-jar/io/restassured/response/ResponseOptions.java

\* /opt/cola/permits/1340076275\_1654622400.298697/0/rest-assured-4-3-3-sources-2-jar/io/restassured/response/ResponseBody.java

\* /opt/cola/permits/1340076275\_1654622400.298697/0/rest-assured-4-3-3-sources-2-jar/io/restassured/specification/FilterableResponseSpecification.java

\* /opt/cola/permits/1340076275\_1654622400.298697/0/rest-assured-4-3-3-sources-2-jar/io/restassured/internal/support/CloseHttpClientConnectionInputStreamWrapper.java

\* /opt/cola/permits/1340076275\_1654622400.298697/0/rest-assured-4-3-3-sources-2-jar/io/restassured/internal/NoParameterValue.groovy

\* /opt/cola/permits/1340076275\_1654622400.298697/0/rest-assured-4-3-3-sources-2-jar/io/restassured/internal/http/ContentTypeExtractor.groovy

\* /opt/cola/permits/1340076275\_1654622400.298697/0/rest-assured-4-3-3-sources-2-jar/io/restassured/internal/mapping/ObjectMapping.groovy

\* /opt/cola/permits/1340076275\_1654622400.298697/0/rest-assured-4-3-3-sources-2-jar/io/restassured/internal/TrustAndKeystoreSpecImpl.groovy

\* /opt/cola/permits/1340076275\_1654622400.298697/0/rest-assured-4-3-3-sources-2-jar/io/restassured/config/FailureConfig.java

\* /opt/cola/permits/1340076275\_1654622400.298697/0/rest-assured-4-3-3-sources-2-jar/io/restassured/parsing/Parser.java

\* /opt/cola/permits/1340076275\_1654622400.298697/0/rest-assured-4-3-3-sources-2-jar/io/restassured/internal/UriValidator.java

\* /opt/cola/permits/1340076275\_1654622400.298697/0/rest-assured-4-3-3-sources-2-jar/io/restassured/builder/ResponseSpecBuilder.java

\* /opt/cola/permits/1340076275\_1654622400.298697/0/rest-assured-4-3-3-sources-2-jar/io/restassured/internal/ValidatableResponseOptionsImpl.java

\* /opt/cola/permits/1340076275\_1654622400.298697/0/rest-assured-4-3-3-sources-2-jar/io/restassured/internal/ResponseSpecificationImpl.groovy

\* /opt/cola/permits/1340076275\_1654622400.298697/0/rest-assured-4-3-3-sources-2-jar/io/restassured/filter/log/UrlDecoder.java

\* /opt/cola/permits/1340076275\_1654622400.298697/0/rest-assured-4-3-3-sources-2-jar/io/restassured/filter/log/ResponseLoggingFilter.java

\* /opt/cola/permits/1340076275\_1654622400.298697/0/rest-assured-4-3-3-sources-2-jar/io/restassured/authentication/AuthenticationScheme.groovy

\* /opt/cola/permits/1340076275\_1654622400.298697/0/rest-assured-4-3-3-sources-2-jar/io/restassured/spi/AuthFilter.java

\* /opt/cola/permits/1340076275\_1654622400.298697/0/rest-assured-4-3-3-sources-2-jar/io/restassured/internal/mapping/JohnzonMapper.groovy

\* /opt/cola/permits/1340076275\_1654622400.298697/0/rest-assured-4-3-3-sources-2-jar/io/restassured/specification/ResponseSpecification.java

\* /opt/cola/permits/1340076275\_1654622400.298697/0/rest-assured-4-3-3-sources-2-jar/io/restassured/authentication/PreemptiveOAuth2HeaderScheme.groovy

\* /opt/cola/permits/1340076275\_1654622400.298697/0/rest-assured-4-3-3-sources-2-jar/io/restassured/assertion/DetailedCookieAssertion.groovy

\* /opt/cola/permits/1340076275\_1654622400.298697/0/rest-assured-4-3-3-sources-2-jar/io/restassured/config/MultiPartConfig.java

\* /opt/cola/permits/1340076275\_1654622400.298697/0/rest-assured-4-3-3-sources-2-jar/io/restassured/filter/FilterContext.java

\* /opt/cola/permits/1340076275\_1654622400.298697/0/rest-assured-4-3-3-sources-2-jar/io/restassured/internal/http/HttpResponseDecorator.java

\* /opt/cola/permits/1340076275\_1654622400.298697/0/rest-assured-4-3-3-sources-2-jar/io/restassured/config/OAuthConfig.java

\* /opt/cola/permits/1340076275\_1654622400.298697/0/rest-assured-4-3-3-sources-2-jar/io/restassured/filter/log/ErrorLoggingFilter.java

\* /opt/cola/permits/1340076275\_1654622400.298697/0/rest-assured-4-3-3-sources-2-jar/io/restassured/internal/LogRequestAndResponseOnFailListener.groovy

\* /opt/cola/permits/1340076275\_1654622400.298697/0/rest-assured-4-3-3-sources-2-jar/io/restassured/internal/mapping/GsonMapper.groovy

\* /opt/cola/permits/1340076275\_1654622400.298697/0/rest-assured-4-3-3-sources-2-jar/io/restassured/internal/MultiValueEntity.java

\* /opt/cola/permits/1340076275\_1654622400.298697/0/rest-assured-4-3-3-sources-2-jar/io/restassured/config/EncoderConfig.java

\* /opt/cola/permits/1340076275\_1654622400.298697/0/rest-assured-4-3-3-sources-2-jar/io/restassured/internal/ResponseLogSpecificationImpl.groovy

\* /opt/cola/permits/1340076275\_1654622400.298697/0/rest-assured-4-3-3-sources-2-jar/io/restassured/internal/RedirectSpecificationImpl.groovy

\* /opt/cola/permits/1340076275\_1654622400.298697/0/rest-assured-4-3-3-sources-2-jar/io/restassured/internal/http/GZIPEncoding.java

\* /opt/cola/permits/1340076275\_1654622400.298697/0/rest-assured-4-3-3-sources-2-jar/io/restassured/internal/http/HttpResponseException.java

\* /opt/cola/permits/1340076275\_1654622400.298697/0/rest-assured-4-3-3-sources-2-jar/io/restassured/response/ValidatableResponseLogSpec.java

\* /opt/cola/permits/1340076275\_1654622400.298697/0/rest-assured-4-3-3-sources-2-jar/io/restassured/specification/SpecificationQuerier.java

\* /opt/cola/permits/1340076275\_1654622400.298697/0/rest-assured-4-3-3-sources-2-jar/io/restassured/RestAssured.java

\* /opt/cola/permits/1340076275\_1654622400.298697/0/rest-assured-4-3-3-sources-2-jar/io/restassured/config/LogConfig.java

\* /opt/cola/permits/1340076275\_1654622400.298697/0/rest-assured-4-3-3-sources-2-jar/io/restassured/authentication/ExplicitNoAuthScheme.groovy

\* /opt/cola/permits/1340076275\_1654622400.298697/0/rest-assured-4-3-3-sources-2-jar/io/restassured/internal/RestAssuredResponseOptionsImpl.java

\* /opt/cola/permits/1340076275\_1654622400.298697/0/rest-assured-4-3-3-sources-2-jar/io/restassured/http/Cookie.java

\* /opt/cola/permits/1340076275\_1654622400.298697/0/rest-assured-4-3-3-sources-2-jar/io/restassured/filter/log/StatusCodeBasedLoggingFilter.java

\* /opt/cola/permits/1340076275\_1654622400.298697/0/rest-assured-4-3-3-sources-2-jar/io/restassured/http/ContentType.java

\* /opt/cola/permits/1340076275\_1654622400.298697/0/rest-assured-4-3-3-sources-2-jar/io/restassured/internal/http/URIBuilder.java

\* /opt/cola/permits/1340076275\_1654622400.298697/0/rest-assured-4-3-3-sources-2-jar/io/restassured/specification/ProxySpecification.java

\* /opt/cola/permits/1340076275\_1654622400.298697/0/rest-assured-4-3-3-sources-2-jar/io/restassured/matcher/RestAssuredMatchers.java

\* /opt/cola/permits/1340076275\_1654622400.298697/0/rest-assured-4-3-3-sources-2-jar/io/restassured/filter/time/TimingFilter.java

\* /opt/cola/permits/1340076275\_1654622400.298697/0/rest-assured-4-3-3-sources-2-jar/io/restassured/internal/serialization/SerializationSupport.java

\* /opt/cola/permits/1340076275\_1654622400.298697/0/rest-assured-4-3-3-sources-2-jar/io/restassured/specification/Argument.java

\* /opt/cola/permits/1340076275\_1654622400.298697/0/rest-assured-4-3-3-sources-2-jar/io/restassured/specification/RedirectSpecification.java

\* /opt/cola/permits/1340076275\_1654622400.298697/0/rest-assured-4-3-3-sources-2-jar/io/restassured/internal/LogSpecificationImpl.groovy

\* /opt/cola/permits/1340076275\_1654622400.298697/0/rest-assured-4-3-3-sources-2-jar/io/restassured/http/Headers.java

\* /opt/cola/permits/1340076275\_1654622400.298697/0/rest-assured-4-3-3-sources-2-jar/io/restassured/config/RestAssuredConfig.java

\* /opt/cola/permits/1340076275\_1654622400.298697/0/rest-assured-4-3-3-sources-2-jar/io/restassured/internal/PreemptiveAuthSpecImpl.groovy

\* /opt/cola/permits/1340076275\_1654622400.298697/0/rest-assured-4-3-3-sources-2-jar/io/restassured/filter/cookie/CookieFilter.java

\* /opt/cola/permits/1340076275\_1654622400.298697/0/rest-assured-4-3-3-sources-2-jar/io/restassured/internal/http/DeflateEncoding.java

\* /opt/cola/permits/1340076275\_1654622400.298697/0/rest-assured-4-3-3-sources-2-jar/io/restassured/authentication/FormAuthConfig.java

\* /opt/cola/permits/1340076275\_1654622400.298697/0/rest-assured-4-3-3-sources-2-jar/io/restassured/authentication/CertAuthScheme.groovy

\* /opt/cola/permits/1340076275\_1654622400.298697/0/rest-assured-4-3-3-sources-2-jar/io/restassured/filter/log/LogDetail.java

\* /opt/cola/permits/1340076275\_1654622400.298697/0/rest-assured-4-3-3-sources-2-jar/io/restassured/response/ResponseBodyData.java

\* /opt/cola/permits/1340076275\_1654622400.298697/0/rest-assured-4-3-3-sources-2-jar/io/restassured/builder/RequestSpecBuilder.java

\* /opt/cola/permits/1340076275\_1654622400.298697/0/rest-assured-4-3-3-sources-2-jar/io/restassured/internal/mapping/Jackson2Mapper.groovy

\* /opt/cola/permits/1340076275\_1654622400.298697/0/rest-assured-4-3-3-sources-2-jar/io/restassured/internal/support/ParameterUpdater.groovy

\* /opt/cola/permits/1340076275\_1654622400.298697/0/rest-assured-4-3-3-sources-2-jar/io/restassured/matcher/ResponseAwareMatcher.java

\* /opt/cola/permits/1340076275\_1654622400.298697/0/rest-assured-4-3-3-sources-2-jar/io/restassured/specification/FilterableRequestSpecification.java

\* /opt/cola/permits/1340076275\_1654622400.298697/0/rest-assured-4-3-3-sources-2-jar/io/restassured/authentication/PreemptiveBasicAuthScheme.groovy

\* /opt/cola/permits/1340076275\_1654622400.298697/0/rest-assured-4-3-3-sources-2-jar/io/restassured/internal/log/LogRepository.java

\* /opt/cola/permits/1340076275\_1654622400.298697/0/rest-assured-4-3-3-sources-2-jar/io/restassured/response/Validatable.java

\* /opt/cola/permits/1340076275\_1654622400.298697/0/rest-assured-4-3-3-sources-2-jar/io/restassured/internal/print/ResponsePrinter.java

\* /opt/cola/permits/1340076275\_1654622400.298697/0/rest-assured-4-3-3-sources-2-jar/io/restassured/internal/http/StringHashMap.java

\* /opt/cola/permits/1340076275\_1654622400.298697/0/rest-assured-4-3-3-sources-2-jar/io/restassured/config/ObjectMapperConfig.java

\* /opt/cola/permits/1340076275\_1654622400.298697/0/rest-assured-4-3-3-sources-2-jar/io/restassured/internal/util/MatcherErrorMessageBuilder.java

\* /opt/cola/permits/1340076275\_1654622400.298697/0/rest-assured-4-3-3-sources-2-jar/io/restassured/specification/AuthenticationSpecification.java

\* /opt/cola/permits/1340076275\_1654622400.298697/0/rest-assured-4-3-3-sources-2-jar/io/restassured/internal/support/Prettifier.groovy

\* /opt/cola/permits/1340076275\_1654622400.298697/0/rest-assured-4-3-3-sources-2-jar/io/restassured/config/RedirectConfig.java

\* /opt/cola/permits/1340076275\_1654622400.298697/0/rest-assured-4-3-3-sources-2-jar/io/restassured/internal/proxy/RestAssuredProxySelector.groovy

\* /opt/cola/permits/1340076275\_1654622400.298697/0/rest-assured-4-3-3-sources-2-jar/io/restassured/specification/RequestLogSpecification.java

\* /opt/cola/permits/1340076275\_1654622400.298697/0/rest-assured-4-3-3-sources-2-jar/io/restassured/authentication/OAuthSignature.java

\* /opt/cola/permits/1340076275\_1654622400.298697/0/rest-assured-4-3-3-sources-2-jar/io/restassured/assertion/CookieMatcher.groovy

\* /opt/cola/permits/1340076275\_1654622400.298697/0/rest-assured-4-3-3-sources-2-jar/io/restassured/http/Cookies.java

\* /opt/cola/permits/1340076275\_1654622400.298697/0/rest-assured-4-3-3-sources-2-jar/io/restassured/specification/PreemptiveAuthSpec.java

\* /opt/cola/permits/1340076275\_1654622400.298697/0/rest-assured-4-3-3-sources-2-jar/io/restassured/specification/RequestSender.java

\* /opt/cola/permits/1340076275\_1654622400.298697/0/rest-assured-4-3-3-sources-2-jar/io/restassured/assertion/BodyMatcher.groovy

\* /opt/cola/permits/1340076275\_1654622400.298697/0/rest-assured-4-3-3-sources-2-jar/io/restassured/internal/http/CustomHttpMethod.java

\* /opt/cola/permits/1340076275\_1654622400.298697/0/rest-assured-4-3-3-sources-2-jar/io/restassured/authentication/FormAuthScheme.groovy

\* /opt/cola/permits/1340076275\_1654622400.298697/0/rest-assured-4-3-3-sources-2-jar/io/restassured/internal/matcher/xml/XmlDtdMatcher.groovy

\* /opt/cola/permits/1340076275\_1654622400.298697/0/rest-assured-4-3-3-sources-2-jar/io/restassured/config/HeaderConfig.java

\* /opt/cola/permits/1340076275\_1654622400.298697/0/rest-assured-4-3-3-sources-2-jar/io/restassured/internal/http/HttpResponseContentTypeFinder.java

\* /opt/cola/permits/1340076275\_1654622400.298697/0/rest-assured-4-3-3-sources-2-jar/io/restassured/internal/multipart/RestAssuredMultiPartEntity.groovy

\* /opt/cola/permits/1340076275\_1654622400.298697/0/rest-assured-4-3-3-sources-2-jar/io/restassured/mapper/ObjectMapperDeserializationContext.java

\* /opt/cola/permits/1340076275\_1654622400.298697/0/rest-assured-4-3-3-sources-2-jar/io/restassured/response/Response.java

\* /opt/cola/permits/1340076275\_1654622400.298697/0/rest-assured-4-3-3-sources-2-jar/io/restassured/response/ValidatableResponse.java

\* /opt/cola/permits/1340076275\_1654622400.298697/0/rest-assured-4-3-3-sources-2-jar/io/restassured/internal/ContentParser.groovy

\* /opt/cola/permits/1340076275\_1654622400.298697/0/rest-assured-4-3-3-sources-2-jar/io/restassured/builder/MultiPartSpecBuilder.java

\* /opt/cola/permits/1340076275\_1654622400.298697/0/rest-assured-4-3-3-sources-2-jar/io/restassured/authentication/PreemptiveAuthProvider.java

\* /opt/cola/permits/1340076275\_1654622400.298697/0/rest-assured-4-3-3-sources-2-jar/io/restassured/assertion/StreamVerifier.groovy

\* /opt/cola/permits/1340076275\_1654622400.298697/0/rest-assured-4-3-3-sources-2-jar/io/restassured/config/ParamConfig.java

\* /opt/cola/permits/1340076275\_1654622400.298697/0/rest-assured-4-3-3-sources-2-jar/io/restassured/internal/http/ContentTypeSubTypeExtractor.groovy

\* /opt/cola/permits/1340076275\_1654622400.298697/0/rest-assured-4-3-3-sources-2-jar/io/restassured/config/DecoderConfig.java

\* /opt/cola/permits/1340076275\_1654622400.298697/0/rest-assured-4-3-3-sources-2-jar/io/restassured/internal/mapping/JaxbMapper.groovy

\* /opt/cola/permits/1340076275\_1654622400.298697/0/rest-assured-4-3-3-sources-2-jar/io/restassured/internal/RestAssuredResponseOptionsGroovyImpl.groovy

\* /opt/cola/permits/1340076275\_1654622400.298697/0/rest-assured-4-3-3-sources-2-jar/io/restassured/filter/Filter.java

\* /opt/cola/permits/1340076275\_1654622400.298697/0/rest-assured-4-3-3-sources-2-jar/io/restassured/config/SessionConfig.java

\* /opt/cola/permits/1340076275\_1654622400.298697/0/rest-assured-4-3-3-sources-2-jar/io/restassured/config/XmlConfig.java

\* /opt/cola/permits/1340076275\_1654622400.298697/0/rest-assured-4-3-3-sources-2-jar/io/restassured/config/SSLConfig.java

\* /opt/cola/permits/1340076275\_1654622400.298697/0/rest-assured-4-3-3-sources-2-jar/io/restassured/specification/RequestSenderOptions.java

\* /opt/cola/permits/1340076275\_1654622400.298697/0/rest-assured-4-3-3-sources-2-jar/io/restassured/authentication/OAuthScheme.groovy

\* /opt/cola/permits/1340076275\_1654622400.298697/0/rest-assured-4-3-3-sources-2-jar/io/restassured/config/MatcherConfig.java

\* /opt/cola/permits/1340076275\_1654622400.298697/0/rest-assured-4-3-3-sources-2-jar/io/restassured/filter/OrderedFilter.java

\* /opt/cola/permits/1340076275\_1654622400.298697/0/rest-assured-4-3-3-sources-2-jar/io/restassured/internal/RequestLogSpecificationImpl.groovy



\* /opt/cola/permits/1340076275\_1654622400.298697/0/rest-assured-4-3-3-sources-2-jar/io/restassured/internal/TestSpecificationImpl.groovy

\* /opt/cola/permits/1340076275\_1654622400.298697/0/rest-assured-4-3-3-sources-2-jar/io/restassured/internal/http/BoundaryExtractor.groovy

\* /opt/cola/permits/1340076275\_1654622400.298697/0/rest-assured-4-3-3-sources-2-jar/io/restassured/internal/multipart/MultiPartSpecificationImpl.groovy

\* /opt/cola/permits/1340076275\_1654622400.298697/0/rest-assured-4-3-3-sources-2-jar/io/restassured/specification/MultiPartSpecification.java

\* /opt/cola/permits/1340076275\_1654622400.298697/0/rest-assured-4-3-3-sources-2-jar/io/restassured/internal/ValidatableResponseImpl.groovy

\* /opt/cola/permits/1340076275\_1654622400.298697/0/rest-assured-4-3-3-sources-2-jar/io/restassured/config/ConnectionConfig.java

\* /opt/cola/permits/1340076275\_1654622400.298697/0/rest-assured-4-3-3-sources-2-jar/io/restassured/filter/log/RequestLoggingFilter.java

\* /opt/cola/permits/1340076275\_1654622400.298697/0/rest-assured-4-3-3-sources-2-jar/io/restassured/internal/RequestSpecificationImpl.groovy

\* /opt/cola/permits/1340076275\_1654622400.298697/0/rest-assured-4-3-3-sources-2-jar/io/restassured/internal/http/BasicNameValuePairWithNoValueSupport.java

\* /opt/cola/permits/1340076275\_1654622400.298697/0/rest-assured-4-3-3-sources-2-jar/io/restassured/internal/http/EncoderRegistry.java

\* /opt/cola/permits/1340076275\_1654622400.298697/0/rest-assured-4-3-3-sources-2-jar/io/restassured/internal/http/HTTPBuilder.java

\* /opt/cola/permits/1340076275\_1654622400.298697/0/rest-assured-4-3-3-sources-2-jar/io/restassured/internal/mapping/JacksonIMapper.groovy

\* /opt/cola/permits/1340076275\_1654622400.298697/0/rest-assured-4-3-3-sources-2-jar/io/restassured/builder/ResponseBuilder.java

\* /opt/cola/permits/1340076275\_1654622400.298697/0/rest-assured-4-3-3-sources-2-jar/io/restassured/internal/filter/FormAuthFilter.groovy

\* /opt/cola/permits/1340076275\_1654622400.298697/0/rest-assured-4-3-3-sources-2-jar/io/restassured/specification/RequestSpecification.java

\* /opt/cola/permits/1340076275\_1654622400.298697/0/rest-assured-4-3-3-sources-2-jar/io/restassured/internal/http/HttpRequestFactory.java

\* /opt/cola/permits/1340076275\_1654622400.298697/0/rest-assured-4-3-3-sources-2-jar/io/restassured/internal/support/PathSupport.groovy

\* /opt/cola/permits/1340076275\_1654622400.298697/0/rest-assured-4-3-3-sources-2-jar/io/restassured/internal/util/IOUtils.java

\* /opt/cola/permits/1340076275\_1654622400.298697/0/rest-assured-4-3-3-sources-2-jar/io/restassured/response/ValidatableResponseOptions.java

\* /opt/cola/permits/1340076275\_1654622400.298697/0/rest-assured-4-3-3-sources-2-jar/io/restassured/mapper/ObjectMapper.java

\* /opt/cola/permits/1340076275\_1654622400.298697/0/rest-assured-4-3-3-sources-2-jar/io/restassured/specification/ResponseLogSpecification.java

\* /opt/cola/permits/1340076275\_1654622400.298697/0/rest-assured-4-3-3-sources-2-jar/io/restassured/mapper/ObjectMapperType.java

\* /opt/cola/permits/1340076275\_1654622400.298697/0/rest-assured-4-3-3-sources-2-jar/io/restassured/internal/matcher/xml/XmlXsdMatcher.groovy

\* /opt/cola/permits/1340076275\_1654622400.298697/0/rest-assured-4-3-3-sources-2-jar/io/restassured/internal/http/Status.java

\* /opt/cola/permits/1340076275\_1654622400.298697/0/rest-assured-4-3-3-sources-2-jar/io/restassured/response/ExtractableResponse.java

\* /opt/cola/permits/1340076275\_1654622400.298697/0/rest-assured-4-3-3-sources-2-jar/io/restassured/internal/http/HttpContextDecorator.java

\* /opt/cola/permits/1340076275\_1654622400.298697/0/rest-assured-4-3-3-sources-2-jar/io/restassured/listener/ResponseValidationFailureListener.java

\* /opt/cola/permits/1340076275\_1654622400.298697/0/rest-assured-4-3-3-sources-2-jar/io/restassured/authentication/NTLMAuthScheme.groovy

\* /opt/cola/permits/1340076275\_1654622400.298697/0/rest-assured-4-3-3-sources-2-jar/io/restassured/internal/SpecificationMerger.groovy

\* /opt/cola/permits/1340076275\_1654622400.298697/0/rest-assured-4-3-3-sources-2-jar/io/restassured/internal/http/ContentEncodingRegistry.java

\* /opt/cola/permits/1340076275\_1654622400.298697/0/rest-assured-4-3-3-sources-2-jar/io/restassured/internal/mapping/ObjectMapperSerializationContextImpl.groovy

\* /opt/cola/permits/1340076275\_1654622400.298697/0/rest-assured-4-3-3-sources-2-jar/io/restassured/internal/print/RequestPrinter.java

\* /opt/cola/permits/1340076275\_1654622400.298697/0/rest-assured-4-3-3-sources-2-jar/io/restassured/internal/multipart/MultiPartInternal.groovy

\* /opt/cola/permits/1340076275\_1654622400.298697/0/rest-assured-4-3-3-sources-2-jar/io/restassured/internal/AuthenticationSpecificationImpl.groovy

\* /opt/cola/permits/1340076275\_1654622400.298697/0/rest-assured-4-3-3-sources-2-jar/io/restassured/matcher/DetailedCookieMatcher.java

\* /opt/cola/permits/1340076275\_1654622400.298697/0/rest-assured-4-3-3-sources-2-jar/io/restassured/specification/LogSpecification.java

\* /opt/cola/permits/1340076275\_1654622400.298697/0/rest-assured-4-3-3-sources-2-jar/io/restassured/internal/http/ContentEncoding.java

\* /opt/cola/permits/1340076275\_1654622400.298697/0/rest-assured-4-3-3-sources-2-jar/io/restassured/specification/QueryableRequestSpecification.java

\* /opt/cola/permits/1340076275\_1654622400.298697/0/rest-assured-4-3-3-sources-2-jar/io/restassured/assertion/HeaderMatcher.groovy

\* /opt/cola/permits/1340076275\_1654622400.298697/0/rest-assured-4-3-3-sources-2-jar/io/restassured/internal/proxy/RestAssuredProxySelectorRoutePlanner.java

\* /opt/cola/permits/1340076275\_1654622400.298697/0/rest-assured-4-3-3-sources-2-jar/io/restassured/assertion/ResponseTimeMatcher.groovy

\* /opt/cola/permits/1340076275\_1654622400.298697/0/rest-assured-4-3-3-sources-2-jar/io/restassured/internal/matcher/xml/LoadFromClasspathSupport.groovy

\* /opt/cola/permits/1340076275\_1654622400.298697/0/rest-assured-4-3-3-sources-2-jar/io/restassured/internal/util/SafeExceptionRethrower.java

\* /opt/cola/permits/1340076275\_1654622400.298697/0/rest-assured-4-3-3-sources-2-jar/io/restassured/internal/http/CharsetExtractor.groovy

\* /opt/cola/permits/1340076275\_1654622400.298697/0/rest-assured-4-3-3-sources-2-jar/io/restassured/internal/http/AuthConfig.java

\* /opt/cola/permits/1340076275\_1654622400.298697/0/rest-assured-4-3-3-sources-2-jar/io/restassured/authentication/CertificateAuthSettings.java

\* /opt/cola/permits/1340076275\_1654622400.298697/0/rest-assured-4-3-3-sources-2-jar/io/restassured/internal/filter/FilterContextImpl.groovy

\* /opt/cola/permits/1340076275\_1654622400.298697/0/rest-assured-4-3-3-sources-2-jar/io/restassured/authentication/OAuth2Scheme.groovy

```
* /opt/cola/permits/1340076275_1654622400.298697/0/rest-assured-4-3-3-sources-2-
jar/io/restassured/matcher/ResponseAwareMatcherComposer.java
* /opt/cola/permits/1340076275_1654622400.298697/0/rest-assured-4-3-3-sources-2-
jar/io/restassured/internal/TrustAndKeystoreSpec.java
* /opt/cola/permits/1340076275_1654622400.298697/0/rest-assured-4-3-3-sources-2-
jar/io/restassured/http/Header.java
* /opt/cola/permits/1340076275_1654622400.298697/0/rest-assured-4-3-3-sources-2-
jar/io/restassured/filter/session/SessionFilter.java
* /opt/cola/permits/1340076275_1654622400.298697/0/rest-assured-4-3-3-sources-2-
jar/io/restassured/internal/MapCreator.groovy
```

# 1.265 checkstyle 8.39

## 1.265.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
// This library is free software; you can redistribute it and/or
// modify it under the terms of the GNU Lesser General Public
// License as published by the Free Software Foundation; either
// version 2.1 of the License, or (at your option) any later version.
// This library is distributed in the hope that it will be useful,
// but WITHOUT ANY WARRANTY; without even the implied warranty of
// MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU
// Lesser General Public License for more details.
// You should have received a copy of the GNU Lesser General Public
/**
 * Represents a policy for the location of content starting from
 * the same line as { @code /**}.
 * Example:
 * <pre>
 * &#47;** Summary text.
 * * More details.
 * *&#47;
 * public void method();
 * </pre>
 * This style is also known as "scala" style.
 */
/**
 * Represents a policy for the location of content starting from
 * the next line after { @code /**}.
 * Example:
 * <pre>
 * &#47;**
 * * Summary text.
 * * More details.
 * *&#47;
 * public void method();
```

```
* </pre>
* This style is common to java projects.
*/
```

Found in path(s):

```
*/opt/cola/permits/1340076606_1654622366.535764/0/checkstyle-8-39-sources-
jar/com/pupppycrawl/tools/checkstyle/checks/javadoc/JavadocContentLocationOption.java
No license file was found, but licenses were detected in source scan.
```

```
// This library is free software; you can redistribute it and/or
// modify it under the terms of the GNU Lesser General Public
// License as published by the Free Software Foundation; either
// version 2.1 of the License, or (at your option) any later version.
// This library is distributed in the hope that it will be useful,
// but WITHOUT ANY WARRANTY; without even the implied warranty of
// MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU
// Lesser General Public License for more details.
// You should have received a copy of the GNU Lesser General Public
/**
 * <p>
 * Checks that the Javadoc content begins from the same position
 * for all Javadoc comments in the project. Any leading asterisks and spaces
 * are not counted as the beginning of the content and are therefore ignored.
 * </p>
 * <p>
 * It is possible to enforce two different styles:
 * </p>
 * <ul>
 * <li>
 * { @code first_line } - Javadoc content starts from the first line:
 * <pre>
 * &#47; Summary text.
 * * More details.
 * * &#47;
 * public void method();
 * </pre>
 * </li>
 * <li>
 * { @code second_line } - Javadoc content starts from the second line:
 * <pre>
 * &#47; Summary text.
 * * More details.
 * * &#47;
 * public void method();
 * </pre>
 * </li>
 * </ul>
```

\* <p>

\* This check does not validate the Javadoc summary itself nor its presence.

\* The check will not report any violations for missing or malformed javadoc summary.

\* To validate the Javadoc summary use

\* <a href="https://checkstyle.org/config\_javadoc.html#SummaryJavadoc">SummaryJavadoc</a> check.

\* </p>

\* <p>

\* The <a href="https://docs.oracle.com/en/java/javase/11/docs/specs/doc-comment-spec.html">Documentation Comment Specification</a> permits leading asterisks on the first line.

\* Documentation Comment Specification</a> permits leading asterisks on the first line.

\* For these Javadoc comments:

\* </p>

\* <pre>

\* &#47;\*\*\*

\* \* Some text.

\* \*&#47;

\* &#47;\*\*\*\*\*

\* \* Some text.

\* \*&#47;

\* &#47;\*\* \*\*

\* \* Some text.

\* \*&#47;

\* </pre>

\* <p>

\* The documentation generated will be just "Some text." without any asterisks.

\* Since these asterisks will not appear in the generated documentation,

\* they should not be considered as the beginning of the Javadoc content.

\* In such cases, the check assumes that the Javadoc content begins on the second line.

\* </p>

\* <ul>

\* <li>

\* Property { @code location } - Specify the policy on placement of the Javadoc content.

\* Type is { @code com.puppycrawl.tools.checkstyle.checks.javadoc.JavadocContentLocationOption }.

\* Default value is { @code second\_line }.

\* </li>

\* </ul>

\* <p>

\* To configure the default check to validate that the Javadoc content starts from the second line:

\* </p>

\* <pre>

\* &lt;module name="JavadocContentLocationCheck"/&gt;

\* </pre>

\* <p>

\* This setting produces a violation for each multi-line comment starting

\* on the same line as the initial asterisks:

\* </p>

\* <pre>

\* &#47;\*\* This comment causes a violation because it starts from the first line

\* \* and spans several lines.

```

* *#47;
* #47;**
* * This comment is OK because it starts from the second line.
* *#47;
* #47;** This comment is OK because it is on the single line. #47;
* </pre>
* <p>
* To ensure that Javadoc content starts from the first line:
* </p>
* <pre>
* &lt;module name="JavadocContentLocationCheck"&gt;
* &lt;property name="location" value="first_line"/&gt;
* &lt;/module&gt;
* </pre>
* <p>
* This setting produces a violation for each comment not
* starting on the same line as the initial asterisks:
* </p>
* <pre>
* #47;** This comment is OK because it starts on the first line.
* * There may be additional text.
* *#47;
* #47;**
* * This comment causes a violation because it starts on the second line.
* *#47;
* #47;** This single-line comment also is OK. #47;
* </pre>
* <p>
* Parent is { @code com.puppcrawl.tools.checkstyle.TreeWalker }
* </p>
* <p>
* Violation Message Keys:
* </p>
* <ul>
* <li>
* { @code javadoc.content.first.line }
* </li>
* <li>
* { @code javadoc.content.second.line }
* </li>
* </ul>
*
* @since 8.27
*/

```

Found in path(s):

```

* /opt/cola/permits/1340076606_1654622366.535764/0/checkstyle-8-39-sources-
jar/com/puppcrawl/tools/checkstyle/checks/javadoc/JavadocContentLocationCheck.java

```

No license file was found, but licenses were detected in source scan.

- \* More details.
- \* More details.

Found in path(s):

\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-jar/com/puppcrawl/tools/checkstyle/meta/checks/javadoc/JavadocContentLocationCheck.xml

No license file was found, but licenses were detected in source scan.

```
////////////////////////////////////  
// checkstyle: Checks Java source code for adherence to a set of rules.  
// Copyright (C) 2001-2020 the original author or authors.  
//  
// This library is free software; you can redistribute it and/or  
// modify it under the terms of the GNU Lesser General Public  
// License as published by the Free Software Foundation; either  
// version 2.1 of the License, or (at your option) any later version.  
//  
// This library is distributed in the hope that it will be useful,  
// but WITHOUT ANY WARRANTY; without even the implied warranty of  
// MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU  
// Lesser General Public License for more details.  
//  
// You should have received a copy of the GNU Lesser General Public  
// License along with this library; if not, write to the Free Software  
// Foundation, Inc., 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA  
////////////////////////////////////
```

```
header {  
package com.puppcrawl.tools.checkstyle.grammar;  
  
import com.puppcrawl.tools.checkstyle.DetailAstImpl;  
import java.text.MessageFormat;  
import antlr.CommonHiddenStreamToken;  
import antlr.TokenStreamSelector;  
}  
  
//-----  
// The Java 14 Text Block scanner  
//-----  
class GeneratedTextBlockLexer extends Lexer;  
  
options {  
importVocab=GeneratedJava; // Use tokens from java.g  
k=2;  
charVocabulary='\u0000'..\uFFFE';  
filter=true;
```

```

}

{
    public TokenStreamSelector selector;

    // explicitly set tab width to 1 (default in ANTLR 2.7.1)
    // in ANTLR 2.7.2a2 the default has changed from 1 to 8
    public void tab()
    {
        setColumn( getColumn() + 1 );
    }
}

protected
NEWLINE
: ( options {generateAmbigWarnings=false;}
  : "\r\n" // Evil DOS
  | '\r' // Macintosh
  | '\n' // Unix (the right way)
  )
  {this.newline();}
;

TEXT_BLOCK_LITERAL_END
: "\"\"\"" {selector.pop();}
;

protected
TWO_DOUBLE_QUOTES
: "\"\"\" ( NEWLINE | ~\"\" )
;

protected
ONE_DOUBLE_QUOTE
: "\"" ( NEWLINE | ~\" )
;

TEXT_BLOCK_CONTENT
: ( ( TWO_DOUBLE_QUOTES )=> TWO_DOUBLE_QUOTES
  | ONE_DOUBLE_QUOTE
  | NEWLINE
  | ~\"
  | STD_ESC
  )+
;

protected
STD_ESC

```



```
: '\\  
  ( 'n'  
    | 'r'  
    | 's'  
    | 't'  
    | 'b'  
    | 'f'  
    | ''  
    | '\"  
    | '\\  
  )  
;
```

Found in path(s):

```
* /opt/cola/permits/1340076606_1654622366.535764/0/checkstyle-8-39-sources-  
jar/com/puppycrawl/tools/checkstyle/grammar/java14textblocks.g
```

No license file was found, but licenses were detected in source scan.

for more details.

Found in path(s):

```
* /opt/cola/permits/1340076606_1654622366.535764/0/checkstyle-8-39-sources-  
jar/com/puppycrawl/tools/checkstyle/meta/filters/SuppressionXpathFilter.xml
```

No license file was found, but licenses were detected in source scan.

```
// This library is free software; you can redistribute it and/or  
// modify it under the terms of the GNU Lesser General Public  
// License as published by the Free Software Foundation; either  
// version 2.1 of the License, or (at your option) any later version.  
// This library is distributed in the hope that it will be useful,  
// but WITHOUT ANY WARRANTY; without even the implied warranty of  
// MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU  
// Lesser General Public License for more details.  
// You should have received a copy of the GNU Lesser General Public  
/**  
* <p>  
* Filter { @code SuppressionXpathFilter } works as  
* <a href="https://checkstyle.org/config_filters.html#SuppressionFilter">SuppressionFilter</a>.  
* Additionally, filter processes { @code suppress-xpath } elements,  
* which contains xpath-expressions. Xpath-expressions are queries for  
* suppressed nodes inside the AST tree.  
* </p>  
* <p>  
* Currently, filter does not support the following checks:  
* </p>  
* <ul id="SuppressionXpathFilter_IncompatibleChecks">  
* <li>  
* NoCodeInFile (reason is that AST is not generated for a file not containing code)
```

\* </li>

\* <li>

\* Regexp (reason is at

\* <a href="https://github.com/checkstyle/checkstyle/issues/7759#issuecomment-605525287"> #7759</a>)

\* </li>

\* <li>

\* RegexpSinglelineJava (reason is at

\* <a href="https://github.com/checkstyle/checkstyle/issues/7759#issuecomment-605525287"> #7759</a>)

\* </li>

\* </ul>

\* <p>

\* Also, the filter does not support suppressions inside javadoc reported by Javadoc checks:

\* </p>

\* <ul id="SuppressionXpathFilter\_JavadocChecks">

\* <li>

\* AtclauseOrder

\* </li>

\* <li>

\* JavadocBlockTagLocation

\* </li>

\* <li>

\* JavadocMethod

\* </li>

\* <li>

\* JavadocMissingLeadingAsterisk

\* </li>

\* <li>

\* JavadocMissingWhitespaceAfterAsterisk

\* </li>

\* <li>

\* JavadocParagraph

\* </li>

\* <li>

\* JavadocStyle

\* </li>

\* <li>

\* JavadocTagContinuationIndentation

\* </li>

\* <li>

\* JavadocType

\* </li>

\* <li>

\* MissingDeprecated

\* </li>

\* <li>

\* NonEmptyAtclauseDescription

\* </li>

\* <li>

- \* RequireEmptyLineBeforeBlockTagGroup
- \* </li>
- \* <li>
- \* SingleLineJavadoc
- \* </li>
- \* <li>
- \* SummaryJavadoc
- \* </li>
- \* <li>
- \* WriteTag
- \* </li>
- \* </ul>
- \* <p>
- \* Note, that support for these Checks will be available after resolving issues
- \* <a href="https://github.com/checkstyle/checkstyle/issues/5770">#5770</a> and
- \* <a href="https://github.com/checkstyle/checkstyle/issues/5777">#5777</a>.
- \* </p>
- \* <p>
- \* Currently, filter supports the following xpath axes:
- \* </p>
- \* <ul>
- \* <li>
- \* ancestor
- \* </li>
- \* <li>
- \* ancestor-or-self
- \* </li>
- \* <li>
- \* attribute
- \* </li>
- \* <li>
- \* child
- \* </li>
- \* <li>
- \* descendant
- \* </li>
- \* <li>
- \* descendant-or-self
- \* </li>
- \* <li>
- \* following
- \* </li>
- \* <li>
- \* following-sibling
- \* </li>
- \* <li>
- \* parent
- \* </li>

- \* <li>
- \* preceding
- \* </li>
- \* <li>
- \* preceding-sibling
- \* </li>
- \* <li>
- \* self
- \* </li>
- \* </ul>
- \* <p>
- \* You can use the command line helper tool to generate xpath suppressions based on your configuration file and input files. See <a href="https://checkstyle.org/cmdline.html">here</a> for more details.
- \* </p>
- \* <p>
- \* The suppression file location is checked in following order:
- \* </p>
- \* <ol>
- \* <li>
- \* as a filesystem location
- \* </li>
- \* <li>
- \* if no file found, and the location starts with either { @code http://} or { @code https://}, then it is interpreted as a URL
- \* </li>
- \* <li>
- \* if no file found, then passed to the { @code ClassLoader.getResource()} method.
- \* </li>
- \* </ol>
- \* <p>
- \* SuppressionXpathFilter can suppress Checks that have Treewalker as parent module.
- \* </p>
- \* <ul>
- \* <li>
- \* Property { @code file} - Specify the location of the <em>suppressions XML document</em> file.
- \* Type is { @code java.lang.String}.
- \* Default value is { @code null}.
- \* </li>
- \* <li>
- \* Property { @code optional} - Control what to do when the file is not existing.
- \* If optional is set to false the file must exist, or else it ends with error.
- \* On the other hand if optional is true and file is not found, the filter accepts all audit events.
- \* Type is { @code boolean}.
- \* Default value is { @code false}.
- \* </li>
- \* </ul>
- \* <p>

\* For example, the following configuration fragment directs the Checker to use a

\* { @code SuppressionXPathFilter } with suppressions file { @code config/suppressions.xml }:

```
* </p>
* <pre>
* &lt;module name="SuppressionXPathFilter"&gt;
* &lt;property name="file" value="config/suppressions.xml"/&gt;
* &lt;property name="optional" value="false"/&gt;
* &lt;/module&gt;
* </pre>
* <p>
```

\* A [https://checkstyle.org/dtds/suppressions\\_1\\_2\\_xpath\\_experimental.dtd](https://checkstyle.org/dtds/suppressions_1_2_xpath_experimental.dtd) XML document

\* contains a set of { @code suppress } and { @code suppress-xpath } elements,

\* where each { @code suppress-xpath } element can have the following attributes:

```
* </p>
* <ul>
* <li>
```

\* { @code files } - a [https://checkstyle.org/property\\_types.html#Pattern](https://checkstyle.org/property_types.html#Pattern)

\* matched against the file name associated with an audit event. It is optional.

```
* </li>
* <li>
```

\* { @code checks } - a [https://checkstyle.org/property\\_types.html#Pattern](https://checkstyle.org/property_types.html#Pattern)

\* matched against the name of the check associated with an audit event.

\* Optional as long as { @code id } or { @code message } is specified.

```
* </li>
* <li>
```

\* { @code message } - a [https://checkstyle.org/property\\_types.html#Pattern](https://checkstyle.org/property_types.html#Pattern)

\* matched against the message of the check associated with an audit event.

\* Optional as long as { @code checks } or { @code id } is specified.

```
* </li>
* <li>
```

\* { @code id } - a [https://checkstyle.org/property\\_types.html#String](https://checkstyle.org/property_types.html#String) matched against

\* the ID of the check associated with an audit event.

\* Optional as long as { @code checks } or { @code message } is specified.

```
* </li>
* <li>
```

\* { @code query } - a [https://checkstyle.org/property\\_types.html#String](https://checkstyle.org/property_types.html#String) xpath query. It is

optional.

```
* </li>
* </ul>
* <p>
```

\* Each audit event is checked against each { @code suppress } and { @code suppress-xpath } element.

\* It is suppressed if all specified attributes match against the audit event.

```
* </p>
* <p>
```

\* ATTENTION: filtering by message is dependant on runtime locale.

\* If project is running in different languages it is better to avoid filtering by message.

```
* </p>
```

\* <p>

\* The following suppressions XML document directs a { @code SuppressionXPathFilter } to reject

\* { @code CyclomaticComplexity } violations for all methods with name <i>sayHelloWorld</i> inside

\* <i>FileOne</i> and <i>FileTwo</i> files:

\* </p>

\* <p>

\* Currently, xpath queries support one type of attribute { @code @text }. { @code @text } -

\* addresses to the text value of the node. For example: variable name, annotation name,

\* text content and etc. Only the following token types support { @code @text } attribute:

\* { @code TokenTypes.IDENT }, { @code TokenTypes.STRING\_LITERAL }, { @code

TokenTypes.CHAR\_LITERAL },

\* { @code TokenTypes.NUM\_LONG }, { @code TokenTypes.NUM\_INT }, { @code

TokenTypes.NUM\_DOUBLE },

\* { @code TokenTypes.NUM\_FLOAT }.

\* These token types were selected because only their text values are different

\* in content from token type and represent text value from file and can be used

\* in xpath queries for more accurate results. Other token types always have constant values.

\* </p>

\* <pre>

\* &lt;?xml version="1.0">?&gt;

\*

\* &lt;!DOCTYPE suppressions PUBLIC

\* "http://checkstyle.org/dtd/SuppressionXPathFilter Experimental Configuration 1.2/EN"

\* "https://checkstyle.org/dtd/suppressions\_1\_2\_xpath\_experimental.dtd"&gt;

\*

\* &lt;suppressions&gt;

\* &lt;suppress-xpath checks="CyclomaticComplexity"

\* files="FileOne.java,FileTwo.java"

\* query="//METHOD\_DEF[./IDENT[@text='sayHelloWorld']]"&gt;

\* &lt;/suppressions&gt;

\* </pre>

\* <p>

\* Suppress checks for package definitions:

\* </p>

\* <pre>

\* &lt;suppress-xpath checks="\*" query="//PACKAGE\_DEF"&gt;

\* </pre>

\* <p>

\* Suppress checks for parent element of the first variable definition:

\* </p>

\* <pre>

\* &lt;suppress-xpath checks="\*" query="//VARIABLE\_DEF[1]/.."&gt;

\* </pre>

\* <p>

\* Suppress checks for elements which are either class definitions, either method definitions.

\* </p>

\* <pre>

\* &lt;suppress-xpath checks="\*" query="//CLASS\_DEF | //METHOD\_DEF"&gt;

```

* </pre>
* <p>
* Suppress checks for certain methods:
* </p>
* <pre>
* &lt;suppress-xpath checks=&quot;.*&quot; query=&quot;//METHOD_DEF[./IDENT[@text='getSomeVar'
*   or @text='setSomeVar']]&quot;/&gt;
* </pre>
* <p>
* Suppress checks for variable <i>testVariable</i> inside <i>testMethod</i>
* method inside <i>TestClass</i> class.
* </p>
* <pre>
* &lt;suppress-xpath checks=&quot;.*&quot; query=&quot;/CLASS_DEF[@text='TestClass']
*   //METHOD_DEF[./IDENT[@text='testMethod']]
*   //VARIABLE_DEF[./IDENT[@text='testVariable']]&quot;/&gt;
* </pre>
* <p>
* In the following sample, violations for { @code LeftCurly } check will be suppressed
* for classes with name <i>Main</i> or for methods with name <i>calculate</i>.
* </p>
* <pre>
* &lt;suppress-xpath checks=&quot;LeftCurly&quot; query=&quot;/CLASS_DEF[./IDENT[@text='Main']]/*
*   |//METHOD_DEF[./IDENT[@text='calculate']]/*&quot;/&gt;
* </pre>
* <p>
* The following example demonstrates how to suppress { @code RequireThis } violations
* for variable <i>age</i> inside <i>changeAge</i> method.
* </p>
* <pre>
* &lt;suppress-xpath checks=&quot;RequireThis&quot;
*   query=&quot;/CLASS_DEF[./IDENT[@text='InputTest']]
*   //METHOD_DEF[./IDENT[@text='changeAge']]//ASSIGN/IDENT[@text='age']&quot;/&gt;
* </pre>
* <pre>
* public class InputTest {
*   private int age = 23;
*
*   public void changeAge() {
*     age = 24; //violation will be suppressed
*   }
* }
* </pre>
* <p>
* Suppress { @code IllegalThrows } violations only for methods with name <i>throwsMethod</i>
* and only for { @code RuntimeException } exceptions. Double colon is used for axis iterations.
* In the following example { @code ancestor } axis is used to iterate all ancestor nodes
* of the current node with type { @code METHOD_DEF } and name <i>throwsMethod</i>.

```

\* Please read more about xpath axes at [https://www.w3schools.com/xml/xpath\\_axes.asp](https://www.w3schools.com/xml/xpath_axes.asp)

\* W3Schools Xpath Axes

\* </p>

\* <pre>

```
* &lt;suppress-xpath checks="IllegalThrows" query="//LITERAL_THROWS
```

```
*   /IDENT[@text='RuntimeException' and
```

```
*   ./ancestor::METHOD_DEF[./IDENT[@text='throwsMethod']]"/&gt;
```

```
* </pre>
```

```
* <pre>
```

```
* public class InputTest {
```

```
*   public void throwsMethod() throws RuntimeException { // violation will be suppressed
```

```
*   }
```

```
*
```

```
*   public void sampleMethod() throws RuntimeException { // will throw violation here
```

```
*   }
```

```
* }
```

```
* </pre>
```

```
* <p>
```

\* The following sample demonstrates how to suppress all violations for method

\* itself and all descendants. {`descendant-or-self`} axis iterates through

\* current node and all children nodes at any level. Keyword {`node()`}

\* selects node elements. Please read more about xpath syntax at

\* [https://www.w3schools.com/xml/xpath\\_syntax.asp](https://www.w3schools.com/xml/xpath_syntax.asp) W3Schools Xpath Syntax

\* </p>

```
* <pre>
```

```
* &lt;suppress-xpath checks="*" query="//METHOD_DEF[./IDENT[@text='legacyMethod']]
```

```
*   /descendant-or-self::node()"/&gt;
```

```
* </pre>
```

```
* <p>
```

\* Some elements can be suppressed in different ways. For example, to suppress

\* violation on variable {`wordCount`} in following code:

\* </p>

```
* <pre>
```

```
* public class InputTest {
```

```
*   private int wordCount = 11;
```

```
* }
```

```
* </pre>
```

```
* <p>
```

\* You need to look at AST of such code by our CLI tool:

\* </p>

```
* <pre>
```

```
* $ java -jar checkstyle-X.XX-all.jar -t InputTest.java
```

```
* CLASS_DEF -&gt; CLASS_DEF [1:0]
```

```
* |--MODIFIERS -&gt; MODIFIERS [1:0]
```

```
* | `--LITERAL_PUBLIC -&gt; public [1:0]
```

```
* |--LITERAL_CLASS -&gt; class [1:7]
```

```
* |--IDENT -&gt; InputTest [1:13]
```

```
* `--OBJBLOCK -&gt; OBJBLOCK [1:23]
```



```

* |--LCURLY -&gt; { [1:23]
* |--VARIABLE_DEF -&gt; VARIABLE_DEF [2:4]
* | |--MODIFIERS -&gt; MODIFIERS [2:4]
* | | `--LITERAL_PRIVATE -&gt; private [2:4]
* | |--TYPE -&gt; TYPE [2:12]
* | | `--LITERAL_INT -&gt; int [2:12]
* | |--IDENT -&gt; wordCount [2:16]
* | |--ASSIGN -&gt; = [2:26]
* | | `--EXPR -&gt; EXPR [2:28]
* | | | `--NUM_INT -&gt; 11 [2:28]
* | | `--SEMI -&gt; ; [2:30]
* `--RCURLY -&gt; } [3:0]
* </pre>
* <p>
* The easiest way is to suppress by variable name. As you can see { @code VARIABLE_DEF }
* node refers to variable declaration statement and has child node with token type
* { @code IDENT } which is used for storing class, method, variable names.
* </p>
* <p>
* The following example demonstrates how variable can be queried by its name:
* </p>
* <pre>
* &lt;suppress-xpath checks="." query="//VARIABLE_DEF[
*     .IDENT[@text='wordCount']"/&gt;
* </pre>
* <p>
* Another way is to suppress by variable value. Again, if you look at the printed
* AST tree above, you will notice that one of the grandchildren of { @code VARIABLE_DEF }
* node is responsible for storing variable value -{ @code NUM_INT } with value <b>11</b>.
* </p>
* <p>
* The following example demonstrates how variable can be queried by its value,
* same approach applies to { @code String, char, float, double, int, long } data types:
* </p>
* <pre>
* &lt;suppress-xpath checks="." query="//VARIABLE_DEF[./NUM_INT[@text=11]]"/&gt;
* </pre>
* <p>
* Next example is about suppressing method with certain annotation by its name and element value.
* </p>
* <pre>
* public class InputTest {
*     &#64;Generated("first") // should not be suppressed
*     public void test1() {
*     }
*
*     &#64;Generated("second") // should be suppressed
*     public void test2() {

```

```

*     }
*   }
* </pre>
* <p>
* First of all we need to look at AST tree printed by our CLI tool:
* </p>
* <pre>
* $ java -jar checkstyle-X.XX-all.jar -t InputTest.java
* CLASS_DEF -&gt; CLASS_DEF [1:0]
* |--MODIFIERS -&gt; MODIFIERS [1:0]
* | `--LITERAL_PUBLIC -&gt; public [1:0]
* |--LITERAL_CLASS -&gt; class [1:7]
* |--IDENT -&gt; InputTest [1:13]
* `--OBJBLOCK -&gt; OBJBLOCK [1:23]
* |--LCURLY -&gt; { [1:23]
* |--METHOD_DEF -&gt; METHOD_DEF [2:4]
* | |--MODIFIERS -&gt; MODIFIERS [2:4]
* | | |--ANNOTATION -&gt; ANNOTATION [2:4]
* | | | |--AT -&gt; @ [2:4]
* | | | |--IDENT -&gt; Generated [2:5]
* | | | |--LPAREN -&gt; ( [2:14]
* | | | | |--EXPR -&gt; EXPR [2:15]
* | | | | | `--STRING_LITERAL -&gt; "first" [2:15]
* | | | | `--RPAREN -&gt; ) [2:22]
* | | | `--LITERAL_PUBLIC -&gt; public [3:4]
* | | |--TYPE -&gt; TYPE [3:11]
* | | | `--LITERAL_VOID -&gt; void [3:11]
* | | |--IDENT -&gt; test1 [3:16]
* | | |--LPAREN -&gt; ( [3:21]
* | | |--PARAMETERS -&gt; PARAMETERS [3:22]
* | | |--RPAREN -&gt; ) [3:22]
* | | `--SLIST -&gt; { [3:24]
* | |   `--RCURLY -&gt; } [4:4]
* |--METHOD_DEF -&gt; METHOD_DEF [6:4]
* | |--MODIFIERS -&gt; MODIFIERS [6:4]
* | | |--ANNOTATION -&gt; ANNOTATION [6:4]
* | | | |--AT -&gt; @ [6:4]
* | | | |--IDENT -&gt; Generated [6:5]
* | | | |--LPAREN -&gt; ( [6:14]
* | | | | |--EXPR -&gt; EXPR [6:15]
* | | | | | `--STRING_LITERAL -&gt; "second" [6:15]
* | | | | `--RPAREN -&gt; ) [6:23]
* | | | `--LITERAL_PUBLIC -&gt; public [7:4]
* | | |--TYPE -&gt; TYPE [7:11]
* | | | `--LITERAL_VOID -&gt; void [7:11]
* | | |--IDENT -&gt; test2 [7:16]
* | | |--LPAREN -&gt; ( [7:21]
* | | |--PARAMETERS -&gt; PARAMETERS [7:22]

```

```

* | |--RPAREN -&gt; ) [7:22]
* | `--SLIST -&gt; { [7:24]
* |   |--RCURLY -&gt; } [8:4]
* `--RCURLY -&gt; } [9:0]
* </pre>
* <p>
* AST node { @code ANNOTATION -> ANNOTATION [6:4] } has direct child
* { @code IDENT -> Generated [6:5] }, therefore can be queried by { @code IDENT } value:
* </p>
* <pre>
* &lt;suppress-xpath checks="." query="//METHOD_DEF[
*     .//ANNOTATION/IDENT[@text='Generated']"/&gt;
* </pre>
* <p>
* The problem with query above that it will suppress violations for all methods
* with annotation { @code @Generated }. In order to suppress methods with
* { @code @Generated("second") } annotations only, you need to look at AST tree again.
* Value of the { @code ANNOTATION } node is stored inside sub-node with token type
* { @code STRING_LITERAL }. Use the following query to suppress methods with
* { @code @Generated("second") } annotation:
* </p>
* <pre>
* &lt;suppress-xpath checks="." query="//METHOD_DEF[.//ANNOTATION[
*     ./IDENT[@text='Generated'] and ./EXPR/STRING_LITERAL[@text='second']]"/&gt;
* </pre>
* <p>
* Parent is { @code com.puppcrawl.tools.checkstyle.TreeWalker }
* </p>
*
* @since 8.6
* @noinspection NonFinalFieldReferenceInEquals, NonFinalFieldReferencedInHashCode
*/

```

Found in path(s):

```

* /opt/cola/permits/1340076606_1654622366.535764/0/checkstyle-8-39-sources-
jar/com/puppcrawl/tools/checkstyle/filters/SuppressionXpathFilter.java

```

No license file was found, but licenses were detected in source scan.

```

// This library is free software; you can redistribute it and/or
// modify it under the terms of the GNU Lesser General Public
// License as published by the Free Software Foundation; either
// version 2.1 of the License, or (at your option) any later version.
// This library is distributed in the hope that it will be useful,
// but WITHOUT ANY WARRANTY; without even the implied warranty of
// MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU
// Lesser General Public License for more details.
// You should have received a copy of the GNU Lesser General Public
* This grammar is in the PUBLIC DOMAIN

```

Found in path(s):

```
* /opt/cola/permits/1340076606_1654622366.535764/0/checkstyle-8-39-sources-  
jar/com/puppcrawl/tools/checkstyle/grammar/java.g
```

No license file was found, but licenses were detected in source scan.

```
// This library is free software; you can redistribute it and/or  
// modify it under the terms of the GNU Lesser General Public  
// License as published by the Free Software Foundation; either  
// version 2.1 of the License, or (at your option) any later version.  
// This library is distributed in the hope that it will be useful,  
// but WITHOUT ANY WARRANTY; without even the implied warranty of  
// MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU  
// Lesser General Public License for more details.  
// You should have received a copy of the GNU Lesser General Public  
/**  
* <p>  
* Checks the header of a source file against a header that contains a  
* <a href="https://docs.oracle.com/en/java/javase/11/docs/api/java.base/java/util/regex/Pattern.html">  
* regular expression</a> for each line of the source header.  
* </p>  
* <p>  
* Rationale: In some projects <a href="https://checkstyle.org/config_header.html#Header">  
* checking against a fixed header</a> is not sufficient, e.g. the header might  
* require a copyright line where the year information is not static.  
* </p>  
* <p>  
* For example, consider the following header:  
* </p>  
* <pre>  
* line 1: ^{71}$  
* line 2: ^// checkstyle:$  
* line 3: ^// Checks Java source code for adherence to a set of rules\.$  
* line 4: ^// Copyright \(C\) \d\d\d\d Oliver Burn$  
* line 5: ^// Last modification by \$Author.*\$$  
* line 6: ^{71}$  
* line 7:  
* line 8: ^package  
* line 9:  
* line 10: ^import  
* line 11:  
* line 12: ^\.*  
* line 13: ^\.*\([^\)]\)$  
* line 14: ^\.*&#47;  
* </pre>  
* <p>  
* Lines 1 and 6 demonstrate a more compact notation for 71 '/' characters.  
* Line 4 enforces that the copyright notice includes a four digit year.
```

- \* Line 5 is an example how to enforce revision control keywords in a file header.
- \* Lines 12-14 is a template for javadoc (line 13 is so complicated to remove
- \* conflict with and of javadoc comment). Lines 7, 9 and 11 will be treated
- \* as '^\$' and will forcefully expect the line to be empty.
- \* </p>
- \* <p>
- \* Different programming languages have different comment syntax rules,
- \* but all of them start a comment with a non-word character.
- \* Hence you can often use the non-word character class to abstract away
- \* the concrete comment syntax and allow checking the header for different
- \* languages with a single header definition. For example, consider the following
- \* header specification (note that this is not the full Apache license header):
- \* </p>
- \* <pre>
- \* line 1: ^#!
- \* line 2: ^&lt;?xml.\*&gt;\$
- \* line 3: ^\W\*\$
- \* line 4: ^\W\*Copyright 2006 The Apache Software Foundation or its licensors, as applicable\.\$
- \* line 5: ^\W\*Licensed under the Apache License, Version 2\.\0 \((the "License")\);\$
- \* line 6: ^\W\*\$
- \* </pre>
- \* <p>
- \* Lines 1 and 2 leave room for technical header lines, e.g. the "#!/bin/sh"
- \* line in Unix shell scripts, or the XML file header of XML files.
- \* Set the multiline property to "1, 2" so these lines can be ignored for
- \* file types where they do not apply. Lines 3 through 6 define the actual header content.
- \* Note how lines 2, 4 and 5 use escapes for characters that have special regexp semantics.
- \* </p>
- \* <p>
- \* In default configuration, if header is not specified, the default value
- \* of header is set to null and the check does not rise any violations.
- \* </p>
- \* <ul>
- \* <li>
- \* Property { @code headerFile } - Specify the name of the file containing the required header.
- \* Type is { @code java.net.URI }.
- \* Default value is { @code null }.
- \* </li>
- \* <li>
- \* Property { @code charset } - Specify the character encoding to use when reading the headerFile.
- \* Type is { @code java.lang.String }.
- \* Default value is { @code the charset property of the parent
- \* <a href="https://checkstyle.org/config.html#Checker">Checker</a> module }.
- \* </li>
- \* <li>
- \* Property { @code header } - Define the required header specified inline.
- \* Individual header lines must be separated by the string { @code "\n" }
- \* (even on platforms with a different line separator).

- \* For header lines containing { @code "\n\n" } checkstyle will
- \* forcefully expect an empty line to exist. See examples below.
- \* Regular expressions must not span multiple lines.
- \* Type is { @code java.lang.String }.
- \* Default value is { @code null }.
- \* </li>
- \* <li>
- \* Property { @code multiLines } - Specify the line numbers to repeat (zero or more times).
- \* Type is { @code int[] }.
- \* Default value is { @code "" }.
- \* </li>
- \* <li>
- \* Property { @code fileExtensions } - Specify the file type extension of files to process.
- \* Type is { @code java.lang.String[] }.
- \* Default value is { @code "" }.
- \* </li>
- \* </ul>
- \* <p>
- \* To configure the check such that no violations arise.
- \* Default values of properties are used.
- \* </p>
- \* <pre>
- \* &lt;module name="RegexpHeader"/&gt;
- \* </pre>
- \* <p>
- \* To configure the check to use header file { @code "config/java.header" } and
- \* { @code 10 } and { @code 13 } multi-lines:
- \* </p>
- \* <pre>
- \* &lt;module name="RegexpHeader"&gt;
- \* &lt;property name="headerFile" value="config/java.header"/&gt;
- \* &lt;property name="multiLines" value="10, 13"/&gt;
- \* &lt;/module&gt;
- \* </pre>
- \* <p>
- \* To configure the check to verify that each file starts with the header
- \* </p>
- \* <pre>
- \* ^// Copyright \((C\) (\d\d\d\d -)? 2004 MyCompany\$
- \* ^// All rights reserved\$
- \* </pre>
- \* <p>
- \* without the need for an external header file:
- \* </p>
- \* <pre>
- \* &lt;module name="RegexpHeader"&gt;
- \* &lt;property
- \* name="header"

```

* value="// Copyright \(\C\) (\d\d\d\d -)? 2004 MyCompany$
* \n^// All rights reserved$"/&gt;
* &lt;/module&gt;
* </pre>
* <p>
* For regex containing { @code "\n\n"}
* </p>
* <pre>
* &lt;module name="RegexHeader"&gt;
* &lt;property
* name="header"
* value="^package .*\n\n.*"/&gt;
* &lt;/module&gt;
* </pre>
* <p>
* { @code "\n\n"} will be treated as '^$' and will forcefully expect the line
* to be empty. For example -
* </p>
* <pre>
* package com.some.package;
* public class ThisWillFail { }
* </pre>
* <p>
* would fail for the regex above. Expected -
* </p>
* <pre>
* package com.some.package;
*
* public class ThisWillPass { }
* </pre>
* <p>
* <u>Note</u>: { @code ignoreLines} property has been removed from this check to simplify it.
* To make some line optional use "\n.*$" regexp for this line.
* </p>
* <p>
* Parent is { @code com.puppycrawl.tools.checkstyle.Checker}
* </p>
* <p>
* Violation Message Keys:
* </p>
* <ul>
* <li>
* { @code header.mismatch}
* </li>
* <li>
* { @code header.missing}
* </li>
* </ul>

```

```
*
* @since 6.9
*/
```

Found in path(s):

```
* /opt/cola/permits/1340076606_1654622366.535764/0/checkstyle-8-39-sources-
jar/com/puppcrawl/tools/checkstyle/checks/header/RegexpHeaderCheck.java
No license file was found, but licenses were detected in source scan.
```

```
// This library is free software; you can redistribute it and/or
// modify it under the terms of the GNU Lesser General Public
// License as published by the Free Software Foundation; either
// version 2.1 of the License, or (at your option) any later version.
// This library is distributed in the hope that it will be useful,
// but WITHOUT ANY WARRANTY; without even the implied warranty of
// MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU
// Lesser General Public License for more details.
// You should have received a copy of the GNU Lesser General Public
/**
 * <p>
 * Checks that a specified pattern exists, exists less than
 * a set number of times, or does not exist in the file.
 * </p>
 * <p>
 * This check combines all the functionality provided by
 * <a href="https://checkstyle.org/config_header.html#RegexpHeader">RegexpHeader</a>
 * except supplying the regular expression from a file.
 * </p>
 * <p>
 * It differs from them in that it works in multiline mode. Its regular expression
 * can span multiple lines and it checks this against the whole file at once.
 * The others work in singleline mode. Their single or multiple regular expressions
 * can only span one line. They check each of these against each line in the file in turn.
 * </p>
 * <p>
 * <b>Note:</b> Because of the different mode of operation there may be some
 * changes in the regular expressions used to achieve a particular end.
 * </p>
 * <p>
 * In multiline mode...
 * </p>
 * <ul>
 * <li>
 * { @code ^ } means the beginning of a line, as opposed to beginning of the input.
 * </li>
 * <li>
 * For beginning of the input use { @code \A }.
 * </li>

```



- \* `<li>`
- \* { `@code $` } means the end of a line, as opposed to the end of the input.
- \* `</li>`
- \* `<li>`
- \* For end of input use { `@code \Z` }.
- \* `</li>`
- \* `<li>`
- \* Each line in the file is terminated with a line feed character.
- \* `</li>`
- \* `</ul>`
- \* `<p>`
- \* **Note:** Not all regular expression engines are created equal.
- \* Some provide extra functions that others do not and some elements
- \* of the syntax may vary. This check makes use of the
- \* <https://docs.oracle.com/en/java/javase/11/docs/api/java.base/java/util/regex/package-summary.html>
- \* `java.util.regex` package; please check its documentation for details
- \* of how to construct a regular expression to achieve a particular goal.
- \* `</p>`
- \* `<p>`
- \* **Note:** When entering a regular expression as a parameter in
- \* the XML config file you must also take into account the XML rules. e.g.
- \* if you want to match a `&lt;` symbol you need to enter `&amp;lt;`.
- \* The regular expression should be entered on one line.
- \* `</p>`
- \* `<ul>`
- \* `<li>`
- \* Property { `@code format` } - Specify the pattern to match against.
- \* Type is { `@code java.util.regex.Pattern` }.
- \* Default value is { `@code "^$"` }.
- \* `</li>`
- \* `<li>`
- \* Property { `@code message` } - Specify message which is used to notify about
- \* violations, if empty then the default (hard-coded) message is used.
- \* Type is { `@code java.lang.String` }.
- \* Default value is { `@code null` }.
- \* `</li>`
- \* `<li>`
- \* Property { `@code illegalPattern` } - Control whether the pattern is required or illegal.
- \* Type is { `@code boolean` }.
- \* Default value is { `@code false` }.
- \* `</li>`
- \* `<li>`
- \* Property { `@code duplicateLimit` } - Control whether to check for duplicates
- \* of a required pattern, any negative value means no checking for duplicates,
- \* any positive value is used as the maximum number of allowed duplicates,
- \* if the limit is exceeded violations will be logged.
- \* Type is { `@code int` }.
- \* Default value is { `@code 0` }.

- \* </li>
- \* <li>
- \* Property { @code errorLimit } - Specify the maximum number of violations before
- \* the check will abort.
- \* Type is { @code int }.
- \* Default value is { @code 100 }.
- \* </li>
- \* <li>
- \* Property { @code ignoreComments } - Control whether to ignore matches found within comments.
- \* Type is { @code boolean }.
- \* Default value is { @code false }.
- \* </li>
- \* </ul>
- \* <p>
- \* To configure the check:
- \* </p>
- \* <p>
- \* The following examples are mainly copied from the other 3 checks mentioned above,
- \* to show how the same results can be achieved using this check in place of them.
- \* </p>
- \* <p>
- \* <b>To use like Required Regexp check:</b>
- \* </p>
- \* <p>
- \* An example of how to configure the check to make sure a copyright statement
- \* is included in the file:
- \* </p>
- \* <p>
- \* The statement.
- \* </p>
- \* <pre>
- \* // This code is copyrighted
- \* </pre>
- \* <p>
- \* The check.
- \* </p>
- \* <pre>
- \* &lt;module name="Regexp"&gt;
- \* &lt;property name="format" value="// This code is copyrighted"/&gt;
- \* &lt;/module&gt;
- \* </pre>
- \* <p>
- \* Your statement may be multiline.
- \* </p>
- \* <pre>
- \* // This code is copyrighted
- \* // (c) MyCompany
- \* </pre>

```

* <p>
* Then the check would be.
* </p>
* <pre>
* &lt;module name="Regex"&gt;
* &lt;property name="format" value="// This code is copyrighted\n// \(\c\) MyCompany"/&gt;
* &lt;/module&gt;
* </pre>
* <p>
* <b>Note:</b> To search for parentheses () in a regular expression you must
* escape them like \(). This is required by the regexp engine, otherwise it will
* think they are special instruction characters.
* </p>
* <p>
* And to make sure it appears only once:
* </p>
* <pre>
* &lt;module name="Regex"&gt;
* &lt;property name="format" value="// This code is copyrighted\n// \(\c\) MyCompany"/&gt;
* &lt;property name="duplicateLimit" value="0"/&gt;
* &lt;/module&gt;
* </pre>
* <p>
* It can also be useful to attach a meaningful message to the check:
* </p>
* <pre>
* &lt;module name="Regex"&gt;
* &lt;property name="format" value="// This code is copyrighted\n// \(\c\) MyCompany"/&gt;
* &lt;property name="message" value="Copyright"/&gt;
* &lt;/module&gt;
* </pre>
* <p>
* <b>To use like illegal regexp check:</b>
* </p>
* <p>
* An example of how to configure the check to make sure there are no calls to
* { @code System.out.println } :
* </p>
* <pre>
* &lt;module name="Regex"&gt;
* &lt;!-- . matches any character, so we need to escape it and use \. to match dots. --&gt;
* &lt;property name="format" value="System\.out\.println"/&gt;
* &lt;property name="illegalPattern" value="true"/&gt;
* &lt;/module&gt;
* </pre>
* <p>
* You may want to make the above check ignore comments, like this:
* </p>

```

```
* <pre>
* &lt;module name="Regexp"&gt;
* &lt;property name="format" value="System\out\println"/&gt;
* &lt;property name="illegalPattern" value="true"/&gt;
* &lt;property name="ignoreComments" value="true"/&gt;
* &lt;/module&gt;
* </pre>
* <p>
* An example of how to configure the check to find trailing whitespace at the end of a line:
* </p>
* <pre>
* &lt;module name="Regexp"&gt;
* &lt;property name="format" value="[ \t]+$"/&gt;
* &lt;property name="illegalPattern" value="true"/&gt;
* &lt;property name="message" value="Trailing whitespace"/&gt;
* &lt;/module&gt;
* </pre>
* <p>
* An example of how to configure the check to find case-insensitive occurrences of "debug":
* </p>
* <pre>
* &lt;module name="Regexp"&gt;
* &lt;property name="format" value="(?)debug"/&gt;
* &lt;property name="illegalPattern" value="true"/&gt;
* &lt;/module&gt;
* </pre>
* <p>
* <b>Note:</b> The (?) at the beginning of the regular expression tells the
* regexp engine to ignore the case.
* </p>
* <p>
* There is also a feature to limit the number of violations reported.
* When the limit is reached the check aborts with a message reporting that
* the limit has been reached. The default limit setting is 100,
* but this can be change as shown in the following example.
* </p>
* <pre>
* &lt;module name="Regexp"&gt;
* &lt;property name="format" value="(?)debug"/&gt;
* &lt;property name="illegalPattern" value="true"/&gt;
* &lt;property name="errorLimit" value="1000"/&gt;
* &lt;/module&gt;
* </pre>
* <p>
* <b>To use like <a href="https://checkstyle.org/config_header.html#RegexpHeader">
* RegexpHeader</a>:</b>
* </p>
* <p>
```

\* To configure the check to verify that each file starts with the following multiline header.

\* </p>

\* <p>

\* Note the following:

\* </p>

\* <ul>

\* <li>

\* \A means the start of the file.

\* </li>

\* <li>

\* The date can be any 4 digit number.

\* </li>

\* </ul>

\* <pre>

```
* // Copyright (C) 2004 MyCompany
```

```
* // All rights reserved
```

```
* </pre>
```

```
* <pre>
```

```
* &lt;module name="Regexp"&gt;
```

```
* &lt;property
```

```
*   name="format"
```

```
*   value="\A// Copyright \(\C\) \d\d\d\d MyCompany\n// All rights reserved"/&gt;
```

```
* &lt;/module&gt;
```

```
* </pre>
```

\* <p>

\* A more complex example. Note how the import and javadoc multilines are handled,

\* there can be any number of them.

\* </p>

\* <pre>

```
* //////////////////////////////////////
```

```
* // checkstyle:
```

```
* // Checks Java source code for adherence to a set of rules.
```

```
* // Copyright (C) 2004 Oliver Burn
```

```
* // Last modification by $Author A.N.Other$
```

```
* //////////////////////////////////////
```

```
*
```

```
* package com.puppcrawl.checkstyle;
```

```
*
```

```
* import java.util.thing1;
```

```
* import java.util.thing2;
```

```
* import java.util.thing3;
```

```
*
```

```
* &#47;*
```

```
* * javadoc line 1
```

```
* * javadoc line 2
```

```
* * javadoc line 3
```

```
* * &#47;
```

```
* </pre>
```

```

* <pre>
* &lt;module name="Regexp"&gt;
*   &lt;property
*     name="format"
*     value="\A/{71}\n// checkstyle:\n// Checks Java source code for
*     adherence to a set of rules.\n// Copyright \((C)\ \d\d\d\d Oliver Burn\n
*     // Last modification by \${Author.*\n/{71}\n\npackage [\w\.]*;\n\n
*     (import [\w\.]*;\n)*\n^\n*\n(\ \^[^]*\n)* \&#47;"&gt;
* &lt;/module&gt;
* </pre>
* <p>
* <b>More examples:</b>
* </p>
* <p>
* The next 2 examples deal with the following example Java source file:
* </p>
* <pre>
* &#47;*
* * PID.java
* *
* * Copyright (c) 2001 ACME
* * 123 Some St.
* * Somewhere.
* *
* * This software is the confidential and proprietary information of ACME.
* * ("Confidential Information"). You shall not disclose such
* * Confidential Information and shall use it only in accordance with
* * the terms of the license agreement you entered into with ACME.
* *
* * $Log: config_misc.xml,v $
* * Revision 1.7 2007/01/16 12:16:35  oburn
* * Removing all reference to mailing lists
* *
* * Revision 1.6 2005/12/25 16:13:10  o_sukhodolsky
* * Fix for rfe 1248106 (TYPECAST is now accepted by NoWhitespaceAfter)
* *
* * Fix for rfe 953266 (thanks to Paul Guyot (pguyot) for submitting patch)
* * IllegalType can be configured to accept some abstract classes which
* * matches to regexp of illegal type names (property legalAbstractClassNames)
* *
* * TrailingComment now can be configured to accept some trailing comments
* * (such as NOI18N) (property legalComment, rfe 1385344).
* *
* * Revision 1.5 2005/11/06 11:54:12  oburn
* * Incorporate excellent patch [ 1344344 ] Consolidation of regexp checks.
* *
* * Revision 1.3.8.1 2005/10/11 14:26:32  someone
* * Fix for bug 251. The broken bit is fixed

```

```

* *#47;
*
* package com.acme.tools;
*
* import com.acme.thing1;
* import com.acme.thing2;
* import com.acme.thing3;
*
* #47;**
* *
* * <P>;
* * <I>;This software is the confidential and proprietary information of
* * ACME (<B>"Confidential Information"</B>). You shall not
* * disclose such Confidential Information and shall use it only in
* * accordance with the terms of the license agreement you entered into
* * with ACME.</I>;
* * </P>;
* *
* * &#169; copyright 2002 ACME
* *
* * #64;author Some Body
* *#47;
* public class PID extends StateMachine implements WebObject.Constants {
*
* #47;** javadoc. *#47;
* public static final int A_SETPOINT = 1;
* .
* .
* .
* } // class PID
* </pre>
* <p>
* This checks for the presence of the header, the first 16 lines.
* </p>
* <p>
* Note the following:
* </p>
* <ul>
* <li>
* Line 2 and 13 contain the file name. These are checked to make sure they
* are the same, and that they match the class name.
* </li>
* <li>
* The date can be any 4 digit number.
* </li>
* </ul>
* </pre>
* <code>module name="Regexp">

```

```

* &lt;property
*   name="format"
*   value="\A\*\n \*(\w*)\.java\n \*\n \* Copyright \(\c\)
*   \d\d\d\d ACME\n \* 123 Some St.\n \* Somewhere.\n \*\n
*   \* This software is the confidential and proprietary information
*   of ACME.\n \* \(&amp;quot;Confidential Information&amp;quot;)\. You
*   shall not disclose such\n \* Confidential Information and shall
*   use it only in accordance with\n \* the terms of the license
*   agreement you entered into with ACME.\n \*\n
*   \* \$Log: config_misc.xml,v $
*   \* Revision 1\7 2007/01/16 12:16:35 oburn
*   \* Removing all reference to mailing lists
*   \* \
*   \* Revision 1.6 2005/12/25 16:13:10 o_sukhodolsky
*   \* Fix for rfe 1248106 \(\TYPECAST is now accepted by NoWhitespaceAfter\)
*   \* \
*   \* Fix for rfe 953266 \(\thanks to Paul Guyot \(\pguyot\) for submitting patch\)
*   \* IllegalType can be configured to accept some abstract classes which
*   \* matches to regexp of illegal type names \(\property legalAbstractClassNames\)
*   \*
*   \* TrailingComment now can be configured to accept some trailing comments
*   \* \(\such as NOI18N\) \(\property legalComment, rfe 1385344\).
*   \*
*   \* Revision 1.5 2005/11/06 11:54:12 oburn
*   \* Incorporate excellent patch \[ 1344344 \] Consolidation of regexp checks.
*   \* \n(.*)*\([\w\s]*\(\s class | interface )\s1\)" /&gt;
*   &lt;property name="message" value="Correct header not found" /&gt;
* &lt;/module&gt;
* </pre>
* <p>
* This checks for the presence of a copyright notice within the class javadoc, lines 24 to 37.
* </p>
* <pre>
* &lt;module name="Regexp"&gt;
*   &lt;property
*     name="format"
*     value="(\A\*\n) (\.*\n)* (\* &lt;P&gt;\n \* &lt;I&gt;
*     This software is the confidential and proprietary information of\n
*     \* ACME \(&lt;B&gt;&amp;quot;Confidential Information&amp;quot;&lt;/B&gt;
*     \)\. You shall not\n \* disclose such Confidential Information
*     and shall use it only in\n \* accordance with the terms of the
*     license agreement you entered into\n \* with ACME.\&lt;/I&gt;\n
*     \* &lt;P&gt;\n \*\n \* &amp;#169; copyright \d\d\d\d ACME\n
*     \*\n \* &#64;author .*) (\n\s\.*)* &#47;\n[\w\s]* ( class | interface )" /&gt;
*   &lt;property name="message"
*     value="Copyright in class/interface Javadoc" /&gt;
*   &lt;property name="duplicateLimit" value="0" /&gt;
* &lt;/module&gt;

```



```

* </pre>
* <p>
* <b>Note:</b> To search for things that mean something in XML, like &lt;
* you need to escape them like &amp;lt;. This is required so the XML parser
* does not act on them, but instead passes the correct character to the regexp engine.
* </p>
* <p>
* Parent is { @code com.puppcrawl.tools.checkstyle.TreeWalker }
* </p>
* <p>
* Violation Message Keys:
* </p>
* <ul>
* <li>
* { @code duplicate.regexp }
* </li>
* <li>
* { @code illegal.regexp }
* </li>
* <li>
* { @code required.regexp }
* </li>
* </ul>
*
* @since 4.0
*/

```

Found in path(s):

```

* /opt/cola/permits/1340076606_1654622366.535764/0/checkstyle-8-39-sources-
jar/com/puppcrawl/tools/checkstyle/checks/regexp/RegexpCheck.java
No license file was found, but licenses were detected in source scan.

```

header specification (note that this is not the full Apache license header):

```

line 5: ^\W*Licensed under the Apache License, Version 2\.\0 \((the "License")\);$

```

Found in path(s):

```

* /opt/cola/permits/1340076606_1654622366.535764/0/checkstyle-8-39-sources-
jar/com/puppcrawl/tools/checkstyle/meta/checks/header/RegexpHeaderCheck.xml
No license file was found, but licenses were detected in source scan.

```

```

// This library is free software; you can redistribute it and/or
// modify it under the terms of the GNU Lesser General Public
// License as published by the Free Software Foundation; either
// version 2.1 of the License, or (at your option) any later version.
// This library is distributed in the hope that it will be useful,
// but WITHOUT ANY WARRANTY; without even the implied warranty of
// MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU
// Lesser General Public License for more details.

```

// You should have received a copy of the GNU Lesser General Public

Found in path(s):

- \* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-jar/com/pupppycrawl/tools/checkstyle/checks/whitespace/EmptyLineSeparatorCheck.java
- \* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-jar/com/pupppycrawl/tools/checkstyle/checks/javadoc/JavadocMissingWhitespaceAfterAsteriskCheck.java
- \* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-jar/com/pupppycrawl/tools/checkstyle/checks/metrics/ClassDataAbstractionCouplingCheck.java
- \* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-jar/com/pupppycrawl/tools/checkstyle/checks/whitespace/EmptyForIteratorPadCheck.java
- \* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-jar/com/pupppycrawl/tools/checkstyle/checks/imports/UnusedImportsCheck.java
- \* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-jar/com/pupppycrawl/tools/checkstyle/checks/modifier/RedundantModifierCheck.java
- \* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-jar/com/pupppycrawl/tools/checkstyle/checks/whitespace/GenericWhitespaceCheck.java
- \* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-jar/com/pupppycrawl/tools/checkstyle/gui/TreeTableCellRenderer.java
- \* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-jar/com/pupppycrawl/tools/checkstyle/PropertiesExpander.java
- \* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-jar/com/pupppycrawl/tools/checkstyle/meta/XmlMetaWriter.java
- \* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-jar/com/pupppycrawl/tools/checkstyle/ThreadModeSettings.java
- \* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-jar/com/pupppycrawl/tools/checkstyle/checks/indentation/NewHandler.java
- \* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-jar/com/pupppycrawl/tools/checkstyle/checks/regexp/DetectorOptions.java
- \* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-jar/com/pupppycrawl/tools/checkstyle/checks/design/MutableExceptionCheck.java
- \* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-jar/com/pupppycrawl/tools/checkstyle/checks/indentation/CaseHandler.java
- \* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-jar/com/pupppycrawl/tools/checkstyle/checks/regexp/RegexpSinglelineCheck.java
- \* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-jar/com/pupppycrawl/tools/checkstyle/checks/imports/package-info.java
- \* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-jar/com/pupppycrawl/tools/checkstyle/checks/coding/SuperFinalizeCheck.java
- \* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-jar/com/pupppycrawl/tools/checkstyle/gui/BaseCellEditor.java
- \* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-jar/com/pupppycrawl/tools/checkstyle/checks/coding/EqualsHashCodeCheck.java
- \* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-jar/com/pupppycrawl/tools/checkstyle/checks/javadoc/JavadocMethodCheck.java
- \* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-jar/com/pupppycrawl/tools/checkstyle/checks/naming/AbstractClassNameCheck.java
- \* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-

jar/com/puppcrawl/tools/checkstyle/checks/sizes/package-info.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-  
jar/com/puppcrawl/tools/checkstyle/JavaParser.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-  
jar/com/puppcrawl/tools/checkstyle/checks/imports/ImportControlCheck.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-  
jar/com/puppcrawl/tools/checkstyle/XmlLoader.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-  
jar/com/puppcrawl/tools/checkstyle/checks/naming/package-info.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-  
jar/com/puppcrawl/tools/checkstyle/checks/whitespace/NoWhitespaceBeforeCheck.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-  
jar/com/puppcrawl/tools/checkstyle/gui/MainFrame.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-  
jar/com/puppcrawl/tools/checkstyle/checks/coding/ExplicitInitializationCheck.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-  
jar/com/puppcrawl/tools/checkstyle/utils/XpathUtil.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-  
jar/com/puppcrawl/tools/checkstyle/checks/coding/DefaultComesLastCheck.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-  
jar/com/puppcrawl/tools/checkstyle/checks/naming/AbstractNameCheck.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-  
jar/com/puppcrawl/tools/checkstyle/api/RootModule.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-  
jar/com/puppcrawl/tools/checkstyle/DefaultConfiguration.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-  
jar/com/puppcrawl/tools/checkstyle/checks/javadoc/TagParser.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-  
jar/com/puppcrawl/tools/checkstyle/checks/javadoc/JavadocMissingLeadingAsteriskCheck.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-  
jar/com/puppcrawl/tools/checkstyle/gui/TreeTable.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-  
jar/com/puppcrawl/tools/checkstyle/checks/FinalParametersCheck.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-  
jar/com/puppcrawl/tools/checkstyle/checks/naming/LambdaParameterNameCheck.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-  
jar/com/puppcrawl/tools/checkstyle/checks/imports/ImportOrderCheck.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-  
jar/com/puppcrawl/tools/checkstyle/checks/OuterTypeFilenameCheck.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-  
jar/com/puppcrawl/tools/checkstyle/checks/indentation/MemberDefHandler.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-  
jar/com/puppcrawl/tools/checkstyle/checks/sizes/ExecutableStatementCountCheck.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-  
jar/com/puppcrawl/tools/checkstyle/checks/indentation/SwitchRuleHandler.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-  
jar/com/puppcrawl/tools/checkstyle/checks/javadoc/utils/InlineTagUtil.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-

jar/com/puppcrawl/tools/checkstyle/checks/ToDoCommentCheck.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-  
jar/com/puppcrawl/tools/checkstyle/checks/naming/ParameterNameCheck.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-  
jar/com/puppcrawl/tools/checkstyle/checks/sizes/LineLengthCheck.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-  
jar/com/puppcrawl/tools/checkstyle/checks/blocks/RightCurlyCheck.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-  
jar/com/puppcrawl/tools/checkstyle/checks/coding/AvoidDoubleBraceInitializationCheck.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-  
jar/com/puppcrawl/tools/checkstyle/checks/coding/VariableDeclarationUsageDistanceCheck.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-  
jar/com/puppcrawl/tools/checkstyle/Utils/CheckUtil.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-  
jar/com/puppcrawl/tools/checkstyle/checks/coding/MultipleStringLiteralsCheck.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-  
jar/com/puppcrawl/tools/checkstyle/SuppressionsStringPrinter.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-  
jar/com/puppcrawl/tools/checkstyle/checks/indentation/CommentsIndentationCheck.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-  
jar/com/puppcrawl/tools/checkstyle/checks/javadoc/JavadocTagContinuationIndentationCheck.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-  
jar/com/puppcrawl/tools/checkstyle/checks/UpperEllCheck.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-  
jar/com/puppcrawl/tools/checkstyle/checks/LineSeparatorOption.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-  
jar/com/puppcrawl/tools/checkstyle/checks/design/OneTopLevelClassCheck.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-  
jar/com/puppcrawl/tools/checkstyle/api/AuditEvent.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-  
jar/com/puppcrawl/tools/checkstyle/checks/metrics/CyclomaticComplexityCheck.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-  
jar/com/puppcrawl/tools/checkstyle/Utils/AnnotationUtil.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-  
jar/com/puppcrawl/tools/checkstyle/checks/whitespace/ParenPadCheck.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-  
jar/com/puppcrawl/tools/checkstyle/meta/JavadocMetadataScraper.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-  
jar/com/puppcrawl/tools/checkstyle/Utils/BlockCommentPosition.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-  
jar/com/puppcrawl/tools/checkstyle/StatelessCheck.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-  
jar/com/puppcrawl/tools/checkstyle/api/Configuration.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-  
jar/com/puppcrawl/tools/checkstyle/checks/sizes/MethodCountCheck.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-  
jar/com/puppcrawl/tools/checkstyle/ant/CheckstyleAntTask.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-

jar/com/puppcrawl/tools/checkstyle/checks/NewlineAtEndOfFileCheck.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-  
jar/com/puppcrawl/tools/checkstyle/checks/imports/ImportOrderOption.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-  
jar/com/puppcrawl/tools/checkstyle/checks/coding/NoEnumTrailingCommaCheck.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-  
jar/com/puppcrawl/tools/checkstyle/api/BeforeExecutionFileFilter.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-  
jar/com/puppcrawl/tools/checkstyle/checks/NoCodeInFileCheck.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-  
jar/com/puppcrawl/tools/checkstyle/checks/annotation/PackageAnnotationCheck.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-  
jar/com/puppcrawl/tools/checkstyle/checks/javadoc/MissingJavadocMethodCheck.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-  
jar/com/puppcrawl/tools/checkstyle/checks/coding/IllegalThrowsCheck.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-  
jar/com/puppcrawl/tools/checkstyle/filters/IntFilterElement.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-  
jar/com/puppcrawl/tools/checkstyle/checks/coding/NestedIfDepthCheck.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-  
jar/com/puppcrawl/tools/checkstyle/checks/metrics/BooleanExpressionComplexityCheck.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-  
jar/com/puppcrawl/tools/checkstyle/checks/coding/IllegalTokenTextCheck.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-  
jar/com/puppcrawl/tools/checkstyle/checks/indentation/PrimordialHandler.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-  
jar/com/puppcrawl/tools/checkstyle/filters/SuppressWarningsFilter.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-  
jar/com/puppcrawl/tools/checkstyle/checks/header/package-info.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-  
jar/com/puppcrawl/tools/checkstyle/checks/coding/StringLiteralEqualityCheck.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-  
jar/com/puppcrawl/tools/checkstyle/checks/coding/AvoidNoArgumentSuperConstructorCallCheck.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-  
jar/com/puppcrawl/tools/checkstyle/Utils/FilterUtil.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-  
jar/com/puppcrawl/tools/checkstyle/checks/regexp/package-info.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-  
jar/com/puppcrawl/tools/checkstyle/filters/SeverityMatchFilter.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-  
jar/com/puppcrawl/tools/checkstyle/checks/indentation/package-info.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-  
jar/com/puppcrawl/tools/checkstyle/PackageNamesLoader.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-  
jar/com/puppcrawl/tools/checkstyle/checks/sizes/ParameterNumberCheck.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-  
jar/com/puppcrawl/tools/checkstyle/checks/javadoc/NonEmptyAtclauseDescriptionCheck.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-

jar/com/puppycrawl/tools/checkstyle/checks/whitespace/WhitespaceAfterCheck.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-  
jar/com/puppycrawl/tools/checkstyle/checks/indentation/LabelHandler.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-  
jar/com/puppycrawl/tools/checkstyle/checks/indentation/StaticInitHandler.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-  
jar/com/puppycrawl/tools/checkstyle/checks/coding/AvoidInlineConditionalsCheck.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-  
jar/com/puppycrawl/tools/checkstyle/checks/design/InterfaceIsTypeCheck.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-  
jar/com/puppycrawl/tools/checkstyle/checks/TrailingCommentCheck.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-  
jar/com/puppycrawl/tools/checkstyle/checks/javadoc/SummaryJavadocCheck.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-  
jar/com/puppycrawl/tools/checkstyle/checks/whitespace/OperatorWrapCheck.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-  
jar/com/puppycrawl/tools/checkstyle/checks/blocks/EmptyCatchBlockCheck.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-  
jar/com/puppycrawl/tools/checkstyle/checks/coding/package-info.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-  
jar/com/puppycrawl/tools/checkstyle/checks/blocks/NeedBracesCheck.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-  
jar/com/puppycrawl/tools/checkstyle/checks/javadoc/InvalidJavadocPositionCheck.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-  
jar/com/puppycrawl/tools/checkstyle/meta/MetadataGeneratorUtil.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-  
jar/com/puppycrawl/tools/checkstyle/xpath/AttributeNode.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-  
jar/com/puppycrawl/tools/checkstyle/checks/coding/OneStatementPerLineCheck.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-  
jar/com/puppycrawl/tools/checkstyle/api/FileSetCheck.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-  
jar/com/puppycrawl/tools/checkstyle/checks/modifier/ModifierOrderCheck.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-  
jar/com/puppycrawl/tools/checkstyle/checks/naming/ClassTypeParameterNameCheck.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-  
jar/com/puppycrawl/tools/checkstyle/checks/blocks/BlockOption.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-  
jar/com/puppycrawl/tools/checkstyle/meta/ModuleDetails.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-  
jar/com/puppycrawl/tools/checkstyle/PropertyResolver.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-  
jar/com/puppycrawl/tools/checkstyle/checks/coding/SuperCloneCheck.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-  
jar/com/puppycrawl/tools/checkstyle/checks/package-info.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-  
jar/com/puppycrawl/tools/checkstyle/TreeWalker.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-

jar/com/puppycrawl/tools/checkstyle/XpathFileGeneratorAuditListener.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-  
jar/com/puppycrawl/tools/checkstyle/gui/ParseTreeTableModel.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-  
jar/com/puppycrawl/tools/checkstyle/api/AutomaticBean.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-  
jar/com/puppycrawl/tools/checkstyle/checks/coding/NestedForDepthCheck.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-  
jar/com/puppycrawl/tools/checkstyle/xpath/RootNode.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-  
jar/com/puppycrawl/tools/checkstyle/meta/package-info.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-  
jar/com/puppycrawl/tools/checkstyle/api/ExternalResourceHolder.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-  
jar/com/puppycrawl/tools/checkstyle/checks/naming/LocalFinalVariableNameCheck.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-  
jar/com/puppycrawl/tools/checkstyle/checks/javadoc/JavadocBlockTagLocationCheck.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-  
jar/com/puppycrawl/tools/checkstyle/checks/javadoc/MissingJavadocPackageCheck.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-  
jar/com/puppycrawl/tools/checkstyle/checks/coding/AbstractSuperCheck.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-  
jar/com/puppycrawl/tools/checkstyle/checks/whitespace/FileTabCharacterCheck.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-  
jar/com/puppycrawl/tools/checkstyle/checks/whitespace/NoLineWrapCheck.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-  
jar/com/puppycrawl/tools/checkstyle/checks/javadoc/MissingJavadocTypeCheck.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-  
jar/com/puppycrawl/tools/checkstyle/Definitions.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-  
jar/com/puppycrawl/tools/checkstyle/checks/indentation/SlistHandler.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-  
jar/com/puppycrawl/tools/checkstyle/checks/annotation/AnnotationOnSameLineCheck.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-  
jar/com/puppycrawl/tools/checkstyle/api/AuditListener.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-  
jar/com/puppycrawl/tools/checkstyle/checks/imports/ImportControlLoader.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-  
jar/com/puppycrawl/tools/checkstyle/api/Contextualizable.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-  
jar/com/puppycrawl/tools/checkstyle/checks/coding/MultipleVariableDeclarationsCheck.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-  
jar/com/puppycrawl/tools/checkstyle/checks/naming/ConstantNameCheck.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-  
jar/com/puppycrawl/tools/checkstyle/filters/package-info.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-  
jar/com/puppycrawl/tools/checkstyle/checks/indentation/ObjectBlockHandler.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-

jar/com/puppcrawl/tools/checkstyle/checks/DescendantTokenCheck.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-  
jar/com/puppcrawl/tools/checkstyle/checks/indentation/IndexHandler.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-  
jar/com/puppcrawl/tools/checkstyle/xpath/ElementNode.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-  
jar/com/puppcrawl/tools/checkstyle/checks/whitespace/package-info.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-  
jar/com/puppcrawl/tools/checkstyle/checks/imports/CustomImportOrderCheck.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-  
jar/com/puppcrawl/tools/checkstyle/checks/coding/UnnecessarySemicolonInTryWithResourcesCheck.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-  
jar/com/puppcrawl/tools/checkstyle/checks/naming/MethodNameCheck.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-  
jar/com/puppcrawl/tools/checkstyle/checks/javadoc/package-info.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-  
jar/com/puppcrawl/tools/checkstyle/checks/javadoc/JavadocVariableCheck.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-  
jar/com/puppcrawl/tools/checkstyle/checks/coding/MissingCtorCheck.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-  
jar/com/puppcrawl/tools/checkstyle/checks/indentation/IfHandler.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-  
jar/com/puppcrawl/tools/checkstyle/XMLLogger.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-  
jar/com/puppcrawl/tools/checkstyle/gui/ParseTreeTablePresentation.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-  
jar/com/puppcrawl/tools/checkstyle/checks/whitespace/EmptyForInitializerPadCheck.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-  
jar/com/puppcrawl/tools/checkstyle/checks/indentation/LambdaHandler.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-  
jar/com/puppcrawl/tools/checkstyle/utils/package-info.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-  
jar/com/puppcrawl/tools/checkstyle/checks/regexp/CommentSuppressor.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-  
jar/com/puppcrawl/tools/checkstyle/checks/javadoc/JavadocTypeCheck.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-  
jar/com/puppcrawl/tools/checkstyle/checks/imports/PkgImportControl.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-  
jar/com/puppcrawl/tools/checkstyle/checks/whitespace/SeparatorWrapCheck.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-  
jar/com/puppcrawl/tools/checkstyle/checks/coding/ReturnCountCheck.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-  
jar/com/puppcrawl/tools/checkstyle/checks/whitespace/WrapOption.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-  
jar/com/puppcrawl/tools/checkstyle/filters/IntMatchFilterElement.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-  
jar/com/puppcrawl/tools/checkstyle/checks/naming/LocalVariableNameCheck.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-



jar/com/puppcrawl/tools/checkstyle/filters/SuppressionFilter.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-  
jar/com/puppcrawl/tools/checkstyle/meta/ModulePropertyDetails.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-  
jar/com/puppcrawl/tools/checkstyle/checks/imports/MismatchStrategy.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-  
jar/com/puppcrawl/tools/checkstyle/checks/sizes/OuterTypeNumberCheck.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-  
jar/com/puppcrawl/tools/checkstyle/checks/coding/NoFinalizerCheck.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-  
jar/com/puppcrawl/tools/checkstyle/checks/metrics/NPathComplexityCheck.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-  
jar/com/puppcrawl/tools/checkstyle/checks/javadoc/RequireEmptyLineBeforeBlockTagGroupCheck.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-  
jar/com/puppcrawl/tools/checkstyle/checks/coding/PackageDeclarationCheck.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-  
jar/com/puppcrawl/tools/checkstyle/checks/naming/CatchParameterNameCheck.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-  
jar/com/puppcrawl/tools/checkstyle/checks/indentation/IndentationCheck.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-  
jar/com/puppcrawl/tools/checkstyle/Utils/CommonUtil.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-  
jar/com/puppcrawl/tools/checkstyle/gui/package-info.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-  
jar/com/puppcrawl/tools/checkstyle/api/JavadocTokenTypes.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-  
jar/com/puppcrawl/tools/checkstyle/checks/annotation/AnnotationLocationCheck.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-  
jar/com/puppcrawl/tools/checkstyle/FileStatefulCheck.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-  
jar/com/puppcrawl/tools/checkstyle/checks/coding/HiddenFieldCheck.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-  
jar/com/puppcrawl/tools/checkstyle/checks/whitespace/TypecastParenPadCheck.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-  
jar/com/puppcrawl/tools/checkstyle/checks/coding/UnnecessarySemicolonAfterTypeMemberDeclarationCheck.java  
a  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-  
jar/com/puppcrawl/tools/checkstyle/PropertyCacheFile.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-  
jar/com/puppcrawl/tools/checkstyle/filefilters/package-info.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-  
jar/com/puppcrawl/tools/checkstyle/checks/javadoc/SingleLineJavadocCheck.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-  
jar/com/puppcrawl/tools/checkstyle/api/DetailNode.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-  
jar/com/puppcrawl/tools/checkstyle/checks/javadoc/AtclauseOrderCheck.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-  
jar/com/puppcrawl/tools/checkstyle/checks/javadoc/AbstractJavadocCheck.java

\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-jar/com/puppycrawl/tools/checkstyle/checks/coding/InnerAssignmentCheck.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-jar/com/puppycrawl/tools/checkstyle/checks/naming/StaticVariableNameCheck.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-jar/com/puppycrawl/tools/checkstyle/checks/coding/IllegalCatchCheck.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-jar/com/puppycrawl/tools/checkstyle/filters/XpathFilterElement.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-jar/com/puppycrawl/tools/checkstyle/gui/Main.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-jar/com/puppycrawl/tools/checkstyle/checks/coding/MatchXpathCheck.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-jar/com/puppycrawl/tools/checkstyle/checks/indentation/SwitchHandler.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-jar/com/puppycrawl/tools/checkstyle/meta/XmlMetaReader.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-jar/com/puppycrawl/tools/checkstyle/AuditEventDefaultFormatter.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-jar/com/puppycrawl/tools/checkstyle/checks/indentation/YieldHandler.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-jar/com/puppycrawl/tools/checkstyle/checks/annotation/package-info.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-jar/com/puppycrawl/tools/checkstyle/checks/sizes/FileLengthCheck.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-jar/com/puppycrawl/tools/checkstyle/xpath/package-info.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-jar/com/puppycrawl/tools/checkstyle/checks/modifier/ClassMemberImpliedModifierCheck.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-jar/com/puppycrawl/tools/checkstyle/api/TextBlock.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-jar/com/puppycrawl/tools/checkstyle/checks/annotation/SuppressWarningsCheck.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-jar/com/puppycrawl/tools/checkstyle/api/Scope.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-jar/com/puppycrawl/tools/checkstyle/XpathFileGeneratorAstFilter.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-jar/com/puppycrawl/tools/checkstyle/api/AbstractCheck.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-jar/com/puppycrawl/tools/checkstyle/checks/imports/AvoidStarImportCheck.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-jar/com/puppycrawl/tools/checkstyle/checks/imports/RedundantImportCheck.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-jar/com/puppycrawl/tools/checkstyle/checks/whitespace/WhitespaceAroundCheck.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-jar/com/puppycrawl/tools/checkstyle/checks/regexp/RegexpOnFilenameCheck.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-jar/com/puppycrawl/tools/checkstyle/checks/design/FinalClassCheck.java

\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-jar/com/puppycrawl/tools/checkstyle/checks/indentation/ForHandler.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-jar/com/puppycrawl/tools/checkstyle/checks/indentation/DetailAstSet.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-jar/com/puppycrawl/tools/checkstyle/checks/naming/RecordTypeParameterNameCheck.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-jar/com/puppycrawl/tools/checkstyle/checks/indentation/AnnotationArrayInitHandler.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-jar/com/puppycrawl/tools/checkstyle/checks/indentation/CatchHandler.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-jar/com/puppycrawl/tools/checkstyle/checks/naming/PackageNameCheck.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-jar/com/puppycrawl/tools/checkstyle/checks/sizes/AnonInnerLengthCheck.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-jar/com/puppycrawl/tools/checkstyle/AstTreeStringPrinter.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-jar/com/puppycrawl/tools/checkstyle/checks/annotation/MissingOverrideCheck.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-jar/com/puppycrawl/tools/checkstyle/checks/javadoc/WriteTagCheck.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-jar/com/puppycrawl/tools/checkstyle/checks/coding/MissingSwitchDefaultCheck.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-jar/com/puppycrawl/tools/checkstyle/checks/coding/SimplifyBooleanReturnCheck.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-jar/com/puppycrawl/tools/checkstyle/api/FileText.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-jar/com/puppycrawl/tools/checkstyle/DefaultContext.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-jar/com/puppycrawl/tools/checkstyle/checks/metrics/package-info.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-jar/com/puppycrawl/tools/checkstyle/checks/blocks/LeftCurlyOption.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-jar/com/puppycrawl/tools/checkstyle/checks/coding/SimplifyBooleanExpressionCheck.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-jar/com/puppycrawl/tools/checkstyle/TreeWalkerAuditEvent.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-jar/com/puppycrawl/tools/checkstyle/checks/naming/AbstractAccessControlNameCheck.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-jar/com/puppycrawl/tools/checkstyle/checks/javadoc/HtmlTag.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-jar/com/puppycrawl/tools/checkstyle/api/Configurable.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-jar/com/puppycrawl/tools/checkstyle/checks/SuppressWarningsHolder.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-jar/com/puppycrawl/tools/checkstyle/checks/indentation/HandlerFactory.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-jar/com/puppycrawl/tools/checkstyle/checks/whitespace/SingleSpaceSeparatorCheck.java

\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-jar/com/puppycrawl/tools/checkstyle/checks/coding/IllegalTokenCheck.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-jar/com/puppycrawl/tools/checkstyle/checks/design/DesignForExtensionCheck.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-jar/com/puppycrawl/tools/checkstyle/checks/UncommentedMainCheck.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-jar/com/puppycrawl/tools/checkstyle/checks/regexp/NeverSuppress.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-jar/com/puppycrawl/tools/checkstyle/checks/blocks/AvoidNestedBlocksCheck.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-jar/com/puppycrawl/tools/checkstyle/api/FilterSet.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-jar/com/puppycrawl/tools/checkstyle/gui/CodeSelector.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-jar/com/puppycrawl/tools/checkstyle/checks/coding/NestedTryDepthCheck.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-jar/com/puppycrawl/tools/checkstyle/checks/indentation/MethodCallHandler.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-jar/com/puppycrawl/tools/checkstyle/ant/package-info.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-jar/com/puppycrawl/tools/checkstyle/checks/imports/PkgImportRule.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-jar/com/puppycrawl/tools/checkstyle/checks/javadoc/JavadocStyleCheck.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-jar/com/puppycrawl/tools/checkstyle/api/Comment.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-jar/com/puppycrawl/tools/checkstyle/checks/javadoc/JavadocPackageCheck.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-jar/com/puppycrawl/tools/checkstyle/checks/whitespace/AbstractParenPadCheck.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-jar/com/puppycrawl/tools/checkstyle/checks/naming/TypeNameCheck.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-jar/com/puppycrawl/tools/checkstyle/checks/coding/FallThroughCheck.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-jar/com/puppycrawl/tools/checkstyle/JavadocPropertiesGenerator.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-jar/com/puppycrawl/tools/checkstyle/DetailNodeTreeStringPrinter.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-jar/com/puppycrawl/tools/checkstyle/api/FileContents.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-jar/com/puppycrawl/tools/checkstyle/checks/metrics/AbstractClassCouplingCheck.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-jar/com/puppycrawl/tools/checkstyle/checks/javadoc/JavadocParagraphCheck.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-jar/com/puppycrawl/tools/checkstyle/Utils/TokenUtil.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-jar/com/puppycrawl/tools/checkstyle/checks/design/HideUtilityClassConstructorCheck.java

\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-jar/com/puppycrawl/tools/checkstyle/ModuleReflectionUtil.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-jar/com/puppycrawl/tools/checkstyle/checks/indentation/SynchronizedHandler.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-jar/com/puppycrawl/tools/checkstyle/checks/coding/ArrayTrailingCommaCheck.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-jar/com/puppycrawl/tools/checkstyle/DefaultLogger.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-jar/com/puppycrawl/tools/checkstyle/checks/indentation/PackageDefHandler.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-jar/com/puppycrawl/tools/checkstyle/checks/design/ThrowsCountCheck.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-jar/com/puppycrawl/tools/checkstyle/api/SeverityLevelCounter.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-jar/com/puppycrawl/tools/checkstyle/filters/SuppressWithNearbyCommentFilter.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-jar/com/puppycrawl/tools/checkstyle/filters/CsvFilterElement.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-jar/com/puppycrawl/tools/checkstyle/api/FullIdent.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-jar/com/puppycrawl/tools/checkstyle/checks/indentation/AbstractExpressionHandler.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-jar/com/puppycrawl/tools/checkstyle/checks/coding/FinalLocalVariableCheck.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-jar/com/puppycrawl/tools/checkstyle/checks/modifier/package-info.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-jar/com/puppycrawl/tools/checkstyle/checks/coding/DeclarationOrderCheck.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-jar/com/puppycrawl/tools/checkstyle/api/SeverityLevel.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-jar/com/puppycrawl/tools/checkstyle/checks/indentation/DoWhileHandler.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-jar/com/puppycrawl/tools/checkstyle/checks/imports/AbstractImportControl.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-jar/com/puppycrawl/tools/checkstyle/checks/blocks/RightCurlyOption.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-jar/com/puppycrawl/tools/checkstyle/checks/imports/AccessResult.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-jar/com/puppycrawl/tools/checkstyle/checks/javadoc/JavadocNodeImpl.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-jar/com/puppycrawl/tools/checkstyle/checks/javadoc/JavadocTags.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-jar/com/puppycrawl/tools/checkstyle/filefilters/BeforeExecutionExclusionFileFilter.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-jar/com/puppycrawl/tools/checkstyle/checks/naming/IllegalIdentifierNameCheck.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-jar/com/puppycrawl/tools/checkstyle/grammar/package-info.java

\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-jar/com/puppycrawl/tools/checkstyle/checks/coding/CovariantEqualsCheck.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-jar/com/puppycrawl/tools/checkstyle/checks/indentation/ClassDefHandler.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-jar/com/puppycrawl/tools/checkstyle/checks/coding/UnnecessarySemicolonAfterOuterTypeDeclarationCheck.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-jar/com/puppycrawl/tools/checkstyle/checks/regexp/RegexpMultilineCheck.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-jar/com/puppycrawl/tools/checkstyle/checks/sizes/LambdaBodyLengthCheck.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-jar/com/puppycrawl/tools/checkstyle/checks/design/InnerTypeLastCheck.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-jar/com/puppycrawl/tools/checkstyle/checks/whitespace/NoWhitespaceAfterCheck.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-jar/com/puppycrawl/tools/checkstyle/package-info.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-jar/com/puppycrawl/tools/checkstyle/api/AbstractViolationReporter.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-jar/com/puppycrawl/tools/checkstyle/JavadocDetailNodeParser.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-jar/com/puppycrawl/tools/checkstyle/api/MessageDispatcher.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-jar/com/puppycrawl/tools/checkstyle/api/DetailAST.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-jar/com/puppycrawl/tools/checkstyle/checks/sizes/RecordComponentNumberCheck.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-jar/com/puppycrawl/tools/checkstyle/checks/naming/MemberNameCheck.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-jar/com/puppycrawl/tools/checkstyle/Main.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-jar/com/puppycrawl/tools/checkstyle/checks/coding/RequireThisCheck.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-jar/com/puppycrawl/tools/checkstyle/checks/metrics/ClassFanOutComplexityCheck.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-jar/com/puppycrawl/tools/checkstyle/checks/whitespace/PadOption.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-jar/com/puppycrawl/tools/checkstyle/Checker.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-jar/com/puppycrawl/tools/checkstyle/ConfigurationLoader.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-jar/com/puppycrawl/tools/checkstyle/checks/regexp/MultilineDetector.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-jar/com/puppycrawl/tools/checkstyle/api/TokenTypes.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-jar/com/puppycrawl/tools/checkstyle/gui/MainFrameModel.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-jar/com/puppycrawl/tools/checkstyle/checks/javadoc/Utils/TagInfo.java

\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-jar/com/puppycrawl/tools/checkstyle/checks/indentation/MethodDefHandler.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-jar/com/puppycrawl/tools/checkstyle/checks/imports/FileImportControl.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-jar/com/puppycrawl/tools/checkstyle/checks/javadoc/BlockTagUtil.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-jar/com/puppycrawl/tools/checkstyle/checks/regexp/MatchSuppressor.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-jar/com/puppycrawl/tools/checkstyle/grammar/CommentListener.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-jar/com/puppycrawl/tools/checkstyle/xpath/AbstractNode.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-jar/com/puppycrawl/tools/checkstyle/api/LocalizedMessage.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-jar/com/puppycrawl/tools/checkstyle/checks/blocks/package-info.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-jar/com/puppycrawl/tools/checkstyle/checks/naming/PatternVariableNameCheck.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-jar/com/puppycrawl/tools/checkstyle/checks/ArrayTypeStyleCheck.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-jar/com/puppycrawl/tools/checkstyle/checks/naming/MethodTypeParameterNameCheck.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-jar/com/puppycrawl/tools/checkstyle/meta/ModuleType.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-jar/com/puppycrawl/tools/checkstyle/AuditEventFormatter.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-jar/com/puppycrawl/tools/checkstyle/checks/coding/EqualsAvoidNullCheck.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-jar/com/puppycrawl/tools/checkstyle/xpath/XpathQueryGenerator.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-jar/com/puppycrawl/tools/checkstyle/checks/imports/AvoidStaticImportCheck.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-jar/com/puppycrawl/tools/checkstyle/filters/SuppressionsLoader.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-jar/com/puppycrawl/tools/checkstyle/api/CheckstyleException.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-jar/com/puppycrawl/tools/checkstyle/gui/TreeTableModelAdapter.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-jar/com/puppycrawl/tools/checkstyle/checks/modifier/InterfaceMemberImpliedModifierCheck.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-jar/com/puppycrawl/tools/checkstyle/checks/coding/ModifiedControlVariableCheck.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-jar/com/puppycrawl/tools/checkstyle/checks/indentation/LineWrappingHandler.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-jar/com/puppycrawl/tools/checkstyle/filters/IntRangeFilterElement.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-jar/com/puppycrawl/tools/checkstyle/api/BeforeExecutionFileFilterSet.java

\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-jar/com/puppycrawl/tools/checkstyle/GlobalStatefulCheck.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-jar/com/puppycrawl/tools/checkstyle/checks/imports/ClassImportRule.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-jar/com/puppycrawl/tools/checkstyle/checks/regexp/RegexpSinglelineJavaCheck.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-jar/com/puppycrawl/tools/checkstyle/checks/indentation/ArrayInitHandler.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-jar/com/puppycrawl/tools/checkstyle/filters/SuppressionSingleFilter.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-jar/com/puppycrawl/tools/checkstyle/checks/TranslationCheck.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-jar/com/puppycrawl/tools/checkstyle/checks/javadoc/JavadocTag.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-jar/com/puppycrawl/tools/checkstyle/checks/design/package-info.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-jar/com/puppycrawl/tools/checkstyle/checks/javadoc/Utils/package-info.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-jar/com/puppycrawl/tools/checkstyle/checks/indentation/TryHandler.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-jar/com/puppycrawl/tools/checkstyle/checks/sizes/MethodLengthCheck.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-jar/com/puppycrawl/tools/checkstyle/TreeWalkerFilter.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-jar/com/puppycrawl/tools/checkstyle/checks/coding/IllegalTypeCheck.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-jar/com/puppycrawl/tools/checkstyle/checks/regexp/SinglelineDetector.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-jar/com/puppycrawl/tools/checkstyle/checks/coding/OverloadMethodsDeclarationOrderCheck.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-jar/com/puppycrawl/tools/checkstyle/Utils/ScopeUtil.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-jar/com/puppycrawl/tools/checkstyle/api/LineColumn.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-jar/com/puppycrawl/tools/checkstyle/checks/metrics/JavaNCSSCheck.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-jar/com/puppycrawl/tools/checkstyle/checks/imports/AbstractImportRule.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-jar/com/puppycrawl/tools/checkstyle/checks/coding/NoCloneCheck.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-jar/com/puppycrawl/tools/checkstyle/checks/blocks/LeftCurlyCheck.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-jar/com/puppycrawl/tools/checkstyle/checks/naming/AbbreviationAsWordInNameCheck.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-jar/com/puppycrawl/tools/checkstyle/checks/indentation/ImportHandler.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-jar/com/puppycrawl/tools/checkstyle/checks/indentation/FinallyHandler.java



\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-jar/com/puppycrawl/tools/checkstyle/checks/OrderedPropertiesCheck.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-jar/com/puppycrawl/tools/checkstyle/filters/SuppressWithPlainTextCommentFilter.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-jar/com/puppycrawl/tools/checkstyle/checks/indentation/ElseHandler.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-jar/com/puppycrawl/tools/checkstyle/checks/header/AbstractHeaderCheck.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-jar/com/puppycrawl/tools/checkstyle/checks/AvoidEscapedUnicodeCharactersCheck.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-jar/com/puppycrawl/tools/checkstyle/checks/coding/IllegalInstantiationCheck.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-jar/com/puppycrawl/tools/checkstyle/checks/indentation/BlockParentHandler.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-jar/com/puppycrawl/tools/checkstyle/filters/SuppressionXpathSingleFilter.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-jar/com/puppycrawl/tools/checkstyle/checks/indentation/WhileHandler.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-jar/com/puppycrawl/tools/checkstyle/checks/coding/NoArrayTrailingCommaCheck.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-jar/com/puppycrawl/tools/checkstyle/gui/CodeSelectorPresentation.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-jar/com/puppycrawl/tools/checkstyle/checks/design/VisibilityModifierCheck.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-jar/com/puppycrawl/tools/checkstyle/api/AbstractFileSetCheck.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-jar/com/puppycrawl/tools/checkstyle/Utils/JavadocUtil.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-jar/com/puppycrawl/tools/checkstyle/checks/coding/MagicNumberCheck.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-jar/com/puppycrawl/tools/checkstyle/api/package-info.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-jar/com/puppycrawl/tools/checkstyle/api/Context.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-jar/com/puppycrawl/tools/checkstyle/checks/imports/IllegalImportCheck.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-jar/com/puppycrawl/tools/checkstyle/ModuleFactory.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-jar/com/puppycrawl/tools/checkstyle/checks/coding/ParameterAssignmentCheck.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-jar/com/puppycrawl/tools/checkstyle/checks/naming/InterfaceTypeParameterNameCheck.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-jar/com/puppycrawl/tools/checkstyle/checks/javadoc/InvalidJavadocTag.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-jar/com/puppycrawl/tools/checkstyle/gui/ListToTreeSelectionModelWrapper.java  
\* /opt/cola/permits/1340076606\_1654622366.535764/0/checkstyle-8-39-sources-jar/com/puppycrawl/tools/checkstyle/api/Filter.java

```

* /opt/cola/permits/1340076606_1654622366.535764/0/checkstyle-8-39-sources-
jar/com/puppycrawl/tools/checkstyle/filters/SuppressionCommentFilter.java
* /opt/cola/permits/1340076606_1654622366.535764/0/checkstyle-8-39-sources-
jar/com/puppycrawl/tools/checkstyle/checks/whitespace/MethodParamPadCheck.java
* /opt/cola/permits/1340076606_1654622366.535764/0/checkstyle-8-39-sources-
jar/com/puppycrawl/tools/checkstyle/filters/SuppressFilterElement.java
* /opt/cola/permits/1340076606_1654622366.535764/0/checkstyle-8-39-sources-
jar/com/puppycrawl/tools/checkstyle/checks/javadoc/JavadocTagInfo.java
* /opt/cola/permits/1340076606_1654622366.535764/0/checkstyle-8-39-sources-
jar/com/puppycrawl/tools/checkstyle/PackageObjectFactory.java
* /opt/cola/permits/1340076606_1654622366.535764/0/checkstyle-8-39-sources-
jar/com/puppycrawl/tools/checkstyle/checks/coding/EmptyStatementCheck.java
* /opt/cola/permits/1340076606_1654622366.535764/0/checkstyle-8-39-sources-
jar/com/puppycrawl/tools/checkstyle/checks/coding/UnnecessarySemicolonInEnumerationCheck.java
* /opt/cola/permits/1340076606_1654622366.535764/0/checkstyle-8-39-sources-
jar/com/puppycrawl/tools/checkstyle/checks/blocks/EmptyBlockCheck.java
* /opt/cola/permits/1340076606_1654622366.535764/0/checkstyle-8-39-sources-
jar/com/puppycrawl/tools/checkstyle/checks/coding/UnnecessaryParenthesesCheck.java
* /opt/cola/permits/1340076606_1654622366.535764/0/checkstyle-8-39-sources-
jar/com/puppycrawl/tools/checkstyle/DetailAstImpl.java
* /opt/cola/permits/1340076606_1654622366.535764/0/checkstyle-8-39-sources-
jar/com/puppycrawl/tools/checkstyle/checks/annotation/AnnotationUseStyleCheck.java
* /opt/cola/permits/1340076606_1654622366.535764/0/checkstyle-8-39-sources-
jar/com/puppycrawl/tools/checkstyle/checks/UniquePropertiesCheck.java
* /opt/cola/permits/1340076606_1654622366.535764/0/checkstyle-8-39-sources-
jar/com/puppycrawl/tools/checkstyle/checks/indentation/IndentLevel.java
* /opt/cola/permits/1340076606_1654622366.535764/0/checkstyle-8-39-sources-
jar/com/puppycrawl/tools/checkstyle/checks/naming/AccessModifierOption.java
* /opt/cola/permits/1340076606_1654622366.535764/0/checkstyle-8-39-sources-
jar/com/puppycrawl/tools/checkstyle/checks/annotation/MissingDeprecatedCheck.java
No license file was found, but licenses were detected in source scan.

```

```

// This library is free software; you can redistribute it and/or
// modify it under the terms of the GNU Lesser General Public
// License as published by the Free Software Foundation; either
// version 2.1 of the License, or (at your option) any later version.
// This library is distributed in the hope that it will be useful,
// but WITHOUT ANY WARRANTY; without even the implied warranty of
// MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU
// Lesser General Public License for more details.
// You should have received a copy of the GNU Lesser General Public

```

```
/**
```

```
* <p>
```

```
* Checks that a source file begins with a specified header.
```

```
* Property { @code headerFile } specifies a file that contains the required header.
```

```
* Alternatively, the header specification can be set directly in the
```

```
* { @code header } property without the need for an external file.
```

```
* </p>
```

\* <p>

\* Property { @code ignoreLines } specifies the line numbers to ignore when matching

\* lines in a header file. This property is very useful for supporting headers

\* that contain copyright dates. For example, consider the following header:

\* </p>

\* <pre>

\* line 1: //

\* line 2: // checkstyle:

\* line 3: // Checks Java source code for adherence to a set of rules.

\* line 4: // Copyright (C) 2002 Oliver Burn

\* line 5: //

\* </pre>

\* <p>

\* Since the year information will change over time, you can tell Checkstyle

\* to ignore line 4 by setting property { @code ignoreLines } to { @code 4 }.

\* </p>

\* <p>

\* In default configuration, if header is not specified, the default value

\* of header is set to { @code null } and the check does not rise any violations.

\* </p>

\* <ul>

\* <li>

\* Property { @code headerFile } - Specify the name of the file containing the required header.

\* Type is { @code java.net.URI }.

\* Default value is { @code null }.

\* </li>

\* <li>

\* Property { @code charset } - Specify the character encoding to use when reading the headerFile.

\* Type is { @code java.lang.String }.

\* Default value is { @code the charset property of the parent

\* <a href="https://checkstyle.org/config.html#Checker">Checker</a> module }.

\* </li>

\* <li>

\* Property { @code header } - Specify the required header specified inline.

\* Individual header lines must be separated by the string { @code "\n" }

\* (even on platforms with a different line separator), see examples below.

\* Type is { @code java.lang.String }.

\* Default value is { @code null }.

\* </li>

\* <li>

\* Property { @code ignoreLines } - Specify the line numbers to ignore.

\* Type is { @code int[] }.

\* Default value is { @code "" }.

\* </li>

\* <li>

\* Property { @code fileExtensions } - Specify the file type extension of files to process.

\* Type is { @code java.lang.String[] }.

\* Default value is { @code "" }.

```

* </li>
* </ul>
* <p>
* To configure the check such that no violations arise.
* Default values of properties are used.
* </p>
* <pre>
* &lt;module name="Header"/&gt;
* </pre>
* <p>
* To configure the check to use header file { @code "config/java.header" }
* and ignore lines { @code 2 }, { @code 3 }, and { @code 4 } and only process Java files:
* </p>
* <pre>
* &lt;module name="Header"&gt;
*   &lt;property name="headerFile" value="config/java.header"/&gt;
*   &lt;property name="ignoreLines" value="2, 3, 4"/&gt;
*   &lt;property name="fileExtensions" value="java"/&gt;
* &lt;/module&gt;
* </pre>
* <p>
* To configure the check to verify that each file starts with the header
* </p>
* <pre>
* // Copyright (C) 2004 MyCompany
* // All rights reserved
* </pre>
* <p>
* without the need for an external header file:
* </p>
* <pre>
* &lt;module name="Header"&gt;
*   &lt;property name="header"
*     value="// Copyright (C) 2004 MyCompany\n// All rights reserved"/&gt;
* &lt;/module&gt;
* </pre>
* <p>
* Parent is { @code com.puppycrawl.tools.checkstyle.Checker}
* </p>
* <p>
* Violation Message Keys:
* </p>
* <ul>
* <li>
* { @code header.mismatch}
* </li>
* <li>
* { @code header.missing}

```

```
* </li>
* </ul>
*
* @since 6.9
*/
```

Found in path(s):

```
* /opt/cola/permits/1340076606_1654622366.535764/0/checkstyle-8-39-sources-
jar/com/puppycrawl/tools/checkstyle/checks/header/HeaderCheck.java
```

No license file was found, but licenses were detected in source scan.

```
/** Java 1.5 Recognizer
```

```
*
```

```
* This grammar is in the PUBLIC DOMAIN
```

```
*/
```

Found in path(s):

```
* /opt/cola/permits/1340076606_1654622366.535764/0/checkstyle-8-39-sources-
jar/com/puppycrawl/tools/checkstyle/grammar/GeneratedJavaRecognizer.java
```

## 1.266 findbugs-jsr305 3.0.2

### 1.266.1 Available under license :

License

THE WORK (AS DEFINED BELOW) IS PROVIDED UNDER THE TERMS OF THIS CREATIVE COMMONS PUBLIC LICENSE ("CCPL" OR "LICENSE"). THE WORK IS PROTECTED BY COPYRIGHT AND/OR OTHER APPLICABLE LAW. ANY USE OF THE WORK OTHER THAN AS AUTHORIZED UNDER THIS LICENSE OR COPYRIGHT LAW IS PROHIBITED.

BY EXERCISING ANY RIGHTS TO THE WORK PROVIDED HERE, YOU ACCEPT AND AGREE TO BE BOUND BY THE TERMS OF THIS LICENSE. THE LICENSOR GRANTS YOU THE RIGHTS CONTAINED HERE IN CONSIDERATION OF YOUR ACCEPTANCE OF SUCH TERMS AND CONDITIONS.

#### 1. Definitions

1. "Collective Work" means a work, such as a periodical issue, anthology or encyclopedia, in which the Work in its entirety in unmodified form, along with a number of other contributions, constituting separate and independent works in themselves, are assembled into a collective whole. A work that constitutes a Collective Work will not be considered a Derivative Work (as defined below) for the purposes of this License.

2. "Derivative Work" means a work based upon the Work or upon the Work and other pre-existing works, such as a translation, musical arrangement, dramatization, fictionalization, motion picture version, sound recording, art reproduction, abridgment, condensation, or any other form in which the Work may be recast, transformed, or adapted, except that a work that constitutes a Collective Work will not be considered a Derivative Work for the purpose of this License. For the avoidance of doubt, where the Work is a musical composition or sound recording, the synchronization of the Work in timed-relation with a moving image ("synching") will be considered a Derivative Work for the purpose of this License.

3. "Licensor" means the individual or entity that offers the Work under the terms of this License.
4. "Original Author" means the individual or entity who created the Work.
5. "Work" means the copyrightable work of authorship offered under the terms of this License.
6. "You" means an individual or entity exercising rights under this License who has not previously violated the terms of this License with respect to the Work, or who has received express permission from the Licensor to exercise rights under this License despite a previous violation.

2. Fair Use Rights. Nothing in this license is intended to reduce, limit, or restrict any rights arising from fair use, first sale or other limitations on the exclusive rights of the copyright owner under copyright law or other applicable laws.

3. License Grant. Subject to the terms and conditions of this License, Licensor hereby grants You a worldwide, royalty-free, non-exclusive, perpetual (for the duration of the applicable copyright) license to exercise the rights in the Work as stated below:

1. to reproduce the Work, to incorporate the Work into one or more Collective Works, and to reproduce the Work as incorporated in the Collective Works;
2. to create and reproduce Derivative Works;
3. to distribute copies or phonorecords of, display publicly, perform publicly, and perform publicly by means of a digital audio transmission the Work including as incorporated in Collective Works;
4. to distribute copies or phonorecords of, display publicly, perform publicly, and perform publicly by means of a digital audio transmission Derivative Works.
- 5.

For the avoidance of doubt, where the work is a musical composition:

1. Performance Royalties Under Blanket Licenses. Licensor waives the exclusive right to collect, whether individually or via a performance rights society (e.g. ASCAP, BMI, SESAC), royalties for the public performance or public digital performance (e.g. webcast) of the Work.

2. Mechanical Rights and Statutory Royalties. Licensor waives the exclusive right to collect, whether individually or via a music rights agency or designated agent (e.g. Harry Fox Agency), royalties for any phonorecord You create from the Work ("cover version") and distribute, subject to the compulsory license created by 17 USC Section 115 of the US Copyright Act (or the equivalent in other jurisdictions).

6. Webcasting Rights and Statutory Royalties. For the avoidance of doubt, where the Work is a sound recording, Licensor waives the exclusive right to collect, whether individually or via a performance-rights society (e.g. SoundExchange), royalties for the public digital performance (e.g. webcast) of the Work, subject to the compulsory license created by 17 USC Section 114 of the US Copyright Act (or the equivalent in other jurisdictions).

The above rights may be exercised in all media and formats whether now known or hereafter devised. The above rights include the right to make such modifications as are technically necessary to exercise the rights in other media and formats. All rights not expressly granted by Licensor are hereby reserved.

4. Restrictions. The license granted in Section 3 above is expressly made subject to and limited by the following restrictions:

1. You may distribute, publicly display, publicly perform, or publicly digitally perform the Work only under the terms of this License, and You must include a copy of, or the Uniform Resource Identifier for, this License with every copy or phonorecord of the Work You distribute, publicly display, publicly perform, or publicly digitally perform. You may not offer or impose any terms on the Work that alter or restrict the terms of this License or the

recipients' exercise of the rights granted hereunder. You may not sublicense the Work. You must keep intact all notices that refer to this License and to the disclaimer of warranties. You may not distribute, publicly display, publicly perform, or publicly digitally perform the Work with any technological measures that control access or use of the Work in a manner inconsistent with the terms of this License Agreement. The above applies to the Work as incorporated in a Collective Work, but this does not require the Collective Work apart from the Work itself to be made subject to the terms of this License. If You create a Collective Work, upon notice from any Licensor You must, to the extent practicable, remove from the Collective Work any credit as required by clause 4(b), as requested. If You create a Derivative Work, upon notice from any Licensor You must, to the extent practicable, remove from the Derivative Work any credit as required by clause 4(b), as requested.

2. If you distribute, publicly display, publicly perform, or publicly digitally perform the Work or any Derivative Works or Collective Works, You must keep intact all copyright notices for the Work and provide, reasonable to the medium or means You are utilizing: (i) the name of the Original Author (or pseudonym, if applicable) if supplied, and/or (ii) if the Original Author and/or Licensor designate another party or parties (e.g. a sponsor institute, publishing entity, journal) for attribution in Licensor's copyright notice, terms of service or by other reasonable means, the name of such party or parties; the title of the Work if supplied; to the extent reasonably practicable, the Uniform Resource Identifier, if any, that Licensor specifies to be associated with the Work, unless such URI does not refer to the copyright notice or licensing information for the Work; and in the case of a Derivative Work, a credit identifying the use of the Work in the Derivative Work (e.g., "French translation of the Work by Original Author," or "Screenplay based on original Work by Original Author"). Such credit may be implemented in any reasonable manner; provided, however, that in the case of a Derivative Work or Collective Work, at a minimum such credit will appear where any other comparable authorship credit appears and in a manner at least as prominent as such other comparable authorship credit.

#### 5. Representations, Warranties and Disclaimer

UNLESS OTHERWISE MUTUALLY AGREED TO BY THE PARTIES IN WRITING, LICENSOR OFFERS THE WORK AS-IS AND MAKES NO REPRESENTATIONS OR WARRANTIES OF ANY KIND CONCERNING THE WORK, EXPRESS, IMPLIED, STATUTORY OR OTHERWISE, INCLUDING, WITHOUT LIMITATION, WARRANTIES OF TITLE, MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, NONINFRINGEMENT, OR THE ABSENCE OF LATENT OR OTHER DEFECTS, ACCURACY, OR THE PRESENCE OF ABSENCE OF ERRORS, WHETHER OR NOT DISCOVERABLE. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OF IMPLIED WARRANTIES, SO SUCH EXCLUSION MAY NOT APPLY TO YOU.

6. Limitation on Liability. EXCEPT TO THE EXTENT REQUIRED BY APPLICABLE LAW, IN NO EVENT WILL LICENSOR BE LIABLE TO YOU ON ANY LEGAL THEORY FOR ANY SPECIAL, INCIDENTAL, CONSEQUENTIAL, PUNITIVE OR EXEMPLARY DAMAGES ARISING OUT OF THIS LICENSE OR THE USE OF THE WORK, EVEN IF LICENSOR HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

#### 7. Termination

1. This License and the rights granted hereunder will terminate automatically upon any breach by You of the terms of this License. Individuals or entities who have received Derivative Works or Collective Works from You under this License, however, will not have their licenses terminated provided such individuals or entities remain in full compliance with those licenses. Sections 1, 2, 5, 6, 7, and 8 will survive any termination of this License.

2. Subject to the above terms and conditions, the license granted here is perpetual (for the duration of the applicable copyright in the Work). Notwithstanding the above, Licensor reserves the right to release the Work under different

license terms or to stop distributing the Work at any time; provided, however that any such election will not serve to withdraw this License (or any other license that has been, or is required to be, granted under the terms of this License), and this License will continue in full force and effect unless terminated as stated above.

## 8. Miscellaneous

1. Each time You distribute or publicly digitally perform the Work or a Collective Work, the Licensor offers to the recipient a license to the Work on the same terms and conditions as the license granted to You under this License.

2. Each time You distribute or publicly digitally perform a Derivative Work, Licensor offers to the recipient a license to the original Work on the same terms and conditions as the license granted to You under this License.

3. If any provision of this License is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this License, and without further action by the parties to this agreement, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

4. No term or provision of this License shall be deemed waived and no breach consented to unless such waiver or consent shall be in writing and signed by the party to be charged with such waiver or consent.

5. This License constitutes the entire agreement between the parties with respect to the Work licensed here. There are no understandings, agreements or representations with respect to the Work not specified here. Licensor shall not be bound by any additional provisions that may appear in any communication from You. This License may not be modified without the mutual written agreement of the Licensor and You.

# 1.267 guava 30.1.1-jre

## 1.267.1 Available under license :

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2015 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):



\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-jar/com/google/common/collect/CollectSpliterators.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-jar/com/google/common/graph/package-info.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-jar/com/google/common/collect/ImmutableBiMapFauxverideShim.java  
No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2019 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except  
\* in compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License  
\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express

\* or implied. See the License for the specific language governing permissions and limitations under  
\* the License.

\*/

Found in path(s):

\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-jar/com/google/common/primitives/Platform.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-jar/com/google/common/util/concurrent/Internal.java  
No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2017 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except  
\* in compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License  
\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express

\* or implied. See the License for the specific language governing permissions and limitations under  
\* the License.

\*/

Found in path(s):

\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-jar/com/google/common/primitives/ImmutableIntArray.java

\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-jar/com/google/common/hash/AbstractHashFunction.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-jar/com/google/common/primitives/ImmutableLongArray.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-jar/com/google/common/util/concurrent/ForwardingCondition.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-jar/com/google/common/util/concurrent/ForwardingLock.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-jar/com/google/common/primitives/ImmutableDoubleArray.java  
No license file was found, but licenses were detected in source scan.

```
/*  
* Copyright 2019 The Guava Authors  
*  
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except  
* in compliance with the License. You may obtain a copy of the License at  
*  
* http://www.apache.org/licenses/LICENSE-2.0  
*  
* Unless required by applicable law or agreed to in writing, software distributed under the License  
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express  
* or implied. See the License for the specific language governing permissions and limitations under  
* the License.  
*/
```

Found in path(s):

\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-jar/com/google/common/util/concurrent/IgnoreJRERequirement.java  
No license file was found, but licenses were detected in source scan.

```
/*  
* Copyright (C) 2007 The Guava Authors  
*  
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except  
* in compliance with the License. You may obtain a copy of the License at  
*  
* http://www.apache.org/licenses/LICENSE-2.0  
*  
* Unless required by applicable law or agreed to in writing, software distributed under the License  
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express  
* or implied. See the License for the specific language governing permissions and limitations under  
* the License.  
*/
```

Found in path(s):

\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-jar/com/google/common/base/Throwables.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-jar/com/google/common/eventbus/AsyncEventBus.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-jar/com/google/common/base/FinalizableWeakReference.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-jar/com/google/common/io/Files.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-jar/com/google/common/io/package-info.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-jar/com/google/common/eventbus/EventBus.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-jar/com/google/common/eventbus/AllowConcurrentEvents.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-jar/com/google/common/base/Charsets.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-jar/com/google/common/io/Resources.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-jar/com/google/common/base/Predicates.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-jar/com/google/common/collect/HashBiMap.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-jar/com/google/common/collect/EnumMultiset.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-jar/com/google/common/base/Functions.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-jar/com/google/common/io/LittleEndianDataInputStream.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-jar/com/google/common/eventbus/package-info.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-jar/com/google/common/base/FinalizableReference.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-jar/com/google/common/io/CountingOutputStream.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-jar/com/google/common/util/concurrent/AbstractFuture.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-jar/com/google/common/eventbus/Subscribe.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-jar/com/google/common/eventbus/DeadEvent.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-jar/com/google/common/io/ByteStreams.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-jar/com/google/common/base/FinalizablePhantomReference.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-jar/com/google/common/base/Defaults.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-jar/com/google/common/base/Objects.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-

jar/com/google/common/io/Flushables.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-  
jar/com/google/common/collect/Interners.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-  
jar/com/google/common/base/Suppliers.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-  
jar/com/google/common/util/concurrent/package-info.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-  
jar/com/google/common/primitives/Primitives.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-  
jar/com/google/common/base/Preconditions.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-  
jar/com/google/common/io/LittleEndianDataOutputStream.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-  
jar/com/google/common/io/CharStreams.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-  
jar/com/google/common/base/FinalizableReferenceQueue.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-  
jar/com/google/common/base/package-info.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-  
jar/com/google/common/io/Closeables.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-  
jar/com/google/common/base/FinalizableSoftReference.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-  
jar/com/google/common/io/LineBuffer.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-  
jar/com/google/common/util/concurrent/ListenableFuture.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-  
jar/com/google/common/base/Supplier.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-  
jar/com/google/common/io/LineReader.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-  
jar/com/google/common/util/concurrent/ExecutionList.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-  
jar/com/google/common/base/Function.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-  
jar/com/google/common/io/CountingInputStream.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-  
jar/com/google/common/base/AbstractIterator.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-  
jar/com/google/common/util/concurrent/DirectExecutor.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-  
jar/com/google/common/io/MultiInputStream.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-  
jar/com/google/common/base/Predicate.java

No license file was found, but licenses were detected in source scan.

/\*

```
* Copyright (C) 2011 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software distributed under the
* License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND,
either
* express or implied. See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):

```
* /opt/cola/permits/1162863591_1620924149.63/0/guava-30-1-1-jre-sources-
jar/com/google/common/collect/AbstractRangeSet.java
* /opt/cola/permits/1162863591_1620924149.63/0/guava-30-1-1-jre-sources-
jar/com/google/common/collect/Count.java
* /opt/cola/permits/1162863591_1620924149.63/0/guava-30-1-1-jre-sources-
jar/com/google/common/collect/ForwardingSortedMultiset.java
* /opt/cola/permits/1162863591_1620924149.63/0/guava-30-1-1-jre-sources-
jar/com/google/common/collect/ImmutableSortedMultisetFauxverideShim.java
* /opt/cola/permits/1162863591_1620924149.63/0/guava-30-1-1-jre-sources-
jar/com/google/common/collect/SortedIterable.java
* /opt/cola/permits/1162863591_1620924149.63/0/guava-30-1-1-jre-sources-
jar/com/google/common/collect/RangeSet.java
* /opt/cola/permits/1162863591_1620924149.63/0/guava-30-1-1-jre-sources-
jar/com/google/common/collect/SortedIterables.java
* /opt/cola/permits/1162863591_1620924149.63/0/guava-30-1-1-jre-sources-
jar/com/google/common/collect/ImmutableSortedMultiset.java
* /opt/cola/permits/1162863591_1620924149.63/0/guava-30-1-1-jre-sources-
jar/com/google/common/collect/RegularImmutableSortedMultiset.java
* /opt/cola/permits/1162863591_1620924149.63/0/guava-30-1-1-jre-sources-
jar/com/google/common/collect/GeneralRange.java
```

No license file was found, but licenses were detected in source scan.

```
/*
* Copyright (C) 2020 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
express
```

```
* or implied. See the License for the specific language governing permissions and limitations under
* the License.
*/
/**
* Holder for web specializations of methods of { @code Doubles}. Intended to be empty for regular
* version.
*/
```

Found in path(s):

```
* /opt/cola/permits/1162863591_1620924149.63/0/guava-30-1-1-jre-sources-
jar/com/google/common/primitives/DoublesMethodsForWeb.java
```

No license file was found, but licenses were detected in source scan.

```
/*
```

```
* Copyright (C) 2008 The Guava Authors
```

```
*
```

```
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at
```

```
*
```

```
* http://www.apache.org/licenses/LICENSE-2.0
```

```
*
```

```
* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
express
```

```
* or implied. See the License for the specific language governing permissions and limitations under
* the License.
```

```
*/
```

Found in path(s):

```
* /opt/cola/permits/1162863591_1620924149.63/0/guava-30-1-1-jre-sources-
jar/com/google/common/base/internal/Finalizer.java
```

```
* /opt/cola/permits/1162863591_1620924149.63/0/guava-30-1-1-jre-sources-
jar/com/google/thirdparty/publicsuffix/TrieParser.java
```

```
* /opt/cola/permits/1162863591_1620924149.63/0/guava-30-1-1-jre-sources-
jar/com/google/common/util/concurrent/SequentialExecutor.java
```

```
* /opt/cola/permits/1162863591_1620924149.63/0/guava-30-1-1-jre-sources-
jar/com/google/common/base/CharMatcher.java
```

```
* /opt/cola/permits/1162863591_1620924149.63/0/guava-30-1-1-jre-sources-
jar/com/google/common/net/PercentEscaper.java
```

```
* /opt/cola/permits/1162863591_1620924149.63/0/guava-30-1-1-jre-sources-
jar/com/google/common/primitives/Doubles.java
```

```
* /opt/cola/permits/1162863591_1620924149.63/0/guava-30-1-1-jre-sources-
jar/com/google/common/base/Joiner.java
```

```
* /opt/cola/permits/1162863591_1620924149.63/0/guava-30-1-1-jre-sources-
jar/com/google/common/primitives/Booleans.java
```

```
* /opt/cola/permits/1162863591_1620924149.63/0/guava-30-1-1-jre-sources-
jar/com/google/common/base/Converter.java
```

```
* /opt/cola/permits/1162863591_1620924149.63/0/guava-30-1-1-jre-sources-
```

jar/com/google/common/primitives/Longs.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-  
jar/com/google/common/primitives/Floats.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-  
jar/com/google/common/primitives/Ints.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-  
jar/com/google/common/collect/FluentIterable.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-  
jar/com/google/common/io/FileBackedOutputStream.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-  
jar/com/google/common/escape/UnicodeEscaper.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-  
jar/com/google/common/util/concurrent/ListenableFutureTask.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-  
jar/com/google/common/net/InetAddresses.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-  
jar/com/google/common/primitives/Bytes.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-  
jar/com/google/common/escape/Escaper.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-  
jar/com/google/common/primitives/Chars.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-  
jar/com/google/common/base/Stopwatch.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-  
jar/com/google/common/io/MultiReader.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-  
jar/com/google/common/primitives/Shorts.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2018 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except  
\* in compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License  
\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express

\* or implied. See the License for the specific language governing permissions and limitations under  
\* the License.

\*/

Found in path(s):

\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-  
jar/com/google/common/collect/JdkBackedImmutableMultiset.java

\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-

jar/com/google/common/collect/JdkBackedImmutableSet.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-  
jar/com/google/common/hash/ImmutableSupplier.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-  
jar/com/google/common/util/concurrent/ExecutionSequencer.java  
No license file was found, but licenses were detected in source scan.

```
/*  
* Copyright (C) 2008 The Guava Authors  
*  
* Licensed under the Apache License, Version 2.0 (the "License");  
* you may not use this file except in compliance with the License.  
* You may obtain a copy of the License at  
*  
* http://www.apache.org/licenses/LICENSE-2.0  
*  
* Unless required by applicable law or agreed to in writing, software  
* distributed under the License is distributed on an "AS IS" BASIS,  
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
* See the License for the specific language governing permissions and  
* limitations under the License.  
*/  
  
/*  
* This method was rewritten in Java from an intermediate step of the Murmur hash function in  
* http://code.google.com/p/smhasher/source/browse/trunk/MurmurHash3.cpp, which contained the  
* following header:  
*  
* MurmurHash3 was written by Austin Appleby, and is placed in the public domain. The author  
* hereby disclaims copyright to this source code.  
*/
```

Found in path(s):

\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-  
jar/com/google/common/collect/Hashing.java  
No license file was found, but licenses were detected in source scan.

```
/*  
* Copyright (C) 2010 The Guava Authors  
*  
* Licensed under the Apache License, Version 2.0 (the "License");  
* you may not use this file except in compliance with the License.  
* You may obtain a copy of the License at  
*  
* http://www.apache.org/licenses/LICENSE-2.0  
*  
* Unless required by applicable law or agreed to in writing, software  
* distributed under the License is distributed on an "AS IS" BASIS,  
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
```



\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-  
jar/com/google/common/collect/ForwardingListMultimap.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-  
jar/com/google/common/collect/RowSortedTable.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-  
jar/com/google/common/collect/ForwardingSortedSetMultimap.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-  
jar/com/google/common/collect/SortedMapDifference.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-  
jar/com/google/common/collect/ForwardingImmutableCollection.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-  
jar/com/google/common/collect/ForwardingSetMultimap.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-  
jar/com/google/common/collect/MinMaxPriorityQueue.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-  
jar/com/google/common/collect/AbstractSequentialIterator.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-  
jar/com/google/common/collect/UnmodifiableListIterator.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2014 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except  
\* in compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License  
\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express

\* or implied. See the License for the specific language governing permissions and limitations under  
\* the License.

\*/

Found in path(s):

\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-  
jar/com/google/common/eventbus/SubscriberRegistry.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-  
jar/com/google/common/eventbus/Subscriber.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-  
jar/com/google/common/util/concurrent/TrustedListenableFutureTask.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-

```
jar/com/google/common/eventbus/Dispatcher.java
* /opt/cola/permits/1162863591_1620924149.63/0/guava-30-1-1-jre-sources-
jar/com/google/common/base/MoreObjects.java
* /opt/cola/permits/1162863591_1620924149.63/0/guava-30-1-1-jre-sources-
jar/com/google/common/util/concurrent/ListenerCallQueue.java
* /opt/cola/permits/1162863591_1620924149.63/0/guava-30-1-1-jre-sources-
jar/com/google/common/math/Quantiles.java
```

No license file was found, but licenses were detected in source scan.

```
/*
* Copyright (C) 2011 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
express
* or implied. See the License for the specific language governing permissions and limitations under
* the License.
*/
/*
* This method was written by Doug Lea with assistance from members of JCP JSR-166 Expert Group
* and released to the public domain, as explained at
* http://creativecommons.org/licenses/publicdomain
*
* As of 2010/06/11, this method is identical to the (package private) hash method in OpenJDK 7's
* java.util.HashMap class.
*/
```

Found in path(s):

```
* /opt/cola/permits/1162863591_1620924149.63/0/guava-30-1-1-jre-sources-
jar/com/google/common/util/concurrent/Striped.java
```

No license file was found, but licenses were detected in source scan.

```
/*
* Copyright (C) 2020 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
```

- \* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- \* See the License for the specific language governing permissions and
- \* limitations under the License.
- \*/

Found in path(s):

- \* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-jar/com/google/common/util/concurrent/ServiceManagerBridge.java
- \* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-jar/com/google/common/base/Java8Usage.java

No license file was found, but licenses were detected in source scan.

/\*

- \* Copyright (C) 2012 The Guava Authors
- \*
- \* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
- \* in compliance with the License. You may obtain a copy of the License at
- \*
- \* <http://www.apache.org/licenses/LICENSE-2.0>
- \*
- \* Unless required by applicable law or agreed to in writing, software distributed under the License
- \* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
- express
- \* or implied. See the License for the specific language governing permissions and limitations under
- \* the License.
- \*/

Found in path(s):

- \* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-jar/com/google/common/io/CharSink.java
- \* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-jar/com/google/common/escape/package-info.java
- \* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-jar/com/google/common/util/concurrent/ListenableScheduledFuture.java
- \* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-jar/com/google/common/io/BaseEncoding.java
- \* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-jar/com/google/common/reflect/package-info.java
- \* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-jar/com/google/common/collect/CartesianList.java
- \* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-jar/com/google/common/math/PairedStats.java
- \* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-jar/com/google/common/util/concurrent/RateLimiter.java
- \* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-jar/com/google/common/reflect/Element.java
- \* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-jar/com/google/common/xml/package-info.java

\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-jar/com/google/common/util/concurrent/ServiceManager.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-jar/com/google/common/collect/FilteredKeyMultimap.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-jar/com/google/common/reflect/ImmutableTypeToInstanceMap.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-jar/com/google/common/reflect/Parameter.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-jar/com/google/common/hash/LongAddable.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-jar/com/google/common/reflect/MutableTypeToInstanceMap.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-jar/com/google/common/reflect/TypeToInstanceMap.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-jar/com/google/common/html/package-info.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-jar/com/google/common/hash/ChecksumHashFunction.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-jar/com/google/common/io/Closer.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-jar/com/google/common/reflect/ClassPath.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-jar/com/google/common/cache/LongAddable.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-jar/com/google/common/io/ByteSink.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-jar/com/google/common/math/PairedStatsAccumulator.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-jar/com/google/common/io/FileWriteMode.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-jar/com/google/common/base/StandardSystemProperty.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-jar/com/google/common/collect/ImmutableRangeMap.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-jar/com/google/common/io/ByteSource.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-jar/com/google/common/math/Stats.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-jar/com/google/common/hash/AbstractByteHasher.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-jar/com/google/common/util/concurrent/SmoothRateLimiter.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-jar/com/google/common/reflect/Invokable.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-jar/com/google/common/collect/ImmutableRangeSet.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-jar/com/google/common/io/CharSource.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-

jar/com/google/common/hash/LongAddables.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-  
jar/com/google/common/reflect/AbstractInvocationHandler.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-  
jar/com/google/common/hash/SipHashFunction.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-  
jar/com/google/common/reflect/TypeCapture.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-  
jar/com/google/common/math/StatsAccumulator.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-  
jar/com/google/common/cache/LongAddables.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-  
jar/com/google/common/math/LinearTransformation.java  
No license file was found, but licenses were detected in source scan.

```
/*  
* Copyright (C) 2011 The Guava Authors  
*  
* Licensed under the Apache License, Version 2.0 (the "License");  
* you may not use this file except in compliance with the License.  
* You may obtain a copy of the License at  
*  
* http://www.apache.org/licenses/LICENSE-2.0  
*  
* Unless required by applicable law or agreed to in writing, software  
* distributed under the License is distributed on an "AS IS" BASIS,  
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
* See the License for the specific language governing permissions and  
* limitations under the License.  
*/
```

Found in path(s):

\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-  
jar/com/google/common/collect/GwtTransient.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-  
jar/com/google/common/util/concurrent/AtomicLongMap.java  
No license file was found, but licenses were detected in source scan.

```
/*  
* Copyright (C) 2012 The Guava Authors  
*  
* Licensed under the Apache License, Version 2.0 (the "License");  
* you may not use this file except in compliance with the License.  
* You may obtain a copy of the License at  
*  
* http://www.apache.org/licenses/LICENSE-2.0  
*  
* Unless required by applicable law or agreed to in writing, software
```

- \* distributed under the License is distributed on an "AS IS" BASIS,
- \* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- \* See the License for the specific language governing permissions and
- \* limitations under the License.
- \*/

Found in path(s):

- \* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-jar/com/google/common/collect/AllEqualOrdering.java
- \* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-jar/com/google/common/util/concurrent/ForwardingBlockingDeque.java
- \* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-jar/com/google/common/collect/ForwardingBlockingDeque.java
- \* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-jar/com/google/common/collect/TreeRangeMap.java
- \* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-jar/com/google/common/collect/AbstractNavigableMap.java
- \* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-jar/com/google/common/collect/ForwardingImmutableList.java
- \* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-jar/com/google/common/collect/ImmutableEnumMap.java
- \* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-jar/com/google/common/collect/ForwardingImmutableMap.java
- \* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-jar/com/google/common/collect/ForwardingNavigableMap.java
- \* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-jar/com/google/common/collect/TreeTraverser.java
- \* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-jar/com/google/common/collect/RangeMap.java
- \* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-jar/com/google/common/collect/DescendingImmutableSortedSet.java
- \* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-jar/com/google/common/collect/TransformedListIterator.java
- \* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-jar/com/google/common/collect/SortedMultisetBridge.java
- \* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-jar/com/google/common/collect/ForwardingNavigableSet.java
- \* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-jar/com/google/common/collect/UnmodifiableSortedMultiset.java
- \* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-jar/com/google/common/collect/ForwardingDeque.java
- \* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-jar/com/google/common/collect/DescendingMultiset.java
- \* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-jar/com/google/common/collect/FilteredKeySetMultimap.java
- \* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-jar/com/google/common/collect/CompactHashSet.java
- \* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-

jar/com/google/common/collect/AbstractSortedKeySortedSetMultimap.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-  
jar/com/google/common/collect/EvictingQueue.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-  
jar/com/google/common/collect/FilteredEntryMultimap.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-  
jar/com/google/common/collect/ForwardingImmutableSet.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-  
jar/com/google/common/collect/CompactLinkedHashMap.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-  
jar/com/google/common/collect/FilteredSetMultimap.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-  
jar/com/google/common/collect/CompactLinkedHashSet.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-  
jar/com/google/common/collect/FilteredMultimap.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-  
jar/com/google/common/collect/AbstractMultimap.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-  
jar/com/google/common/collect/FilteredKeyListMultimap.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-  
jar/com/google/common/collect/RegularImmutableAsList.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-  
jar/com/google/common/collect/CompactHashMap.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-  
jar/com/google/common/collect/TransformedIterator.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-  
jar/com/google/common/collect/FilteredEntrySetMultimap.java  
No license file was found, but licenses were detected in source scan.

```
/*  
* Copyright (C) 2007 The Guava Authors  
*  
* Licensed under the Apache License, Version 2.0 (the "License");  
* you may not use this file except in compliance with the License.  
* You may obtain a copy of the License at  
*  
* http://www.apache.org/licenses/LICENSE-2.0  
*  
* Unless required by applicable law or agreed to in writing, software  
* distributed under the License is distributed on an "AS IS" BASIS,  
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
* See the License for the specific language governing permissions and  
* limitations under the License.  
*/
```

Found in path(s):

\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-  
jar/com/google/common/collect/ForwardingObject.java

\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-jar/com/google/common/collect/AbstractMapBasedMultimap.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-jar/com/google/common/collect/TreeMultiset.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-jar/com/google/common/collect/MutableClassToInstanceMap.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-jar/com/google/common/collect/AbstractMultiset.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-jar/com/google/common/collect/ClassToInstanceMap.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-jar/com/google/common/collect/ForwardingMultimap.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-jar/com/google/common/collect/Synchronized.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-jar/com/google/common/collect/EnumHashBiMap.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-jar/com/google/common/collect/Multisets.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-jar/com/google/common/collect/ForwardingConcurrentMap.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-jar/com/google/common/collect/ForwardingCollection.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-jar/com/google/common/collect/AbstractMapBasedMultiset.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-jar/com/google/common/collect/ListMultimap.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-jar/com/google/common/collect/ReverseOrdering.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-jar/com/google/common/collect/LinkedListMultimap.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-jar/com/google/common/collect/Multimaps.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-jar/com/google/common/collect/ConcurrentHashMultiset.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-jar/com/google/common/collect/AbstractSortedSetMultimap.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-jar/com/google/common/collect/Interner.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-jar/com/google/common/collect/LinkedHashMultiset.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-jar/com/google/common/collect/Multimap.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-jar/com/google/common/collect/ForwardingMap.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-jar/com/google/common/collect/HashMultiset.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-jar/com/google/common/collect/ImmutableSet.java



\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-jar/com/google/common/collect/NullsLastOrdering.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-jar/com/google/common/collect/SingletonImmutableSet.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-jar/com/google/common/collect/TreeMultimap.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-jar/com/google/common/collect/ComparatorOrdering.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-jar/com/google/common/collect/AbstractListMultimap.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-jar/com/google/common/collect/AbstractSetMultimap.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-jar/com/google/common/collect/NullsFirstOrdering.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-jar/com/google/common/collect/ImmutableList.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-jar/com/google/common/collect/ForwardingQueue.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-jar/com/google/common/collect/AbstractIterator.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-jar/com/google/common/collect/Iterables.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-jar/com/google/common/collect/ForwardingIterator.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-jar/com/google/common/collect/Lists.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-jar/com/google/common/collect/SetMultimap.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-jar/com/google/common/collect/ForwardingListIterator.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-jar/com/google/common/collect/MapDifference.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-jar/com/google/common/collect/LinkedHashMultimap.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-jar/com/google/common/collect/RegularImmutableSet.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-jar/com/google/common/collect/AbstractMapEntry.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-jar/com/google/common/collect/package-info.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-jar/com/google/common/collect/Sets.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-jar/com/google/common/collect/ForwardingSet.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-jar/com/google/common/collect/HashMultimap.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-jar/com/google/common/collect/Multiset.java

\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-jar/com/google/common/collect/AbstractBiMap.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-jar/com/google/common/collect/NaturalOrdering.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-jar/com/google/common/collect/ForwardingList.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-jar/com/google/common/collect/UsingToStringOrdering.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-jar/com/google/common/collect/Iterators.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-jar/com/google/common/collect/ByFunctionOrdering.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-jar/com/google/common/collect/LexicographicalOrdering.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-jar/com/google/common/collect/ArrayListMultimap.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-jar/com/google/common/collect/BiMap.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-jar/com/google/common/collect/ForwardingMapEntry.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-jar/com/google/common/collect/ForwardingSortedSet.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-jar/com/google/common/collect/CompoundOrdering.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-jar/com/google/common/collect/SortedSetMultimap.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-jar/com/google/common/collect/ExplicitOrdering.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-jar/com/google/common/collect/ForwardingSortedMap.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-jar/com/google/common/collect/ReverseNaturalOrdering.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-jar/com/google/common/collect/EnumBiMap.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-jar/com/google/common/collect/Maps.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-jar/com/google/common/collect/Ordering.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-jar/com/google/common/collect/ForwardingMultiset.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2019 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-  
jar/com/google/common/graph/IncidentEdgeSet.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-  
jar/com/google/common/collect/CompactHashing.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright (C) 2013 The Guava Authors  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-  
jar/com/google/common/collect/MultimapBuilder.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-  
jar/com/google/common/io/MoreFiles.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-  
jar/com/google/common/collect/ImmutableMapEntry.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright (C) 2009 The Guava Authors  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except  
\* in compliance with the License. You may obtain a copy of the License at  
\*  
\*/

```
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
express
* or implied. See the License for the specific language governing permissions and limitations under
* the License.
*/
/**
* Outer class that exists solely to let us write {@code Partially.GwtIncompatible} instead of plain
* {@code GwtIncompatible}. This is more accurate for {@link Futures#catching}, which is available
* under GWT but with a slightly different signature.
*
* <p>We can't use {@code PartiallyGwtIncompatible} because then the GWT compiler wouldn't recognize
* it as a {@code GwtIncompatible} annotation. And for {@code Futures.catching}, we need the GWT
* compiler to autostrip the normal server method in order to expose the special, inherited GWT
* version.
*/
```

Found in path(s):

```
* /opt/cola/permits/1162863591_1620924149.63/0/guava-30-1-1-jre-sources-
jar/com/google/common/util/concurrent/Partially.java
```

No license file was found, but licenses were detected in source scan.

```
/*
* Copyright (C) 2013 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
express
* or implied. See the License for the specific language governing permissions and limitations under
* the License.
*/
```

Found in path(s):

```
* /opt/cola/permits/1162863591_1620924149.63/0/guava-30-1-1-jre-sources-
jar/com/google/common/eventbus/SubscriberExceptionHandler.java
* /opt/cola/permits/1162863591_1620924149.63/0/guava-30-1-1-jre-sources-
jar/com/google/common/base/Utf8.java
* /opt/cola/permits/1162863591_1620924149.63/0/guava-30-1-1-jre-sources-
jar/com/google/thirdparty/publicsuffix/PublicSuffixType.java
* /opt/cola/permits/1162863591_1620924149.63/0/guava-30-1-1-jre-sources-
jar/com/google/common/eventbus/SubscriberExceptionContext.java
```

\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-jar/com/google/common/util/concurrent/WrappingScheduledExecutorService.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-jar/com/google/common/hash/HashingInputStream.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-jar/com/google/common/base/Verify.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-jar/com/google/common/collect/AbstractTable.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-jar/com/google/common/util/concurrent/Runnables.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-jar/com/google/common/reflect/TypeVisitor.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-jar/com/google/common/io/CharSequenceReader.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-jar/com/google/common/collect/FilteredMultimapValues.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-jar/com/google/common/base/VerifyException.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2009 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except  
\* in compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License  
\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express  
\* or implied. See the License for the specific language governing permissions and limitations under  
\* the License.

\*/

Found in path(s):

\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-jar/com/google/common/collect/SparseImmutableTable.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-jar/com/google/common/collect/MapMakerInternalMap.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-jar/com/google/common/html/HtmlEscapers.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-jar/com/google/common/escape/ArrayBasedUnicodeEscaper.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-jar/com/google/common/util/concurrent/ForwardingFuture.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-jar/com/google/common/util/concurrent/JdkFutureAdapters.java

\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-jar/com/google/common/util/concurrent/ForwardingListenableFuture.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-jar/com/google/common/annotations/GwtCompatible.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-jar/com/google/common/net/InternetDomainName.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-jar/com/google/common/net/HostSpecifier.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-jar/com/google/common/base/Splitter.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-jar/com/google/common/escape/Escapers.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-jar/com/google/common/annotations/GwtIncompatible.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-jar/com/google/common/cache/ReferenceEntry.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-jar/com/google/common/escape/ArrayBasedCharEscaper.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-jar/com/google/common/escape/ArrayBasedEscaperMap.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-jar/com/google/common/reflect/TypeResolver.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-jar/com/google/common/io/LineProcessor.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-jar/com/google/common/collect/DenseImmutableTable.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-jar/com/google/common/util/concurrent/SettableFuture.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-jar/com/google/common/util/concurrent/Callables.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-jar/com/google/common/util/concurrent/AbstractExecutionThreadService.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-jar/com/google/common/net/UrlEscapers.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-jar/com/google/common/util/concurrent/ForwardingFluentFuture.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-jar/com/google/common/collect/Cut.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-jar/com/google/common/escape/Platform.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-jar/com/google/common/collect/MapMaker.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-jar/com/google/common/io/ByteArrayDataInput.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-jar/com/google/common/base/Platform.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-jar/com/google/common/cache/CacheBuilder.java

\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-jar/com/google/common/util/concurrent/AbstractService.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-jar/com/google/common/collect/RegularImmutableTable.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-jar/com/google/common/xml/XmlEscapers.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-jar/com/google/common/io/ByteProcessor.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-jar/com/google/common/io/ByteArrayDataOutput.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-jar/com/google/common/primitives/UnsignedBytes.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-jar/com/google/common/util/concurrent/Service.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-jar/com/google/common/primitives/SignedBytes.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-jar/com/google/common/util/concurrent/AbstractIdleService.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-jar/com/google/common/cache/LocalCache.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2011 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not  
\* use this file except in compliance with the License. You may obtain a copy of  
\* the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations under  
\* the License.

\*/

Found in path(s):

\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-jar/com/google/common/collect/SortedMultiset.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-jar/com/google/common/collect/SortedMultisets.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2011 The Guava Authors.

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except  
\* in compliance with the License. You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software distributed under the License  
\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express  
\* or implied. See the License for the specific language governing permissions and limitations under  
\* the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-  
jar/com/google/common/hash/package-info.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2020 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except  
\* in compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License  
\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express

\* or implied. See the License for the specific language governing permissions and limitations under  
\* the License.

\*/

Found in path(s):

\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-  
jar/com/google/common/math/ToDoubleRounder.java

\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-  
jar/com/google/common/util/concurrent/OverflowAvoidingLockSupport.java

\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-  
jar/com/google/common/io/Java8Compatibility.java

\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-  
jar/com/google/common/math/BigDecimalMath.java

\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-  
jar/com/google/common/hash/Java8Compatibility.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2014 The Guava Authors

\*



\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-  
jar/com/google/common/graph/MutableNetwork.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-  
jar/com/google/common/graph/ImmutableNetwork.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-  
jar/com/google/common/collect/TopKSelector.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-  
jar/com/google/common/io/RecursiveDeleteOption.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-  
jar/com/google/common/graph/PredecessorsFunction.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-  
jar/com/google/common/graph/Network.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-  
jar/com/google/common/graph/MutableGraph.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-  
jar/com/google/common/graph/Graphs.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-  
jar/com/google/common/graph/Graph.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-  
jar/com/google/common/io/InsecureRecursiveDeleteException.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-  
jar/com/google/common/graph/SuccessorsFunction.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-  
jar/com/google/common/graph/ImmutableGraph.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright (C) 2009 The Guava Authors  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>

- \*
- \* Unless required by applicable law or agreed to in writing, software
- \* distributed under the License is distributed on an "AS IS" BASIS,
- \* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- \* See the License for the specific language governing permissions and
- \* limitations under the License.
- \*/

Found in path(s):

- \* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-jar/com/google/common/collect/SingletonImmutableList.java
- \* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-jar/com/google/common/collect/ImmutableSetMultimap.java
- \* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-jar/com/google/common/collect/ImmutableSortedMap.java
- \* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-jar/com/google/common/collect/RegularImmutableList.java
- \* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-jar/com/google/common/collect/ImmutableEnumSet.java
- \* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-jar/com/google/common/collect/ComputationException.java
- \* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-jar/com/google/common/collect/ComparisonChain.java
- \* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-jar/com/google/common/collect/RegularImmutableSortedSet.java
- \* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-jar/com/google/common/collect/AbstractIndexedListIterator.java
- \* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-jar/com/google/common/collect/SingletonImmutableTable.java
- \* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-jar/com/google/common/collect/ImmutableAsList.java
- \* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-jar/com/google/common/collect/ArrayTable.java
- \* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-jar/com/google/common/collect/ForwardingTable.java
- \* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-jar/com/google/common/collect/EmptyImmutableSetMultimap.java
- \* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-jar/com/google/common/collect/DiscreteDomain.java
- \* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-jar/com/google/common/collect/ImmutableClassToInstanceMap.java
- \* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-jar/com/google/common/collect/ImmutableSortedSetFauxverideShim.java
- \* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-jar/com/google/common/collect/ImmutableTable.java
- \* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-jar/com/google/common/collect/TableCollectors.java

No license file was found, but licenses were detected in source scan.

/\*

- \* Written by Doug Lea with assistance from members of JCP JSR-166
  - \* Expert Group and released to the public domain, as explained at
  - \* <http://creativecommons.org/publicdomain/zero/1.0/>
- \*/

Found in path(s):

- \* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-jar/com/google/common/hash/Striped64.java
- \* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-jar/com/google/common/hash/LongAdder.java
- \* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-jar/com/google/common/util/concurrent/AtomicDoubleArray.java
- \* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-jar/com/google/common/cache/Striped64.java
- \* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-jar/com/google/common/cache/LongAdder.java

No license file was found, but licenses were detected in source scan.

/\*

- \* Copyright (C) 2008 The Guava Authors
  - \*
  - \* Licensed under the Apache License, Version 2.0 (the "License");
  - \* you may not use this file except in compliance with the License.
  - \* You may obtain a copy of the License at
  - \*
  - \* <http://www.apache.org/licenses/LICENSE-2.0>
  - \*
  - \* Unless required by applicable law or agreed to in writing, software
  - \* distributed under the License is distributed on an "AS IS" BASIS,
  - \* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
  - \* See the License for the specific language governing permissions and
  - \* limitations under the License.
- \*/

Found in path(s):

- \* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-jar/com/google/common/collect/Platform.java
- \* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-jar/com/google/thirdparty/publicsuffix/PublicSuffixPatterns.java
- \* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-jar/com/google/common/collect/StandardRowSortedTable.java
- \* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-jar/com/google/common/collect/ImmutableMap.java
- \* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-jar/com/google/common/collect/ImmutableBiMap.java

\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-jar/com/google/common/collect/PeekingIterator.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-jar/com/google/common/collect/ImmutableSortedSet.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-jar/com/google/common/collect/ImmutableMultiset.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-jar/com/google/common/collect/UnmodifiableIterator.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-jar/com/google/common/collect/Range.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-jar/com/google/common/collect/RegularImmutableMap.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-jar/com/google/common/collect/ImmutableListMultimap.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-jar/com/google/common/collect/CollectPreconditions.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-jar/com/google/common/collect/ImmutableEntry.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-jar/com/google/common/collect/ImmutableMultimap.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-jar/com/google/common/collect/ImmutableCollection.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-jar/com/google/common/collect/RegularImmutableBiMap.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-jar/com/google/common/collect/Tables.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-jar/com/google/common/collect/Collections2.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-jar/com/google/common/collect/EmptyImmutableListMultimap.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-jar/com/google/common/collect/Table.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-jar/com/google/common/collect/StandardTable.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-jar/com/google/common/collect/TreeBasedTable.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-jar/com/google/common/collect/HashBasedTable.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-jar/com/google/common/collect/ImmutableMapKeySet.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-jar/com/google/common/collect/SingletonImmutableBiMap.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-jar/com/google/common/collect/Serialization.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-jar/com/google/common/collect/ImmutableMapValues.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-jar/com/google/common/collect/ImmutableMapEntrySet.java

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (C) 2016 The Guava Authors
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1162863591_1620924149.63/0/guava-30-1-1-jre-sources-
jar/com/google/common/graph/AbstractValueGraph.java
* /opt/cola/permits/1162863591_1620924149.63/0/guava-30-1-1-jre-sources-
jar/com/google/common/graph/ElementOrder.java
* /opt/cola/permits/1162863591_1620924149.63/0/guava-30-1-1-jre-sources-
jar/com/google/common/collect/ArrayListMultimapGwtSerializationDependencies.java
* /opt/cola/permits/1162863591_1620924149.63/0/guava-30-1-1-jre-sources-
jar/com/google/common/graph/GraphConstants.java
* /opt/cola/permits/1162863591_1620924149.63/0/guava-30-1-1-jre-sources-
jar/com/google/common/graph/ImmutableValueGraph.java
* /opt/cola/permits/1162863591_1620924149.63/0/guava-30-1-1-jre-sources-
jar/com/google/common/graph/MapRetrievalCache.java
* /opt/cola/permits/1162863591_1620924149.63/0/guava-30-1-1-jre-sources-
jar/com/google/common/graph/AbstractDirectedNetworkConnections.java
* /opt/cola/permits/1162863591_1620924149.63/0/guava-30-1-1-jre-sources-
jar/com/google/common/graph/DirectedMultiNetworkConnections.java
* /opt/cola/permits/1162863591_1620924149.63/0/guava-30-1-1-jre-sources-
jar/com/google/common/graph/StandardMutableNetwork.java
* /opt/cola/permits/1162863591_1620924149.63/0/guava-30-1-1-jre-sources-
jar/com/google/common/graph/StandardNetwork.java
* /opt/cola/permits/1162863591_1620924149.63/0/guava-30-1-1-jre-sources-
jar/com/google/common/graph/NetworkConnections.java
* /opt/cola/permits/1162863591_1620924149.63/0/guava-30-1-1-jre-sources-
jar/com/google/common/graph/MultiEdgesConnecting.java
* /opt/cola/permits/1162863591_1620924149.63/0/guava-30-1-1-jre-sources-
jar/com/google/common/graph/GraphBuilder.java
* /opt/cola/permits/1162863591_1620924149.63/0/guava-30-1-1-jre-sources-
jar/com/google/common/graph/MutableValueGraph.java
* /opt/cola/permits/1162863591_1620924149.63/0/guava-30-1-1-jre-sources-
```

jar/com/google/common/graph/ForwardingNetwork.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-  
jar/com/google/common/collect/MoreCollectors.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-  
jar/com/google/common/graph/EndpointPair.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-  
jar/com/google/common/graph/DirectedGraphConnections.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-  
jar/com/google/common/collect/CollectCollectors.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-  
jar/com/google/common/graph/AbstractGraphBuilder.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-  
jar/com/google/common/collect/Comparators.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-  
jar/com/google/common/graph/AbstractGraph.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-  
jar/com/google/common/graph/StandardValueGraph.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-  
jar/com/google/common/collect/LinkedHashMultimapGwtSerializationDependencies.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-  
jar/com/google/common/graph/AbstractNetwork.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-  
jar/com/google/common/graph/GraphConnections.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-  
jar/com/google/common/graph/AbstractUndirectedNetworkConnections.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-  
jar/com/google/common/graph/NetworkBuilder.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-  
jar/com/google/common/graph/ValueGraphBuilder.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-  
jar/com/google/common/graph/ForwardingValueGraph.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-  
jar/com/google/common/graph/EdgesConnecting.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-  
jar/com/google/common/collect/ImmutableMultisetGwtSerializationDependencies.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-  
jar/com/google/common/graph/MapIteratorCache.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-  
jar/com/google/common/graph/UndirectedGraphConnections.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-  
jar/com/google/common/collect/RangeGwtSerializationDependencies.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-  
jar/com/google/common/graph/ValueGraph.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-  
jar/com/google/common/graph/ForwardingGraph.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-  
jar/com/google/common/graph/StandardMutableValueGraph.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-

jar/com/google/common/collect/HashMultimapGwtSerializationDependencies.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-  
jar/com/google/common/graph/EndpointPairIterator.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-  
jar/com/google/common/graph/UndirectedNetworkConnections.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-  
jar/com/google/common/graph/UndirectedMultiNetworkConnections.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-  
jar/com/google/common/graph/StandardMutableGraph.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-  
jar/com/google/common/graph/DirectedNetworkConnections.java  
No license file was found, but licenses were detected in source scan.

```
/*  
* Copyright (C) 2017 The Guava Authors  
*  
* Licensed under the Apache License, Version 2.0 (the "License");  
* you may not use this file except in compliance with the License.  
* You may obtain a copy of the License at  
*  
* http://www.apache.org/licenses/LICENSE-2.0  
*  
* Unless required by applicable law or agreed to in writing, software  
* distributed under the License is distributed on an "AS IS" BASIS,  
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
* See the License for the specific language governing permissions and  
* limitations under the License.  
*/
```

Found in path(s):

\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-  
jar/com/google/common/graph/AbstractBaseGraph.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-  
jar/com/google/common/graph/BaseGraph.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-  
jar/com/google/common/graph/Traverser.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-  
jar/com/google/common/util/concurrent/ClosingFuture.java  
No license file was found, but licenses were detected in source scan.

```
/*  
* Copyright (C) 2020 The Guava Authors  
*  
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except  
* in compliance with the License. You may obtain a copy of the License at  
*  
* http://www.apache.org/licenses/LICENSE-2.0  
*  
*/
```

\* Unless required by applicable law or agreed to in writing, software distributed under the License  
\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express  
\* or implied. See the License for the specific language governing permissions and limitations under  
\* the License.

\*/  
/\*\*

\* Holder for web specializations of methods of { @code Shorts }. Intended to be empty for regular  
\* version.  
\*/

Found in path(s):

\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-  
jar/com/google/common/primitives/ShortsMethodsForWeb.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2016 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except  
\* in compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License  
\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express  
\* or implied. See the License for the specific language governing permissions and limitations under  
\* the License.

\*/

/\*\*

\* Holder for extra methods of { @code Objects } only in web. Intended to be empty for regular  
\* version.

\*/

Found in path(s):

\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-  
jar/com/google/common/base/ExtraObjectsMethodsForWeb.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2015 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you  
\* may not use this file except in compliance with the License. You may  
\* obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>



\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or  
\* implied. See the License for the specific language governing  
\* permissions and limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-  
jar/com/google/common/collect/Streams.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2015 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except  
\* in compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License  
\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express

\* or implied. See the License for the specific language governing permissions and limitations under  
\* the License.

\*/

Found in path(s):

\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-  
jar/com/google/common/hash/FarmHashFingerprint64.java

\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-  
jar/com/google/common/util/concurrent/Platform.java

\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-  
jar/com/google/common/util/concurrent/AsyncCallable.java

\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-  
jar/com/google/common/io/ReaderInputStream.java

\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-  
jar/com/google/common/util/concurrent/InterruptibleTask.java

\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-  
jar/com/google/common/util/concurrent/AggregateFutureState.java

\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-  
jar/com/google/common/collect/ConsumingQueueIterator.java

\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-  
jar/com/google/common/hash/LittleEndianByteArray.java

\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-  
jar/com/google/common/util/concurrent/CombinedFuture.java

\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-

jar/com/google/common/hash/MacHashFunction.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2009 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except

\* in compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the

\* License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either

\* express or implied. See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-

jar/com/google/common/collect/ImmutableSortedAsList.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2010 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except

\* in compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License

\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express

\* or implied. See the License for the specific language governing permissions and limitations under

\* the License.

\*/

Found in path(s):

\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-

jar/com/google/common/util/concurrent/ForwardingBlockingQueue.java

\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-

jar/com/google/common/util/concurrent/ThreadFactoryBuilder.java

\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-

jar/com/google/common/collect/SortedLists.java

\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-

jar/com/google/common/util/concurrent/UncaughtExceptionHandler.java

\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-

jar/com/google/common/annotations/package-info.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-  
jar/com/google/common/util/concurrent/Monitor.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-  
jar/com/google/common/annotations/Beta.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-  
jar/com/google/common/util/concurrent/Atomics.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-  
jar/com/google/common/base/Strings.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-  
jar/com/google/common/base/Ascii.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-  
jar/com/google/common/collect/ContiguousSet.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-  
jar/com/google/common/primitives/package-info.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-jar/com/google/common/net/package-  
info.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-  
jar/com/google/common/base/Equivalence.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-  
jar/com/google/common/util/concurrent/ListeningExecutorService.java  
No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2012 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except  
\* in compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License  
\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express

\* or implied. See the License for the specific language governing permissions and limitations under  
\* the License.

\*/

/\*

\* This method was rewritten in Java from an intermediate step of the Murmur hash function in  
\* <http://code.google.com/p/smhasher/source/browse/trunk/MurmurHash3.cpp>, which contained the  
\* following header:

\*

\* MurmurHash3 was written by Austin Appleby, and is placed in the public domain. The author  
\* hereby disclaims copyright to this source code.

\*/

Found in path(s):

\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-

jar/com/google/common/base/SmallCharMatcher.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2020 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except  
\* in compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License  
\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express

\* or implied. See the License for the specific language governing permissions and limitations under  
\* the License.

\*/

/\*\*

\* Holder for web specializations of methods of { @code Ints }. Intended to be empty for regular  
\* version.

\*/

Found in path(s):

\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-  
jar/com/google/common/primitives/IntsMethodsForWeb.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2005 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except  
\* in compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License  
\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express

\* or implied. See the License for the specific language governing permissions and limitations under  
\* the License.

\*/

Found in path(s):

\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-  
jar/com/google/common/reflect/Reflection.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2007 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

/\*\*

\* Returns an array containing all of the elements in the specified collection. This method

\* returns the elements in the order they are returned by the collection's iterator. The returned

\* array is "safe" in that no references to it are maintained by the collection. The caller is

\* thus free to modify the returned array.

\*

\* <p>This method assumes that the collection size doesn't change while the method is running.

\*

\* <p>TODO(kevinb): support concurrently modified collections?

\*

\* @param c the collection for which to return an array of elements

\*/

Found in path(s):

\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-

jar/com/google/common/collect/ObjectArrays.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2018 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

```
* /opt/cola/permits/1162863591_1620924149.63/0/guava-30-1-1-jre-sources-  
jar/com/google/common/collect/JdkBackedImmutableBiMap.java  
* /opt/cola/permits/1162863591_1620924149.63/0/guava-30-1-1-jre-sources-  
jar/com/google/common/collect/JdkBackedImmutableMap.java  
* /opt/cola/permits/1162863591_1620924149.63/0/guava-30-1-1-jre-sources-  
jar/com/google/common/collect/BaseImmutableMultimap.java  
* /opt/cola/permits/1162863591_1620924149.63/0/guava-30-1-1-jre-sources-  
jar/com/google/common/collect/IndexedImmutableSet.java
```

No license file was found, but licenses were detected in source scan.

```
/*
```

```
* Copyright (C) 2009 The Guava Authors
```

```
*
```

```
* Licensed under the Apache License, Version 2.0 (the "License");
```

```
* you may not use this file except in compliance with the License.
```

```
* You may obtain a copy of the License at
```

```
*
```

```
* http://www.apache.org/licenses/LICENSE-2.0
```

```
*
```

```
* Unless required by applicable law or agreed to in writing, software
```

```
* distributed under the License is distributed on an "AS IS" BASIS,
```

```
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
```

```
* See the License for the specific language governing permissions and
```

```
* limitations under the License.
```

```
*/
```

```
/**
```

```
 * Not supported. You are attempting to create a map that may contain a non-{@code Comparable}
```

```
 * key. Proper calls will resolve to the version in {@code ImmutableSortedMap}, not this dummy
```

```
 * version.
```

```
*
```

```
 * @throws UnsupportedOperationException always
```

```
 * @deprecated Pass a key of type {@code Comparable} to use {@link
```

```
 * ImmutableSortedMap#of(Comparable, Object).
```

```
*/
```

Found in path(s):

```
* /opt/cola/permits/1162863591_1620924149.63/0/guava-30-1-1-jre-sources-  
jar/com/google/common/collect/ImmutableSortedMapFauxverideShim.java
```

No license file was found, but licenses were detected in source scan.

```
/*
```

```
* Copyright (C) 2011 The Guava Authors
```

```
*
```

```
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
```

```
* in compliance with the License. You may obtain a copy of the License at
```

```
*
```

```
* http://www.apache.org/licenses/LICENSE-2.0
```

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License  
\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express  
\* or implied. See the License for the specific language governing permissions and limitations under  
\* the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-  
jar/com/google/common/hash/Murmur3\_32HashFunction.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-  
jar/com/google/common/cache/RemovalListener.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-  
jar/com/google/common/util/concurrent/ForwardingExecutorService.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-  
jar/com/google/common/util/concurrent/ExecutionError.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-  
jar/com/google/common/cache/package-info.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-  
jar/com/google/common/primitives/UnsignedInts.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-  
jar/com/google/common/util/concurrent/Uninterruptibles.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-  
jar/com/google/common/cache/ForwardingCache.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-  
jar/com/google/common/hash/Murmur3\_128HashFunction.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-  
jar/com/google/common/cache/LoadingCache.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-  
jar/com/google/common/hash/BloomFilterStrategies.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-  
jar/com/google/common/cache/CacheLoader.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-  
jar/com/google/common/reflect/Types.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-  
jar/com/google/common/util/concurrent/FutureCallback.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-  
jar/com/google/common/reflect/TypeParameter.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-  
jar/com/google/common/collect/RegularContiguousSet.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-  
jar/com/google/common/hash/PrimitiveSink.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-  
jar/com/google/common/util/concurrent/AbstractScheduledService.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-  
jar/com/google/common/base/Optional.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-

jar/com/google/common/cache/RemovalCause.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-  
jar/com/google/common/util/concurrent/ForwardingListeningExecutorService.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-  
jar/com/google/common/cache/CacheBuilderSpec.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-  
jar/com/google/common/cache/AbstractCache.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-  
jar/com/google/common/hash/HashFunction.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-  
jar/com/google/common/collect/BoundType.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-  
jar/com/google/common/hash/AbstractHasher.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-  
jar/com/google/common/collect/Queues.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-  
jar/com/google/common/collect/DescendingImmutableSortedMultiset.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-  
jar/com/google/common/hash/Hasher.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-  
jar/com/google/common/base/Enums.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-  
jar/com/google/common/collect/RegularImmutableMultiset.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-  
jar/com/google/common/primitives/UnsignedLong.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-  
jar/com/google/common/math/package-info.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-  
jar/com/google/common/hash/BloomFilter.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-  
jar/com/google/common/util/concurrent/WrappingExecutorService.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-  
jar/com/google/common/hash/HashCode.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-  
jar/com/google/common/cache/RemovalNotification.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-  
jar/com/google/common/math/BigIntegerMath.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-  
jar/com/google/common/util/concurrent/UncheckedExecutionException.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-  
jar/com/google/common/hash/AbstractCompositeHashFunction.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-  
jar/com/google/common/cache/Weigher.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-  
jar/com/google/common/util/concurrent/AsyncFunction.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-  
jar/com/google/common/net/HttpHeaders.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-



jar/com/google/common/math/IntMath.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-  
jar/com/google/common/cache/RemovalListeners.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-  
jar/com/google/common/hash/MessageDigestHashFunction.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-  
jar/com/google/common/hash/Crc32cHashFunction.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-  
jar/com/google/common/cache/Cache.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-  
jar/com/google/common/collect/AbstractSortedMultiset.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-  
jar/com/google/common/primitives/UnsignedInteger.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-  
jar/com/google/common/primitives/UnsignedLongs.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-  
jar/com/google/common/primitives/ParseRequest.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-  
jar/com/google/common/cache/AbstractLoadingCache.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-  
jar/com/google/common/math/DoubleMath.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-  
jar/com/google/common/base/Absent.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-  
jar/com/google/common/hash/AbstractStreamingHasher.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-  
jar/com/google/common/cache/CacheStats.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-  
jar/com/google/common/base/FunctionalEquivalence.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-  
jar/com/google/common/util/concurrent/CycleDetectingLockFactory.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-  
jar/com/google/common/cache/ForwardingLoadingCache.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-  
jar/com/google/common/collect/TreeRangeSet.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-  
jar/com/google/common/hash/Funnels.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-  
jar/com/google/common/hash/AbstractNonStreamingHashFunction.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-  
jar/com/google/common/util/concurrent/AbstractListeningExecutorService.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-  
jar/com/google/common/base/Present.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-  
jar/com/google/common/base/Ticker.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-  
jar/com/google/common/hash/Funnel.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-

jar/com/google/common/math/DoubleUtils.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-  
jar/com/google/common/util/concurrent/ListeningScheduledExecutorService.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-  
jar/com/google/common/net/MediaType.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-  
jar/com/google/common/base/PairwiseEquivalence.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-  
jar/com/google/common/hash/HashingOutputStream.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-  
jar/com/google/common/net/HostAndPort.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-  
jar/com/google/common/math/LongMath.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-  
jar/com/google/common/hash/Hashing.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-  
jar/com/google/common/collect/EmptyContiguousSet.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-  
jar/com/google/common/math/MathPreconditions.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2007 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except  
\* in compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License  
\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express

\* or implied. See the License for the specific language governing permissions and limitations under  
\* the License.

\*/

/\*

\* This following method is a modified version of one found in

\* <http://gee.cs.oswego.edu/cgi-bin/viewcvs.cgi/jsr166/src/test/tck/AbstractExecutorServiceTest.java?revision=1.30>

\* which contained the following notice:

\*

\* Written by Doug Lea with assistance from members of JCP JSR-166 Expert Group and released to  
\* the public domain, as explained at <http://creativecommons.org/publicdomain/zero/1.0/>

\*

\* Other contributors include Andrew Wright, Jeffrey Hayes, Pat Fisher, Mike Judd.

\*/

Found in path(s):

\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-

jar/com/google/common/util/concurrent/MoreExecutors.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2020 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except

\* in compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License

\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express

\* or implied. See the License for the specific language governing permissions and limitations under

\* the License.

\*/

/\*\*

\* Holder for web specializations of methods of { @code Floats }. Intended to be empty for regular

\* version.

\*/

Found in path(s):

\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-

jar/com/google/common/primitives/FloatsMethodsForWeb.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2016 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except

\* in compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License

\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express

\* or implied. See the License for the specific language governing permissions and limitations under

\* the License.

\*/

Found in path(s):

\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-

jar/com/google/common/base/CommonMatcher.java

\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-

jar/com/google/common/base/PatternCompiler.java

\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-

jar/com/google/common/base/CommonPattern.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-  
jar/com/google/common/base/JdkPattern.java  
No license file was found, but licenses were detected in source scan.

```
/*  
* Copyright (C) 2006 The Guava Authors  
*  
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except  
* in compliance with the License. You may obtain a copy of the License at  
*  
* http://www.apache.org/licenses/LICENSE-2.0  
*  
* Unless required by applicable law or agreed to in writing, software distributed under the License  
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express  
* or implied. See the License for the specific language governing permissions and limitations under  
* the License.  
*/
```

Found in path(s):

```
* /opt/cola/permits/1162863591_1620924149.63/0/guava-30-1-1-jre-sources-  
jar/com/google/common/io/AppendableWriter.java  
* /opt/cola/permits/1162863591_1620924149.63/0/guava-30-1-1-jre-sources-  
jar/com/google/common/util/concurrent/FuturesGetChecked.java  
* /opt/cola/permits/1162863591_1620924149.63/0/guava-30-1-1-jre-sources-  
jar/com/google/common/util/concurrent/AggregateFuture.java  
* /opt/cola/permits/1162863591_1620924149.63/0/guava-30-1-1-jre-sources-  
jar/com/google/common/base/CaseFormat.java  
* /opt/cola/permits/1162863591_1620924149.63/0/guava-30-1-1-jre-sources-  
jar/com/google/common/annotations/VisibleForTesting.java  
* /opt/cola/permits/1162863591_1620924149.63/0/guava-30-1-1-jre-sources-  
jar/com/google/common/util/concurrent/Futures.java  
* /opt/cola/permits/1162863591_1620924149.63/0/guava-30-1-1-jre-sources-  
jar/com/google/common/util/concurrent/GwtFuturesCatchingSpecialization.java  
* /opt/cola/permits/1162863591_1620924149.63/0/guava-30-1-1-jre-sources-  
jar/com/google/common/util/concurrent/AbstractTransformFuture.java  
* /opt/cola/permits/1162863591_1620924149.63/0/guava-30-1-1-jre-sources-  
jar/com/google/common/escape/CharEscaperBuilder.java  
* /opt/cola/permits/1162863591_1620924149.63/0/guava-30-1-1-jre-sources-  
jar/com/google/common/util/concurrent/TimeoutFuture.java  
* /opt/cola/permits/1162863591_1620924149.63/0/guava-30-1-1-jre-sources-  
jar/com/google/common/util/concurrent/SimpleTimeLimiter.java  
* /opt/cola/permits/1162863591_1620924149.63/0/guava-30-1-1-jre-sources-  
jar/com/google/common/util/concurrent/FakeTimeLimiter.java  
* /opt/cola/permits/1162863591_1620924149.63/0/guava-30-1-1-jre-sources-  
jar/com/google/common/escape/CharEscaper.java  
* /opt/cola/permits/1162863591_1620924149.63/0/guava-30-1-1-jre-sources-
```

jar/com/google/common/util/concurrent/FluentFuture.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-  
jar/com/google/common/util/concurrent/TimeLimiter.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-  
jar/com/google/common/reflect/TypeToken.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-  
jar/com/google/common/io/PatternFilenameFilter.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-  
jar/com/google/common/util/concurrent/AbstractCatchingFuture.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-  
jar/com/google/common/util/concurrent/ImmediateFuture.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-  
jar/com/google/common/util/concurrent/GwtFluentFutureCatchingSpecialization.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-  
jar/com/google/common/util/concurrent/UncheckedTimeoutException.java  
\* /opt/cola/permits/1162863591\_1620924149.63/0/guava-30-1-1-jre-sources-  
jar/com/google/common/util/concurrent/CollectionFuture.java

## 1.268 metrics-jetty 4.1.25

### 1.268.1 Available under license :

Apache-2.0

## 1.269 jackson-annotations 2.13.2

### 1.269.1 Available under license :

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

#### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

##### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or

otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual,

worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents

of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.



9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

## 1.270 kafka-schema-serializer 6.2.1

### 1.270.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
<project xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xmlns="http://maven.apache.org/POM/4.0.0"
  xsi:schemaLocation="http://maven.apache.org/POM/4.0.0 http://maven.apache.org/maven-v4_0_0.xsd">
```

```

<modelVersion>4.0.0</modelVersion>

<parent>
  <groupId>io.confluent</groupId>
  <artifactId>kafka-schema-registry-parent</artifactId>
  <version>6.2.1</version>
</parent>

<licenses>
  <license>
    <name>Apache License 2.0</name>
    <url>http://www.apache.org/licenses/LICENSE-2.0.html</url>
    <distribution>repo</distribution>
  </license>
</licenses>

<artifactId>kafka-schema-serializer</artifactId>
<packaging>jar</packaging>
<name>kafka-schema-serializer</name>

<dependencies>
  <dependency>
    <groupId>org.apache.kafka</groupId>
    <artifactId>kafka_${kafka.scala.version}</artifactId>
    <scope>provided</scope>
  </dependency>
  <dependency>
    <groupId>io.confluent</groupId>
    <artifactId>kafka-schema-registry-client</artifactId>
    <version>${io.confluent.schema-registry.version}</version>
  </dependency>
  <dependency>
    <groupId>junit</groupId>
    <artifactId>junit</artifactId>
    <scope>test</scope>
  </dependency>
</dependencies>
</project>

```

Found in path(s):

```

* /opt/cola/permits/1340031452_1654753709.1294904/0/kafka-schema-serializer-6-2-1-jar/META-INF/maven/io.confluent/kafka-schema-serializer/pom.xml

```

## 1.271 apache-kafka 6.2.1-ccs

## 1.271.1 Available under license :

Apache Kafka

Copyright 2021 The Apache Software Foundation.

This product includes software developed at  
The Apache Software Foundation (<https://www.apache.org/>).

This distribution has a binary dependency on jersey, which is available under the CDDL License. The source code of jersey can be found at <https://github.com/jersey/jersey/>.

The streams-scala (streams/streams-scala) module was donated by Lightbend and the original code was copyrighted by them:

Copyright (C) 2018 Lightbend Inc. <<https://www.lightbend.com>>

Copyright (C) 2017-2018 Alexis Seigneurin.

This project contains the following code copied from Apache Hadoop:  
clients/src/main/java/org/apache/kafka/common/utils/PureJavaCrc32C.java

Some portions of this file Copyright (c) 2004-2006 Intel Corporation and licensed under the BSD license.

This project contains the following code copied from Apache Hive:  
streams/src/main/java/org/apache/kafka/streams/state/internals/Murmur3.java

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,

including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual,

worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
  - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
  - (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
  - (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
  - (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf

of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

# 1.272 trove-for-java 3.0.3

## 1.272.1 Available under license :

```
Found license 'General Public License 2.0' in '// Copyright (c) 2001, Eric D. Friedman All Rights Reserved. //
Copyright (c) 2009, Rob Eden All Rights Reserved. // Copyright (c) 2009, Jeff Randall All Rights Reserved. //
Copyright (c) 2011, Johan Parent All Rights Reserved. // This library is free software; you can redistribute it and/or
// modify it under the terms of the GNU Lesser General Public // License as published by the Free Software
Foundation; either // version 2.1 of the License, or (at your option) any later version. // This library is distributed in
the hope that it will be useful, // but WITHOUT ANY WARRANTY; without even the implied warranty of //
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the // GNU General Public License
for more details. // You should have received a copy of the GNU Lesser General Public // License along with this
program; if not, write to the Free Software'
```

```
Found license 'General Public License 2.0' in '// Copyright (c) 2002, Eric D. Friedman All Rights Reserved. // This
library is free software; you can redistribute it and/or // modify it under the terms of the GNU Lesser General Public
// License as published by the Free Software Foundation; either // version 2.1 of the License, or (at your option) any
```

later version. // This library is distributed in the hope that it will be useful, // but WITHOUT ANY WARRANTY;  
without even the implied warranty of // MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.  
See the // GNU General Public License for more details. // You should have received a copy of the GNU Lesser  
General Public // License along with this program; if not, write to the Free Software'  
Found license 'General Public License 2.0' in '// Copyright (c) 2011, Rob Eden All Rights Reserved. // This library is  
free software; you can redistribute it and/or // modify it under the terms of the GNU Lesser General Public // License  
as published by the Free Software Foundation; either // version 2.1 of the License, or (at your option) any later  
version. // This library is distributed in the hope that it will be useful, // but WITHOUT ANY WARRANTY;  
without even the implied warranty of // MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.  
See the // GNU General Public License for more details. // You should have received a copy of the GNU Lesser  
General Public // License along with this program; if not, write to the Free Software'  
Found license 'General Public License 2.0' in '// Copyright (c) 2009, Rob Eden All Rights Reserved. // Copyright (c)  
2009, Jeff Randall All Rights Reserved. // This library is free software; you can redistribute it and/or // modify it  
under the terms of the GNU Lesser General Public // License as published by the Free Software Foundation; either //  
version 2.1 of the License, or (at your option) any later version. // This library is distributed in the hope that it will  
be useful, // but WITHOUT ANY WARRANTY; without even the implied warranty of // MERCHANTABILITY or  
FITNESS FOR A PARTICULAR PURPOSE. See the // GNU General Public License for more details. // You  
should have received a copy of the GNU Lesser General Public // License along with this program; if not, write to  
the Free Software'  
Found license 'General Public License 2.0' in '// Copyright (c) 2001, Eric D. Friedman All Rights Reserved. // This  
library is free software; you can redistribute it and/or // modify it under the terms of the GNU Lesser General Public  
// License as published by the Free Software Foundation; either // version 2.1 of the License, or (at your option) any  
later version. // This library is distributed in the hope that it will be useful, // but WITHOUT ANY WARRANTY;  
without even the implied warranty of // MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.  
See the // GNU General Public License for more details. // You should have received a copy of the GNU Lesser  
General Public // License along with this program; if not, write to the Free Software'  
Found license 'General Public License 2.0' in '// Copyright (c) 2001, Eric D. Friedman All Rights Reserved. //  
Copyright (c) 2009, Rob Eden All Rights Reserved. // Copyright (c) 2009, Jeff Randall All Rights Reserved. // This  
library is free software; you can redistribute it and/or // modify it under the terms of the GNU Lesser General Public  
// License as published by the Free Software Foundation; either // version 2.1 of the License, or (at your option) any  
later version. // This library is distributed in the hope that it will be useful, // but WITHOUT ANY WARRANTY;  
without even the implied warranty of // MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.  
See the // GNU General Public License for more details. // You should have received a copy of the GNU Lesser  
General Public // License along with this program; if not, write to the Free Software \* The caller is thus free to  
modify the returned array.'  
Found license 'General Public License 2.0' in '// Copyright (c) 2009, Robert D. Eden All Rights Reserved. // This  
library is free software; you can redistribute it and/or // modify it under the terms of the GNU Lesser General Public  
// License as published by the Free Software Foundation; either // version 2.1 of the License, or (at your option) any  
later version. // This library is distributed in the hope that it will be useful, // but WITHOUT ANY WARRANTY;  
without even the implied warranty of // MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.  
See the // GNU General Public License for more details. // You should have received a copy of the GNU Lesser  
General Public // License along with this program; if not, write to the Free Software'  
Found license 'General Public License 2.0' in '// Copyright (c) 2008, Robert D. Eden All Rights Reserved. //  
Copyright (c) 2009, Jeff Randall All Rights Reserved. // This library is free software; you can redistribute it and/or //  
modify it under the terms of the GNU Lesser General Public // License as published by the Free Software  
Foundation; either // version 2.1 of the License, or (at your option) any later version. // This library is distributed in  
the hope that it will be useful, // but WITHOUT ANY WARRANTY; without even the implied warranty of //  
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the // GNU General Public License



for more details. // You should have received a copy of the GNU Lesser General Public // License along with this program; if not, write to the Free Software'

Found license 'General Public License 2.0' in '// Copyright (c) 2009, Rob Eden All Rights Reserved. // This library is free software; you can redistribute it and/or // modify it under the terms of the GNU Lesser General Public // License as published by the Free Software Foundation; either // version 2.1 of the License, or (at your option) any later version. // This library is distributed in the hope that it will be useful, // but WITHOUT ANY WARRANTY; without even the implied warranty of // MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the // GNU General Public License for more details. // You should have received a copy of the GNU Lesser General Public // License along with this program; if not, write to the Free Software'

Found license 'General Public License 2.0' in '// Copyright (c) 2002, Eric D. Friedman All Rights Reserved. // Copyright (c) 2009, Robert D. Eden All Rights Reserved. // Copyright (c) 2009, Jeff Randall All Rights Reserved. // This library is free software; you can redistribute it and/or // modify it under the terms of the GNU Lesser General Public // License as published by the Free Software Foundation; either // version 2.1 of the License, or (at your option) any later version. // This library is distributed in the hope that it will be useful, // but WITHOUT ANY WARRANTY; without even the implied warranty of // MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the // GNU General Public License for more details. // You should have received a copy of the GNU Lesser General Public // License along with this program; if not, write to the Free Software'

Found license 'General Public License 2.0' in '~ // Copyright (c) 2009, Rob Eden All Rights Reserved. ~ // This library is free software; you can redistribute it and/or ~ // modify it under the terms of the GNU Lesser General Public ~ // License as published by the Free Software Foundation; either ~ // version 2.1 of the License, or (at your option) any later version. ~ // This library is distributed in the hope that it will be useful, ~ // but WITHOUT ANY WARRANTY; without even the implied warranty of ~ // MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the ~ // GNU General Public License for more details. ~ // You should have received a copy of the GNU Lesser General Public ~ // License along with this program; if not, write to the Free Software'

Found license 'General Public License 2.0' in '// Copyright (c) 2001, Eric D. Friedman All Rights Reserved. // Copyright (c) 2009, Rob Eden All Rights Reserved. // Copyright (c) 2009, Jeff Randall All Rights Reserved. // This library is free software; you can redistribute it and/or // modify it under the terms of the GNU Lesser General Public // License as published by the Free Software Foundation; either // version 2.1 of the License, or (at your option) any later version. // This library is distributed in the hope that it will be useful, // but WITHOUT ANY WARRANTY; without even the implied warranty of // MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the // GNU General Public License for more details. // You should have received a copy of the GNU Lesser General Public // License along with this program; if not, write to the Free Software'

## 1.273 jersey-ext-metainf-services 2.33

### 1.273.1 Available under license :

# Notice for Jersey

This content is produced and maintained by the Eclipse Jersey project.

\* Project home: <https://projects.eclipse.org/projects/ee4j.jersey>

## Trademarks

Eclipse Jersey is a trademark of the Eclipse Foundation.

## Copyright

All content is the property of the respective authors or their employers. For more information regarding authorship of content, please consult the listed source code repository logs.

## ## Declared Project Licenses

This program and the accompanying materials are made available under the terms of the Eclipse Public License v. 2.0 which is available at <http://www.eclipse.org/legal/epl-2.0>. This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License v. 2.0 are satisfied: GNU General Public License, version 2 with the GNU Classpath Exception which is available at <https://www.gnu.org/software/classpath/license.html>.

SPDX-License-Identifier: EPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0

## ## Source Code

The project maintains the following source code repositories:

- \* <https://github.com/eclipse-ee4j/jersey>

## ## Third-party Content

Angular JS, v1.6.6

- \* License MIT (<http://www.opensource.org/licenses/mit-license.php>)
- \* Project: <http://angularjs.org>
- \* Coyright: (c) 2010-2017 Google, Inc.

aopalliance Version 1

- \* License: all the source code provided by AOP Alliance is Public Domain.
- \* Project: <http://aopalliance.sourceforge.net>
- \* Copyright: Material in the public domain is not protected by copyright

Bean Validation API 2.0.2

- \* License: Apache License, 2.0
- \* Project: <http://beanvalidation.org/1.1/>
- \* Copyright: 2009, Red Hat, Inc. and/or its affiliates, and individual contributors
- \* by the @authors tag.

Hibernate Validator CDI, 6.1.2.Final

- \* License: Apache License, 2.0
- \* Project: <https://beanvalidation.org/>
- \* Repackaged in `org.glassfish.jersey.server.validation.internal.hibernate`

Bootstrap v3.3.7

- \* License: MIT license (<https://github.com/twbs/bootstrap/blob/master/LICENSE>)
- \* Project: <http://getbootstrap.com>
- \* Copyright: 2011-2016 Twitter, Inc

Google Guava Version 18.0

- \* License: Apache License, 2.0
- \* Copyright (C) 2009 The Guava Authors

javax.inject Version: 1

- \* License: Apache License, 2.0
- \* Copyright (C) 2009 The JSR-330 Expert Group

Javassist Version 3.25.0-GA

- \* License: Apache License, 2.0
- \* Project: <http://www.javassist.org/>
- \* Copyright (C) 1999- Shigeru Chiba. All Rights Reserved.

Jackson JAX-RS Providers Version 2.10.1

- \* License: Apache License, 2.0
- \* Project: <https://github.com/FasterXML/jackson-jaxrs-providers>
- \* Copyright: (c) 2009-2011 FasterXML, LLC. All rights reserved unless otherwise indicated.

jQuery v1.12.4

- \* License: [jquery.org/license](http://jquery.org/license)
- \* Project: [jquery.org](http://jquery.org)
- \* Copyright: (c) jQuery Foundation

jQuery Barcode plugin 0.3

- \* License: MIT & GPL (<http://www.opensource.org/licenses/mit-license.php> & <http://www.gnu.org/licenses/gpl.html>)
- \* Project: <http://www.pasella.it/projects/jquery/barcode>
- \* Copyright: (c) 2009 Antonello Pasella [antonello.pasella@gmail.com](mailto:antonello.pasella@gmail.com)

JSR-166 Extension - JEP 266

- \* License: CC0
- \* No copyright
- \* Written by Doug Lea with assistance from members of JCP JSR-166 Expert Group and released to the public domain, as explained at <http://creativecommons.org/publicdomain/zero/1.0/>

KineticJS, v4.7.1

- \* License: MIT license (<http://www.opensource.org/licenses/mit-license.php>)
- \* Project: <http://www.kineticjs.com>, <https://github.com/ericdrowell/KineticJS>
- \* Copyright: Eric Rowell

org.objectweb.asm Version 8.0

- \* License: Modified BSD (<http://asm.objectweb.org/license.html>)
- \* Copyright (c) 2000-2011 INRIA, France Telecom. All rights reserved.

org.osgi.core version 6.0.0

- \* License: Apache License, 2.0
- \* Copyright (c) OSGi Alliance (2005, 2008). All Rights Reserved.

org.glassfish.jersey.server.internal.monitoring.core

\* License: Apache License, 2.0

\* Copyright (c) 2015-2018 Oracle and/or its affiliates. All rights reserved.

\* Copyright 2010-2013 Coda Hale and Yammer, Inc.

W3.org documents

\* License: W3C License

\* Copyright: Copyright (c) 1994-2001 World Wide Web Consortium, (Massachusetts Institute of Technology, Institut National de Recherche en Informatique et en Automatique, Keio University). All Rights Reserved.

<http://www.w3.org/Consortium/Legal/>

# Eclipse Public License - v 2.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

## 1. DEFINITIONS

"Contribution" means:

a) in the case of the initial Contributor, the initial content Distributed under this Agreement, and

b) in the case of each subsequent Contributor:

i) changes to the Program, and

ii) additions to the Program;

where such changes and/or additions to the Program originate from and are Distributed by that particular Contributor. A Contribution "originates" from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include changes or additions to the Program that are not Modified Works.

"Contributor" means any person or entity that Distributes the Program.

"Licensed Patents" mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions Distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement or any Secondary License (as applicable), including Contributors.

"Derivative Works" shall mean any work, whether in Source Code or other form, that is based on (or derived from) the Program and for which the

editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship.

"Modified Works" shall mean any work in Source Code or other form that results from an addition to, deletion from, or modification of the contents of the Program, including, for purposes of clarity any new file in Source Code form that contains any contents of the Program. Modified Works shall not include works that contain only declarations, interfaces, types, classes, structures, or files of the Program solely in each case in order to link to, bind by name, or subclass the Program or Modified Works thereof.

"Distribute" means the acts of a) distributing or b) making available in any manner that enables the transfer of a copy.

"Source Code" means the form of a Program preferred for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Secondary License" means either the GNU General Public License, Version 2.0, or any later versions of that license, including any exceptions or additional permissions as identified by the initial Contributor.

## 2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, Distribute and sublicense the Contribution of such Contributor, if any, and such Derivative Works.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in Source Code or other form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity.

Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to Distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

e) Notwithstanding the terms of any Secondary License, no Contributor makes additional grants to any Recipient (other than those set forth in this Agreement) as a result of such Recipient's receipt of the Program under the terms of a Secondary License (if permitted under the terms of Section 3).

### 3. REQUIREMENTS

3.1 If a Contributor Distributes the Program in any form, then:

a) the Program must also be made available as Source Code, in accordance with section 3.2, and the Contributor must accompany the Program with a statement that the Source Code for the Program is available under this Agreement, and informs Recipients how to obtain it in a reasonable manner on or through a medium customarily used for software exchange; and

b) the Contributor may Distribute the Program under a license different than this Agreement, provided that such license:

i) effectively disclaims on behalf of all other Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;

ii) effectively excludes on behalf of all other Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;

iii) does not attempt to limit or alter the recipients' rights in the Source Code under section 3.2; and

iv) requires any subsequent distribution of the Program by any party to be under a license that satisfies the requirements

of this section 3.

### 3.2 When the Program is Distributed as Source Code:

- a) it must be made available under this Agreement, or if the Program (i) is combined with other material in a separate file or files made available under a Secondary License, and (ii) the initial Contributor attached to the Source Code the notice described in Exhibit A of this Agreement, then the Program may be made available under the terms of such Secondary Licenses, and
- b) a copy of this Agreement must be included with each copy of the Program.

3.3 Contributors may not remove or alter any copyright, patent, trademark, attribution notices, disclaimers of warranty, or limitations of liability ("notices") contained within the Program from any copy of the Program which they Distribute, provided that Contributors may add their own appropriate notices.

## 4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance

claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

#### 5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

#### 6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

#### 7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.



All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be Distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to Distribute the Program (including its Contributions) under the new version.

Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved. Nothing in this Agreement is intended to be enforceable by any entity that is not a Contributor or Recipient. No third-party beneficiary rights are created under this Agreement.

Exhibit A - Form of Secondary Licenses Notice

"This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License, v. 2.0 are satisfied: {name license(s), version(s), and exceptions or additional permissions here}."

Simply including a copy of this Agreement, including this Exhibit A is not sufficient to license the Source Code under Secondary Licenses.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.

---

## The GNU General Public License (GPL) Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.  
51 Franklin Street, Fifth Floor  
Boston, MA 02110-1335  
USA

Everyone is permitted to copy and distribute verbatim copies  
of this license document, but changing it is not allowed.

#### Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we

want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

## TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices

stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost

of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to

these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

#### NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

#### END OF TERMS AND CONDITIONS

#### How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey

the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.  
Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1335 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type
`show w'. This is free software, and you are welcome to redistribute
it under certain conditions; type `show c' for details.
```

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

```
Yoyodyne, Inc., hereby disclaims all copyright interest in the
program `Gnomovision' (which makes passes at compilers) written by
James Hacker.
```

```
signature of Ty Coon, 1 April 1989
Ty Coon, President of Vice
```

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you



may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

---

## ## CLASSPATH EXCEPTION

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License version 2 cover the whole combination.

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module. An independent module is a module which is not derived from or based on this library. If you modify this library, you may extend this exception to your version of the library, but you are not obligated to do so. If you do not wish to do so, delete this exception statement from your version.

# 1.274 apache-groovy 3.0.10

## 1.274.1 Available under license :

Copyright (c) Nicolas Gallagher and Jonathan Neal

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
  - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.
6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. **Disclaimer of Warranty.** Unless required by applicable law or

agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");

you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

-----

#### ANTLR 2 License

Antlr2 is released in the public domain.  
See licenses/antlr2-license.txt for details.

-----

#### ANTLR 4 License

Antlr4 is released under a BSD 3-clause license.  
See licenses/antlr4-license.txt for details.

-----

#### ASM License

ASM uses a 3-clause BSD license. For details, see licenses/asm-license.txt.

-----

#### Hamcrest License (needed when using optional JUnit dependency)

This product bundles the Hamcrest jar, which is available under a BSD license. For details, see licenses/hamcrest-license.txt.

-----

#### JAXB License (for optional groovy-jaxb extensions)

This product bundles several JAXB related jars in binary form.

The "javax.activation" jar is available under the CDDL 1.0 license:  
licenses/activation-license.txt

The jaxb-api, jaxb-core and jaxb-impl jars use the CDDL 1.1 license:

licenses/jaxb-license.txt

-----  
JLine2 License (optional dependency used with groovysh)

This product bundles the JLine2 jar, which is available under a BSD License. For details, see licenses/jline2-license.txt.

-----  
javax.servlet.jsp-api License (for groovy-servlet module)

This product bundles the javax.servlet.jsp-api jar in binary form which is available under the CDDL 1.1 license:  
licenses/jsp-api-license.txt

-----  
JSR166y License (optionally used by the optional GParas dependency)

This product bundles the jsr166y jar (containing works from the JSR-166 EG, Doug Lea, and Jason T. Greene) made available in the public domain. For details, see licenses/jsr166y-license.txt.

-----  
JSR223 License

The following classes within this product:

org.codehaus.groovy.jsr223.GroovyCompiledScript  
org.codehaus.groovy.jsr223.GroovyScriptEngineFactory  
org.codehaus.groovy.jsr223.GroovyScriptEngineImpl

were derived from reference implementation files developed by Sun in collaboration with the Groovy community. The reference implementation has a BSD-style license. Details can be found in: licenses/jsr223-license.txt

-----  
JUnit Licenses (optional dependencies when using Groovy for testing)

This product bundles the JUnit 4 jar, which is available under the Eclipse Public License v1.0. For details, see licenses/junit4-license.txt.

This product bundles several JUnit 5 jars, which are available under the Eclipse Public License v2.0. For details, see licenses/junit5-license.txt.

-----  
normalize.css License

The stylesheet.css file (originally normalize.css) is used by the groovydoc and docgenerator components for groovy-jdk/gapi documentation.

It is made available under a MIT License:

licenses/normalize-stylesheet-license.txt

-----  
javax.servlet.jsp-api License (for groovy-servlet module)

This product bundles the javax.servlet-api jar in binary form which is available under the CDDL 1.0 license:

licenses/servlet-api-license.txt

-----  
XStream License (optional dependency when serializing AST as XML)

This product bundles the XStream jar, which is available under a "3-clause BSD" license. For details, see licenses/xstream-license.txt.

-----  
This convenience zip embeds Groovy's src and doc zips. See also src/LICENSE and doc/LICENSE files for additional license information.

Apache Commons Lang

Copyright 2001-2015 The Apache Software Foundation

This product includes software developed at The Apache Software Foundation (<http://www.apache.org/>).

This product includes software from the Spring Framework, under the Apache License 2.0 (see: `StringUtils.containsWhitespace()`)

javax.servlet.jsp-api License (for groovy-servlet module)

This product bundles the javax.servlet.jsp-api jar in binary form which is available under the CDDL 1.1 license:

licenses/jsp-api-license.txt

javax.servlet.jsp-api License (for groovy-servlet module)

This product bundles the javax.servlet-api jar in binary form which is available under the CDDL 1.0 license:

licenses/servlet-api-license.txt



## ANTLR 2 License

We reserve no legal rights to the ANTLR--it is fully in the public domain. An individual or company may do whatever they wish with source code distributed with ANTLR or the code generated by ANTLR, including the incorporation of ANTLR, or its output, into commercial software.

We encourage users to develop software with ANTLR. However, we do ask that credit is given to us for developing ANTLR. By "credit", we mean that if you use ANTLR or incorporate any source code into one of your programs (commercial product, research project, or otherwise) that you acknowledge this fact somewhere in the documentation, research report, etc... If you like ANTLR and have developed a nice tool with the output, please mention that you developed it using ANTLR. In addition, we ask that the headers remain intact in our source code. As long as these guidelines are kept, we expect to continue enhancing this system and expect to make other tools available as they are completed.

In countries where the Public Domain status of the work may not be valid, the author grants a copyright licence to the general public to deal in the work without restriction and permission to sublicense derivatives under the terms of any (OSI approved) Open Source licence.

The Python parser generator code under antlr/actions/python/ is covered by the 3-clause BSD licence (this part is included in the binary JAR files); the run-time part under lib/python/ is covered by the GNU GPL, version 3 or later (this part is not included in the binary JAR files). See [1] for the full details.

<https://bugs.debian.org/cgi-bin/bugreport.cgi?bug=750643#80%22>

COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL) Version 1.1

### 1. Definitions.

1.1. "Contributor" means each individual or entity that creates or contributes to the creation of Modifications.

1.2. "Contributor Version" means the combination of the Original Software, prior Modifications used by a Contributor (if any), and the Modifications made by that particular Contributor.

1.3. "Covered Software" means (a) the Original Software, or (b) Modifications, or (c) the combination of files containing Original Software with files containing Modifications, in each case including portions thereof.

1.4. "Executable" means the Covered Software in any form other than Source Code.

1.5. "Initial Developer" means the individual or entity that first makes Original Software available under this License.

1.6. "Larger Work" means a work which combines Covered Software or portions thereof with code not governed by the terms of this License.

1.7. "License" means this document.

1.8. "Licensable" means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed herein.

1.9. "Modifications" means the Source Code and Executable form of any of the following:

A. Any file that results from an addition to, deletion from or modification of the contents of a file containing Original Software or previous Modifications;

B. Any new file that contains any part of the Original Software or previous Modification; or

C. Any new file that is contributed or otherwise made available under the terms of this License.

1.10. "Original Software" means the Source Code and Executable form of computer software code that is originally released under this License.

1.11. "Patent Claims" means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent Licensable by grantor.

1.12. "Source Code" means (a) the common form of computer software code in which modifications are made and (b) associated documentation included in or with such code.

1.13. "You" (or "Your") means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License. For legal entities, "You" includes any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, "control" means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

## 2. License Grants.

### 2.1. The Initial Developer Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, the Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Initial Developer, to use, reproduce, modify, display, perform, sublicense and distribute the Original Software (or portions thereof), with or without Modifications, and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using or selling of Original Software, to make, have made, use, practice, sell, and offer for sale, and/or otherwise dispose of the Original Software (or portions thereof).

(c) The licenses granted in Sections 2.1(a) and (b) are effective on the date Initial Developer first distributes or otherwise makes the Original Software available to a third party under the terms of this License.

(d) Notwithstanding Section 2.1(b) above, no patent license is granted: (1) for code that You delete from the Original Software, or (2) for infringements caused by: (i) the modification of the Original Software, or (ii) the combination of the Original Software with other software or devices.

## 2.2. Contributor Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Contributor to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof), either on an unmodified basis, with other Modifications, as Covered Software and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor either alone and/or in combination with its Contributor Version (or portions of such combination), to make, use, sell, offer for sale, have made, and/or otherwise dispose of: (1) Modifications made by that Contributor (or portions thereof); and (2) the combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).

(c) The licenses granted in Sections 2.2(a) and 2.2(b) are effective on the date Contributor first distributes or otherwise makes the Modifications available to a third party.

(d) Notwithstanding Section 2.2(b) above, no patent license is granted: (1) for any code that Contributor has deleted from the Contributor Version; (2) for infringements caused by: (i) third party modifications of Contributor Version, or (ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or (3) under Patent Claims infringed by Covered Software in the absence of Modifications made by that Contributor.

### 3. Distribution Obligations.

#### 3.1. Availability of Source Code.

Any Covered Software that You distribute or otherwise make available in Executable form must also be made available in Source Code form and that Source Code form must be distributed only under the terms of this License. You must include a copy of this License with every copy of the Source Code form of the Covered Software You distribute or otherwise make available. You must inform recipients of any such Covered Software in Executable form as to how they can obtain such Covered Software in Source Code form in a reasonable manner on or through a medium customarily used for software exchange.

#### 3.2. Modifications.

The Modifications that You create or to which You contribute are governed by the terms of this License. You represent that You believe Your Modifications are Your original creation(s) and/or You have sufficient rights to grant the rights conveyed by this License.

#### 3.3. Required Notices.

You must include a notice in each of Your Modifications that identifies You as the Contributor of the Modification. You may not remove or alter any copyright, patent or trademark notices contained within the Covered Software, or any notices of licensing or any descriptive text giving attribution to any Contributor or the Initial Developer.

#### 3.4. Application of Additional Terms.

You may not offer or impose any terms on any Covered Software in Source Code form that alters or restricts the applicable version of this License or the recipients' rights hereunder. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, you may do so only on Your own behalf, and not on behalf of

the Initial Developer or any Contributor. You must make it absolutely clear that any such warranty, support, indemnity or liability obligation is offered by You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of warranty, support, indemnity or liability terms You offer.

### 3.5. Distribution of Executable Versions.

You may distribute the Executable form of the Covered Software under the terms of this License or under the terms of a license of Your choice, which may contain terms different from this License, provided that You are in compliance with the terms of this License and that the license for the Executable form does not attempt to limit or alter the recipient's rights in the Source Code form from the rights set forth in this License. If You distribute the Covered Software in Executable form under a different license, You must make it absolutely clear that any terms which differ from this License are offered by You alone, not by the Initial Developer or Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer.

### 3.6. Larger Works.

You may create a Larger Work by combining Covered Software with other code not governed by the terms of this License and distribute the Larger Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled for the Covered Software.

## 4. Versions of the License.

### 4.1. New Versions.

Oracle is the initial license steward and may publish revised and/or new versions of this License from time to time. Each version will be given a distinguishing version number. Except as provided in Section 4.3, no one other than the license steward has the right to modify this License.

### 4.2. Effect of New Versions.

You may always continue to use, distribute or otherwise make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. If the Initial Developer includes a notice in the Original Software prohibiting it from being distributed or otherwise made available

under any subsequent version of the License, You must distribute and make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. Otherwise, You may also choose to use, distribute or otherwise make the Covered Software available under the terms of any subsequent version of the License published by the license steward.

#### 4.3. Modified Versions.

When You are an Initial Developer and You want to create a new license for Your Original Software, You may create and use a modified version of this License if You: (a) rename the license and remove any references to the name of the license steward (except to note that the license differs from this License); and (b) otherwise make it clear that the license contains terms which differ from this License.

#### 5. DISCLAIMER OF WARRANTY.

COVERED SOFTWARE IS PROVIDED UNDER THIS LICENSE ON AN "AS IS" BASIS, WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES THAT THE COVERED SOFTWARE IS FREE OF DEFECTS, MERCHANTABILITY, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED SOFTWARE IS WITH YOU. SHOULD ANY COVERED SOFTWARE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED SOFTWARE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

#### 6. TERMINATION.

6.1. This License and the rights granted hereunder will terminate automatically if You fail to comply with terms herein and fail to cure such breach within 30 days of becoming aware of the breach. Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive.

6.2. If You assert a patent infringement claim (excluding declaratory judgment actions) against Initial Developer or a Contributor (the Initial Developer or Contributor against whom You assert such claim is referred to as "Participant") alleging that the Participant Software (meaning the Contributor Version where the Participant is a Contributor or the Original Software where the Participant is the Initial Developer) directly or indirectly infringes any patent, then any and all rights granted directly or indirectly to You by such Participant, the Initial Developer (if the

Initial Developer is not the Participant) and all Contributors under Sections 2.1 and/or 2.2 of this License shall, upon 60 days notice from Participant terminate prospectively and automatically at the expiration of such 60 day notice period, unless if within such 60 day period You withdraw Your claim with respect to the Participant Software against such Participant either unilaterally or pursuant to a written agreement with Participant.

6.3. If You assert a patent infringement claim against Participant alleging that the Participant Software directly or indirectly infringes any patent where such claim is resolved (such as by license or settlement) prior to the initiation of patent infringement litigation, then the reasonable value of the licenses granted by such Participant under Sections 2.1 or 2.2 shall be taken into account in determining the amount or value of any payment or license.

6.4. In the event of termination under Sections 6.1 or 6.2 above, all end user licenses that have been validly granted by You or any distributor hereunder prior to termination (excluding licenses granted to You by any distributor) shall survive termination.

## 7. LIMITATION OF LIABILITY.

UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED SOFTWARE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTY'S NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

## 8. U.S. GOVERNMENT END USERS.

The Covered Software is a "commercial item," as that term is defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of "commercial computer software" (as that term is defined at 48 C.F.R. 252.227-7014(a)(1)) and "commercial computer software documentation" as such terms are used in 48 C.F.R. 12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4

(June 1995), all U.S. Government End Users acquire Covered Software with only those rights set forth herein. This U.S. Government Rights clause is in lieu of, and supersedes, any other FAR, DFAR, or other clause or provision that addresses Government rights in computer software under this License.

## 9. MISCELLANEOUS.

This License represents the complete agreement concerning subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by the law of the jurisdiction specified in a notice contained within the Original Software (except to the extent applicable law, if any, provides otherwise), excluding such jurisdiction's conflict-of-law provisions. Any litigation relating to this License shall be subject to the jurisdiction of the courts located in the jurisdiction and venue specified in a notice contained within the Original Software, with the losing party responsible for costs, including, without limitation, court costs and reasonable attorneys' fees and expenses. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not apply to this License. You agree that You alone are responsible for compliance with the United States export administration regulations (and the export control laws and regulation of any other countries) when You use, distribute or otherwise make available any Covered Software.

## 10. RESPONSIBILITY FOR CLAIMS.

As between Initial Developer and the Contributors, each party is responsible for claims and damages arising, directly or indirectly, out of its utilization of rights under this License and You agree to work with Initial Developer and Contributors to distribute such responsibility on an equitable basis. Nothing herein is intended or shall be deemed to constitute any admission of liability.

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.



"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but

excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. **Grant of Copyright License.** Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. **Grant of Patent License.** Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. **Redistribution.** You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
  - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
  - (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
  - (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
  - (d) If the Work includes a "NOTICE" text file as part of its

distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise,

unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. **Accepting Warranty or Additional Liability.** While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

---

## AsciiDoc License

This product uses the style.css from asciidoctor.org within documentation. The file is available under the MIT License. For details, see licenses/asciidoc-style-license.txt.

---

## JQuery License

The following file is used within documentation:

src/spec/assets/css/jquery-2.1.1.min.js

This file is made available under the following MIT license:  
licenses/jquery-js-license.txt

---

## JSR223 License

The following classes within this product:

org.codehaus.groovy.jsr223.GroovyCompiledScript  
org.codehaus.groovy.jsr223.GroovyScriptEngineFactory  
org.codehaus.groovy.jsr223.GroovyScriptEngineImpl

were derived from reference implementation files developed by Sun in collaboration with the Groovy community. The reference implementation has a BSD-style license. Details can be found in: licenses/jsr223-license.txt

---

## normalize.css License

The stylesheet.css file (originally normalize.css) is used by the groovydoc and docgenerator components for groovy-jdk/gapi documentation.

It is made available under a MIT License:

licenses/normalize-stylesheet-license.txt

COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL) Version 1.0

### 1. Definitions.

1.1. Contributor. means each individual or entity that creates or contributes to the creation of Modifications.

1.2. Contributor Version. means the combination of the Original Software, prior Modifications used by a

Contributor (if any), and the Modifications made by that particular Contributor.

1.3. Covered Software. means (a) the Original Software, or (b) Modifications, or (c) the combination of files containing Original Software with files containing Modifications, in each case including portions thereof.

1.4. Executable. means the Covered Software in any form other than Source Code.

1.5. Initial Developer. means the individual or entity that first makes Original Software available under this License.

1.6. Larger Work. means a work which combines Covered Software or portions thereof with code not governed by the terms of this License.

1.7. License. means this document.

1.8. Licensable. means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed herein.

1.9. Modifications. means the Source Code and Executable form of any of the following:

A. Any file that results from an addition to, deletion from or modification of the contents of a file containing Original Software or previous Modifications;

B. Any new file that contains any part of the Original Software or previous Modification; or

C. Any new file that is contributed or otherwise made available under the terms of this License.

1.10. Original Software. means the Source Code and Executable form of computer software code that is originally released under this License.

1.11. Patent Claims. means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent Licensable by grantor.

1.12. Source Code. means (a) the common form of computer software code in which modifications are made and (b) associated documentation included in or with such code.

1.13. You. (or .Your.) means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License. For legal entities, .You. includes any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, .control. means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

## 2. License Grants.

### 2.1. The Initial Developer Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, the Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Initial Developer, to use, reproduce, modify, display, perform, sublicense and distribute the Original Software (or portions thereof), with or without Modifications, and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using or selling of Original Software, to make, have made, use, practice, sell, and offer for sale, and/or otherwise dispose of the Original Software (or portions thereof).

(c) The licenses granted in Sections 2.1(a) and (b) are effective on the date Initial Developer first distributes or otherwise makes the Original Software available to a third party under the terms of this License.

(d) Notwithstanding Section 2.1(b) above, no patent license is granted: (1) for code that You delete from the Original Software, or (2) for infringements caused by: (i) the modification of the Original Software, or (ii) the combination of the Original Software with other software or devices.

## 2.2. Contributor Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Contributor to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof), either on an unmodified basis, with other Modifications, as Covered Software and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor either alone and/or in combination with its Contributor Version (or portions of such combination), to make, use, sell, offer for sale, have made, and/or otherwise dispose of: (1) Modifications made by that Contributor (or portions thereof); and (2) the combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).

(c) The licenses granted in Sections 2.2(a) and 2.2(b) are effective on the date Contributor first distributes or otherwise makes the Modifications available to a third party.

(d) Notwithstanding Section 2.2(b) above, no patent license is granted: (1) for any code that Contributor has deleted from the Contributor Version; (2) for infringements caused by: (i) third party modifications of Contributor Version, or (ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or (3) under Patent Claims infringed by Covered Software in the absence of Modifications made by that Contributor.

## 3. Distribution Obligations.

### 3.1. Availability of Source Code.

Any Covered Software that You distribute or otherwise make available in Executable form must also be made available in Source Code form and that Source Code form must be distributed only under the terms of this License. You must include a copy of this License with every copy of the Source Code form of the Covered Software You distribute or otherwise make available. You must inform recipients of any such Covered Software in Executable form as to how they can obtain such Covered Software in Source Code form in a reasonable manner on or through a

medium customarily used for software exchange.

### 3.2. Modifications.

The Modifications that You create or to which You contribute are governed by the terms of this License. You represent that You believe Your Modifications are Your original creation(s) and/or You have sufficient rights to grant the rights conveyed by this License.

### 3.3. Required Notices.

You must include a notice in each of Your Modifications that identifies You as the Contributor of the Modification. You may not remove or alter any copyright, patent or trademark notices contained within the Covered Software, or any notices of licensing or any descriptive text giving attribution to any Contributor or the Initial Developer.

### 3.4. Application of Additional Terms.

You may not offer or impose any terms on any Covered Software in Source Code form that alters or restricts the applicable version of this License or the recipients' rights hereunder. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, you may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it absolutely clear that any such warranty, support, indemnity or liability obligation is offered by You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of warranty, support, indemnity or liability terms You offer.

### 3.5. Distribution of Executable Versions.

You may distribute the Executable form of the Covered Software under the terms of this License or under the terms of a license of Your choice, which may contain terms different from this License, provided that You are in compliance with the terms of this License and that the license for the Executable form does not attempt to limit or alter the recipient's rights in the Source Code form from the rights set forth in this License. If You distribute the Covered Software in Executable form under a different license, You must make it absolutely clear that any terms which differ from this License are offered by You alone, not by the Initial Developer or Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer.

### 3.6. Larger Works.

You may create a Larger Work by combining Covered Software with other code not governed by the terms of this License and distribute the Larger Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled for the Covered Software.

## 4. Versions of the License.

### 4.1. New Versions.

Sun Microsystems, Inc. is the initial license steward and may publish revised and/or new versions of this License from time to time. Each version will be given a distinguishing version number. Except as provided in Section 4.3, no one other than the license steward has the right to modify this License.

### 4.2. Effect of New Versions.

You may always continue to use, distribute or otherwise make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. If the Initial Developer includes a notice in the Original Software prohibiting it from being distributed or otherwise made available under



any subsequent version of the License, You must distribute and make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. Otherwise, You may also choose to use, distribute or otherwise make the Covered Software available under the terms of any subsequent version of the License published by the license steward.

#### 4.3. Modified Versions.

When You are an Initial Developer and You want to create a new license for Your Original Software, You may create and use a modified version of this License if You: (a) rename the license and remove any references to the name of the license steward (except to note that the license differs from this License); and (b) otherwise make it clear that the license contains terms which differ from this License.

#### 5. DISCLAIMER OF WARRANTY.

COVERED SOFTWARE IS PROVIDED UNDER THIS LICENSE ON AN .AS IS. BASIS, WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES THAT THE COVERED SOFTWARE IS FREE OF DEFECTS, MERCHANTABILITY, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED SOFTWARE IS WITH YOU. SHOULD ANY COVERED SOFTWARE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED SOFTWARE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

#### 6. TERMINATION.

6.1. This License and the rights granted hereunder will terminate automatically if You fail to comply with terms herein and fail to cure such breach within 30 days of becoming aware of the breach. Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive.

6.2. If You assert a patent infringement claim (excluding declaratory judgment actions) against Initial Developer or a Contributor (the Initial Developer or Contributor against whom You assert such claim is referred to as .Participant.) alleging that the Participant Software (meaning the Contributor Version where the Participant is a Contributor or the Original Software where the Participant is the Initial Developer) directly or indirectly infringes any patent, then any and all rights granted directly or indirectly to You by such Participant, the Initial Developer (if the Initial Developer is not the Participant) and all Contributors under Sections 2.1 and/or 2.2 of this License shall, upon 60 days notice from Participant terminate prospectively and automatically at the expiration of such 60 day notice period, unless if within such 60 day period You withdraw Your claim with respect to the Participant Software against such Participant either unilaterally or pursuant to a written agreement with Participant.

6.3. In the event of termination under Sections 6.1 or 6.2 above, all end user licenses that have been validly granted by You or any distributor hereunder prior to termination (excluding licenses granted to You by any distributor) shall survive termination.

#### 7. LIMITATION OF LIABILITY.

UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED SOFTWARE, OR ANY SUPPLIER OF ANY OF

SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOST PROFITS, LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTY'S NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

#### 8. U.S. GOVERNMENT END USERS.

The Covered Software is a .commercial item, as that term is defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of .commercial computer software. (as that term is defined at 48 C.F.R. ? 252.227-7014(a)(1)) and .commercial computer software documentation. as such terms are used in 48 C.F.R. 12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4 (June 1995), all U.S. Government End Users acquire Covered Software with only those rights set forth herein. This U.S. Government Rights clause is in lieu of, and supersedes, any other FAR, DFAR, or other clause or provision that addresses Government rights in computer software under this License.

#### 9. MISCELLANEOUS.

This License represents the complete agreement concerning subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by the law of the jurisdiction specified in a notice contained within the Original Software (except to the extent applicable law, if any, provides otherwise), excluding such jurisdiction's conflict-of-law provisions. Any litigation relating to this License shall be subject to the jurisdiction of the courts located in the jurisdiction and venue specified in a notice contained within the Original Software, with the losing party responsible for costs, including, without limitation, court costs and reasonable attorneys' fees and expenses. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not apply to this License. You agree that You alone are responsible for compliance with the United States export administration regulations (and the export control laws and regulation of any other countries) when You use, distribute or otherwise make available any Covered Software.

#### 10. RESPONSIBILITY FOR CLAIMS.

As between Initial Developer and the Contributors, each party is responsible for claims and damages arising, directly or indirectly, out of its utilization of rights under this License and You agree to work with Initial Developer and Contributors to distribute such responsibility on an equitable basis. Nothing herein is intended or shall be deemed to constitute any admission of liability.

#### NOTICE PURSUANT TO SECTION 9 OF THE COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL)

The code released under the CDDL shall be governed by the laws of the State of California (excluding conflict-of-law provisions). Any litigation relating to this License shall be subject to the jurisdiction of the Federal Courts of the

Northern District of California and the state courts of the State of California, with venue lying in Santa Clara County, California.

normalize.css License

The stylesheet.css file (originally normalize.css) is used by the groovydoc and docgenerator components for groovy-jdk/gapi documentation.

It is made available under a MIT License:

licenses/normalize-stylesheet-license.txt

COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL) Version 1.1

## 1. Definitions.

1.1. "Contributor" means each individual or entity that creates or contributes to the creation of Modifications.

1.2. "Contributor Version" means the combination of the Original Software, prior Modifications used by a Contributor (if any), and the Modifications made by that particular Contributor.

1.3. "Covered Software" means (a) the Original Software, or (b) Modifications, or (c) the combination of files containing Original Software with files containing Modifications, in each case including portions thereof.

1.4. "Executable" means the Covered Software in any form other than Source Code.

1.5. "Initial Developer" means the individual or entity that first makes Original Software available under this License.

1.6. "Larger Work" means a work which combines Covered Software or portions thereof with code not governed by the terms of this License.

1.7. "License" means this document.

1.8. "Licensable" means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed herein.

1.9. "Modifications" means the Source Code and Executable form of any of the following:

A. Any file that results from an addition to, deletion from or modification of the contents of a file containing Original Software or previous Modifications;

B. Any new file that contains any part of the Original Software or previous Modification; or

C. Any new file that is contributed or otherwise made available under the terms of this License.

1.10. "Original Software" means the Source Code and Executable form of computer software code that is originally released under this License.

1.11. "Patent Claims" means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent Licensable by grantor.

1.12. "Source Code" means (a) the common form of computer software code in which modifications are made and (b) associated documentation included in or with such code.

1.13. "You" (or "Your") means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License. For legal entities, "You" includes any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, "control" means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

## 2. License Grants.

### 2.1. The Initial Developer Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, the Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Initial Developer, to use, reproduce, modify, display, perform, sublicense and distribute the Original Software (or portions thereof), with or without Modifications, and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using or selling of Original Software, to make, have made, use, practice, sell, and offer for sale, and/or otherwise dispose of the Original Software (or portions thereof).

(c) The licenses granted in Sections 2.1(a) and (b) are effective on the date Initial Developer first distributes or otherwise makes the Original Software available to a third party under the terms of this

License.

(d) Notwithstanding Section 2.1(b) above, no patent license is granted: (1) for code that You delete from the Original Software, or (2) for infringements caused by: (i) the modification of the Original Software, or (ii) the combination of the Original Software with other software or devices.

## 2.2. Contributor Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Contributor to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof), either on an unmodified basis, with other Modifications, as Covered Software and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor either alone and/or in combination with its Contributor Version (or portions of such combination), to make, use, sell, offer for sale, have made, and/or otherwise dispose of: (1) Modifications made by that Contributor (or portions thereof); and (2) the combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).

(c) The licenses granted in Sections 2.2(a) and 2.2(b) are effective on the date Contributor first distributes or otherwise makes the Modifications available to a third party.

(d) Notwithstanding Section 2.2(b) above, no patent license is granted: (1) for any code that Contributor has deleted from the Contributor Version; (2) for infringements caused by: (i) third party modifications of Contributor Version, or (ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or (3) under Patent Claims infringed by Covered Software in the absence of Modifications made by that Contributor.

## 3. Distribution Obligations.

### 3.1. Availability of Source Code.

Any Covered Software that You distribute or otherwise make available

in Executable form must also be made available in Source Code form and that Source Code form must be distributed only under the terms of this License. You must include a copy of this License with every copy of the Source Code form of the Covered Software You distribute or otherwise make available. You must inform recipients of any such Covered Software in Executable form as to how they can obtain such Covered Software in Source Code form in a reasonable manner on or through a medium customarily used for software exchange.

### 3.2. Modifications.

The Modifications that You create or to which You contribute are governed by the terms of this License. You represent that You believe Your Modifications are Your original creation(s) and/or You have sufficient rights to grant the rights conveyed by this License.

### 3.3. Required Notices.

You must include a notice in each of Your Modifications that identifies You as the Contributor of the Modification. You may not remove or alter any copyright, patent or trademark notices contained within the Covered Software, or any notices of licensing or any descriptive text giving attribution to any Contributor or the Initial Developer.

### 3.4. Application of Additional Terms.

You may not offer or impose any terms on any Covered Software in Source Code form that alters or restricts the applicable version of this License or the recipients' rights hereunder. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, you may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it absolutely clear that any such warranty, support, indemnity or liability obligation is offered by You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of warranty, support, indemnity or liability terms You offer.

### 3.5. Distribution of Executable Versions.

You may distribute the Executable form of the Covered Software under the terms of this License or under the terms of a license of Your choice, which may contain terms different from this License, provided that You are in compliance with the terms of this License and that the license for the Executable form does not attempt to limit or alter the recipient's rights in the Source Code form from

the rights set forth in this License. If You distribute the Covered Software in Executable form under a different license, You must make it absolutely clear that any terms which differ from this License are offered by You alone, not by the Initial Developer or Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer.

### 3.6. Larger Works.

You may create a Larger Work by combining Covered Software with other code not governed by the terms of this License and distribute the Larger Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled for the Covered Software.

## 4. Versions of the License.

### 4.1. New Versions.

Oracle is the initial license steward and may publish revised and/or new versions of this License from time to time. Each version will be given a distinguishing version number. Except as provided in Section 4.3, no one other than the license steward has the right to modify this License.

### 4.2. Effect of New Versions.

You may always continue to use, distribute or otherwise make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. If the Initial Developer includes a notice in the Original Software prohibiting it from being distributed or otherwise made available under any subsequent version of the License, You must distribute and make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. Otherwise, You may also choose to use, distribute or otherwise make the Covered Software available under the terms of any subsequent version of the License published by the license steward.

### 4.3. Modified Versions.

When You are an Initial Developer and You want to create a new license for Your Original Software, You may create and use a modified version of this License if You: (a) rename the license and remove any references to the name of the license steward (except to note that the license differs from this License); and (b) otherwise make it clear that the license contains terms which differ from this

License.

## 5. DISCLAIMER OF WARRANTY.

COVERED SOFTWARE IS PROVIDED UNDER THIS LICENSE ON AN "AS IS" BASIS, WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES THAT THE COVERED SOFTWARE IS FREE OF DEFECTS, MERCHANTABILITY, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED SOFTWARE IS WITH YOU. SHOULD ANY COVERED SOFTWARE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED SOFTWARE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

## 6. TERMINATION.

6.1. This License and the rights granted hereunder will terminate automatically if You fail to comply with terms herein and fail to cure such breach within 30 days of becoming aware of the breach. Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive.

6.2. If You assert a patent infringement claim (excluding declaratory judgment actions) against Initial Developer or a Contributor (the Initial Developer or Contributor against whom You assert such claim is referred to as "Participant") alleging that the Participant Software (meaning the Contributor Version where the Participant is a Contributor or the Original Software where the Participant is the Initial Developer) directly or indirectly infringes any patent, then any and all rights granted directly or indirectly to You by such Participant, the Initial Developer (if the Initial Developer is not the Participant) and all Contributors under Sections 2.1 and/or 2.2 of this License shall, upon 60 days notice from Participant terminate prospectively and automatically at the expiration of such 60 day notice period, unless if within such 60 day period You withdraw Your claim with respect to the Participant Software against such Participant either unilaterally or pursuant to a written agreement with Participant.

6.3. If You assert a patent infringement claim against Participant alleging that the Participant Software directly or indirectly infringes any patent where such claim is resolved (such as by license or settlement) prior to the initiation of patent infringement litigation, then the reasonable value of the licenses granted by such Participant under Sections 2.1 or 2.2 shall be taken into account in determining the amount or value of any payment or



license.

6.4. In the event of termination under Sections 6.1 or 6.2 above, all end user licenses that have been validly granted by You or any distributor hereunder prior to termination (excluding licenses granted to You by any distributor) shall survive termination.

## 7. LIMITATION OF LIABILITY.

UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED SOFTWARE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTY'S NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

## 8. U.S. GOVERNMENT END USERS.

The Covered Software is a "commercial item," as that term is defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of "commercial computer software" (as that term is defined at 48 C.F.R. 252.227-7014(a)(1)) and "commercial computer software documentation" as such terms are used in 48 C.F.R. 12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4 (June 1995), all U.S. Government End Users acquire Covered Software with only those rights set forth herein. This U.S. Government Rights clause is in lieu of, and supersedes, any other FAR, DFAR, or other clause or provision that addresses Government rights in computer software under this License.

## 9. MISCELLANEOUS.

This License represents the complete agreement concerning subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by the law of the jurisdiction specified in a notice contained within the Original Software (except to the extent applicable law, if any, provides otherwise), excluding such jurisdiction's conflict-of-law

provisions. Any litigation relating to this License shall be subject to the jurisdiction of the courts located in the jurisdiction and venue specified in a notice contained within the Original Software, with the losing party responsible for costs, including, without limitation, court costs and reasonable attorneys' fees and expenses. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not apply to this License. You agree that You alone are responsible for compliance with the United States export administration regulations (and the export control laws and regulation of any other countries) when You use, distribute or otherwise make available any Covered Software.

#### 10. RESPONSIBILITY FOR CLAIMS.

As between Initial Developer and the Contributors, each party is responsible for claims and damages arising, directly or indirectly, out of its utilization of rights under this License and You agree to work with Initial Developer and Contributors to distribute such responsibility on an equitable basis. Nothing herein is intended or shall be deemed to constitute any admission of liability.

-----

#### NOTICE PURSUANT TO SECTION 9 OF THE COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL)

The code released under the CDDL shall be governed by the laws of the State of California (excluding conflict-of-law provisions). Any litigation relating to this License shall be subject to the jurisdiction of the Federal Courts of the Northern District of California and the state courts of the State of California, with venue lying in Santa Clara County, California.

JSR223 License

The following classes within this product:

```
org.codehaus.groovy.jsr223.GroovyCompiledScript
org.codehaus.groovy.jsr223.GroovyScriptEngineFactory
org.codehaus.groovy.jsr223.GroovyScriptEngineImpl
```

were derived from reference implementation files developed by Sun in collaboration with the Groovy community. The reference implementation has a BSD-style license. Details can be found in: licenses/jsr223-license.txt  
Revised BSD license

This is a specific instance of the Open Source Initiative (OSI) BSD license template

<http://www.opensource.org/licenses/bsd-license.php>

Copyright 2004-2009 Brent Fulgham  
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

Neither the name of "The Computer Language Benchmarks Game" nor the name of "The Computer Language Shootout Benchmarks" nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

JLine2 License (optional dependency used with groovysh)

This product bundles the JLine2 jar, which is available under a BSD License. For details, see [licenses/jline2-license.txt](#).  
JAXB License (for optional groovy-jaxb extensions)

This product bundles several JAXB related jars in binary form.

The "javax.activation" jar is available under the CDDL 1.0 license:  
[licenses/activation-license.txt](#)

The jaxb-api, jaxb-core and jaxb-impl jars use the CDDL 1.1 license:  
[licenses/jaxb-license.txt](#)

Apache Groovy  
Copyright 2003-2021 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

This product includes/uses ANTLR2 (<http://www.antlr2.org/>)  
developed by Terence Parr 1989-2006

This product includes/uses ANTLR4 (<https://github.com/antlr/antlr4>)  
Copyright (c) 2012-2017 The ANTLR Project. All rights reserved.

This product bundles the javax.servlet.jsp-api jar in binary  
form which is available under the CDDL 1.1 license  
and for which the following copyright notice applies  
Copyright (c) 1997-2013 Oracle and/or its affiliates. All rights reserved.

This product bundles the JUnit4 jar ([junit.org](http://junit.org))  
which is available under the terms of the Eclipse Public License v1.0

This product bundles several of the JUnit5 jars ([junit.org](http://junit.org))  
which are available under the terms of the Eclipse Public License v2.0

This product embeds the OpenBeans jar within its grooid jar artifacts  
OpenBeans includes/uses files from Apache Harmony and the following notice applies  
Copyright 2006, 2010 The Apache Software Foundation.  
Portions of Apache Harmony were originally developed by Intel Corporation and are  
licensed to the Apache Software Foundation under the "Software Grant and Corporate  
Contribution License Agreement" and for which the following copyright notices apply  
(C) Copyright 2005 Intel Corporation  
(C) Copyright 2005-2006 Intel Corporation  
(C) Copyright 2006 Intel Corporation

This product bundles the javax.servlet-api jar in binary  
form which is available under the CDDL 1.0 license  
and for which the following copyright notice applies  
Copyright (c) 1997-2017 Oracle and/or its affiliates. All rights reserved.

This product bundles icons from the famfamfam.com silk icons set  
<http://www.famfamfam.com/lab/icons/silk/>  
Licensed under the Creative Commons Attribution Licence v2.5  
<http://creativecommons.org/licenses/by/2.5/>  
ANTLR 4 License

Antlr4 is released under a BSD 3-clause license.  
See [licenses/antlr4-license.txt](#) for details.  
BSD License

Copyright (c) 2000-2015 [www.hamcrest.org](http://www.hamcrest.org)  
All rights reserved.

Redistribution and use in source and binary forms, with or without  
modification, are permitted provided that the following conditions are met:

Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

Neither the name of Hamcrest nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

The person or persons who have associated work with this document (the "Dedicator" or "Certifier") hereby either (a) certifies that, to the best of his knowledge, the work of authorship identified is in the public domain of the country from which the work is published, or (b) hereby dedicates whatever copyright the dedicators holds in the work of authorship identified below (the "Work") to the public domain. A certifier, moreover, dedicates any copyright interest he may have in the associated work, and for these purposes, is described as a "dedicator" below.

A certifier has taken reasonable steps to verify the copyright status of this work. Certifier recognizes that his good faith efforts may not shield him from liability if in fact the work certified is not in the public domain.

Dedicator makes this dedication for the benefit of the public at large and to the detriment of the Dedicator's heirs and successors. Dedicator intends this dedication to be an overt act of relinquishment in perpetuity of all present and future rights under copyright law, whether vested or contingent, in the Work. Dedicator understands that such relinquishment of all rights includes the relinquishment of all rights to enforce (by lawsuit or otherwise) those copyrights in the Work.

Dedicator recognizes that, once placed in the public domain, the Work may be freely reproduced, distributed, transmitted, used, modified, built upon, or otherwise exploited by anyone for any purpose, commercial or non-commercial,

and in any way, including by methods that have not yet been invented or conceived.

Apache Groovy

Copyright 2003-2021 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

The Java source files in `src/main/java/org/apache/groovy/util/concurrent/concurrentlinkedhashmap/` are from <https://github.com/ben-manes/concurrentlinkedhashmap> and the following notice applies:  
Copyright 2010-2012 Google Inc. All Rights Reserved.

This product bundles icons from the famfamfam.com silk icons set  
<http://www.famfamfam.com/lab/icons/silk/>  
Licensed under the Creative Commons Attribution Licence v2.5  
<http://creativecommons.org/licenses/by/2.5/>

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but

not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their

Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with



the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.  
Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.
6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. **Disclaimer of Warranty.** Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. **Limitation of Liability.** In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. **Accepting Warranty or Additional Liability.** While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

-----

### AsciiDoc License

This product uses the style.css from asciidoctor.org within documentation. The file is available under the MIT License. For details, see licenses/asciidoc-style-license.txt.

-----

### JQuery License

The following file is used within documentation:

src/spec/assets/css/jquery-2.1.1.min.js

This file is made available under the following MIT license:  
licenses/jquery-js-license.txt

-----

normalize.css License

The stylesheet.css file (originally normalize.css) is used by the groovydoc and docgenerator components for groovy-jdk/gapi documentation.

It is made available under a MIT License:

licenses/normalize-stylesheet-license.txt

ASM License

ASM: a very small and fast Java bytecode manipulation framework

Copyright (c) 2000-2011 INRIA, France Telecom

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. Neither the name of the copyright holders nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Copyright (c) 2003-2006, Joe Walnes

Copyright (c) 2006-2009, 2011 XStream Committers

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

3. Neither the name of XStream nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

JQuery License

The following file is used within documentation:

`src/spec/assets/css/jquery-2.1.1.min.js`

This file is made available under the following MIT license:

`licenses/jquery-js-license.txt`

////////////////////////////////////

Licensed to the Apache Software Foundation (ASF) under one or more contributor license agreements. See the NOTICE file distributed with this work for additional information regarding copyright ownership. The ASF licenses this file to you under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations

under the License.

////////////////////////////////////

= Contributors

The Groovy team would like to thank the contributors of this documentation (in alphabetical order of last/surname):

- \* <https://github.com/mojavelinux>[Dan Allen]
- \* <https://github.com/and-dmitry>[Dmitry Andreychuk]
- \* <http://hamletdarcy.blogspot.fr/>[Hamlet D'Arcy]
- \* <https://github.com/anshbansal>[Aseem Bansal]
- \* <https://github.com/bura>[Andrey Bloschetsov]
- \* <https://github.com/JBrownVisualSpection>[J Brown]
- \* <https://github.com/jeffbrown>[Jeff Scott Brown]
- \* <http://twitter.com/CedricChampeau>[Cdric Champeau]
- \* <https://github.com/tobia>[Tobia Conforto]
- \* <https://github.com/ddimitrov>[Dimitar Dimitrov]
- \* <http://twitter.com/werdnagreb>[Andrew Eisenberg]
- \* <https://github.com/erdi>[Marcin Erdmann]
- \* <https://github.com/christoph-frick>[Christoph Frick]
- \* <http://twitter.com/marioggar>[Mario Garca]
- \* <https://github.com/davidmichaelkarr>[David Michael Karr]
- \* [http://twitter.com/paulk\\_asert](http://twitter.com/paulk_asert)[Paul King]
- \* <http://twitter.com/glaforge>[Guillaume Laforge]
- \* <http://twitter.com/pledbrook>[Peter Ledbrook]
- \* <http://grantmcconnaughey.github.io/>[Grant McConnaughey]
- \* <https://github.com/eric-milles>[Eric Milles]
- \* <https://github.com/dnahodil>[David Nahodil]
- \* <https://github.com/jnorthr>[James Northrop]
- \* <https://github.com/marcpa00>[Marc Paquette]
- \* <https://github.com/michaelss>[Michael Schuenck]
- \* <https://github.com/PascalSchumacher>[Pascal Schumacher]
- \* <https://github.com/shils>[Shil Sinha]
- \* <https://github.com/stavytskyi>[Maksym Stavytskyi]
- \* <https://twitter.com/asteingr>[Andr Steingre]
- \* [https://twitter.com/daniel\\_sun](https://twitter.com/daniel_sun)[Daniel Sun]
- \* <https://github.com/EPadronU>[Edinson Padrn Urdaneta]
- \* <https://github.com/keeganwitt>[Keegan Witt]

Copyright (c) 2002-2012, the original author or authors.  
All rights reserved.

<http://www.opensource.org/licenses/bsd-license.php>

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

Neither the name of JLine nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the

Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside



or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer,

and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

---

## NORMALIZE.CSS LICENSE

The following file is used with documentation:

`org/codehaus/groovy/tools/groovydoc/gstringTemplates/topLevel/stylesheet.css`

Copyright (c) Nicolas Gallagher and Jonathan Neal

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in

the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation,

and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s)

with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.  
Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.
6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. **Disclaimer of Warranty.** Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. **Limitation of Liability.** In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. **Accepting Warranty or Additional Liability.** While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

## APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

This directory contains generated LICENSE files and snippets used to generate those files. See the assemble.gradle file (updateLicenses task) for details on how this is done. Snippets have predefined suffix values in their name to determine which files they go into. LICENSE (the one for source), LICENSE-DOC and LICENSE-JARJAR get snippets containing SRC, DOC and JARJAR respectively. LICENSE-BINZIP gets JARJAR and BINZIP snippets. In addition, LICENSE files are generated for these subprojects: groovy-docgenerator, groovy-groovydoc, groovy-groovysh, groovy-jsr223

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity



on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
  - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
  - (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
  - (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
  - (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one

of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a

result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

-----  
ANTLR 2 License

Antlr2 is released in the public domain.  
See licenses/antlr2-license.txt for details.

---

#### ANTLR 4 License

Antlr4 is released under a BSD 3-clause license.  
See licenses/antlr4-license.txt for details.

---

#### ASM License

ASM uses a 3-clause BSD license. For details, see licenses/asm-license.txt.

---

#### Hamcrest License (needed when using optional JUnit dependency)

This product bundles the Hamcrest jar, which is available under a BSD license. For details, see licenses/hamcrest-license.txt.

---

#### JAXB License (for optional groovy-jaxb extensions)

This product bundles several JAXB related jars in binary form.

The "javax.activation" jar is available under the CDDL 1.0 license:  
licenses/activation-license.txt

The jaxb-api, jaxb-core and jaxb-impl jars use the CDDL 1.1 license:  
licenses/jaxb-license.txt

---

#### JLine2 License (optional dependency used with groovysh)

This product bundles the JLine2 jar, which is available under a BSD License. For details, see licenses/jline2-license.txt.

---

#### javax.servlet.jsp-api License (for groovy-servlet module)

This product bundles the javax.servlet.jsp-api jar in binary form which is available under the CDDL 1.1 license:

licenses/jsp-api-license.txt

-----  
JSR166y License (optionally used by the optional GParas dependency)

This product bundles the jsr166y jar (containing works from the JSR-166 EG, Doug Lea, and Jason T. Greene) made available in the public domain. For details, see licenses/jsr166y-license.txt.

-----  
JSR223 License

The following classes within this product:

org.codehaus.groovy.jsr223.GroovyCompiledScript  
org.codehaus.groovy.jsr223.GroovyScriptEngineFactory  
org.codehaus.groovy.jsr223.GroovyScriptEngineImpl

were derived from reference implementation files developed by Sun in collaboration with the Groovy community. The reference implementation has a BSD-style license. Details can be found in: licenses/jsr223-license.txt

-----  
JUnit Licenses (optional dependencies when using Groovy for testing)

This product bundles the JUnit 4 jar, which is available under the Eclipse Public License v1.0. For details, see licenses/junit4-license.txt.

This product bundles several JUnit 5 jars, which are available under the Eclipse Public License v2.0. For details, see licenses/junit5-license.txt.

-----  
normalize.css License

The stylesheet.css file (originally normalize.css) is used by the groovydoc and docgenerator components for groovy-jdk/gapi documentation. It is made available under a MIT License:  
licenses/normalize-stylesheet-license.txt

-----  
javax.servlet.jsp-api License (for groovy-servlet module)

This product bundles the javax.servlet-api jar in binary form

which is available under the CDDL 1.0 license:  
licenses/servlet-api-license.txt

-----  
XStream License (optional dependency when serializing AST as XML)

This product bundles the XStream jar, which is available under a  
"3-clause BSD" license. For details, see licenses/xstream-license.txt.  
Apache Groovy  
Copyright 2003-2021 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

This product includes/uses ANTLR2 (<http://www.antlr2.org/>)  
developed by Terence Parr 1989-2006

This product includes/uses ANTLR4 (<https://github.com/antlr/antlr4>)  
Copyright (c) 2012-2017 The ANTLR Project. All rights reserved.

This product bundles the javax.servlet.jsp-api jar in binary  
form which is available under the CDDL 1.1 license  
and for which the following copyright notice applies  
Copyright (c) 1997-2013 Oracle and/or its affiliates. All rights reserved.

This product bundles the JUnit4 jar ([junit.org](http://junit.org))  
which is available under the terms of the Eclipse Public License v1.0

This product bundles several of the JUnit5 jars ([junit.org](http://junit.org))  
which are available under the terms of the Eclipse Public License v2.0

This product embeds the OpenBeans jar within its grooid jar artifacts  
OpenBeans includes/uses files from Apache Harmony and the following notice applies  
Copyright 2006, 2010 The Apache Software Foundation.  
Portions of Apache Harmony were originally developed by Intel Corporation and are  
licensed to the Apache Software Foundation under the "Software Grant and Corporate  
Contribution License Agreement" and for which the following copyright notices apply  
(C) Copyright 2005 Intel Corporation  
(C) Copyright 2005-2006 Intel Corporation  
(C) Copyright 2006 Intel Corporation

This product bundles the javax.servlet-api jar in binary  
form which is available under the CDDL 1.0 license  
and for which the following copyright notice applies  
Copyright (c) 1997-2017 Oracle and/or its affiliates. All rights reserved.

This product bundles icons from the famfamfam.com silk icons set

<http://www.famfamfam.com/lab/icons/silk/>

Licensed under the Creative Commons Attribution Licence v2.5

<http://creativecommons.org/licenses/by/2.5/>

This convenience zip embeds Groovy's src and doc zips.

See also src/NOTICE and doc/NOTICE files for additional notice information.

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the

editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the



Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the

same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

-----

#### JSR223 License

The following classes within this product:

org.codehaus.groovy.jsr223.GroovyCompiledScript  
org.codehaus.groovy.jsr223.GroovyScriptEngineFactory  
org.codehaus.groovy.jsr223.GroovyScriptEngineImpl

were derived from reference implementation files developed by Sun in collaboration with the Groovy community. The reference implementation has a BSD-style license. Details can be found in: [licenses/jsr223-license.txt](#)  
Copyright jQuery Foundation and other contributors, <https://jquery.org/>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION

OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

XStream License (optional dependency when serializing AST as XML)

This product bundles the XStream jar, which is available under a "3-clause BSD" license. For details, see licenses/xstream-license.txt.

ANTLR 4 License

[The "BSD 3-clause license"]

Copyright (c) 2012-2017 The ANTLR Project. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. Neither the name of the copyright holder nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

NORMALIZE.CSS LICENSE

The following file is used with documentation:

[org/codehaus/groovy/tools/stylesheet.css](http://org/codehaus/groovy/tools/stylesheet.css)

Copyright (c) Nicolas Gallagher and Jonathan Neal

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

////////////////////////////////////

Licensed to the Apache Software Foundation (ASF) under one or more contributor license agreements. See the NOTICE file distributed with this work for additional information regarding copyright ownership. The ASF licenses this file to you under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

////////////////////////////////////

= License

This work is licensed under the <http://www.apache.org/licenses/LICENSE-2.0> [Apache License, Version 2.0].  
Eclipse Public License - v 1.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

## 1. DEFINITIONS

"Contribution" means:

- a) in the case of the initial Contributor, the initial code and documentation distributed under this Agreement, and

b) in the case of each subsequent Contributor:

i) changes to the Program, and

ii) additions to the Program;

where such changes and/or additions to the Program originate from and are distributed by that particular Contributor. A Contribution 'originates' from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include additions to the Program which: (i) are separate modules of software distributed in conjunction with the Program under their own license agreement, and (ii) are not derivative works of the Program.

"Contributor" means any person or entity that distributes the Program.

"Licensed Patents" mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement, including all Contributors.

## 2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare derivative works of, publicly display, publicly perform, distribute and sublicense the Contribution of such Contributor, if any, and such derivative works, in source code and object code form.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in source code and object code form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

### 3. REQUIREMENTS

A Contributor may choose to distribute the Program in object code form under its own license agreement, provided that:

a) it complies with the terms and conditions of this Agreement; and

b) its license agreement:

i) effectively disclaims on behalf of all Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;

ii) effectively excludes on behalf of all Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;

iii) states that any provisions which differ from this Agreement are offered by that Contributor alone and not by any other party; and

iv) states that source code for the Program is available from such Contributor, and informs licensees how to obtain it in a reasonable manner on or through a medium customarily used for software exchange.

When the Program is made available in source code form:

a) it must be made available under this Agreement; and

b) a copy of this Agreement must be included with each copy of the Program.

Contributors may not remove or alter any copyright notices contained within the Program.

Each Contributor must identify itself as the originator of its Contribution, if any, in a manner that reasonably allows subsequent Recipients to identify the originator of the Contribution.

#### 4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

#### 5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY



KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

## 6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

## 7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward

reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to distribute the Program (including its Contributions) under the new version. Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved.

This Agreement is governed by the laws of the State of New York and the intellectual property laws of the United States of America. No party to this Agreement will bring a legal action under this Agreement more than one year after the cause of action arose. Each party waives its rights to a jury trial in any resulting litigation.

JSR166y License (optionally used by the optional GPar dependency)

This product bundles the jsr166y jar (containing works from the JSR-166 EG, Doug Lea, and Jason T. Greene) made available in the public domain. For details, see licenses/jsr166y-license.txt.

ANTLR 2 License

Antlr2 is released in the public domain.

See licenses/antlr2-license.txt for details.

Apache Groovy

Copyright 2003-2021 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

This product includes/uses ANTLR2 (<http://wwwantlr2.org/>)  
developed by Terence Parr 1989-2006

This product includes/uses ANTLR4 (<https://github.com/antlr/antlr4>)  
Copyright (c) 2012-2017 The ANTLR Project. All rights reserved.

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

## 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted"

means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
  - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
  - (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
  - (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and

attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the

appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
  
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software

distributed under the License is distributed on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.

---

#### ANTLR 2 License

Antlr2 is released in the public domain.  
See licenses/antlr2-license.txt for details.

---

#### ANTLR 4 License

Antlr4 is released under a BSD 3-clause license.  
See licenses/antlr4-license.txt for details.

---

#### ASM License

ASM uses a 3-clause BSD license. For details, see licenses/asm-license.txt.

Apache Groovy

Copyright 2003-2021 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

This product bundles icons from the famfamfam.com silk icons set

<http://www.famfamfam.com/lab/icons/silk/>

Licensed under the Creative Commons Attribution Licence v2.5

<http://creativecommons.org/licenses/by/2.5/>

Eclipse Public License - v 2.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC  
LICENSE (AGREEMENT). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM  
CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

#### 1. Definitions

Contribution means:

- a) in the case of the initial Contributor, the initial content Distributed under this Agreement, and
- b) in the case of each subsequent Contributor:
  - i) changes to the Program, and
  - ii) additions to the Program; where such changes and/or additions to the Program originate from and are Distributed by that particular Contributor. A Contribution originates from a Contributor if it was added to the Program by such

Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include changes or additions to the Program that are not Modified Works.

Contributor means any person or entity that Distributes the Program.

Licensed Patents mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

Program means the Contributions Distributed in accordance with this Agreement.

Recipient means anyone who receives the Program under this Agreement or any Secondary License (as applicable), including Contributors.

Derivative Works shall mean any work, whether in Source Code or other form, that is based on (or derived from) the Program and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship.

Modified Works shall mean any work in Source Code or other form that results from an addition to, deletion from, or modification of the contents of the Program, including, for purposes of clarity any new file in Source Code form that contains any contents of the Program. Modified Works shall not include works that contain only declarations, interfaces, types, classes, structures, or files of the Program solely in each case in order to link to, bind by name, or subclass the Program or Modified Works thereof.

Distribute means the acts of a) distributing or b) making available in any manner that enables the transfer of a copy.

Source Code means the form of a Program preferred for making modifications, including but not limited to software source code, documentation source, and configuration files.

Secondary License means either the GNU General Public License, Version 2.0, or any later versions of that license, including any exceptions or additional permissions as identified by the initial Contributor.

## 2. Grant of Rights

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, Distribute and sublicense the Contribution of such Contributor, if any, and such Derivative Works.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in Source Code or other form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to Distribute



the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

e) Notwithstanding the terms of any Secondary License, no Contributor makes additional grants to any Recipient (other than those set forth in this Agreement) as a result of such Recipient's receipt of the Program under the terms of a Secondary License (if permitted under the terms of Section 3).

### 3. Requirements

3.1 If a Contributor Distributes the Program in any form, then:

a) the Program must also be made available as Source Code, in accordance with section 3.2, and the Contributor must accompany the Program with a statement that the Source Code for the Program is available under this Agreement, and informs Recipients how to obtain it in a reasonable manner on or through a medium customarily used for software exchange; and

b) the Contributor may Distribute the Program under a license different than this Agreement, provided that such license:

i) effectively disclaims on behalf of all other Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;

ii) effectively excludes on behalf of all other Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;

iii) does not attempt to limit or alter the recipients' rights in the Source Code under section 3.2; and

iv) requires any subsequent distribution of the Program by any party to be under a license that satisfies the requirements of this section 3.

3.2 When the Program is Distributed as Source Code:

a) it must be made available under this Agreement, or if the Program (i) is combined with other material in a separate file or files made available under a Secondary License, and (ii) the initial Contributor attached to the Source Code the notice described in Exhibit A of this Agreement, then the Program may be made available under the terms of such Secondary Licenses, and

b) a copy of this Agreement must be included with each copy of the Program.

3.3 Contributors may not remove or alter any copyright, patent, trademark, attribution notices, disclaimers of warranty, or limitations of liability (notices) contained within the Program from any copy of the Program which they Distribute, provided that Contributors may add their own appropriate notices.

### 4. Commercial Distribution

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor (Commercial Contributor) hereby agrees to defend and indemnify every other Contributor (Indemnified Contributor) against any losses, damages and costs (collectively Losses) arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial

product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

#### 5. No Warranty

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, THE PROGRAM IS PROVIDED ON AN AS IS BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

#### 6. Disclaimer of Liability

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

#### 7. General

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be Distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to Distribute the Program (including its Contributions) under the new version.

Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved. Nothing in this Agreement is intended to be enforceable by any entity that is not a Contributor or Recipient. No third-party beneficiary rights are created under this Agreement.

#### Exhibit A - Form of Secondary Licenses Notice

This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License, v. 2.0 are satisfied: {name license(s), version(s), and exceptions or additional permissions here}.

Simply including a copy of this Agreement, including this Exhibit A is not sufficient to license the Source Code under Secondary Licenses.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.

#### COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL) Version 1.0

##### 1. Definitions.

1.1. Contributor means each individual or entity that creates or contributes to the creation of Modifications.

1.2. Contributor Version means the combination of the Original Software, prior Modifications used by a Contributor (if any), and the Modifications made by that particular Contributor.

1.3. Covered Software means (a) the Original Software, or (b) Modifications, or (c) the combination of files containing Original Software with files containing Modifications, in each case including portions thereof.

1.4. Executable means the Covered Software in any form other than Source Code.

1.5. Initial Developer means the individual or entity that first makes Original Software available under this License.

1.6. Larger Work means a work which combines Covered Software or portions thereof with code not governed by the terms of this License.

1.7. License means this document.

1.8. Licensable means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed herein.

1.9. Modifications means the Source Code and Executable form of any of the following: A. Any file that results from an addition to, deletion from or modification of the contents of a file containing Original Software or previous Modifications; B. Any new file that contains any part of the Original Software or previous Modification; or C. Any new file that is contributed or otherwise made available under the terms of this License.

1.10. Original Software means the Source Code and Executable form of computer software code that is originally released under this License.

1.11. Patent Claims means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent Licensable by grantor.

1.12. Source Code means (a) the common form of computer software code in which modifications are made and (b) associated documentation included in or with such code.

1.13. You (or Your) means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License. For legal entities, You includes any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, control means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

## 2. License Grants.

2.1. The Initial Developer Grant. Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, the Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Initial Developer, to use, reproduce, modify, display, perform, sublicense and distribute the Original Software (or portions thereof), with or without Modifications, and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using or selling of Original

Software, to make, have made, use, practice, sell, and offer for sale, and/or otherwise dispose of the Original Software (or portions thereof);

(c) The licenses granted in Sections 2.1(a) and (b) are effective on the date Initial Developer first distributes or otherwise makes the Original Software available to a third party under the terms of this License;

(d) Notwithstanding Section 2.1(b) above, no patent license is granted: (1) for code that You delete from the Original Software, or (2) for infringements caused by: (i) the modification of the Original Software, or (ii) the combination of the Original Software with other software or devices.

2.2. Contributor Grant. Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Contributor to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof), either on an unmodified basis, with other Modifications, as Covered Software and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor either alone and/or in combination with its Contributor Version (or portions of such combination), to make, use, sell, offer for sale, have made, and/or otherwise dispose of: (1) Modifications made by that Contributor (or portions thereof); and (2) the combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).

(c) The licenses granted in Sections 2.2(a) and 2.2(b) are effective on the date Contributor first distributes or otherwise makes the Modifications available to a third party.

(d) Notwithstanding Section 2.2(b) above, no patent license is granted: (1) for any code that Contributor has deleted from the Contributor Version; (2) for infringements caused by: (i) third party modifications of Contributor Version, or (ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or (3) under Patent Claims infringed by Covered Software in the absence of Modifications made by that Contributor.

### 3. Distribution Obligations.

3.1. Availability of Source Code. Any Covered Software that You distribute or otherwise make available in Executable form must also be made available in Source Code form and that Source Code form must be distributed only under the terms of this License. You must include a copy of this License with every copy

of the Source Code form of the Covered Software You distribute or otherwise make available. You must inform recipients of any such Covered Software in Executable form as to how they can obtain such Covered Software in Source Code form in a reasonable manner on or through a medium customarily used for software exchange.

3.2. Modifications. The Modifications that You create or to which You contribute are governed by the terms of this License. You represent that You believe Your Modifications are Your original creation(s) and/or You have sufficient rights to grant the rights conveyed by this License.

3.3. Required Notices. You must include a notice in each of Your Modifications that identifies You as the Contributor of the Modification. You may not remove or alter any copyright, patent or trademark notices contained within the Covered Software, or any notices of licensing or any descriptive text giving attribution to any Contributor or the Initial Developer.

3.4. Application of Additional Terms. You may not offer or impose any terms on any Covered Software in Source Code form that alters or restricts the applicable version of this License or the recipients rights hereunder. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, you may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it absolutely clear that any such warranty, support, indemnity or liability obligation is offered by You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of warranty, support, indemnity or liability terms You offer.

3.5. Distribution of Executable Versions. You may distribute the Executable form of the Covered Software under the terms of this License or under the terms of a license of Your choice, which may contain terms different from this License, provided that You are in compliance with the terms of this License and that the license for the Executable form does not attempt to limit or alter the recipients rights in the Source Code form from the rights set forth in this License. If You distribute the Covered Software in Executable form under a different license, You must make it absolutely clear that any terms which differ from this License are offered by You alone, not by the Initial Developer or Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer.

3.6. Larger Works. You may create a Larger Work by combining Covered Software with other code not governed by the terms of this License and distribute the Larger Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled for the Covered Software.

4. Versions of the License.

4.1. New Versions. Sun Microsystems, Inc. is the initial license steward and may publish revised and/or new versions of this License from time to time. Each version will be given a distinguishing version number. Except as provided in Section 4.3, no one other than the license steward has the right to modify this License.

4.2. Effect of New Versions. You may always continue to use, distribute or otherwise make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. If the Initial Developer includes a notice in the Original Software prohibiting it from being distributed or otherwise made available under any subsequent version of the License, You must distribute and make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. Otherwise, You may also choose to use, distribute or otherwise make the Covered Software available under the terms of any subsequent version of the License published by the license steward.

4.3. Modified Versions. When You are an Initial Developer and You want to create a new license for Your Original Software, You may create and use a modified version of this License if You: (a) rename the license and remove any references to the name of the license steward (except to note that the license differs from this License); and (b) otherwise make it clear that the license contains terms which differ from this License.

5. DISCLAIMER OF WARRANTY. COVERED SOFTWARE IS PROVIDED UNDER THIS LICENSE ON AN AS IS BASIS, WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES THAT THE COVERED SOFTWARE IS FREE OF DEFECTS, MERCHANTABLE, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED SOFTWARE IS WITH YOU. SHOULD ANY COVERED SOFTWARE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED SOFTWARE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

6. TERMINATION.

6.1. This License and the rights granted hereunder will terminate automatically if You fail to comply with terms herein and fail to cure such breach within 30 days of becoming aware of the breach. Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive.

6.2. If You assert a patent infringement claim (excluding declaratory judgment actions) against Initial Developer or a Contributor (the Initial Developer or Contributor against whom You assert such claim is referred to as Participant) alleging that the Participant Software (meaning the Contributor Version where the Participant is a Contributor or the Original Software where the Participant

is the Initial Developer) directly or indirectly infringes any patent, then any and all rights granted directly or indirectly to You by such Participant, the Initial Developer (if the Initial Developer is not the Participant) and all Contributors under Sections 2.1 and/or 2.2 of this License shall, upon 60 days notice from Participant terminate prospectively and automatically at the expiration of such 60 day notice period, unless if within such 60 day period You withdraw Your claim with respect to the Participant Software against such Participant either unilaterally or pursuant to a written agreement with Participant.

6.3. In the event of termination under Sections 6.1 or 6.2 above, all end user licenses that have been validly granted by You or any distributor hereunder prior to termination (excluding licenses granted to You by any distributor) shall survive termination.

7. LIMITATION OF LIABILITY. UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED SOFTWARE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOST PROFITS, LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTY'S NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

8. U.S. GOVERNMENT END USERS. The Covered Software is a commercial item, as that term is defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of commercial computer software (as that term is defined at 48 C.F.R. 252.227-7014(a)(1)) and commercial computer software documentation as such terms are used in 48 C.F.R. 12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4 (June 1995), all U.S. Government End Users acquire Covered Software with only those rights set forth herein. This U.S. Government Rights clause is in lieu of, and supersedes, any other FAR, DFAR, or other clause or provision that addresses Government rights in computer software under this License.

9. MISCELLANEOUS. This License represents the complete agreement concerning subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by the law of the jurisdiction specified in a notice contained within the Original Software (except to the extent applicable law, if any, provides otherwise), excluding such jurisdictions conflict-of-law provisions. Any litigation relating to this License shall be subject to the jurisdiction of the courts located in the



jurisdiction and venue specified in a notice contained within the Original Software, with the losing party responsible for costs, including, without limitation, court costs and reasonable attorneys fees and expenses. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not apply to this License. You agree that You alone are responsible for compliance with the United States export administration regulations (and the export control laws and regulation of any other countries) when You use, distribute or otherwise make available any Covered Software.

10. RESPONSIBILITY FOR CLAIMS. As between Initial Developer and the Contributors, each party is responsible for claims and damages arising, directly or indirectly, out of its utilization of rights under this License and You agree to work with Initial Developer and Contributors to distribute such responsibility on an equitable basis. Nothing herein is intended or shall be deemed to constitute any admission of liability.

#### NOTICE PURSUANT TO SECTION 9 OF THE COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL)

For Covered Software in this distribution, this License shall be governed by the laws of the State of California (excluding conflict-of-law provisions).

Any litigation relating to this License shall be subject to the jurisdiction of the Federal Courts of the Northern District of California and the state courts of the State of California, with venue lying in Santa Clara County, California.

Apache Groovy

Copyright 2003-2021 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

Apache Groovy

Copyright 2003-2021 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

This product includes/uses ANTLR2 (<http://www.antlr2.org/>)  
developed by Terence Parr 1989-2006

This product includes/uses ANTLR4 (<https://github.com/antlr/antlr4>)  
Copyright (c) 2012-2017 The ANTLR Project. All rights reserved.

This product embeds the OpenBeans jar within its grooid jar artifacts  
OpenBeans includes/uses files from Apache Harmony and the following notice applies  
Copyright 2006, 2010 The Apache Software Foundation.

Portions of Apache Harmony were originally developed by Intel Corporation and are

licensed to the Apache Software Foundation under the "Software Grant and Corporate Contribution License Agreement" and for which the following copyright notices apply

(C) Copyright 2005 Intel Corporation

(C) Copyright 2005-2006 Intel Corporation

(C) Copyright 2006 Intel Corporation

Apache Groovy

Copyright 2003-2021 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

This product embeds the OpenBeans jar within its grooid jar artifacts  
OpenBeans includes/uses files from Apache Harmony and the following notice applies  
Copyright 2006, 2010 The Apache Software Foundation.

Portions of Apache Harmony were originally developed by Intel Corporation and are  
licensed to the Apache Software Foundation under the "Software Grant and Corporate  
Contribution License Agreement" and for which the following copyright notices apply

(C) Copyright 2005 Intel Corporation

(C) Copyright 2005-2006 Intel Corporation

(C) Copyright 2006 Intel Corporation

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,  
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by  
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all  
other entities that control, are controlled by, or are under common  
control with that entity. For the purposes of this definition,  
"control" means (i) the power, direct or indirect, to cause the  
direction or management of such entity, whether by contract or  
otherwise, or (ii) ownership of fifty percent (50%) or more of the  
outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity  
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,  
including but not limited to software source code, documentation

source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable

(except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and

may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify,

defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

---

## NORMALIZE.CSS LICENSE

The following file is used with documentation:

[org/codehaus/groovy/tools/stylesheet.css](http://org/codehaus/groovy/tools/stylesheet.css)

Copyright (c) Nicolas Gallagher and Jonathan Neal

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

The MIT License

Copyright (C) 2012-2015 Dan Allen, Ryan Waldron and the AsciiDoctor Project

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Hamcrest License (needed when using optional JUnit dependency)

This product bundles the Hamcrest jar, which is available under a BSD license. For details, see licenses/hamcrest-license.txt.

NORMALIZE.CSS LICENSE

The following file is used with documentation:

`org/codehaus/groovy/tools/groovydoc/gstringTemplates/topLevel/stylesheet.css`

Copyright (c) Nicolas Gallagher and Jonathan Neal

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do

so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

JUnit Licenses (optional dependencies when using Groovy for testing)

This product bundles the JUnit 4 jar, which is available under the Eclipse Public License v1.0. For details, see licenses/junit4-license.txt.

This product bundles several JUnit 5 jars, which are available under the Eclipse Public License v2.0. For details, see licenses/junit5-license.txt.

ASM License

ASM uses a 3-clause BSD license. For details, see licenses/asm-license.txt.

Asciidoc License

This product uses the style.css from asciidoctor.org within documentation. The file is available under the MIT License.

For details, see licenses/asciidoc-style-license.txt.

Copyright (c) 2006, Sun Microsystems, Inc.

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- Neither the name of the Sun Microsystems, Inc. nor the names of contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A



PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

## 1.275 jackson-module:-guice 2.13.2

### 1.275.1 Available under license :

# Jackson JSON processor

Jackson is a high-performance, Free/Open Source JSON processing library. It was originally written by Tatu Saloranta (tatu.saloranta@iki.fi), and has been in development since 2007.

It is currently developed by a community of developers, as well as supported commercially by FasterXML.com.

## Licensing

Jackson core and extension components may be licensed under different licenses. To find the details that apply to this artifact see the accompanying LICENSE file. For more information, including possible other licensing options, contact FasterXML.com (<http://fasterxml.com>).

## Credits

A list of contributors may be found from CREDITS file, which is included in some artifacts (usually source distributions); but is always available from the source code management (SCM) system project uses.

This copy of Jackson JSON processor `jackson-module-guice` module is licensed under the Apache (Software) License, version 2.0 ("the License").

See the License for details about distribution rights, and the specific rights regarding derivative works.

You may obtain a copy of the License at:

<http://www.apache.org/licenses/LICENSE-2.0>

# 1.276 apache-commons-collections 3.2.2

## 1.276.1 Available under license :

Apache Commons Collections

Copyright 2001-2015 The Apache Software Foundation

This product includes software developed by  
The Apache Software Foundation (<http://www.apache.org/>).

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate

as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify

the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include

the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

## 1.277 micronaut-flyway 5.2.0

### 1.277.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*  
* Copyright 2017-2021 original authors  
*  
* Licensed under the Apache License, Version 2.0 (the "License");  
* you may not use this file except in compliance with the License.  
* You may obtain a copy of the License at  
*  
* https://www.apache.org/licenses/LICENSE-2.0  
*  
* Unless required by applicable law or agreed to in writing, software  
* distributed under the License is distributed on an "AS IS" BASIS,  
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
* See the License for the specific language governing permissions and  
* limitations under the License.  
*/
```

Found in path(s):

```
* /opt/cola/permits/1331473697_1653068637.3698914/0/micronaut-flyway-5-2-0-sources-  
jar/io/micronaut/flyway/FlywayMigrator.java
```

No license file was found, but licenses were detected in source scan.

```
/*
```

\* Copyright 2017-2020 original authors  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <https://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1331473697\_1653068637.3698914/0/micronaut-flyway-5-2-0-sources-jar/io/micronaut/flyway/GormMigrationRunner.java  
\* /opt/cola/permits/1331473697\_1653068637.3698914/0/micronaut-flyway-5-2-0-sources-jar/io/micronaut/flyway/endpoint/FlywayEndpoint.java  
\* /opt/cola/permits/1331473697\_1653068637.3698914/0/micronaut-flyway-5-2-0-sources-jar/io/micronaut/flyway/DataSourceMigrationRunner.java  
\* /opt/cola/permits/1331473697\_1653068637.3698914/0/micronaut-flyway-5-2-0-sources-jar/io/micronaut/flyway/event/SchemaCleanedEvent.java  
\* /opt/cola/permits/1331473697\_1653068637.3698914/0/micronaut-flyway-5-2-0-sources-jar/io/micronaut/flyway/graalvm/FeatureDetectorSubstitutions.java  
\* /opt/cola/permits/1331473697\_1653068637.3698914/0/micronaut-flyway-5-2-0-sources-jar/io/micronaut/flyway/endpoint/FlywayReport.java  
\* /opt/cola/permits/1331473697\_1653068637.3698914/0/micronaut-flyway-5-2-0-sources-jar/io/micronaut/flyway/AbstractFlywayMigration.java  
\* /opt/cola/permits/1331473697\_1653068637.3698914/0/micronaut-flyway-5-2-0-sources-jar/io/micronaut/flyway/event/MigrationFinishedEvent.java  
\* /opt/cola/permits/1331473697\_1653068637.3698914/0/micronaut-flyway-5-2-0-sources-jar/io/micronaut/flyway/graalvm/FlywayFeature.java  
\* /opt/cola/permits/1331473697\_1653068637.3698914/0/micronaut-flyway-5-2-0-sources-jar/io/micronaut/flyway/graalvm/ScannerSubstitutions.java  
\* /opt/cola/permits/1331473697\_1653068637.3698914/0/micronaut-flyway-5-2-0-sources-jar/io/micronaut/flyway/package-info.java  
\* /opt/cola/permits/1331473697\_1653068637.3698914/0/micronaut-flyway-5-2-0-sources-jar/io/micronaut/flyway/FlywayConfigurationProperties.java  
\* /opt/cola/permits/1331473697\_1653068637.3698914/0/micronaut-flyway-5-2-0-sources-jar/io/micronaut/flyway/graalvm/MicronautPathLocationScanner.java  
\* /opt/cola/permits/1331473697\_1653068637.3698914/0/micronaut-flyway-5-2-0-sources-jar/io/micronaut/flyway/AlternativeMigrationRunner.java

# 1.278 apache-commons-text 1.9

## 1.278.1 Available under license :

/\*

- \* Licensed to the Apache Software Foundation (ASF) under one or more
- \* contributor license agreements. See the NOTICE file distributed with
- \* this work for additional information regarding copyright ownership.
- \* The ASF licenses this file to You under the Apache License, Version 2.0
- \* (the "License"); you may not use this file except in compliance with
- \* the License. You may obtain a copy of the License at
- \*
- \* <http://www.apache.org/licenses/LICENSE-2.0>
- \*
- \* Unless required by applicable law or agreed to in writing, software
- \* distributed under the License is distributed on an "AS IS" BASIS,
- \* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- \* See the License for the specific language governing permissions and
- \* limitations under the License.

\*/

Apache Commons Text

Copyright 2014-2020 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<https://www.apache.org/>).

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.



"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the

Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
  
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
  - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
  
  - (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
  
  - (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
  
  - (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside

or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.
6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. **Disclaimer of Warranty.** Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. **Limitation of Liability.** In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. **Accepting Warranty or Additional Liability.** While redistributing the Work or Derivative Works thereof, You may choose to offer,

and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

# 1.279 apache-commons-cli 1.4

## 1.279.1 Available under license :

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such

license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

You must give any other recipients of the Work or Derivative Works a copy of this License; and

You must cause any modified files to carry prominent notices stating that You changed the files; and

You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

#### END OF TERMS AND CONDITIONS

#### APPENDIX: How to apply the Apache License to your work

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software  
distributed under the License is distributed on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.

# 1.280 jakarta-persistence-api 3.0.0

## 1.280.1 Available under license :

```
[/]: # " Copyright (c) 2019 Oracle and/or its affiliates. All rights reserved. "  
[/]: # " "  
[/]: # " This program and the accompanying materials are made available under the "  
[/]: # " terms of the Eclipse Distribution License v. 1.0, which is available at "  
[/]: # " http://www.eclipse.org/org/documents/edl-v10.php. "  
[/]: # " "  
[/]: # " SPDX-License-Identifier: BSD-3-Clause "
```

# Notices for Jakarta Persistence

This content is produced and maintained by the Jakarta Persistence project.

\* Project home: <https://projects.eclipse.org/projects/ee4j.jpa>

## Trademarks

Jakarta Persistence is a trademark of the Eclipse Foundation.

## Copyright

All content is the property of the respective authors or their employers. For more information regarding authorship of content, please consult the listed source code repository logs.

## Declared Project Licenses

This program and the accompanying materials are made available under the terms of the Eclipse Public License v. 2.0 which is available at <http://www.eclipse.org/legal/epl-2.0>, or the Eclipse Distribution License v. 1.0 which is available at <http://www.eclipse.org/org/documents/edl-v10.php>.

SPDX-License-Identifier: EPL-2.0 OR BSD-3-Clause

## Source Code



The project maintains the following source code repositories:

\* <https://github.com/eclipse-ee4j/jpa-api>

## ## Third-party Content

This project leverages the following third party content.

None

## ## Cryptography

Content may contain encryption software. The country in which you are currently may have restrictions on the import, possession, and use, and/or re-export to another country, of encryption software. BEFORE using any encryption software, please check the country's laws, regulations and policies concerning the import, possession, or use, and re-export of encryption software, to see if this is permitted.

This program and the accompanying materials are made available under the terms of the Eclipse Public License v. 2.0 which is available at <http://www.eclipse.org/legal/epl-2.0>, or the Eclipse Distribution License v. 1.0 which is available at <http://www.eclipse.org/org/documents/edl-v10.php>.

SPDX-License-Identifier: EPL-2.0 OR BSD-3-Clause

Eclipse Public License - v 2.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

### 1. DEFINITIONS

"Contribution" means:

a) in the case of the initial Contributor, the initial content Distributed under this Agreement, and

b) in the case of each subsequent Contributor:

- i) changes to the Program, and
- ii) additions to the Program;

where such changes and/or additions to the Program originate from and are Distributed by that particular Contributor. A Contribution "originates" from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf.

Contributions do not include changes or additions to the Program that are not Modified Works.

"Contributor" means any person or entity that Distributes the Program.

"Licensed Patents" mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions Distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement or any Secondary License (as applicable), including Contributors.

"Derivative Works" shall mean any work, whether in Source Code or other form, that is based on (or derived from) the Program and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship.

"Modified Works" shall mean any work in Source Code or other form that results from an addition to, deletion from, or modification of the contents of the Program, including, for purposes of clarity any new file in Source Code form that contains any contents of the Program. Modified Works shall not include works that contain only declarations, interfaces, types, classes, structures, or files of the Program solely in each case in order to link to, bind by name, or subclass the Program or Modified Works thereof.

"Distribute" means the acts of a) distributing or b) making available in any manner that enables the transfer of a copy.

"Source Code" means the form of a Program preferred for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Secondary License" means either the GNU General Public License, Version 2.0, or any later versions of that license, including any exceptions or additional permissions as identified by the initial Contributor.

## 2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, Distribute and sublicense the Contribution of such Contributor, if any, and such Derivative Works.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in Source Code or other form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to Distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

e) Notwithstanding the terms of any Secondary License, no Contributor makes additional grants to any Recipient (other than those set forth in this Agreement) as a result of such Recipient's receipt of the Program under the terms of a Secondary License (if permitted under the terms of Section 3).

### 3. REQUIREMENTS

3.1 If a Contributor Distributes the Program in any form, then:

a) the Program must also be made available as Source Code, in accordance with section 3.2, and the Contributor must accompany the Program with a statement that the Source Code for the Program is available under this Agreement, and informs Recipients how to obtain it in a reasonable manner on or through a medium customarily used for software exchange; and

b) the Contributor may Distribute the Program under a license different than this Agreement, provided that such license:

i) effectively disclaims on behalf of all other Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;

ii) effectively excludes on behalf of all other Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;

iii) does not attempt to limit or alter the recipients' rights in the Source Code under section 3.2; and

iv) requires any subsequent distribution of the Program by any party to be under a license that satisfies the requirements of this section 3.

### 3.2 When the Program is Distributed as Source Code:

a) it must be made available under this Agreement, or if the Program (i) is combined with other material in a separate file or files made available under a Secondary License, and (ii) the initial Contributor attached to the Source Code the notice described in Exhibit A of this Agreement, then the Program may be made available under the terms of such Secondary Licenses, and

b) a copy of this Agreement must be included with each copy of the Program.

3.3 Contributors may not remove or alter any copyright, patent, trademark, attribution notices, disclaimers of warranty, or limitations of liability ("notices") contained within the Program from any copy of the Program which they Distribute, provided that Contributors may add their own appropriate notices.

## 4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses,

damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

## 5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

## 6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE

## POSSIBILITY OF SUCH DAMAGES.

### 7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be Distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to Distribute the Program (including its Contributions) under the new version.

Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved. Nothing in this Agreement is intended to be enforceable by any entity that is not a Contributor or Recipient. No third-party beneficiary rights are created under this Agreement.

## Exhibit A - Form of Secondary Licenses Notice

"This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License, v. 2.0 are satisfied: {name license(s), version(s), and exceptions or additional permissions here}."

Simply including a copy of this Agreement, including this Exhibit A is not sufficient to license the Source Code under Secondary Licenses.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.

Eclipse Distribution License - v 1.0

Copyright (c) 2007, Eclipse Foundation, Inc. and its licensors.

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- \* Neither the name of the Eclipse Foundation, Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE

# 1.281 apache-httpcomponents-asyncclient

## 4.1.4

### 1.281.1 Available under license :

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

#### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

##### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object



form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

#### END OF TERMS AND CONDITIONS

This project contains annotations derived from JCIP-ANNOTATIONS  
Copyright (c) 2005 Brian Goetz and Tim Peierls.  
See <http://www.jcip.net> and the Creative Commons Attribution License  
(<http://creativecommons.org/licenses/by/2.5>)  
Apache HttpComponents AsyncClient  
Copyright 2010-2017 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

# 1.282 json-smart 2.4.8

## 1.282.1 Available under license :

No license file was found, but licenses were detected in source scan.

`<url>http://www.apache.org/licenses/LICENSE-2.0.txt</url>`

Found in path(s):

\* /opt/cola/permits/1340076263\_1654622360.233129/0/json-smart-2-4-8-2-jar/META-INF/maven/net.minidev/json-smart/pom.xml

No license file was found, but licenses were detected in source scan.

Manifest-Version: 1.0

Bnd-LastModified: 1644737862078

Build-Jdk: 11.0.14

Built-By: uriel

Bundle-Description: JSON (JavaScript Object Notation) is a lightweight data-interchange format. It is easy for humans to read and write. It is easy for machines to parse and generate. It is based on a subset of the JavaScript Programming Language, Standard ECMA-262 3rd Edition - December 1999. JSON is a text format that is completely language independent but uses conventions that are familiar to programmers of the C-family of languages, including C, C++, C#, Java, JavaScript, Perl, Python, and many others. These properties make JSON an ideal data-interchange language.

Bundle-DocURL: <https://urielch.github.io/>

Bundle-License: <http://www.apache.org/licenses/LICENSE-2.0.txt>

Bundle-ManifestVersion: 2

Bundle-Name: json-smart

Bundle-SymbolicName: net.minidev.json-smart

Bundle-Vendor: Chemouni Uriel

Bundle-Version: 2.4.8

Created-By: Apache Maven Bundle Plugin

Export-Package: net.minidev.json;uses:="net.minidev.asm,net.minidev.json.parser,net.minidev.json.reader,net.minidev.json.writer";version="2.4.8",net.minidev.json.annotate;version="2.4.8",net.minidev.json.parser;uses:="net.minidev.json.writer";version="2.4.8",net.minidev.json.reader;uses:="net.minidev.json";version="2.4.8",net.minidev.json.writer;uses:="net.minidev.json,net.minidev.json.parser";version="2.4.8"

Import-Package: net.minidev.asm;version="[2.4,3)",net.minidev.json,net.minidev.json.annotate,net.minidev.json.parser,net.minidev.json.reader,net.minidev.json.writer

Require-Capability: osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=1.8))"

Tool: Bnd-5.1.1.202006162103

Found in path(s):

\* /opt/cola/permits/1340076263\_1654622360.233129/0/json-smart-2-4-8-2-jar/META-INF/MANIFEST.MF

## 1.283 log4j-over-slf4j 1.7.32

### 1.283.1 Available under license :

No license file was found, but licenses were detected in source scan.

<url><http://www.apache.org/licenses/LICENSE-2.0.txt></url>

Found in path(s):

\* /opt/cola/permits/1198379913\_1630347367.42/0/log4j-over-slf4j-1-7-32-jar/META-INF/maven/org.slf4j/log4j-over-slf4j/pom.xml

## 1.284 reactive-relational-database-connectivity-bill-of-materials Arabba-SR9

### 1.284.1 Available under license :

Apache License  
Version 2.0, January 2004  
<https://www.apache.org/licenses/>

#### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

##### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of

this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only



on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<https://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Reactive Relational Database Connectivity

Copyright 2017-2018 the original author or authors.

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<https://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

# 1.285 jersey's-jersey 2.35

## 1.285.1 Available under license :

# Notice for Jersey Core Common module

This content is produced and maintained by the Eclipse Jersey project.

\* <https://projects.eclipse.org/projects/ee4j.jersey>

## Trademarks

Eclipse Jersey is a trademark of the Eclipse Foundation.

## Copyright

All content is the property of the respective authors or their employers. For more information regarding authorship of content, please consult the listed source code repository logs.

## Declared Project Licenses

This program and the accompanying materials are made available under the terms of the Eclipse Public License v. 2.0 which is available at <http://www.eclipse.org/legal/epl-2.0>. This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License v. 2.0 are satisfied: GNU General Public License, version 2 with the GNU Classpath Exception which is available at <https://www.gnu.org/software/classpath/license.html>.

SPDX-License-Identifier: EPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0

## Source Code

The project maintains the following source code repositories:

\* <https://github.com/eclipse-ee4j/jersey>

## Third-party Content

Google Guava Version 18.0

\* License: Apache License, 2.0

\* Copyright: (C) 2009 The Guava Authors

JSR-166 Extension - JEP 266

\* License: Creative Commons 1.0 (CC0)

\* No copyright

\* Written by Doug Lea with assistance from members of JCP JSR-166

\* Expert Group and released to the public domain, as explained at

\* <http://creativecommons.org/publicdomain/zero/1.0/>

# Notice for Jersey

This content is produced and maintained by the Eclipse Jersey project.

\* Project home: <https://projects.eclipse.org/projects/ee4j.jersey>

## Trademarks

Eclipse Jersey is a trademark of the Eclipse Foundation.

## Copyright

All content is the property of the respective authors or their employers. For more information regarding authorship of content, please consult the listed source code repository logs.

## Declared Project Licenses

This program and the accompanying materials are made available under the terms of the Eclipse Public License v. 2.0 which is available at <http://www.eclipse.org/legal/epl-2.0>. This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License v. 2.0 are satisfied: GNU General Public License, version 2 with the GNU Classpath Exception which is available at <https://www.gnu.org/software/classpath/license.html>.

SPDX-License-Identifier: EPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0

## Source Code

The project maintains the following source code repositories:

\* <https://github.com/eclipse-ee4j/jersey>

## Third-party Content

Angular JS, v1.6.6

\* License MIT (<http://www.opensource.org/licenses/mit-license.php>)

\* Project: <http://angularjs.org>

\* Copyright: (c) 2010-2017 Google, Inc.

aopalliance Version 1

\* License: all the source code provided by AOP Alliance is Public Domain.

\* Project: <http://aopalliance.sourceforge.net>

\* Copyright: Material in the public domain is not protected by copyright

Bean Validation API 2.0.2

\* License: Apache License, 2.0

\* Project: <http://beanvalidation.org/1.1/>

\* Copyright: 2009, Red Hat, Inc. and/or its affiliates, and individual contributors

\* by the @authors tag.

Hibernate Validator CDI, 6.1.2.Final

\* License: Apache License, 2.0

\* Project: <https://beanvalidation.org/>

\* Repackaged in org.glassfish.jersey.server.validation.internal.hibernate

Bootstrap v3.3.7

\* License: MIT license (<https://github.com/twbs/bootstrap/blob/master/LICENSE>)

\* Project: <http://getbootstrap.com>

\* Copyright: 2011-2016 Twitter, Inc

Google Guava Version 18.0

\* License: Apache License, 2.0

\* Copyright (C) 2009 The Guava Authors

javax.inject Version: 1

\* License: Apache License, 2.0

\* Copyright (C) 2009 The JSR-330 Expert Group

Javassist Version 3.25.0-GA

\* License: Apache License, 2.0

\* Project: <http://www.javassist.org/>

\* Copyright (C) 1999- Shigeru Chiba. All Rights Reserved.

Jackson JAX-RS Providers Version 2.10.1

\* License: Apache License, 2.0

\* Project: <https://github.com/FasterXML/jackson-jaxrs-providers>

\* Copyright: (c) 2009-2011 FasterXML, LLC. All rights reserved unless otherwise indicated.

jQuery v1.12.4

\* License: [jquery.org/license](http://jquery.org/license)

\* Project: [jquery.org](http://jquery.org)

\* Copyright: (c) jQuery Foundation

jQuery Barcode plugin 0.3

\* License: MIT & GPL (<http://www.opensource.org/licenses/mit-license.php> & <http://www.gnu.org/licenses/gpl.html>)

\* Project: <http://www.pasella.it/projects/jquery/barcode>

\* Copyright: (c) 2009 Antonello Pasella [antonello.pasella@gmail.com](mailto:antonello.pasella@gmail.com)

JSR-166 Extension - JEP 266

\* License: CC0

\* No copyright

\* Written by Doug Lea with assistance from members of JCP JSR-166 Expert Group and released to the public domain, as explained at <http://creativecommons.org/publicdomain/zero/1.0/>

KineticJS, v4.7.1

- \* License: MIT license (<http://www.opensource.org/licenses/mit-license.php>)
- \* Project: <http://www.kineticjs.com>, <https://github.com/ericdrowell/KineticJS>
- \* Copyright: Eric Rowell

org.objectweb.asm Version 8.0

- \* License: Modified BSD (<http://asm.objectweb.org/license.html>)
- \* Copyright (c) 2000-2011 INRIA, France Telecom. All rights reserved.

org.osgi.core version 6.0.0

- \* License: Apache License, 2.0
- \* Copyright (c) OSGi Alliance (2005, 2008). All Rights Reserved.

org.glassfish.jersey.server.internal.monitoring.core

- \* License: Apache License, 2.0
- \* Copyright (c) 2015-2018 Oracle and/or its affiliates. All rights reserved.
- \* Copyright 2010-2013 Coda Hale and Yammer, Inc.

W3.org documents

- \* License: W3C License
- \* Copyright: Copyright (c) 1994-2001 World Wide Web Consortium, (Massachusetts Institute of Technology, Institut National de Recherche en Informatique et en Automatique, Keio University). All Rights Reserved.  
<http://www.w3.org/Consortium/Legal/>
- # Eclipse Public License - v 2.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

## 1. DEFINITIONS

"Contribution" means:

a) in the case of the initial Contributor, the initial content Distributed under this Agreement, and

b) in the case of each subsequent Contributor:

- i) changes to the Program, and
- ii) additions to the Program;

where such changes and/or additions to the Program originate from and are Distributed by that particular Contributor. A Contribution "originates" from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include changes or additions to the Program that are not Modified Works.

"Contributor" means any person or entity that Distributes the Program.

"Licensed Patents" mean patent claims licensable by a Contributor which

are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions Distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement or any Secondary License (as applicable), including Contributors.

"Derivative Works" shall mean any work, whether in Source Code or other form, that is based on (or derived from) the Program and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship.

"Modified Works" shall mean any work in Source Code or other form that results from an addition to, deletion from, or modification of the contents of the Program, including, for purposes of clarity any new file in Source Code form that contains any contents of the Program. Modified Works shall not include works that contain only declarations, interfaces, types, classes, structures, or files of the Program solely in each case in order to link to, bind by name, or subclass the Program or Modified Works thereof.

"Distribute" means the acts of a) distributing or b) making available in any manner that enables the transfer of a copy.

"Source Code" means the form of a Program preferred for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Secondary License" means either the GNU General Public License, Version 2.0, or any later versions of that license, including any exceptions or additional permissions as identified by the initial Contributor.

## 2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, Distribute and sublicense the Contribution of such Contributor, if any, and such Derivative Works.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in Source Code or other form. This patent license shall

apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to Distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

e) Notwithstanding the terms of any Secondary License, no Contributor makes additional grants to any Recipient (other than those set forth in this Agreement) as a result of such Recipient's receipt of the Program under the terms of a Secondary License (if permitted under the terms of Section 3).

### 3. REQUIREMENTS

3.1 If a Contributor Distributes the Program in any form, then:

a) the Program must also be made available as Source Code, in accordance with section 3.2, and the Contributor must accompany the Program with a statement that the Source Code for the Program is available under this Agreement, and informs Recipients how to obtain it in a reasonable manner on or through a medium customarily used for software exchange; and

b) the Contributor may Distribute the Program under a license different than this Agreement, provided that such license:

i) effectively disclaims on behalf of all other Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness

for a particular purpose;

ii) effectively excludes on behalf of all other Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;

iii) does not attempt to limit or alter the recipients' rights in the Source Code under section 3.2; and

iv) requires any subsequent distribution of the Program by any party to be under a license that satisfies the requirements of this section 3.

### 3.2 When the Program is Distributed as Source Code:

a) it must be made available under this Agreement, or if the Program (i) is combined with other material in a separate file or files made available under a Secondary License, and (ii) the initial Contributor attached to the Source Code the notice described in Exhibit A of this Agreement, then the Program may be made available under the terms of such Secondary Licenses, and

b) a copy of this Agreement must be included with each copy of the Program.

3.3 Contributors may not remove or alter any copyright, patent, trademark, attribution notices, disclaimers of warranty, or limitations of liability ("notices") contained within the Program from any copy of the Program which they Distribute, provided that Contributors may add their own appropriate notices.

## 4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged



intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

## 5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

## 6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

## 7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of

the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be Distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to Distribute the Program (including its Contributions) under the new version.

Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved. Nothing in this Agreement is intended to be enforceable by any entity that is not a Contributor or Recipient. No third-party beneficiary rights are created under this Agreement.

Exhibit A - Form of Secondary Licenses Notice

"This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License, v. 2.0 are satisfied: {name license(s)},

version(s), and exceptions or additional permissions here}."

Simply including a copy of this Agreement, including this Exhibit A is not sufficient to license the Source Code under Secondary Licenses.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.

---

## The GNU General Public License (GPL) Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.  
51 Franklin Street, Fifth Floor  
Boston, MA 02110-1335  
USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis

or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

## TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other

recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

- a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.
- b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.
- c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not

signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the

original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

#### NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.



## END OF TERMS AND CONDITIONS

### How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.  
Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1335 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author  
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'. This is free software, and you are welcome to redistribute it under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if

necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program `Gnomovision' (which makes passes at compilers) written by James Hacker.

signature of Ty Coon, 1 April 1989  
Ty Coon, President of Vice

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

---

## ## CLASSPATH EXCEPTION

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License version 2 cover the whole combination.

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module. An independent module is a module which is not derived from or based on this library. If you modify this library, you may extend this exception to your version of the library, but you are not obligated to do so. If you do not wish to do so, delete this exception statement from your version.

# 1.286 reactor-core 3.4.15

## 1.286.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
# Copyright (c) 2019-2021 VMware Inc. or its affiliates, All Rights Reserved.  
#  
# Licensed under the Apache License, Version 2.0 (the "License");  
# you may not use this file except in compliance with the License.  
# You may obtain a copy of the License at  
#
```

```
# https://www.apache.org/licenses/LICENSE-2.0
#
# Unless required by applicable law or agreed to in writing, software
# distributed under the License is distributed on an "AS IS" BASIS,
# WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
# See the License for the specific language governing permissions and
# limitations under the License.
reactor.core.scheduler.ReactorBlockHoundIntegration
```

Found in path(s):

```
* /opt/cola/permits/1331473964_1653068533.1667166/0/reactor-core-3-4-15-1-jar/META-
INF/services/reactor.blockhound.integration.BlockHoundIntegration
```

## 1.287 jersey-core-server 2.33

### 1.287.1 Available under license :

```
# Notice for Jersey Core Server module
```

This content is produced and maintained by the Eclipse Jersey project.

```
* https://projects.eclipse.org/projects/ee4j.jersey
```

```
## Trademarks
```

Eclipse Jersey is a trademark of the Eclipse Foundation.

```
## Copyright
```

All content is the property of the respective authors or their employers. For more information regarding authorship of content, please consult the listed source code repository logs.

```
## Declared Project Licenses
```

This program and the accompanying materials are made available under the terms of the Eclipse Public License v. 2.0 which is available at <http://www.eclipse.org/legal/epl-2.0>. This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License v. 2.0 are satisfied: GNU General Public License, version 2 with the GNU Classpath Exception which is available at <https://www.gnu.org/software/classpath/license.html>.

SPDX-License-Identifier: EPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0

```
## Source Code
```

The project maintains the following source code repositories:

```
* https://github.com/eclipse-ee4j/jersey
```

## ## Third-party Content

org.glassfish.jersey.server.internal.monitoring.core

\* License: Apache License, 2.0

\* Copyright (c) 2015-2018 Oracle and/or its affiliates. All rights reserved.

\* Copyright 2010-2013 Coda Hale and Yammer, Inc.

org.objectweb.asm Version 8.0

\* License: Modified BSD (<http://asm.objectweb.org/license.html>)

\* Copyright: (c) 2000-2011 INRIA, France Telecom. All rights reserved.

W3.org documents

\* License: W3C License

\* Copyright: Copyright (c) 1994-2001 World Wide Web Consortium, (Massachusetts Institute of Technology, Institut National de Recherche en Informatique et en Automatique, Keio University). All Rights Reserved.

<http://www.w3.org/Consortium/Legal/>

# Notice for Jersey

This content is produced and maintained by the Eclipse Jersey project.

\* Project home: <https://projects.eclipse.org/projects/ee4j.jersey>

## ## Trademarks

Eclipse Jersey is a trademark of the Eclipse Foundation.

## ## Copyright

All content is the property of the respective authors or their employers. For more information regarding authorship of content, please consult the listed source code repository logs.

## ## Declared Project Licenses

This program and the accompanying materials are made available under the terms of the Eclipse Public License v. 2.0 which is available at <http://www.eclipse.org/legal/epl-2.0>. This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License v. 2.0 are satisfied: GNU General Public License, version 2 with the GNU Classpath Exception which is available at <https://www.gnu.org/software/classpath/license.html>.

SPDX-License-Identifier: EPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0

## ## Source Code

The project maintains the following source code repositories:

\* <https://github.com/eclipse-ee4j/jersey>

## ## Third-party Content

Angular JS, v1.6.6

- \* License MIT (<http://www.opensource.org/licenses/mit-license.php>)
- \* Project: <http://angularjs.org>
- \* Copyright: (c) 2010-2017 Google, Inc.

aopalliance Version 1

- \* License: all the source code provided by AOP Alliance is Public Domain.
- \* Project: <http://aopalliance.sourceforge.net>
- \* Copyright: Material in the public domain is not protected by copyright

Bean Validation API 2.0.2

- \* License: Apache License, 2.0
- \* Project: <http://beanvalidation.org/1.1/>
- \* Copyright: 2009, Red Hat, Inc. and/or its affiliates, and individual contributors
- \* by the @authors tag.

Hibernate Validator CDI, 6.1.2.Final

- \* License: Apache License, 2.0
- \* Project: <https://beanvalidation.org/>
- \* Repackaged in `org.glassfish.jersey.server.validation.internal.hibernate`

Bootstrap v3.3.7

- \* License: MIT license (<https://github.com/twbs/bootstrap/blob/master/LICENSE>)
- \* Project: <http://getbootstrap.com>
- \* Copyright: 2011-2016 Twitter, Inc

Google Guava Version 18.0

- \* License: Apache License, 2.0
- \* Copyright (C) 2009 The Guava Authors

javax.inject Version: 1

- \* License: Apache License, 2.0
- \* Copyright (C) 2009 The JSR-330 Expert Group

Javassist Version 3.25.0-GA

- \* License: Apache License, 2.0
- \* Project: <http://www.javassist.org/>
- \* Copyright (C) 1999- Shigeru Chiba. All Rights Reserved.

Jackson JAX-RS Providers Version 2.10.1

- \* License: Apache License, 2.0
- \* Project: <https://github.com/FasterXML/jackson-jaxrs-providers>
- \* Copyright: (c) 2009-2011 FasterXML, LLC. All rights reserved unless otherwise indicated.

jQuery v1.12.4

- \* License: [jquery.org/license](http://jquery.org/license)
- \* Project: [jquery.org](http://jquery.org)

\* Copyright: (c) jQuery Foundation

jQuery Barcode plugin 0.3

\* License: MIT & GPL (<http://www.opensource.org/licenses/mit-license.php> & <http://www.gnu.org/licenses/gpl.html>)

\* Project: <http://www.pasella.it/projects/jquery/barcode>

\* Copyright: (c) 2009 Antonello Pasella [antonello.pasella@gmail.com](mailto:antonello.pasella@gmail.com)

JSR-166 Extension - JEP 266

\* License: CC0

\* No copyright

\* Written by Doug Lea with assistance from members of JCP JSR-166 Expert Group and released to the public domain, as explained at <http://creativecommons.org/publicdomain/zero/1.0/>

KineticJS, v4.7.1

\* License: MIT license (<http://www.opensource.org/licenses/mit-license.php>)

\* Project: <http://www.kineticjs.com>, <https://github.com/ericdrowell/KineticJS>

\* Copyright: Eric Rowell

org.objectweb.asm Version 8.0

\* License: Modified BSD (<http://asm.objectweb.org/license.html>)

\* Copyright (c) 2000-2011 INRIA, France Telecom. All rights reserved.

org.osgi.core version 6.0.0

\* License: Apache License, 2.0

\* Copyright (c) OSGi Alliance (2005, 2008). All Rights Reserved.

org.glassfish.jersey.server.internal.monitoring.core

\* License: Apache License, 2.0

\* Copyright (c) 2015-2018 Oracle and/or its affiliates. All rights reserved.

\* Copyright 2010-2013 Coda Hale and Yammer, Inc.

W3.org documents

\* License: W3C License

\* Copyright: Copyright (c) 1994-2001 World Wide Web Consortium, (Massachusetts Institute of Technology, Institut National de Recherche en Informatique et en Automatique, Keio University). All Rights Reserved.

<http://www.w3.org/Consortium/Legal/>

# Eclipse Public License - v 2.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

## 1. DEFINITIONS

"Contribution" means:

- a) in the case of the initial Contributor, the initial content

Distributed under this Agreement, and

b) in the case of each subsequent Contributor:

- i) changes to the Program, and
- ii) additions to the Program;

where such changes and/or additions to the Program originate from and are Distributed by that particular Contributor. A Contribution "originates" from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include changes or additions to the Program that are not Modified Works.

"Contributor" means any person or entity that Distributes the Program.

"Licensed Patents" mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions Distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement or any Secondary License (as applicable), including Contributors.

"Derivative Works" shall mean any work, whether in Source Code or other form, that is based on (or derived from) the Program and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship.

"Modified Works" shall mean any work in Source Code or other form that results from an addition to, deletion from, or modification of the contents of the Program, including, for purposes of clarity any new file in Source Code form that contains any contents of the Program. Modified Works shall not include works that contain only declarations, interfaces, types, classes, structures, or files of the Program solely in each case in order to link to, bind by name, or subclass the Program or Modified Works thereof.

"Distribute" means the acts of a) distributing or b) making available in any manner that enables the transfer of a copy.

"Source Code" means the form of a Program preferred for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Secondary License" means either the GNU General Public License, Version 2.0, or any later versions of that license, including any exceptions or additional permissions as identified by the initial

Contributor.

## 2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, Distribute and sublicense the Contribution of such Contributor, if any, and such Derivative Works.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in Source Code or other form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to Distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

e) Notwithstanding the terms of any Secondary License, no Contributor makes additional grants to any Recipient (other than those set forth in this Agreement) as a result of such Recipient's receipt of the Program under the terms of a Secondary License (if permitted under the terms of Section 3).

## 3. REQUIREMENTS



3.1 If a Contributor Distributes the Program in any form, then:

a) the Program must also be made available as Source Code, in accordance with section 3.2, and the Contributor must accompany the Program with a statement that the Source Code for the Program is available under this Agreement, and informs Recipients how to obtain it in a reasonable manner on or through a medium customarily used for software exchange; and

b) the Contributor may Distribute the Program under a license different than this Agreement, provided that such license:

i) effectively disclaims on behalf of all other Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;

ii) effectively excludes on behalf of all other Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;

iii) does not attempt to limit or alter the recipients' rights in the Source Code under section 3.2; and

iv) requires any subsequent distribution of the Program by any party to be under a license that satisfies the requirements of this section 3.

3.2 When the Program is Distributed as Source Code:

a) it must be made available under this Agreement, or if the Program (i) is combined with other material in a separate file or files made available under a Secondary License, and (ii) the initial Contributor attached to the Source Code the notice described in Exhibit A of this Agreement, then the Program may be made available under the terms of such Secondary Licenses, and

b) a copy of this Agreement must be included with each copy of the Program.

3.3 Contributors may not remove or alter any copyright, patent, trademark, attribution notices, disclaimers of warranty, or limitations of liability ("notices") contained within the Program from any copy of the Program which they Distribute, provided that Contributors may add their own appropriate notices.

#### 4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

## 5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

## 6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

## 7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be Distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to Distribute the Program (including its

Contributions) under the new version.

Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved. Nothing in this Agreement is intended to be enforceable by any entity that is not a Contributor or Recipient. No third-party beneficiary rights are created under this Agreement.

#### Exhibit A - Form of Secondary Licenses Notice

"This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License, v. 2.0 are satisfied: {name license(s), version(s), and exceptions or additional permissions here}."

Simply including a copy of this Agreement, including this Exhibit A is not sufficient to license the Source Code under Secondary Licenses.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.

---

## The GNU General Public License (GPL) Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.  
51 Franklin Street, Fifth Floor  
Boston, MA 02110-1335  
USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

#### Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General

Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

## TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language.

(Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those

sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.



It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

#### NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND,

EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.  
Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1335 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type
`show w'. This is free software, and you are welcome to redistribute
it under certain conditions; type `show c' for details.
```

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

```
Yoyodyne, Inc., hereby disclaims all copyright interest in the
program `Gnomovision' (which makes passes at compilers) written by
James Hacker.
```

```
signature of Ty Coon, 1 April 1989
Ty Coon, President of Vice
```

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

---

#### ## CLASSPATH EXCEPTION

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License version 2 cover the whole combination.

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module. An independent module is a module which is not derived from or based on this library. If you modify this library, you may extend this exception to your version of the library, but you are not obligated to

do so. If you do not wish to do so, delete this exception statement from your version.

# 1.288 micronaut-micrometer 4.1.1

## 1.288.1 Available under license :

Apache License  
Version 2.0, January 2004  
<https://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the

editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the

same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

## 1.289 dropwizard-jackson-support 2.0.25

### 1.289.1 Available under license :

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

#### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

##### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,



including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual,

worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.  
Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.
6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. **Disclaimer of Warranty.** Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. **Limitation of Liability.** In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. **Accepting Warranty or Additional Liability.** While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf

of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright 2010-2013 Coda Hale and Yammer, Inc., 2014-2020 Dropwizard Team

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

# 1.290 apache-kafka 2.8.1

## 1.290.1 Available under license :

Apache Kafka

Copyright 2021 The Apache Software Foundation.

This product includes software developed at  
The Apache Software Foundation (<https://www.apache.org/>).

This distribution has a binary dependency on jersey, which is available under the CDDL License. The source code of jersey can be found at <https://github.com/jersey/jersey/>.

The streams-scala (streams/streams-scala) module was donated by Lightbend and the original code was copyrighted by them:

Copyright (C) 2018 Lightbend Inc. <<https://www.lightbend.com>>

Copyright (C) 2017-2018 Alexis Seigneurin.

This project contains the following code copied from Apache Hadoop:  
clients/src/main/java/org/apache/kafka/common/utils/PureJavaCrc32C.java

Some portions of this file Copyright (c) 2004-2006 Intel Corporation and licensed under the BSD license.

This project contains the following code copied from Apache Hive:  
streams/src/main/java/org/apache/kafka/streams/state/internals/Murmur3.java

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed

with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate



comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

## 1.291 apache-groovy 3.0.10

### 1.291.1 Available under license :

Copyright (c) Nicolas Gallagher and Jonathan Neal

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

## 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted"

means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
  - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
  - (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
  - (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and

attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the

appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
  
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

#### END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software

distributed under the License is distributed on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.

-----

#### ANTLR 2 License

Antlr2 is released in the public domain.  
See licenses/antlr2-license.txt for details.

-----

#### ANTLR 4 License

Antlr4 is released under a BSD 3-clause license.  
See licenses/antlr4-license.txt for details.

-----

#### ASM License

ASM uses a 3-clause BSD license. For details, see licenses/asm-license.txt.

-----

#### Hamcrest License (needed when using optional JUnit dependency)

This product bundles the Hamcrest jar, which is available under a  
BSD license. For details, see licenses/hamcrest-license.txt.

-----

#### JAXB License (for optional groovy-jaxb extensions)

This product bundles several JAXB related jars in binary form.

The "javax.activation" jar is available under the CDDL 1.0 license:  
licenses/activation-license.txt

The jaxb-api, jaxb-core and jaxb-impl jars use the CDDL 1.1 license:  
licenses/jaxb-license.txt

-----

#### JLine2 License (optional dependency used with groovysh)

This product bundles the JLine2 jar, which is available under a BSD License. For details, see [licenses/jline2-license.txt](#).

-----  
javax.servlet.jsp-api License (for groovy-servlet module)

This product bundles the javax.servlet.jsp-api jar in binary form which is available under the CDDL 1.1 license:  
[licenses/jsp-api-license.txt](#)

-----  
JSR166y License (optionally used by the optional GParas dependency)

This product bundles the jsr166y jar (containing works from the JSR-166 EG, Doug Lea, and Jason T. Greene) made available in the public domain. For details, see [licenses/jsr166y-license.txt](#).

-----  
JSR223 License

The following classes within this product:

org.codehaus.groovy.jsr223.GroovyCompiledScript  
org.codehaus.groovy.jsr223.GroovyScriptEngineFactory  
org.codehaus.groovy.jsr223.GroovyScriptEngineImpl

were derived from reference implementation files developed by Sun in collaboration with the Groovy community. The reference implementation has a BSD-style license. Details can be found in: [licenses/jsr223-license.txt](#)

-----  
JUnit Licenses (optional dependencies when using Groovy for testing)

This product bundles the JUnit 4 jar, which is available under the Eclipse Public License v1.0. For details, see [licenses/junit4-license.txt](#).

This product bundles several JUnit 5 jars, which are available under the Eclipse Public License v2.0. For details, see [licenses/junit5-license.txt](#).

-----  
normalize.css License

The stylesheet.css file (originally normalize.css) is used by the

groovydoc and docgenerator components for groovy-jdk/gapi documentation.

It is made available under a MIT License:

licenses/normalize-stylesheet-license.txt

-----

javax.servlet.jsp-api License (for groovy-servlet module)

This product bundles the javax.servlet-api jar in binary form  
which is available under the CDDL 1.0 license:

licenses/servlet-api-license.txt

-----

XStream License (optional dependency when serializing AST as XML)

This product bundles the XStream jar, which is available under a  
"3-clause BSD" license. For details, see licenses/xstream-license.txt.

-----

This convenience zip embeds Groovy's src and doc zips.

See also src/LICENSE and doc/LICENSE files for additional license information.

Apache Commons Lang

Copyright 2001-2015 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

This product includes software from the Spring Framework,  
under the Apache License 2.0 (see: `StringUtils.containsWhitespace()`)

javax.servlet.jsp-api License (for groovy-servlet module)

This product bundles the javax.servlet.jsp-api jar in binary form  
which is available under the CDDL 1.1 license:

licenses/jsp-api-license.txt

javax.servlet.jsp-api License (for groovy-servlet module)

This product bundles the javax.servlet-api jar in binary form  
which is available under the CDDL 1.0 license:

licenses/servlet-api-license.txt

ANTLR 2 License

We reserve no legal rights to the ANTLR--it is fully in the public domain. An individual or company may do whatever they wish with source code distributed with ANTLR or the code generated by ANTLR, including the incorporation of ANTLR, or its output, into commercial software.



We encourage users to develop software with ANTLR. However, we do ask that credit is given to us for developing ANTLR. By "credit", we mean that if you use ANTLR or incorporate any source code into one of your programs (commercial product, research project, or otherwise) that you acknowledge this fact somewhere in the documentation, research report, etc... If you like ANTLR and have developed a nice tool with the output, please mention that you developed it using ANTLR. In addition, we ask that the headers remain intact in our source code. As long as these guidelines are kept, we expect to continue enhancing this system and expect to make other tools available as they are completed.

In countries where the Public Domain status of the work may not be valid, the author grants a copyright licence to the general public to deal in the work without restriction and permission to sublicense derivatives under the terms of any (OSI approved) Open Source licence.

The Python parser generator code under antlr/actions/python/ is covered by the 3-clause BSD licence (this part is included in the binary JAR files); the run-time part under lib/python/ is covered by the GNU GPL, version 3 or later (this part is not included in the binary JAR files). See [1] for the full details.

<https://bugs.debian.org/cgi-bin/bugreport.cgi?bug=750643#80%22>

COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL) Version 1.1

## 1. Definitions.

1.1. "Contributor" means each individual or entity that creates or contributes to the creation of Modifications.

1.2. "Contributor Version" means the combination of the Original Software, prior Modifications used by a Contributor (if any), and the Modifications made by that particular Contributor.

1.3. "Covered Software" means (a) the Original Software, or (b) Modifications, or (c) the combination of files containing Original Software with files containing Modifications, in each case including portions thereof.

1.4. "Executable" means the Covered Software in any form other than Source Code.

1.5. "Initial Developer" means the individual or entity that first makes Original Software available under this License.

1.6. "Larger Work" means a work which combines Covered Software or portions thereof with code not governed by the terms of this License.

1.7. "License" means this document.

1.8. "Licensable" means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed herein.

1.9. "Modifications" means the Source Code and Executable form of any of the following:

A. Any file that results from an addition to, deletion from or modification of the contents of a file containing Original Software or previous Modifications;

B. Any new file that contains any part of the Original Software or previous Modification; or

C. Any new file that is contributed or otherwise made available under the terms of this License.

1.10. "Original Software" means the Source Code and Executable form of computer software code that is originally released under this License.

1.11. "Patent Claims" means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent Licensable by grantor.

1.12. "Source Code" means (a) the common form of computer software code in which modifications are made and (b) associated documentation included in or with such code.

1.13. "You" (or "Your") means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License. For legal entities, "You" includes any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, "control" means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

## 2. License Grants.

### 2.1. The Initial Developer Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, the Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Initial Developer, to use, reproduce, modify, display, perform, sublicense and distribute the Original Software (or portions thereof), with or without Modifications, and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using or selling of Original Software, to make, have made, use, practice, sell, and offer for sale, and/or otherwise dispose of the Original Software (or portions thereof).

(c) The licenses granted in Sections 2.1(a) and (b) are effective on the date Initial Developer first distributes or otherwise makes the Original Software available to a third party under the terms of this License.

(d) Notwithstanding Section 2.1(b) above, no patent license is granted: (1) for code that You delete from the Original Software, or (2) for infringements caused by: (i) the modification of the Original Software, or (ii) the combination of the Original Software with other software or devices.

## 2.2. Contributor Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Contributor to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof), either on an unmodified basis, with other Modifications, as Covered Software and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor either alone and/or in combination with its Contributor Version (or portions of such combination), to make, use, sell, offer for sale, have made, and/or otherwise dispose of: (1) Modifications made by that Contributor (or portions thereof); and (2) the combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).

(c) The licenses granted in Sections 2.2(a) and 2.2(b) are effective on the date Contributor first distributes or otherwise makes the Modifications available to a third party.

(d) Notwithstanding Section 2.2(b) above, no patent license is granted: (1) for any code that Contributor has deleted from the Contributor Version; (2) for infringements caused by: (i) third party modifications of Contributor Version, or (ii) the combination of Modifications made by that Contributor with other software

(except as part of the Contributor Version) or other devices; or (3) under Patent Claims infringed by Covered Software in the absence of Modifications made by that Contributor.

### 3. Distribution Obligations.

#### 3.1. Availability of Source Code.

Any Covered Software that You distribute or otherwise make available in Executable form must also be made available in Source Code form and that Source Code form must be distributed only under the terms of this License. You must include a copy of this License with every copy of the Source Code form of the Covered Software You distribute or otherwise make available. You must inform recipients of any such Covered Software in Executable form as to how they can obtain such Covered Software in Source Code form in a reasonable manner on or through a medium customarily used for software exchange.

#### 3.2. Modifications.

The Modifications that You create or to which You contribute are governed by the terms of this License. You represent that You believe Your Modifications are Your original creation(s) and/or You have sufficient rights to grant the rights conveyed by this License.

#### 3.3. Required Notices.

You must include a notice in each of Your Modifications that identifies You as the Contributor of the Modification. You may not remove or alter any copyright, patent or trademark notices contained within the Covered Software, or any notices of licensing or any descriptive text giving attribution to any Contributor or the Initial Developer.

#### 3.4. Application of Additional Terms.

You may not offer or impose any terms on any Covered Software in Source Code form that alters or restricts the applicable version of this License or the recipients' rights hereunder. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, you may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it absolutely clear that any such warranty, support, indemnity or liability obligation is offered by You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of warranty, support, indemnity or liability terms You offer.

### 3.5. Distribution of Executable Versions.

You may distribute the Executable form of the Covered Software under the terms of this License or under the terms of a license of Your choice, which may contain terms different from this License, provided that You are in compliance with the terms of this License and that the license for the Executable form does not attempt to limit or alter the recipient's rights in the Source Code form from the rights set forth in this License. If You distribute the Covered Software in Executable form under a different license, You must make it absolutely clear that any terms which differ from this License are offered by You alone, not by the Initial Developer or Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer.

### 3.6. Larger Works.

You may create a Larger Work by combining Covered Software with other code not governed by the terms of this License and distribute the Larger Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled for the Covered Software.

## 4. Versions of the License.

### 4.1. New Versions.

Oracle is the initial license steward and may publish revised and/or new versions of this License from time to time. Each version will be given a distinguishing version number. Except as provided in Section 4.3, no one other than the license steward has the right to modify this License.

### 4.2. Effect of New Versions.

You may always continue to use, distribute or otherwise make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. If the Initial Developer includes a notice in the Original Software prohibiting it from being distributed or otherwise made available under any subsequent version of the License, You must distribute and make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. Otherwise, You may also choose to use, distribute or otherwise make the Covered Software available under the terms of any subsequent version of the License published by the license steward.

#### 4.3. Modified Versions.

When You are an Initial Developer and You want to create a new license for Your Original Software, You may create and use a modified version of this License if You: (a) rename the license and remove any references to the name of the license steward (except to note that the license differs from this License); and (b) otherwise make it clear that the license contains terms which differ from this License.

#### 5. DISCLAIMER OF WARRANTY.

COVERED SOFTWARE IS PROVIDED UNDER THIS LICENSE ON AN "AS IS" BASIS, WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES THAT THE COVERED SOFTWARE IS FREE OF DEFECTS, MERCHANTABILITY, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED SOFTWARE IS WITH YOU. SHOULD ANY COVERED SOFTWARE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED SOFTWARE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

#### 6. TERMINATION.

6.1. This License and the rights granted hereunder will terminate automatically if You fail to comply with terms herein and fail to cure such breach within 30 days of becoming aware of the breach. Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive.

6.2. If You assert a patent infringement claim (excluding declaratory judgment actions) against Initial Developer or a Contributor (the Initial Developer or Contributor against whom You assert such claim is referred to as "Participant") alleging that the Participant Software (meaning the Contributor Version where the Participant is a Contributor or the Original Software where the Participant is the Initial Developer) directly or indirectly infringes any patent, then any and all rights granted directly or indirectly to You by such Participant, the Initial Developer (if the Initial Developer is not the Participant) and all Contributors under Sections 2.1 and/or 2.2 of this License shall, upon 60 days notice from Participant terminate prospectively and automatically at the expiration of such 60 day notice period, unless if within such 60 day period You withdraw Your claim with respect to the Participant Software against such Participant either unilaterally or pursuant to

a written agreement with Participant.

6.3. If You assert a patent infringement claim against Participant alleging that the Participant Software directly or indirectly infringes any patent where such claim is resolved (such as by license or settlement) prior to the initiation of patent infringement litigation, then the reasonable value of the licenses granted by such Participant under Sections 2.1 or 2.2 shall be taken into account in determining the amount or value of any payment or license.

6.4. In the event of termination under Sections 6.1 or 6.2 above, all end user licenses that have been validly granted by You or any distributor hereunder prior to termination (excluding licenses granted to You by any distributor) shall survive termination.

## 7. LIMITATION OF LIABILITY.

UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED SOFTWARE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTY'S NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

## 8. U.S. GOVERNMENT END USERS.

The Covered Software is a "commercial item," as that term is defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of "commercial computer software" (as that term is defined at 48 C.F.R. 252.227-7014(a)(1)) and "commercial computer software documentation" as such terms are used in 48 C.F.R. 12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4 (June 1995), all U.S. Government End Users acquire Covered Software with only those rights set forth herein. This U.S. Government Rights clause is in lieu of, and supersedes, any other FAR, DFAR, or other clause or provision that addresses Government rights in computer software under this License.

## 9. MISCELLANEOUS.

This License represents the complete agreement concerning subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by the law of the jurisdiction specified in a notice contained within the Original Software (except to the extent applicable law, if any, provides otherwise), excluding such jurisdiction's conflict-of-law provisions. Any litigation relating to this License shall be subject to the jurisdiction of the courts located in the jurisdiction and venue specified in a notice contained within the Original Software, with the losing party responsible for costs, including, without limitation, court costs and reasonable attorneys' fees and expenses. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not apply to this License. You agree that You alone are responsible for compliance with the United States export administration regulations (and the export control laws and regulation of any other countries) when You use, distribute or otherwise make available any Covered Software.

## 10. RESPONSIBILITY FOR CLAIMS.

As between Initial Developer and the Contributors, each party is responsible for claims and damages arising, directly or indirectly, out of its utilization of rights under this License and You agree to work with Initial Developer and Contributors to distribute such responsibility on an equitable basis. Nothing herein is intended or shall be deemed to constitute any admission of liability.

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common



control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
  - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
  - (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
  - (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
  - (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or

documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.
6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. **Disclaimer of Warranty.** Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. **Limitation of Liability.** In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill,

work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

-----  
Asciidoc License

This product uses the style.css from asciidoctor.org within documentation. The file is available under the MIT License.

For details, see licenses/asciidoc-style-license.txt.

---

## JQuery License

The following file is used within documentation:

src/spec/assets/css/jquery-2.1.1.min.js

This file is made available under the following MIT license:  
licenses/jquery-js-license.txt

---

## JSR223 License

The following classes within this product:

org.codehaus.groovy.jsr223.GroovyCompiledScript  
org.codehaus.groovy.jsr223.GroovyScriptEngineFactory  
org.codehaus.groovy.jsr223.GroovyScriptEngineImpl

were derived from reference implementation files developed by Sun in collaboration with the Groovy community. The reference implementation has a BSD-style license. Details can be found in: licenses/jsr223-license.txt

---

## normalize.css License

The stylesheet.css file (originally normalize.css) is used by the groovydoc and docgenerator components for groovy-jdk/gapi documentation.

It is made available under a MIT License:  
licenses/normalize-stylesheet-license.txt

COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL) Version 1.0

### 1. Definitions.

1.1. Contributor. means each individual or entity that creates or contributes to the creation of Modifications.

1.2. Contributor Version. means the combination of the Original Software, prior Modifications used by a Contributor (if any), and the Modifications made by that particular Contributor.

1.3. Covered Software. means (a) the Original Software, or (b) Modifications, or (c) the combination of files containing Original Software with files containing Modifications, in each case including portions thereof.

1.4. Executable. means the Covered Software in any form other than Source Code.

1.5. Initial Developer. means the individual or entity that first makes Original Software available under this License.

1.6. Larger Work. means a work which combines Covered Software or portions thereof with code not governed by the terms of this License.

1.7. License. means this document.

1.8. Licensable. means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed herein.

1.9. Modifications. means the Source Code and Executable form of any of the following:

A. Any file that results from an addition to, deletion from or modification of the contents of a file containing Original Software or previous Modifications;

B. Any new file that contains any part of the Original Software or previous Modification; or

C. Any new file that is contributed or otherwise made available under the terms of this License.

1.10. Original Software. means the Source Code and Executable form of computer software code that is originally released under this License.

1.11. Patent Claims. means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent Licensable by grantor.

1.12. Source Code. means (a) the common form of computer software code in which modifications are made and (b) associated documentation included in or with such code.

1.13. You. (or .Your.) means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License. For legal entities, .You. includes any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, .control. means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

## 2. License Grants.

### 2.1. The Initial Developer Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, the Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Initial Developer, to use, reproduce, modify, display, perform, sublicense and distribute the Original Software (or portions thereof), with or without Modifications, and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using or selling of Original Software, to make, have made,

use, practice, sell, and offer for sale, and/or otherwise dispose of the Original Software (or portions thereof).

(c) The licenses granted in Sections 2.1(a) and (b) are effective on the date Initial Developer first distributes or otherwise makes the Original Software available to a third party under the terms of this License.

(d) Notwithstanding Section 2.1(b) above, no patent license is granted: (1) for code that You delete from the Original Software, or (2) for infringements caused by: (i) the modification of the Original Software, or (ii) the combination of the Original Software with other software or devices.

## 2.2. Contributor Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Contributor to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof), either on an unmodified basis, with other Modifications, as Covered Software and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor either alone and/or in combination with its Contributor Version (or portions of such combination), to make, use, sell, offer for sale, have made, and/or otherwise dispose of: (1) Modifications made by that Contributor (or portions thereof); and (2) the combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).

(c) The licenses granted in Sections 2.2(a) and 2.2(b) are effective on the date Contributor first distributes or otherwise makes the Modifications available to a third party.

(d) Notwithstanding Section 2.2(b) above, no patent license is granted: (1) for any code that Contributor has deleted from the Contributor Version; (2) for infringements caused by: (i) third party modifications of Contributor Version, or (ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or (3) under Patent Claims infringed by Covered Software in the absence of Modifications made by that Contributor.

## 3. Distribution Obligations.

### 3.1. Availability of Source Code.

Any Covered Software that You distribute or otherwise make available in Executable form must also be made available in Source Code form and that Source Code form must be distributed only under the terms of this License. You must include a copy of this License with every copy of the Source Code form of the Covered Software You distribute or otherwise make available. You must inform recipients of any such Covered Software in Executable form as to how they can obtain such Covered Software in Source Code form in a reasonable manner on or through a medium customarily used for software exchange.

### 3.2. Modifications.

The Modifications that You create or to which You contribute are governed by the terms of this License. You represent that You believe Your Modifications are Your original creation(s) and/or You have sufficient rights to grant the rights conveyed by this License.

### 3.3. Required Notices.

You must include a notice in each of Your Modifications that identifies You as the Contributor of the Modification. You may not remove or alter any copyright, patent or trademark notices contained within the Covered Software, or any notices of licensing or any descriptive text giving attribution to any Contributor or the Initial Developer.

### 3.4. Application of Additional Terms.

You may not offer or impose any terms on any Covered Software in Source Code form that alters or restricts the applicable version of this License or the recipients' rights hereunder. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, you may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it absolutely clear that any such warranty, support, indemnity or liability obligation is offered by You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of warranty, support, indemnity or liability terms You offer.

### 3.5. Distribution of Executable Versions.

You may distribute the Executable form of the Covered Software under the terms of this License or under the terms of a license of Your choice, which may contain terms different from this License, provided that You are in compliance with the terms of this License and that the license for the Executable form does not attempt to limit or alter the recipient's rights in the Source Code form from the rights set forth in this License. If You distribute the Covered Software in Executable form under a different license, You must make it absolutely clear that any terms which differ from this License are offered by You alone, not by the Initial Developer or Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer.

### 3.6. Larger Works.

You may create a Larger Work by combining Covered Software with other code not governed by the terms of this License and distribute the Larger Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled for the Covered Software.

## 4. Versions of the License.

### 4.1. New Versions.

Sun Microsystems, Inc. is the initial license steward and may publish revised and/or new versions of this License from time to time. Each version will be given a distinguishing version number. Except as provided in Section 4.3, no one other than the license steward has the right to modify this License.

### 4.2. Effect of New Versions.

You may always continue to use, distribute or otherwise make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. If the Initial Developer includes a notice in the Original Software prohibiting it from being distributed or otherwise made available under any subsequent version of the License, You must distribute and make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. Otherwise, You may also choose to use, distribute or otherwise make the Covered Software available under the terms of any subsequent version of the License published by the license steward.

### 4.3. Modified Versions.



When You are an Initial Developer and You want to create a new license for Your Original Software, You may create and use a modified version of this License if You: (a) rename the license and remove any references to the name of the license steward (except to note that the license differs from this License); and (b) otherwise make it clear that the license contains terms which differ from this License.

## 5. DISCLAIMER OF WARRANTY.

COVERED SOFTWARE IS PROVIDED UNDER THIS LICENSE ON AN .AS IS. BASIS, WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES THAT THE COVERED SOFTWARE IS FREE OF DEFECTS, MERCHANTABILITY, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED SOFTWARE IS WITH YOU. SHOULD ANY COVERED SOFTWARE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED SOFTWARE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

## 6. TERMINATION.

6.1. This License and the rights granted hereunder will terminate automatically if You fail to comply with terms herein and fail to cure such breach within 30 days of becoming aware of the breach. Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive.

6.2. If You assert a patent infringement claim (excluding declaratory judgment actions) against Initial Developer or a Contributor (the Initial Developer or Contributor against whom You assert such claim is referred to as .Participant.) alleging that the Participant Software (meaning the Contributor Version where the Participant is a Contributor or the Original Software where the Participant is the Initial Developer) directly or indirectly infringes any patent, then any and all rights granted directly or indirectly to You by such Participant, the Initial Developer (if the Initial Developer is not the Participant) and all Contributors under Sections 2.1 and/or 2.2 of this License shall, upon 60 days notice from Participant terminate prospectively and automatically at the expiration of such 60 day notice period, unless if within such 60 day period You withdraw Your claim with respect to the Participant Software against such Participant either unilaterally or pursuant to a written agreement with Participant.

6.3. In the event of termination under Sections 6.1 or 6.2 above, all end user licenses that have been validly granted by You or any distributor hereunder prior to termination (excluding licenses granted to You by any distributor) shall survive termination.

## 7. LIMITATION OF LIABILITY.

UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED SOFTWARE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOST PROFITS, LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING

FROM SUCH PARTY.S NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

#### 8. U.S. GOVERNMENT END USERS.

The Covered Software is a .commercial item., as that term is defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of .commercial computer software. (as that term is defined at 48 C.F.R. ? 252.227-7014(a)(1)) and .commercial computer software documentation. as such terms are used in 48 C.F.R. 12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4 (June 1995), all U.S. Government End Users acquire Covered Software with only those rights set forth herein. This U.S. Government Rights clause is in lieu of, and supersedes, any other FAR, DFAR, or other clause or provision that addresses Government rights in computer software under this License.

#### 9. MISCELLANEOUS.

This License represents the complete agreement concerning subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by the law of the jurisdiction specified in a notice contained within the Original Software (except to the extent applicable law, if any, provides otherwise), excluding such jurisdiction.s conflict-of-law provisions. Any litigation relating to this License shall be subject to the jurisdiction of the courts located in the jurisdiction and venue specified in a notice contained within the Original Software, with the losing party responsible for costs, including, without limitation, court costs and reasonable attorneys. fees and expenses. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not apply to this License. You agree that You alone are responsible for compliance with the United States export administration regulations (and the export control laws and regulation of any other countries) when You use, distribute or otherwise make available any Covered Software.

#### 10. RESPONSIBILITY FOR CLAIMS.

As between Initial Developer and the Contributors, each party is responsible for claims and damages arising, directly or indirectly, out of its utilization of rights under this License and You agree to work with Initial Developer and Contributors to distribute such responsibility on an equitable basis. Nothing herein is intended or shall be deemed to constitute any admission of liability.

#### NOTICE PURSUANT TO SECTION 9 OF THE COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL)

The code released under the CDDL shall be governed by the laws of the State of California (excluding conflict-of-law provisions). Any litigation relating to this License shall be subject to the jurisdiction of the Federal Courts of the Northern District of California and the state courts of the State of California, with venue lying in Santa Clara County, California.

normalize.css License

The stylesheet.css file (originally normalize.css) is used by the groovydoc and docgenerator components for groovy-jdk/gapi documentation.

It is made available under a MIT License:

licenses/normalize-stylesheet-license.txt

COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL) Version 1.1

## 1. Definitions.

1.1. "Contributor" means each individual or entity that creates or contributes to the creation of Modifications.

1.2. "Contributor Version" means the combination of the Original Software, prior Modifications used by a Contributor (if any), and the Modifications made by that particular Contributor.

1.3. "Covered Software" means (a) the Original Software, or (b) Modifications, or (c) the combination of files containing Original Software with files containing Modifications, in each case including portions thereof.

1.4. "Executable" means the Covered Software in any form other than Source Code.

1.5. "Initial Developer" means the individual or entity that first makes Original Software available under this License.

1.6. "Larger Work" means a work which combines Covered Software or portions thereof with code not governed by the terms of this License.

1.7. "License" means this document.

1.8. "Licensable" means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed herein.

1.9. "Modifications" means the Source Code and Executable form of any of the following:

A. Any file that results from an addition to, deletion from or modification of the contents of a file containing Original Software or previous Modifications;

B. Any new file that contains any part of the Original Software or previous Modification; or

C. Any new file that is contributed or otherwise made available under the terms of this License.

1.10. "Original Software" means the Source Code and Executable form of computer software code that is originally released under this

License.

1.11. "Patent Claims" means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent Licensable by grantor.

1.12. "Source Code" means (a) the common form of computer software code in which modifications are made and (b) associated documentation included in or with such code.

1.13. "You" (or "Your") means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License. For legal entities, "You" includes any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, "control" means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

## 2. License Grants.

### 2.1. The Initial Developer Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, the Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Initial Developer, to use, reproduce, modify, display, perform, sublicense and distribute the Original Software (or portions thereof), with or without Modifications, and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using or selling of Original Software, to make, have made, use, practice, sell, and offer for sale, and/or otherwise dispose of the Original Software (or portions thereof).

(c) The licenses granted in Sections 2.1(a) and (b) are effective on the date Initial Developer first distributes or otherwise makes the Original Software available to a third party under the terms of this License.

(d) Notwithstanding Section 2.1(b) above, no patent license is granted: (1) for code that You delete from the Original Software, or (2) for infringements caused by: (i) the modification of the Original Software, or (ii) the combination of the Original Software

with other software or devices.

## 2.2. Contributor Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Contributor to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof), either on an unmodified basis, with other Modifications, as Covered Software and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor either alone and/or in combination with its Contributor Version (or portions of such combination), to make, use, sell, offer for sale, have made, and/or otherwise dispose of: (1) Modifications made by that Contributor (or portions thereof); and (2) the combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).

(c) The licenses granted in Sections 2.2(a) and 2.2(b) are effective on the date Contributor first distributes or otherwise makes the Modifications available to a third party.

(d) Notwithstanding Section 2.2(b) above, no patent license is granted: (1) for any code that Contributor has deleted from the Contributor Version; (2) for infringements caused by: (i) third party modifications of Contributor Version, or (ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or (3) under Patent Claims infringed by Covered Software in the absence of Modifications made by that Contributor.

## 3. Distribution Obligations.

### 3.1. Availability of Source Code.

Any Covered Software that You distribute or otherwise make available in Executable form must also be made available in Source Code form and that Source Code form must be distributed only under the terms of this License. You must include a copy of this License with every copy of the Source Code form of the Covered Software You distribute or otherwise make available. You must inform recipients of any such Covered Software in Executable form as to how they can obtain such

Covered Software in Source Code form in a reasonable manner on or through a medium customarily used for software exchange.

### 3.2. Modifications.

The Modifications that You create or to which You contribute are governed by the terms of this License. You represent that You believe Your Modifications are Your original creation(s) and/or You have sufficient rights to grant the rights conveyed by this License.

### 3.3. Required Notices.

You must include a notice in each of Your Modifications that identifies You as the Contributor of the Modification. You may not remove or alter any copyright, patent or trademark notices contained within the Covered Software, or any notices of licensing or any descriptive text giving attribution to any Contributor or the Initial Developer.

### 3.4. Application of Additional Terms.

You may not offer or impose any terms on any Covered Software in Source Code form that alters or restricts the applicable version of this License or the recipients' rights hereunder. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, you may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it absolutely clear that any such warranty, support, indemnity or liability obligation is offered by You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of warranty, support, indemnity or liability terms You offer.

### 3.5. Distribution of Executable Versions.

You may distribute the Executable form of the Covered Software under the terms of this License or under the terms of a license of Your choice, which may contain terms different from this License, provided that You are in compliance with the terms of this License and that the license for the Executable form does not attempt to limit or alter the recipient's rights in the Source Code form from the rights set forth in this License. If You distribute the Covered Software in Executable form under a different license, You must make it absolutely clear that any terms which differ from this License are offered by You alone, not by the Initial Developer or Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial

Developer or such Contributor as a result of any such terms You offer.

### 3.6. Larger Works.

You may create a Larger Work by combining Covered Software with other code not governed by the terms of this License and distribute the Larger Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled for the Covered Software.

## 4. Versions of the License.

### 4.1. New Versions.

Oracle is the initial license steward and may publish revised and/or new versions of this License from time to time. Each version will be given a distinguishing version number. Except as provided in Section 4.3, no one other than the license steward has the right to modify this License.

### 4.2. Effect of New Versions.

You may always continue to use, distribute or otherwise make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. If the Initial Developer includes a notice in the Original Software prohibiting it from being distributed or otherwise made available under any subsequent version of the License, You must distribute and make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. Otherwise, You may also choose to use, distribute or otherwise make the Covered Software available under the terms of any subsequent version of the License published by the license steward.

### 4.3. Modified Versions.

When You are an Initial Developer and You want to create a new license for Your Original Software, You may create and use a modified version of this License if You: (a) rename the license and remove any references to the name of the license steward (except to note that the license differs from this License); and (b) otherwise make it clear that the license contains terms which differ from this License.

## 5. DISCLAIMER OF WARRANTY.

COVERED SOFTWARE IS PROVIDED UNDER THIS LICENSE ON AN "AS IS" BASIS, WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED,

INCLUDING, WITHOUT LIMITATION, WARRANTIES THAT THE COVERED SOFTWARE IS FREE OF DEFECTS, MERCHANTABILITY, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED SOFTWARE IS WITH YOU. SHOULD ANY COVERED SOFTWARE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED SOFTWARE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

## 6. TERMINATION.

6.1. This License and the rights granted hereunder will terminate automatically if You fail to comply with terms herein and fail to cure such breach within 30 days of becoming aware of the breach. Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive.

6.2. If You assert a patent infringement claim (excluding declaratory judgment actions) against Initial Developer or a Contributor (the Initial Developer or Contributor against whom You assert such claim is referred to as "Participant") alleging that the Participant Software (meaning the Contributor Version where the Participant is a Contributor or the Original Software where the Participant is the Initial Developer) directly or indirectly infringes any patent, then any and all rights granted directly or indirectly to You by such Participant, the Initial Developer (if the Initial Developer is not the Participant) and all Contributors under Sections 2.1 and/or 2.2 of this License shall, upon 60 days notice from Participant terminate prospectively and automatically at the expiration of such 60 day notice period, unless if within such 60 day period You withdraw Your claim with respect to the Participant Software against such Participant either unilaterally or pursuant to a written agreement with Participant.

6.3. If You assert a patent infringement claim against Participant alleging that the Participant Software directly or indirectly infringes any patent where such claim is resolved (such as by license or settlement) prior to the initiation of patent infringement litigation, then the reasonable value of the licenses granted by such Participant under Sections 2.1 or 2.2 shall be taken into account in determining the amount or value of any payment or license.

6.4. In the event of termination under Sections 6.1 or 6.2 above, all end user licenses that have been validly granted by You or any distributor hereunder prior to termination (excluding licenses granted to You by any distributor) shall survive termination.



## 7. LIMITATION OF LIABILITY.

UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED SOFTWARE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTY'S NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

## 8. U.S. GOVERNMENT END USERS.

The Covered Software is a "commercial item," as that term is defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of "commercial computer software" (as that term is defined at 48 C.F.R. 252.227-7014(a)(1)) and "commercial computer software documentation" as such terms are used in 48 C.F.R. 12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4 (June 1995), all U.S. Government End Users acquire Covered Software with only those rights set forth herein. This U.S. Government Rights clause is in lieu of, and supersedes, any other FAR, DFAR, or other clause or provision that addresses Government rights in computer software under this License.

## 9. MISCELLANEOUS.

This License represents the complete agreement concerning subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by the law of the jurisdiction specified in a notice contained within the Original Software (except to the extent applicable law, if any, provides otherwise), excluding such jurisdiction's conflict-of-law provisions. Any litigation relating to this License shall be subject to the jurisdiction of the courts located in the jurisdiction and venue specified in a notice contained within the Original Software, with the losing party responsible for costs, including, without limitation, court costs and reasonable attorneys' fees and expenses. The application of the United Nations Convention on Contracts for

the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not apply to this License. You agree that You alone are responsible for compliance with the United States export administration regulations (and the export control laws and regulation of any other countries) when You use, distribute or otherwise make available any Covered Software.

#### 10. RESPONSIBILITY FOR CLAIMS.

As between Initial Developer and the Contributors, each party is responsible for claims and damages arising, directly or indirectly, out of its utilization of rights under this License and You agree to work with Initial Developer and Contributors to distribute such responsibility on an equitable basis. Nothing herein is intended or shall be deemed to constitute any admission of liability.

-----

#### NOTICE PURSUANT TO SECTION 9 OF THE COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL)

The code released under the CDDL shall be governed by the laws of the State of California (excluding conflict-of-law provisions). Any litigation relating to this License shall be subject to the jurisdiction of the Federal Courts of the Northern District of California and the state courts of the State of California, with venue lying in Santa Clara County, California.

JSR223 License

The following classes within this product:

```
org.codehaus.groovy.jsr223.GroovyCompiledScript
org.codehaus.groovy.jsr223.GroovyScriptEngineFactory
org.codehaus.groovy.jsr223.GroovyScriptEngineImpl
```

were derived from reference implementation files developed by Sun in collaboration with the Groovy community. The reference implementation has a BSD-style license. Details can be found in: licenses/jsr223-license.txt  
Revised BSD license

This is a specific instance of the Open Source Initiative (OSI) BSD license template  
<http://www.opensource.org/licenses/bsd-license.php>

Copyright 2004-2009 Brent Fulgham  
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

Neither the name of "The Computer Language Benchmarks Game" nor the name of "The Computer Language Shootout Benchmarks" nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

JLine2 License (optional dependency used with groovysh)

This product bundles the JLine2 jar, which is available under a BSD License. For details, see licenses/jline2-license.txt.

JAXB License (for optional groovy-jaxb extensions)

This product bundles several JAXB related jars in binary form.

The "javax.activation" jar is available under the CDDL 1.0 license:  
licenses/activation-license.txt

The jaxb-api, jaxb-core and jaxb-impl jars use the CDDL 1.1 license:  
licenses/jaxb-license.txt

Apache Groovy

Copyright 2003-2021 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

This product includes/uses ANTLR2 (<http://www.antlr2.org/>)  
developed by Terence Parr 1989-2006

This product includes/uses ANTLR4 (<https://github.com/antlr/antlr4>)  
Copyright (c) 2012-2017 The ANTLR Project. All rights reserved.

This product bundles the javax.servlet.jsp-api jar in binary form which is available under the CDDL 1.1 license and for which the following copyright notice applies  
Copyright (c) 1997-2013 Oracle and/or its affiliates. All rights reserved.

This product bundles the JUnit4 jar (junit.org) which is available under the terms of the Eclipse Public License v1.0

This product bundles several of the JUnit5 jars (junit.org) which are available under the terms of the Eclipse Public License v2.0

This product embeds the OpenBeans jar within its grooid jar artifacts  
OpenBeans includes/uses files from Apache Harmony and the following notice applies  
Copyright 2006, 2010 The Apache Software Foundation.  
Portions of Apache Harmony were originally developed by Intel Corporation and are licensed to the Apache Software Foundation under the "Software Grant and Corporate Contribution License Agreement" and for which the following copyright notices apply  
(C) Copyright 2005 Intel Corporation  
(C) Copyright 2005-2006 Intel Corporation  
(C) Copyright 2006 Intel Corporation

This product bundles the javax.servlet-api jar in binary form which is available under the CDDL 1.0 license and for which the following copyright notice applies  
Copyright (c) 1997-2017 Oracle and/or its affiliates. All rights reserved.

This product bundles icons from the famfamfam.com silk icons set  
<http://www.famfamfam.com/lab/icons/silk/>  
Licensed under the Creative Commons Attribution Licence v2.5  
<http://creativecommons.org/licenses/by/2.5/>  
ANTLR 4 License

Antlr4 is released under a BSD 3-clause license.  
See [licenses/antlr4-license.txt](#) for details.  
BSD License

Copyright (c) 2000-2015 [www.hamcrest.org](http://www.hamcrest.org)  
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

Neither the name of Hamcrest nor the names of its contributors may be used to endorse

or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

The person or persons who have associated work with this document (the "Dedicator" or "Certifier") hereby either (a) certifies that, to the best of his knowledge, the work of authorship identified is in the public domain of the country from which the work is published, or (b) hereby dedicates whatever copyright the dedicator holds in the work of authorship identified below (the "Work") to the public domain. A certifier, moreover, dedicates any copyright interest he may have in the associated work, and for these purposes, is described as a "dedicator" below.

A certifier has taken reasonable steps to verify the copyright status of this work. Certifier recognizes that his good faith efforts may not shield him from liability if in fact the work certified is not in the public domain.

Dedicator makes this dedication for the benefit of the public at large and to the detriment of the Dedicator's heirs and successors. Dedicator intends this dedication to be an overt act of relinquishment in perpetuity of all present and future rights under copyright law, whether vested or contingent, in the Work. Dedicator understands that such relinquishment of all rights includes the relinquishment of all rights to enforce (by lawsuit or otherwise) those copyrights in the Work.

Dedicator recognizes that, once placed in the public domain, the Work may be freely reproduced, distributed, transmitted, used, modified, built upon, or otherwise exploited by anyone for any purpose, commercial or non-commercial, and in any way, including by methods that have not yet been invented or conceived.

Apache Groovy

Copyright 2003-2021 The Apache Software Foundation

This product includes software developed at

The Apache Software Foundation (<http://www.apache.org/>).

The Java source files in `src/main/java/org/apache/groovy/util/concurrent/concurrentlinkedhashmap/` are from <https://github.com/ben-manes/concurrentlinkedhashmap> and the following notice applies: Copyright 2010-2012 Google Inc. All Rights Reserved.

This product bundles icons from the famfamfam.com silk icons set  
<http://www.famfamfam.com/lab/icons/silk/>  
Licensed under the Creative Commons Attribution Licence v2.5  
<http://creativecommons.org/licenses/by/2.5/>

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work

(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses

granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.



Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]"

replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

-----

#### AsciiDoc License

This product uses the style.css from asciidoctor.org within documentation. The file is available under the MIT License. For details, see licenses/asciidoc-style-license.txt.

-----

#### JQuery License

The following file is used within documentation:

`src/spec/assets/css/jquery-2.1.1.min.js`

This file is made available under the following MIT license:  
licenses/jquery-js-license.txt

-----

#### normalize.css License

The stylesheet.css file (originally normalize.css) is used by the groovydoc and docgenerator components for groovy-jdk/gapi documentation. It is made available under a MIT License:  
licenses/normalize-stylesheet-license.txt

## ASM License

ASM: a very small and fast Java bytecode manipulation framework  
Copyright (c) 2000-2011 INRIA, France Telecom  
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. Neither the name of the copyright holders nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Copyright (c) 2003-2006, Joe Walnes  
Copyright (c) 2006-2009, 2011 XStream Committers  
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. Neither the name of XStream nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written

permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

JQuery License

The following file is used within documentation:

src/spec/assets/css/jquery-2.1.1.min.js

This file is made available under the following MIT license:

licenses/jquery-js-license.txt

////////////////////////////////////

Licensed to the Apache Software Foundation (ASF) under one or more contributor license agreements. See the NOTICE file distributed with this work for additional information regarding copyright ownership. The ASF licenses this file to you under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

////////////////////////////////////

= Contributors

The Groovy team would like to thank the contributors of this documentation (in alphabetical order of last/surname):

- \* <https://github.com/mojavelinux>[Dan Allen]
- \* <https://github.com/and-dmitry>[Dmitry Andreychuk]
- \* <http://hamletdarcy.blogspot.fr/>[Hamlet D'Arcy]
- \* <https://github.com/anshbansal>[Aseem Bansal]
- \* <https://github.com/bura>[Andrey Bloschetsov]
- \* <https://github.com/JBrownVisualSpection>[J Brown]
- \* <https://github.com/jeffbrown>[Jeff Scott Brown]
- \* <http://twitter.com/CedricChampeau>[Cdric Champeau]
- \* <https://github.com/tobia>[Tobia Conforto]
- \* <https://github.com/ddimitrov>[Dimitar Dimitrov]
- \* <http://twitter.com/werdnagreb>[Andrew Eisenberg]
- \* <https://github.com/erdi>[Marcin Erdmann]
- \* <https://github.com/christoph-frick>[Christoph Frick]
- \* <http://twitter.com/marioggar>[Mario Garca]
- \* <https://github.com/davidmichaelkarr>[David Michael Karr]
- \* [http://twitter.com/paulk\\_asert](http://twitter.com/paulk_asert)[Paul King]
- \* <http://twitter.com/glaforge>[Guillaume Laforge]
- \* <http://twitter.com/pledbrook>[Peter Ledbrook]
- \* <http://grantmcconnaughey.github.io/>[Grant McConnaughey]
- \* <https://github.com/eric-milles>[Eric Milles]
- \* <https://github.com/dnahodil>[David Nahodil]
- \* <https://github.com/jnorthr>[James Northrop]
- \* <https://github.com/marcpa00>[Marc Paquette]
- \* <https://github.com/michaelss>[Michael Schuenck]
- \* <https://github.com/PascalSchumacher>[Pascal Schumacher]
- \* <https://github.com/shils>[Shil Sinha]
- \* <https://github.com/stavytskyi>[Maksym Stavytskyi]
- \* <https://twitter.com/asteingr>[Andr Steingre]
- \* [https://twitter.com/daniel\\_sun](https://twitter.com/daniel_sun)[Daniel Sun]
- \* <https://github.com/EPadronU>[Edinson Padrn Urdaneta]
- \* <https://github.com/keeganwitt>[Keegan Witt]

Copyright (c) 2002-2012, the original author or authors.

All rights reserved.

<http://www.opensource.org/licenses/bsd-license.php>

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with

the distribution.

Neither the name of JLine nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made,

use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions



for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.
6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. **Disclaimer of Warranty.** Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. **Limitation of Liability.** In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. **Accepting Warranty or Additional Liability.** While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability

incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

---

## NORMALIZE.CSS LICENSE

The following file is used with documentation:

[org/codehaus/groovy/tools/groovydoc/gstringTemplates/topLevel/stylesheet.css](http://org/codehaus/groovy/tools/groovydoc/gstringTemplates/topLevel/stylesheet.css)

Copyright (c) Nicolas Gallagher and Jonathan Neal

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all

copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate

as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify

the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include

the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

This directory contains generated LICENSE files and snippets used to generate those files. See the assemble.gradle file (updateLicenses task) for details on how this is done. Snippets have predefined suffix values in their name to determine which files they go into. LICENSE (the one for source), LICENSE-DOC and LICENSE-JARJAR get snippets containing SRC, DOC and JARJAR respectively. LICENSE-BINZIP gets JARJAR and BINZIP snippets. In addition, LICENSE files are generated for these subprojects: groovy-docgenerator, groovy-groovydoc, groovy-groovysh, groovy-jsr223

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the

outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable



copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and

do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

---

### ANTLR 2 License

Antlr2 is released in the public domain.  
See licenses/antlr2-license.txt for details.

---

### ANTLR 4 License

Antlr4 is released under a BSD 3-clause license.

See licenses/antlr4-license.txt for details.

---

ASM License

ASM uses a 3-clause BSD license. For details, see licenses/asm-license.txt.

---

Hamcrest License (needed when using optional JUnit dependency)

This product bundles the Hamcrest jar, which is available under a BSD license. For details, see licenses/hamcrest-license.txt.

---

JAXB License (for optional groovy-jaxb extensions)

This product bundles several JAXB related jars in binary form.

The "javax.activation" jar is available under the CDDL 1.0 license:  
licenses/activation-license.txt

The jaxb-api, jaxb-core and jaxb-impl jars use the CDDL 1.1 license:  
licenses/jaxb-license.txt

---

JLine2 License (optional dependency used with groovysh)

This product bundles the JLine2 jar, which is available under a BSD License. For details, see licenses/jline2-license.txt.

---

javax.servlet.jsp-api License (for groovy-servlet module)

This product bundles the javax.servlet.jsp-api jar in binary form which is available under the CDDL 1.1 license:  
licenses/jsp-api-license.txt

---

JSR166y License (optionally used by the optional GPar dependency)

This product bundles the jsr166y jar (containing works from the JSR-166 EG, Doug Lea, and Jason T. Greene) made available in the public domain. For details, see licenses/jsr166y-license.txt.

---

#### JSR223 License

The following classes within this product:

```
org.codehaus.groovy.jsr223.GroovyCompiledScript
org.codehaus.groovy.jsr223.GroovyScriptEngineFactory
org.codehaus.groovy.jsr223.GroovyScriptEngineImpl
```

were derived from reference implementation files developed by Sun in collaboration with the Groovy community. The reference implementation has a BSD-style license. Details can be found in: licenses/jsr223-license.txt

---

#### JUnit Licenses (optional dependencies when using Groovy for testing)

This product bundles the JUnit 4 jar, which is available under the Eclipse Public License v1.0. For details, see licenses/junit4-license.txt.

This product bundles several JUnit 5 jars, which are available under the Eclipse Public License v2.0. For details, see licenses/junit5-license.txt.

---

#### normalize.css License

The stylesheet.css file (originally normalize.css) is used by the groovydoc and docgenerator components for groovy-jdk/gapi documentation. It is made available under a MIT License:  
licenses/normalize-stylesheet-license.txt

---

#### javax.servlet.jsp-api License (for groovy-servlet module)

This product bundles the javax.servlet-api jar in binary form which is available under the CDDL 1.0 license:  
licenses/servlet-api-license.txt

---

#### XStream License (optional dependency when serializing AST as XML)

This product bundles the XStream jar, which is available under a "3-clause BSD" license. For details, see licenses/xstream-license.txt.  
Apache Groovy  
Copyright 2003-2021 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

This product includes/uses ANTLR2 (<http://www.antlr2.org/>)  
developed by Terence Parr 1989-2006

This product includes/uses ANTLR4 (<https://github.com/antlr/antlr4>)  
Copyright (c) 2012-2017 The ANTLR Project. All rights reserved.

This product bundles the javax.servlet.jsp-api jar in binary form which is available under the CDDL 1.1 license and for which the following copyright notice applies  
Copyright (c) 1997-2013 Oracle and/or its affiliates. All rights reserved.

This product bundles the JUnit4 jar ([junit.org](http://junit.org))  
which is available under the terms of the Eclipse Public License v1.0

This product bundles several of the JUnit5 jars ([junit.org](http://junit.org))  
which are available under the terms of the Eclipse Public License v2.0

This product embeds the OpenBeans jar within its grooid jar artifacts  
OpenBeans includes/uses files from Apache Harmony and the following notice applies  
Copyright 2006, 2010 The Apache Software Foundation.  
Portions of Apache Harmony were originally developed by Intel Corporation and are licensed to the Apache Software Foundation under the "Software Grant and Corporate Contribution License Agreement" and for which the following copyright notices apply  
(C) Copyright 2005 Intel Corporation  
(C) Copyright 2005-2006 Intel Corporation  
(C) Copyright 2006 Intel Corporation

This product bundles the javax.servlet-api jar in binary form which is available under the CDDL 1.0 license and for which the following copyright notice applies  
Copyright (c) 1997-2017 Oracle and/or its affiliates. All rights reserved.

This product bundles icons from the famfamfam.com silk icons set  
<http://www.famfamfam.com/lab/icons/silk/>  
Licensed under the Creative Commons Attribution Licence v2.5  
<http://creativecommons.org/licenses/by/2.5/>

This convenience zip embeds Groovy's src and doc zips.  
See also src/NOTICE and doc/NOTICE files for additional notice information.

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
  - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and



- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.
6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. **Disclaimer of Warranty.** Unless required by applicable law or

agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");

you may not use this file except in compliance with the License.

You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

-----

#### JSR223 License

The following classes within this product:

`org.codehaus.groovy.jsr223.GroovyCompiledScript`  
`org.codehaus.groovy.jsr223.GroovyScriptEngineFactory`  
`org.codehaus.groovy.jsr223.GroovyScriptEngineImpl`

were derived from reference implementation files developed by Sun in collaboration with the Groovy community. The reference implementation has a BSD-style license. Details can be found in: `licenses/jsr223-license.txt`  
Copyright jQuery Foundation and other contributors, <https://jquery.org/>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

XStream License (optional dependency when serializing AST as XML)

This product bundles the XStream jar, which is available under a "3-clause BSD" license. For details, see `licenses/xstream-license.txt`.

## ANTLR 4 License

[The "BSD 3-clause license"]

Copyright (c) 2012-2017 The ANTLR Project. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. Neither the name of the copyright holder nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

NORMALIZE.CSS LICENSE

The following file is used with documentation:

`org/codehaus/groovy/tools/stylesheet.css`

Copyright (c) Nicolas Gallagher and Jonathan Neal

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,

FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

////////////////////////////////////

Licensed to the Apache Software Foundation (ASF) under one or more contributor license agreements. See the NOTICE file distributed with this work for additional information regarding copyright ownership. The ASF licenses this file to you under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

////////////////////////////////////

= License

This work is licensed under the <http://www.apache.org/licenses/LICENSE-2.0>[Apache License, Version 2.0].  
Eclipse Public License - v 1.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

## 1. DEFINITIONS

"Contribution" means:

a) in the case of the initial Contributor, the initial code and documentation distributed under this Agreement, and

b) in the case of each subsequent Contributor:

i) changes to the Program, and

ii) additions to the Program;

where such changes and/or additions to the Program originate from and are distributed by that particular Contributor. A Contribution 'originates' from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include additions to the Program which: (i) are separate modules of software distributed in conjunction with the Program under their own license agreement, and (ii) are not derivative works of the Program.

"Contributor" means any person or entity that distributes the Program.

"Licensed Patents" mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement, including all Contributors.

## 2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare derivative works of, publicly display, publicly perform, distribute and sublicense the Contribution of such Contributor, if any, and such derivative works, in source code and object code form.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in source code and object code form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights

or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

### 3. REQUIREMENTS

A Contributor may choose to distribute the Program in object code form under its own license agreement, provided that:

a) it complies with the terms and conditions of this Agreement; and

b) its license agreement:

i) effectively disclaims on behalf of all Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;

ii) effectively excludes on behalf of all Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;

iii) states that any provisions which differ from this Agreement are offered by that Contributor alone and not by any other party; and

iv) states that source code for the Program is available from such Contributor, and informs licensees how to obtain it in a reasonable manner on or through a medium customarily used for software exchange.

When the Program is made available in source code form:

a) it must be made available under this Agreement; and

b) a copy of this Agreement must be included with each copy of the Program.

Contributors may not remove or alter any copyright notices contained within the Program.

Each Contributor must identify itself as the originator of its Contribution, if any, in a manner that reasonably allows subsequent

Recipients to identify the originator of the Contribution.

#### 4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

#### 5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs



of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

## 6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

## 7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a

distinguishing version number. The Program (including Contributions) may always be distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to distribute the Program (including its Contributions) under the new version. Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved.

This Agreement is governed by the laws of the State of New York and the intellectual property laws of the United States of America. No party to this Agreement will bring a legal action under this Agreement more than one year after the cause of action arose. Each party waives its rights to a jury trial in any resulting litigation.

JSR166y License (optionally used by the optional GPar dependency)

This product bundles the jsr166y jar (containing works from the JSR-166 EG, Doug Lea, and Jason T. Greene) made available in the public domain. For details, see licenses/jsr166y-license.txt.

ANTLR 2 License

Antlr2 is released in the public domain.

See licenses/antlr2-license.txt for details.

Apache Groovy

Copyright 2003-2021 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

This product includes/uses ANTLR2 (<http://www.antlr2.org/>)  
developed by Terence Parr 1989-2006

This product includes/uses ANTLR4 (<https://github.com/antlr/antlr4>)  
Copyright (c) 2012-2017 The ANTLR Project. All rights reserved.

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise

designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
  - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
  - (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
  - (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
  - (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must

include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly

negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

#### END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

-----

## ANTLR 2 License

Antlr2 is released in the public domain.  
See licenses/antlr2-license.txt for details.

-----

## ANTLR 4 License

Antlr4 is released under a BSD 3-clause license.  
See licenses/antlr4-license.txt for details.

-----

## ASM License

ASM uses a 3-clause BSD license. For details, see licenses/asm-license.txt.  
Apache Groovy  
Copyright 2003-2021 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

This product bundles icons from the famfamfam.com silk icons set  
<http://www.famfamfam.com/lab/icons/silk/>  
Licensed under the Creative Commons Attribution Licence v2.5  
<http://creativecommons.org/licenses/by/2.5/>  
Eclipse Public License - v 2.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE (AGREEMENT). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

### 1. Definitions

Contribution means:

- a) in the case of the initial Contributor, the initial content Distributed under this Agreement, and
- b) in the case of each subsequent Contributor:
  - i) changes to the Program, and
  - ii) additions to the Program; where such changes and/or additions to the Program originate from and are Distributed by that particular Contributor. A Contribution originates from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include changes or additions to the Program that are not Modified Works.

Contributor means any person or entity that Distributes the Program.

Licensed Patents mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

Program means the Contributions Distributed in accordance with this Agreement.

Recipient means anyone who receives the Program under this Agreement or any Secondary License (as applicable), including Contributors.

Derivative Works shall mean any work, whether in Source Code or other form, that is based on (or derived from) the Program and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship.

Modified Works shall mean any work in Source Code or other form that results from an addition to, deletion from, or modification of the contents of the Program, including, for purposes of clarity any new file in Source Code form that contains any contents of the Program. Modified Works shall not include works that contain only declarations, interfaces, types, classes, structures, or files of the Program solely in each case in order to link to, bind by name, or subclass the Program or Modified Works thereof.

Distribute means the acts of a) distributing or b) making available in any manner that enables the transfer of a copy.

Source Code means the form of a Program preferred for making modifications, including but not limited to software source code, documentation source, and configuration files.

Secondary License means either the GNU General Public License, Version 2.0, or any later versions of that license, including any exceptions or additional permissions as identified by the initial Contributor.

## 2. Grant of Rights

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, Distribute and sublicense the Contribution of such Contributor, if any, and such Derivative Works.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in Source Code or other form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to Distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

e) Notwithstanding the terms of any Secondary License, no Contributor makes additional grants to any Recipient



(other than those set forth in this Agreement) as a result of such Recipient's receipt of the Program under the terms of a Secondary License (if permitted under the terms of Section 3).

### 3. Requirements

#### 3.1 If a Contributor Distributes the Program in any form, then:

- a) the Program must also be made available as Source Code, in accordance with section 3.2, and the Contributor must accompany the Program with a statement that the Source Code for the Program is available under this Agreement, and informs Recipients how to obtain it in a reasonable manner on or through a medium customarily used for software exchange; and
- b) the Contributor may Distribute the Program under a license different than this Agreement, provided that such license:
  - i) effectively disclaims on behalf of all other Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;
  - ii) effectively excludes on behalf of all other Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;
  - iii) does not attempt to limit or alter the recipients' rights in the Source Code under section 3.2; and
  - iv) requires any subsequent distribution of the Program by any party to be under a license that satisfies the requirements of this section 3.

#### 3.2 When the Program is Distributed as Source Code:

- a) it must be made available under this Agreement, or if the Program (i) is combined with other material in a separate file or files made available under a Secondary License, and (ii) the initial Contributor attached to the Source Code the notice described in Exhibit A of this Agreement, then the Program may be made available under the terms of such Secondary Licenses, and
- b) a copy of this Agreement must be included with each copy of the Program.

3.3 Contributors may not remove or alter any copyright, patent, trademark, attribution notices, disclaimers of warranty, or limitations of liability (notices) contained within the Program from any copy of the Program which they Distribute, provided that Contributors may add their own appropriate notices.

### 4. Commercial Distribution

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor (Commercial Contributor) hereby agrees to defend and indemnify every other Contributor (Indemnified Contributor) against any losses, damages and costs (collectively Losses) arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

#### 5. No Warranty

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, THE PROGRAM IS PROVIDED ON AN AS IS BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

#### 6. Disclaimer of Liability

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

#### 7. General

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable

separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be Distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to Distribute the Program (including its Contributions) under the new version.

Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved. Nothing in this Agreement is intended to be enforceable by any entity that is not a Contributor or Recipient. No third-party beneficiary rights are created under this Agreement.

#### Exhibit A - Form of Secondary Licenses Notice

This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License, v. 2.0 are satisfied: {name license(s), version(s), and exceptions or additional permissions here}.

Simply including a copy of this Agreement, including this Exhibit A is not sufficient to license the Source Code under Secondary Licenses.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.

#### COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL) Version 1.0

##### 1. Definitions.

1.1. Contributor means each individual or entity that creates or contributes to the creation of Modifications.

1.2. Contributor Version means the combination of the Original Software, prior Modifications used by a Contributor (if any), and the Modifications made by that particular Contributor.

1.3. Covered Software means (a) the Original Software, or (b) Modifications, or (c) the combination of files containing Original Software with files containing Modifications, in each case including portions thereof.

1.4. Executable means the Covered Software in any form other than Source Code.

1.5. Initial Developer means the individual or entity that first makes Original Software available under this License.

1.6. Larger Work means a work which combines Covered Software or portions thereof with code not governed by the terms of this License.

1.7. License means this document.

1.8. Licensable means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed herein.

1.9. Modifications means the Source Code and Executable form of any of the following: A. Any file that results from an addition to, deletion from or modification of the contents of a file containing Original Software or previous Modifications; B. Any new file that contains any part of the Original Software or previous Modification; or C. Any new file that is contributed or otherwise made available under the terms of this License.

1.10. Original Software means the Source Code and Executable form of computer software code that is originally released under this License.

1.11. Patent Claims means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent Licensable by grantor.

1.12. Source Code means (a) the common form of computer software code in which modifications are made and (b) associated documentation included in or with such code.

1.13. You (or Your) means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License. For legal entities, You includes any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, control means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

## 2. License Grants.

2.1. The Initial Developer Grant. Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, the Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Initial Developer, to use, reproduce, modify, display, perform, sublicense and distribute the Original Software (or portions thereof), with or without Modifications, and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using or selling of Original Software, to make, have made, use, practice, sell, and offer for sale, and/or otherwise dispose of the Original Software (or portions thereof);

(c) The licenses granted in Sections 2.1(a) and (b) are effective on the date Initial Developer first distributes or otherwise makes the Original Software available to a third party under the terms of this License;

(d) Notwithstanding Section 2.1(b) above, no patent license is granted: (1) for code that You delete from the Original Software, or (2) for infringements caused by: (i) the modification of the Original Software, or (ii) the combination of the Original Software with other software or devices.

2.2. Contributor Grant. Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Contributor to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof), either on an unmodified basis, with other Modifications, as Covered Software and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor either alone and/or in combination with its Contributor Version (or portions of such combination), to make, use, sell, offer for sale, have made, and/or otherwise dispose of: (1) Modifications made by that Contributor (or portions thereof); and (2) the combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).

(c) The licenses granted in Sections 2.2(a) and 2.2(b) are effective on the date Contributor first distributes or otherwise makes the Modifications available to a third party.

(d) Notwithstanding Section 2.2(b) above, no patent license is granted: (1) for any code that Contributor has deleted from the Contributor Version; (2) for infringements caused by: (i) third party modifications of Contributor Version, or (ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or (3) under Patent Claims infringed by Covered Software in the absence of Modifications made by that Contributor.

### 3. Distribution Obligations.

3.1. Availability of Source Code. Any Covered Software that You distribute or otherwise make available in Executable form must also be made available in Source Code form and that Source Code form must be distributed only under the terms of this License. You must include a copy of this License with every copy of the Source Code form of the Covered Software You distribute or otherwise make available. You must inform recipients of any such Covered Software in Executable form as to how they can obtain such Covered Software in Source Code form in a reasonable manner on or through a medium customarily used for software exchange.

3.2. Modifications. The Modifications that You create or to which You contribute are governed by the terms of this License. You represent that You believe Your Modifications are Your original creation(s) and/or You have sufficient rights to grant the rights conveyed by this License.

3.3. Required Notices. You must include a notice in each of Your Modifications that identifies You as the Contributor of the Modification. You may not remove or alter any copyright, patent or trademark notices contained within the Covered Software, or any notices of licensing or any descriptive text giving attribution to any Contributor or the Initial Developer.

3.4. Application of Additional Terms. You may not offer or impose any terms on any Covered Software in Source Code form that alters or restricts the applicable version of this License or the recipients rights hereunder. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, you may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it absolutely clear that any such warranty, support, indemnity or liability obligation is offered by You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of warranty, support, indemnity or liability terms You offer.

3.5. Distribution of Executable Versions. You may distribute the Executable form of the Covered Software under the terms of this License or under the terms of a license of Your choice, which may contain terms different from this License, provided that You are in compliance with the terms of this License and that the license for the Executable form does not attempt to limit or alter the recipients rights in the Source Code form from the rights set forth in this License. If You distribute the Covered Software in Executable form under a different license, You must make it absolutely clear that any terms which differ from this License are offered by You alone, not by the Initial Developer or Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer.

3.6. Larger Works. You may create a Larger Work by combining Covered Software with other code not governed by the terms of this License and distribute the Larger Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled for the Covered Software.

4. Versions of the License.

4.1. New Versions. Sun Microsystems, Inc. is the initial license steward and may publish revised and/or new versions of this License from time to time. Each version will be given a distinguishing version number. Except as provided in Section 4.3, no one other than the license steward has the right to modify this License.

4.2. Effect of New Versions. You may always continue to use, distribute or otherwise make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. If the Initial Developer includes a notice in the Original Software prohibiting it from being distributed or otherwise made available under any subsequent version of the License, You must distribute and make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. Otherwise, You may also choose to use, distribute or otherwise make the Covered Software available under the terms of any subsequent version of the License published by the license steward.

4.3. Modified Versions. When You are an Initial Developer and You want to create a new license for Your Original Software, You may create and use a modified version of this License if You: (a) rename the license and remove any references to the name of the license steward (except to note that the license differs from this License); and (b) otherwise make it clear that the license contains terms which differ from this License.

5. DISCLAIMER OF WARRANTY. COVERED SOFTWARE IS PROVIDED UNDER THIS LICENSE ON AN AS IS BASIS, WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES THAT THE COVERED SOFTWARE IS FREE OF DEFECTS, MERCHANTABILITY, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED SOFTWARE IS WITH YOU. SHOULD ANY COVERED SOFTWARE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED SOFTWARE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

## 6. TERMINATION.

6.1. This License and the rights granted hereunder will terminate automatically if You fail to comply with terms herein and fail to cure such breach within 30 days of becoming aware of the breach. Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive.

6.2. If You assert a patent infringement claim (excluding declaratory judgment actions) against Initial Developer or a Contributor (the Initial Developer or Contributor against whom You assert such claim is referred to as Participant) alleging that the Participant Software (meaning the Contributor Version where the Participant is a Contributor or the Original Software where the Participant is the Initial Developer) directly or indirectly infringes any patent, then any and all rights granted directly or indirectly to You by such Participant, the Initial Developer (if the Initial Developer is not the Participant) and all Contributors under Sections 2.1 and/or 2.2 of this License shall, upon 60 days notice from Participant terminate prospectively and automatically at the expiration of such 60 day notice period, unless if within such 60 day period

You withdraw Your claim with respect to the Participant Software against such Participant either unilaterally or pursuant to a written agreement with Participant.

6.3. In the event of termination under Sections 6.1 or 6.2 above, all end user licenses that have been validly granted by You or any distributor hereunder prior to termination (excluding licenses granted to You by any distributor) shall survive termination.

7. LIMITATION OF LIABILITY. UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED SOFTWARE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOST PROFITS, LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTYS NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

8. U.S. GOVERNMENT END USERS. The Covered Software is a commercial item, as that term is defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of commercial computer software (as that term is defined at 48 C.F.R. 252.227-7014(a)(1)) and commercial computer software documentation as such terms are used in 48 C.F.R. 12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4 (June 1995), all U.S. Government End Users acquire Covered Software with only those rights set forth herein. This U.S. Government Rights clause is in lieu of, and supersedes, any other FAR, DFAR, or other clause or provision that addresses Government rights in computer software under this License.

9. MISCELLANEOUS. This License represents the complete agreement concerning subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by the law of the jurisdiction specified in a notice contained within the Original Software (except to the extent applicable law, if any, provides otherwise), excluding such jurisdictions conflict-of-law provisions. Any litigation relating to this License shall be subject to the jurisdiction of the courts located in the jurisdiction and venue specified in a notice contained within the Original Software, with the losing party responsible for costs, including, without limitation, court costs and reasonable attorneys fees and expenses. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not



apply to this License. You agree that You alone are responsible for compliance with the United States export administration regulations (and the export control laws and regulation of any other countries) when You use, distribute or otherwise make available any Covered Software.

10. RESPONSIBILITY FOR CLAIMS. As between Initial Developer and the Contributors, each party is responsible for claims and damages arising, directly or indirectly, out of its utilization of rights under this License and You agree to work with Initial Developer and Contributors to distribute such responsibility on an equitable basis. Nothing herein is intended or shall be deemed to constitute any admission of liability.

#### NOTICE PURSUANT TO SECTION 9 OF THE COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL)

For Covered Software in this distribution, this License shall be governed by the laws of the State of California (excluding conflict-of-law provisions).

Any litigation relating to this License shall be subject to the jurisdiction of the Federal Courts of the Northern District of California and the state courts of the State of California, with venue lying in Santa Clara County, California.

Apache Groovy

Copyright 2003-2021 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

Apache Groovy

Copyright 2003-2021 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

This product includes/uses ANTLR2 (<http://www.antlr2.org/>)  
developed by Terence Parr 1989-2006

This product includes/uses ANTLR4 (<https://github.com/antlr/antlr4>)  
Copyright (c) 2012-2017 The ANTLR Project. All rights reserved.

This product embeds the OpenBeans jar within its grooid jar artifacts  
OpenBeans includes/uses files from Apache Harmony and the following notice applies  
Copyright 2006, 2010 The Apache Software Foundation.

Portions of Apache Harmony were originally developed by Intel Corporation and are licensed to the Apache Software Foundation under the "Software Grant and Corporate Contribution License Agreement" and for which the following copyright notices apply

(C) Copyright 2005 Intel Corporation

(C) Copyright 2005-2006 Intel Corporation

(C) Copyright 2006 Intel Corporation

Apache Groovy  
Copyright 2003-2021 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

This product embeds the OpenBeans jar within its grooid jar artifacts  
OpenBeans includes/uses files from Apache Harmony and the following notice applies  
Copyright 2006, 2010 The Apache Software Foundation.

Portions of Apache Harmony were originally developed by Intel Corporation and are  
licensed to the Apache Software Foundation under the "Software Grant and Corporate  
Contribution License Agreement" and for which the following copyright notices apply

- (C) Copyright 2005 Intel Corporation
- (C) Copyright 2005-2006 Intel Corporation
- (C) Copyright 2006 Intel Corporation

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,  
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by  
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all  
other entities that control, are controlled by, or are under common  
control with that entity. For the purposes of this definition,  
"control" means (i) the power, direct or indirect, to cause the  
direction or management of such entity, whether by contract or  
otherwise, or (ii) ownership of fifty percent (50%) or more of the  
outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity  
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,  
including but not limited to software source code, documentation  
source, and configuration files.

"Object" form shall mean any form resulting from mechanical  
transformation or translation of a Source form, including but  
not limited to compiled object code, generated documentation,

and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s)

with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.  
Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.
6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. **Disclaimer of Warranty.** Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. **Limitation of Liability.** In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. **Accepting Warranty or Additional Liability.** While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

-----  
NORMALIZE.CSS LICENSE

The following file is used with documentation:

[org/codehaus/groovy/tools/stylesheet.css](http://org/codehaus/groovy/tools/stylesheet.css)

Copyright (c) Nicolas Gallagher and Jonathan Neal

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,

FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

The MIT License

Copyright (C) 2012-2015 Dan Allen, Ryan Waldron and the AsciiDoctor Project

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Hamcrest License (needed when using optional JUnit dependency)

This product bundles the Hamcrest jar, which is available under a BSD license. For details, see licenses/hamcrest-license.txt.

NORMALIZE.CSS LICENSE

The following file is used with documentation:

`org/codehaus/groovy/tools/groovydoc/gstringTemplates/topLevel/styleSheet.css`

Copyright (c) Nicolas Gallagher and Jonathan Neal

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

JUnit Licenses (optional dependencies when using Groovy for testing)

This product bundles the JUnit 4 jar, which is available under the Eclipse Public License v1.0. For details, see licenses/junit4-license.txt.

This product bundles several JUnit 5 jars, which are available under the Eclipse Public License v2.0. For details, see licenses/junit5-license.txt.

ASM License

ASM uses a 3-clause BSD license. For details, see licenses/asm-license.txt.

Asciidoc License

This product uses the style.css from asciidoctor.org within documentation. The file is available under the MIT License.

For details, see licenses/asciidoc-style-license.txt.

Copyright (c) 2006, Sun Microsystems, Inc.

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- Neither the name of the Sun Microsystems, Inc. nor the names of contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF



USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

## 1.292 antlr 4.7.1

### 1.292.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
 * [The "BSD license"]
 * Copyright (c) 2012-2016 Terence Parr
 * Copyright (c) 2012-2016 Sam Harwell
 * Copyright (c) 2014 Eric Vergnaud
 * All rights reserved.
 *
 * Redistribution and use in source and binary forms, with or without
 * modification, are permitted provided that the following conditions
 * are met:
 *
 * 1. Redistributions of source code must retain the above copyright
 * notice, this list of conditions and the following disclaimer.
 * 2. Redistributions in binary form must reproduce the above copyright
 * notice, this list of conditions and the following disclaimer in the
 * documentation and/or other materials provided with the distribution.
 * 3. The name of the author may not be used to endorse or promote products
 * derived from this software without specific prior written permission.
 *
 * THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR
 * IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
 * OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.
 * IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,
 * INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT
 * NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
 * DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
 * THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
 * (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF
 * THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
 */

/** ANTLR tool checks output templates are compatible with tool code generation.
 * For now, a simple string match used on x.y of x.y.z scheme.
 * Must match Tool.VERSION during load to templates.
 */
```

\* REQUIRED.

\*/

```
javascriptTypeInitMap ::= [  
  "bool":"false",  
  "int":"0",  
  "float":"0.0",  
  "str": "",  
  default:"{}" // anything other than a primitive type is an object  
]
```

// args must be <object-model-object>, <fields-resulting-in-STs>

```
ParserFile(file, parser, namedActions, contextSuperClass) ::= <<  
<fileHeader(file.grammarFileName, file.ANTLRVersion)>  
var antlr4 = require('antlr4/index');  
<if(file.genListener)>  
var <file.grammarName>Listener = require('./<file.grammarName>Listener').<file.grammarName>Listener;  
<endif>  
<if(file.genVisitor)>  
var <file.grammarName>Visitor = require('./<file.grammarName>Visitor').<file.grammarName>Visitor;  
<endif>  
  
<namedActions.header>  
<parser>  
>>
```

```
ListenerFile(file, header, namedActions) ::= <<  
<fileHeader(file.grammarFileName, file.ANTLRVersion)>  
var antlr4 = require('antlr4/index');
```

// This class defines a complete listener for a parse tree produced by <file.parserName>.

```
function <file.grammarName>Listener() {  
  antlr4.tree.ParseTreeListener.call(this);  
  return this;  
}
```

```
<file.grammarName>Listener.prototype = Object.create(antlr4.tree.ParseTreeListener.prototype);  
<file.grammarName>Listener.prototype.constructor = <file.grammarName>Listener;
```

```
<file.listenerNames>: { Iname |  
  // Enter a parse tree produced by <file.parserName>#<Iname>.  
<file.grammarName>Listener.prototype.enter<Iname; format="cap"> = function(ctx) {  
  \};
```

```
  // Exit a parse tree produced by <file.parserName>#<Iname>.  
<file.grammarName>Listener.prototype.exit<Iname; format="cap"> = function(ctx) {  
  \};
```

```

}; separator="\n">

exports.<file.grammarName>Listener = <file.grammarName>Listener;
>>

VisitorFile(file, header, namedActions) ::= <<
<fileHeader(file.grammarFileName, file.ANTLRVersion)>
var antlr4 = require('antlr4/index');

// This class defines a complete generic visitor for a parse tree produced by <file.parserName>.

function <file.grammarName>Visitor() {
  antlr4.tree.ParseTreeVisitor.call(this);
  return this;
}

<file.grammarName>Visitor.prototype = Object.create(antlr4.tree.ParseTreeVisitor.prototype);
<file.grammarName>Visitor.prototype.constructor = <file.grammarName>Visitor;

<file.visitorNames: {lname |
// Visit a parse tree produced by <file.parserName>#<lname>.
<file.grammarName>Visitor.prototype.visit<lname; format="cap"> = function(ctx) {
  return this.visitChildren(ctx);
}
\};

}; separator="\n">

exports.<file.grammarName>Visitor = <file.grammarName>Visitor;
>>

fileHeader(grammarFileName, ANTLRVersion) ::= <<
// Generated from <grammarFileName; format="java-escape"> by ANTLR <ANTLRVersion>
// jshint ignore: start
>>

Parser(parser, funcs, atn, sempredFuncs, superClass) ::= <<
<if(superClass)>
var <superClass> = require('./<superClass>').<superClass>;
<endif>

var grammarFileName = "<parser.grammarFileName; format="java-escape">";

<atn>

var atn = new antlr4.atn.ATNDeserializer().deserialize(serializedATN);

```

```

var decisionsToDFA = atn.decisionToState.map( function(ds, index) { return new antlr4.dfa.DFA(ds, index); });

var sharedContextCache = new antlr4.PredictionContextCache();

var literalNames = [ <parser.literalNames:{t | <t>}; null="null", separator=", ", wrap, anchor > ];

var symbolicNames = [ <parser.symbolicNames:{t | <t>}; null="null", separator=", ", wrap, anchor > ];

var ruleNames = [ <parser.ruleNames:{r | "<r>"}; separator=", ", wrap, anchor > ];

function <parser.name> (input) {
  <superClass; null="antlr4.Parser">.call(this, input);
  this._interp = new antlr4.atn.ParserATNSimulator(this, atn, decisionsToDFA, sharedContextCache);
  this.ruleNames = ruleNames;
  this.literalNames = literalNames;
  this.symbolicNames = symbolicNames;
  <namedActions.members>
  return this;
}

<parser.name>.prototype = Object.create(<superClass; null="antlr4.Parser">.prototype);
<parser.name>.prototype.constructor = <parser.name>;

Object.defineProperty(<parser.name>.prototype, "atn", {
  get : function() {
    return atn;
  }
});

<parser.name>.EOF = antlr4.Token.EOF;
<if(parser.tokens)>
<parser.tokens:{k | <parser.name>.<k> = <parser.tokens.(k)>;}; separator="\n", wrap, anchor >
<endif>

<parser.rules:{r | <parser.name>.RULE_<r.name> = <r.index>;}; separator="\n", wrap, anchor >

<funcs; separator="\n">

<if(semanticPredFuncs)>
<parser.name>.prototype.semanticPred = function(localctx, ruleIndex, predIndex) {
  switch(ruleIndex) {
  <parser.semanticPredFuncs.values:{f | case <f.ruleIndex>:
  return this.<f.name>_semanticPred(localctx, predIndex);}; separator="\n">
  default:
    throw "No predicate with index:" + ruleIndex;
  }
};

```

```

<sempredFuncs.values; separator="\n">
<endif>

exports.<parser.name> = <parser.name>;

>>

dumpActions(recog, argFuncs, actionFuncs, sempredFuncs) ::= <<
<if(actionFuncs)>
<lexer.name>.prototype.action = function(localctx, ruleIndex, actionIndex) {
  switch (ruleIndex) {
    <recog.actionFuncs.values:{f|
  case <f.ruleIndex>:
    this.<f.name>_action(localctx, actionIndex);
    break;}; separator="\n">
  default:
    throw "No registered action for:" + ruleIndex;
  }
};

<actionFuncs.values; separator="\n">
<endif>
<if(sempredFuncs)>
<lexer.name>.prototype.sempred = function(localctx, ruleIndex, predIndex) {
  switch (ruleIndex) {
    <recog.sempredFuncs.values:{f| case <f.ruleIndex>:
  return this.<f.name>_sempred(localctx, predIndex);}; separator="\n">
  default:
    throw "No registered predicate for:" + ruleIndex;
  }
};

<sempredFuncs.values; separator="\n">
<endif>
>>

/* This generates a private method since the actionIndex is generated, making an
* overriding implementation impossible to maintain.
*/
RuleActionFunction(r, actions) ::= <<

<lexer.name>.prototype.<r.name>_action = function(localctx , actionIndex) {
  switch (actionIndex) {
    <actions:{index|
  case <index>:
    <actions.(index)>

```

```

break;}; separator="\n">
default:
  throw "No registered action for:" + actionIndex;
}
};
>>

/* This generates a private method since the predIndex is generated, making an
 * overriding implementation impossible to maintain.
 */
RuleSempredFunction(r, actions) ::= <<
<if (r.factory.g.lexer)><lexer.name><else><parser.name><endif>.prototype.<r.name>_sempred = function(localctx,
predIndex) {
  switch(predIndex) {
    <actions:{index| case <index>:
return <actions.(index)>;}; separator="\n">
  default:
    throw "No predicate with index:" + predIndex;
  }
};
>>

RuleFunction(currentRule,args,code,locals,ruleCtx,altLabelCtxs,namedActions,finallyAction,postamble,exceptions)
::= <<

<ruleCtx>

<altLabelCtxs:{l | <altLabelCtxs.(l)>; separator="\n">

<! Define fields of this parser to export the context classes !>
<parser.name>.<currentRule.ctxType> = <currentRule.ctxType>;

<parser.name>.prototype.<currentRule.name> = function(<currentRule.args:{a | <a.name>}; separator=", ">) {

  var localctx = new <currentRule.ctxType>(this, this._ctx, this.state<currentRule.args:{a | , <a.name>}>);
  this.enterRule(localctx, <currentRule.startState>, <parser.name>.RULE_<currentRule.name>);
  <namedActions.init>
  <locals; separator="\n">
  try {
    <code>
    <postamble; separator="\n">
    <namedActions.after>
  <if(exceptions)>
  <exceptions; separator="\n">
  <else>
  } catch (re) {
    if(re instanceof antlr4.error.RecognitionException) {

```

```

        localctx.exception = re;
        this._errHandler.reportError(this, re);
        this._errHandler.recover(this, re);
    } else {
        throw re;
    }
} <endif> finally {
    <finallyAction>
    this.exitRule();
}
return localctx;
};

>>

```

```

LeftRecursiveRuleFunction(currentRule,args,code,locals,ruleCtx,altLabelCtxs,
namedActions,finallyAction,postamble) ::=
<<

```

```

<ruleCtx>
<altLabelCtxs:{l | <altLabelCtxs.(l)>}; separator="\n">

<parser.name>.prototype.<currentRule.name> = function(_p<if(currentRule.args)>, <args:{a | , <a>}><endif>) {
    if(_p===undefined) {
        _p = 0;
    }
    var _parentctx = this._ctx;
    var _parentState = this.state;
    var localctx = new <currentRule.ctxType>(this, this._ctx, _parentState<args:{a | , <a.name>}>>);
    var _prevctx = localctx;
    var _startState = <currentRule.startState>;
    this.enterRecursionRule(localctx, <currentRule.startState>, <parser.name>.RULE_<currentRule.name>, _p);
    <namedActions.init>
    <locals; separator="\n">
    try {
        <code>
        <postamble; separator="\n">
        <namedActions.after>
    } catch( error) {
        if(error instanceof antlr4.error.RecognitionException) {
            localctx.exception = error;
            this._errHandler.reportError(this, error);
            this._errHandler.recover(this, error);
        } else {
            throw error;
        }
    } finally {
        <finallyAction>
    }
}

```

```

    this.unrollRecursionContexts(_parentctx)
  }
  return localctx;
};

>>

```

```

CodeBlockForOuterMostAlt(currentOuterMostAltCodeBlock, locals, preamble, ops) ::= <<
<if(currentOuterMostAltCodeBlock.altLabel)>localctx = new <currentOuterMostAltCodeBlock.altLabel;
format="cap">Context(this, localctx);<endif>
this.enterOuterAlt(localctx, <currentOuterMostAltCodeBlock.alt.altNum>);
<CodeBlockForAlt(currentAltCodeBlock=currentOuterMostAltCodeBlock, ...)>
>>

```

```

CodeBlockForAlt(currentAltCodeBlock, locals, preamble, ops) ::= <<
<locals; separator="\n">
<preamble; separator="\n">
<ops; separator="\n">
>>

```

```

LL1AltBlock(choice, preamble, alts, error) ::= <<
this.state = <choice.stateNumber>;
this._errHandler.sync(this);
<if(choice.label)><labelref(choice.label)> = this._input.LT(1);<endif>
<preamble; separator="\n">
switch(this._input.LA(1)) {
<choice.altLook,alts:{look,alt| <cases(ttypes=look)>
  <alt>
  break;}; separator="\n">
default:
  <error>
}
>>

```

```

LL1OptionalBlock(choice, alts, error) ::= <<
this.state = <choice.stateNumber>;
this._errHandler.sync(this);
switch (this._input.LA(1)) {
<choice.altLook,alts:{look,alt| <cases(ttypes=look)>
  <alt>
  break;}; separator="\n">
default:
  break;
}
>>

```

```

LL1OptionalBlockSingleAlt(choice, expr, alts, preamble, error, followExpr) ::= <<
this.state = <choice.stateNumber>;

```



```

this._errHandler.sync(this);
<preamble; separator="\n">
if(<expr>) {
  <alts; separator="\n">
}
<!else if ( !(<followExpr> ) <error>!>
>>

```

```

LL1StarBlockSingleAlt(choice, loopExpr, alts, preamble, iteration) ::= <<
this.state = <choice.stateNumber>;
this._errHandler.sync(this);
<preamble; separator="\n">
while(<loopExpr>) {
  <alts; separator="\n">
  this.state = <choice.loopBackStateNumber>;
  this._errHandler.sync(this);
  <iteration>
}
>>

```

```

LL1PlusBlockSingleAlt(choice, loopExpr, alts, preamble, iteration) ::= <<
this.state = <choice.blockStartStateNumber>; <! alt block decision !>
this._errHandler.sync(this);
<preamble; separator="\n">
do {
  <alts; separator="\n">
  this.state = <choice.stateNumber>; <! loopback/exit decision !>
  this._errHandler.sync(this);
  <iteration>
} while(<loopExpr>);
>>

```

```
// LL(*) stuff
```

```

AltBlock(choice, preamble, alts, error) ::= <<
this.state = <choice.stateNumber>;
this._errHandler.sync(this);
<if(choice.label)><labelref(choice.label)> = _input.LT(1)<endif>
<preamble; separator="\n">
var la_ = this._interp.adaptivePredict(this._input,<choice.decision>,this._ctx);
switch(la_) {
<alts:{alt |
case <i>:
  <alt>
  break;
}; separator="\n">
}
>>

```

```

OptionalBlock(choice, alts, error) ::= <<
this.state = <choice.stateNumber>;
this._errHandler.sync(this);
var la_ = this._interp.adaptivePredict(this._input,<choice.decision>,this._ctx);
<alts:{ alt |
if(la_===<i><if(!choice.ast.greedy)>+1<endif>) {
  <alt>
}; separator="\n} else ">
}
>>

StarBlock(choice, alts, sync, iteration) ::= <<
this.state = <choice.stateNumber>;
this._errHandler.sync(this);
var _alt = this._interp.adaptivePredict(this._input,<choice.decision>,this._ctx)
while(_alt!=<choice.exitAlt> && _alt!=antlr4.atn.ATN.INVALID_ALT_NUMBER) {
  if(_alt===1<if(!choice.ast.greedy)>+1<endif>) {
    <iteration>
    <alts> <! should only be one !>
  }
  this.state = <choice.loopBackStateNumber>;
  this._errHandler.sync(this);
  _alt = this._interp.adaptivePredict(this._input,<choice.decision>,this._ctx);
}
>>

PlusBlock(choice, alts, error) ::= <<
this.state = <choice.blockStartStateNumber>; <! alt block decision !>
this._errHandler.sync(this);
var _alt = 1<if(!choice.ast.greedy)>+1<endif>;
do {
  switch (_alt) {
    <alts:{ alt|
case <i><if(!choice.ast.greedy)>+1<endif>:
  <alt>
break;}; separator="\n">
default:
  <error>
}
  this.state = <choice.loopBackStateNumber>; <! loopback/exit decision !>
  this._errHandler.sync(this);
  _alt = this._interp.adaptivePredict(this._input,<choice.decision>, this._ctx);
} while ( _alt!=<choice.exitAlt> && _alt!=antlr4.atn.ATN.INVALID_ALT_NUMBER );
>>

Sync(s) ::= "sync(<s.expecting.name>)"

```

```

ThrowNoViableAlt(t) ::= "throw new antlr4.error.NoViableAltException(this);"

TestSetInline(s) ::= <<
<s.bitsets:{bits | <if(rest(rest(bits.ttypes))>><bitsetBitfieldComparison(s, bits)><else><bitsetInlineComparison(s,
bits)><endif>}; separator=" || ">
>>

// Javascript language spec - shift operators are 32 bits long max
testShiftInRange(shiftAmount) ::= <<
((<shiftAmount>) & ~0x1f) == 0
>>

// produces smaller bytecode only when bits.ttypes contains more than two items
bitsetBitfieldComparison(s, bits) ::= <%
(<testShiftInRange({<offsetShiftVar(s.varName, bits.shift)>})> && ((1 \<< <offsetShiftVar(s.varName,
bits.shift)>) & (<bits.ttypes:{ttype | (1 \<< <offsetShiftType(ttype, bits.shift)>)}); separator=" | ">)) !== 0)
%>

isZero ::= [
"0":true,
default:false
]

offsetShiftVar(shiftAmount, offset) ::= <%
<if(!isZero.(offset))><shiftAmount> - <offset><else><shiftAmount><endif>
%>

offsetShiftType(shiftAmount, offset) ::= <%
<if(!isZero.(offset))><parser.name>.<shiftAmount> - <offset><else><parser.name>.<shiftAmount><endif>
%>

// produces more efficient bytecode when bits.ttypes contains at most two items
bitsetInlineComparison(s, bits) ::= <%
<bits.ttypes:{ttype | <s.varName>===<parser.name>.<ttype>}; separator=" || ">
%>

cases(ttypes) ::= <<
<types:{t | case <parser.name>.<t>:}; separator="\n">
>>

InvokeRule(r, argExprsChunks) ::= <<
this.state = <r.stateNumber>;
<if(r.labels)><r.labels:[1 | <labelref(l)> =
]><endif>>this.<r.name><(if(r.ast.options.p)><r.ast.options.p><if(argExprsChunks)><endif><endif><argExprsChu
nks>);
>>

```

```

MatchToken(m) ::= <<
this.state = <m.stateNumber>;
<if(m.labels)><m.labels:{1 | <labelref(l)> = }><endif>this.match(<parser.name>.<m.name>);
>>

```

```

MatchSet(m, expr, capture) ::= "<CommonSetStuff(m, expr, capture, false)>"

```

```

MatchNotSet(m, expr, capture) ::= "<CommonSetStuff(m, expr, capture, true)>"

```

```

CommonSetStuff(m, expr, capture, invert) ::= <<
this.state = <m.stateNumber>;
<if(m.labels)><m.labels:{1 | <labelref(l)> = }>this._input.LT(1);<endif>
<capture>
<if(invert)>if(<m.varName>\<=0 || <expr>)<else>if(!(<expr>))<endif> {
  <if(m.labels)><m.labels:{1 | <labelref(l)> = }><endif>this._errHandler.recoverInline(this);
}
else {
  this._errHandler.reportMatch(this);
  this.consume();
}
>>

```

```

Wildcard(w) ::= <<
this.state = <w.stateNumber>;
<if(w.labels)><w.labels:{1 | <labelref(l)> = }><endif>this.matchWildcard();
>>

```

```

// ACTION STUFF

```

```

Action(a, foo, chunks) ::= "<chunks>"

```

```

ArgAction(a, chunks) ::= "<chunks>"

```

```

SemPred(p, chunks, failChunks) ::= <<
this.state = <p.stateNumber>;
if (!( <chunks>)) {
  throw new antlr4.error.FailedPredicateException(this, <p.predicate><if(failChunks)>,
<failChunks><elseif(p.msg)>, <p.msg><endif>);
}
>>

```

```

ExceptionClause(e, catchArg, catchAction) ::= <<
catch (<catchArg>) {
  <catchAction>
}
>>

```

```

// lexer actions are not associated with model objects

```

```

LexerSkipCommand() ::= "this.skip()"
LexerMoreCommand() ::= "this.more()"
LexerPopModeCommand() ::= "this.popMode()"
LexerTypeCommand(arg, grammar) ::= "this._type = <arg>"
LexerChannelCommand(arg, grammar) ::= "this._channel = <arg>"
LexerModeCommand(arg, grammar) ::= "this._mode = <arg>"
LexerPushModeCommand(arg, grammar) ::= "this.pushMode(<arg>)"

ActionText(t) ::= "<t.text>"
ActionTemplate(t) ::= "<t.st>"
ArgRef(a) ::= "localctx.<a.name>"
LocalRef(a) ::= "localctx.<a.name>"
RetValRef(a) ::= "localctx.<a.name>"
QRetValRef(a) ::= "<ctx(a)>.<a.dict>.<a.name>"
/** How to translate $tokenLabel */
TokenRef(t) ::= "<ctx(t)>.<t.name>"
LabelRef(t) ::= "<ctx(t)>.<t.name>"
ListLabelRef(t) ::= "<ctx(t)>.<ListLabelName(t.name)>"
SetAttr(s,rhsChunks) ::= "<ctx(s)>.<s.name> = <rhsChunks>"

TokenLabelType() ::= "<file.TokenLabelType; null={Token}>"
InputSymbolType() ::= "<file.InputSymbolType; null={Token}>"

TokenPropertyRef_text(t) ::= "(<ctx(t)>.<t.label>===null ? null : <ctx(t)>.<t.label>.text)"
TokenPropertyRef_type(t) ::= "(<ctx(t)>.<t.label> === null ? 0 : <ctx(t)>.<t.label>.type)"
TokenPropertyRef_line(t) ::= "(<ctx(t)>.<t.label> === null ? 0 : <ctx(t)>.<t.label>.line)"
TokenPropertyRef_pos(t) ::= "(<ctx(t)>.<t.label> === null ? 0 : <ctx(t)>.<t.label>.column)"
TokenPropertyRef_channel(t) ::= "(<ctx(t)>.<t.label> === null ? 0 : <ctx(t)>.<t.label>.channel)"
TokenPropertyRef_index(t) ::= "(<ctx(t)>.<t.label> === null ? 0 : <ctx(t)>.<t.label>.tokenIndex)"
TokenPropertyRef_int(t) ::= "(<ctx(t)>.<t.label> === null ? 0 : parseInt(<ctx(t)>.<t.label>.text))"

RulePropertyRef_start(r) ::= "(<ctx(r)>.<r.label>===null ? null : <ctx(r)>.<r.label>.start)"
RulePropertyRef_stop(r) ::= "(<ctx(r)>.<r.label>===null ? null : <ctx(r)>.<r.label>.stop)"
RulePropertyRef_text(r) ::= "(<ctx(r)>.<r.label>===null ? null : this._input.getText(new antlr4.Interval(<ctx(r)>.<r.label>.start,<ctx(r)>.<r.label>.stop)))"
RulePropertyRef_ctx(r) ::= "<ctx(r)>.<r.label>"
RulePropertyRef_parser(r) ::= "this"

ThisRulePropertyRef_start(r) ::= "localctx.start"
ThisRulePropertyRef_stop(r) ::= "localctx.stop"
ThisRulePropertyRef_text(r) ::= "this._input.getText(new antlr4.Interval(localctx.start, this._input.LT(-1)))"
ThisRulePropertyRef_ctx(r) ::= "localctx"
ThisRulePropertyRef_parser(r) ::= "this"

NonLocalAttrRef(s) ::= "getInvokingContext(<s.ruleIndex>).<s.name>"
SetNonLocalAttr(s, rhsChunks) ::= "getInvokingContext(<s.ruleIndex>).<s.name> = <rhsChunks>"

```

```
AddToLabelList(a) ::= "<ctx(a.label)>.<a.listName>.push(<labelref(a.label)>);"
```

```
TokenDecl(t) ::= "this.<t.name> = null; // <TokenLabelType()>"
```

```
TokenTypeDecl(t) ::= "var <t.name> = 0; // <TokenLabelType()> type"
```

```
TokenListDecl(t) ::= "this.<t.name> = []; // of <TokenLabelType()>s"
```

```
RuleContextDecl(r) ::= "this.<r.name> = null; // <r.ctxName>"
```

```
RuleContextListDecl(rdecl) ::= "this.<rdecl.name> = []; // of <rdecl.ctxName>s"
```

```
ContextTokenGetterDecl(t) ::= <<  
<t.name> = function() {  
    return this.getToken(<parser.name>.<t.name>, 0);  
};  
>>
```

```
// should never be called
```

```
ContextTokenListGetterDecl(t) ::= <<  
def <t.name>_list(self):  
    return self.getTokens(<parser.name>.<t.name>)  
>>
```

```
ContextTokenListIndexedGetterDecl(t) ::= <<  
<t.name> = function(i) {  
    if(i===undefined) {  
        i = null;  
    }  
    if(i===null) {  
        return this.getTokens(<parser.name>.<t.name>);  
    } else {  
        return this.getToken(<parser.name>.<t.name>, i);  
    }  
};  
>>
```

```
ContextRuleGetterDecl(r) ::= <<  
<r.name> = function() {  
    return this.getTypedRuleContext(<r.ctxName>,0);  
};  
>>
```

```
// should never be called
```

```
ContextRuleListGetterDecl(r) ::= <<  
def <r.name>_list(self):  
    return self.getTypedRuleContexts(<parser.name>.<r.ctxName>)  
>>
```

```
ContextRuleListIndexedGetterDecl(r) ::= <<
```

```

<r.name> = function(i) {
  if(i===undefined) {
    i = null;
  }
  if(i===null) {
    return this.getTypedRuleContexts(<r.ctxName>);
  } else {
    return this.getTypedRuleContext(<r.ctxName>,i);
  }
};
>>

```

```

LexerRuleContext() ::= "RuleContext"

```

```

/** The rule context name is the rule followed by a suffix; e.g.,
 * r becomes rContext.
 */

```

```

RuleContextNameSuffix() ::= "Context"

```

```

ImplicitTokenLabel(tokenName) ::= "_<tokenName>"

```

```

ImplicitRuleLabel(ruleName) ::= "_<ruleName>"

```

```

ImplicitSetLabel(id) ::= "_tset<id>"

```

```

ListLabelName(label) ::= "<label>"

```

```

CaptureNextToken(d) ::= "<d.varName> = self._input.LT(1)"

```

```

CaptureNextTokenType(d) ::= "<d.varName> = this._input.LA(1);"

```

```

StructDecl(struct,ctorAttrs,attrs,getters,dispatchMethods,interfaces,extensionMembers) ::= <<
function <struct.name>(parser, parent, invokingState<struct.ctorAttrs:{a | , <a.name>}>) {
  if(parent===undefined) {
    parent = null;
  }
  if(invokingState===undefined || invokingState===null) {
    invokingState = -1;
  }
  <if(contextSuperClass><contextSuperClass><else>antlr4.ParserRuleContext<endif>.call(this, parent,
invokingState);
  this.parser = parser;
  this.ruleIndex = <parser.name>.RULE_<struct.derivedFromName>;
  <attrs:{a | <a>}; separator="\n">
  <struct.ctorAttrs:{a | this.<a.name> = <a.name> || null;}; separator="\n">
  return this;
}

```

```

<struct.name>.prototype =

```

```

Object.create(<if(contextSuperClass><contextSuperClass><else>antlr4.ParserRuleContext<endif>.prototype);

```

```

<struct.name>.prototype.constructor = <struct.name>;

```

```

<getters:{g | <struct.name>.prototype.<g>}; separator="\n\n">

<if(struct.provideCopyFrom)> <! don't need copy unless we have subclasses !>
<struct.name>.prototype.copyFrom = function(ctx) {
<if(contextSuperClass)><contextSuperClass><else>antlr4.ParserRuleContext<endif>.prototype.copyFrom.call(this,
ctx);
  <struct.attrs:{a | this.<a.name> = ctx.<a.name>;}; separator="\n">
};
<endif>
<dispatchMethods; separator="\n">
<extensionMembers; separator="\n">

>>

```

```

AltLabelStructDecl(struct,attrs,getters,dispatchMethods) ::= <<
function <struct.name>(parser, ctx) {
  <currentRule.name; format="cap">Context.call(this, parser);
  <attrs:{a | <a>;}; separator="\n">
  <currentRule.name; format="cap">Context.prototype.copyFrom.call(this, ctx);
  return this;
}

```

```

<struct.name>.prototype = Object.create(<currentRule.name; format="cap">Context.prototype);
<struct.name>.prototype.constructor = <struct.name>;

```

```

<! Define fields of this parser to export this struct/context class !>
<parser.name>.<struct.name> = <struct.name>;

```

```

<getters:{g | <struct.name>.prototype.<g>}; separator="\n\n">
<dispatchMethods; separator="\n">

```

```
>>
```

```

ListenerDispatchMethod(method) ::= <<
<struct.name>.prototype.<if(method.isEnter)>enter<else>exit<endif>Rule = function(listener) {
  if(listener instanceof <parser.grammarName>Listener ) {
    listener.<if(method.isEnter)>enter<else>exit<endif><struct.derivedFromName; format="cap">(this);
  }
};

```

```
>>
```

```

VisitorDispatchMethod(method) ::= <<
<struct.name>.prototype.accept = function(visitor) {
  if ( visitor instanceof <parser.grammarName>Visitor ) {
    return visitor.visit<struct.derivedFromName; format="cap">(this);
  } else {
    return visitor.visitChildren(this);
  }
}

```



```

    }
};

>>

AttributeDecl(d) ::= "this.<d.name> = <if(d.initValue)><d.initValue><else>null<endif>"

/** If we don't know location of label def x, use this template */
labelref(x) ::= "<if(!x.isLocal)>localctx.<endif><x.name>"

/** For any action chunk, what is correctly-typed context struct ptr? */
ctx(actionChunk) ::= "localctx"

// used for left-recursive rules
recRuleAltPredicate(ruleName,opPrec) ::= "this.precpred(this._ctx, <opPrec>)"
recRuleSetReturnAction(src,name) ::= "$<name>=<src>.<name>"
recRuleSetStopToken() ::= "this._ctx.stop = this._input.LT(-1);"

recRuleAltStartAction(ruleName, ctxName, label) ::= <<
localctx = new <ctxName>Context(this, _parentctx, _parentState);
<if(label)>localctx.<label> = _prevctx;<endif>
this.pushNewRecursionContext(localctx, _startState, <parser.name>.RULE_<ruleName>);
>>

recRuleLabeledAltStartAction(ruleName, currentAltLabel, label, isListLabel) ::= <<
localctx = new <currentAltLabel; format="cap">Context(this, new <ruleName; format="cap">Context(this,
_parentctx, _parentState));
<if(label)>
<if(isListLabel)>
localctx.<label>.push(_prevctx);
<else>
localctx.<label> = _prevctx;
<endif>
<endif>
this.pushNewRecursionContext(localctx, _startState, <parser.name>.RULE_<ruleName>);
>>

recRuleReplaceContext(ctxName) ::= <<
localctx = new <ctxName>Context(this, localctx);
this._ctx = localctx;
_prevctx = localctx;
>>

recRuleSetPrevCtx() ::= <<
if(this._parseListeners!=null) {
    this.triggerExitRuleEvent();
}
_prevctx = localctx;

```

>>

```
LexerFile(lexerFile, lexer, namedActions) ::= <<  
<fileHeader(lexerFile.grammarFileName, lexerFile.ANTLRVersion)>  
var antlr4 = require('antlr4/index');
```

```
<namedActions.header>
```

```
<lexer>
```

>>

```
Lexer(lexer, atn, actionFuncs, sempredFuncs, superClass) ::= <<  
<if(superClass)>  
var <superClass> = require('./<superClass>').<superClass>;  
<endif>
```

```
<atn>
```

```
var atn = new antlr4.atn.ATNDeserializer().deserialize(serializedATN);
```

```
var decisionsToDFA = atn.decisionToState.map( function(ds, index) { return new antlr4.dfa.DFA(ds, index); });
```

```
function <lexer.name>(input) {  
  <if(superClass)><superClass><else>antlr4.Lexer<endif>.call(this, input);  
  this._interp = new antlr4.atn.LexerATNSimulator(this, atn, decisionsToDFA, new  
  antlr4.PredictionContextCache());  
  return this;  
}
```

```
<lexer.name>.prototype = Object.create(<if(superClass)><superClass><else>antlr4.Lexer<endif>.prototype);  
<lexer.name>.prototype.constructor = <lexer.name>;
```

```
Object.defineProperty(<lexer.name>.prototype, "atn", {  
  get : function() {  
    return atn;  
  }  
});
```

```
<lexer.name>.EOF = antlr4.Token.EOF;  
<lexer.tokens>:{k | <lexer.name>.<k> = <lexer.tokens.(k)>;}; separator="\n", wrap, anchor>
```

```
<if(lexer.channels)>  
<lexer.channels>:{c | <lexer.name>.<c> = <lexer.channels.(c)>;}; separator="\n">
```

```
<endif>
```

```
<if(rest(lexer.modes))>
```

```

<rest(lexer.modes):{m| <lexer.name>.<m> = <i>;}; separator="\n">

<endif>
<lexer.name>.prototype.channelNames = [ "DEFAULT_TOKEN_CHANNEL", "HIDDEN"<if (lexer.channels)>,
<lexer.channels:{c| "<c">"]; separator=", ", wrap, anchor><endif> ];

<lexer.name>.prototype.modeNames = [ <lexer.modes:{m| "<m">"]; separator=", ", wrap, anchor> ];

<lexer.name>.prototype.literalNames = [ <lexer.literalNames:{t| <t>}; null="null", separator=", ", wrap, anchor> ];

<lexer.name>.prototype.symbolicNames = [ <lexer.symbolicNames:{t| <t>}; null="null", separator=", ", wrap,
anchor> ];

<lexer.name>.prototype.ruleNames = [ <lexer.ruleNames:{r| "<r">"]; separator=", ", wrap, anchor> ];

<lexer.name>.prototype.grammarFileName = "<lexer.grammarFileName>";

<namedActions.members>

<dumpActions(lexer, "", actionFuncs, sempredFuncs)>

exports.<lexer.name> = <lexer.name>;

>>

SerializedATN(model) ::= <<
<! only one segment, can be inlined !>

var serializedATN = ["<model.serialized; wrap={", <n> " }>"].join("");

>>

/** Using a type to init value map, try to init a type; if not in table
 * must be an object, default value is "null".
 */
initValue(typeName) ::= <<
<javascriptTypeInitMap.(typeName)>
>>

codeFileExtension() ::= ".js"

Found in path(s):
* /opt/cola/permits/1274703849_1645234551.46/0/antlr4-4-7-1-sources-
jar/org/antlr/v4/tool/templates/codegen/JavaScript/JavaScript.stg
No license file was found, but licenses were detected in source scan.

/*
 * [The "BSD license"]

```

```

* Copyright (c) 2012-2016 Terence Parr
* Copyright (c) 2012-2016 Sam Harwell
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
* notice, this list of conditions and the following disclaimer.
* 2. Redistributions in binary form must reproduce the above copyright
* notice, this list of conditions and the following disclaimer in the
* documentation and/or other materials provided with the distribution.
* 3. The name of the author may not be used to endorse or promote products
* derived from this software without specific prior written permission.
*
* THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR
* IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.
* IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,
* INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT
* NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
* DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
* THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
* (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF
* THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
*/

```

```

/** How to generate rules derived from left-recursive rules.
* These rely on recRuleAltPredicate(),
* recRuleArg(), recRuleSetResultAction(), recRuleSetReturnAction()
* templates in main language.stg
*/

```

```

group LeftRecursiveRules;

```

```

recRule(ruleName, argName, primaryAlts, opAlts, setResultAction,
        userRetvals, leftRecursiveRuleRefLabels) ::=

```

```

<<
<ruleName><if(userRetvals)> returns [<userRetvals>]<endif>
: ( { } <primaryAlts:{ alt | <alt.altText> }; separator="\n | ">
  )
  (
    <opAlts; separator="\n | ">
  )*
;
>>

```

```

recRuleAlt(alt, precOption, opPrec, pred) ::= <<

```

```
{<pred>}?\<<precOption>=<opPrec>|> <alt.altText>
```

```
>>
```

Found in path(s):

```
* /opt/cola/permits/1274703849_1645234551.46/0/antlr4-4-7-1-sources-  
jar/org/antlr/v4/tool/templates/LeftRecursiveRules.stg
```

No license file was found, but licenses were detected in source scan.

```
/*
```

```
* [The "BSD license"]
```

```
* Copyright (c) 2012-2016 Terence Parr
```

```
* Copyright (c) 2012-2016 Sam Harwell
```

```
* All rights reserved.
```

```
*
```

```
* Redistribution and use in source and binary forms, with or without
```

```
* modification, are permitted provided that the following conditions
```

```
* are met:
```

```
*
```

```
* 1. Redistributions of source code must retain the above copyright
```

```
* notice, this list of conditions and the following disclaimer.
```

```
* 2. Redistributions in binary form must reproduce the above copyright
```

```
* notice, this list of conditions and the following disclaimer in the
```

```
* documentation and/or other materials provided with the distribution.
```

```
* 3. The name of the author may not be used to endorse or promote products
```

```
* derived from this software without specific prior written permission.
```

```
*
```

```
* THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR
```

```
* IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
```

```
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.
```

```
* IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,
```

```
* INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT
```

```
* NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
```

```
* DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
```

```
* THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
```

```
* (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF
```

```
* THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
```

```
*/
```

```
atn(startState, states, edges, rankdir, decisionRanks, useBox) ::= <<
```

```
digraph ATN {
```

```
rankdir=LR;
```

```
<decisionRanks; separator="\n">
```

```
<states; separator="\n">
```

```
<edges; separator="\n">
```

```
}
```

```
>>
```

```
dfa(name, startState, states, edges, rankdir, decisionRanks, useBox) ::= <<
```

```

digraph <name> {
<if(rankdir)>rankdir=<rankdir>;<endif>
<decisionRanks; separator="\n">
<states; separator="\n">
<edges; separator="\n">
}
>>

decision-rank(states) ::= <<
{rank=same; rankdir=TB; <states:{s | s<s>}; separator=" "; ">}
>>

edge(src,target,label,arrowhead,transitionIndex) ::= <<
<src><if(transitionIndex)>:p<transitionIndex><endif> -> <target> [fontsize=11, fontname="Courier", arrowsize=.7,
label = "<label>"<if(arrowhead)>, arrowhead = <arrowhead><endif>];
>>

action-edge(src,target,label,arrowhead,transitionIndex) ::= <<
<src><if(transitionIndex)>:p<transitionIndex><endif> -> <target> [fontsize=11, fontname="Courier", arrowsize=.7,
label = "<label>"<if(arrowhead)>, arrowhead = <arrowhead><endif>];
>>

epsilon-edge(src,label,target,arrowhead,transitionIndex,loopback=false) ::= <<
<src><if(transitionIndex)>:p<transitionIndex><endif> -> <target> [fontname="Times-Italic",
label="&epsilon;"<if(loopback)>, style="dashed"<endif>];
>>

state(state, label, name, transitions) ::= <%
<name>[fontsize=11,
label="
<! rest(transition) tests for decision states: these nodes have a non-empty set of transitions after the first one. !>
<if(rest(transitions))>
{
<! Label on the left side of the record node. !>
<label>
|
<! Named ports in order on right side of record node, no display text. !>
{<transitions:{t|\<p<i0>>}; separator="|">}}
<else>
<label>
<endif>
"
<if(rest(transitions))>
, shape=record, fixedsize=false
<else>
, shape=circle, fixedsize=true, width=.55
<endif>
, peripheries=1];

```

%>

```
stopstate(name,label,actionIndex,useBox) ::= <<
<name>[fontsize=11, label="<label><if(actionIndex)>,\naction:<actionIndex><endif>",
<if(useBox)>shape=polygon,sides=4,peripheries=2,fixedsz=fixedsz<else>shape=doublecircle, fixedsz=true,
width=.6<endif>];
>>
```

Found in path(s):

```
* /opt/cola/permits/1274703849_1645234551.46/0/antlr4-4-7-1-sources-
jar/org/antlr/v4/tool/templates/dot/graphs.stg
```

No license file was found, but licenses were detected in source scan.

```
/*
```

```
[The "BSD licence"]
```

```
Copyright (c) 2006 Kay Roepke
```

```
All rights reserved.
```

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The name of the author may not be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

```
*/
```

```
/*
```

This file contains the actual layout of the messages emitted by ANTLR.

The text itself is coming out of the languages/\*stg files, according to the chosen locale.

This file contains the default format ANTLR uses.

```
*/
```

```
location(file, line, column) ::= "<file>(<line>,<column>)"
```

message(id, text) ::= "error <id> : <text>"

report(location, message, type) ::= "<location> : <type> <message.id> : <message.text>"

wantsSingleLineMessage() ::= "true"

Found in path(s):

\* /opt/cola/permits/1274703849\_1645234551.46/0/antlr4-4-7-1-sources-jar/org/antlr/v4/tool/templates/messages/formats/vs2005.stg

No license file was found, but licenses were detected in source scan.

/\*

[The "BSD licence"]

Copyright (c) 2006 Kay Roepke

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The name of the author may not be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

\*/

/\*

This file contains the actual layout of the messages emitted by ANTLR.

The text itself is coming out of the languages/\*stg files, according to the chosen locale.

This file contains the format that mimicks GCC output.

\*/

location(file, line, column) ::= "<file>:<line>:<column>:"

message(id, text) ::= "<text> [error <id>]"



```
report(location, message, type) ::= "<location> <type>: <message>"
```

```
wantsSingleLineMessage() ::= "true"
```

Found in path(s):

```
* /opt/cola/permits/1274703849_1645234551.46/0/antlr4-4-7-1-sources-  
jar/org/antlr/v4/tool/templates/messages/formats/gnu.stg
```

No license file was found, but licenses were detected in source scan.

```
/*
```

```
* [The "BSD license"]
```

```
* Copyright (c) 2012-2016 Terence Parr
```

```
* Copyright (c) 2012-2016 Sam Harwell
```

```
* All rights reserved.
```

```
*
```

```
* Redistribution and use in source and binary forms, with or without
```

```
* modification, are permitted provided that the following conditions
```

```
* are met:
```

```
*
```

```
* 1. Redistributions of source code must retain the above copyright
```

```
* notice, this list of conditions and the following disclaimer.
```

```
* 2. Redistributions in binary form must reproduce the above copyright
```

```
* notice, this list of conditions and the following disclaimer in the
```

```
* documentation and/or other materials provided with the distribution.
```

```
* 3. The name of the author may not be used to endorse or promote products
```

```
* derived from this software without specific prior written permission.
```

```
*
```

```
* THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR
```

```
* IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
```

```
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.
```

```
* IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,
```

```
* INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT
```

```
* NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
```

```
* DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
```

```
* THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
```

```
* (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF
```

```
* THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
```

```
*/
```

```
lexer grammar ActionSplitter;
```

```
options { filter=true; }
```

```
@header {
```

```
package org.antlr.v4.parse;
```

```
import org.antlr.v4.tool.*;
```

```
import org.antlr.v4.tool.ast.*;
```

```
}
```

```

@members {
ActionSplitterListener delegate;

public ActionSplitter(CharStream input, ActionSplitterListener delegate) {
    this(input, new RecognizerSharedState());
    this.delegate = delegate;
}

/** force filtering (and return tokens). triggers all above actions. */
public List<Token> getActionTokens() {
    List<Token> chunks = new ArrayList<Token>();
    Token t = nextToken();
    while ( t.getType()!=Token.EOF ) {
        chunks.add(t);
        t = nextToken();
    }
    return chunks;
}

private boolean isIDStartChar(int c) {
    return c == '_' || Character.isLetter(c);
}

}

// ignore comments right away

COMMENT
: /*' ( options {greedy=false;} : . )* */' {delegate.text($text);}
;

LINE_COMMENT
: //' ~(\n|\r)* \r? \n' {delegate.text($text);}
;

SET_NONLOCAL_ATTR
: '$ x=ID ':' y=ID WS? '=' expr=ATTR_VALUE_EXPR ';'
{
    delegate.setNonLocalAttr($text, $x, $y, $expr);
}
;

NONLOCAL_ATTR
: '$ x=ID ':' y=ID {delegate.nonLocalAttr($text, $x, $y);}
;

QUALIFIED_ATTR
: '$ x=ID '.' y=ID {input.LA(1)!=''}? {delegate.qualifiedAttr($text, $x, $y);}

```

```

;

SET_ATTR
: '$ x=ID WS? '=' expr=ATTR_VALUE_EXPR ';'
{
  delegate.setAttr($text, $x, $expr);
}
;

ATTR
: '$ x=ID { delegate.attr($text, $x); }
;

// Anything else is just random text
TEXT
@init {StringBuilder buf = new StringBuilder();}
@after {delegate.text(buf.toString());}
: ( c=~(\\| '$) {buf.append((char)$c);}
  | '\\$' {buf.append('$);}
  | '\\ c=~('$) {buf.append('\\').append((char)$c);}
  | {!isIDStartChar(input.LA(2))}? => '$' {buf.append('$);}
)+
;

fragment
ID : ('a'..'z'|'A'..'Z'|'_') ('a'..'z'|'A'..'Z'|'0'..'9'|'_')*
;

/** Don't allow an = as first char to prevent $x == 3; kind of stuff. */
fragment
ATTR_VALUE_EXPR
: ~'=' (~';')*
;

fragment
WS : ('\\t'|'\\n'|'r')+
;

Found in path(s):
* /opt/cola/permits/1274703849_1645234551.46/0/antlr4-4-7-1-sources-jar/org/antlr/v4/parse/ActionSplitter.g
No license file was found, but licenses were detected in source scan.

/*
* [The "BSD license"]
* Copyright (c) 2015 Dan McLaughlin, Mike Lischke
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without

```

\* modification, are permitted provided that the following conditions  
 \* are met:  
 \*  
 \* 1. Redistributions of source code must retain the above copyright  
 \* notice, this list of conditions and the following disclaimer.  
 \* 2. Redistributions in binary form must reproduce the above copyright  
 \* notice, this list of conditions and the following disclaimer in the  
 \* documentation and/or other materials provided with the distribution.  
 \* 3. The name of the author may not be used to endorse or promote products  
 \* derived from this software without specific prior written permission.  
 \*  
 \* THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR  
 \* IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES  
 \* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.  
 \* IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,  
 \* INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT  
 \* NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,  
 \* DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY  
 \* THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT  
 \* (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF  
 \* THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.  
 \*/

Found in path(s):

\* /opt/cola/permits/1274703849\_1645234551.46/0/antlr4-4-7-1-sources-  
 jar/org/antlr/v4/tool/templates/codegen/Cpp/Cpp.stg

No license file was found, but licenses were detected in source scan.

/\*  
 \* [The "BSD license"]  
 \* Copyright (c) 2012-2016 Terence Parr  
 \* Copyright (c) 2012-2016 Sam Harwell  
 \* All rights reserved.  
 \*  
 \* Redistribution and use in source and binary forms, with or without  
 \* modification, are permitted provided that the following conditions  
 \* are met:  
 \*  
 \* 1. Redistributions of source code must retain the above copyright  
 \* notice, this list of conditions and the following disclaimer.  
 \* 2. Redistributions in binary form must reproduce the above copyright  
 \* notice, this list of conditions and the following disclaimer in the  
 \* documentation and/or other materials provided with the distribution.  
 \* 3. The name of the author may not be used to endorse or promote products  
 \* derived from this software without specific prior written permission.  
 \*  
 \* THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR  
 \* IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES

\* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.  
 \* IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,  
 \* INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT  
 \* NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,  
 \* DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY  
 \* THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT  
 \* (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF  
 \* THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.  
 \*/

```
javaTypeInitMap ::= [
  "int": "0",
  "long": "0",
  "float": "0.0f",
  "double": "0.0",
  "boolean": "false",
  "byte": "0",
  "short": "0",
  "char": "0",
  default: "null" // anything other than a primitive type is an object
]
```

// args must be <object-model-object>, <fields-resulting-in-STs>

```
ParserFile(file, parser, namedActions, contextSuperClass) ::= <<
<fileHeader(file.grammarFileName, file.ANTLRVersion)>
<if(file.genPackage)>
package <file.genPackage>;
<endif>
<namedActions.header>
import org.antlr.v4.runtime.atn.*;
import org.antlr.v4.runtime.dfa.DFA;
import org.antlr.v4.runtime.*;
import org.antlr.v4.runtime.misc.*;
import org.antlr.v4.runtime.tree.*;
import java.util.List;
import java.util.Iterator;
import java.util.ArrayList;

<parser>
>>
```

```
ListenerFile(file, header, namedActions) ::= <<
<fileHeader(file.grammarFileName, file.ANTLRVersion)>
<if(file.genPackage)>
package <file.genPackage>;
<endif>
<header>
```

```

import org.antlr.v4.runtime.tree.ParseTreeListener;

/**
 * This interface defines a complete listener for a parse tree produced by
 * { @link <file.parserName> }.
 */
public interface <file.grammarName>Listener extends ParseTreeListener {
    <file.listenerNames: {lname |
/**
<if(file.listenerLabelRuleNames.(lname))>
 * Enter a parse tree produced by the { @code <lname>\}
 * labeled alternative in { @link <file.parserName>#<file.listenerLabelRuleNames.(lname)>\}.
<else>
 * Enter a parse tree produced by { @link <file.parserName>#<lname>\}.
<endif>
 * @param ctx the parse tree
 */
void enter<lname; format="cap">(<file.parserName>.<lname; format="cap">Context ctx);
/**
<if(file.listenerLabelRuleNames.(lname))>
 * Exit a parse tree produced by the { @code <lname>\}
 * labeled alternative in { @link <file.parserName>#<file.listenerLabelRuleNames.(lname)>\}.
<else>
 * Exit a parse tree produced by { @link <file.parserName>#<lname>\}.
<endif>
 * @param ctx the parse tree
 */
void exit<lname; format="cap">(<file.parserName>.<lname; format="cap">Context ctx);}; separator="\n">
}
>>

BaseListenerFile(file, header, namedActions) ::= <<
<fileHeader(file.grammarFileName, file.ANTLRVersion)>
<if(file.genPackage)>
package <file.genPackage>;
<endif>
<header>

import org.antlr.v4.runtime.ParserRuleContext;
import org.antlr.v4.runtime.tree.ErrorNode;
import org.antlr.v4.runtime.tree.TerminalNode;

/**
 * This class provides an empty implementation of { @link <file.grammarName>Listener },
 * which can be extended to create a listener which only needs to handle a subset
 * of the available methods.
 */
public class <file.grammarName>BaseListener implements <file.grammarName>Listener {

```

```

<file.listenerNames: {lname |
/**
 * { @inheritDoc\}
 *
 * \<p>The default implementation does nothing.\</p>
 */
@Override public void enter<lname; format="cap">(<file.parserName>.<lname; format="cap">Context ctx) { \}
/**
 * { @inheritDoc\}
 *
 * \<p>The default implementation does nothing.\</p>
 */
@Override public void exit<lname; format="cap">(<file.parserName>.<lname; format="cap">Context ctx) { \};
separator="\n">

/**
 * { @inheritDoc\}
 *
 * \<p>The default implementation does nothing.\</p>
 */
@Override public void enterEveryRule(ParserRuleContext ctx) { \}
/**
 * { @inheritDoc\}
 *
 * \<p>The default implementation does nothing.\</p>
 */
@Override public void exitEveryRule(ParserRuleContext ctx) { \}
/**
 * { @inheritDoc\}
 *
 * \<p>The default implementation does nothing.\</p>
 */
@Override public void visitTerminal(TerminalNode node) { \}
/**
 * { @inheritDoc\}
 *
 * \<p>The default implementation does nothing.\</p>
 */
@Override public void visitErrorNode(ErrorNode node) { \}
}
>>

```

```

VisitorFile(file, header, namedActions) ::= <<
<fileHeader(file.grammarFileName, file.ANTLRVersion)>
<if(file.genPackage)>
package <file.genPackage>;
<endif>
<header>

```

```

import org.antlr.v4.runtime.tree.ParseTreeVisitor;

/**
 * This interface defines a complete generic visitor for a parse tree produced
 * by { @link <file.parserName> }.
 *
 * @param \<T> The return type of the visit operation. Use { @link Void } for
 * operations with no return type.
 */
public interface <file.grammarName>Visitor\<T> extends ParseTreeVisitor\<T> {
    <file.visitorNames:{ lname |
/**
<if(file.visitorLabelRuleNames.(lname))>
 * Visit a parse tree produced by the { @code <lname>}
 * labeled alternative in { @link <file.parserName>#<file.visitorLabelRuleNames.(lname)> }.
<else>
 * Visit a parse tree produced by { @link <file.parserName>#<lname> }.
<endif>
 * @param ctx the parse tree
 * @return the visitor result
 */
    T visit<lname; format="cap">(<file.parserName>.<lname; format="cap">Context ctx);}; separator="\n"
    }
>>

BaseVisitorFile(file, header, namedActions) ::= <<
<fileHeader(file.grammarFileName, file.ANTLRVersion)>
<if(file.genPackage)>
package <file.genPackage>;
<endif>
<header>
import org.antlr.v4.runtime.tree.AbstractParseTreeVisitor;

/**
 * This class provides an empty implementation of { @link <file.grammarName>Visitor },
 * which can be extended to create a visitor which only needs to handle a subset
 * of the available methods.
 *
 * @param \<T> The return type of the visit operation. Use { @link Void } for
 * operations with no return type.
 */
public class <file.grammarName>BaseVisitor\<T> extends AbstractParseTreeVisitor\<T> implements
<file.grammarName>Visitor\<T> {
    <file.visitorNames:{ lname |
/**
 * { @inheritDoc }
 *
 * \<p>The default implementation returns the result of calling

```



```

* {@link #visitChildren\} on {@code ctx\}.\</p>
*/
@Override public T visit<lname; format="cap">(<file.parserName>.<lname; format="cap">Context ctx) { return
visitChildren(ctx); \}}; separator="\n">
}
>>

fileHeader(grammarFileName, ANTLRVersion) ::= <<
// Generated from <grammarFileName; format="java-escape"> by ANTLR <ANTLRVersion>
>>

Parser(parser, funcs, atn, sempredFuncs, superClass) ::= <<
<Parser_(ctor="parser_ctor", ...)>
>>

Parser_(parser, funcs, atn, sempredFuncs, ctor, superClass) ::= <<
@SuppressWarnings({"all", "warnings", "unchecked", "unused", "cast"})
public class <parser.name> extends <superClass; null="Parser"> {
static { RuntimeMetaData.checkVersion("<file.ANTLRVersion>", RuntimeMetaData.VERSION); }

protected static final DFA[] _decisionToDFA;
protected static final PredictionContextCache _sharedContextCache =
new PredictionContextCache();
<if(parser.tokens)>
public static final int
<parser.tokens:{k | <k>=<parser.tokens.(k)>}; separator=", ", wrap, anchor>;
<endif>
public static final int
<parser.rules:{r | RULE_<r.name> = <r.index>}; separator=", ", wrap, anchor>;
public static final String[] ruleNames = {
<parser.ruleNames:{r | "<r">}; separator=", ", wrap, anchor>
};

<vocabulary(parser.literalNames, parser.symbolicNames)>

@Override
public String getGrammarFileName() { return "<parser.grammarFileName; format="java-escape">"; }

@Override
public String[] getRuleNames() { return ruleNames; }

@Override
public String getSerializedATN() { return _serializedATN; }

@Override
public ATN getATN() { return _ATN; }

<namedActions.members>

```

```

<parser:(ctor)()>
<funcs; separator="\n">

<if(sempredFuncs)>
public boolean sempred(RuleContext _localctx, int ruleIndex, int predIndex) {
    switch (ruleIndex) {
        <parser.sempredFuncs.values:{ f}
case <f.ruleIndex>:
return <f.name>_sempred((<f.ctxType>)_localctx, predIndex);}; separator="\n">
    }
    return true;
    }
<sempredFuncs.values; separator="\n">
<endif>

<atn>
}
>>

vocabulary(literalNames, symbolicNames) ::= <<
private static final String[] _LITERAL_NAMES = {
    <literalNames:{ t | <t>}; null="null", separator=", ", wrap, anchor>
};
private static final String[] _SYMBOLIC_NAMES = {
    <symbolicNames:{ t | <t>}; null="null", separator=", ", wrap, anchor>
};
public static final Vocabulary VOCABULARY = new VocabularyImpl(_LITERAL_NAMES,
    _SYMBOLIC_NAMES);

/**
 * @deprecated Use {@link #VOCABULARY} instead.
 */
@Deprecated
public static final String[] tokenNames;
static {
    tokenNames = new String[_SYMBOLIC_NAMES.length];
    for (int i = 0; i < tokenNames.length; i++) {
        tokenNames[i] = VOCABULARY.getLiteralName(i);
        if (tokenNames[i] == null) {
            tokenNames[i] = VOCABULARY.getSymbolicName(i);
        }

        if (tokenNames[i] == null) {
            tokenNames[i] = "<INVALID>";
        }
    }
}
}

```

```

@Override
@Deprecated
public String[] getTokenNames() {
    return tokenNames;
}

```

```

@Override

public Vocabulary getVocabulary() {
    return VOCABULARY;
}
>>

```

```

dumpActions(recog, argFuncs, actionFuncs, sempredFuncs) ::= <<
<if(actionFuncs)>
@Override
public void action(RuleContext _localctx, int ruleIndex, int actionIndex) {
    switch (ruleIndex) {
        <recog.actionFuncs.values:{f}
    case <f.ruleIndex>:
        <f.name>_action((<f.ctxType>)_localctx, actionIndex);
        break;}; separator="\n"
    }
}
<actionFuncs.values; separator="\n">
<endif>
<if(sempredFuncs)>
@Override
public boolean sempred(RuleContext _localctx, int ruleIndex, int predIndex) {
    switch (ruleIndex) {
        <recog.sempredFuncs.values:{f}
    case <f.ruleIndex>:
        return <f.name>_sempred((<f.ctxType>)_localctx, predIndex);}; separator="\n"
    }
    return true;
}
<sempredFuncs.values; separator="\n">
<endif>
>>

```

```

parser_ctor(p) ::= <<
public <p.name>(TokenStream input) {
    super(input);
    _interp = new ParserATNSimulator(this, _ATN, _decisionToDFA, _sharedContextCache);
}
>>

```

/\* This generates a private method since the actionIndex is generated, making an

```

* overriding implementation impossible to maintain.
*/
RuleActionFunction(r, actions) ::= <<
private void <r.name>_action(<r.ctxType> _localctx, int actionIndex) {
    switch (actionIndex) {
        <actions:{index|
case <index>:
        <actions.(index)>
        break;}; separator="\n">
    }
}
>>

/* This generates a private method since the predIndex is generated, making an
* overriding implementation impossible to maintain.
*/
RuleSempredFunction(r, actions) ::= <<
private boolean <r.name>_sempred(<r.ctxType> _localctx, int predIndex) {
    switch (predIndex) {
        <actions:{index|
case <index>:
        return <actions.(index)>;}; separator="\n">
    }
    return true;
}
>>

RuleFunction(currentRule,args,code,locals,ruleCtx,altLabelCtxs,namedActions,finallyAction,postamble,exceptions)
::= <<

<ruleCtx>
<altLabelCtxs:{l | <altLabelCtxs.(l)>}; separator="\n">

<if(currentRule.modifiers)><currentRule.modifiers:{f | <f> }><else>public final <endif><currentRule.ctxType>
<currentRule.name><(<args; separator=",">) throws RecognitionException {
    <currentRule.ctxType> _localctx = new <currentRule.ctxType>(<_ctx, getState()<currentRule.args:{a | ,
<a.name>}>>);
    enterRule(_localctx, <currentRule.startState>, RULE_<currentRule.name>);
    <namedActions.init>
    <locals; separator="\n">
    try {
    <if(currentRule.hasLookaheadBlock)>
        int _alt;
    <endif>
    <code>
    <postamble; separator="\n">
    <namedActions.after>
    }
}

```

```

<if(exceptions)>
<exceptions; separator="\n">
<else>
catch (RecognitionException re) {
    _localctx.exception = re;
    _errHandler.reportError(this, re);
    _errHandler.recover(this, re);
}
<endif>
finally {
    <finallyAction>
    exitRule();
}
return _localctx;
}
>>

```

```

LeftRecursiveRuleFunction(currentRule,args,code,locals,ruleCtx,altLabelCtxs,
    namedActions,finallyAction,postamble) ::=

```

```
<<
```

```
<ruleCtx>
```

```
<altLabelCtxs:{l | <altLabelCtxs.(l)>}; separator="\n">
```

```

<if(currentRule.modifiers)><currentRule.modifiers:{f | <f> }><else>public final <endif><currentRule.ctxType>
<currentRule.name><(args; separator=", "> throws RecognitionException {
    return <currentRule.name>(0<currentRule.args:{a | , <a.name>>>);
}

```

```

private <currentRule.ctxType> <currentRule.name>(int _p<args:{a | , <a>>)) throws RecognitionException {
    ParserRuleContext _parentctx = _ctx;
    int _parentState = getState();
    <currentRule.ctxType> _localctx = new <currentRule.ctxType>(_ctx, _parentState<currentRule.args:{a | ,
    <a.name>>>);
    <currentRule.ctxType> _prevctx = _localctx;
    int _startState = <currentRule.startState>;
    enterRecursionRule(_localctx, <currentRule.startState>, RULE_<currentRule.name>, _p);
    <namedActions.init>
    <locals; separator="\n">
    try {
    <if(currentRule.hasLookaheadBlock)>
        int _alt;
    <endif>
        <code>
        <postamble; separator="\n">
        <namedActions.after>
    }
    catch (RecognitionException re) {

```

```

    _localctx.exception = re;
    _errHandler.reportError(this, re);
    _errHandler.recover(this, re);
}
finally {
    <finallyAction>
    unrollRecursionContexts(_parentctx);
}
return _localctx;
}
>>

```

```

CodeBlockForOuterMostAlt(currentOuterMostAltCodeBlock, locals, preamble, ops) ::= <<
<if(currentOuterMostAltCodeBlock.altLabel)>_localctx = new <currentOuterMostAltCodeBlock.altLabel;
format="cap">Context(_localctx);<endif>
enterOuterAlt(_localctx, <currentOuterMostAltCodeBlock.alt.altNum>);
<CodeBlockForAlt(currentAltCodeBlock=currentOuterMostAltCodeBlock, ...)>
>>

```

```

CodeBlockForAlt(currentAltCodeBlock, locals, preamble, ops) ::= <<
{
    <locals; separator="\n">
    <preamble; separator="\n">
    <ops; separator="\n">
}
>>

```

```

LL1AltBlock(choice, preamble, alts, error) ::= <<
setState(<choice.stateNumber>);
_errHandler.sync(this);
<if(choice.label)><labelref(choice.label)> = _input.LT(1);<endif>
<preamble; separator="\n">
switch (_input.LA(1)) {
    <choice.altLook,alts:{look,alt| <cases(ttypes=look)>
    <alt>
    break;}; separator="\n">
default:
    <error>
}
>>

```

```

LL1OptionalBlock(choice, alts, error) ::= <<
setState(<choice.stateNumber>);
_errHandler.sync(this);
switch (_input.LA(1)) {
    <choice.altLook,alts:{look,alt| <cases(ttypes=look)>
    <alt>
    break;}; separator="\n">
}
>>

```

default:

```
break;  
}  
>>
```

```
LL1OptionalBlockSingleAlt(choice, expr, alts, preamble, error, followExpr) ::= <<  
setState(<choice.stateNumber>);  
_errHandler.sync(this);  
<preamble; separator="\n">  
if (<expr>) {  
  <alts; separator="\n">  
}  
<!else if ( !(<followExpr> ) <error>!>  
>>
```

```
LL1StarBlockSingleAlt(choice, loopExpr, alts, preamble, iteration) ::= <<  
setState(<choice.stateNumber>);  
_errHandler.sync(this);  
<preamble; separator="\n">  
while (<loopExpr>) {  
  <alts; separator="\n">  
  setState(<choice.loopBackStateNumber>);  
  _errHandler.sync(this);  
  <iteration>  
}  
>>
```

```
LL1PlusBlockSingleAlt(choice, loopExpr, alts, preamble, iteration) ::= <<  
setState(<choice.blockStartStateNumber>); <! alt block decision !>  
_errHandler.sync(this);  
<preamble; separator="\n">  
do {  
  <alts; separator="\n">  
  setState(<choice.stateNumber>); <! loopback/exit decision !>  
  _errHandler.sync(this);  
  <iteration>  
} while ( <loopExpr> );  
>>
```

// LL(\*) stuff

```
AltBlock(choice, preamble, alts, error) ::= <<  
setState(<choice.stateNumber>);  
_errHandler.sync(this);  
<if(choice.label)><labelref(choice.label)> = _input.LT(1);<endif>  
<preamble; separator="\n">  
switch ( getInterpreter().adaptivePredict(_input,<choice.decision>,_ctx) ) {  
  <alts:{alt |
```

```

case <i>:
  <alt>
  break;}; separator="\n">
}
>>

```

```

OptionalBlock(choice, alts, error) ::= <<
setState(<choice.stateNumber>);
_errHandler.sync(this);
switch ( getInterpreter().adaptivePredict(_input,<choice.decision>,_ctx) ) {
<alts:{ alt |
case <i><if(!choice.ast.greedy)>+1<endif>:
  <alt>
  break;}; separator="\n">
}
>>

```

```

StarBlock(choice, alts, sync, iteration) ::= <<
setState(<choice.stateNumber>);
_errHandler.sync(this);
_alt = getInterpreter().adaptivePredict(_input,<choice.decision>,_ctx);
while ( _alt!=<choice.exitAlt> && _alt!=org.antlr.v4.runtime.atn.ATN.INVALID_ALT_NUMBER ) {
if ( _alt==1<if(!choice.ast.greedy)>+1<endif> ) {
  <iteration>
  <alts> <! should only be one !>
}
setState(<choice.loopBackStateNumber>);
_errHandler.sync(this);
_alt = getInterpreter().adaptivePredict(_input,<choice.decision>,_ctx);
}
>>

```

```

PlusBlock(choice, alts, error) ::= <<
setState(<choice.blockStartStateNumber>); <! alt block decision !>
_errHandler.sync(this);
_alt = 1<if(!choice.ast.greedy)>+1<endif>;
do {
  switch ( _alt ) {
  <alts:{ alt |
case <i><if(!choice.ast.greedy)>+1<endif>:
  <alt>
  break;}; separator="\n">
  default:
  <error>
  }
  setState(<choice.loopBackStateNumber>); <! loopback/exit decision !>
  _errHandler.sync(this);
  _alt = getInterpreter().adaptivePredict(_input,<choice.decision>,_ctx);
}

```



```

} while ( _alt!=<choice.exitAlt> && _alt!=org.antlr.v4.runtime.atn.ATN.INVALID_ALT_NUMBER );
>>

Sync(s) ::= "sync(<s.expecting.name>);"

ThrowNoViableAlt(t) ::= "throw new NoViableAltException(this);"

TestSetInline(s) ::= <<
<s.bitsets:{bits | <if(rest(rest(bits.ttypes)))><bitsetBitfieldComparison(s, bits)><else><bitsetInlineComparison(s,
bits)><endif>}; separator=" || ">
>>

// Java language spec 15.19 - shift operators mask operands rather than overflow to 0... need range test
testShiftInRange(shiftAmount) ::= <<
((<shiftAmount>) & ~0x3f) == 0
>>

// produces smaller bytecode only when bits.ttypes contains more than two items
bitsetBitfieldComparison(s, bits) ::= <%
(<testShiftInRange({<offsetShift(s.varName, bits.shift)>})> && ((1L \<< <offsetShift(s.varName, bits.shift)>) &
(<bits.ttypes:{ttype | (1L \<< <offsetShift(ttype, bits.shift)>)}; separator=" | ">)) != 0)
%>

isZero ::= [
"0":true,
default:false
]

offsetShift(shiftAmount, offset) ::= <%
<if(!isZero.(offset))><shiftAmount> - <offset><else><shiftAmount><endif>
%>

// produces more efficient bytecode when bits.ttypes contains at most two items
bitsetInlineComparison(s, bits) ::= <%
<bits.ttypes:{ttype | <s.varName>==<ttype>}; separator=" || ">
%>

cases(ttypes) ::= <<
<ttypes:{t | case <t>}; separator="\n">
>>

InvokeRule(r, argExprsChunks) ::= <<
setState(<r.stateNumber>);
<if(r.labels)><r.labels:[1 | <labelref(l)> =
]><endif><r.name><(<if(r.ast.options.p)><r.ast.options.p><if(argExprsChunks)><endif><endif><argExprsChunks>
);
>>

```

```

MatchToken(m) ::= <<
  setState(<m.stateNumber>);
  <if(m.labels)><m.labels:{1 | <labelref(l)> = }><endif>match(<m.name>);
>>

```

```

MatchSet(m, expr, capture) ::= "<CommonSetStuff(m, expr, capture, false)>"

```

```

MatchNotSet(m, expr, capture) ::= "<CommonSetStuff(m, expr, capture, true)>"

```

```

CommonSetStuff(m, expr, capture, invert) ::= <<
  setState(<m.stateNumber>);
  <if(m.labels)><m.labels:{1 | <labelref(l)> = }>_input.LT(1);<endif>
  <capture>
  if ( <if(invert)><m.varName> \<= 0 || <else>!<endif>(<expr> ) ) {
    <if(m.labels)><m.labels:{1 | <labelref(l)> = (Token)}><endif>_errHandler.recoverInline(this);
  }
  else {
    if ( _input.LA(1)==Token.EOF ) matchedEOF = true;
    _errHandler.reportMatch(this);
    consume();
  }
>>

```

```

Wildcard(w) ::= <<
  setState(<w.stateNumber>);
  <if(w.labels)><w.labels:{1 | <labelref(l)> = }><endif>matchWildcard();
>>

```

```

// ACTION STUFF

```

```

Action(a, foo, chunks) ::= "<chunks>"

```

```

ArgAction(a, chunks) ::= "<chunks>"

```

```

SemPred(p, chunks, failChunks) ::= <<
  setState(<p.stateNumber>);
  if (!(<chunks>)) throw new FailedPredicateException(this, <p.predicate><if(failChunks)>,
  <failChunks><elseif(p.msg)>, <p.msg><endif>);
>>

```

```

ExceptionClause(e, catchArg, catchAction) ::= <<
  catch (<catchArg>) {
    <catchAction>
  }
>>

```

```

// lexer actions are not associated with model objects

```

```

LexerSkipCommand() ::= "skip();"
LexerMoreCommand() ::= "more();"
LexerPopModeCommand() ::= "popMode();"

LexerTypeCommand(arg, grammar) ::= "_type = <arg>";
LexerChannelCommand(arg, grammar) ::= "_channel = <arg>";
LexerModeCommand(arg, grammar) ::= "_mode = <arg>";
LexerPushModeCommand(arg, grammar) ::= "pushMode(<arg>);"

ActionText(t) ::= "<t.text>"
ActionTemplate(t) ::= "<t.st>"
ArgRef(a) ::= "_localctx.<a.name>"
LocalRef(a) ::= "_localctx.<a.name>"
RetValRef(a) ::= "_localctx.<a.name>"
QRetValRef(a) ::= "<ctx(a)>.<a.dict>.<a.name>"
/** How to translate $tokenLabel */
TokenRef(t) ::= "<ctx(t)>.<t.name>"
LabelRef(t) ::= "<ctx(t)>.<t.name>"
ListLabelRef(t) ::= "<ctx(t)>.<ListLabelName(t.name)>"
SetAttr(s,rhsChunks) ::= "<ctx(s)>.<s.name> = <rhsChunks>";

TokenLabelType() ::= "<file.TokenLabelType; null={Token}>"
InputSymbolType() ::= "<file.InputSymbolType; null={Token}>"

TokenPropertyRef_text(t) ::= "<ctx(t)>.<t.label>!=null?<ctx(t)>.<t.label>.getText():null)"
TokenPropertyRef_type(t) ::= "<ctx(t)>.<t.label>!=null?<ctx(t)>.<t.label>.getType():0)"
TokenPropertyRef_line(t) ::= "<ctx(t)>.<t.label>!=null?<ctx(t)>.<t.label>.getLine():0)"
TokenPropertyRef_pos(t) ::= "<ctx(t)>.<t.label>!=null?<ctx(t)>.<t.label>.getCharPositionInLine():0)"
TokenPropertyRef_channel(t) ::= "<ctx(t)>.<t.label>!=null?<ctx(t)>.<t.label>.getChannel():0)"
TokenPropertyRef_index(t) ::= "<ctx(t)>.<t.label>!=null?<ctx(t)>.<t.label>.getTokenIndex():0)"
TokenPropertyRef_int(t) ::= "<ctx(t)>.<t.label>!=null?Integer.valueOf(<ctx(t)>.<t.label>.getText()):0)"

RulePropertyRef_start(r) ::= "<ctx(r)>.<r.label>!=null?<ctx(r)>.<r.label>.start():null)"
RulePropertyRef_stop(r) ::= "<ctx(r)>.<r.label>!=null?<ctx(r)>.<r.label>.stop():null)"
RulePropertyRef_text(r) ::=
"<ctx(r)>.<r.label>!=null?_input.getText(<ctx(r)>.<r.label>.start,<ctx(r)>.<r.label>.stop):null)"
RulePropertyRef_ctx(r) ::= "<ctx(r)>.<r.label>"
RulePropertyRef_parser(r) ::= "this"

ThisRulePropertyRef_start(r) ::= "_localctx.start"
ThisRulePropertyRef_stop(r) ::= "_localctx.stop"
ThisRulePropertyRef_text(r) ::= "_input.getText(_localctx.start, _input.LT(-1))"
ThisRulePropertyRef_ctx(r) ::= "_localctx"
ThisRulePropertyRef_parser(r) ::= "this"

NonLocalAttrRef(s) ::= "(<s.ruleName; format='cap'>Context)getInvokingContext(<s.ruleIndex>).<s.name>"
SetNonLocalAttr(s, rhsChunks) ::=
"(<s.ruleName; format='cap'>Context)getInvokingContext(<s.ruleIndex>).<s.name> = <rhsChunks>";

```

```

AddToLabelList(a) ::= "<ctx(a.label)>.<a.listName>.add(<labelref(a.label)>);"

TokenDecl(t) ::= "<TokenLabelType()> <t.name>"
TokenTypeDecl(t) ::= "int <t.name>);"
TokenListDecl(t) ::= "List<Token> <t.name> = new ArrayList<Token>()"
RuleContextDecl(r) ::= "<r.ctxName> <r.name>"
RuleContextListDecl(rdecl) ::= "List<<rdecl.ctxName>> <rdecl.name> = new ArrayList<<rdecl.ctxName>>()"

ContextTokenGetterDecl(t) ::=
    "public TerminalNode <t.name>() { return getToken(<parser.name>.<t.name>, 0); }"
ContextTokenListGetterDecl(t) ::=
    "public List<TerminalNode> <t.name>() { return getTokens(<parser.name>.<t.name>); }"
ContextTokenListIndexedGetterDecl(t) ::= <<
public TerminalNode <t.name>(int i) {
    return getToken(<parser.name>.<t.name>, i);
}
>>
ContextRuleGetterDecl(r) ::= <<
public <r.ctxName> <r.name>() {
    return getRuleContext(<r.ctxName>.class,0);
}
>>
ContextRuleListGetterDecl(r) ::= <<
public List<<r.ctxName>> <r.name>() {
    return getRuleContexts(<r.ctxName>.class);
}
>>
ContextRuleListIndexedGetterDecl(r) ::= <<
public <r.ctxName> <r.name>(int i) {
    return getRuleContext(<r.ctxName>.class,i);
}
>>

LexerRuleContext() ::= "RuleContext"

/** The rule context name is the rule followed by a suffix; e.g.,
 * r becomes rContext.
 */
RuleContextNameSuffix() ::= "Context"

ImplicitTokenLabel(tokenName) ::= "<tokenName>"
ImplicitRuleLabel(ruleName) ::= "<ruleName>"
ImplicitSetLabel(id) ::= "_tset<id>"
ListLabelName(label) ::= "<label>"

CaptureNextToken(d) ::= "<d.varName> = _input.LT(1);"
CaptureNextTokenType(d) ::= "<d.varName> = _input.LA(1);"

```

```

StructDecl(struct,ctorAttrs,attrs, getters,dispatchMethods,interfaces,extensionMembers)
 ::= <<
public static class <struct.name> extends
<if(contextSuperClass)><contextSuperClass><else>ParserRuleContext<endif><if(interfaces)> implements
<interfaces; separator=", "><endif> {
  <attrs:{ a | public <a>;}; separator="\n">
  <getters:{ g | <g>;}; separator="\n">
  <if(ctorAttrs)>public <struct.name>(ParserRuleContext parent, int invokingState) { super(parent, invokingState);
  }<endif>
  public <struct.name>(ParserRuleContext parent, int invokingState<ctorAttrs:{ a | , <a>>}) {
    super(parent, invokingState);
    <struct.ctorAttrs:{ a | this.<a.name> = <a.name>;}; separator="\n">
  }
  @Override public int getRuleIndex() { return RULE_<struct.derivedFromName>; }
<if(struct.provideCopyFrom)> <! don't need copy unless we have subclasses !>
  public <struct.name>() { }
  public void copyFrom(<struct.name> ctx) {
    super.copyFrom(ctx);
    <struct.attrs:{ a | this.<a.name> = ctx.<a.name>;}; separator="\n">
  }
<endif>
  <dispatchMethods; separator="\n">
  <extensionMembers; separator="\n">
}
>>

```

```

AltLabelStructDecl(struct,attrs, getters,dispatchMethods) ::= <<
public static class <struct.name> extends <currentRule.name; format="cap">Context {
  <attrs:{ a | public <a>;}; separator="\n">
  <getters:{ g | <g>;}; separator="\n">
  public <struct.name>(<currentRule.name; format="cap">Context ctx) { copyFrom(ctx); }
  <dispatchMethods; separator="\n">
}
>>

```

```

ListenerDispatchMethod(method) ::= <<
@Override
public void <if(method.isEnter)>enter<else>exit<endif>Rule(ParseTreeListener listener) {
  if ( listener instanceof <parser.grammarName>Listener )
    ((<parser.grammarName>Listener)listener).<if(method.isEnter)>enter<else>exit<endif><struct.derivedFromName;
    format="cap">(this);
}
>>

```

```

VisitorDispatchMethod(method) ::= <<
@Override
public <T> T accept(ParseTreeVisitor<? extends T> visitor) {

```

```

if ( visitor instanceof <parser.grammarName>Visitor ) return ((<parser.grammarName>Visitor\<? extends
T>)visitor).visit<struct.derivedFromName; format="cap">(this);
else return visitor.visitChildren(this);
}
>>

```

```

AttributeDecl(d) ::= "<d.type> <d.name><if(d.initValue)> = <d.initValue><endif>"

```

```

/** If we don't know location of label def x, use this template */
labelref(x) ::= "<if(!x.isLocal)>(<x.ctx.name>)_localctx.<endif><x.name>"

```

```

/** For any action chunk, what is correctly-typed context struct ptr? */
ctx(actionChunk) ::= "(<actionChunk.ctx.name>)_localctx"

```

```

// used for left-recursive rules
recRuleAltPredicate(ruleName,opPrec) ::= "precpred(_ctx, <opPrec>)"
recRuleSetReturnAction(src,name) ::= "$<name>=$<src>.<name>;"
recRuleSetStopToken() ::= "_ctx.stop = _input.LT(-1);"

```

```

recRuleAltStartAction(ruleName, ctxName, label, isListLabel) ::= <<
_localctx = new <ctxName>Context(_parentctx, _parentState);
<if(label)>
<if(isListLabel)>
_localctx.<label>.add(_prevctx);
<else>
_localctx.<label> = _prevctx;
<endif>
<endif>
<if(label)>_localctx.<label> = _prevctx;<endif>
pushNewRecursionContext(_localctx, _startState, RULE_<ruleName>);
>>

```

```

recRuleLabeledAltStartAction(ruleName, currentAltLabel, label, isListLabel) ::= <<
_localctx = new <currentAltLabel; format="cap">Context(new <ruleName; format="cap">Context(_parentctx,
_parentState));
<if(label)>
<if(isListLabel)>
((<currentAltLabel; format="cap">Context)_localctx).<label>.add(_prevctx);
<else>
((<currentAltLabel; format="cap">Context)_localctx).<label> = _prevctx;
<endif>
<endif>
pushNewRecursionContext(_localctx, _startState, RULE_<ruleName>);
>>

```

```

recRuleReplaceContext(ctxName) ::= <<
_localctx = new <ctxName>Context(_localctx);
_ctx = _localctx;

```

```
_prevctx = _localctx;
```

```
>>
```

```
recRuleSetPrevCtx() ::= <<
```

```
if ( _parseListeners!=null ) triggerExitRuleEvent();
```

```
_prevctx = _localctx;
```

```
>>
```

```
LexerFile(lexerFile, lexer, namedActions) ::= <<
```

```
<fileHeader(lexerFile.grammarFileName, lexerFile.ANTLRVersion)>
```

```
<if(lexerFile.genPackage)>
```

```
package <lexerFile.genPackage>;
```

```
<endif>
```

```
<namedActions.header>
```

```
import org.antlr.v4.runtime.Lexer;
```

```
import org.antlr.v4.runtime.CharStream;
```

```
import org.antlr.v4.runtime.Token;
```

```
import org.antlr.v4.runtime.TokenStream;
```

```
import org.antlr.v4.runtime.*;
```

```
import org.antlr.v4.runtime.atn.*;
```

```
import org.antlr.v4.runtime.dfa.DFA;
```

```
import org.antlr.v4.runtime.misc.*;
```

```
<lexer>
```

```
>>
```

```
Lexer(lexer, atn, actionFuncs, sempredFuncs, superClass) ::= <<
```

```
@SuppressWarnings({"all", "warnings", "unchecked", "unused", "cast"})
```

```
public class <lexer.name> extends <superClass; null="Lexer"> {
```

```
    static { RuntimeMetaData.checkVersion("<lexerFile.ANTLRVersion>", RuntimeMetaData.VERSION); }
```

```
    protected static final DFA[] _decisionToDFA;
```

```
    protected static final PredictionContextCache _sharedContextCache =
```

```
        new PredictionContextCache();
```

```
    <if(lexer.tokens)>
```

```
    public static final int
```

```
        <lexer.tokens:{k | <k>=<lexer.tokens.(k)>}; separator=", ", wrap, anchor>;
```

```
    <endif>
```

```
    <if(lexer.channels)>
```

```
    public static final int
```

```
        <lexer.channels:{c | <c>=<lexer.channels.(c)>}; separator=", ", wrap, anchor>;
```

```
    <endif>
```

```
    <if(rest(lexer.modes))>
```

```
    public static final int
```

```
        <rest(lexer.modes):{m | <m>=<i>}; separator=", ", wrap, anchor>;
```

```
    <endif>
```

```
    public static String[] channelNames = {
```

```

"DEFAULT_TOKEN_CHANNEL", "HIDDEN"<if (lexer.channels)>, <lexer.channels:{c| "<c>"}; separator=", ",
wrap, anchor><endif>
};

public static String[] modeNames = {
<lexer.modes:{m| "<m>"}; separator=", ", wrap, anchor>
};

public static final String[] ruleNames = {
<lexer.ruleNames:{r| "<r>"}; separator=", ", wrap, anchor>
};

<vocabulary(lexer.literalNames, lexer.symbolicNames)>

<namedActions.members>

public <lexer.name>(CharStream input) {
super(input);
_interp = new LexerATNSimulator(this, _ATN, _decisionToDFA, _sharedContextCache);
}

@Override
public String getGrammarFileName() { return "<lexer.grammarFileName>"; }

@Override
public String[] getRuleNames() { return ruleNames; }

@Override
public String getSerializedATN() { return _serializedATN; }

@Override
public String[] getChannelNames() { return channelNames; }

@Override
public String[] getModeNames() { return modeNames; }

@Override
public ATN getATN() { return _ATN; }

<dumpActions(lexer, "", actionFuncs, sempredFuncs)>
<atn>
}
>>

SerializedATN(model) ::= <<
<if(rest(model.segments))>
<! requires segmented representation !>
private static final int _serializedATNSegments = <length(model.segments)>;

```



```

<model.segments:{segment|private static final String _serializedATNSegment<i0> =
"<segment; wrap="{ "+<\n><\t>">";}; separator="\n">
public static final String _serializedATN = Utils.join(
new String[] {
<model.segments:{segment | _serializedATNSegment<i0>}; separator=",\n">
},
""
);
<else>
<! only one segment, can be inlined !>
public static final String _serializedATN =
"<model.serialized; wrap="{ "+<\n><\t>">";
<endif>
public static final ATN _ATN =
new ATNDeserializer().deserialize(_serializedATN.toCharArray());
static {
_decisionToDFA = new DFA[_ATN.getNumberOfDecisions()];
for (int i = 0; i < _ATN.getNumberOfDecisions(); i++) {
_decisionToDFA[i] = new DFA(_ATN.getDecisionState(i), i);
}
<! org.antlr.v4.tool.DOTGenerator dot = new org.antlr.v4.tool.DOTGenerator(null);!>
<! System.out.println(dot.getDOT(_ATN.decisionToState.get(0), ruleNames, false));!>
<! System.out.println(dot.getDOT(_ATN.ruleToStartState[2], ruleNames, false));!>
}
>>

/** Using a type to init value map, try to init a type; if not in table
* must be an object, default value is "null".
*/
initValue(typeName) ::= <<
<javaTypeInitMap.(typeName)>
>>

```

```
codeFileExtension() ::= ".java"
```

Found in path(s):

```
* /opt/cola/permits/1274703849_1645234551.46/0/antlr4-4-7-1-sources-
jar/org/antlr/v4/tool/templates/codegen/Java/Java.stg
```

No license file was found, but licenses were detected in source scan.

```

/*
* Copyright (c) 2012-2017 The ANTLR Project. All rights reserved.
* Use of this file is governed by the BSD 3-clause license that
* can be found in the LICENSE.txt file in the project root.
*/
/**

```

[The "BSD license"]

Copyright (c) 2011 Cay Horstmann

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The name of the author may not be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

\*/

Found in path(s):

\* /opt/cola/permits/1274703849\_1645234551.46/0/antlr4-4-7-1-sources-jar/org/antlr/v4/gui/GraphicsSupport.java

No license file was found, but licenses were detected in source scan.

/\*

[The "BSD licence"]

Copyright (c) 2006 Kay Roepke

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The name of the author may not be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES

OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.  
IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,  
INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT  
NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,  
DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY  
THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT  
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF  
THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

\*/

/\*

This file contains the actual layout of the messages emitted by ANTLR.

This file contains the default format ANTLR uses.

\*/

location(file, line, column) ::= "<file>:<line>:<column>:"

message(id, text) ::= "<id> <text>"

report(location, message, type) ::= "<type>(<message.id>): <location> <message.text>"

wantsSingleLineMessage() ::= "false"

Found in path(s):

\* /opt/cola/permits/1274703849\_1645234551.46/0/antlr4-4-7-1-sources-  
jar/org/antlr/v4/tool/templates/messages/formats/antlr.stg

No license file was found, but licenses were detected in source scan.

/\*

\* [The "BSD license"]

\* Copyright (c) 2012-2016 Terence Parr

\* Copyright (c) 2012-2016 Sam Harwell

\* Copyright (c) 2014 Eric Vergnaud

\* All rights reserved.

\*

\* Redistribution and use in source and binary forms, with or without

\* modification, are permitted provided that the following conditions

\* are met:

\*

\* 1. Redistributions of source code must retain the above copyright

\* notice, this list of conditions and the following disclaimer.

\* 2. Redistributions in binary form must reproduce the above copyright

\* notice, this list of conditions and the following disclaimer in the

\* documentation and/or other materials provided with the distribution.

\* 3. The name of the author may not be used to endorse or promote products

\* derived from this software without specific prior written permission.

\*

\* THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR

\* IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES

```

* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.
* IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,
* INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT
* NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
* DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
* THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
* (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF
* THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
*/

```

```

/** ANTLR tool checks output templates are compatible with tool code generation.

```

```

* For now, a simple string match used on x.y of x.y.z scheme.

```

```

* Must match Tool.VERSION during load to templates.

```

```

*

```

```

* REQUIRED.

```

```

*/

```

```

pythonTypeInitMap ::= [
  "bool":"False",
  "int":"0",
  "float":"0.0",
  "str": "",
  default:"None" // anything other than a primitive type is an object
]

```

```

// args must be <object-model-object>, <fields-resulting-in-STs>

```

```

ParserFile(file, parser, namedActions, contextSuperClass) ::= <<

```

```

<fileHeader(file.grammarFileName, file.ANTLRVersion)>

```

```

# encoding: utf-8

```

```

from __future__ import print_function

```

```

from antlr4 import *

```

```

from io import StringIO

```

```

import sys

```

```

<namedActions.header>

```

```

<parser>

```

```

>>

```

```

ListenerFile(file, header, namedActions) ::= <<

```

```

<fileHeader(file.grammarFileName, file.ANTLRVersion)>

```

```

from antlr4 import *

```

```

<header>

```

```

# This class defines a complete listener for a parse tree produced by <file.parserName>.

```

```

class <file.grammarName>Listener(ParseTreeListener):

```

```

    <file.listenerNames:{ lname |
# Enter a parse tree produced by <file.parserName>#<lname>.
def enter<lname; format="cap">(self, ctx):
    pass

# Exit a parse tree produced by <file.parserName>#<lname>.
def exit<lname; format="cap">(self, ctx):
    pass

}; separator="\n">

>>

```

```

VisitorFile(file, header, namedActions) ::= <<
<fileHeader(file.grammarFileName, file.ANTLRVersion)>
from antlr4 import *
<header>

# This class defines a complete generic visitor for a parse tree produced by <file.parserName>.

class <file.grammarName>Visitor(ParseTreeVisitor):

    <file.visitorNames:{ lname |
# Visit a parse tree produced by <file.parserName>#<lname>.
def visit<lname; format="cap">(self, ctx):
    return self.visitChildren(ctx)

}; separator="\n">

>>

```

```

fileHeader(grammarFileName, ANTLRVersion) ::= <<
# Generated from <grammarFileName> by ANTLR <ANTLRVersion>
>>

```

```

Parser(parser, funcs, atn, sempredFuncs, superClass) ::= <<
<Parser_(ctor="parser_ctor", ...)>
>>

```

```

Parser_(parser, funcs, atn, sempredFuncs, ctor, superClass) ::= <<
<if(superClass)>
from .<superClass> import <superClass>

<endif>
<atn>

```

```

class <parser.name> ( <if(superClass)><superClass><else>Parser<endif> ):

    grammarFileName = "<parser.grammarFileName>"

    atn = ATNDeserializer().deserialize(serializedATN())

    decisionsToDFA = [ DFA(ds, i) for i, ds in enumerate(atn.decisionToState) ]

    sharedContextCache = PredictionContextCache()

    literalNames = [ <parser.literalNames:{t | u<t>}; null="u\\"<INVALID>\\"", separator=", ", wrap, anchor> ]

    symbolicNames = [ <parser.symbolicNames:{t | u<t>}; null="u\\"<INVALID>\\"", separator=", ", wrap, anchor> ]

    <parser.rules:{r | RULE_<r.name> = <r.index>}; separator="\n", wrap, anchor>

    ruleNames = [ <parser.ruleNames:{r | u"<r>"}; separator=", ", wrap, anchor> ]

    EOF = <TokenLabelType().EOF

    <if(parser.tokens)>
    <parser.tokens:{k | <k>=<parser.tokens.(k)>}; separator="\n", wrap, anchor>
    <endif>

    <parser:(ctor())>

    <namedActions.members>

    <funcs; separator="\n">

    <if(sempredFuncs)>
    def sempred(self, localctx, ruleIndex, predIndex):
        if self._predicates == None:
            self._predicates = dict()
    <parser.sempredFuncs.values:{f |
        self._predicates[<f.ruleIndex>] = self.<f.name>_sempred}; separator="\n    ">
        pred = self._predicates.get(ruleIndex, None)
        if pred is None:
            raise Exception("No predicate with index:" + str(ruleIndex))
        else:
            return pred(localctx, predIndex)

    <sempredFuncs.values; separator="\n">
    <endif>

    >>

```

```

dumpActions(recog, argFuncs, actionFuncs, sempredFuncs) ::= <<
<if(actionFuncs)>
def action(self, localctx, ruleIndex, actionIndex):
    if self._actions is None:
        actions = dict()
<recog.actionFuncs.values: {f|
    actions[<f.ruleIndex>] = self.<f.name>_action }; separator="\n">
    self._actions = actions
    action = self._actions.get(ruleIndex, None)
    if action is not None:
        action(localctx, actionIndex)
    else:
        raise Exception("No registered action for:" + str(ruleIndex))

<actionFuncs.values; separator="\n">

<endif>
<if(sempredFuncs)>
def sempred(self, localctx, ruleIndex, predIndex):
    if self._predicates is None:
        preds = dict()
<recog.sempredFuncs.values: {f|
    preds[<f.ruleIndex>] = self.<f.name>_sempred}; separator="\n">
    self._predicates = preds
    pred = self._predicates.get(ruleIndex, None)
    if pred is not None:
        return pred(localctx, predIndex)
    else:
        raise Exception("No registered predicate for:" + str(ruleIndex))

<sempredFuncs.values; separator="\n">
<endif>
>>

parser_ctor(p) ::= <<
def __init__(self, input, output=sys.stdout):
    super(<parser.name>, self).__init__(input, output=output)
    self.checkVersion("<file.ANTLRVersion>")
    self._interp = ParserATNSimulator(self, self.atn, self.decisionsToDFA, self.sharedContextCache)
    self._predicates = None

>>

/* This generates a private method since the actionIndex is generated, making an
* overriding implementation impossible to maintain.
*/
RuleActionFunction(r, actions) ::= <<

```

```

def <r.name>_action(self, localctx , actionIndex):
<actions:{index|
<if(first(actions))>
  if actionIndex == <index>:
    <actions.(index)>
<elseif(rest(actions))>
  elif actionIndex == <index>:
    <actions.(index)>
<endif> }; separator="\n">
>>

/* This generates a private method since the predIndex is generated, making an
* overriding implementation impossible to maintain.
*/
RuleSempredFunction(r, actions) ::= <<
def <r.name>_sempred(self, localctx, predIndex):
  <actions:{index|
<if(first(actions))>
  if predIndex == <index>:
    return <actions.(index)>
<elseif(rest(actions))>
  elif predIndex == <index>:
    return <actions.(index)>
<endif> }; separator="\n">

>>

RuleFunction(currentRule,args,code,locals,ruleCtx,altLabelCtxs,namedActions,finallyAction,postamble,exceptions)
::= <<

<ruleCtx>

<altLabelCtxs:{l | <altLabelCtxs.(l)>}; separator="\n">

def <currentRule.name>(self<currentRule.args:{a | , <a.name>}>):

  localctx = <parser.name>.<currentRule.ctxType>(self, self._ctx, self.state<currentRule.args:{a | , <a.name>}>)
  self.enterRule(localctx, <currentRule.startState>, self.RULE_<currentRule.name>)
  <namedActions.init>
  <locals; separator="\n">
  try:
    <code>
    <postamble; separator="\n">
    <namedActions.after>
  <if(exceptions)>
  <exceptions; separator="\n">
  <else>

```



```

except RecognitionException as re:
    localctx.exception = re
    self._errHandler.reportError(self, re)
    self._errHandler.recover(self, re)
<endif>
finally:
    <finallyAction>
    self.exitRule()
return localctx

>>

LeftRecursiveRuleFunction(currentRule,args,code,locals,ruleCtx,altLabelCtxs,
    namedActions,finallyAction,postamble) ::=

<<

<ruleCtx>
<altLabelCtxs:{l | <altLabelCtxs.(l)>} ; separator="\n">

def <currentRule.name>(self, _p=0<if(currentRule.args)>, <args:{a | , <a>}><endif>):
    _parentctx = self._ctx
    _parentState = self.state
    localctx = <parser.name>.<currentRule.ctxType>(self, self._ctx, _parentState<args:{a | , <a.name>}>)
    _prevctx = localctx
    _startState = <currentRule.startState>
    self.enterRecursionRule(localctx, <currentRule.startState>, self.RULE_<currentRule.name>, _p)
    <namedActions.init>
    <locals; separator="\n">
    try:
        <code>
        <postamble; separator="\n">
        <namedActions.after>
    except RecognitionException as re:
        localctx.exception = re
        self._errHandler.reportError(self, re)
        self._errHandler.recover(self, re)
    finally:
        <finallyAction>
        self.unrollRecursionContexts(_parentctx)
    return localctx

>>

CodeBlockForOuterMostAlt(currentOuterMostAltCodeBlock, locals, preamble, ops) ::= <<
<if(currentOuterMostAltCodeBlock.altLabel)>localctx = <parser.name>.<currentOuterMostAltCodeBlock.altLabel;
format="cap">Context(self, localctx)<endif>
self.enterOuterAlt(localctx, <currentOuterMostAltCodeBlock.alt.altNum>)
<CodeBlockForAlt(currentAltCodeBlock=currentOuterMostAltCodeBlock, ...)>

```

>>

```
CodeBlockForAlt(currentAltCodeBlock, locals, preamble, ops) ::= <<
<locals; separator="\n">
<preamble; separator="\n">
<ops; separator="\n">
>>
```

```
LL1AltBlock(choice, preamble, alts, error) ::= <<
self.state = <choice.stateNumber>
self._errHandler.sync(self)
<if(choice.label)><labelref(choice.label)> = _input.LT(1)<endif>
<preamble; separator="\n">
token = self._input.LA(1)
<choice.altLook,alts:{look,alt| <cases(ttypes=look)>
  <alt>
  pass}; separator="\n1">
else:
  <error>
>>
```

```
LL1OptionalBlock(choice, alts, error) ::= <<
self.state = <choice.stateNumber>
self._errHandler.sync(self)
token = self._input.LA(1)
<choice.altLook,alts:{look,alt| <cases(ttypes=look)>
  <alt>
  pass}; separator="\n1">
else:
  pass
>>
```

```
LL1OptionalBlockSingleAlt(choice, expr, alts, preamble, error, followExpr) ::= <<
self.state = <choice.stateNumber>
self._errHandler.sync(self)
<preamble; separator="\n">
if <expr>:
  <alts; separator="\n">

<!else if ( !(<followExpr> ) <error>!>
>>
```

```
LL1StarBlockSingleAlt(choice, loopExpr, alts, preamble, iteration) ::= <<
self.state = <choice.stateNumber>
self._errHandler.sync(self)
<preamble; separator="\n">
```

```

while <loopExpr>:
  <alts; separator="\n">
  self.state = <choice.loopBackStateNumber>
  self._errHandler.sync(self)
  <iteration>

>>

LL1PlusBlockSingleAlt(choice, loopExpr, alts, preamble, iteration) ::= <<
self.state = <choice.blockStartStateNumber> <! alt block decision !>
self._errHandler.sync(self)
<preamble; separator="\n">
while True:
  <alts; separator="\n">
  self.state = <choice.stateNumber> <! loopback/exit decision !>
  self._errHandler.sync(self)
  <iteration>
  if not (<loopExpr>):
    break

>>

// LL(*) stuff

AltBlock(choice, preamble, alts, error) ::= <<
self.state = <choice.stateNumber>
self._errHandler.sync(self)
<if(choice.label)><labelref(choice.label)> = _input.LT(1)<endif>
<preamble; separator="\n">
la_ = self._interp.adaptivePredict(self._input,<choice.decision>,self._ctx)
<alts:{ alt |
if la_ == <i>:
  <alt>
  pass
}; separator="\nel">

>>

OptionalBlock(choice, alts, error) ::= <<
self.state = <choice.stateNumber>
self._errHandler.sync(self)
la_ = self._interp.adaptivePredict(self._input,<choice.decision>,self._ctx)
<alts:{ alt |
if la_ == <i><if(!choice.ast.greedy)>+1<endif>:
  <alt>
}; separator="\nel">

>>

```

```

StarBlock(choice, alts, sync, iteration) ::= <<
self.state = <choice.stateNumber>
self._errHandler.sync(self)
_alt = self._interp.adaptivePredict(self._input,<choice.decision>,self._ctx)
while _alt!=<choice.exitAlt> and _alt!=ATN.INVALID_ALT_NUMBER:
  if _alt==1<if(!choice.ast.greedy)>+1<endif>:
    <iteration>
    <alts> <! should only be one !>
  self.state = <choice.loopBackStateNumber>
  self._errHandler.sync(self)
  _alt = self._interp.adaptivePredict(self._input,<choice.decision>,self._ctx)

>>

```

```

PlusBlock(choice, alts, error) ::= <<
self.state = <choice.blockStartStateNumber> <! alt block decision !>
self._errHandler.sync(self)
_alt = 1<if(!choice.ast.greedy)>+1<endif>
while _alt!=<choice.exitAlt> and _alt!=ATN.INVALID_ALT_NUMBER:
  <alts: {alt|
if _alt == <i><if(!choice.ast.greedy)>+1<endif>:
  <alt>
}; separator="\n"|>
  else:
    <error>
  self.state = <choice.loopBackStateNumber> <! loopback/exit decision !>
  self._errHandler.sync(self)
  _alt = self._interp.adaptivePredict(self._input,<choice.decision>,self._ctx)

>>

```

```

Sync(s) ::= "sync(<s.expecting.name>)"

```

```

ThrowNoViableAlt(t) ::= "raise NoViableAltException(self)"

```

```

TestSetInline(s) ::= <<
<s.bitsets: {bits | <if(rest(rest(bits.ttypes)))><bitsetBitfieldComparison(s, bits)><else><bitsetInlineComparison(s,
bits)><endif>}; separator=" or ">
>>

```

```

// Java language spec 15.19 - shift operators mask operands rather than overflow to 0... need range test
testShiftInRange(shiftAmount) ::= <<
((<shiftAmount>) & ~0x3f) == 0
>>

```

```

// produces smaller bytecode only when bits.ttypes contains more than two items
bitsetBitfieldComparison(s, bits) ::= <%

```

```

(<testShiftInRange({ <offsetShiftVar(s.varName, bits.shift)> })> and ((1 \<< <offsetShiftVar(s.varName,
bits.shift)>) & (<bits.ttypes:{ ttype | (1 \<< <offsetShiftType(ttype, bits.shift)>)}; separator=" | ">)) != 0)
%>

```

```

isZero ::= [
"0":true,
default:false
]

```

```

offsetShiftVar(shiftAmount, offset) ::= <%
<if(!isZero.(offset))><shiftAmount> - <offset><else><shiftAmount><endif>
%>

```

```

offsetShiftType(shiftAmount, offset) ::= <%
<if(!isZero.(offset))><parser.name>.<shiftAmount> - <offset><else><parser.name>.<shiftAmount><endif>
%>

```

```

// produces more efficient bytecode when bits.ttypes contains at most two items
bitsetInlineComparison(s, bits) ::= <%
<bits.ttypes: { ttype | <s.varName>==<parser.name>.<ttype> }; separator=" or ">
%>

```

```

cases(ttypes) ::= <<
if token in [<ttypes: { t | <parser.name>.<t> }; separator=", ">]:
>>

```

```

InvokeRule(r, argExprsChunks) ::= <<
self.state = <r.stateNumber>
<if(r.labels)><r.labels: {1 | <labelref(1)> =
}><endif>self.<r.name>(<if(r.ast.options.p)><r.ast.options.p><if(argExprsChunks)>,<endif><endif><argExprsChu
nks>)
>>

```

```

MatchToken(m) ::= <<
self.state = <m.stateNumber>
<if(m.labels)><m.labels: {1 | <labelref(1)> = }><endif>self.match(<parser.name>.<m.name>)
>>

```

```

MatchSet(m, expr, capture) ::= "<CommonSetStuff(m, expr, capture, false)>"

```

```

MatchNotSet(m, expr, capture) ::= "<CommonSetStuff(m, expr, capture, true)>"

```

```

CommonSetStuff(m, expr, capture, invert) ::= <<
self.state = <m.stateNumber>
<if(m.labels)><m.labels: {1 | <labelref(1)> = }>self._input.LT(1)<endif>
<capture>
<if(invert)>if <m.varName> \<= 0 or <expr><else>if not(<expr>)<endif>:
<if(m.labels)><m.labels: {1 | <labelref(1)> = }><else> <endif>self._errHandler.recoverInline(self)

```

```

else:
    self._errHandler.reportMatch(self)
    self.consume()
>>

Wildcard(w) ::= <<
self.state = <w.stateNumber>
<if(w.labels)><w.labels:{1 | <labelref(1)> = }><endif>self.matchWildcard()
>>

// ACTION STUFF

Action(a, foo, chunks) ::= "<chunks>"

ArgAction(a, chunks) ::= "<chunks>"

SemPred(p, chunks, failChunks) ::= <<
self.state = <p.stateNumber>
if not <chunks>:
    from antlr4.error.Errors import FailedPredicateException
    raise FailedPredicateException(self, <p.predicate><if(failChunks)>, <failChunks><elseif(p.msg)>,
    <p.msg><endif>)
>>

ExceptionClause(e, catchArg, catchAction) ::= <<
catch (<catchArg>) {
    <catchAction>
}
>>

// lexer actions are not associated with model objects

LexerSkipCommand() ::= "skip()"
LexerMoreCommand() ::= "more()"
LexerPopModeCommand() ::= "popMode()"

LexerTypeCommand(arg, grammar) ::= "_type = <arg>"
LexerChannelCommand(arg, grammar) ::= "_channel = <arg>"
LexerModeCommand(arg, grammar) ::= "_mode = <arg>"
LexerPushModeCommand(arg, grammar) ::= "pushMode(<arg>)"

ActionText(t) ::= "<t.text>"
ActionTemplate(t) ::= "<t.st>"
ArgRef(a) ::= "localctx.<a.name>"
LocalRef(a) ::= "localctx.<a.name>"
RetValRef(a) ::= "localctx.<a.name>"
QRetValRef(a) ::= "<ctx(a)>.<a.dict>.<a.name>"
/** How to translate $tokenLabel */

```

```

TokenRef(t) ::= "<ctx(t)>.<t.name>"
LabelRef(t) ::= "<ctx(t)>.<t.name>"
ListLabelRef(t) ::= "<ctx(t)>.<ListLabelName(t.name)>"
SetAttr(s,rhsChunks) ::= "<ctx(s)>.<s.name> = <rhsChunks>"

TokenLabelType() ::= "<file.TokenLabelType; null={Token}>"
InputSymbolType() ::= "<file.InputSymbolType; null={Token}>"

TokenPropertyRef_text(t) ::= "(None if <ctx(t)>.<t.label> is None else <ctx(t)>.<t.label>.text)"
TokenPropertyRef_type(t) ::= "(0 if <ctx(t)>.<t.label> is None else <ctx(t)>.<t.label>.type()"
TokenPropertyRef_line(t) ::= "(0 if <ctx(t)>.<t.label> is None else <ctx(t)>.<t.label>.line)"
TokenPropertyRef_pos(t) ::= "(0 if <ctx(t)>.<t.label> is None else <ctx(t)>.<t.label>.column)"
TokenPropertyRef_channel(t) ::= "(0 if (<ctx(t)>.<t.label> is None else <ctx(t)>.<t.label>.channel)"
TokenPropertyRef_index(t) ::= "(0 if <ctx(t)>.<t.label> is None else <ctx(t)>.<t.label>.tokenIndex)"
TokenPropertyRef_int(t) ::= "(0 if <ctx(t)>.<t.label> is None else int(<ctx(t)>.<t.label>.text))"

RulePropertyRef_start(r) ::= "(None if <ctx(r)>.<r.label> is None else <ctx(r)>.<r.label>.start)"
RulePropertyRef_stop(r) ::= "(None if <ctx(r)>.<r.label> is None else <ctx(r)>.<r.label>.stop)"
RulePropertyRef_text(r) ::= "(None if <ctx(r)>.<r.label> is None else
self._input.getText((<ctx(r)>.<r.label>.start,<ctx(r)>.<r.label>.stop)))"
RulePropertyRef_ctx(r) ::= "<ctx(r)>.<r.label>"
RulePropertyRef_parser(r) ::= "self"

ThisRulePropertyRef_start(r) ::= "localctx.start"
ThisRulePropertyRef_stop(r) ::= "localctx.stop"
ThisRulePropertyRef_text(r) ::= "self._input.getText((localctx.start, self._input.LT(-1)))"
ThisRulePropertyRef_ctx(r) ::= "localctx"
ThisRulePropertyRef_parser(r) ::= "self"

NonLocalAttrRef(s) ::= "getInvokingContext(<s.ruleIndex>).<s.name>"
SetNonLocalAttr(s, rhsChunks) ::= "getInvokingContext(<s.ruleIndex>).<s.name> = <rhsChunks>"

AddToLabelList(a) ::= "<ctx(a.label)>.<a.listName>.append(<labelref(a.label)>)"

TokenDecl(t) ::= "self.<t.name> = None # <TokenLabelType()>"
TokenTypeDecl(t) ::= "self.<t.name> = 0 # <TokenLabelType()> type"
TokenListDecl(t) ::= "self.<t.name> = list() # of <TokenLabelType()>s"
RuleContextDecl(r) ::= "self.<r.name> = None # <r.ctxName>"
RuleContextListDecl(rdecl) ::= "self.<rdecl.name> = list() # of <rdecl.ctxName>s"

ContextTokenGetterDecl(t) ::= <<
def <t.name>(self):
    return self.getToken(<parser.name>.<t.name>, 0)
>>

// should never be called
ContextTokenListGetterDecl(t) ::= <<
def <t.name>_list(self):

```

```

    return self.getTokens(<parser.name>.<t.name>)
>>

ContextTokenListIndexedGetterDecl(t) ::= <<
def <t.name>(self, i=None):
    if i is None:
        return self.getTokens(<parser.name>.<t.name>)
    else:
        return self.getToken(<parser.name>.<t.name>, i)
>>

ContextRuleGetterDecl(r)    ::= <<
def <r.name>(self):
    return self.getTypedRuleContext(<parser.name>.<r.ctxName>,0)

>>

// should never be called
ContextRuleListGetterDecl(r) ::= <<
def <r.name>_list(self):
    return self.getTypedRuleContexts(<parser.name>.<r.ctxName>)

>>

ContextRuleListIndexedGetterDecl(r) ::= <<
def <r.name>(self, i=None):
    if i is None:
        return self.getTypedRuleContexts(<parser.name>.<r.ctxName>)
    else:
        return self.getTypedRuleContext(<parser.name>.<r.ctxName>,i)

>>

LexerRuleContext() ::= "RuleContext"

/** The rule context name is the rule followed by a suffix; e.g.,
 * r becomes rContext.
 */
RuleContextNameSuffix() ::= "Context"

ImplicitTokenLabel(tokenName) ::= "_<tokenName>"
ImplicitRuleLabel(ruleName)   ::= "_<ruleName>"
ImplicitSetLabel(id)         ::= "_tset<id>"
ListLabelName(label)        ::= "<label>"

CaptureNextToken(d) ::= "<d.varName> = self._input.LT(1)"
CaptureNextTokenType(d) ::= "<d.varName> = self._input.LA(1)"

```



```
StructDecl(struct,ctorAttrs,attrs, getters,dispatchMethods,interfaces,extensionMembers) ::= <<
class <struct.name>(<if(contextSuperClass)><contextSuperClass><else>ParserRuleContext<endif>):
```

```
def __init__(self, parser, parent=None, invokingState=-1<struct.ctorAttrs:{a | , <a.name>=None}>):
    super(<parser.name>.<struct.name>, self).__init__(parent, invokingState)
```

```
    self.parser = parser
```

```
    <attrs:{a | <a>}; separator="\n">
```

```
    <struct.ctorAttrs:{a | self.<a.name> = <a.name>}; separator="\n">
```

```
    <getters:{g | <g>}; separator="\n\n">
```

```
def getRuleIndex(self):
```

```
    return <parser.name>.RULE_<struct.derivedFromName>
```

```
<if(struct.provideCopyFrom)> <! don't need copy unless we have subclasses !>
```

```
def copyFrom(self, ctx):
```

```
    super(<parser.name>.<struct.name>, self).copyFrom(ctx)
```

```
    <struct.attrs:{a | self.<a.name> = ctx.<a.name>}; separator="\n">
```

```
<endif>
```

```
    <dispatchMethods; separator="\n">
```

```
    <extensionMembers; separator="\n">
```

```
>>
```

```
AltLabelStructDecl(struct,attrs, getters,dispatchMethods) ::= <<
```

```
class <struct.name>(<currentRule.name; format="cap">Context):
```

```
def __init__(self, parser, ctx): # actually a <parser.name>.<currentRule.name; format="cap">Context)
```

```
    super(<parser.name>.<struct.name>, self).__init__(parser)
```

```
    <attrs:{a | <a>}; separator="\n">
```

```
    self.copyFrom(ctx)
```

```
    <getters:{g | <g>}; separator="\n">
```

```
    <dispatchMethods; separator="\n">
```

```
>>
```

```
ListenerDispatchMethod(method) ::= <<
```

```
def <if(method.isEnter)>enter<else>exit<endif>Rule(self, listener):
```

```
    if hasattr(listener, "<if(method.isEnter)>enter<else>exit<endif><struct.derivedFromName; format="cap">"):
        listener.<if(method.isEnter)>enter<else>exit<endif><struct.derivedFromName; format="cap">(self)
```

```
>>
```

```
VisitorDispatchMethod(method) ::= <<
```

```
def accept(self, visitor):
```

```

if hasattr(visitor, "visit<struct.derivedFromName; format="cap">"):
    return visitor.visit<struct.derivedFromName; format="cap">(self)
else:
    return visitor.visitChildren(self)

>>

AttributeDecl(d) ::= "self.<d.name> = <if(d.initValue)><d.initValue><else>None<endif>"

/** If we don't know location of label def x, use this template */
labelref(x) ::= "<if(!x.isLocal)>localctx.<endif><x.name>"

/** For any action chunk, what is correctly-typed context struct ptr? */
ctx(actionChunk) ::= "localctx"

// used for left-recursive rules
recRuleAltPredicate(ruleName,opPrec) ::= "self.precpred(self._ctx, <opPrec>)"
recRuleSetReturnAction(src,name) ::= "$<name>=<src>.<name>"
recRuleSetStopToken() ::= "self._ctx.stop = self._input.LT(-1)"

recRuleAltStartAction(ruleName, ctxName, label) ::= <<
localctx = <parser.name>.<ctxName>Context(self, _parentctx, _parentState)
<if(label)>localctx.<label> = _prevctx<endif>
self.pushNewRecursionContext(localctx, _startState, self.RULE_<ruleName>)
>>

recRuleLabeledAltStartAction(ruleName, currentAltLabel, label, isListLabel) ::= <<
localctx = <parser.name>.<currentAltLabel; format="cap">Context(self, <parser.name>.<ruleName>;
format="cap">Context(self, _parentctx, _parentState))
<if(label)>
<if(isListLabel)>
localctx.<label>.append(_prevctx)
<else>
localctx.<label> = _prevctx
<endif>
<endif>
self.pushNewRecursionContext(localctx, _startState, self.RULE_<ruleName>)
>>

recRuleReplaceContext(ctxName) ::= <<
localctx = <parser.name>.<ctxName>Context(self, localctx)
self._ctx = localctx
_prevctx = localctx
>>

recRuleSetPrevCtx() ::= <<
if self._parseListeners is not None:

```

```

    self.triggerExitRuleEvent()
    _prevctx = localctx
>>

```

```

LexerFile(lexerFile, lexer, namedActions) ::= <<
<fileHeader(lexerFile.grammarFileName, lexerFile.ANTLRVersion)>
# encoding: utf-8
from __future__ import print_function
from antlr4 import *
from io import StringIO
import sys

```

```

<namedActions.header>

```

```

<lexer>
>>

```

```

Lexer(lexer, atn, actionFuncs, sempredFuncs, superClass) ::= <<

```

```

<atn>

```

```

class <lexer.name>(<if(superClass)><superClass><else>Lexer<endif>):

```

```

    atn = ATNDeserializer().deserialize(serializedATN())

```

```

    decisionsToDFA = [ DFA(ds, i) for i, ds in enumerate(atn.decisionToState) ]

```

```

<if(lexer.channels)>

```

```

    <lexer.channels: {c | <c> = <lexer.channels.(c)>}; separator="\n">

```

```

<endif>

```

```

<if(rest(lexer.modes))>

```

```

    <rest(lexer.modes): {m | <m> = <i>}; separator="\n">

```

```

<endif>

```

```

    <lexer.tokens: {k | <k> = <lexer.tokens.(k)>}; separator="\n", wrap, anchor>

```

```

    channelNames = [ u"DEFAULT_TOKEN_CHANNEL", u"HIDDEN"<if (lexer.channels)>, <lexer.channels: {c |
u"<c>"; separator=", ", wrap, anchor><endif> ]

```

```

    modeNames = [ <lexer.modes: {m | u"<m>"; separator=", ", wrap, anchor> ]

```

```

    literalNames = [ u"\<INVALID>",
    <lexer.literalNames: {t | u"<t>"; separator=", ", wrap, anchor> ]

```

```

    symbolicNames = [ u"\<INVALID>",
    <lexer.symbolicNames: {t | u"<t>"; separator=", ", wrap, anchor> ]

```

```

ruleNames = [ <lexer.ruleNames:{r | u"<r>"}; separator=", ", wrap, anchor> ]

grammarFileName = u"<lexer.grammarFileName>"

def __init__(self, input=None, output=sys.stdout):
    super(<lexer.name>, self).__init__(input, output=output)
    self.checkVersion("<lexerFile.ANTLRVersion>")
    self._interp = LexerATNSimulator(self, self.atn, self.decisionsToDFA, PredictionContextCache())
    self._actions = None
    self._predicates = None

<namedActions.members>

<dumpActions(lexer, "", actionFuncs, sempredFuncs)>

>>

SerializedATN(model) ::= <<
<! only one segment, can be inlined !>

def serializedATN():
    with StringIO() as buf:
        buf.write(u"<model.serialized; wrap={ }<\n>      buf.write(u"}>")
        return buf.getvalue()

>>

/** Using a type to init value map, try to init a type; if not in table
 * must be an object, default value is "null".
 */
initValue(typeName) ::= <<
<pythonTypeInitMap.(typeName)>
>>

codeFileExtension() ::= ".py"

Found in path(s):
* /opt/cola/permits/1274703849_1645234551.46/0/antlr4-4-7-1-sources-
jar/org/antlr/v4/tool/templates/codegen/Python2/Python2.stg
No license file was found, but licenses were detected in source scan.

/*
 * [The "BSD license"]
 * Copyright (c) 2012-2016 Terence Parr
 * Copyright (c) 2012-2016 Sam Harwell
 * All rights reserved.
 */

```

- \* Redistribution and use in source and binary forms, with or without
- \* modification, are permitted provided that the following conditions
- \* are met:
- \*
- \* 1. Redistributions of source code must retain the above copyright
- \* notice, this list of conditions and the following disclaimer.
- \* 2. Redistributions in binary form must reproduce the above copyright
- \* notice, this list of conditions and the following disclaimer in the
- \* documentation and/or other materials provided with the distribution.
- \* 3. The name of the author may not be used to endorse or promote products
- \* derived from this software without specific prior written permission.
- \*
- \* THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR
- \* IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
- \* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.
- \* IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,
- \* INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT
- \* NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
- \* DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
- \* THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
- \* (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF
- \* THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
- \*/

```
tree grammar SourceGenTriggers;
```

```
options {
```

```
language = Java;
```

```
tokenVocab = ANTLRParser;
```

```
ASTLabelType = GrammarAST;
```

```
}
```

```
@header {
```

```
package org.antlr.v4.codegen;
```

```
import org.antlr.v4.misc.Utils;
```

```
import org.antlr.v4.codegen.model.*;
```

```
import org.antlr.v4.codegen.model.decl.*;
```

```
import org.antlr.v4.tool.*;
```

```
import org.antlr.v4.tool.ast.*;
```

```
import java.util.Collections;
```

```
import java.util.Map;
```

```
import java.util.HashMap;
```

```
}
```

```
@members {
```

```
public OutputModelController controller;
```

```
public boolean hasLookaheadBlock;
```

```
public SourceGenTriggers(TreeNodeStream input, OutputModelController controller) {
```

```
    this(input);
```

```

    this.controller = controller;
  }
}

```

```
dummy : block[null, null] ;
```

block[GrammarAST label, GrammarAST ebnfRoot] returns [List<? extends SrcOp> omos]

```

: ^( blk=BLOCK ^(OPTIONS .+)?
  {List<CodeBlockForAlt> alts = new ArrayList<CodeBlockForAlt>();}
  ( alternative {alts.add($alternative.altCodeBlock);} )+
)
{
if ( alts.size()==1 && ebnfRoot==null) return alts;
if ( ebnfRoot==null ) {
    Somos = DefaultOutputModelFactory.list(controller.getChoiceBlock((BlockAST)$blk, alts, $label));
}
else {
    Choice choice = controller.getEBNFBlock($ebnfRoot, alts);
    hasLookaheadBlock |= choice instanceof PlusBlock || choice instanceof StarBlock;
    Somos = DefaultOutputModelFactory.list(choice);
}
}
;

```

alternative returns [CodeBlockForAlt altCodeBlock, List<SrcOp> ops]

```

@init {
    boolean outerMost = inContext("RULE BLOCK");
}
@after {
    controller.finishAlternative($altCodeBlock, $ops, outerMost);
}
: a=alt[outerMost] { $altCodeBlock=$a.altCodeBlock; $ops=$a.ops; }
;

```

alt[boolean outerMost] returns [CodeBlockForAlt altCodeBlock, List<SrcOp> ops]

```

@init {
// set alt if outer ALT only (the only ones with alt field set to Alternative object)
AltAST altAST = (AltAST)retval.start;
if ( outerMost ) controller.setCurrentOuterMostAlt(altAST.alt);
}
: {
List<SrcOp> elems = new ArrayList<SrcOp>();
// TODO: shouldn't we pass $start to controller.alternative()?
$altCodeBlock = controller.alternative(controller.getCurrentOuterMostAlt(), outerMost);
$altCodeBlock.ops = $ops = elems;
controller.setCurrentBlock($altCodeBlock);
}
^( ALT elementOptions? ( element {if ($element.omos!=null) elems.addAll($element.omos);} )+ )

```

```

| ^(ALT elementOptions? EPSILON)
    { $altCodeBlock = controller.epsilon(controller.getCurrentOuterMostAlt(), outerMost); }
;

element returns [List<? extends SrcOp> omos]
: labeledElement { $omos = $labeledElement.omos; }
| atom[null,false] { $omos = $atom.omos; }
| subrule { $omos = $subrule.omos; }
| ACTION { $omos = controller.action((ActionAST)$ACTION); }
| SEMPRED { $omos = controller.sempred((ActionAST)$SEMPRED); }
| ^(ACTION elementOptions) { $omos = controller.action((ActionAST)$ACTION); }
| ^(SEMPRED elementOptions) { $omos = controller.sempred((ActionAST)$SEMPRED); }
;

labeledElement returns [List<? extends SrcOp> omos]
: ^(ASSIGN ID atom[$ID,false] ) { $omos = $atom.omos; }
| ^(PLUS_ASSIGN ID atom[$ID,false] ) { $omos = $atom.omos; }
| ^(ASSIGN ID block[$ID,null] ) { $omos = $block.omos; }
| ^(PLUS_ASSIGN ID block[$ID,null] ) { $omos = $block.omos; }
;

subrule returns [List<? extends SrcOp> omos]
: ^(OPTIONAL b=block[null,$OPTIONAL])
{
    $omos = $block.omos;
}
| ( ^(op=CLOSURE b=block[null,null])
| ^(op=POSITIVE_CLOSURE b=block[null,null])
)
{
    List<CodeBlockForAlt> alts = new ArrayList<CodeBlockForAlt>();
    SrcOp blk = $b.omos.get(0);
    CodeBlockForAlt alt = new CodeBlockForAlt(controller.delegate);
    alt.addOp(blk);
    alts.add(alt);
    SrcOp loop = controller.getEBNFBlock($op, alts); // "star it"
    hasLookaheadBlock |= loop instanceof PlusBlock || loop instanceof StarBlock;
    $omos = DefaultOutputModelFactory.list(loop);
}
| block[null, null] { $omos = $block.omos; }
;

blockSet[GrammarAST label, boolean invert] returns [List<SrcOp> omos]
: ^(SET atom[label,invert]+) { $omos = controller.set($SET, $label, invert); }
;

/*

```

```

setElement
: STRING_LITERAL
| TOKEN_REF
| ^(RANGE STRING_LITERAL STRING_LITERAL)
;
*/

// TODO: combine ROOT/BANG into one then just make new op ref'ing return value of atom/terminal...
// TODO: same for NOT
atom[GrammarAST label, boolean invert] returns [List<SrcOp> omos]
: ^(NOT a=atom[$label, true]) {$omos = $a.omos;}
| range[label] {$omos = $range.omos;}
| ^(DOT ID terminal[$label])
| ^(DOT ID ruleref[$label])
| ^(WILDCARD .) {$omos = controller.wildcard($WILDCARD, $label);}
| WILDCARD {$omos = controller.wildcard($WILDCARD, $label);}
| terminal[label] {$omos = $terminal.omos;}
| ruleref[label] {$omos = $ruleref.omos;}
| blockSet[$label, invert] {$omos = $blockSet.omos;}
;

ruleref[GrammarAST label] returns [List<SrcOp> omos]
: ^(RULE_REF ARG_ACTION? elementOptions?) {$omos = controller.ruleRef($RULE_REF, $label,
$ARG_ACTION);}
;

range[GrammarAST label] returns [List<SrcOp> omos]
: ^(RANGE a=STRING_LITERAL b=STRING_LITERAL)
;

terminal[GrammarAST label] returns [List<SrcOp> omos]
: ^(STRING_LITERAL .) {$omos = controller.stringRef($STRING_LITERAL, $label);}
| STRING_LITERAL {$omos = controller.stringRef($STRING_LITERAL, $label);}
| ^(TOKEN_REF ARG_ACTION .) {$omos = controller.tokenRef($TOKEN_REF, $label, $ARG_ACTION);}
| ^(TOKEN_REF .) {$omos = controller.tokenRef($TOKEN_REF, $label, null);}
| TOKEN_REF {$omos = controller.tokenRef($TOKEN_REF, $label, null);}
;

elementOptions
: ^(ELEMENT_OPTIONS elementOption+)
;

elementOption
: ID
| ^(ASSIGN ID ID)
| ^(ASSIGN ID STRING_LITERAL)
| ^(ASSIGN ID ACTION)
| ^(ASSIGN ID INT)

```



;

Found in path(s):

\* /opt/cola/permits/1274703849\_1645234551.46/0/antlr4-4-7-1-sources-jar/org/antlr/v4/codegen/SourceGenTriggers.g

No license file was found, but licenses were detected in source scan.

/\*

\* [The "BSD license"]

\* Copyright (c) 2012-2016 Terence Parr

\* Copyright (c) 2012-2016 Sam Harwell

\* All rights reserved.

\*

\* Redistribution and use in source and binary forms, with or without

\* modification, are permitted provided that the following conditions

\* are met:

\*

\* 1. Redistributions of source code must retain the above copyright

\* notice, this list of conditions and the following disclaimer.

\* 2. Redistributions in binary form must reproduce the above copyright

\* notice, this list of conditions and the following disclaimer in the

\* documentation and/or other materials provided with the distribution.

\* 3. The name of the author may not be used to endorse or promote products

\* derived from this software without specific prior written permission.

\*

\* THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR

\* IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES

\* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.

\* IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,

\* INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT

\* NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,

\* DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY

\* THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT

\* (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF

\* THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

\*/

/\*\* The definitive ANTLR v3 tree grammar to walk/visit ANTLR v4 grammars.

\* Parses trees created by ANTLRParser.g.

\*

\* Rather than have multiple tree grammars, one for each visit, I'm

\* creating this generic visitor that knows about context. All of the

\* boilerplate pattern recognition is done here. Then, subclasses can

\* override the methods they care about. This prevents a lot of the same

\* context tracking stuff like "set current alternative for current

\* rule node" that is repeated in lots of tree filters.

\*/

tree grammar GrammarTreeVisitor;

```
options {
    language = Java;
    tokenVocab = ANTLRParser;
    ASTLabelType = GrammarAST;
}
```

```
// Include the copyright in this source and also the generated source
```

```
@header {
```

```
/*
```

```
[The "BSD license"]
```

```
Copyright (c) 2011 Terence Parr
```

```
All rights reserved.
```

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The name of the author may not be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

```
*/
```

```
package org.antlr.v4.parse;
import org.antlr.v4.Tool;
import org.antlr.v4.tool.*;
import org.antlr.v4.tool.ast.*;
import java.lang.reflect.InvocationTargetException;
import java.lang.reflect.Method;
}
```

```
@members {
```

```
public String grammarName;
```

```
public GrammarAST currentRuleAST;
```

```
public String currentModeName = LexerGrammar.DEFAULT_MODE_NAME;
```

```

public String currentRuleName;
public GrammarAST currentOuterAltRoot;
public int currentOuterAltNumber = 1; // 1..n
public int rewriteEBNFLevel = 0;

public GrammarTreeVisitor() { this(null); }

// Should be abstract but can't make gen'd parser abstract;
// subclasses should implement else everything goes to stderr!
public ErrorManager getErrorManager() { return null; }

public void visitGrammar(GrammarAST t) { visit(t, "grammarSpec"); }
public void visit(GrammarAST t, String ruleName) {
    CommonTreeNodeStream nodes = new CommonTreeNodeStream(new GrammarASTAdaptor(), t);
    setTreeNodeStream(nodes);
    try {
        Method m = getClass().getMethod(ruleName);
        m.invoke(this);
    }
    catch (Throwable e) {
        ErrorManager errMgr = getErrorManager();
        if ( e instanceof InvocationTargetException ) {
            e = e.getCause();
        }
        //e.printStackTrace(System.err);
        if ( errMgr==null ) {
            System.err.println("can't find rule "+ruleName+
                " or tree structure error: "+t.toStringTree()
            );
            e.printStackTrace(System.err);
        }
        else errMgr.toolError(ErrorType.INTERNAL_ERROR, e);
    }
}

public void discoverGrammar(GrammarRootAST root, GrammarAST ID) { }
public void finishPrequels(GrammarAST firstPrequel) { }
public void finishGrammar(GrammarRootAST root, GrammarAST ID) { }

public void grammarOption(GrammarAST ID, GrammarAST valueAST) { }
public void ruleOption(GrammarAST ID, GrammarAST valueAST) { }
public void blockOption(GrammarAST ID, GrammarAST valueAST) { }
public void defineToken(GrammarAST ID) { }
public void defineChannel(GrammarAST ID) { }
public void globalNamedAction(GrammarAST scope, GrammarAST ID, ActionAST action) { }
public void importGrammar(GrammarAST label, GrammarAST ID) { }

public void modeDef(GrammarAST m, GrammarAST ID) { }

```

```

public void discoverRules(GrammarAST rules) { }
public void finishRules(GrammarAST rule) { }
public void discoverRule(RuleAST rule, GrammarAST ID, List<GrammarAST> modifiers,
    ActionAST arg, ActionAST returns, GrammarAST thrws,
    GrammarAST options, ActionAST locals,
    List<GrammarAST> actions,
    GrammarAST block) { }
public void finishRule(RuleAST rule, GrammarAST ID, GrammarAST block) { }
public void discoverLexerRule(RuleAST rule, GrammarAST ID, List<GrammarAST> modifiers,
    GrammarAST block) { }
public void finishLexerRule(RuleAST rule, GrammarAST ID, GrammarAST block) { }
public void ruleCatch(GrammarAST arg, ActionAST action) { }
public void finallyAction(ActionAST action) { }
public void discoverOuterAlt(AltAST alt) { }
public void finishOuterAlt(AltAST alt) { }
public void discoverAlt(AltAST alt) { }
public void finishAlt(AltAST alt) { }

public void ruleRef(GrammarAST ref, ActionAST arg) { }
public void tokenRef(TerminalAST ref) { }
public void elementOption(GrammarASTWithOptions t, GrammarAST ID, GrammarAST valueAST) { }
public void stringRef(TerminalAST ref) { }
public void wildcardRef(GrammarAST ref) { }
public void actionInAlt(ActionAST action) { }
public void sempredInAlt(PredAST pred) { }
public void label(GrammarAST op, GrammarAST ID, GrammarAST element) { }
public void lexerCallCommand(int outerAltNumber, GrammarAST ID, GrammarAST arg) { }
public void lexerCommand(int outerAltNumber, GrammarAST ID) { }

protected void enterGrammarSpec(GrammarAST tree) { }
protected void exitGrammarSpec(GrammarAST tree) { }

protected void enterPrequelConstructs(GrammarAST tree) { }
protected void exitPrequelConstructs(GrammarAST tree) { }

protected void enterPrequelConstruct(GrammarAST tree) { }
protected void exitPrequelConstruct(GrammarAST tree) { }

protected void enterOptionsSpec(GrammarAST tree) { }
protected void exitOptionsSpec(GrammarAST tree) { }

protected void enterOption(GrammarAST tree) { }
protected void exitOption(GrammarAST tree) { }

protected void enterOptionValue(GrammarAST tree) { }
protected void exitOptionValue(GrammarAST tree) { }

```

protected void enterDelegateGrammars(GrammarAST tree) { }

protected void exitDelegateGrammars(GrammarAST tree) { }

protected void enterDelegateGrammar(GrammarAST tree) { }

protected void exitDelegateGrammar(GrammarAST tree) { }

protected void enterTokensSpec(GrammarAST tree) { }

protected void exitTokensSpec(GrammarAST tree) { }

protected void enterTokenSpec(GrammarAST tree) { }

protected void exitTokenSpec(GrammarAST tree) { }

protected void enterChannelsSpec(GrammarAST tree) { }

protected void exitChannelsSpec(GrammarAST tree) { }

protected void enterChannelSpec(GrammarAST tree) { }

protected void exitChannelSpec(GrammarAST tree) { }

protected void enterAction(GrammarAST tree) { }

protected void exitAction(GrammarAST tree) { }

protected void enterRules(GrammarAST tree) { }

protected void exitRules(GrammarAST tree) { }

protected void enterMode(GrammarAST tree) { }

protected void exitMode(GrammarAST tree) { }

protected void enterLexerRule(GrammarAST tree) { }

protected void exitLexerRule(GrammarAST tree) { }

protected void enterRule(GrammarAST tree) { }

protected void exitRule(GrammarAST tree) { }

protected void enterExceptionGroup(GrammarAST tree) { }

protected void exitExceptionGroup(GrammarAST tree) { }

protected void enterExceptionHandler(GrammarAST tree) { }

protected void exitExceptionHandler(GrammarAST tree) { }

protected void enterFinallyClause(GrammarAST tree) { }

protected void exitFinallyClause(GrammarAST tree) { }

protected void enterLocals(GrammarAST tree) { }

protected void exitLocals(GrammarAST tree) { }

protected void enterRuleReturns(GrammarAST tree) { }

protected void exitRuleReturns(GrammarAST tree) { }

```
protected void enterThrowsSpec(GrammarAST tree) { }
protected void exitThrowsSpec(GrammarAST tree) { }
```

```
protected void enterRuleAction(GrammarAST tree) { }
protected void exitRuleAction(GrammarAST tree) { }
```

```
protected void enterRuleModifier(GrammarAST tree) { }
protected void exitRuleModifier(GrammarAST tree) { }
```

```
protected void enterLexerRuleBlock(GrammarAST tree) { }
protected void exitLexerRuleBlock(GrammarAST tree) { }
```

```
protected void enterRuleBlock(GrammarAST tree) { }
protected void exitRuleBlock(GrammarAST tree) { }
```

```
protected void enterLexerOuterAlternative(AltAST tree) { }
protected void exitLexerOuterAlternative(AltAST tree) { }
```

```
protected void enterOuterAlternative(AltAST tree) { }
protected void exitOuterAlternative(AltAST tree) { }
```

```
protected void enterLexerAlternative(GrammarAST tree) { }
protected void exitLexerAlternative(GrammarAST tree) { }
```

```
protected void enterLexerElements(GrammarAST tree) { }
protected void exitLexerElements(GrammarAST tree) { }
```

```
protected void enterLexerElement(GrammarAST tree) { }
protected void exitLexerElement(GrammarAST tree) { }
```

```
protected void enterLabeledLexerElement(GrammarAST tree) { }
protected void exitLabeledLexerElement(GrammarAST tree) { }
```

```
protected void enterLexerBlock(GrammarAST tree) { }
protected void exitLexerBlock(GrammarAST tree) { }
```

```
protected void enterLexerAtom(GrammarAST tree) { }
protected void exitLexerAtom(GrammarAST tree) { }
```

```
protected void enterActionElement(GrammarAST tree) { }
protected void exitActionElement(GrammarAST tree) { }
```

```
protected void enterAlternative(AltAST tree) { }
protected void exitAlternative(AltAST tree) { }
```

```
protected void enterLexerCommand(GrammarAST tree) { }
protected void exitLexerCommand(GrammarAST tree) { }
```

```
protected void enterLexerCommandExpr(GrammarAST tree) { }
protected void exitLexerCommandExpr(GrammarAST tree) { }

protected void enterElement(GrammarAST tree) { }
protected void exitElement(GrammarAST tree) { }

protected void enterAstOperand(GrammarAST tree) { }
protected void exitAstOperand(GrammarAST tree) { }

protected void enterLabeledElement(GrammarAST tree) { }
protected void exitLabeledElement(GrammarAST tree) { }

protected void enterSubrule(GrammarAST tree) { }
protected void exitSubrule(GrammarAST tree) { }

protected void enterLexerSubrule(GrammarAST tree) { }
protected void exitLexerSubrule(GrammarAST tree) { }

protected void enterBlockSuffix(GrammarAST tree) { }
protected void exitBlockSuffix(GrammarAST tree) { }

protected void enterEbnfSuffix(GrammarAST tree) { }
protected void exitEbnfSuffix(GrammarAST tree) { }

protected void enterAtom(GrammarAST tree) { }
protected void exitAtom(GrammarAST tree) { }

protected void enterBlockSet(GrammarAST tree) { }
protected void exitBlockSet(GrammarAST tree) { }

protected void enterSetElement(GrammarAST tree) { }
protected void exitSetElement(GrammarAST tree) { }

protected void enterBlock(GrammarAST tree) { }
protected void exitBlock(GrammarAST tree) { }

protected void enterRuleref(GrammarAST tree) { }
protected void exitRuleref(GrammarAST tree) { }

protected void enterRange(GrammarAST tree) { }
protected void exitRange(GrammarAST tree) { }

protected void enterTerminal(GrammarAST tree) { }
protected void exitTerminal(GrammarAST tree) { }

protected void enterElementOptions(GrammarAST tree) { }
protected void exitElementOptions(GrammarAST tree) { }
```

```
protected void enterElementOption(GrammarAST tree) { }
protected void exitElementOption(GrammarAST tree) { }
```

```
@Override
public void traceIn(String ruleName, int ruleIndex) {
    System.err.println("enter "+ruleName+": "+input.LT(1));
}
```

```
@Override
public void traceOut(String ruleName, int ruleIndex) {
    System.err.println("exit "+ruleName+": "+input.LT(1));
}
}
```

```
grammarSpec
```

```
@init {
    enterGrammarSpec($start);
}
@after {
    exitGrammarSpec($start);
}
: ^( GRAMMAR ID { grammarName=$ID.text; }
    { discoverGrammar((GrammarRootAST)$GRAMMAR, $ID); }
    prequelConstructs
    { finishPrequels($prequelConstructs.firstOne); }
    rules mode*
    { finishGrammar((GrammarRootAST)$GRAMMAR, $ID); }
)
;
```

```
prequelConstructs returns [GrammarAST firstOne=null]
```

```
@init {
    enterPrequelConstructs($start);
}
@after {
    exitPrequelConstructs($start);
}
: { $firstOne=$start; } prequelConstruct+
|
;
```

```
prequelConstruct
```

```
@init {
    enterPrequelConstructs($start);
}
@after {
    exitPrequelConstructs($start);
}
```



```
: optionsSpec
| delegateGrammars
| tokensSpec
| channelsSpec
| action
;
```

```
optionsSpec
@init {
enterOptionsSpec($start);
}
@after {
exitOptionsSpec($start);
}
: ^(OPTIONS option*)
;
```

```
option
@init {
enterOption($start);
boolean rule = inContext("RULE ...");
boolean block = inContext("BLOCK ...");
}
@after {
exitOption($start);
}
: ^(a=ASSIGN ID v=optionValue)
{
if ( block ) blockOption($ID, $v.start); // most specific first
else if ( rule ) ruleOption($ID, $v.start);
else grammarOption($ID, $v.start);
}
;
```

```
optionValue returns [String v]
@init {
enterOptionValue($start);
$v = $start.token.getText();
}
@after {
exitOptionValue($start);
}
: ID
| STRING_LITERAL
| INT
;
```

```
delegateGrammars
```

```

@init {
  enterDelegateGrammars($start);
}
@after {
  exitDelegateGrammars($start);
}
: ^(IMPORT delegateGrammar+)
;

```

```

delegateGrammar
@init {
  enterDelegateGrammar($start);
}
@after {
  exitDelegateGrammar($start);
}
: ^(ASSIGN label=ID id=ID {importGrammar($label, $id);}
| id=ID {importGrammar(null, $id);}
;

```

```

tokensSpec
@init {
  enterTokensSpec($start);
}
@after {
  exitTokensSpec($start);
}
: ^(TOKENS_SPEC tokenSpec+)
;

```

```

tokenSpec
@init {
  enterTokenSpec($start);
}
@after {
  exitTokenSpec($start);
}
: ID {defineToken($ID);}
;

```

```

channelsSpec
@init {
  enterChannelsSpec($start);
}
@after {
  exitChannelsSpec($start);
}
: ^(CHANNELS channelSpec+)
;

```

```

;

channelSpec
@init {
    enterChannelSpec($start);
}
@after {
    exitChannelSpec($start);
}
: ID {defineChannel($ID);}
;

action
@init {
    enterAction($start);
}
@after {
    exitAction($start);
}
: ^(AT sc=ID? name=ID ACTION) {globalNamedAction($sc, $name, (ActionAST)$ACTION);}
;

rules
@init {
    enterRules($start);
}
@after {
    exitRules($start);
}
: ^(RULES {discoverRules($RULES);} (rule|lexerRule)* {finishRules($RULES);})
;

mode
@init {
    enterMode($start);
}
@after {
    exitMode($start);
}
: ^( MODE ID {currentModeName=$ID.text; modeDef($MODE, $ID);} lexerRule* )
;

lexerRule
@init {
    enterLexerRule($start);
    List<GrammarAST> mods = new ArrayList<GrammarAST>();
    currentOuterAltNumber=0;
}

```

```

@after {
    exitLexerRule($start);
}
: ^( RULE TOKEN_REF
    {currentRuleName=$TOKEN_REF.text; currentRuleAST=$RULE;}
    (^ (RULEMODIFIERS m=FRAGMENT {mods.add($m);}))?
    {discoverLexerRule((RuleAST)$RULE, $TOKEN_REF, mods, (GrammarAST)input.LT(1));}
    lexerRuleBlock
    {
        finishLexerRule((RuleAST)$RULE, $TOKEN_REF, $lexerRuleBlock.start);
        currentRuleName=null; currentRuleAST=null;
    }
    )
;

rule
@init {
    enterRule($start);
    List<GrammarAST> mods = new ArrayList<GrammarAST>();
    List<GrammarAST> actions = new ArrayList<GrammarAST>(); // track roots
    currentOuterAltNumber=0;
}
@after {
    exitRule($start);
}
: ^( RULE RULE_REF {currentRuleName=$RULE_REF.text; currentRuleAST=$RULE;}
    (^ (RULEMODIFIERS (m=ruleModifier{mods.add($m.start);})+))?
    ARG_ACTION?
    ret=ruleReturns?
    thr=throwsSpec?
    loc=locals?
    ( opts=optionsSpec
    | a=ruleAction {actions.add($a.start);}
    )*
    {discoverRule((RuleAST)$RULE, $RULE_REF, mods, (ActionAST)$ARG_ACTION,
        $ret.start!=null?(ActionAST)$ret.start.getChild(0):null,
        $thr.start, $opts.start,
        $loc.start!=null?(ActionAST)$loc.start.getChild(0):null,
        actions, (GrammarAST)input.LT(1);}
    ruleBlock exceptionGroup
    {finishRule((RuleAST)$RULE, $RULE_REF, $ruleBlock.start); currentRuleName=null; currentRuleAST=null;}
    )
;

exceptionGroup
@init {
    enterExceptionGroup($start);
}

```

```

@after {
  exitExceptionGroup($start);
}
: exceptionHandler* finallyClause?
;

exceptionHandler
@init {
  enterExceptionHandler($start);
}
@after {
  exitExceptionHandler($start);
}
: ^(CATCH ARG_ACTION ACTION) {ruleCatch($ARG_ACTION, (ActionAST)$ACTION);}
;

finallyClause
@init {
  enterFinallyClause($start);
}
@after {
  exitFinallyClause($start);
}
: ^(FINALLY ACTION) {finallyAction((ActionAST)$ACTION);}
;

locals
@init {
  enterLocals($start);
}
@after {
  exitLocals($start);
}
: ^(LOCALS ARG_ACTION)
;

ruleReturns
@init {
  enterRuleReturns($start);
}
@after {
  exitRuleReturns($start);
}
: ^(RETURNS ARG_ACTION)
;

throwsSpec
@init {

```

```

enterThrowsSpec($start);
}
@after {
exitThrowsSpec($start);
}
: ^(THROWS ID+)
;

```

```

ruleAction
@init {
enterRuleAction($start);
}
@after {
exitRuleAction($start);
}
: ^(AT ID ACTION)
;

```

```

ruleModifier
@init {
enterRuleModifier($start);
}
@after {
exitRuleModifier($start);
}
: PUBLIC
| PRIVATE
| PROTECTED
| FRAGMENT
;

```

```

lexerRuleBlock
@init {
enterLexerRuleBlock($start);
}
@after {
exitLexerRuleBlock($start);
}
: ^( BLOCK
( {
currentOuterAltRoot = (GrammarAST)input.LT(1);
currentOuterAltNumber++;
}
lexerOuterAlternative
)+
)
;

```

```

ruleBlock
@init {
  enterRuleBlock($start);
}
@after {
  exitRuleBlock($start);
}
: ^( BLOCK
  ( {
    currentOuterAltRoot = (GrammarAST)input.LT(1);
    currentOuterAltNumber++;
  }
  outerAlternative
  )+
  )
;

```

```

lexerOuterAlternative
@init {
  enterLexerOuterAlternative((AltAST)$start);
  discoverOuterAlt((AltAST)$start);
}
@after {
  finishOuterAlt((AltAST)$start);
  exitLexerOuterAlternative((AltAST)$start);
}
: lexerAlternative
;

```

```

outerAlternative
@init {
  enterOuterAlternative((AltAST)$start);
  discoverOuterAlt((AltAST)$start);
}
@after {
  finishOuterAlt((AltAST)$start);
  exitOuterAlternative((AltAST)$start);
}
: alternative
;

```

```

lexerAlternative
@init {
  enterLexerAlternative($start);
}
@after {
  exitLexerAlternative($start);
}

```

```
}  
: ^(LEXER_ALT_ACTION lexerElements lexerCommand+)  
| lexerElements  
;
```

lexerElements

```
@init {  
  enterLexerElements($start);  
}  
@after {  
  exitLexerElements($start);  
}  
: ^(ALT lexerElement+)  
;
```

lexerElement

```
@init {  
  enterLexerElement($start);  
}  
@after {  
  exitLexerElement($start);  
}  
: labeledLexerElement  
| lexerAtom  
| lexerSubrule  
| ACTION {actionInAlt((ActionAST)$ACTION);}   
| SEMPRED {sempredInAlt((PredAST)$SEMPRED);}   
| ^(ACTION elementOptions) {actionInAlt((ActionAST)$ACTION);}   
| ^(SEMPRED elementOptions) {sempredInAlt((PredAST)$SEMPRED);}   
| EPSILON  
;
```

labeledLexerElement

```
@init {  
  enterLabeledLexerElement($start);  
}  
@after {  
  exitLabeledLexerElement($start);  
}  
: ^((ASSIGN|PLUS_ASSIGN) ID (lexerAtom|block))  
;
```

lexerBlock

```
@init {  
  enterLexerBlock($start);  
}  
@after {  
  exitLexerBlock($start);  
}
```



```
}  
: ^(BLOCK optionsSpec? lexerAlternative+)  
;
```

lexerAtom

```
@init {  
  enterLexerAtom($start);  
}  
@after {  
  exitLexerAtom($start);  
}  
:  
: terminal  
| ^(NOT blockSet)  
| blockSet  
| ^(WILDCARD elementOptions)  
| WILDCARD  
| LEXER_CHAR_SET  
| range  
| ruleref  
;
```

actionElement

```
@init {  
  enterActionElement($start);  
}  
@after {  
  exitActionElement($start);  
}  
:  
: ACTION  
| ^(ACTION elementOptions)  
| SEMPRED  
| ^(SEMPRED elementOptions)  
;
```

alternative

```
@init {  
  enterAlternative((AltAST)$start);  
  discoverAlt((AltAST)$start);  
}  
@after {  
  finishAlt((AltAST)$start);  
  exitAlternative((AltAST)$start);  
}  
:  
: ^(ALT elementOptions? element+)  
| ^(ALT elementOptions? EPSILON)  
;
```

lexerCommand

```

@init {
  enterLexerCommand($start);
}
@after {
  exitLexerCommand($start);
}
: ^(LEXER_ACTION_CALL ID lexerCommandExpr)
  {lexerCallCommand(currentOuterAltNumber, $ID, $lexerCommandExpr.start);}
| ID
  {lexerCommand(currentOuterAltNumber, $ID);}
;

```

```

lexerCommandExpr
@init {
  enterLexerCommandExpr($start);
}
@after {
  exitLexerCommandExpr($start);
}
: ID
| INT
;

```

```

element
@init {
  enterElement($start);
}
@after {
  exitElement($start);
}
: labeledElement
| atom
| subrule
| ACTION {actionInAlt((ActionAST)$ACTION);}
| SEMPRED {sempredInAlt((PredAST)$SEMPRED);}
| ^(ACTION elementOptions) {actionInAlt((ActionAST)$ACTION);}
| ^(SEMPRED elementOptions) {sempredInAlt((PredAST)$SEMPRED);}
| range
| ^(NOT blockSet)
| ^(NOT block)
;

```

```

astOperand
@init {
  enterAstOperand($start);
}
@after {
  exitAstOperand($start);
}

```

```

}
: atom
| ^(NOT blockSet)
| ^(NOT block)
;

labeledElement
@init {
enterLabeledElement($start);
}
@after {
exitLabeledElement($start);
}
: ^((ASSIGN|PLUS_ASSIGN) ID element) {label($start, $ID, $element.start);}
;

subrule
@init {
enterSubrule($start);
}
@after {
exitSubrule($start);
}
: ^(blockSuffix block)
| block
;

lexerSubrule
@init {
enterLexerSubrule($start);
}
@after {
exitLexerSubrule($start);
}
: ^(blockSuffix lexerBlock)
| lexerBlock
;

blockSuffix
@init {
enterBlockSuffix($start);
}
@after {
exitBlockSuffix($start);
}
: ebnfSuffix
;

```

```

ebnfSuffix
@init {
  enterEbnfSuffix($start);
}
@after {
  exitEbnfSuffix($start);
}
: OPTIONAL
| CLOSURE
| POSITIVE_CLOSURE
;

```

```

atom
@init {
  enterAtom($start);
}
@after {
  exitAtom($start);
}
: ^(DOT ID terminal)
| ^(DOT ID ruleref)
| ^(WILDCARD elementOptions) { wildcardRef($WILDCARD);}
| WILDCARD {wildcardRef($WILDCARD);}
| terminal
| blockSet
| ruleref
;

```

```

blockSet
@init {
  enterBlockSet($start);
}
@after {
  exitBlockSet($start);
}
: ^(SET setElement+)
;

```

```

setElement
@init {
  enterSetElement($start);
}
@after {
  exitSetElement($start);
}
: ^(STRING_LITERAL elementOptions) {stringRef((TerminalAST)$STRING_LITERAL);}
| ^(TOKEN_REF elementOptions) {tokenRef((TerminalAST)$TOKEN_REF);}
| STRING_LITERAL {stringRef((TerminalAST)$STRING_LITERAL);}

```

```

| TOKEN_REF          {tokenRef((TerminalAST)$TOKEN_REF);}
| ^(RANGE a=STRING_LITERAL b=STRING_LITERAL)
{
  stringRef((TerminalAST)$a);
  stringRef((TerminalAST)$b);
}
| LEXER_CHAR_SET
;

```

```

block
@init {
  enterBlock($start);
}
@after {
  exitBlock($start);
}
: ^(BLOCK optionsSpec? ruleAction* ACTION? alternative+)
;

```

```

ruleref
@init {
  enterRuleref($start);
}
@after {
  exitRuleref($start);
}
: ^(RULE_REF arg=ARG_ACTION? elementOptions?)
{
  ruleRef($RULE_REF, (ActionAST)$ARG_ACTION);
  if ( $arg!=null ) actionInAlt((ActionAST)$arg);
}
;

```

```

range
@init {
  enterRange($start);
}
@after {
  exitRange($start);
}
: ^(RANGE STRING_LITERAL STRING_LITERAL)
;

```

```

terminal
@init {
  enterTerminal($start);
}
@after {

```

```

exitTerminal($start);
}
: ^(STRING_LITERAL elementOptions)
    {stringRef((TerminalAST)$STRING_LITERAL);}
| STRING_LITERAL {stringRef((TerminalAST)$STRING_LITERAL);}
| ^(TOKEN_REF elementOptions) {tokenRef((TerminalAST)$TOKEN_REF);}
| TOKEN_REF {tokenRef((TerminalAST)$TOKEN_REF);}
;

elementOptions
@init {
enterElementOptions($start);
}
@after {
exitElementOptions($start);
}
: ^(ELEMENT_OPTIONS elementOption[(GrammarASTWithOptions)$start.getParent()]*);
;

elementOption[GrammarASTWithOptions t]
@init {
enterElementOption($start);
}
@after {
exitElementOption($start);
}
: ID {elementOption(t, $ID, null);}
| ^(ASSIGN id=ID v=ID) {elementOption(t, $id, $v);}
| ^(ASSIGN ID v=STRING_LITERAL) {elementOption(t, $ID, $v);}
| ^(ASSIGN ID v=ACTION) {elementOption(t, $ID, $v);}
| ^(ASSIGN ID v=INT) {elementOption(t, $ID, $v);}
;

```

Found in path(s):

\* /opt/cola/permits/1274703849\_1645234551.46/0/antlr4-4-7-1-sources-jar/org/antlr/v4/parse/GrammarTreeVisitor.g

No license file was found, but licenses were detected in source scan.

/\*

[The "BSD license"]

Copyright (c) 2010 Terence Parr

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright

notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

3. The name of the author may not be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

\*/

Found in path(s):

\* /opt/cola/permits/1274703849\_1645234551.46/0/antlr4-4-7-1-sources-jar/org/antlr/v4/parse/ATNBuilder.java

No license file was found, but licenses were detected in source scan.

/\*

\* [The "BSD license"]

\* Copyright (c) 2012-2016 Terence Parr

\* Copyright (c) 2012-2016 Sam Harwell

\* All rights reserved.

\*

\* Redistribution and use in source and binary forms, with or without

\* modification, are permitted provided that the following conditions

\* are met:

\*

\* 1. Redistributions of source code must retain the above copyright

\* notice, this list of conditions and the following disclaimer.

\* 2. Redistributions in binary form must reproduce the above copyright

\* notice, this list of conditions and the following disclaimer in the

\* documentation and/or other materials provided with the distribution.

\* 3. The name of the author may not be used to endorse or promote products

\* derived from this software without specific prior written permission.

\*

\* THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR

\* IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES

\* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.

\* IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,

\* INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT

\* NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,

\* DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY

\* THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT

\* (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF

\* THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

```

*/

tree grammar BlockSetTransformer;
options {
    language    = Java;
    tokenVocab  = ANTLRParser;
    ASTLabelType = GrammarAST;
    output      = AST;
    filter      = true;
}

@header {
package org.antlr.v4.parse;
import org.antlr.v4.misc.Utils;
import org.antlr.v4.misc.*;
import org.antlr.v4.tool.*;
import org.antlr.v4.tool.ast.*;
import java.util.List;
import java.util.Set;
import java.util.HashSet;
import java.util.ArrayList;
import org.antlr.v4.runtime.misc.IntervalSet;
}

@members {
public String currentRuleName;
public GrammarAST currentAlt;
public Grammar g;
public BlockSetTransformer(TreeNodeStream input, Grammar g) {
    this(input, new RecognizerSharedState());
    this.g = g;
}
}

topdown
: ^(RULE (id=TOKEN_REF|id=RULE_REF) {currentRuleName=$id.text;} .+)
| setAlt
| ebnfBlockSet
| blockSet
;

setAlt
: {inContext("RULE BLOCK")}?
  ALT {currentAlt = $start;}
;

// (BLOCK (ALT (+ (BLOCK (ALT INT) (ALT ID))))))
ebnfBlockSet

```



```

@after {
GrammarTransformPipeline.setGrammarPtr(g, $tree);
}
: ^(ebnfSuffix blockSet) -> ^(ebnfSuffix ^(BLOCK<BlockAST> ^(ALT<AltAST> blockSet)))
;

ebnfSuffix
@after {$tree = (GrammarAST)adaptor.dupNode($start);}
: OPTIONAL
| CLOSURE
| POSITIVE_CLOSURE
;

blockSet
@init {
boolean inLexer = Grammar.isTokenName(currentRuleName);
}
@after {
GrammarTransformPipeline.setGrammarPtr(g, $tree);
}
: {inContext("RULE")}? // top-level: rule block and > 1 alt
^(BLOCK ^(alt=ALT elementOptions? {((AltAST)$alt).altLabel==null}? setElement[inLexer]) ( ^ALT
elementOptions? setElement[inLexer]) )+)
-> ^(BLOCK<BlockAST>[$BLOCK.token] ^(ALT<AltAST>[$BLOCK.token,"ALT"] ^(SET[$BLOCK.token,
"SET"] setElement+)))
| {!inContext("RULE")}? // if not rule block and > 1 alt
^(BLOCK ^(ALT elementOptions? setElement[inLexer]) ( ^ALT elementOptions? setElement[inLexer]) )+)
-> ^(SET[$BLOCK.token, "SET"] setElement+)
;

setElement[boolean inLexer]
@after {
GrammarTransformPipeline.setGrammarPtr(g, $tree);
}
: ( ^(a=STRING_LITERAL elementOptions) {!inLexer ||
CharSupport.getCharValueFromGrammarCharLiteral($a.getText())!=-1}?
| a=STRING_LITERAL {!inLexer || CharSupport.getCharValueFromGrammarCharLiteral($a.getText())!=-1}?
| {!inLexer}?=> ^(TOKEN_REF elementOptions)
| {!inLexer}?=> TOKEN_REF
| {inLexer}?=> ^(RANGE a=STRING_LITERAL b=STRING_LITERAL)
{CharSupport.getCharValueFromGrammarCharLiteral($a.getText())!=-1 &&
CharSupport.getCharValueFromGrammarCharLiteral($b.getText())!=-1}?
)
;

elementOptions
: ^(ELEMENT_OPTIONS elementOption*)
;

```

```
elementOption
: ID
| ^(ASSIGN id=ID v=ID)
| ^(ASSIGN ID v=STRING_LITERAL)
| ^(ASSIGN ID v=ACTION)
| ^(ASSIGN ID v=INT)
;
```

Found in path(s):

```
* /opt/cola/permits/1274703849_1645234551.46/0/antlr4-4-7-1-sources-
jar/org/antlr/v4/parse/BlockSetTransformer.g
```

No license file was found, but licenses were detected in source scan.

```
/*
* [The "BSD license"]
* Copyright (c) 2013 Terence Parr
* Copyright (c) 2013 Sam Harwell
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
* notice, this list of conditions and the following disclaimer.
* 2. Redistributions in binary form must reproduce the above copyright
* notice, this list of conditions and the following disclaimer in the
* documentation and/or other materials provided with the distribution.
* 3. The name of the author may not be used to endorse or promote products
* derived from this software without specific prior written permission.
*
* THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR
* IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.
* IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,
* INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT
* NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
* DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
* THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
* (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF
* THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
*/

// args must be <object-model-object>, <fields-resulting-in-STs>

ParserFile(file, parser, namedActions, contextSuperClass) ::= <<
<fileHeader(file.grammarFileName, file.ANTLRVersion)>
```

```

<if(file.genPackage)>
namespace <file.genPackage> {
<endif>
<namedActions.header>
using System;
using System.IO;
using System.Text;
using System.Diagnostics;
using System.Collections.Generic;
using Antlr4.Runtime;
using Antlr4.Runtime.Atn;
using Antlr4.Runtime.Misc;
using Antlr4.Runtime.Tree;
using DFA = Antlr4.Runtime.Dfa.DFA;

```

```

<parser>
<if(file.genPackage)>
} // namespace <file.genPackage>
<endif>
>>

```

```

ListenerFile(file, header, namedActions) ::= <<
<fileHeader(file.grammarFileName, file.ANTLRVersion)>
<if(file.genPackage)>
namespace <file.genPackage> {
<endif>
<header>
using Antlr4.Runtime.Misc;
using IParseTreeListener = Antlr4.Runtime.Tree.IParseTreeListener;
using IToken = Antlr4.Runtime.IToken;

```

```

/// \<summary>
/// This interface defines a complete listener for a parse tree produced by
/// \<see cref="<csIdentifier.(file.parserName)>">"/>.
/// \</summary>
[System.CodeDom.Compiler.GeneratedCode("ANTLR", "<file.ANTLRVersion>")]
[System.CLSCompliant(false)]
public interface I<file.grammarName>Listener : IParseTreeListener {
<file.listenerNames:{Iname |
/// \<summary>
<if(file.listenerLabelRuleNames.(Iname))>
/// Enter a parse tree produced by the \<c><Iname>\</c>
/// labeled alternative in \<see cref="<file.parserName>.<file.listenerLabelRuleNames.(Iname)>">"/>.
<else>
/// Enter a parse tree produced by \<see cref="<file.parserName>.<Iname>">"/>.
<endif>
/// \</summary>
/// \<param name="context">The parse tree.\</param>

```

```

void Enter<lname; format="cap">([NotNull] <csIdentifier.(file.parserName)>.<lname; format="cap">Context
context);
/// \<summary>
<if(file.listenerLabelRuleNames.(lname))>
/// Exit a parse tree produced by the \<c><lname>\</c>
/// labeled alternative in \<see cref="<file.parserName>.<file.listenerLabelRuleNames.(lname)>">.
<else>
/// Exit a parse tree produced by \<see cref="<file.parserName>.<lname>">.
<endif>
/// \</summary>
/// \<param name="context">The parse tree.\</param>
void Exit<lname; format="cap">([NotNull] <csIdentifier.(file.parserName)>.<lname; format="cap">Context
context);}; separator="\n">
}
<if(file.genPackage)>
} // namespace <file.genPackage>
<endif>
>>

```

```

BaseListenerFile(file, header, namedActions) ::= <<
<fileHeader(file.grammarFileName, file.ANTLRVersion)>
<if(file.genPackage)>
namespace <file.genPackage> {
<endif>
<header>

```

```

using Antlr4.Runtime.Misc;
using IErrorNode = Antlr4.Runtime.Tree.IErrorNode;
using ITerminalNode = Antlr4.Runtime.Tree.ITerminalNode;
using IToken = Antlr4.Runtime.IToken;
using ParserRuleContext = Antlr4.Runtime.ParserRuleContext;

```

```

/// \<summary>
/// This class provides an empty implementation of \<see cref="I<file.grammarName>Listener">,
/// which can be extended to create a listener which only needs to handle a subset
/// of the available methods.
/// \</summary>
[System.CodeDom.Compiler.GeneratedCode("ANTLR", "<file.ANTLRVersion>")]
[System.CLSCompliant(false)]
public partial class <file.grammarName>BaseListener : I<file.grammarName>Listener {
<file.listenerNames:{lname |
/// \<summary>
<if(file.listenerLabelRuleNames.(lname))>
/// Enter a parse tree produced by the \<c><lname>\</c>
/// labeled alternative in \<see cref="<file.parserName>.<file.listenerLabelRuleNames.(lname)>">.
<else>
/// Enter a parse tree produced by \<see cref="<file.parserName>.<lname>">.
<endif>

```

```

/// \<para>The default implementation does nothing.\</para>
/// \</summary>
/// \<param name="context">The parse tree.\</param>
public virtual void Enter<Iname; format="cap">([NotNull] <csIdentifier.(file.parserName)>.<Iname;
format="cap">Context context) { \}
/// \<summary>
<if(file.listenerLabelRuleNames.(Iname))>
/// Exit a parse tree produced by the \<c><Iname>\</c>
/// labeled alternative in \<see cref="<file.parserName>.<file.listenerLabelRuleNames.(Iname)>">.
<else>
/// Exit a parse tree produced by \<see cref="<file.parserName>.<Iname>">.
<endif>
/// \<para>The default implementation does nothing.\</para>
/// \</summary>
/// \<param name="context">The parse tree.\</param>
public virtual void Exit<Iname; format="cap">([NotNull] <csIdentifier.(file.parserName)>.<Iname;
format="cap">Context context) { \} }; separator="\n"

/// \<inheritdoc/>
/// \<remarks>The default implementation does nothing.\</remarks>
public virtual void EnterEveryRule([NotNull] ParserRuleContext context) { }
/// \<inheritdoc/>
/// \<remarks>The default implementation does nothing.\</remarks>
public virtual void ExitEveryRule([NotNull] ParserRuleContext context) { }
/// \<inheritdoc/>
/// \<remarks>The default implementation does nothing.\</remarks>
public virtual void VisitTerminal([NotNull] ITerminalNode node) { }
/// \<inheritdoc/>
/// \<remarks>The default implementation does nothing.\</remarks>
public virtual void VisitErrorNode([NotNull] IErrorNode node) { }
}
<if(file.genPackage)>
} // namespace <file.genPackage>
<endif>
>>

VisitorFile(file, header, namedActions) ::= <<
<fileHeader(file.grammarFileName, file.ANTLRVersion)>
<if(file.genPackage)>
namespace <file.genPackage> {
<endif>
<header>
using Antlr4.Runtime.Misc;
using Antlr4.Runtime.Tree;
using IToken = Antlr4.Runtime.IToken;

/// \<summary>
/// This interface defines a complete generic visitor for a parse tree produced

```

```

/// by \<see cref="<csIdentifier.(file.parserName)>"/>.
/// \</summary>
/// \<typeparam name="Result">The return type of the visit operation.\</typeparam>
[System.CodeDom.Compiler.GeneratedCode("ANTLR", "<file.ANTLRVersion>")]
[System.CLSCompliant(false)]
public interface I<file.grammarName>Visitor<Result> : IParseTreeVisitor<Result> {
    <file.visitorNames:{ lname |
/// \<summary>
<if(file.visitorLabelRuleNames.(lname))>
/// Visit a parse tree produced by the \<c><lname>\</c>
/// labeled alternative in \<see cref="<file.parserName>.<file.visitorLabelRuleNames.(lname)>"/>.
<else>
/// Visit a parse tree produced by \<see cref="<file.parserName>.<lname>"/>.
<endif>
/// \</summary>
/// \<param name="context">The parse tree.\</param>
/// \<return>The visitor result.\</return>
Result Visit<lname; format="cap">([NotNull] <csIdentifier.(file.parserName)>.<lname; format="cap">Context
context);}; separator="\n">
    }
<if(file.genPackage)>
} // namespace <file.genPackage>
<endif>
>>

```

```

BaseVisitorFile(file, header, namedActions) ::= <<
<fileHeader(file.grammarFileName, file.ANTLRVersion)>
<if(file.genPackage)>
namespace <file.genPackage> {
<endif>
<header>
using Antlr4.Runtime.Misc;
using Antlr4.Runtime.Tree;
using IToken = Antlr4.Runtime.IToken;
using ParserRuleContext = Antlr4.Runtime.ParserRuleContext;

```

```

/// \<summary>
/// This class provides an empty implementation of \<see cref="I<file.grammarName>Visitor{Result}"/>,
/// which can be extended to create a visitor which only needs to handle a subset
/// of the available methods.
/// \</summary>
/// \<typeparam name="Result">The return type of the visit operation.\</typeparam>
[System.CodeDom.Compiler.GeneratedCode("ANTLR", "<file.ANTLRVersion>")]
[System.CLSCompliant(false)]
public partial class <file.grammarName>BaseVisitor<Result> : AbstractParseTreeVisitor<Result>,
I<file.grammarName>Visitor<Result> {
    <file.visitorNames:{ lname |
/// \<summary>

```

```

<if(file.visitorLabelRuleNames.(Iname))>
  /// Visit a parse tree produced by the \<c><Iname>\</c>
  /// labeled alternative in \<see cref="<file.parserName>.<file.visitorLabelRuleNames.(Iname)>">/.
<else>
  /// Visit a parse tree produced by \<see cref="<file.parserName>.<Iname>">/.
<endif>
  /// \<para>
  /// The default implementation returns the result of calling \<see
  cref="AbstractParseTreeVisitor{Result\}.VisitChildren(IRuleNode)">
  /// on \<paramref name="context">/.
  /// \</para>
  /// \</summary>
  /// \<param name="context">The parse tree.\</param>
  /// \<return>The visitor result.\</return>
  public virtual Result Visit<Iname; format="cap">([NotNull] <csIdentifier.(file.parserName)>.<Iname;
  format="cap">Context context) { return VisitChildren(context); \}}; separator="\n">
  }
<if(file.genPackage)>
  } // namespace <file.genPackage>
<endif>
>>

```

```

fileHeader(grammarFileName, ANTLRVersion) ::= <<
  //-----
  // \<auto-generated>
  //   This code was generated by a tool.
  //   ANTLR Version: <ANTLRVersion>
  //
  //   Changes to this file may cause incorrect behavior and will be lost if
  //   the code is regenerated.
  // \</auto-generated>
  //-----

  // Generated from <grammarFileName> by ANTLR <ANTLRVersion>

  // Unreachable code detected
  #pragma warning disable 0162
  // The variable '...' is assigned but its value is never used
  #pragma warning disable 0219
  // Missing XML comment for publicly visible type or member '...'
  #pragma warning disable 1591
  // Ambiguous reference in cref attribute
  #pragma warning disable 419

  >>

```

```

Parser(parser, funcs, atn, sempredFuncs, superClass) ::= <<
  <Parser_(ctor="parser_ctor", ...)>

```

>>

```
Parser_(parser, funcs, atn, sempredFuncs, ctor, superClass) ::= <<
[System.CodeDom.Compiler.GeneratedCode("ANTLR", "<file.ANTLRVersion>")]
[System.CLSCompliant(false)]
public partial class <csIdentifier.(parser.name)> : <superClass; null="Parser"> {
    protected static DFA[] decisionToDFA;
    protected static PredictionContextCache sharedContextCache = new PredictionContextCache();
    <if(parser.tokens)>
    public const int
    <parser.tokens:{k | <k>=<parser.tokens.(k)>}; separator=", ", wrap, anchor>;
    <endif>
    public const int
    <parser.rules:{r | RULE_<r.name> = <r.index>}; separator=", ", wrap, anchor>;
    public static readonly string[] ruleNames = {
    <parser.ruleNames:{r | "<r>"}; separator=", ", wrap, anchor>
    };

    <vocabulary(parser.literalNames, parser.symbolicNames)>

    public override string GrammarFileName { get { return "<parser.grammarFileName>"; } }

    public override string[] RuleNames { get { return ruleNames; } }

    public override string SerializedAtn { get { return new string(_serializedATN); } }

    static <csIdentifier.(parser.name)>() {
        decisionToDFA = new DFA[_ATN.NumberOfDecisions];
        for (int i = 0; i < _ATN.NumberOfDecisions; i++) {
            decisionToDFA[i] = new DFA(_ATN.GetDecisionState(i), i);
        }
    }

    <namedActions.members>
    <parser:(ctor)()>
    <funcs; separator="\n">

    <if(sempredFuncs)>
    public override bool Sempred(RuleContext _localctx, int ruleIndex, int predIndex) {
        switch (ruleIndex) {
            <parser.sempredFuncs.values:{f|
            case <f.ruleIndex>: return <f.name>_sempred((<f.ctxType>)_localctx, predIndex);}; separator="\n">
            }
            return true;
        }
        <sempredFuncs.values; separator="\n">
    }
    <endif>
```



```

<atn>
}
>>

vocabulary(literalNames, symbolicNames) ::= <<
private static readonly string[] _LiteralNames = {
<literalNames:{t | <t>}; null="null", separator=", ", wrap, anchor>
};
private static readonly string[] _SymbolicNames = {
<symbolicNames:{t | <t>}; null="null", separator=", ", wrap, anchor>
};
public static readonly IVocabulary DefaultVocabulary = new Vocabulary(_LiteralNames, _SymbolicNames);

[NotNull]
public override IVocabulary Vocabulary
{
get
{
return DefaultVocabulary;
}
}
>>

dumpActions(recog, argFuncs, actionFuncs, sempredFuncs) ::= <<
<if(actionFuncs)>
public override void Action(RuleContext _localctx, int ruleIndex, int actionIndex) {
switch (ruleIndex) {
<recog.actionFuncs.values:{f}
case <f.ruleIndex> : <f.name>_action(<if(!recog.modes)><f.ctxType><endif>_localctx, actionIndex); break;};
separator="\n">
}
}
<actionFuncs.values; separator="\n">
<endif>
<if(sempredFuncs)>
public override bool Sempred(RuleContext _localctx, int ruleIndex, int predIndex) {
switch (ruleIndex) {
<recog.sempredFuncs.values:{f}
case <f.ruleIndex> : return <f.name>_sempred(<if(!recog.modes)><f.ctxType><endif>_localctx, predIndex);};
separator="\n">
}
return true;
}
<sempredFuncs.values; separator="\n">
<endif>
>>

parser_ctor(parser) ::= <<

```

```

public <csIdentifier.(parser.name)>(ITokenStream input) : this(input, Console.Out, Console.Error) { }

public <csIdentifier.(parser.name)>(ITokenStream input, TextWriter output, TextWriter errorOutput)
: base(input, output, errorOutput)
{
    Interpreter = new ParserATNSimulator(this, _ATN, decisionToDFA, sharedContextCache);
}
>>

/* This generates a private method since the actionIndex is generated, making an
* overriding implementation impossible to maintain.
*/
RuleActionFunction(r, actions) ::= <<
private void <r.name>_action(<r.ctxType> _localctx, int actionIndex) {
    switch (actionIndex) {
        <actions:{index|
case <index>: <actions.(index)> break;}; separator="\n">
    }
}
>>

/* This generates a private method since the predIndex is generated, making an
* overriding implementation impossible to maintain.
*/
RuleSempredFunction(r, actions) ::= <<
private bool <r.name>_sempred(<r.ctxType> _localctx, int predIndex) {
    switch (predIndex) {
        <actions:{index|
case <index>: return <actions.(index)>;}; separator="\n">
    }
    return true;
}
>>

RuleFunction(currentRule,args,code,locals,ruleCtx,altLabelCtxs,namedActions,finallyAction,postamble,exceptions)
::= <<

<if(ruleCtx)>
<ruleCtx>
<endif>
<altLabelCtxs:{l | <altLabelCtxs.(l)>}; separator="\n">

[RuleVersion(<namedActions.version; null="0">)]
<if(currentRule.modifiers)><currentRule.modifiers:{f | <f> }><else>public <endif><currentRule.ctxType>
<csIdentifier.(currentRule.name)>(<args; separator=", ">) {
    <currentRule.ctxType> _localctx = new <currentRule.ctxType>(Context, State<currentRule.args:{a | ,
<csIdentifier.(a.name)>}>);
    EnterRule(_localctx, <currentRule.startState>, RULE_<currentRule.name>);

```

```

<namedActions.init>
<locals; separator="\n">
try {
<if(currentRule.hasLookaheadBlock)>
  int _alt;
<endif>
  <code>
  <postamble; separator="\n">
  <namedActions.after>
  }
<if(exceptions)>
<exceptions; separator="\n">
<else>
catch (RecognitionException re) {
  _localctx.exception = re;
  ErrorHandler.ReportError(this, re);
  ErrorHandler.Recover(this, re);
}
<endif>
finally {
  <finallyAction>
  ExitRule();
}
return _localctx;
}
>>

```

```

LeftFactoredRuleFunction(currentRule,args,code,locals,namedActions,finallyAction,postamble) ::=
<<

```

```

<if(currentRule.modifiers)><currentRule.modifiers:{f | <f> }><else>private <endif><currentRule.ctxType>
<csIdentifier.(currentRule.name)><(args; separator=", "> {
  <currentRule.ctxType> _localctx = new <currentRule.ctxType>(Context, State<currentRule.args:{a | ,
  <csIdentifier.(a.name)>>>);
  EnterLeftFactoredRule(_localctx, <currentRule.startState>, RULE_<currentRule.variantOf>);
  <namedActions.init>
  <locals; separator="\n">
  try {
  <if(currentRule.hasLookaheadBlock)>
    int _alt;
  <endif>
    <code>
    <postamble; separator="\n">
    <namedActions.after>
    }
  catch (RecognitionException re) {
    _localctx.exception = re;
    ErrorHandler.ReportError(this, re);

```

```

    ErrorHandler.Recover(this, re);
}
finally {
    <finallyAction>
    ExitRule();
}
return _localctx;
}
>>

// This behaves similar to RuleFunction (enterRule is called, and no adjustments
// are made to the parse tree), but since it's still a variant no context class
// needs to be generated.
LeftUnfactoredRuleFunction(currentRule,args,code,locals,namedActions,finallyAction,postamble) ::=
<<

<if(currentRule.modifiers)><currentRule.modifiers:{f| <f> }><else>private <endif><currentRule.ctxType>
<csIdentifier.(currentRule.name)><(args; separator=", "> {
    <currentRule.ctxType> _localctx = new <currentRule.ctxType>(Context, State<currentRule.args:{a| ,
<csIdentifier.(a.name)>>>);
    EnterRule(_localctx, <currentRule.startState>, RULE_<currentRule.variantOf>);
    <namedActions.init>
    <locals; separator="\n">
    try {
    <if(currentRule.hasLookaheadBlock)>
        int _alt;
    <endif>
    <code>
    <postamble; separator="\n">
    <namedActions.after>
    }
    catch (RecognitionException re) {
        _localctx.exception = re;
        ErrorHandler.ReportError(this, re);
        ErrorHandler.Recover(this, re);
    }
    finally {
    <finallyAction>
    ExitRule();
    }
    return _localctx;
}
>>

LeftRecursiveRuleFunction(currentRule,args,code,locals,ruleCtx,altLabelCtxs,
    namedActions,finallyAction,postamble) ::=
<<

```

```

<ruleCtx>
<altLabelCtxs:{l | <altLabelCtxs.(l)>}; separator="\n">

[RuleVersion(<namedActions.version; null="0">)]
<if(currentRule.modifiers)><currentRule.modifiers:{f | <f> }><else>public <endif><currentRule.ctxType>
<csIdentifier.(currentRule.name)><(args; separator=", "> {
  return <csIdentifier.(currentRule.name)><(0<currentRule.args:{a | , <csIdentifier.(a.name)>}>}>;
}

private <currentRule.ctxType> <csIdentifier.(currentRule.name)><(int _p<args:{a | , <a>}>}> {
  ParserRuleContext _parentctx = Context;
  int _parentState = State;
  <currentRule.ctxType> _localctx = new <currentRule.ctxType>(Context, _parentState<currentRule.args:{a | ,
  <csIdentifier.(a.name)>}>}>);
  <currentRule.ctxType> _prevctx = _localctx;
  int _startState = <currentRule.startState>;
  EnterRecursionRule(_localctx, <currentRule.startState>, RULE_<currentRule.name>, _p);
  <namedActions.init>
  <locals; separator="\n">
  try {
  <if(currentRule.hasLookaheadBlock)>
  int _alt;
  <endif>
  <code>
  <postamble; separator="\n">
  <namedActions.after>
  }
  catch (RecognitionException re) {
  _localctx.exception = re;
  ErrorHandler.ReportError(this, re);
  ErrorHandler.Recover(this, re);
  }
  finally {
  <finallyAction>
  UnrollRecursionContexts(_parentctx);
  }
  return _localctx;
}
>>

```

```

CodeBlockForOuterMostAlt(currentOuterMostAltCodeBlock, locals, preamble, ops) ::= <<
<if(currentOuterMostAltCodeBlock.altLabel)>_localctx = new <currentOuterMostAltCodeBlock.altLabel;
format="cap">Context(_localctx);<endif>
EnterOuterAlt(_localctx, <currentOuterMostAltCodeBlock.alt.altNum>);
<CodeBlockForAlt(currentAltCodeBlock=currentOuterMostAltCodeBlock, ...)>
>>

```

```

CodeBlockForAlt(currentAltCodeBlock, locals, preamble, ops) ::= <<

```

```
{
<locals; separator="\n">
<preamble; separator="\n">
<ops; separator="\n">
}
>>
```

```
LL1AltBlock(choice, preamble, alts, error) ::= <<
State = <choice.stateNumber>;
ErrorHandler.Sync(this);
<if(choice.label)><labelref(choice.label)> = TokenStream.LT(1);<endif>
<preamble; separator="\n">
switch (TokenStream.LA(1)) {
<choice.altLook,alts:{look,alt| <cases(ttypes=look)>
<alt>
break;}; separator="\n">
default:
<error>
}
>>
```

```
LL1OptionalBlock(choice, alts, error) ::= <<
State = <choice.stateNumber>;
ErrorHandler.Sync(this);
switch (TokenStream.LA(1)) {
<choice.altLook,alts:{look,alt| <cases(ttypes=look)>
<alt>
break;}; separator="\n">
default:
break;
}
>>
```

```
LL1OptionalBlockSingleAlt(choice, expr, alts, preamble, error, followExpr) ::= <<
State = <choice.stateNumber>;
ErrorHandler.Sync(this);
<preamble; separator="\n">
if (<expr>) {
<alts; separator="\n">
}
<!else if ( !(<followExpr> ) <error>!>
>>
```

```
LL1StarBlockSingleAlt(choice, loopExpr, alts, preamble, iteration) ::= <<
State = <choice.stateNumber>;
ErrorHandler.Sync(this);
<preamble; separator="\n">
while (<loopExpr>) {
```

```

<alts; separator="\n">
State = <choice.loopBackStateNumber>;
ErrorHandler.Sync(this);
<iteration>
}
>>

```

```

LL1PlusBlockSingleAlt(choice, loopExpr, alts, preamble, iteration) ::= <<
State = <choice.blockStartStateNumber>;<! alt block decision !>
ErrorHandler.Sync(this);
<preamble; separator="\n">
do {
<alts; separator="\n">
State = <choice.stateNumber>;<! loopback/exit decision !>
ErrorHandler.Sync(this);
<iteration>
} while ( <loopExpr> );
>>

```

```
// LL(*) stuff
```

```

AltBlock(choice, preamble, alts, error) ::= <<
State = <choice.stateNumber>;
ErrorHandler.Sync(this);
<if(choice.label)><labelref(choice.label)> = TokenStream.LT(1);<endif>
<preamble; separator="\n">
switch ( Interpreter.AdaptivePredict(TokenStream,<choice.decision>,Context) ) {
<alts:{ alt |
case <i>:
<alt>
break;}; separator="\n">
}
>>

```

```

OptionalBlock(choice, alts, error) ::= <<
State = <choice.stateNumber>;
ErrorHandler.Sync(this);
switch ( Interpreter.AdaptivePredict(TokenStream,<choice.decision>,Context) ) {
<alts:{ alt |
case <i><if(!choice.ast.greedy)>+1<endif>:
<alt>
break;}; separator="\n">
}
>>

```

```

StarBlock(choice, alts, sync, iteration) ::= <<
State = <choice.stateNumber>;
ErrorHandler.Sync(this);

```

```

_alt = Interpreter.AdaptivePredict(TokenStream,<choice.decision>,Context);
while ( _alt!=<choice.exitAlt> && _alt!=global::Antlr4.Runtime.Atn.ATN.INVALID_ALT_NUMBER ) {
if ( _alt==1<if(!choice.ast.greedy)>+1<endif> ) {
<iteration>
<alts> <! should only be one !>
}
State = <choice.loopBackStateNumber>;
ErrorHandler.Sync(this);
_alt = Interpreter.AdaptivePredict(TokenStream,<choice.decision>,Context);
}
>>

```

```

PlusBlock(choice, alts, error) ::= <<
State = <choice.blockStartStateNumber>;<! alt block decision !>
ErrorHandler.Sync(this);
_alt = 1<if(!choice.ast.greedy)>+1<endif>;
do {
switch ( _alt ) {
<alts:{alt|
case <i><if(!choice.ast.greedy)>+1<endif>:
<alt>
break;}; separator="\n">
default:
<error>
}
State = <choice.loopBackStateNumber>;<! loopback/exit decision !>
ErrorHandler.Sync(this);
_alt = Interpreter.AdaptivePredict(TokenStream,<choice.decision>,Context);
} while ( _alt!=<choice.exitAlt> && _alt!=global::Antlr4.Runtime.Atn.ATN.INVALID_ALT_NUMBER );
>>

```

```

Sync(s) ::= "Sync(<s.expecting.name>);"

```

```

ThrowNoViableAlt(t) ::= "throw new NoViableAltException(this);"

```

```

TestSetInline(s) ::= <<
<s.bitsets:{bits | <if(rest(rest(bits.ttypes)))><bitsetBitfieldComparison(s, bits)><else><bitsetInlineComparison(s,
bits)><endif>}; separator=" || ">
>>

```

```

// Java language spec 15.19 - shift operators mask operands rather than overflow to 0... need range test
testShiftInRange(shiftAmount) ::= <<
((<shiftAmount>) & ~0x3f) == 0
>>

```

```

// produces smaller bytecode only when bits.ttypes contains more than two items
bitsetBitfieldComparison(s, bits) ::= <%
(<testShiftInRange({<offsetShift(s.varName, bits.shift)>})> && ((1L \<< <offsetShift(s.varName, bits.shift)>) &

```



```

(<bits.ttypes:{ ttype | (1L \<< <offsetShift(tokenType.(ttype), bits.shift)>)}; separator=" | ">) != 0)
%>

isZero ::= [
"0":true,
default:false
]

offsetShift(shiftAmount, offset) ::= <%
<if(!isZero.(offset))><shiftAmount> - <offset><else><shiftAmount><endif>
%>

// produces more efficient bytecode when bits.ttypes contains at most two items
bitsetInlineComparison(s, bits) ::= <%
<bits.ttypes:{ ttype | <s.varName>===<tokenType.(ttype)>}; separator=" || ">
%>

cases(ttypes) ::= <<
<ttypes:{ t | case <tokenType.(t)>:}; separator="\n">
>>

InvokeRule(r, argExprsChunks) ::= <<
State = <r.stateNumber>; <if(r.labels)><r.labels:{1 | <labelref(l)> =
}><endif><csIdentifier.(r.name)><(<if(r.ast.options.p)><r.ast.options.p><if(argExprsChunks)><endif><endif><arg
ExprsChunks>);
>>

MatchToken(m) ::= <<
State = <m.stateNumber>; <if(m.labels)><m.labels:{1 | <labelref(l)> = }><endif>Match(<tokenType.(m.name)>);
>>

MatchSet(m, expr, capture) ::= "<CommonSetStuff(m, expr, capture, false)>"

MatchNotSet(m, expr, capture) ::= "<CommonSetStuff(m, expr, capture, true)>"

CommonSetStuff(m, expr, capture, invert) ::= <<
State = <m.stateNumber>;
<if(m.labels)><m.labels:{1 | <labelref(l)> = }>TokenStream.LT(1);<endif>
<capture>
if ( <if(invert)><m.varName> \<= 0 || <else>!<endif><(<expr>) ) {
<if(m.labels)><m.labels:{1 | <labelref(l)> = }><endif>ErrorHandler.RecoverInline(this);
}
else {
ErrorHandler.ReportMatch(this);
Consume();
}
>>

```

```

Wildcard(w) ::= <<
State = <w.stateNumber>;
<if(w.labels)><w.labels:{1 | <labelref(l)> = }><endif>MatchWildcard();
>>

// ACTION STUFF

Action(a, foo, chunks) ::= "<chunks>"

ArgAction(a, chunks) ::= "<chunks>"

SemPred(p, chunks, failChunks) ::= <<
State = <p.stateNumber>;
if (!(<chunks>)) throw new FailedPredicateException(this, <p.predicate><if(failChunks)>,
<failChunks><elseif(p.msg)>, <p.msg><endif>);
>>

ExceptionClause(e, catchArg, catchAction) ::= <<
catch (<catchArg>) {
  <catchAction>
}
>>

// lexer actions are not associated with model objects

LexerSkipCommand() ::= "Skip();"
LexerMoreCommand() ::= "More();"
LexerPopModeCommand() ::= "PopMode();"

LexerTypeCommand(arg, grammar) ::= "_type = <tokenType.(arg)>);"
LexerChannelCommand(arg, grammar) ::= "_channel = <channelName.(arg)>);"
LexerModeCommand(arg, grammar) ::= "_mode = <modeName.(arg)>);"
LexerPushModeCommand(arg, grammar) ::= "PushMode(<modeName.(arg)>);"

ActionText(t) ::= "<t.text>"
ActionTemplate(t) ::= "<t.st>"
ArgRef(a) ::= "_localctx.<csIdentifier.(a.name)>"
LocalRef(a) ::= "_localctx.<csIdentifier.(a.name)>"
RetValRef(a) ::= "_localctx.<csIdentifier.(a.name)>"
QRetValRef(a) ::= "<ctx(a)>.<a.dict>.<csIdentifier.(a.name)>"
/** How to translate $tokenLabel */
TokenRef(t) ::= "<ctx(t)>.<csIdentifier.(tokenType.(t.name))>"
LabelRef(t) ::= "<ctx(t)>.<csIdentifier.(t.name)>"
ListLabelRef(t) ::= "<ctx(t)>.<ListLabelName(csIdentifier.(t.name))>"
SetAttr(s,rhsChunks) ::= "<ctx(s)>.<csIdentifier.(s.name)> = <rhsChunks>);"

TokenLabelType() ::= "<file.TokenLabelType; null={IToken}>"
InputSymbolType() ::= "<file.InputSymbolType; null={IToken}>"

```

```

TokenPropertyRef_text(t) ::= "<ctx(t)>.<tokenType.(t.label)>!=null?<ctx(t)>.<tokenType.(t.label)>.Text:null)"
TokenPropertyRef_type(t) ::= "<ctx(t)>.<tokenType.(t.label)>!=null?<ctx(t)>.<tokenType.(t.label)>.Type:0)"
TokenPropertyRef_line(t) ::= "<ctx(t)>.<tokenType.(t.label)>!=null?<ctx(t)>.<tokenType.(t.label)>.Line:0)"
TokenPropertyRef_pos(t) ::=
"<ctx(t)>.<tokenType.(t.label)>!=null?<ctx(t)>.<tokenType.(t.label)>.CharPositionInLine:0)"
TokenPropertyRef_channel(t) ::=
"<ctx(t)>.<tokenType.(t.label)>!=null?<ctx(t)>.<tokenType.(t.label)>.Channel:0)"
TokenPropertyRef_index(t) ::=
"<ctx(t)>.<tokenType.(t.label)>!=null?<ctx(t)>.<tokenType.(t.label)>.TokenIndex:0)"
TokenPropertyRef_int(t) ::=
"<ctx(t)>.<tokenType.(t.label)>!=null?int.Parse(<ctx(t)>.<tokenType.(t.label)>.Text):0)"

RulePropertyRef_start(r) ::= "<ctx(r)>.<r.label>!=null?(<ctx(r)>.<r.label>.Start):null)"
RulePropertyRef_stop(r) ::= "<ctx(r)>.<r.label>!=null?(<ctx(r)>.<r.label>.Stop):null)"
RulePropertyRef_text(r) ::=
"<ctx(r)>.<r.label>!=null?TokenStream.GetText(<ctx(r)>.<r.label>.Start,<ctx(r)>.<r.label>.Stop):null)"
RulePropertyRef_ctx(r) ::= "<ctx(r)>.<r.label>"
RulePropertyRef_parser(r) ::= "this"

ThisRulePropertyRef_start(r) ::= "_localctx.Start"
ThisRulePropertyRef_stop(r) ::= "_localctx.Stop"
ThisRulePropertyRef_text(r) ::= "TokenStream.GetText(_localctx.Start, TokenStream.LT(-1))"
ThisRulePropertyRef_ctx(r) ::= "_localctx"
ThisRulePropertyRef_parser(r) ::= "this"

NonLocalAttrRef(s) ::= <%((<s.ruleName;
format="cap">Context)GetInvokingContext(<s.ruleIndex>)).<csIdentifier.(s.name)>%>
SetNonLocalAttr(s, rhsChunks) ::=
<%((<s.ruleName; format="cap">Context)GetInvokingContext(<s.ruleIndex>)).<csIdentifier.(s.name)> =
<rhsChunks>;%>

AddToLabelList(a) ::= "<ctx(a.label)>.<a.listName>.Add(<labelref(a.label)>);"

TokenDecl(t) ::= "<TokenLabelType() <csIdentifier.(tokenType.(t.name))>"
TokenTypeDecl(t) ::= "int <csIdentifier.(tokenType.(t.name))>);"
TokenListDecl(t) ::= "IList<IToken> <csIdentifier.(tokenType.(t.name))> = new List<IToken>()"
RuleContextDecl(r) ::= "<r.ctxName> <csIdentifier.(r.name)>"
RuleContextListDecl(rdecl) ::= "IList<<rdecl.ctxName>> <csIdentifier.(rdecl.name)> = new
List<<rdecl.ctxName>>()"

contextGetterCollection(elementType) ::= <%
<elementType>[]
%>

ContextTokenGetterDecl(t) ::=
"public ITerminalNode <csIdentifier.(tokenType.(t.name))>() { return
GetToken(<csIdentifier.(parser.name)>.<csIdentifier.(tokenType.(t.name))>, 0); }"

```

```

ContextTokenListGetterDecl(t) ::= <<
public <contextGetterCollection("ITerminalNode")> <csIdentifier.(tokenType.(t.name))>() { return
GetTokens(<csIdentifier.(parser.name)>.<csIdentifier.(tokenType.(t.name))>); }
>>
ContextTokenListIndexedGetterDecl(t) ::= <<
public ITerminalNode <csIdentifier.(tokenType.(t.name))>(int i) {
return GetToken(<csIdentifier.(parser.name)>.<csIdentifier.(tokenType.(t.name))>, i);
}
>>
ContextRuleGetterDecl(r) ::= <<
public <r.ctxName> <csIdentifier.(r.name)>() {
return GetRuleContext\<<r.ctxName>\>(0);
}
>>
ContextRuleListGetterDecl(r) ::= <<
public <contextGetterCollection({<r.ctxName>})> <csIdentifier.(r.name)>() {
return GetRuleContexts\<<r.ctxName>\>();
}
>>
ContextRuleListIndexedGetterDecl(r) ::= <<
public <r.ctxName> <csIdentifier.(r.name)>(int i) {
return GetRuleContext\<<r.ctxName>\>(i);
}
>>

LexerRuleContext() ::= "RuleContext"

/** The rule context name is the rule followed by a suffix; e.g.,
* r becomes rContext.
*/
RuleContextNameSuffix() ::= "Context"

ImplicitTokenLabel(tokenName) ::= "_<tokenType.(tokenName)>"
ImplicitRuleLabel(ruleName) ::= "_<ruleName>"
ImplicitSetLabel(id) ::= "_tset<id>"
ListLabelName(label) ::= "_<label>"

CaptureNextToken(d) ::= "<d.varName> = TokenStream.LT(1);"
CaptureNextTokenType(d) ::= "<d.varName> = TokenStream.LA(1);"

StructDecl(struct,ctorAttrs,attrs,getters,dispatchMethods,interfaces,extensionMembers,
superClass={ParserRuleContext}) ::= <<
public partial class <struct.name> :
<if(contextSuperClass)><contextSuperClass><else>ParserRuleContext<endif><if(interfaces)>, <interfaces>;
separator=", "><endif> {
<attrs:{a | public <a>;}; separator="\n">
<getters:{g | <g>;}; separator="\n">
<if(ctorAttrs)>public <struct.name>(ParserRuleContext parent, int invokingState) : base(parent, invokingState) {

```

```

}<endif>
public <struct.name>(ParserRuleContext parent, int invokingState<ctorAttrs:{ a | , <a>}>)
: base(parent, invokingState)
{
<struct.ctorAttrs:{ a | this.<csIdentifier.(a.name)> = <csIdentifier.(a.name)>;}; separator="\n">
}
public override int RuleIndex { get { return RULE_<struct.derivedFromName>; } }
<if(struct.provideCopyFrom)> <! don't need copy unless we have subclasses !>
public <struct.name>() { }
public virtual void CopyFrom(<struct.name> context) {
base.CopyFrom(context);
<struct.attrs:{ a | this.<csIdentifier.(a.name)> = context.<csIdentifier.(a.name)>;}; separator="\n">
}
<endif>
<dispatchMethods; separator="\n">
<extensionMembers; separator="\n">
}
>>

```

```

AltLabelStructDecl(struct,attrs, getters,dispatchMethods) ::= <<
public partial class <struct.name> : <currentRule.name; format="cap">Context {
<attrs:{ a | public <a>;}; separator="\n">
<getters:{ g | <g>;}; separator="\n">
public <struct.name>(<currentRule.name; format="cap">Context context) { CopyFrom(context); }
<dispatchMethods; separator="\n">
}
>>

```

```

ListenerDispatchMethod(method) ::= <<
public override void <if(method.isEnter)>Enter<else>Exit<endif>Rule(IParseTreeListener listener) {
I<parser.grammarName>Listener typedListener = listener as I<parser.grammarName>Listener;
if (typedListener != null) typedListener.<if(method.isEnter)>Enter<else>Exit<endif><struct.derivedFromName;
format="cap">(this);
}
>>

```

```

VisitorDispatchMethod(method) ::= <<
public override TResult Accept<TResult>(IParseTreeVisitor<TResult> visitor) {
I<parser.grammarName>Visitor<TResult> typedVisitor = visitor as I<parser.grammarName>Visitor<TResult>;
if (typedVisitor != null) return typedVisitor.Visit<struct.derivedFromName; format="cap">(this);
else return visitor.VisitChildren(this);
}
>>

```

```

AttributeDecl(d) ::= "<d.type> <csIdentifier.(d.name)><if(d.initValue)> = <d.initValue><endif>"

```

```

/** If we don't know location of label def x, use this template */

```

```

labelref(x) ::= "<if(!x.isLocal)><typedContext(x.ctx)>.<endif><csIdentifier.(x.name)>"

```

```

/** For any action chunk, what is correctly-typed context struct ptr? */
ctx(actionChunk) ::= "<typedContext(actionChunk.ctx)>"

// only casts _localctx to the type when the cast isn't redundant (i.e. to a sub-context for a labeled alt)
typedContext(ctx) ::= "<if(ctx.provideCopyFrom)>((<ctx.name>)_localctx)<else>_localctx<endif>"

// used for left-recursive rules
recRuleAltPredicate(ruleName,opPrec) ::= "Precpred(Context, <opPrec>)"
recRuleSetReturnAction(src,name) ::= "$<name>=<src>.<name>;"
recRuleSetStopToken() ::= "Context.Stop = TokenStream.LT(-1);"

recRuleAltStartAction(ruleName, ctxName, label, isListLabel) ::= <<
_localctx = new <ctxName>Context(_parentctx, _parentState);
<if(label)>
<if(isListLabel)>
_localctx.<label>.Add(_prevctx);
<else>
_localctx.<label> = _prevctx;
<endif>
<endif>
PushNewRecursionContext(_localctx, _startState, RULE_<ruleName>);
>>

recRuleLabeledAltStartAction(ruleName, currentAltLabel, label, isListLabel) ::= <<
_localctx = new <currentAltLabel; format="cap">Context(new <ruleName; format="cap">Context(_parentctx,
_parentState));
<if(label)>
<if(isListLabel)>
((<currentAltLabel; format="cap">Context)_localctx).<label>.Add(_prevctx);
<else>
((<currentAltLabel; format="cap">Context)_localctx).<label> = _prevctx;
<endif>
<endif>
PushNewRecursionContext(_localctx, _startState, RULE_<ruleName>);
>>

recRuleReplaceContext(ctxName) ::= <<
_localctx = new <ctxName>Context(_localctx);
Context = _localctx;
_prevctx = _localctx;
>>

recRuleSetPrevCtx() ::= <<
if ( ParseListeners!=null )
TriggerExitRuleEvent();
_prevctx = _localctx;
>>

```

```

LexerFile(file, lexer, namedActions) ::= <<
<fileHeader(file.grammarFileName, file.ANTLRVersion)>
<if(file.genPackage)>
namespace <file.genPackage> {
<endif>
<namedActions.header>
using System;
using System.IO;
using System.Text;
using Antlr4.Runtime;
using Antlr4.Runtime.Atn;
using Antlr4.Runtime.Misc;
using DFA = Antlr4.Runtime.Dfa.DFA;

<lexer>
<if(file.genPackage)>
} // namespace <file.genPackage>
<endif>
>>

```

```

Lexer(lexer, atn, actionFuncs, sempredFuncs, superClass) ::= <<
[System.CodeDom.Compiler.GeneratedCode("ANTLR", "<file.ANTLRVersion>")]
[System.CLSCompliant(false)]
public partial class <csIdentifier.(lexer.name)> : <superClass; null="Lexer"> {
protected static DFA[] decisionToDFA;
protected static PredictionContextCache sharedContextCache = new PredictionContextCache();
public const int
<lexer.tokens:{k | <tokenType.(k)>=<lexer.tokens.(k)>}; separator=", ", wrap, anchor>;
<if(lexer.channels)>
public const int
<lexer.channels:{k | <csIdentifier.(k)>=<lexer.channels.(k)>}; separator=", ", wrap, anchor>;
<endif>
<if(rest(lexer.modes))>
public const int
<rest(lexer.modes):{m | <m>=<i>}; separator=", ", wrap, anchor>;
<endif>
public static string[] channelNames = {
"DEFAULT_TOKEN_CHANNEL", "HIDDEN"<if (lexer.channels)>, <lexer.channels:{c | "<c">}; separator=", ",
wrap, anchor><endif>
};

public static string[] modeNames = {
<lexer.modes:{m | "<m">}; separator=", ", wrap, anchor>
};

public static readonly string[] ruleNames = {

```

```

<lexer.ruleNames:{r | "<r>"}; separator=", ", wrap, anchor>
};

<namedActions.members>

public <csIdentifier.(lexer.name)>(ICharStream input)
: this(input, Console.Out, Console.Error) { }

public <csIdentifier.(lexer.name)>(ICharStream input, TextWriter output, TextWriter errorOutput)
: base(input, output, errorOutput)
{
    Interpreter = new LexerATNSimulator(this, _ATN, decisionToDFA, sharedContextCache);
}

<vocabulary(lexer.literalNames, lexer.symbolicNames)>

public override string GrammarFileName { get { return "<lexer.grammarFileName>"; } }

public override string[] RuleNames { get { return ruleNames; } }

public override string[] ChannelNames { get { return channelNames; } }

public override string[] ModeNames { get { return modeNames; } }

public override string SerializedAtn { get { return new string(_serializedATN); } }

static <csIdentifier.(lexer.name)>() {
    decisionToDFA = new DFA[_ATN.NumberOfDecisions];
    for (int i = 0; i < _ATN.NumberOfDecisions; i++) {
        decisionToDFA[i] = new DFA(_ATN.GetDecisionState(i), i);
    }
}
<dumpActions(lexer, "", actionFuncs, sempredFuncs)>
<atn>
}
>>

SerializedATN(model) ::= <<
private static char[] _serializedATN = {
    <model.serialized; separator=", ", wrap>,
};

public static readonly ATN _ATN =
    new ATNDeserializer().Deserialize(_serializedATN);

>>

```



```
initValue(typeName) ::= <<
default(<typeName>)
>>
```

```
codeFileExtension() ::= ".cs"
```

```
modeName ::= [
  "DEFAULT_MODE" : "DefaultMode",
  default : key
]
```

```
channelName ::= [
  "HIDDEN" : "Hidden",
  "DEFAULT_TOKEN_CHANNEL" : "DefaultTokenChannel",
  default : key
]
```

```
tokenType ::= [
  "EOF" : "Eof",
  default : key
]
```

```
csIdentifier ::= [
  "abstract" : "@abstract",
  "as" : "@as",
  "base" : "@base",
  "bool" : "@bool",
  "break" : "@break",
  "byte" : "@byte",
  "case" : "@case",
  "catch" : "@catch",
  "char" : "@char",
  "checked" : "@checked",
  "class" : "@class",
  "const" : "@const",
  "continue" : "@continue",
  "decimal" : "@decimal",
  "default" : "@default",
  "delegate" : "@delegate",
  "do" : "@do",
  "double" : "@double",
  "else" : "@else",
  "enum" : "@enum",
  "event" : "@event",
  "explicit" : "@explicit",
  "extern" : "@extern",
  "false" : "@false",
```

"finally" : "@finally",  
"fixed" : "@fixed",  
"float" : "@float",  
"for" : "@for",  
"foreach" : "@foreach",  
"goto" : "@goto",  
"if" : "@if",  
"implicit" : "@implicit",  
"in" : "@in",  
"int" : "@int",  
"interface" : "@interface",  
"internal" : "@internal",  
"is" : "@is",  
"lock" : "@lock",  
"long" : "@long",  
"namespace" : "@namespace",  
"new" : "@new",  
"null" : "@null",  
"object" : "@object",  
"operator" : "@operator",  
"out" : "@out",  
"override" : "@override",  
"params" : "@params",  
"private" : "@private",  
"protected" : "@protected",  
"public" : "@public",  
"readonly" : "@readonly",  
"ref" : "@ref",  
"return" : "@return",  
"sbyte" : "@sbyte",  
"sealed" : "@sealed",  
"short" : "@short",  
"sizeof" : "@sizeof",  
"stackalloc" : "@stackalloc",  
"static" : "@static",  
"string" : "@string",  
"struct" : "@struct",  
"switch" : "@switch",  
"this" : "@this",  
"throw" : "@throw",  
"true" : "@true",  
"try" : "@try",  
"typeof" : "@typeof",  
"uint" : "@uint",  
"ulong" : "@ulong",  
"unchecked" : "@unchecked",  
"unsafe" : "@unsafe",  
"ushort" : "@ushort",

```
"using" : "@using",
"virtual" : "@virtual",
"values" : "@values",
"void" : "@void",
"volatile" : "@volatile",
"while" : "@while",
default : key
]
```

Found in path(s):

```
* /opt/cola/permits/1274703849_1645234551.46/0/antlr4-4-7-1-sources-
jar/org/antlr/v4/tool/templates/codegen/CSharp/CSharp.stg
```

No license file was found, but licenses were detected in source scan.

```
/*
```

```
* [The "BSD license"]
```

```
* Copyright (c) 2016, Mike Lischke
```

```
* All rights reserved.
```

```
*
```

```
* Redistribution and use in source and binary forms, with or without
```

```
* modification, are permitted provided that the following conditions
```

```
* are met:
```

```
*
```

```
* 1. Redistributions of source code must retain the above copyright
```

```
* notice, this list of conditions and the following disclaimer.
```

```
* 2. Redistributions in binary form must reproduce the above copyright
```

```
* notice, this list of conditions and the following disclaimer in the
```

```
* documentation and/or other materials provided with the distribution.
```

```
* 3. The name of the author may not be used to endorse or promote products
```

```
* derived from this software without specific prior written permission.
```

```
*
```

```
* THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR
```

```
* IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
```

```
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.
```

```
* IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,
```

```
* INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT
```

```
* NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
```

```
* DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
```

```
* THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
```

```
* (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF
```

```
* THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
```

```
*/
```

Found in path(s):

```
* /opt/cola/permits/1274703849_1645234551.46/0/antlr4-4-7-1-sources-
jar/org/antlr/v4/tool/templates/codegen/Cpp/Files.stg
```

No license file was found, but licenses were detected in source scan.

```
/*
 * [The "BSD license"]
 * Copyright (c) 2012-2016 Terence Parr
 * Copyright (c) 2012-2016 Sam Harwell
 * All rights reserved.
 *
 * Redistribution and use in source and binary forms, with or without
 * modification, are permitted provided that the following conditions
 * are met:
 *
 * 1. Redistributions of source code must retain the above copyright
 * notice, this list of conditions and the following disclaimer.
 * 2. Redistributions in binary form must reproduce the above copyright
 * notice, this list of conditions and the following disclaimer in the
 * documentation and/or other materials provided with the distribution.
 * 3. The name of the author may not be used to endorse or promote products
 * derived from this software without specific prior written permission.
 *
 * THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR
 * IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
 * OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.
 * IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,
 * INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT
 * NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
 * DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
 * THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
 * (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF
 * THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
 */
```

```
/** Find left-recursive rules */
tree grammar LeftRecursiveRuleWalker;
```

```
options {
  tokenVocab=ANTLRParser;
  ASTLabelType=GrammarAST;
}
```

```
@header {
package org.antlr.v4.parse;
```

```
import org.antlr.v4.misc.*;
import org.antlr.v4.tool.*;
import org.antlr.v4.tool.ast.*;
}
```

```
@members {
private String ruleName;
```

```

private int currentOuterAltNumber; // which outer alt of rule?
public int numAlts; // how many alts for this rule total?

public void setAltAssoc(AltAST altTree, int alt) {}
public void binaryAlt(AltAST altTree, int alt) {}
public void prefixAlt(AltAST altTree, int alt) {}
public void suffixAlt(AltAST altTree, int alt) {}
public void otherAlt(AltAST altTree, int alt) {}
public void setReturnValues(GrammarAST t) {}
}

@rulecatch { }

// TODO: can get parser errors for not matching pattern; make them go away
public
rec_rule returns [boolean isLeftRec]
@init
{
    currentOuterAltNumber = 1;
}
: ^( r=RULE id=RULE_REF {ruleName=$id.getText();}
    ruleModifier?
// ( ARG_ACTION)? shouldn't allow args, right?
    (^(RETURNS a=ARG_ACTION {setReturnValues($a);}))?
// (^(THROWS .+)? don't allow
    (^(LOCALS ARG_ACTION) )? // TODO: copy these to gen'd code
    (^(OPTIONS .*)
    |^(AT ID ACTION) // TODO: copy
    )*)
    ruleBlock { $isLeftRec = $ruleBlock.isLeftRec;}
    exceptionGroup
)
;

exceptionGroup
: exceptionHandler* finallyClause?
;

exceptionHandler
: ^(CATCH ARG_ACTION ACTION)
;

finallyClause
: ^(FINALLY ACTION)
;

ruleModifier
: PUBLIC

```

```

| PRIVATE
| PROTECTED
;

ruleBlock returns [boolean isLeftRec]
@init{boolean lr=false; this.numAlts = $start.getChildCount();}
: ^( BLOCK
(
o=outerAlternative
{if ($o.isLeftRec) $isLeftRec = true;}
{currentOuterAltNumber++;}
)+
)
;

/** An alt is either prefix, suffix, binary, or ternary operation or "other" */
outerAlternative returns [boolean isLeftRec]
: (binary)=>    binary
    {binaryAlt((AltAST)$start, currentOuterAltNumber); $isLeftRec=true;}
| (prefix)=>    prefix
    {prefixAlt((AltAST)$start, currentOuterAltNumber);}
| (suffix)=>    suffix
    {suffixAlt((AltAST)$start, currentOuterAltNumber); $isLeftRec=true;}
| nonLeftRecur {otherAlt((AltAST)$start, currentOuterAltNumber);}
;

binary
: ^( ALT elementOptions? recurse element* recurse epsilonElement* )
    {setAltAssoc((AltAST)$ALT,currentOuterAltNumber);}
;

prefix
: ^( ALT elementOptions?
element+
recurse epsilonElement*
)
    {setAltAssoc((AltAST)$ALT,currentOuterAltNumber);}
;

suffix
: ^( ALT elementOptions? recurse element+ )
    {setAltAssoc((AltAST)$ALT,currentOuterAltNumber);}
;

nonLeftRecur
: ^(ALT elementOptions? element+)
;

```

recurse

```
: ^(ASSIGN ID recurseNoLabel)
| ^(PLUS_ASSIGN ID recurseNoLabel)
| recurseNoLabel
;
```

recurseNoLabel : {((CommonTree)input.LT(1)).getText().equals(ruleName)}? RULE\_REF;

token returns [GrammarAST t=null]

```
: ^(ASSIGN ID s=token {$t = $s.t;})
| ^(PLUS_ASSIGN ID s=token {$t = $s.t;})
| b=STRING_LITERAL    {$t = $b;}
| ^(b=STRING_LITERAL elementOptions) {$t = $b;}
| ^(c=TOKEN_REF elementOptions) {$t = $c;}
| c=TOKEN_REF         {$t = $c;}
;
```

elementOptions

```
: ^(ELEMENT_OPTIONS elementOption*)
;
```

elementOption

```
: ID
| ^(ASSIGN ID ID)
| ^(ASSIGN ID STRING_LITERAL)
| ^(ASSIGN ID ACTION)
| ^(ASSIGN ID INT)
;
```

element

```
: atom
| ^(NOT element)
| ^(RANGE atom atom)
| ^(ASSIGN ID element)
| ^(PLUS_ASSIGN ID element)
| ^(SET setElement+)
| RULE_REF
| ebnf
| epsilonElement
;
```

epsilonElement

```
: ACTION
| SEMPRED
| EPSILON
| ^(ACTION elementOptions)
| ^(SEMPRED elementOptions)
;
```

```
setElement
: ^(STRING_LITERAL elementOptions)
| ^(TOKEN_REF elementOptions)
| STRING_LITERAL
| TOKEN_REF
;
```

```
ebnf: block
| ^( OPTIONAL block )
| ^( CLOSURE block )
| ^( POSITIVE_CLOSURE block )
;
```

```
block
: ^(BLOCK ACTION? alternative+)
;
```

```
alternative
: ^(ALT elementOptions? element+)
;
```

```
atom
: ^(RULE_REF ARG_ACTION? elementOptions?)
| ^(STRING_LITERAL elementOptions)
| STRING_LITERAL
| ^(TOKEN_REF elementOptions)
| TOKEN_REF
| ^(WILDCARD elementOptions)
| WILDCARD
| ^(DOT ID element)
;
```

Found in path(s):

`*/opt/cola/permits/1274703849_1645234551.46/0/antlr4-4-7-1-sources-jar/org/antlr/v4/parse/LeftRecursiveRuleWalker.g`

No license file was found, but licenses were detected in source scan.

/\*

[The "BSD licence"]

Copyright (c) 2005-20012 Terence Parr

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.



2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The name of the author may not be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

\*/

Found in path(s):

\* /opt/cola/permits/1274703849\_1645234551.46/0/antlr4-4-7-1-sources-jar/org/antlr/v4/parse/ANTLRParser.java

No license file was found, but licenses were detected in source scan.

/\*

\* [The "BSD license"]

\* Copyright (c) 2012-2016 Terence Parr

\* Copyright (c) 2012-2016 Sam Harwell

\* Copyright (c) 2015 Janyou

\* All rights reserved.

\*

\* Redistribution and use in source and binary forms, with or without

\* modification, are permitted provided that the following conditions

\* are met:

\*

\* 1. Redistributions of source code must retain the above copyright

\* notice, this list of conditions and the following disclaimer.

\* 2. Redistributions in binary form must reproduce the above copyright

\* notice, this list of conditions and the following disclaimer in the

\* documentation and/or other materials provided with the distribution.

\* 3. The name of the author may not be used to endorse or promote products

\* derived from this software without specific prior written permission.

\*

\* THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR

\* IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES

\* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.

\* IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,

\* INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT

\* NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,

\* DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY

\* THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT  
 \* (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF  
 \* THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.  
 \*/

```
SwiftTypeInitMap ::= [
  "Int":"0",
  "Int64":"0",
  "Float":"0.0",
  "Double":"0.0",
  "Bool":"false",
  default:"nil" // anything other than a primitive type is an object
]
```

```
SwiftTypeMap ::= [
  "int":"Int",
  "float":"Float",
  "long":"Int64",
  "double":"Double",
  "bool":"Bool",
  "boolean":"Bool",
  default : key
]
```

// args must be <object-model-object>, <fields-resulting-in-STs>

```
accessLevelOpenOK(obj) ::= "<obj.accessLevel; null=\\"open\\">"
accessLevelNotOpen(obj) ::= "<obj.accessLevel; null=\\"public\\">"
```

```
ParserFile(file, parser, namedActions,contextSuperClass) ::= <<
<fileHeader(file.grammarFileName, file.ANTLRVersion)>
<if(file.genPackage)>
<!package <file.genPackage>;!>
<endif>
<namedActions.header>
import Antlr4

<parser>
>>
```

```
ListenerFile(file, header, namedActions) ::= <<
<fileHeader(file.grammarFileName, file.ANTLRVersion)>
<if(file.genPackage)>
<!package <file.genPackage>;!>
<endif>
<header>
import Antlr4
```

/\*\*

\* This interface defines a complete listener for a parse tree produced by

```

* { @link <file.parserName>}.
*/
<accessLevelNotOpen(file)> protocol <file.grammarName>Listener: ParseTreeListener {
  <file.listenerNames: {lname |
/**
<if(file.listenerLabelRuleNames.(lname))>
* Enter a parse tree produced by the { @code <lname>}
* labeled alternative in { @link <file.parserName>#<file.listenerLabelRuleNames.(lname)>}
<else>
* Enter a parse tree produced by { @link <file.parserName>#<lname>}
<endif>
- Parameters:
  - ctx: the parse tree
*/
func enter<lname; format="cap">(_ ctx: <file.parserName>.<lname; format="cap">Context)
/**
<if(file.listenerLabelRuleNames.(lname))>
* Exit a parse tree produced by the { @code <lname>}
* labeled alternative in { @link <file.parserName>#<file.listenerLabelRuleNames.(lname)>}
<else>
* Exit a parse tree produced by { @link <file.parserName>#<lname>}
<endif>
- Parameters:
  - ctx: the parse tree
*/
func exit<lname; format="cap">(_ ctx: <file.parserName>.<lname; format="cap">Context); separator="\n">
}
>>

```

```

BaseListenerFile(file, header, namedActions) ::= <<
<fileHeader(file.grammarFileName, file.ANTLRVersion)>
<if(file.genPackage)>
<!package <file.genPackage>;!>
<endif>
<header>

```

```
import Antlr4
```

```

/**
* This class provides an empty implementation of { @link <file.grammarName>Listener},
* which can be extended to create a listener which only needs to handle a subset
* of the available methods.
*/
<accessLevelOpenOK(file)> class <file.grammarName>BaseListener: <file.grammarName>Listener {
  <accessLevelNotOpen(file)> init() { \}
  <file.listenerNames: {lname |

```

```

/**
 * { @inheritDoc\}
 *
 * \<p>The default implementation does nothing.\</p>
 */
<accessLevelOpenOK(file)> func enter<lname; format="cap">(_ ctx: <file.parserName>.<lname;
format="cap">Context) { \}
/**
 * { @inheritDoc\}
 *
 * \<p>The default implementation does nothing.\</p>
 */
<accessLevelOpenOK(file)> func exit<lname; format="cap">(_ ctx: <file.parserName>.<lname;
format="cap">Context) { \}; separator="\n">

/**
 * { @inheritDoc\}
 *
 * \<p>The default implementation does nothing.\</p>
 */
<accessLevelOpenOK(file)> func enterEveryRule(_ ctx: ParserRuleContext) { }
/**
 * { @inheritDoc\}
 *
 * \<p>The default implementation does nothing.\</p>
 */
<accessLevelOpenOK(file)> func exitEveryRule(_ ctx: ParserRuleContext) { }
/**
 * { @inheritDoc\}
 *
 * \<p>The default implementation does nothing.\</p>
 */
<accessLevelOpenOK(file)> func visitTerminal(_ node: TerminalNode) { }
/**
 * { @inheritDoc\}
 *
 * \<p>The default implementation does nothing.\</p>
 */
<accessLevelOpenOK(file)> func visitErrorNode(_ node: ErrorNode) { }
}
>>

```

```

VisitorFile(file, header, namedActions) ::= <<
<fileHeader(file.grammarFileName, file.ANTLRVersion)>
<if(file.genPackage)>
<!package <file.genPackage>;!>
<endif>
<header>

```

```

import Antlr4

/**
 * This interface defines a complete generic visitor for a parse tree produced
 * by { @link <file.parserName> }.
 *
 * @param \<T> The return type of the visit operation. Use { @link Void } for
 * operations with no return type.
 */
<accessLevelOpenOK(file)> class <file.grammarName>Visitor\<T>: ParseTreeVisitor\<T> {
  <file.visitorNames:{ lname |
/**
<if(file.visitorLabelRuleNames.(lname))>
 * Visit a parse tree produced by the { @code <lname>}
 * labeled alternative in { @link <file.parserName>#<file.visitorLabelRuleNames.(lname)> }.
<else>
 * Visit a parse tree produced by { @link <file.parserName>#<lname> }.
<endif>
- Parameters:
- ctx: the parse tree
- returns: the visitor result
 */
<accessLevelOpenOK(file)> func visit<lname; format="cap">(_ ctx: <file.parserName>.<lname;
format="cap">Context) -> T {
  fatalError(#function + " must be overridden")
  \}
  \}; separator="\n">
  \}
  >>

BaseVisitorFile(file, header, namedActions) ::= <<
<fileHeader(file.grammarFileName, file.ANTLRVersion)>
<if(file.genPackage)>
<!package <file.genPackage>;!>
<endif>
<header>
import Antlr4

/**
 * This class provides an empty implementation of { @link <file.grammarName>Visitor },
 * which can be extended to create a visitor which only needs to handle a subset
 * of the available methods.
 *
 * @param \<T> The return type of the visit operation. Use { @link Void } for
 * operations with no return type.
 */
<accessLevelOpenOK(file)> class <file.grammarName>BaseVisitor\<T>: AbstractParseTreeVisitor\<T> {
  <file.visitorNames:{ lname |

```

```

/**
 * {@inheritDoc}
 *
 * \<p>The default implementation returns the result of calling
 * {@link #visitChildren} on {@code ctx}.</p>
 */
<accessLevelOpenOK(file)> func visit<lname; format="cap">(_ ctx: <file.parserName>.<lname;
format="cap">Context) -> T? { return visitChildren(ctx) \}}; separator="\n">
}
>>

```

```

fileHeader(grammarFileName, ANTLRVersion) ::= <<
// Generated from <grammarFileName; format="java-escape"> by ANTLR <ANTLRVersion>
>>

```

```

Parser(parser, funcs, atn, sempredFuncs, superClass) ::= <<
<Parser_(ctor="parser_ctor", ...)>
>>

```

```

Parser_(parser, funcs, atn, sempredFuncs, ctor, superClass) ::= <<
</*!@SuppressWarnings({"all", "warnings", "unchecked", "unused", "cast"})!>
<accessLevelOpenOK(parser)> class <parser.name>: <superClass; null="Parser"> {

```

```

    internal static var _decisionToDFA: [DFA] = {
        var decisionToDFA = [DFA]()
        let length = <parser.name>._ATN.getNumberOfDecisions()
        for i in 0..<length {
            </*! decisionToDFA[i] = DFA(<parser.name>._ATN.getDecisionState(i)!, i)!>
            decisionToDFA.append(DFA(<parser.name>._ATN.getDecisionState(i)!, i))
        }
        return decisionToDFA
    }()

```

```

    internal static let _sharedContextCache = PredictionContextCache()

```

```

    <if(parser.tokens)>
    <accessLevelNotOpen(parser)>
    enum Tokens: Int {
        case EOF = -1, <parser.tokens:{k | <k> = <parser.tokens.(k)>}; separator=", ", wrap, anchor>
    }
    <endif>

```

```

    <accessLevelNotOpen(parser)>
    static let <parser.rules:{r | RULE_<r.name> = <r.index>}; separator=", ", wrap, anchor>

```

```

    <accessLevelNotOpen(parser)>
    static let ruleNames: [String] = [
        <parser.ruleNames:{r | "<r">}; separator=", ", wrap, anchor>
    ]

```

```

]

<vocabulary(parser.literalNames, parser.symbolicNames,
            accessLevelNotOpen(parser))>

override <accessLevelOpenOK(parser)>
func getGrammarFileName() -> String { return "<parser.grammarFileName; format="java-escape">" }

override <accessLevelOpenOK(parser)>
func getRuleNames() -> [String] { return <parser.name>.ruleNames }

override <accessLevelOpenOK(parser)>
func getSerializedATN() -> String { return <parser.name>._serializedATN }

override <accessLevelOpenOK(parser)>
func getATN() -> ATN { return <parser.name>._ATN }

<namedActions.members>
<parser:(ctor)()>
<funcs; separator="\n">

<if(sempredFuncs)>
override <accessLevelOpenOK(parser)>
func sempred(_ _localctx: RuleContext?, _ ruleIndex: Int, _ predIndex: Int)throws -> Bool {
  switch (ruleIndex) {
    <parser.sempredFuncs.values:{f}
  case <f.ruleIndex>:
    return try <f.name>_sempred(_localctx?.castdown(<f.ctxType>.self), predIndex)); separator="\n">
    default: return true
  }
  <!return true;!>
}
<sempredFuncs.values; separator="\n">
<endif>

<atn>

<accessLevelNotOpen(parser)>
static let _serializedATN = <parser.name>ATN().jsonString

<accessLevelNotOpen(parser)>
static let _ATN = ATNDeserializer().deserializeFromJson(_serializedATN)
}
>>

vocabulary(literalNames, symbolicNames, accessLevel) ::= <<
private static let _LITERAL_NAMES: [String?] = [
  <literalNames:{t | <t>}; null="nil", separator=", ", wrap, anchor>

```

```

]
private static let _SYMBOLIC_NAMES: [String?] = [
  <symbolicNames:{t | <t>}; null="nil", separator=", ", wrap, anchor>
]
<accessLevel>
static let VOCABULARY = Vocabulary(_LITERAL_NAMES, _SYMBOLIC_NAMES)
>>

dumpActions(recog, argFuncs, actionFuncs, sempredFuncs) ::= <<
<if(actionFuncs)>
override <accessLevelOpenOK(parser)>
func action(_ localctx: RuleContext?, _ ruleIndex: Int, _ actionIndex: Int) throws {
  switch (ruleIndex) {
    <recog.actionFuncs.values:{f}
  case <f.ruleIndex>:
    <f.name>_action((_ localctx as <f.ctxType>?), actionIndex)
    }; separator="\n">
  default: break
  }
}
<actionFuncs.values; separator="\n">
<endif>
<if(sempredFuncs)>
override <accessLevelOpenOK(parser)>
func sempred(_ localctx: RuleContext?, _ ruleIndex: Int, _ predIndex: Int) throws -> Bool {
  switch (ruleIndex) {
    <recog.sempredFuncs.values:{f}
  case <f.ruleIndex>:
    return try <f.name>_sempred(_ localctx?.castdown(<f.ctxType>.self), predIndex); separator="\n">
  default: return true
  }
}
<!return true;!>
}
<sempredFuncs.values; separator="\n">
<endif>
>>

parser_ctor(p) ::= <<

override <accessLevelOpenOK(parser)>
func getVocabulary() -> Vocabulary {
  return <p.name>.VOCABULARY
}

override <accessLevelNotOpen(parser)>
init(_ input:TokenStream) throws {
  RuntimeMetaData.checkVersion("4.7.1", RuntimeMetaData.VERSION)
  try super.init(input)
}

```



```

_interp = ParserATNSimulator(self,<p.name>._ATN,<p.name>._decisionToDFA,
<parser.name>._sharedContextCache)
}

```

```
>>
```

```

/* This generates a private method since the actionIndex is generated, making an
* overriding implementation impossible to maintain.
*/

```

```

RuleActionFunction(r, actions) ::= <<
private func <r.name>_action(_ _localctx: <r.ctxType>?, _ actionIndex: Int) {
switch (actionIndex) {
<actions:{index|
case <index>:
<actions.(index)>
}; separator="\n">
default: break
}
}
}

```

```
>>
```

```

/* This generates a private method since the predIndex is generated, making an
* overriding implementation impossible to maintain.
*/

```

```

RuleSempredFunction(r, actions) ::= <<
private func <r.name>_sempred(_ _localctx: <r.ctxType>!, _ predIndex: Int) throws -> Bool {
switch (predIndex) {
<actions:{index|
case <index>:return <actions.(index)>}; separator="\n">
default: return true
}
<!return true;!>
}
}

```

```
>>
```

```

RuleFunction(currentRule,args,code,locals,ruleCtx,altLabelCtxs,namedActions,finallyAction,postamble,exceptions)
::= <<
<ruleCtx>
<altLabelCtxs:{l | <altLabelCtxs.(l)>}; separator="\n">
@discardableResult
<if(currentRule.modifiers)><currentRule.modifiers:{f | <f> }><else> <accessLevelOpenOK(parser)> func
<endif><currentRule.name><(if(first(args))>_<endif><args; separator=", _">) throws -> <currentRule.ctxType> {
var _localctx: <currentRule.ctxType> = <currentRule.ctxType>(_ctx, getState())<currentRule.args:{a | ,
<a.name>}>>
try enterRule(_localctx, <currentRule.startState>, <parser.name>.RULE_<currentRule.name>)
<namedActions.init>
<locals; separator="\n">
defer {

```

```

    <finallyAction>
    try! exitRule()
    }
do {
<if(currentRule.hasLookaheadBlock)>
    var _alt:Int
<endif>
    <code>
    <postamble; separator="\n">
    <namedActions.after>
    }
    <if(exceptions)>
    <exceptions; separator="\n">
    <else>
    catch ANTLRException.recognition(let re) {
        _localctx.exception = re
        _errHandler.reportError(self, re)
        try _errHandler.recover(self, re)
    }
    <endif>

    return _localctx
}
>>

```

```

LeftRecursiveRuleFunction(currentRule,args,code,locals,ruleCtx,altLabelCtxs,
    namedActions,finallyAction,postamble) ::=
<<

```

```

<ruleCtx>
<altLabelCtxs:{l | <altLabelCtxs.(l)>}; separator="\n">

<if(currentRule.modifiers)><currentRule.modifiers:{f | <f> }><else> <accessLevelNotOpen(parser)> final <endif>
func <currentRule.name>( <if(first(args))>_ <endif><args; separator=", _">) throws -> <currentRule.ctxType> {
    return try <currentRule.name>(0<currentRule.args:{a | , <a.name>}>)
}
@discardableResult
private func <currentRule.name>(_ _p<args:{a | , <a>}>: Int) throws -> <currentRule.ctxType> {
    let _parentctx: ParserRuleContext? = _ctx
    var _parentState: Int = getState()
    var _localctx: <currentRule.ctxType> = <currentRule.ctxType>(_ctx, _parentState<currentRule.args:{a | ,
    <a.name>}>)
    var _prevctx: <currentRule.ctxType> = _localctx
    var _startState: Int = <currentRule.startState>
    try enterRecursionRule(_localctx, <currentRule.startState>, <parser.name>.RULE_<currentRule.name>, _p)
    <namedActions.init>
    <locals; separator="\n">
    defer {

```

```

    <finallyAction>
    try! unrollRecursionContexts(_parentctx)
    }
do {
<if(currentRule.hasLookaheadBlock)>
    var _alt: Int
<endif>
    <code>
    <postamble; separator="\n">
    <namedActions.after>
    }
    catch ANTLRException.recognition(let re) {
    _localctx.exception = re
    _errHandler.reportError(self, re)
    try _errHandler.recover(self, re)
    }

    return _localctx;
}
>>

```

```

CodeBlockForOuterMostAlt(currentOuterMostAltCodeBlock, locals, preamble, ops) ::= <<
<if(currentOuterMostAltCodeBlock.altLabel)>_localctx = <currentOuterMostAltCodeBlock.altLabel;
format="cap">Context(_localctx);<endif>
try enterOuterAlt(_localctx, <currentOuterMostAltCodeBlock.alt.altNum>)
<CodeBlockForAlt(currentAltCodeBlock=currentOuterMostAltCodeBlock, ...)>
>>

```

```

CodeBlockForAlt(currentAltCodeBlock, locals, preamble, ops) ::= <<
<!/{ !>
<locals; separator="\n">
<preamble; separator="\n">
<ops; separator="\n">
<!/{ !>
>>

```

```

LL1AltBlock(choice, preamble, alts, error) ::= <<
setState(<choice.stateNumber>)
try _errHandler.sync(self)
<if(choice.label)><labelref(choice.label)> = try _input.LT(1)<endif>
<preamble; separator="\n">
switch (<parser.name>.Tokens(rawValue: try _input.LA(1))!) {
<choice.altLook,alts:{look,alt | <cases(ttypes=look)>
    <alt>
    break }; separator="\n">
default:
    <error>
}

```

>>

```
LL1OptionalBlock(choice, alts, error) ::= <<
  setState(<choice.stateNumber>)
  try_errHandler.sync(self)
  switch (<parser.name>.Tokens(rawValue: try_input.LA(1))!) {
  <choice.altLook,alts:{look,alt| <cases(ttypes=look)>
  <alt>
  break }; separator="\n">
  default:
  break
  }
  >>
```

```
LL1OptionalBlockSingleAlt(choice, expr, alts, preamble, error, followExpr) ::= <<
  setState(<choice.stateNumber>)
  try_errHandler.sync(self)
  <preamble; separator="\n">
  if (<expr>) {
  <alts; separator="\n">
  }
  <!else if ( !(<followExpr> ) <error>!>
  >>
```

```
LL1StarBlockSingleAlt(choice, loopExpr, alts, preamble, iteration) ::= <<
  setState(<choice.stateNumber>)
  try_errHandler.sync(self)
  <preamble; separator="\n">
  while (<loopExpr>) {
  <alts; separator="\n">
  setState(<choice.loopBackStateNumber>)
  try_errHandler.sync(self)
  <iteration>
  }
  >>
```

```
LL1PlusBlockSingleAlt(choice, loopExpr, alts, preamble, iteration) ::= <<
  setState(<choice.blockStartStateNumber>) <! alt block decision !>
  try_errHandler.sync(self)
  <preamble; separator="\n">
  repeat {
  <alts; separator="\n">
  setState(<choice.stateNumber>); <! loopback/exit decision !>
  try_errHandler.sync(self)
  <iteration>
  } while (<loopExpr>)
  >>
```

```
// LL(*) stuff
```

```
AltBlock(choice, preamble, alts, error) ::= <<  
  setState(<choice.stateNumber>)  
  try _errHandler.sync(self)  
  <if(choice.label)><labelref(choice.label)> = try _input.LT(1)<endif>  
  <preamble; separator="\n">  
  switch(try getInterpreter().adaptivePredict(_input,<choice.decision>,_ctx)) {  
  <alts:{alt |  
  case <i>:  
    <alt>  
    break}; separator="\n">  
  default: break  
  }  
>>
```

```
OptionalBlock(choice, alts, error) ::= <<  
  setState(<choice.stateNumber>)  
  try _errHandler.sync(self)  
  switch(try getInterpreter().adaptivePredict(_input,<choice.decision>,_ctx)) {  
  <alts:{alt |  
  case <i><if(!choice.ast.greedy)>+1<endif>:  
    <alt>  
    break}; separator="\n">  
  default: break  
  }  
>>
```

```
StarBlock(choice, alts, sync, iteration) ::= <<  
  setState(<choice.stateNumber>)  
  try _errHandler.sync(self)  
  _alt = try getInterpreter().adaptivePredict(_input,<choice.decision>,_ctx)  
  while (_alt != <choice.exitAlt> && _alt != ATN.INVALID_ALT_NUMBER) {  
  if ( _alt==1<if(!choice.ast.greedy)>+1<endif> ) {  
    <iteration>  
    <alts> <! should only be one !>  
  }  
  setState(<choice.loopBackStateNumber>)  
  try _errHandler.sync(self)  
  _alt = try getInterpreter().adaptivePredict(_input,<choice.decision>,_ctx)  
  }  
>>
```

```
PlusBlock(choice, alts, error) ::= <<  
  setState(<choice.blockStartStateNumber>); <! alt block decision !>  
  try _errHandler.sync(self)  
  _alt = 1<if(!choice.ast.greedy)>+1<endif>;  
  repeat {
```

```

switch (_alt) {
  <alts:{ alt|
case <i><if(!choice.ast.greedy)>+1<endif>:
  <alt>
  break }; separator="\n">
  default:
  <error>
  }
  setState(<choice.loopBackStateNumber>); <! loopback/exit decision !>
  try _errHandler.sync(self)
  _alt = try getInterpreter().adaptivePredict(_input,<choice.decision>,_ctx)
} while (_alt != <choice.exitAlt> && _alt != ATN.INVALID_ALT_NUMBER)
>>

Sync(s) ::= "sync(<s.expecting.name>);"

ThrowNoViableAlt(t) ::= "throw ANTLRException.recognition(e: NoViableAltException(self))"

TestSetInline(s) ::= <<
<!<s.bitsets:{ bits | <if(rest(rest(bits.ttypes))><bitsetBitfieldComparison(s, bits)><else><bitsetInlineComparison(s,
bits)><endif>}; separator=" | ">!>
//closure
{ () -> Bool in
  <if(rest(s.bitsets)>var<else>let<endif> testSet: Bool = <first(s.bitsets):{ bits |
<if(rest(rest(bits.ttypes))><bitsetBitfieldComparison(s, bits)><else><bitsetInlineComparison(s, bits)><endif>}>
  <rest(s.bitsets):{ bits | testSet = testSet || <if(rest(rest(bits.ttypes))><bitsetBitfieldComparison(s,
bits)><else><bitsetInlineComparison(s, bits)><endif>}; separator="\n">
  return testSet
}()
>>

// Java language spec 15.19 - shift operators mask operands rather than overflow to 0... need range test
testShiftInRange(shiftAmount) ::= <<
((<shiftAmount>) & ~0x3f) == 0
>>

// produces smaller bytecode only when bits.ttypes contains more than two items
bitsetBitfieldComparison(s, bits) ::= <<
<!(<testShiftInRange({ <offsetShift(s.varName, bits.shift)>})> && ((1 \<< <offsetShift(s.varName, bits.shift)>) &
(<bits.ttypes:{ ttype | (1 \<< <offsetShift(ttype, bits.shift)>}); separator=" | ">)) != 0)!>
{ () -> Bool in
  <! let test: Bool = (<testShiftInRange({ <offsetShift(s.varName, bits.shift)>})>)!>
  <!var temp: Int64 = Int64(<offsetShift(s.varName, bits.shift)>)!>
  <!temp = (temp \< 0) ? (64 + (temp % 64)) : (temp % 64)!>
  <!let test1: Int64 = (Int64(1) \<< temp)!>
  <!var test2: Int64 = (<first(bits.ttypes):{ ttype | Utils.bitLeftShift(<offsetShift(parserName(ttype), bits.shift)>)}>)!>
  <!<rest(bits.ttypes):{ ttype | test2 = test2 | Utils.bitLeftShift(<offsetShift(parserName(ttype), bits.shift)>)}>};
separator="\n">!>

```

```

let testArray: [Int] = [<s.varName>, <bits.ttypes:{ ttype |<parserName(ttype)>} ; separator=", ">]
<!var test2: Int64 = Utils.testBitLeftShiftArray(testArray)!>
return Utils.testBitLeftShiftArray(testArray, <bits.shift>)
}()
>>

isZero ::= [
"0": true,
default: false
]
parserName(ttype) ::= <%
<parser.name>.Tokens.<ttype>.rawValue
%>
offsetShift(shiftAmount, offset) ::= <%
<if(!isZero.(offset))><<shiftAmount> - <offset><else><shiftAmount><endif>
%>

// produces more efficient bytecode when bits.ttypes contains at most two items
bitsetInlineComparison(s, bits) ::= <%
<bits.ttypes: { ttype | <s.varName> == <parser.name>.Tokens.<ttype>.rawValue } ; separator=" || ">
%>

cases(ttypes) ::= <<
<trunc(ttypes): { t | case .<t>:fallthrough } ; separator="\n">
<last(ttypes): { t | case .<t>: } ; separator="\n">
>>

InvokeRule(r, argExprsChunks) ::= <<
setState(<r.stateNumber>)
<if(r.labels)>
try {
let assignmentValue = try
<r.name><(if(r.ast.options.p)><r.ast.options.p><if(argExprsChunks)>, <endif><endif><argExprsChunks>)
<r.labels: { l | <labelref(l)> = assignmentValue } ; separator="\n">
}()
<else>try
<r.name><(if(r.ast.options.p)><r.ast.options.p><if(argExprsChunks)>, <endif><endif><argExprsChunks><endif>
>>

MatchToken(m) ::= <<
setState(<m.stateNumber>)
<if(m.labels)>
try {
let assignmentValue = try match(<parser.name>.Tokens.<m.name>.rawValue)
<m.labels: { l | <labelref(l)> = assignmentValue } ; separator="\n">
}()
<else>try match(<parser.name>.Tokens.<m.name>.rawValue)<endif>
>>

```

```
MatchSet(m, expr, capture) ::= "<CommonSetStuff(m, expr, capture, false)>"
```

```
MatchNotSet(m, expr, capture) ::= "<CommonSetStuff(m, expr, capture, true)>"
```

```
CommonSetStuff(m, expr, capture, invert) ::= <<
setState(<m.stateNumber>)
<if(m.labels)><m.labels:{1 | <labelref(l)> = }>try _input.LT(1)<endif>
<capture>
if (<if(invert)><m.varName> \<= 0 || <else>!<endif><expr>) {
  <if(m.labels)><m.labels:{1 | <labelref(l)> = }><endif>try _errHandler.recoverInline(self)<if(m.labels)> as
  Token<endif>
}
else {
  _errHandler.reportMatch(self)
  try consume()
}
>>
```

```
Wildcard(w) ::= <<
setState(<w.stateNumber>)
<if(w.labels)><w.labels:{1 | <labelref(l)> = }><endif>try matchWildcard();
>>
```

```
// ACTION STUFF
```

```
Action(a, foo, chunks) ::= "<chunks>"
```

```
ArgAction(a, chunks) ::= "<chunks>"
```

```
SemPred(p, chunks, failChunks) ::= <<
setState(<p.stateNumber>)
if (!<chunks>) {
  throw ANTLRException.recognition(e:FailedPredicateException(self, <p.predicate><if(failChunks)>,
  <failChunks><elseif(p.msg)>, <p.msg><endif>))
}
>>
```

```
ExceptionClause(e, catchArg, catchAction) ::= <<
catch (<catchArg>) {
  <catchAction>
}
>>
```

```
// lexer actions are not associated with model objects
```

```
LexerSkipCommand() ::= "skip()"
```

```
LexerMoreCommand() ::= "more()"
```



```

LexerPopModeCommand() ::= "popMode()"

LexerTypeCommand(arg) ::= "_type = <arg>"
LexerChannelCommand(arg) ::= "_channel = <arg>"
LexerModeCommand(arg) ::= "_mode = <arg>"
LexerPushModeCommand(arg) ::= "pushMode(<arg>)"

ActionText(t) ::= "<t.text>"
ActionTemplate(t) ::= "<t.st>"
ArgRef(a) ::= "_localctx.<a.name>"
LocalRef(a) ::= "_localctx.<a.name>"
RetValRef(a) ::= "_localctx.<a.name>"
QRetValRef(a) ::= "<ctx(a)>.<a.dict>.<a.name>"
/** How to translate $tokenLabel */
TokenRef(t) ::= "<ctx(t)>.<t.name>"
LabelRef(t) ::= "<ctx(t)>.<t.name>"
ListLabelRef(t) ::= "<ctx(t)>.<ListLabelName(t.name)>"
SetAttr(s,rhsChunks) ::= "<ctx(s)>.<s.name> = <rhsChunks>"

TokenLabelType() ::= "<file.TokenLabelType; null={Token}>"
InputSymbolType() ::= "<file.InputSymbolType; null={Token}>"

TokenPropertyRef_text(t) ::= "<ctx(t)>.<t.label> != nil ? <ctx(t)>.<t.label>!.getText()! : \"\""
TokenPropertyRef_type(t) ::= "<ctx(t)>.<t.label> != nil ? <ctx(t)>.<t.label>!.getType() : 0)"
TokenPropertyRef_line(t) ::= "<ctx(t)>.<t.label> != nil ? <ctx(t)>.<t.label>!.getLine() : 0)"
TokenPropertyRef_pos(t) ::= "<ctx(t)>.<t.label> != nil ? <ctx(t)>.<t.label>!.getCharPositionInLine() : 0)"
TokenPropertyRef_channel(t) ::= "<ctx(t)>.<t.label> != nil ? <ctx(t)>.<t.label>!.getChannel() : 0)"
TokenPropertyRef_index(t) ::= "<ctx(t)>.<t.label> != nil ? <ctx(t)>.<t.label>!.getTokenIndex() : 0)"
TokenPropertyRef_int(t) ::= "<ctx(t)>.<t.label> != nil ? Int(<ctx(t)>.<t.label>!.getText()!) : 0)"

RulePropertyRef_start(r) ::= "<ctx(r)>.<r.label> != nil ? (<ctx(r)>.<r.label>!.start?.description ?? \"\") : \"\""
RulePropertyRef_stop(r) ::= "<ctx(r)>.<r.label> != nil ? (<ctx(r)>.<r.label>!.stop?.description ?? \"\") : \"\""
RulePropertyRef_text(r) ::= "<ctx(r)>.<r.label> != nil ? try
_input.getText(<ctx(r)>.<r.label>!.start,<ctx(r)>.<r.label>!.stop) : \"\""
RulePropertyRef_ctx(r) ::= "<ctx(r)>.<r.label>"
RulePropertyRef_parser(r) ::= "self"

ThisRulePropertyRef_start(r) ::= "_localctx.start"
ThisRulePropertyRef_stop(r) ::= "_localctx.stop"
ThisRulePropertyRef_text(r) ::= "(try _input.getText(_localctx.start, try _input.LT(-1)))"
ThisRulePropertyRef_ctx(r) ::= "_localctx"
ThisRulePropertyRef_parser(r) ::= "self"

NonLocalAttrRef(s) ::= "(<s.ruleName; format=\"cap\">Context)getInvokingContext(<s.ruleIndex>).<s.name>"
SetNonLocalAttr(s, rhsChunks) ::=
"(<s.ruleName; format=\"cap\">Context)getInvokingContext(<s.ruleIndex>).<s.name> = <rhsChunks>"

AddToLabelList(a) ::= "<ctx(a.label)>.<a.listName>.append(<labelref(a.label)>)"

```

```

TokenDecl(t) ::= "<t.name>: <SwiftTypeMap.(TokenLabelType())>!"
TokenTypeDecl(t) ::= "var <t.name>: Int = 0"
TokenListDecl(t) ::= "<t.name>: [Token] = [Token]()"
RuleContextDecl(r) ::= "<r.name>: <r.ctxName>!"
RuleContextListDecl(rdecl) ::= "<rdecl.name>: [<rdecl.ctxName>] = [<rdecl.ctxName>]()"

```

```

ContextTokenGetterDecl(t) ::= <<
<accessLevelOpenOK(parser)>
func <t.name>() -> TerminalNode? {
    return getToken(<parser.name>.Tokens.<t.name>.rawValue, 0)
}
>>

```

```

ContextTokenListGetterDecl(t) ::= <<
<accessLevelOpenOK(parser)>
func <t.name>() -> [TerminalNode] {
    return getTokens(<parser.name>.Tokens.<t.name>.rawValue)
}
>>

```

```

ContextTokenListIndexedGetterDecl(t) ::= <<
<accessLevelOpenOK(parser)>
func <t.name>(_ i: Int) -> TerminalNode? {
    return getToken(<parser.name>.Tokens.<t.name>.rawValue, i)
}
>>

```

```

ContextRuleGetterDecl(r) ::= <<
<accessLevelOpenOK(parser)>
func <r.name>() -> <r.ctxName>? {
    return getRuleContext(<r.ctxName>.self, 0)
}
>>

```

```

ContextRuleListGetterDecl(r) ::= <<
<accessLevelOpenOK(parser)>
func <r.name>() -> [<r.ctxName>] {
    return getRuleContexts(<r.ctxName>.self)
}
>>

```

```

ContextRuleListIndexedGetterDecl(r) ::= <<
<accessLevelOpenOK(parser)>
func <r.name>(_ i: Int) -> <r.ctxName>? {
    return getRuleContext(<r.ctxName>.self, i)
}
>>

```

```

LexerRuleContext() ::= "RuleContext"

```

```

/** The rule context name is the rule followed by a suffix; e.g.,
* r becomes rContext.

```

```

*/
RuleContextNameSuffix() ::= "Context"

ImplicitTokenLabel(tokenName) ::= "_<tokenName>"
ImplicitRuleLabel(ruleName) ::= "_<ruleName>"
ImplicitSetLabel(id) ::= "_tset<id>"
ListLabelName(label) ::= "<label>"

CaptureNextToken(d) ::= "<d.varName> = try _input.LT(1)"
CaptureNextTokenType(d) ::= "<d.varName> = try _input.LA(1)"

StructDecl(struct,ctorAttrs,attrs, getters,dispatchMethods,interfaces,extensionMembers,
    superClass={ParserRuleContext}) ::= <<

<accessLevelNotOpen(parser)> class <struct.name>:
<if(contextSuperClass)><contextSuperClass><else>ParserRuleContext<endif><if(interfaces)>, <interfaces;
separator=", "><endif> {
  <attrs:{a | <accessLevelOpenOK(parser)> var <a>}; separator="\n">
  <getters:{g | <g>}; separator="\n">
  <! <if(ctorAttrs)> <accessLevelNotOpen(parser)> init(_ parent: ParserRuleContext,_ invokingState: Int) {
super.init(parent, invokingState) }<endif> !>
  <if(ctorAttrs)>
  <accessLevelNotOpen(parser)> convenience init(_ parent: ParserRuleContext?, _ invokingState: Int<ctorAttrs:{a | ,
_ <a>}>) {
    self.init(parent, invokingState)
  }
  <struct.ctorAttrs:{a | self.<a.name> = <a.name>;}; separator="\n">
  }
  <endif>

  override <accessLevelOpenOK(parser)>
  func getRuleIndex() -> Int {
    return <parser.name>.RULE_<struct.derivedFromName>
  }
  <if(struct.provideCopyFrom)> <! don't need copy unless we have subclasses !>
  <! <accessLevelNotOpen(parser)> init() { }!>
  <accessLevelOpenOK(parser)>
  func copyFrom(_ ctx: <struct.name>) {
    super.copyFrom(ctx)
  }
  <struct.attrs:{a | self.<a.name> = ctx.<a.name>;}; separator="\n">
  }
  <endif>
  <dispatchMethods; separator="\n">
  <extensionMembers; separator="\n">
  }
  >>

AltLabelStructDecl(struct,attrs, getters,dispatchMethods) ::= <<
<accessLevelNotOpen(parser)> class <struct.name>: <currentRule.name; format="cap">Context {

```

```
<attrs:{ a | <accessLevelNotOpen(parser)> var <a>}; separator="\n">
```

```
<getters:{ g | <g>}; separator="\n">
```

```
<accessLevelNotOpen(parser)>
```

```
init(_ ctx: <currentRule.name; format="cap">Context) {
```

```
  super.init()
```

```
  copyFrom(ctx)
```

```
}
```

```
<dispatchMethods; separator="\n">
```

```
}
```

```
>>
```

```
ListenerDispatchMethod(method) ::= <<
```

```
  override <accessLevelOpenOK(parser)>
```

```
  func <if(method.isEnter)>enter<else>exit<endif>Rule(_ listener: ParseTreeListener) {
```

```
    if let listener = listener as? <parser.grammarName>Listener {
```

```
      listener.<if(method.isEnter)>enter<else>exit<endif><struct.derivedFromName; format="cap">(self)
```

```
    }
```

```
  }
```

```
>>
```

```
VisitorDispatchMethod(method) ::= <<
```

```
  override <accessLevelOpenOK(parser)>
```

```
  func accept<T>(_ visitor: ParseTreeVisitor<T>) -> T? {
```

```
    if let visitor = visitor as? <parser.grammarName>Visitor {
```

```
      return visitor.visit<struct.derivedFromName; format="cap">(self)
```

```
    }
```

```
    else if let visitor = visitor as? <parser.grammarName>BaseVisitor {
```

```
      return visitor.visit<struct.derivedFromName; format="cap">(self)
```

```
    }
```

```
    else {
```

```
      return visitor.visitChildren(self)
```

```
    }
```

```
  }
```

```
>>
```

```
AttributeDecl(d) ::= "<d.name>: <SwiftTypeMap.(d.type)><if(d.initValue)> = <d.initValue><else>!<endif>"
```

```
/** If we don't know location of label def x, use this template (_localctx as! <x.ctx.name> */
```

```
labelref(x) ::= "<if(!x.isLocal)>_localctx.castdown(<x.ctx.name>.self).<endif><x.name>"
```

```
/** For any action chunk, what is correctly-typed context struct ptr? */
```

```
ctx(actionChunk) ::= "_localctx.castdown(<actionChunk.ctx.name>.self)"
```

```
// used for left-recursive rules
```

```
recRuleAltPredicate(ruleName,opPrec) ::= "precpred(_ctx, <opPrec>)"
```

```
recRuleSetReturnAction(src,name) ::= "$<name>=$<src>.<name>"
```

```
recRuleSetStopToken() ::= "_ctx!.stop = try _input.LT(-1)"
```

```

recRuleAltStartAction(ruleName, ctxName, label, isListLabel) ::= <<
  _localctx = <ctxName>Context(_parentctx, _parentState);
  <if(label)>
  <if(isListLabel)>
    _localctx.<label>.append(_prevctx)
  <else>
    _localctx.<label> = _prevctx
  <endif>
  <endif>
  <if(label)>_localctx.<label> = _prevctx;<endif>
  try pushNewRecursionContext(_localctx, _startState, <parser.name>.RULE_<ruleName>)
  >>

recRuleLabeledAltStartAction(ruleName, currentAltLabel, label, isListLabel) ::= <<
  _localctx = <currentAltLabel; format="cap">Context( <ruleName; format="cap">Context(_parentctx,
  _parentState))
  <if(label)>
  <if(isListLabel)>
    (_localctx as! <currentAltLabel; format="cap">Context).<label>.append(_prevctx)
  <else>
    (_localctx as! <currentAltLabel; format="cap">Context).<label> = _prevctx
  <endif>
  <endif>
  try pushNewRecursionContext(_localctx, _startState, <parser.name>.RULE_<ruleName>)
  >>

recRuleReplaceContext(ctxName) ::= <<
  _localctx = <ctxName>Context(_localctx)
  _ctx = _localctx
  _prevctx = _localctx
  >>

recRuleSetPrevCtx() ::= <<
  if _parseListeners != nil {
    try triggerExitRuleEvent()
  }
  _prevctx = _localctx
  >>

LexerFile(lexerFile, lexer, namedActions) ::= <<
  <fileHeader(lexerFile.grammarFileName, lexerFile.ANTLRVersion)>
  <if(lexerFile.genPackage)>
  <!package <lexerFile.genPackage>;!>
  <endif>
  <namedActions.header>
  import Antlr4

```

```

<lexer>
>>
Lexer(lexer, atn, actionFuncs, sempredFuncs, superClass) ::= <<
<accessLevelOpenOK(lexer)> class <lexer.name>: <superClass; null="Lexer"> {

internal static var _decisionToDFA: [DFA] = {
    var decisionToDFA = [DFA]()
    let length = <lexer.name>._ATN.getNumberOfDecisions()
    for i in 0..<length {
        <! decisionToDFA[i] = DFA(<lexer.name>._ATN.getDecisionState(i)!, i);!>
        decisionToDFA.append(DFA(<lexer.name>._ATN.getDecisionState(i)!, i))
    }
    return decisionToDFA
}()

internal static let _sharedContextCache = PredictionContextCache()

<accessLevelNotOpen(lexer)>
static let <lexer.tokens:{k | <k>=<lexer.tokens.(k)>}; separator=", ", wrap, anchor>

<if(lexer.channels)>
<accessLevelNotOpen(lexer)>
static let <lexer.channels:{k | <k>=<lexer.channels.(k)>}; separator=", ", wrap, anchor>
<endif>
<if(rest(lexer.modes))>
<accessLevelNotOpen(lexer)>
static let <rest(lexer.modes):{m | <m>=<i>}; separator=", ", wrap, anchor>
<endif>
<accessLevelNotOpen(lexer)>
static let channelNames: [String] = [
    "DEFAULT_TOKEN_CHANNEL", "HIDDEN"<if (lexer.channels)>, <lexer.channels:{c | "<c>"}; separator=", ",
wrap, anchor><endif>
]

<accessLevelNotOpen(lexer)>
static let modeNames: [String] = [
    <lexer.modes:{m | "<m>"}; separator=", ", wrap, anchor>
]

<accessLevelNotOpen(lexer)>
static let ruleNames: [String] = [
    <lexer.ruleNames:{r | "<r>"}; separator=", ", wrap, anchor>
]

<vocabulary(lexer.literalNames, lexer.symbolicNames,
    accessLevelNotOpen(lexer))>

```

```

<namedActions.members>

override <accessLevelOpenOK(lexer)>
func getVocabulary() -> Vocabulary {
    return <lexer.name>.VOCABULARY
}

<accessLevelNotOpen(lexer)>
required init(_ input: CharStream) {
    RuntimeMetaData.checkVersion("<lexerFile.ANTLRVersion>", RuntimeMetaData.VERSION)
    super.init(input)
    _interp = LexerATNSimulator(self, <lexer.name>._ATN, <lexer.name>._decisionToDFA,
<lexer.name>._sharedContextCache)
}

override <accessLevelOpenOK(lexer)>
func getGrammarFileName() -> String { return "<lexer.grammarFileName>" }

override <accessLevelOpenOK(lexer)>
func getRuleNames() -> [String] { return <lexer.name>.ruleNames }

override <accessLevelOpenOK(lexer)>
func getSerializedATN() -> String { return <lexer.name>._serializedATN }

override <accessLevelOpenOK(lexer)>
func getChannelNames() -> [String] { return <lexer.name>.channelNames }

override <accessLevelOpenOK(lexer)>
func getModeNames() -> [String] { return <lexer.name>.modeNames }

override <accessLevelOpenOK(lexer)>
func getATN() -> ATN { return <lexer.name>._ATN }

<dumpActions(lexer, "", actionFuncs, sempredFuncs)>
<atn>

<accessLevelNotOpen(lexer)>
static let _serializedATN: String = <lexer.name>ATN().jsonString

<accessLevelNotOpen(lexer)>
static let _ATN: ATN = ATNDeserializer().deserializeFromJson(_serializedATN)
}
>>

/** Don't need to define anything. The tool generates a XParserATN.swift file (and same for lexer)
* which is referenced from static field _serializedATN. This json string is passed to
* deserializeFromJson(). Note this is not the "serialization as array of ints" that other targets
* do. It is more or less the output of ATNPrinter which gets read back in.

```

```
*/  
SerializedATN(model) ::= <<  
>>
```

```
/** Using a type to init value map, try to init a type; if not in table  
* must be an object, default value is "null".
```

```
*/  
initValue(typeName) ::= <<  
<SwiftTypeInitMap.(typeName)>  
>>
```

```
codeFileExtension() ::= ".swift"
```

Found in path(s):

```
* /opt/cola/permits/1274703849_1645234551.46/0/antlr4-4-7-1-sources-  
jar/org/antlr/v4/tool/templates/codegen/Swift/Swift.stg
```

No license file was found, but licenses were detected in source scan.

```
/*  
* [The "BSD license"]  
* Copyright (c) 2012-2016 Terence Parr  
* Copyright (c) 2012-2016 Sam Harwell  
* All rights reserved.  
*  
* Redistribution and use in source and binary forms, with or without  
* modification, are permitted provided that the following conditions  
* are met:  
*  
* 1. Redistributions of source code must retain the above copyright  
* notice, this list of conditions and the following disclaimer.  
* 2. Redistributions in binary form must reproduce the above copyright  
* notice, this list of conditions and the following disclaimer in the  
* documentation and/or other materials provided with the distribution.  
* 3. The name of the author may not be used to endorse or promote products  
* derived from this software without specific prior written permission.  
*  
* THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS'' AND ANY EXPRESS OR  
* IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES  
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.  
* IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,  
* INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT  
* NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,  
* DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY  
* THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT  
* (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF  
* THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.  
*/
```



```
/** templates used to generate make-compatible dependencies */
```

```
/** Generate "f : x, y, z" dependencies for input
 * dependencies and generated files. in and out
 * are File objects. For example, you can say
 * <f.canonicalPath>
 */
dependencies(grammarFileName,in,out) ::= <<
<if(in)><grammarFileName>: <in; separator=", "><endif>
<out:{f | <f> : <grammarFileName>} ; separator="\n">
>>
```

Found in path(s):

```
* /opt/cola/permits/1274703849_1645234551.46/0/antlr4-4-7-1-sources-jar/org/antlr/v4/tool/templates/depend.stg
No license file was found, but licenses were detected in source scan.
```

```
/*
 * Copyright (c) 2012-2017 The ANTLR Project. All rights reserved.
 * Use of this file is governed by the BSD 3-clause license that
 * can be found in the LICENSE.txt file in the project root.
 */
```

Found in path(s):

```
* /opt/cola/permits/1274703849_1645234551.46/0/antlr4-4-7-1-sources-jar/org/antlr/v4/gui/Trees.java
* /opt/cola/permits/1274703849_1645234551.46/0/antlr4-4-7-1-sources-
jar/org/antlr/v4/codegen/model/chunk/RulePropertyRef_parser.java
* /opt/cola/permits/1274703849_1645234551.46/0/antlr4-4-7-1-sources-
jar/org/antlr/v4/codegen/model/ThrowNoViableAlt.java
* /opt/cola/permits/1274703849_1645234551.46/0/antlr4-4-7-1-sources-
jar/org/antlr/v4/codegen/model/LL1OptionalBlock.java
* /opt/cola/permits/1274703849_1645234551.46/0/antlr4-4-7-1-sources-
jar/org/antlr/v4/codegen/model/VisitorDispatchMethod.java
* /opt/cola/permits/1274703849_1645234551.46/0/antlr4-4-7-1-sources-
jar/org/antlr/v4/codegen/OutputModelController.java
* /opt/cola/permits/1274703849_1645234551.46/0/antlr4-4-7-1-sources-
jar/org/antlr/v4/codegen/model/decl/AltLabelStructDecl.java
* /opt/cola/permits/1274703849_1645234551.46/0/antlr4-4-7-1-sources-jar/org/antlr/v4/tool/ast/PredAST.java
* /opt/cola/permits/1274703849_1645234551.46/0/antlr4-4-7-1-sources-jar/org/antlr/v4/misc/MutableInt.java
* /opt/cola/permits/1274703849_1645234551.46/0/antlr4-4-7-1-sources-
jar/org/antlr/v4/tool/LeftRecursionCyclesMessage.java
* /opt/cola/permits/1274703849_1645234551.46/0/antlr4-4-7-1-sources-
jar/org/antlr/v4/semantics/RuleCollector.java
* /opt/cola/permits/1274703849_1645234551.46/0/antlr4-4-7-1-sources-
jar/org/antlr/v4/codegen/model/SemPred.java
* /opt/cola/permits/1274703849_1645234551.46/0/antlr4-4-7-1-sources-
jar/org/antlr/v4/codegen/model/decl/TokenListDecl.java
* /opt/cola/permits/1274703849_1645234551.46/0/antlr4-4-7-1-sources-jar/org/antlr/v4/tool/ast/QuantifierAST.java
* /opt/cola/permits/1274703849_1645234551.46/0/antlr4-4-7-1-sources-
```

jar/org/antlr/v4/parse/v4ParserException.java  
\* /opt/cola/permits/1274703849\_1645234551.46/0/antlr4-4-7-1-sources-  
jar/org/antlr/v4/tool/GrammarParserInterpreter.java  
\* /opt/cola/permits/1274703849\_1645234551.46/0/antlr4-4-7-1-sources-  
jar/org/antlr/v4/codegen/model/chunk/RulePropertyRef\_ctx.java  
\* /opt/cola/permits/1274703849\_1645234551.46/0/antlr4-4-7-1-sources-  
jar/org/antlr/v4/parse/ToolANTLRLexer.java  
\* /opt/cola/permits/1274703849\_1645234551.46/0/antlr4-4-7-1-sources-  
jar/org/antlr/v4/parse/GrammarASTAdaptor.java  
\* /opt/cola/permits/1274703849\_1645234551.46/0/antlr4-4-7-1-sources-  
jar/org/antlr/v4/codegen/model/RuleActionFunction.java  
\* /opt/cola/permits/1274703849\_1645234551.46/0/antlr4-4-7-1-sources-jar/org/antlr/v4/codegen/Target.java  
\* /opt/cola/permits/1274703849\_1645234551.46/0/antlr4-4-7-1-sources-  
jar/org/antlr/v4/codegen/model/AltBlock.java  
\* /opt/cola/permits/1274703849\_1645234551.46/0/antlr4-4-7-1-sources-jar/org/antlr/v4/automata/ATNPrinter.java  
\* /opt/cola/permits/1274703849\_1645234551.46/0/antlr4-4-7-1-sources-  
jar/org/antlr/v4/codegen/model/ListenerFile.java  
\* /opt/cola/permits/1274703849\_1645234551.46/0/antlr4-4-7-1-sources-  
jar/org/antlr/v4/codegen/model/decl/ContextRuleListGetterDecl.java  
\* /opt/cola/permits/1274703849\_1645234551.46/0/antlr4-4-7-1-sources-  
jar/org/antlr/v4/codegen/model/ListenerDispatchMethod.java  
\* /opt/cola/permits/1274703849\_1645234551.46/0/antlr4-4-7-1-sources-jar/org/antlr/v4/tool/Alternative.java  
\* /opt/cola/permits/1274703849\_1645234551.46/0/antlr4-4-7-1-sources-  
jar/org/antlr/v4/codegen/model/chunk/LocalRef.java  
\* /opt/cola/permits/1274703849\_1645234551.46/0/antlr4-4-7-1-sources-  
jar/org/antlr/v4/codegen/model/ThrowRecognitionException.java  
\* /opt/cola/permits/1274703849\_1645234551.46/0/antlr4-4-7-1-sources-jar/org/antlr/v4/misc/CharSupport.java  
\* /opt/cola/permits/1274703849\_1645234551.46/0/antlr4-4-7-1-sources-jar/org/antlr/v4/tool/ast/AltAST.java  
\* /opt/cola/permits/1274703849\_1645234551.46/0/antlr4-4-7-1-sources-jar/org/antlr/v4/tool/ast/SetAST.java  
\* /opt/cola/permits/1274703849\_1645234551.46/0/antlr4-4-7-1-sources-  
jar/org/antlr/v4/codegen/model/decl/TokenTypeDecl.java  
\* /opt/cola/permits/1274703849\_1645234551.46/0/antlr4-4-7-1-sources-jar/org/antlr/v4/codegen/ParserFactory.java  
\* /opt/cola/permits/1274703849\_1645234551.46/0/antlr4-4-7-1-sources-jar/org/antlr/v4/tool/ErrorType.java  
\* /opt/cola/permits/1274703849\_1645234551.46/0/antlr4-4-7-1-sources-  
jar/org/antlr/v4/codegen/model/OutputModelObject.java  
\* /opt/cola/permits/1274703849\_1645234551.46/0/antlr4-4-7-1-sources-  
jar/org/antlr/v4/tool/GrammarSemanticsMessage.java  
\* /opt/cola/permits/1274703849\_1645234551.46/0/antlr4-4-7-1-sources-  
jar/org/antlr/v4/codegen/model/chunk/TokenPropertyRef\_line.java  
\* /opt/cola/permits/1274703849\_1645234551.46/0/antlr4-4-7-1-sources-jar/org/antlr/v4/tool/ast/NotAST.java  
\* /opt/cola/permits/1274703849\_1645234551.46/0/antlr4-4-7-1-sources-  
jar/org/antlr/v4/semantics/ActionSniffer.java  
\* /opt/cola/permits/1274703849\_1645234551.46/0/antlr4-4-7-1-sources-jar/org/antlr/v4/automata/ATNFactory.java  
\* /opt/cola/permits/1274703849\_1645234551.46/0/antlr4-4-7-1-sources-  
jar/org/antlr/v4/codegen/model/Wildcard.java  
\* /opt/cola/permits/1274703849\_1645234551.46/0/antlr4-4-7-1-sources-jar/org/antlr/v4/tool/ast/GrammarAST.java  
\* /opt/cola/permits/1274703849\_1645234551.46/0/antlr4-4-7-1-sources-  
jar/org/antlr/v4/automata/ParserATNFactory.java

\* /opt/cola/permits/1274703849\_1645234551.46/0/antlr4-4-7-1-sources-jar/org/antlr/v4/codegen/model/SerializedATN.java  
\* /opt/cola/permits/1274703849\_1645234551.46/0/antlr4-4-7-1-sources-jar/org/antlr/v4/automata/ATNVisitor.java  
\* /opt/cola/permits/1274703849\_1645234551.46/0/antlr4-4-7-1-sources-jar/org/antlr/v4/gui/TreeTextProvider.java  
\* /opt/cola/permits/1274703849\_1645234551.46/0/antlr4-4-7-1-sources-jar/org/antlr/v4/codegen/model/Sync.java  
\* /opt/cola/permits/1274703849\_1645234551.46/0/antlr4-4-7-1-sources-jar/org/antlr/v4/codegen/model/chunk/ActionChunk.java  
\* /opt/cola/permits/1274703849\_1645234551.46/0/antlr4-4-7-1-sources-jar/org/antlr/v4/codegen/model/chunk/TokenPropertyRef\_index.java  
\* /opt/cola/permits/1274703849\_1645234551.46/0/antlr4-4-7-1-sources-jar/org/antlr/v4/codegen/model/decl/Decl.java  
\* /opt/cola/permits/1274703849\_1645234551.46/0/antlr4-4-7-1-sources-jar/org/antlr/v4/codegen/model/TestSetInline.java  
\* /opt/cola/permits/1274703849\_1645234551.46/0/antlr4-4-7-1-sources-jar/org/antlr/v4/codegen/model/chunk/ActionText.java  
\* /opt/cola/permits/1274703849\_1645234551.46/0/antlr4-4-7-1-sources-jar/org/antlr/v4/tool/ErrorSeverity.java  
\* /opt/cola/permits/1274703849\_1645234551.46/0/antlr4-4-7-1-sources-jar/org/antlr/v4/tool/ANTLRMessage.java  
\* /opt/cola/permits/1274703849\_1645234551.46/0/antlr4-4-7-1-sources-jar/org/antlr/v4/tool/Grammar.java  
\* /opt/cola/permits/1274703849\_1645234551.46/0/antlr4-4-7-1-sources-jar/org/antlr/v4/codegen/model/ExceptionClause.java  
\* /opt/cola/permits/1274703849\_1645234551.46/0/antlr4-4-7-1-sources-jar/org/antlr/v4/analysis/LeftRecursionDetector.java  
\* /opt/cola/permits/1274703849\_1645234551.46/0/antlr4-4-7-1-sources-jar/org/antlr/v4/codegen/target/GoTarget.java  
\* /opt/cola/permits/1274703849\_1645234551.46/0/antlr4-4-7-1-sources-jar/org/antlr/v4/misc/Utils.java  
\* /opt/cola/permits/1274703849\_1645234551.46/0/antlr4-4-7-1-sources-jar/org/antlr/v4/tool/ast/GrammarRootAST.java  
\* /opt/cola/permits/1274703849\_1645234551.46/0/antlr4-4-7-1-sources-jar/org/antlr/v4/codegen/model/chunk/RulePropertyRef\_start.java  
\* /opt/cola/permits/1274703849\_1645234551.46/0/antlr4-4-7-1-sources-jar/org/antlr/v4/codegen/target/CSharpTarget.java  
\* /opt/cola/permits/1274703849\_1645234551.46/0/antlr4-4-7-1-sources-jar/org/antlr/v4/codegen/model/RuleElement.java  
\* /opt/cola/permits/1274703849\_1645234551.46/0/antlr4-4-7-1-sources-jar/org/antlr/v4/tool/ast/OptionalBlockAST.java  
\* /opt/cola/permits/1274703849\_1645234551.46/0/antlr4-4-7-1-sources-jar/org/antlr/v4/codegen/model/chunk/LabelRef.java  
\* /opt/cola/permits/1274703849\_1645234551.46/0/antlr4-4-7-1-sources-jar/org/antlr/v4/tool/ast/RuleAST.java  
\* /opt/cola/permits/1274703849\_1645234551.46/0/antlr4-4-7-1-sources-jar/org/antlr/v4/codegen/model/chunk/ThisRulePropertyRef\_stop.java  
\* /opt/cola/permits/1274703849\_1645234551.46/0/antlr4-4-7-1-sources-jar/org/antlr/v4/codegen/model/chunk/TokenPropertyRef\_type.java  
\* /opt/cola/permits/1274703849\_1645234551.46/0/antlr4-4-7-1-sources-jar/org/antlr/v4/codegen/model/CaptureNextToken.java  
\* /opt/cola/permits/1274703849\_1645234551.46/0/antlr4-4-7-1-sources-jar/org/antlr/v4/codegen/model/chunk/NonLocalAttrRef.java  
\* /opt/cola/permits/1274703849\_1645234551.46/0/antlr4-4-7-1-sources-jar/org/antlr/v4/Tool.java  
\* /opt/cola/permits/1274703849\_1645234551.46/0/antlr4-4-7-1-sources-

jar/org/antlr/v4/codegen/model/chunk/RulePropertyRef.java  
\* /opt/cola/permits/1274703849\_1645234551.46/0/antlr4-4-7-1-sources-  
jar/org/antlr/v4/codegen/model/chunk/ThisRulePropertyRef\_ctx.java  
\* /opt/cola/permits/1274703849\_1645234551.46/0/antlr4-4-7-1-sources-  
jar/org/antlr/v4/codegen/model/decl/StructDecl.java  
\* /opt/cola/permits/1274703849\_1645234551.46/0/antlr4-4-7-1-sources-jar/org/antlr/v4/codegen/model/Action.java  
\* /opt/cola/permits/1274703849\_1645234551.46/0/antlr4-4-7-1-sources-  
jar/org/antlr/v4/codegen/model/decl/RuleContextListDecl.java  
\* /opt/cola/permits/1274703849\_1645234551.46/0/antlr4-4-7-1-sources-  
jar/org/antlr/v4/tool/DefaultToolListener.java  
\* /opt/cola/permits/1274703849\_1645234551.46/0/antlr4-4-7-1-sources-  
jar/org/antlr/v4/codegen/model/ElementFrequenciesVisitor.java  
\* /opt/cola/permits/1274703849\_1645234551.46/0/antlr4-4-7-1-sources-  
jar/org/antlr/v4/tool/BuildDependencyGenerator.java  
\* /opt/cola/permits/1274703849\_1645234551.46/0/antlr4-4-7-1-sources-jar/org/antlr/v4/codegen/model/Lexer.java  
\* /opt/cola/permits/1274703849\_1645234551.46/0/antlr4-4-7-1-sources-  
jar/org/antlr/v4/automata/LexerATNFactory.java  
\* /opt/cola/permits/1274703849\_1645234551.46/0/antlr4-4-7-1-sources-  
jar/org/antlr/v4/tool/ast/GrammarASTWithOptions.java  
\* /opt/cola/permits/1274703849\_1645234551.46/0/antlr4-4-7-1-sources-jar/org/antlr/v4/tool/LexerGrammar.java  
\* /opt/cola/permits/1274703849\_1645234551.46/0/antlr4-4-7-1-sources-  
jar/org/antlr/v4/codegen/model/PlusBlock.java  
\* /opt/cola/permits/1274703849\_1645234551.46/0/antlr4-4-7-1-sources-jar/org/antlr/v4/tool/AttributeResolver.java  
\* /opt/cola/permits/1274703849\_1645234551.46/0/antlr4-4-7-1-sources-  
jar/org/antlr/v4/codegen/target/CppTarget.java  
\* /opt/cola/permits/1274703849\_1645234551.46/0/antlr4-4-7-1-sources-  
jar/org/antlr/v4/codegen/CodeGeneratorExtension.java  
\* /opt/cola/permits/1274703849\_1645234551.46/0/antlr4-4-7-1-sources-jar/org/antlr/v4/tool/ast/PlusBlockAST.java  
\* /opt/cola/permits/1274703849\_1645234551.46/0/antlr4-4-7-1-sources-  
jar/org/antlr/v4/codegen/model/chunk/ThisRulePropertyRef\_parser.java  
\* /opt/cola/permits/1274703849\_1645234551.46/0/antlr4-4-7-1-sources-  
jar/org/antlr/v4/unicode/UnicodeDataTemplateController.java  
\* /opt/cola/permits/1274703849\_1645234551.46/0/antlr4-4-7-1-sources-  
jar/org/antlr/v4/tool/ANTLRToolListener.java  
\* /opt/cola/permits/1274703849\_1645234551.46/0/antlr4-4-7-1-sources-  
jar/org/antlr/v4/codegen/model/chunk/ActionTemplate.java  
\* /opt/cola/permits/1274703849\_1645234551.46/0/antlr4-4-7-1-sources-  
jar/org/antlr/v4/codegen/model/decl/ElementListDecl.java  
\* /opt/cola/permits/1274703849\_1645234551.46/0/antlr4-4-7-1-sources-  
jar/org/antlr/v4/codegen/model/decl/TokenDecl.java  
\* /opt/cola/permits/1274703849\_1645234551.46/0/antlr4-4-7-1-sources-  
jar/org/antlr/v4/codegen/model/chunk/TokenPropertyRef\_int.java  
\* /opt/cola/permits/1274703849\_1645234551.46/0/antlr4-4-7-1-sources-jar/org/antlr/v4/parse/ScopeParser.java  
\* /opt/cola/permits/1274703849\_1645234551.46/0/antlr4-4-7-1-sources-  
jar/org/antlr/v4/codegen/model/chunk/TokenPropertyRef.java  
\* /opt/cola/permits/1274703849\_1645234551.46/0/antlr4-4-7-1-sources-  
jar/org/antlr/v4/codegen/model/decl/CodeBlock.java  
\* /opt/cola/permits/1274703849\_1645234551.46/0/antlr4-4-7-1-sources-

jar/org/antlr/v4/codegen/target/JavaTarget.java  
\* /opt/cola/permits/1274703849\_1645234551.46/0/antlr4-4-7-1-sources-  
jar/org/antlr/v4/codegen/BlankOutputModelFactory.java  
\* /opt/cola/permits/1274703849\_1645234551.46/0/antlr4-4-7-1-sources-  
jar/org/antlr/v4/codegen/model/BaseListenerFile.java  
\* /opt/cola/permits/1274703849\_1645234551.46/0/antlr4-4-7-1-sources-  
jar/org/antlr/v4/semantics/SemanticPipeline.java  
\* /opt/cola/permits/1274703849\_1645234551.46/0/antlr4-4-7-1-sources-  
jar/org/antlr/v4/codegen/model/LL1StarBlockSingleAlt.java  
\* /opt/cola/permits/1274703849\_1645234551.46/0/antlr4-4-7-1-sources-jar/org/antlr/v4/misc/FrequencySet.java  
\* /opt/cola/permits/1274703849\_1645234551.46/0/antlr4-4-7-1-sources-jar/org/antlr/v4/tool/LabelElementPair.java  
\* /opt/cola/permits/1274703849\_1645234551.46/0/antlr4-4-7-1-sources-jar/org/antlr/v4/codegen/model/SrcOp.java  
\* /opt/cola/permits/1274703849\_1645234551.46/0/antlr4-4-7-1-sources-jar/org/antlr/v4/tool/EventManager.java  
\* /opt/cola/permits/1274703849\_1645234551.46/0/antlr4-4-7-1-sources-  
jar/org/antlr/v4/analysis/LeftRecursiveRuleAnalyzer.java  
\* /opt/cola/permits/1274703849\_1645234551.46/0/antlr4-4-7-1-sources-  
jar/org/antlr/v4/codegen/model/RuleFunction.java  
\* /opt/cola/permits/1274703849\_1645234551.46/0/antlr4-4-7-1-sources-  
jar/org/antlr/v4/parse/TokenVocabParser.java  
\* /opt/cola/permits/1274703849\_1645234551.46/0/antlr4-4-7-1-sources-jar/org/antlr/v4/tool/ast/RangeAST.java  
\* /opt/cola/permits/1274703849\_1645234551.46/0/antlr4-4-7-1-sources-  
jar/org/antlr/v4/codegen/model/chunk/ThisRulePropertyRef\_text.java  
\* /opt/cola/permits/1274703849\_1645234551.46/0/antlr4-4-7-1-sources-  
jar/org/antlr/v4/codegen/target/Python3Target.java  
\* /opt/cola/permits/1274703849\_1645234551.46/0/antlr4-4-7-1-sources-jar/org/antlr/v4/codegen/LexerFactory.java  
\* /opt/cola/permits/1274703849\_1645234551.46/0/antlr4-4-7-1-sources-  
jar/org/antlr/v4/codegen/model/LL1Loop.java  
\* /opt/cola/permits/1274703849\_1645234551.46/0/antlr4-4-7-1-sources-  
jar/org/antlr/v4/codegen/model/CodeBlockForAlt.java  
\* /opt/cola/permits/1274703849\_1645234551.46/0/antlr4-4-7-1-sources-  
jar/org/antlr/v4/codegen/model/chunk/QRetValueRef.java  
\* /opt/cola/permits/1274703849\_1645234551.46/0/antlr4-4-7-1-sources-  
jar/org/antlr/v4/semantics/AttributeChecks.java  
\* /opt/cola/permits/1274703849\_1645234551.46/0/antlr4-4-7-1-sources-jar/org/antlr/v4/codegen/model/dbg.java  
\* /opt/cola/permits/1274703849\_1645234551.46/0/antlr4-4-7-1-sources-jar/org/antlr/v4/gui/BasicFontMetrics.java  
\* /opt/cola/permits/1274703849\_1645234551.46/0/antlr4-4-7-1-sources-  
jar/org/antlr/v4/codegen/model/decl/ContextRuleGetterDecl.java  
\* /opt/cola/permits/1274703849\_1645234551.46/0/antlr4-4-7-1-sources-  
jar/org/antlr/v4/codegen/model/decl/ContextTokenListIndexedGetterDecl.java  
\* /opt/cola/permits/1274703849\_1645234551.46/0/antlr4-4-7-1-sources-  
jar/org/antlr/v4/gui/PostScriptDocument.java  
\* /opt/cola/permits/1274703849\_1645234551.46/0/antlr4-4-7-1-sources-  
jar/org/antlr/v4/codegen/model/decl/AttributeDecl.java  
\* /opt/cola/permits/1274703849\_1645234551.46/0/antlr4-4-7-1-sources-jar/org/antlr/v4/tool/Rule.java  
\* /opt/cola/permits/1274703849\_1645234551.46/0/antlr4-4-7-1-sources-  
jar/org/antlr/v4/codegen/model/OutputFile.java  
\* /opt/cola/permits/1274703849\_1645234551.46/0/antlr4-4-7-1-sources-  
jar/org/antlr/v4/codegen/model/MatchSet.java

- \* /opt/cola/permits/1274703849\_1645234551.46/0/antlr4-4-7-1-sources-jar/org/antlr/v4/codegen/model/LL1Choice.java
- \* /opt/cola/permits/1274703849\_1645234551.46/0/antlr4-4-7-1-sources-jar/org/antlr/v4/codegen/model/chunk/RulePropertyRef\_text.java
- \* /opt/cola/permits/1274703849\_1645234551.46/0/antlr4-4-7-1-sources-jar/org/antlr/v4/codegen/model/decl/ContextGetterDecl.java
- \* /opt/cola/permits/1274703849\_1645234551.46/0/antlr4-4-7-1-sources-jar/org/antlr/v4/codegen/model/chunk/TokenPropertyRef\_text.java
- \* /opt/cola/permits/1274703849\_1645234551.46/0/antlr4-4-7-1-sources-jar/org/antlr/v4/misc/EscapeSequenceParsing.java
- \* /opt/cola/permits/1274703849\_1645234551.46/0/antlr4-4-7-1-sources-jar/org/antlr/v4/codegen/model/InvokeRule.java
- \* /opt/cola/permits/1274703849\_1645234551.46/0/antlr4-4-7-1-sources-jar/org/antlr/v4/tool/ast/BlockAST.java
- \* /opt/cola/permits/1274703849\_1645234551.46/0/antlr4-4-7-1-sources-jar/org/antlr/v4/gui/TreePostScriptGenerator.java
- \* /opt/cola/permits/1274703849\_1645234551.46/0/antlr4-4-7-1-sources-jar/org/antlr/v4/gui/TreeLayoutAdaptor.java
- \* /opt/cola/permits/1274703849\_1645234551.46/0/antlr4-4-7-1-sources-jar/org/antlr/v4/codegen/model/Parser.java
- \* /opt/cola/permits/1274703849\_1645234551.46/0/antlr4-4-7-1-sources-jar/org/antlr/v4/codegen/model/AddToLabelList.java
- \* /opt/cola/permits/1274703849\_1645234551.46/0/antlr4-4-7-1-sources-jar/org/antlr/v4/analysis/LeftRecursiveRuleAltInfo.java
- \* /opt/cola/permits/1274703849\_1645234551.46/0/antlr4-4-7-1-sources-jar/org/antlr/v4/tool/AttributeDict.java
- \* /opt/cola/permits/1274703849\_1645234551.46/0/antlr4-4-7-1-sources-jar/org/antlr/v4/codegen/model/LL1OptionalBlockSingleAlt.java
- \* /opt/cola/permits/1274703849\_1645234551.46/0/antlr4-4-7-1-sources-jar/org/antlr/v4/codegen/model/chunk/TokenPropertyRef\_channel.java
- \* /opt/cola/permits/1274703849\_1645234551.46/0/antlr4-4-7-1-sources-jar/org/antlr/v4/tool/ast/ActionAST.java
- \* /opt/cola/permits/1274703849\_1645234551.46/0/antlr4-4-7-1-sources-jar/org/antlr/v4/codegen/model/MatchToken.java
- \* /opt/cola/permits/1274703849\_1645234551.46/0/antlr4-4-7-1-sources-jar/org/antlr/v4/codegen/model/decl/ContextTokenListGetterDecl.java
- \* /opt/cola/permits/1274703849\_1645234551.46/0/antlr4-4-7-1-sources-jar/org/antlr/v4/semantics/SymbolChecks.java
- \* /opt/cola/permits/1274703849\_1645234551.46/0/antlr4-4-7-1-sources-jar/org/antlr/v4/misc/OrderedHashMap.java
- \* /opt/cola/permits/1274703849\_1645234551.46/0/antlr4-4-7-1-sources-jar/org/antlr/v4/parse/GrammarToken.java
- \* /opt/cola/permits/1274703849\_1645234551.46/0/antlr4-4-7-1-sources-jar/org/antlr/v4/codegen/target/Python2Target.java
- \* /opt/cola/permits/1274703849\_1645234551.46/0/antlr4-4-7-1-sources-jar/org/antlr/v4/codegen/ActionTranslator.java
- \* /opt/cola/permits/1274703849\_1645234551.46/0/antlr4-4-7-1-sources-jar/org/antlr/v4/codegen/model/RuleSempredFunction.java
- \* /opt/cola/permits/1274703849\_1645234551.46/0/antlr4-4-7-1-sources-jar/org/antlr/v4/codegen/model/VisitorFile.java
- \* /opt/cola/permits/1274703849\_1645234551.46/0/antlr4-4-7-1-sources-jar/org/antlr/v4/automata/ATNOptimizer.java
- \* /opt/cola/permits/1274703849\_1645234551.46/0/antlr4-4-7-1-sources-jar/org/antlr/v4/tool/LeftRecursiveRule.java
- \* /opt/cola/permits/1274703849\_1645234551.46/0/antlr4-4-7-1-sources-jar/org/antlr/v4/tool/Attribute.java

\* /opt/cola/permits/1274703849\_1645234551.46/0/antlr4-4-7-1-sources-jar/org/antlr/v4/tool/ToolMessage.java  
 \* /opt/cola/permits/1274703849\_1645234551.46/0/antlr4-4-7-1-sources-jar/org/antlr/v4/codegen/CodeGenPipeline.java  
 \* /opt/cola/permits/1274703849\_1645234551.46/0/antlr4-4-7-1-sources-jar/org/antlr/v4/semantics/BasicSemanticChecks.java  
 \* /opt/cola/permits/1274703849\_1645234551.46/0/antlr4-4-7-1-sources-jar/org/antlr/v4/parse/v3TreeGrammarException.java  
 \* /opt/cola/permits/1274703849\_1645234551.46/0/antlr4-4-7-1-sources-jar/org/antlr/v4/codegen/model/MatchNotSet.java  
 \* /opt/cola/permits/1274703849\_1645234551.46/0/antlr4-4-7-1-sources-jar/org/antlr/v4/codegen/model/chunk/SetNonLocalAttr.java  
 \* /opt/cola/permits/1274703849\_1645234551.46/0/antlr4-4-7-1-sources-jar/org/antlr/v4/codegen/model/chunk/ArgRef.java  
 \* /opt/cola/permits/1274703849\_1645234551.46/0/antlr4-4-7-1-sources-jar/org/antlr/v4/tool/ast/StarBlockAST.java  
 \* /opt/cola/permits/1274703849\_1645234551.46/0/antlr4-4-7-1-sources-jar/org/antlr/v4/analysis/LeftRecursiveRuleTransformer.java  
 \* /opt/cola/permits/1274703849\_1645234551.46/0/antlr4-4-7-1-sources-jar/org/antlr/v4/gui/JFileChooserConfirmOverwrite.java  
 \* /opt/cola/permits/1274703849\_1645234551.46/0/antlr4-4-7-1-sources-jar/org/antlr/v4/codegen/model/LL1PlusBlockSingleAlt.java  
 \* /opt/cola/permits/1274703849\_1645234551.46/0/antlr4-4-7-1-sources-jar/org/antlr/v4/codegen/model/BaseVisitorFile.java  
 \* /opt/cola/permits/1274703849\_1645234551.46/0/antlr4-4-7-1-sources-jar/org/antlr/v4/codegen/UnicodeEscapes.java  
 \* /opt/cola/permits/1274703849\_1645234551.46/0/antlr4-4-7-1-sources-jar/org/antlr/v4/codegen/model/LeftRecursiveRuleFunction.java  
 \* /opt/cola/permits/1274703849\_1645234551.46/0/antlr4-4-7-1-sources-jar/org/antlr/v4/semantics/BlankActionSplitterListener.java  
 \* /opt/cola/permits/1274703849\_1645234551.46/0/antlr4-4-7-1-sources-jar/org/antlr/v4/codegen/model/LL1AltBlock.java  
 \* /opt/cola/permits/1274703849\_1645234551.46/0/antlr4-4-7-1-sources-jar/org/antlr/v4/tool/GrammarSyntaxMessage.java  
 \* /opt/cola/permits/1274703849\_1645234551.46/0/antlr4-4-7-1-sources-jar/org/antlr/v4/codegen/model/chunk/ThisRulePropertyRef\_start.java  
 \* /opt/cola/permits/1274703849\_1645234551.46/0/antlr4-4-7-1-sources-jar/org/antlr/v4/codegen/model/chunk/TokenRef.java  
 \* /opt/cola/permits/1274703849\_1645234551.46/0/antlr4-4-7-1-sources-jar/org/antlr/v4/gui/TestRig.java  
 \* /opt/cola/permits/1274703849\_1645234551.46/0/antlr4-4-7-1-sources-jar/org/antlr/v4/codegen/model/Choice.java  
 \* /opt/cola/permits/1274703849\_1645234551.46/0/antlr4-4-7-1-sources-jar/org/antlr/v4/gui/SystemFontMetrics.java  
 \* /opt/cola/permits/1274703849\_1645234551.46/0/antlr4-4-7-1-sources-jar/org/antlr/v4/codegen/model/ParserFile.java  
 \* /opt/cola/permits/1274703849\_1645234551.46/0/antlr4-4-7-1-sources-jar/org/antlr/v4/semantics/UseDefAnalyzer.java  
 \* /opt/cola/permits/1274703849\_1645234551.46/0/antlr4-4-7-1-sources-jar/org/antlr/v4/codegen/model/decl/RuleContextDecl.java  
 \* /opt/cola/permits/1274703849\_1645234551.46/0/antlr4-4-7-1-sources-jar/org/antlr/v4/codegen/model/chunk/ListLabelRef.java  
 \* /opt/cola/permits/1274703849\_1645234551.46/0/antlr4-4-7-1-sources-

jar/org/antlr/v4/codegen/model/decl/ContextTokenGetterDecl.java  
\* /opt/cola/permits/1274703849\_1645234551.46/0/antlr4-4-7-1-sources-  
jar/org/antlr/v4/tool/ast/GrammarASTVisitor.java  
\* /opt/cola/permits/1274703849\_1645234551.46/0/antlr4-4-7-1-sources-  
jar/org/antlr/v4/codegen/model/ThrowEarlyExitException.java  
\* /opt/cola/permits/1274703849\_1645234551.46/0/antlr4-4-7-1-sources-  
jar/org/antlr/v4/codegen/model/chunk/SetAttr.java  
\* /opt/cola/permits/1274703849\_1645234551.46/0/antlr4-4-7-1-sources-  
jar/org/antlr/v4/codegen/model/ModelElement.java  
\* /opt/cola/permits/1274703849\_1645234551.46/0/antlr4-4-7-1-sources-  
jar/org/antlr/v4/codegen/model/chunk/RulePropertyRef\_stop.java  
\* /opt/cola/permits/1274703849\_1645234551.46/0/antlr4-4-7-1-sources-  
jar/org/antlr/v4/analysis/AnalysisPipeline.java  
\* /opt/cola/permits/1274703849\_1645234551.46/0/antlr4-4-7-1-sources-  
jar/org/antlr/v4/codegen/model/OptionalBlock.java  
\* /opt/cola/permits/1274703849\_1645234551.46/0/antlr4-4-7-1-sources-jar/org/antlr/v4/misc/Graph.java  
\* /opt/cola/permits/1274703849\_1645234551.46/0/antlr4-4-7-1-sources-  
jar/org/antlr/v4/tool/GrammarInterpreterRuleContext.java  
\* /opt/cola/permits/1274703849\_1645234551.46/0/antlr4-4-7-1-sources-  
jar/org/antlr/v4/codegen/OutputModelFactory.java  
\* /opt/cola/permits/1274703849\_1645234551.46/0/antlr4-4-7-1-sources-  
jar/org/antlr/v4/codegen/model/CaptureNextTokenType.java  
\* /opt/cola/permits/1274703849\_1645234551.46/0/antlr4-4-7-1-sources-jar/org/antlr/v4/gui/TreeView.java  
\* /opt/cola/permits/1274703849\_1645234551.46/0/antlr4-4-7-1-sources-  
jar/org/antlr/v4/codegen/model/LexerFile.java  
\* /opt/cola/permits/1274703849\_1645234551.46/0/antlr4-4-7-1-sources-  
jar/org/antlr/v4/parse/ResyncToEndOfRuleBlock.java  
\* /opt/cola/permits/1274703849\_1645234551.46/0/antlr4-4-7-1-sources-jar/org/antlr/v4/tool/DOTGenerator.java  
\* /opt/cola/permits/1274703849\_1645234551.46/0/antlr4-4-7-1-sources-  
jar/org/antlr/v4/codegen/OutputModelWalker.java  
\* /opt/cola/permits/1274703849\_1645234551.46/0/antlr4-4-7-1-sources-  
jar/org/antlr/v4/codegen/model/DispatchMethod.java  
\* /opt/cola/permits/1274703849\_1645234551.46/0/antlr4-4-7-1-sources-  
jar/org/antlr/v4/codegen/CodeGenerator.java  
\* /opt/cola/permits/1274703849\_1645234551.46/0/antlr4-4-7-1-sources-  
jar/org/antlr/v4/codegen/model/LabeledOp.java  
\* /opt/cola/permits/1274703849\_1645234551.46/0/antlr4-4-7-1-sources-jar/org/antlr/v4/codegen/model/Loop.java  
\* /opt/cola/permits/1274703849\_1645234551.46/0/antlr4-4-7-1-sources-  
jar/org/antlr/v4/codegen/model/decl/ContextRuleListIndexedGetterDecl.java  
\* /opt/cola/permits/1274703849\_1645234551.46/0/antlr4-4-7-1-sources-jar/org/antlr/v4/tool/ast/TerminalAST.java  
\* /opt/cola/permits/1274703849\_1645234551.46/0/antlr4-4-7-1-sources-  
jar/org/antlr/v4/tool/ast/GrammarASTErrorNode.java  
\* /opt/cola/permits/1274703849\_1645234551.46/0/antlr4-4-7-1-sources-  
jar/org/antlr/v4/codegen/model/StarBlock.java  
\* /opt/cola/permits/1274703849\_1645234551.46/0/antlr4-4-7-1-sources-  
jar/org/antlr/v4/codegen/model/CodeBlockForOuterMostAlt.java  
\* /opt/cola/permits/1274703849\_1645234551.46/0/antlr4-4-7-1-sources-  
jar/org/antlr/v4/codegen/DefaultOutputModelFactory.java



\* /opt/cola/permits/1274703849\_1645234551.46/0/antlr4-4-7-1-sources-jar/org/antlr/v4/parse/ActionSplitterListener.java  
\* /opt/cola/permits/1274703849\_1645234551.46/0/antlr4-4-7-1-sources-jar/org/antlr/v4/codegen/model/chunk/TokenPropertyRef\_pos.java  
\* /opt/cola/permits/1274703849\_1645234551.46/0/antlr4-4-7-1-sources-jar/org/antlr/v4/tool/ast/RuleElementAST.java  
\* /opt/cola/permits/1274703849\_1645234551.46/0/antlr4-4-7-1-sources-jar/org/antlr/v4/codegen/target/SwiftTarget.java  
\* /opt/cola/permits/1274703849\_1645234551.46/0/antlr4-4-7-1-sources-jar/org/antlr/v4/codegen/target/JavaScriptTarget.java  
\* /opt/cola/permits/1274703849\_1645234551.46/0/antlr4-4-7-1-sources-jar/org/antlr/v4/automata/TailEpsilonRemover.java  
\* /opt/cola/permits/1274703849\_1645234551.46/0/antlr4-4-7-1-sources-jar/org/antlr/v4/tool/GrammarTransformPipeline.java  
\* /opt/cola/permits/1274703849\_1645234551.46/0/antlr4-4-7-1-sources-jar/org/antlr/v4/codegen/model/ArgAction.java  
\* /opt/cola/permits/1274703849\_1645234551.46/0/antlr4-4-7-1-sources-jar/org/antlr/v4/codegen/model/Recognizer.java  
\* /opt/cola/permits/1274703849\_1645234551.46/0/antlr4-4-7-1-sources-jar/org/antlr/v4/tool/ast/RuleRefAST.java  
\* /opt/cola/permits/1274703849\_1645234551.46/0/antlr4-4-7-1-sources-jar/org/antlr/v4/tool/LabelType.java  
\* /opt/cola/permits/1274703849\_1645234551.46/0/antlr4-4-7-1-sources-jar/org/antlr/v4/parse/ToolANTLRParser.java  
\* /opt/cola/permits/1274703849\_1645234551.46/0/antlr4-4-7-1-sources-jar/org/antlr/v4/semantics/SymbolCollector.java  
\* /opt/cola/permits/1274703849\_1645234551.46/0/antlr4-4-7-1-sources-jar/org/antlr/v4/codegen/model/chunk/RetValRef.java

No license file was found, but licenses were detected in source scan.

\* [The "BSD license"]  
\* All rights reserved.  
\* Redistribution and use in source and binary forms, with or without  
\* modification, are permitted provided that the following conditions  
\* are met:  
\* 1. Redistributions of source code must retain the above copyright  
\* notice, this list of conditions and the following disclaimer.  
\* 2. Redistributions in binary form must reproduce the above copyright  
\* notice, this list of conditions and the following disclaimer in the  
\* documentation and/or other materials provided with the distribution.  
\* 3. The name of the author may not be used to endorse or promote products  
\* derived from this software without specific prior written permission.

[The "BSD licence"]

All rights reserved.

Redistribution and use in source and binary forms, with or without  
modification, are permitted provided that the following conditions  
are met:

1. Redistributions of source code must retain the above copyright  
notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright

notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

3. The name of the author may not be used to endorse or promote products derived from this software without specific prior written permission.

Found in path(s):

\* /opt/cola/permits/1274703849\_1645234551.46/0/antlr4-4-7-1-sources-jar/org/antlr/v4/parse/ANTLRParser.g  
No license file was found, but licenses were detected in source scan.

/\*

\* [The "BSD license"]

\* Copyright (c) 2012-2016 Terence Parr

\* Copyright (c) 2012-2016 Sam Harwell

\* All rights reserved.

\*

\* Redistribution and use in source and binary forms, with or without

\* modification, are permitted provided that the following conditions

\* are met:

\*

\* 1. Redistributions of source code must retain the above copyright

\* notice, this list of conditions and the following disclaimer.

\* 2. Redistributions in binary form must reproduce the above copyright

\* notice, this list of conditions and the following disclaimer in the

\* documentation and/or other materials provided with the distribution.

\* 3. The name of the author may not be used to endorse or promote products

\* derived from this software without specific prior written permission.

\*

\* THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR

\* IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES

\* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.

\* IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,

\* INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT

\* NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,

\* DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY

\* THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT

\* (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF

\* THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

\*/

// File : A3Lexer.g

// Author : Jim Idle (jimi@temporal-wave.com)

// Copyright : Free BSD - See @header clause below

// Version : First implemented as part of ANTLR 3.2 this is the self

// hosting ANTLR 3 Lexer.

//

// Description

// -----

// This is the definitive lexer grammar for parsing ANTLR V3.x.x grammars. All other

```

// grammars are derived from this grammar via source code control integration (perforce)
// or by the gdiff tool.
//
// This grammar and its associated grmmars A3Parser.g and A3Walker.g exhibit the following
// traits, which are recommended for all production quality grammars:
//
// 1) They are separate grammars, not composite grammars;
// 2) They implement all supporting methods in a superclass (at least this is recommended
//    for language targets that support inheritance;
// 3) All errors are pushed as far down the parsing chain as possible, which means
//    that the lexer tries to defer error reporting to the parser, and the parser
//    tries to defer error reporting to a semantic phase consisting of a single
//    walk of the AST. The reason for this is that the error messages produced
//    from later phases of the parse will generally have better context and so
//    be more useful to the end user. Consider the message: "Syntax error at 'options'"
//    vs: "You cannot specify two options{ } sections in a single grammar file".
// 4) The lexer is 'programmed' to catch common mistakes such as unterminated literals
//    and report them specifically and not just issue confusing lexer mismatch errors.
//
/** Read in an ANTLR grammar and build an AST. Try not to do
 * any actions, just build the tree.
 *
 * The phases are:
 *
 * A3Lexer.g (this file)
 *     A3Parser.g
 *     A3Verify.g (derived from A3Walker.g)
 * assign.types.g
 * define.g
 * buildnfa.g
 * antlr.print.g (optional)
 * codegen.g
 *
 * Terence Parr
 * University of San Francisco
 * 2005
 * Jim Idle (this v3 grammar)
 * Temporal Wave LLC
 * 2009
 */
lexer grammar ANTLRLexer;

// =====
// Note that while this grammar does not care about order of constructs
// that don't really matter, such as options before @header etc, it must first
// be parsed by the original v2 parser, before it replaces it. That parser does
// care about order of structures. Hence we are constrained by the v2 parser

```

```

// for at least the first bootstrap release that causes this parser to replace
// the v2 version.
// =====

// -----
// Options
//
// V3 option directives to tell the tool what we are asking of it for this
// grammar.
//
options {

// Target language is Java, which is the default but being specific
// here as this grammar is also meant as a good example grammar for
// for users.
//
language    = Java;

// The super class that this lexer should expect to inherit from, and
// which contains any and all support routines for the lexer. This is
// commented out in this baseline (definitive or normative grammar)
// - see the ANTLR tool implementation for hints on how to use the super
// class
//
//superclass = AbstractA3Lexer;
}

tokens { SEMPRED; TOKEN_REF; RULE_REF; LEXER_CHAR_SET; ARG_ACTION; }

// Include the copyright in this source and also the generated source
//
@lexer::header {
/*
[The "BSD licence"]
Copyright (c) 2005-2009 Terence Parr
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:

1. Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.

2. Redistributions in binary form must reproduce the above copyright
notice, this list of conditions and the following disclaimer in the
documentation and/or other materials provided with the distribution.

3. The name of the author may not be used to endorse or promote products
derived from this software without specific prior written permission.

```

THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

\*/

```
package org.antlr.v4.parse;
import org.antlr.v4.tool.*;
import org.antlr.v4.runtime.misc.Interval;
}
```

```
@members {
```

```
public static final int COMMENTS_CHANNEL = 2;
```

```
public CommonTokenStream tokens; // track stream we push to; need for context info
public boolean isLexerRule = false;
```

```
public void grammarError(ErrorType etype, org.antlr.runtime.Token token, Object... args) { }
```

```
/** scan backwards from current point in this.tokens list
```

```
 * looking for the start of the rule or subrule.
```

```
 * Return token or null if for some reason we can't find the start.
```

```
*/
```

```
public Token getRuleOrSubruleStartToken() {
```

```
    if ( tokens==null ) return null;
```

```
    int i = tokens.index();
```

```
    int n = tokens.size();
```

```
    if ( i>=n ) i = n-1; // seems index == n as we lex
```

```
    while ( i>=0 && i<n) {
```

```
        int ttype = tokens.get(i).getType();
```

```
        if ( ttype == LPAREN || ttype == TOKEN_REF || ttype == RULE_REF ) {
```

```
            return tokens.get(i);
```

```
        }
```

```
        i--;
```

```
    }
```

```
    return null;
```

```
}
```

```
}
```

```
// -----
```

```
// Comments
```

```
//
```

```

// ANTLR comments can be multi or single line and we don't care
// which particularly. However we also accept Javadoc style comments
// of the form: /** ... */ and we do take care to distinguish those
// from ordinary multi-line comments
// Note how we guide the lexical PATH because we want to issue a decriptive
// error message in case of a standalone '/' character, which makes no
// sense in ANTLR source code. We also trap unterminated multi-line comments
//
fragment DOC_COMMENT : ;
COMMENT
@init {

// Record the start line and offsets as if we need to report an
// unterminated comment, then we want to show the start of the comment
// we think is broken, not the end, where people will have to try and work
// it out themselves.
//
int startLine = $line;
int offset = getCharPositionInLine();
}
: // Eat the first character only, then see if we have a comment
// or something silly.
//
'/' // Comment introducer

(
// Single line comment, possibly with embedded src/line directives
// in a similar style to the C pre-processor, allowing generated
// code to refer the programmer back to the original source code
// in case of error.
//
'/'
(
(' $ANTLR')=> ' $ANTLR' SRC
| ~(NLCHARS)*
)

| // Multi-line comment, which may be a documentation comment
// if it starts /** (note that we protect against accidentally
// recognizing a comment /**/ as a documentation comment
//
'/**' (
{ input.LA(2) != '/' }?=> '*' { $type = DOC_COMMENT; }
| { true }?=> // Required to cover all alts with predicates
)

// Should we support embedded multiline comments here?
//

```

```

(
  // Pick out end of multiline comment and exit the loop
  // if we find it.
  //
  { !(input.LA(1) == '*' && input.LA(2) == '/') }?

  // Anything else other than the non-greedy match of
  // the comment close sequence
  //
  .
)*
(
  // Look for the comment terminator, but if it is accidentally
  // unterminated, then we will hit EOF, which will trigger the
  // epsilon alt and hence we can issue an error message relative
  // to the start of the unterminated multi-line comment
  //
  /*'

| // Unterminated comment!
  //
  {
    // ErrorManager.msg(Msg.UNTERMINATED_DOC_COMMENT, startLine, offset, $pos, startLine,
offset, $pos, (Object)null);
  }
)

| // There was nothing that made sense following the opening '/' and so
  // we issue an error regarding the malformed comment
  //
  {
    // TODO: Insert error message relative to comment start
    //
  }
)
{
  // We do not wish to pass the comments in to the parser. If you are
  // writing a formatter then you will want to preserve the comments off
  // channel, but could just skip and save token space if not.
  //
  $channel=COMMENTS_CHANNEL;
}
;

ARG_OR_CHARSET
options {k=1;}
: {isLexerRule}?=> LEXER_CHAR_SET {$type=LEXER_CHAR_SET;}
| {!isLexerRule}?=> ARG_ACTION

```

```

    {
    $type=ARG_ACTION;
    // Set the token text to our gathered string minus outer [ ]
    String t = $text;
    t = t.substring(1,t.length()-1);
    setText(t);
    }
;

fragment
LEXER_CHAR_SET
: '['
  ( '\\' ~('\r'\n')
  | ~('\r'\n'\\'']')
  )*
  ']'
;

// -----
// Argument specs
//
// Certain argument lists, such as those specifying call parameters
// to a rule invocation, or input parameters to a rule specification
// are contained within square brackets. In the lexer we consume them
// all at once and sort them out later in the grammar analysis.
//
fragment
ARG_ACTION
: '['
  (
    ARG_ACTION

    | ('')=>ACTION_STRING_LITERAL

    | ('\')=>ACTION_CHAR_LITERAL

    | ~('[']')
  )*
  ']'
;

// -----
// Actions
//
// Other than making sure to distinguish between { and } embedded
// within what we have assumed to be literals in the action code, the
// job of the lexer is merely to gather the code within the action

```



```

// (delimited by {}) and pass it to the parser as a single token.
// We know that this token will be asked for its text somewhere
// in the upcoming parse, so setting the text here to exclude
// the delimiting {} is no additional overhead.
//
ACTION
: NESTED_ACTION
('?' {$type = SEMPRED;}
 ( (WSNLCHARS* '=>') => WSNLCHARS* '=>' // v3 gated sempred
 {
  Token t = new CommonToken(input, state.type, state.channel, state.tokenStartCharIndex, getCharIndex()-1);
  t.setLine(state.tokenStartLine);
  t.setText(state.text);
  t.setCharPositionInLine(state.tokenStartCharPositionInLine);
  grammarError(ErrorType.V3_GATED_SEMPRED, t);
 }
 )?
 )?
 ;

// -----
// Action structure
//
// Many language targets use {} as block delimiters and so we
// must recursively match {} delimited blocks to balance the
// braces. Additionally, we must make some assumptions about
// literal string representation in the target language. We assume
// that they are delimited by ' or " and so consume these
// in their own alts so as not to inadvertently match {}.
// This rule calls itself on matching a {
//
fragment
NESTED_ACTION
@init {

// Record the start line and offsets as if we need to report an
// unterminated block, then we want to show the start of the comment
// we think is broken, not the end, where people will have to try and work
// it out themselves.
//
int startLine = getLine();
int offset = getCharPositionInLine();
}

: // Action and other blocks start with opening {
//
'{'
(

```

```

// And now we can match one of a number of embedded
// elements within the action until we find a
// } that balances the opening {. If we do not find
// the balanced } then we will hit EOF and can issue
// an error message about the brace that we believe to
// be mismatched. This won't be foolproof but we will
// be able to at least report an error against the
// opening brace that we feel is in error and this will
// guide the user to the correction as best we can.
//

// An embedded {} block
//
NESTED_ACTION

|// What appears to be a literal
//
ACTION_CHAR_LITERAL

|// We have assumed that the target language has C/Java
// type comments.
//
COMMENT

|// What appears to be a literal
//
ACTION_STRING_LITERAL

|// What appears to be an escape sequence
//
ACTION_ESC

|// Some other single character that is not
// handled above
//
~(\\|'|\"|/|'{'|'})

)*

(
// Correctly balanced closing brace
//
}'

|// Looks like have an imbalanced {} block, report
// with respect to the opening brace.
//

```

```

    {
        // TODO: Report imbalanced {}
        System.out.println("Block starting at line " + startLine + " offset " + (offset+1) + " contains imbalanced {} or
is missing a }");
    }
)
;

```

```

// Keywords
// -----
// keywords used to specify ANTLR v3 grammars. Keywords may not be used as
// labels for rules or in any other context where they would be ambiguous
// with the keyword vs some other identifier
// OPTIONS, TOKENS, and CHANNELS must also consume the opening brace that captures
// their option block, as this is the easiest way to parse it separate
// to an ACTION block, despite it using the same {} delimiters.
//
OPTIONS    : 'options' WSNLCHARS* '{' ;
TOKENS_SPEC : 'tokens' WSNLCHARS* '{' ;
CHANNELS   : 'channels' WSNLCHARS* '{' ;

```

```

IMPORT     : 'import'           ;
FRAGMENT   : 'fragment'        ;
LEXER      : 'lexer'           ;
PARSER     : 'parser'          ;
GRAMMAR    : 'grammar'         ;
TREE_GRAMMAR : 'tree' WSNLCHARS* 'grammar' ;
PROTECTED  : 'protected'       ;
PUBLIC     : 'public'          ;
PRIVATE    : 'private'         ;
RETURNS    : 'returns'         ;
LOCALS     : 'locals'          ;
THROWS     : 'throws'          ;
CATCH      : 'catch'           ;
FINALLY    : 'finally'         ;
MODE       : 'mode'            ;

```

```

// -----
// Punctuation
//
// Character sequences used as separators, delimiters, operators, etc
//
COLON      : ':'
    {
        // scan backwards, looking for a RULE_REF or TOKEN_REF.
        // which would indicate the start of a rule definition.
        // If we see a LPAREN, then it's the start of the subrule.
    }

```

```

// this.tokens is the token string we are pushing into, so
// just loop backwards looking for a rule definition. Then
// we set isLexerRule.
Token t = getRuleOrSubruleStartToken();
if ( t!=null ) {
    if ( t.getType()==RULE_REF ) isLexerRule = false;
    else if ( t.getType()==TOKEN_REF ) isLexerRule = true;
    // else must be subrule; don't alter context
}
}
;
COLONCOLON  : '::'      ;
COMMA       : ','      ;
SEMI        : ';'      ;
LPAREN      : '('      ;
RPAREN      : ')'      ;
RARROW      : '->'     ;
LT          : '<'      ;
GT          : '>'      ;
ASSIGN      : '='      ;
QUESTION    : '?'      ;
SYNPRED     : '=>'    ;
{
    Token t = new CommonToken(input, state.type, state.channel,
        state.tokenStartCharIndex, getCharIndex()-1);
    t.setLine(state.tokenStartLine);
    t.setText(state.text);
    t.setCharPositionInLine(state.tokenStartCharPositionInLine);
    grammarError(ErrorType.V3_SYNPRED, t);
    $channel=HIDDEN;
}
;
STAR        : '*'      ;
PLUS        : '+'      ;
PLUS_ASSIGN : '+='     ;
OR          : '|'      ;
DOLLAR      : '$'      ;
DOT         : '.'      ; // can be WILDCARD or DOT in qid or imported rule ref
RANGE       : '..'     ;
AT          : '@'      ;
POUND       : '#'      ;
NOT         : '~'      ;
RBRACE      : '}'      ;

/** Allow unicode rule/token names */
ID : a=NameStartChar NameChar*
{
    if ( Grammar.isTokenName($a.text) ) $type = TOKEN_REF;
}

```

```

    else $type = RULE_REF;
  }
;

```

fragment

```

NameChar : NameStartChar
    | '0'..'9'
    | '_'
    | '\u00B7'
    | '\u0300'..\u036F'
    | '\u203F'..\u2040'
;

```

fragment

```

NameStartChar
    : 'A'..'Z' | 'a'..'z'
    | '\u00C0'..\u00D6'
    | '\u00D8'..\u00F6'
    | '\u00F8'..\u02FF'
    | '\u0370'..\u037D'
    | '\u037F'..\u1FFF'
    | '\u200C'..\u200D'
    | '\u2070'..\u218F'
    | '\u2C00'..\u2FEF'
    | '\u3001'..\uD7FF'
    | '\uF900'..\uFDCF'
    | '\uFDF0'..\uFEFE'
    | '\uFF00'..\uFFFD'
    ; // ignores | [\u10000-\uEFFFD] ;

```

// -----

// Literals embedded in actions

//

// Note that we have made the assumption that the language used within

// actions uses the fairly standard " and ' delimiters for literals and

// that within these literals, characters are escaped using the \ character.

// There are some languages which do not conform to this in all cases, such

// as by using /string/ and so on. We will have to deal with such cases if

// if they come up in targets.

//

// Within actions, or other structures that are not part of the ANTLR

// syntax, we may encounter literal characters. Within these, we do

// not want to inadvertently match things like '}' and so we eat them

// specifically. While this rule is called CHAR it allows for the fact that

// some languages may use/allow ' as the string delimiter.

//

fragment

```

ACTION_CHAR_LITERAL
: "\"" ((\\)=>ACTION_ESC | ~\" )* "\""
;

// Within actions, or other structures that are not part of the ANTLR
// syntax, we may encounter literal strings. Within these, we do
// not want to inadvertently match things like '}' and so we eat them
// specifically.
//
fragment
ACTION_STRING_LITERAL
: "\"" ((\\)=>ACTION_ESC | ~\" )* "\""
;

// Within literal strings and characters that are not part of the ANTLR
// syntax, we must allow for escaped character sequences so that we do not
// inadvertently recognize the end of a string or character when the terminating
// delimiter has been escaped.
//
fragment
ACTION_ESC
: '\\'.
;

// -----
// Integer
//
// Obviously (I hope) match an arbitrary long sequence of digits.
//
INT : ('0'..'9')+
;

// -----
// Source spec
//
// A fragment rule for picking up information about an originating
// file from which the grammar we are parsing has been generated. This allows
// ANTLR to report errors against the originating file and not the generated
// file.
//
fragment
SRC : 'src' WSCHARS+ file=ACTION_STRING_LITERAL WSCHARS+ line=INT
{
    // TODO: Add target specific code to change the source file name and current line number
    //
}
;

```

```

// -----
// Literal string
//
// ANTLR makes no distinction between a single character literal and a
// multi-character string. All literals are single quote delimited and
// may contain unicode escape sequences of the form \uxxxx or \u{xxxxxx},
// where x is a valid hexadecimal number.
STRING_LITERAL
: \" ( ( ESC_SEQ | ~(\"|'|\\"|'r'|'n') ) ) *
  ( \"
  | // Unterminated string literal
    {
      Token t = new CommonToken(input, state.type, state.channel, state.tokenStartCharIndex, getCharIndex()-1);
      t.setLine(state.tokenStartLine);
      t.setText(state.text);
      t.setCharacterPositionInLine(state.tokenStartCharPositionInLine);
      grammarError(ErrorType.UNTERMINATED_STRING_LITERAL, t);
    }
  )
;

// A valid hex digit specification
//
fragment
HEX_DIGIT : ('0'..'9'|'a'..'f'|'A'..'F') ;

// Any kind of escaped character that we can embed within ANTLR
// literal strings.
//
fragment
ESC_SEQ
: \"
  (
    // The standard escaped character set such as tab, newline, etc...
    'b'|'t'|'n'|'f'|'r'|'\"|'\\'|'
    | // A Java style Unicode escape sequence
    UNICODE_ESC
    | // A Swift/Hack style Unicode escape sequence
    UNICODE_EXTENDED_ESC
    | // An illegal escape sequence
    ~(b|t|n|f|r|\"|\\|'|u) // \x for any invalid x (make sure to match char here)
    {
      Token t = new CommonToken(input, state.type, state.channel, getCharIndex()-2, getCharIndex()-1);
      t.setText(t.getText());
      t.setLine(input.getLine());
    }
  )
;

```

```

        t.setCharPositionInLine(input.getCharPositionInLine()-2);
        grammarError(ErrorType.INVALID_ESCAPE_SEQUENCE, t, input.substring(getCharIndex()-
2,getCharIndex()-1));
    }
)
;

```

fragment

UNICODE\_ESC

@init {

```

// Flag to tell us whether we have a valid number of
// hex digits in the escape sequence

```

```

//

```

```

int hCount = 0;

```

```

}

```

```

: 'u' // Leadin for unicode escape sequence

```

```

    // We now require 4 hex digits. Note though
    // that we accept any number of characters
    // and issue an error if we do not get 4. We cannot
    // use an infinite count such as + because this
    // might consume too many, so we lay out the lexical
    // options and issue an error at the invalid paths.

```

```

//

```

```

(

```

```

(

```

```

    HEX_DIGIT { hCount++; }

```

```

    (

```

```

        HEX_DIGIT { hCount++; }

```

```

        (

```

```

            HEX_DIGIT { hCount++; }

```

```

            (

```

```

                // Four valid hex digits, we are good

```

```

                //

```

```

                HEX_DIGIT { hCount++; }

```

```

            | // Three valid digits

```

```

        )

```

```

    | // Two valid digits

```

```

    )

```

```

    | // One valid digit

```

```

    )

```

```

    )

```

```

    | // No valid hex digits at all

```

```

)

```



```

// Now check the digit count and issue an error if we need to
//
{
  if (hCount < 4) {
    Interval badRange = Interval.of(getCharIndex()-2-hCount, getCharIndex());
    String lastChar = input.substring(badRange.b, badRange.b);
    if ( lastChar.codePointAt(0)=="\" ) {
      badRange.b--;
    }
    String bad = input.substring(badRange.a, badRange.b);
    Token t = new CommonToken(input, state.type, state.channel, badRange.a, badRange.b);
    t.setLine(input.getLine());
    t.setCharPositionInLine(input.getCharPositionInLine()-hCount-2);
    grammarError(ErrorType.INVALID_ESCAPE_SEQUENCE, t, bad);
  }
}
;

fragment
UNICODE_EXTENDED_ESC
: 'u{' // Leadin for unicode extended escape sequence

    HEX_DIGIT+ // One or more hexadecimal digits

    '}' // Leadout for unicode extended escape sequence

// Now check the digit count and issue an error if we need to
{
  int numDigits = getCharIndex()-state.tokenStartCharIndex-6;
  if (numDigits > 6) {
    Token t = new CommonToken(input, state.type, state.channel, state.tokenStartCharIndex, getCharIndex()-
1);
    t.setText(t.getText());
    t.setLine(input.getLine());
    t.setCharPositionInLine(input.getCharPositionInLine()-numDigits);
    grammarError(ErrorType.INVALID_ESCAPE_SEQUENCE, t,
input.substring(state.tokenStartCharIndex,getCharIndex()-1));
  }
}
;

// -----
// Whitespace
//
// Characters and character constructs that are of no import
// to the parser and are used to make the grammar easier to read
// for humans.

```

```

//
WS
: (
  ''
  | '\t'
  | '\r'
  | '\n'
  | '\f'
)+
{$channel=HIDDEN;}
;

// A fragment rule for use in recognizing end of line in
// rules like COMMENT.
//
fragment
NLCHARS
: '\n' | '\r'
;

// A fragment rule for recognizing traditional whitespace
// characters within lexer rules.
//
fragment
WSCHARS
: ' ' | '\t' | '\f'
;

// A fragment rule for recognizing both traditional whitespace and
// end of line markers, when we don't care to distinguish but don't
// want any action code going on.
//
fragment
WSNLCHARS
: ' ' | '\t' | '\f' | '\n' | '\r'
;

// This rule allows ANTLR 4 to parse grammars using the UTF-8 encoding with a
// byte order mark. Since this Unicode character doesn't appear as a token
// anywhere else in the grammar, we can simply skip all instances of it without
// problem. This rule will not break usage of \uFEFF inside a LEXER_CHAR_SET or
// STRING_LITERAL.
UnicodeBOM
: '\uFEFF' {skip();}
;

// -----
// Illegal Character

```

```

//
// This is an illegal character trap which is always the last rule in the
// lexer specification. It matches a single character of any value and being
// the last rule in the file will match when no other rule knows what to do
// about the character. It is reported as an error but is not passed on to the
// parser. This means that the parser to deal with the gramamr file anyway
// but we will not try to analyse or code generate from a file with lexical
// errors.
//
ERRCHAR
: .
{
    Token t = new CommonToken(input, state.type, state.channel, state.tokenStartCharIndex, getCharIndex()-1);
    t.setLine(state.tokenStartLine);
    t.setText(state.text);
    t.setCharPositionInLine(state.tokenStartCharPositionInLine);
    String msg = getTokenErrorDisplay(t) + " came as a complete surprise to me";
    grammarError(ErrorType.SYNTAX_ERROR, t, msg);
    state.syntaxErrors++;
    skip();
}
;

```

Found in path(s):

\* /opt/cola/permits/1274703849\_1645234551.46/0/antlr4-4-7-1-sources-jar/org/antlr/v4/parse/ANTLRLexer.g

No license file was found, but licenses were detected in source scan.

```

/*
 * [The "BSD license"]
 * Copyright (c) 2012-2016 Terence Parr
 * Copyright (c) 2012-2016 Sam Harwell
 * Copyright (c) 2014 Eric Vergnaud
 * All rights reserved.
 *
 * Redistribution and use in source and binary forms, with or without
 * modification, are permitted provided that the following conditions
 * are met:
 *
 * 1. Redistributions of source code must retain the above copyright
 *    notice, this list of conditions and the following disclaimer.
 * 2. Redistributions in binary form must reproduce the above copyright
 *    notice, this list of conditions and the following disclaimer in the
 *    documentation and/or other materials provided with the distribution.
 * 3. The name of the author may not be used to endorse or promote products
 *    derived from this software without specific prior written permission.
 *
 * THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR
 * IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES

```

```

* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.
* IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,
* INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT
* NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
* DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
* THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
* (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF
* THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
*/

```

```

/** ANTLR tool checks output templates are compatible with tool code generation.
* For now, a simple string match used on x.y of x.y.z scheme.
* Must match Tool.VERSION during load to templates.
*
* REQUIRED.
*/

```

```

pythonTypeInitMap ::= [
  "bool":"False",
  "int":"0",
  "float":"0.0",
  "str": "",
  default:"None" // anything other than a primitive type is an object
]

```

```

// args must be <object-model-object>, <fields-resulting-in-STs>

```

```

ParserFile(file, parser, namedActions, contextSuperClass) ::= <<
<fileHeader(file.grammarFileName, file.ANTLRVersion)>
# encoding: utf-8
from antlr4 import *
from io import StringIO
from typing.io import TextIO
import sys

<namedActions.header>
<parser>

>>

```

```

ListenerFile(file, header, namedActions) ::= <<
<fileHeader(file.grammarFileName, file.ANTLRVersion)>
from antlr4 import *
if __name__ is not None and "." in __name__:
    from .<file.parserName> import <file.parserName>
else:
    from <file.parserName> import <file.parserName>
<header>

```

```

# This class defines a complete listener for a parse tree produced by <file.parserName>.
class <file.grammarName>Listener(ParseTreeListener):

    <file.listenerNames:{ lname |
# Enter a parse tree produced by <file.parserName>#<lname>.
def enter<lname; format="cap">(self, ctx:<file.parserName>.<lname; format="cap">Context):
    pass

# Exit a parse tree produced by <file.parserName>#<lname>.
def exit<lname; format="cap">(self, ctx:<file.parserName>.<lname; format="cap">Context):
    pass

}; separator="\n">

>>

```

```

VisitorFile(file, header, namedActions) ::= <<
<fileHeader(file.grammarFileName, file.ANTLRVersion)>
from antlr4 import *
if __name__ is not None and "." in __name__:
    from .<file.parserName> import <file.parserName>
else:
    from <file.parserName> import <file.parserName>
<header>

```

```

# This class defines a complete generic visitor for a parse tree produced by <file.parserName>.

class <file.grammarName>Visitor(ParseTreeVisitor):

    <file.visitorNames:{ lname |
# Visit a parse tree produced by <file.parserName>#<lname>.
def visit<lname; format="cap">(self, ctx:<file.parserName>.<lname; format="cap">Context):
    return self.visitChildren(ctx)

}; separator="\n">

del <file.parserName>

>>

```

```

fileHeader(grammarFileName, ANTLRVersion) ::= <<
# Generated from <grammarFileName> by ANTLR <ANTLRVersion>
>>

```

```

Parser(parser, funcs, atn, sempredFuncs, superClass) ::= <<
<Parser_(ctor="parser_ctor", ...)>

```

>>

```
Parser_(parser, funcs, atn, sempredFuncs, ctor, superClass) ::= <<
<if(superClass)>
from .<superClass> import <superClass>

<endif>
<atn>

class <parser.name> ( <if(superClass)><superClass><else>Parser<endif> ):

    grammarFileName = "<parser.grammarFileName>"

    atn = ATNDeserializer().deserialize(serializedATN())

    decisionsToDFA = [ DFA(ds, i) for i, ds in enumerate(atn.decisionToState) ]

    sharedContextCache = PredictionContextCache()

    literalNames = [ <parser.literalNames:{t | <t>}; null="\\"<INVALID>\\"", separator=", ", wrap, anchor> ]

    symbolicNames = [ <parser.symbolicNames:{t | <t>}; null="\\"<INVALID>\\"", separator=", ", wrap, anchor> ]

    <parser.rules:{r | RULE_<r.name> = <r.index>}; separator="\n", wrap, anchor>

    ruleNames = [ <parser.ruleNames:{r | "<r>"}; separator=", ", wrap, anchor> ]

    EOF = <TokenLabelType().EOF>
    <if(parser.tokens)>
    <parser.tokens:{k | <k>=<parser.tokens.(k)>}; separator="\n", wrap, anchor>
    <endif>

    <parser:(ctor())>

    <namedActions.members>

    <funcs; separator="\n">

    <if(sempredFuncs)>
    def sempred(self, localctx:RuleContext, ruleIndex:int, predIndex:int):
        if self._predicates == None:
            self._predicates = dict()
    <parser.sempredFuncs.values:{f |
        self._predicates[<f.ruleIndex>] = self.<f.name>_sempred}; separator="\n " ">
        pred = self._predicates.get(ruleIndex, None)
        if pred is None:
            raise Exception("No predicate with index:" + str(ruleIndex))
```

```

else:
    return pred(localctx, predIndex)

<sempredFuncs.values; separator="\n">
<endif>

>>

dumpActions(recog, argFuncs, actionFuncs, sempredFuncs) ::= <<
<if(actionFuncs)>
def action(self, localctx:RuleContext, ruleIndex:int, actionIndex:int):
    if self._actions is None:
        actions = dict()
<recog.actionFuncs.values:{f|
    actions[<f.ruleIndex>] = self.<f.name>_action }; separator="\n">
    self._actions = actions
    action = self._actions.get(ruleIndex, None)
    if action is not None:
        action(localctx, actionIndex)
    else:
        raise Exception("No registered action for:" + str(ruleIndex))

<actionFuncs.values; separator="\n">

<endif>
<if(sempredFuncs)>
def sempred(self, localctx:RuleContext, ruleIndex:int, predIndex:int):
    if self._predicates is None:
        preds = dict()
<recog.sempredFuncs.values:{f|
    preds[<f.ruleIndex>] = self.<f.name>_sempred}; separator="\n">
    self._predicates = preds
    pred = self._predicates.get(ruleIndex, None)
    if pred is not None:
        return pred(localctx, predIndex)
    else:
        raise Exception("No registered predicate for:" + str(ruleIndex))

<sempredFuncs.values; separator="\n">
<endif>

>>

parser_ctor(p) ::= <<
def __init__(self, input:TokenStream, output:TextIO = sys.stdout):
    super().__init__(input, output)
    self.checkVersion("<file.ANTLRVersion>")

```

```

self._interp = ParserATNSimulator(self, self.atn, self.decisionsToDFA, self.sharedContextCache)
self._predicates = None

>>

/* This generates a private method since the actionIndex is generated, making an
* overriding implementation impossible to maintain.
*/
RuleActionFunction(r, actions) ::= <<

def <r.name>_action(self, localctx:<r.ctxType> , actionIndex:int):
<actions:{index|
<if(first(actions))>
  if actionIndex == <index>:
    <actions.(index)>
<elseif(rest(actions))>
  elif actionIndex == <index>:
    <actions.(index)>
<endif> }; separator="\n">
>>

/* This generates a private method since the predIndex is generated, making an
* overriding implementation impossible to maintain.
*/
RuleSempredFunction(r, actions) ::= <<
def <r.name>_sempred(self, localctx:<r.ctxType>, predIndex:int):
  <actions:{index|
<if(first(actions))>
    if predIndex == <index>:
      return <actions.(index)>
<elseif(rest(actions))>
    elif predIndex == <index>:
      return <actions.(index)>
<endif> }; separator="\n">
>>

RuleFunction(currentRule,args,code,locals,ruleCtx,altLabelCtxs,namedActions,finallyAction,postamble,exceptions)
::= <<

<ruleCtx>

<altLabelCtxs:{l | <altLabelCtxs.(l)>}; separator="\n">

def <currentRule.name>(self<currentRule.args:{a | , <a.name><if(a.type)>:<a.type><endif>}>):

  localctx = <parser.name>.<currentRule.ctxType>(self, self._ctx, self.state<currentRule.args:{a | , <a.name>}>)
  self.enterRule(localctx, <currentRule.startState>, self.RULE_<currentRule.name>)

```



```

<namedActions.init>
<locals; separator="\n">
try:
  <code>
  <postamble; separator="\n">
  <namedActions.after>
<if(exceptions)>
<exceptions; separator="\n">
<else>
except RecognitionException as re:
  localctx.exception = re
  self._errHandler.reportError(self, re)
  self._errHandler.recover(self, re)
<endif>
finally:
  <finallyAction>
  self.exitRule()
return localctx

```

>>

```

LeftRecursiveRuleFunction(currentRule,args,code,locals,ruleCtx,altLabelCtxs,
namedAction,finallyAction,postamble) ::=

```

<<

```

<ruleCtx>

```

```

<altLabelCtxs:{l | <altLabelCtxs.(l)>}; separator="\n">

```

```

def <currentRule.name>(self, _p:int=0<if(currentRule.args)>, <args:{ a | , <a>}><endif>):
  _parentctx = self._ctx
  _parentState = self.state
  localctx = <parser.name>.<currentRule.ctxType>(self, self._ctx, _parentState<args:{ a | , <a.name>}>))
  _prevctx = localctx
  _startState = <currentRule.startState>
  self.enterRecursionRule(localctx, <currentRule.startState>, self.RULE_<currentRule.name>, _p)
  <namedActions.init>
  <locals; separator="\n">
  try:
    <code>
    <postamble; separator="\n">
    <namedActions.after>
  except RecognitionException as re:
    localctx.exception = re
    self._errHandler.reportError(self, re)
    self._errHandler.recover(self, re)
  finally:
    <finallyAction>
    self.unrollRecursionContexts(_parentctx)

```

```
return localctx
```

```
>>
```

```
CodeBlockForOuterMostAlt(currentOuterMostAltCodeBlock, locals, preamble, ops) ::= <<  
<if(currentOuterMostAltCodeBlock.altLabel)>localctx = <parser.name>.<currentOuterMostAltCodeBlock.altLabel;  
format="cap">Context(self, localctx)<endif>  
self.enterOuterAlt(localctx, <currentOuterMostAltCodeBlock.alt.altNum>)  
<CodeBlockForAlt(currentAltCodeBlock=currentOuterMostAltCodeBlock, ...)>  
>>
```

```
CodeBlockForAlt(currentAltCodeBlock, locals, preamble, ops) ::= <<  
<locals; separator="\n">  
<preamble; separator="\n">  
<ops; separator="\n">  
>>
```

```
LL1AltBlock(choice, preamble, alts, error) ::= <<  
self.state = <choice.stateNumber>  
self._errHandler.sync(self)  
<if(choice.label)><labelref(choice.label)> = _input.LT(1)<endif>  
<preamble; separator="\n">  
token = self._input.LA(1)  
<choice.altLook,alts:{look,alt| <cases(ttypes=look)>  
  <alt>  
  pass}; separator="\nel">  
else:  
  <error>  
>>
```

```
LL1OptionalBlock(choice, alts, error) ::= <<  
self.state = <choice.stateNumber>  
self._errHandler.sync(self)  
token = self._input.LA(1)  
<choice.altLook,alts:{look,alt| <cases(ttypes=look)>  
  <alt>  
  pass}; separator="\nel">  
else:  
  pass  
>>
```

```
LL1OptionalBlockSingleAlt(choice, expr, alts, preamble, error, followExpr) ::= <<  
self.state = <choice.stateNumber>  
self._errHandler.sync(self)  
<preamble; separator="\n">  
if <expr>:  
  <alts; separator="\n">
```

```
<!else if ( !(<followExpr> ) <error>!>
>>
```

```
LL1StarBlockSingleAlt(choice, loopExpr, alts, preamble, iteration) ::= <<
self.state = <choice.stateNumber>
self._errHandler.sync(self)
<preamble; separator="\n">
while <loopExpr>:
    <alts; separator="\n">
    self.state = <choice.loopBackStateNumber>
    self._errHandler.sync(self)
    <iteration>

>>
```

```
LL1PlusBlockSingleAlt(choice, loopExpr, alts, preamble, iteration) ::= <<
self.state = <choice.blockStartStateNumber> <! alt block decision !>
self._errHandler.sync(self)
<preamble; separator="\n">
while True:
    <alts; separator="\n">
    self.state = <choice.stateNumber> <! loopback/exit decision !>
    self._errHandler.sync(self)
    <iteration>
    if not (<loopExpr>):
        break

>>
```

```
// LL(*) stuff
```

```
AltBlock(choice, preamble, alts, error) ::= <<
self.state = <choice.stateNumber>
self._errHandler.sync(self)
<if(choice.label)><labelref(choice.label)> = _input.LT(1)<endif>
<preamble; separator="\n">
la_ = self._interp.adaptivePredict(self._input,<choice.decision>,self._ctx)
<alts:{alt |
if la_ == <i>:
    <alt>
    pass
}; separator="\nel">

>>
```

```
OptionalBlock(choice, alts, error) ::= <<
```

```

self.state = <choice.stateNumber>
self._errHandler.sync(self)
la_ = self._interp.adaptivePredict(self._input,<choice.decision>,self._ctx)
<alts:{alt |
if la_ == <i><if(!choice.ast.greedy)>+1<endif>:
  <alt>
}; separator="\nel">

```

>>

```

StarBlock(choice, alts, sync, iteration) ::= <<
self.state = <choice.stateNumber>
self._errHandler.sync(self)
_alt = self._interp.adaptivePredict(self._input,<choice.decision>,self._ctx)
while _alt!=<choice.exitAlt> and _alt!=ATN.INVALID_ALT_NUMBER:
  if _alt==1<if(!choice.ast.greedy)>+1<endif>:
    <iteration>
    <alts> <! should only be one !>
  self.state = <choice.loopBackStateNumber>
  self._errHandler.sync(self)
  _alt = self._interp.adaptivePredict(self._input,<choice.decision>,self._ctx)

```

>>

```

PlusBlock(choice, alts, error) ::= <<
self.state = <choice.blockStartStateNumber> <! alt block decision !>
self._errHandler.sync(self)
_alt = 1<if(!choice.ast.greedy)>+1<endif>
while _alt!=<choice.exitAlt> and _alt!=ATN.INVALID_ALT_NUMBER:
  <alts:{alt |
if _alt == <i><if(!choice.ast.greedy)>+1<endif>:
  <alt>
}; separator="\nel">
  else:
    <error>
  self.state = <choice.loopBackStateNumber> <! loopback/exit decision !>
  self._errHandler.sync(self)
  _alt = self._interp.adaptivePredict(self._input,<choice.decision>,self._ctx)

```

>>

```

Sync(s) ::= "sync(<s.expecting.name>)"

```

```

ThrowNoViableAlt(t) ::= "raise NoViableAltException(self)"

```

```

TestSetInline(s) ::= <<
<s.bitsets:{bits | <if(rest(rest(bits.ttypes)))><bitsetBitfieldComparison(s, bits)><else><bitsetInlineComparison(s,
bits)><endif>}; separator=" or ">

```

```

>>

// Java language spec 15.19 - shift operators mask operands rather than overflow to 0... need range test
testShiftInRange(shiftAmount) ::= <<
((<shiftAmount>) & ~0x3f) == 0
>>

// produces smaller bytecode only when bits.ttypes contains more than two items
bitsetBitfieldComparison(s, bits) ::= <%
(<testShiftInRange(<offsetShiftVar(s.varName, bits.shift)>)> and ((1 \<< <offsetShiftVar(s.varName,
bits.shift)>) & (<bits.ttypes:{ttype | (1 \<< <offsetShiftType(ttype, bits.shift)>)}; separator=" | ">)) != 0)
%>

isZero ::= [
"0":true,
default:false
]

offsetShiftVar(shiftAmount, offset) ::= <%
<if(!isZero.(offset))><shiftAmount> - <offset><else><shiftAmount><endif>
%>

offsetShiftType(shiftAmount, offset) ::= <%
<if(!isZero.(offset))><parser.name>.<shiftAmount> - <offset><else><parser.name>.<shiftAmount><endif>
%>

// produces more efficient bytecode when bits.ttypes contains at most two items
bitsetInlineComparison(s, bits) ::= <%
<bits.ttypes:{ttype | <s.varName>==<parser.name>.<ttype>}; separator=" or ">
%>

cases(ttypes) ::= <<
if token in [<ttypes:{t | <parser.name>.<t>}; separator=", ">]:
>>

InvokeRule(r, argExprsChunks) ::= <<
self.state = <r.stateNumber>
<if(r.labels)><r.labels:{l | <labelref(l)> =
}><endif>self.<r.name><(if(r.ast.options.p)><r.ast.options.p><if(argExprsChunks)>,<endif><endif><argExprsChu
nks>)
>>

MatchToken(m) ::= <<
self.state = <m.stateNumber>
<if(m.labels)><m.labels:{l | <labelref(l)> = }><endif>self.match(<parser.name>.<m.name>)
>>

MatchSet(m, expr, capture) ::= "<CommonSetStuff(m, expr, capture, false)>"

```

```
MatchNotSet(m, expr, capture) ::= "<CommonSetStuff(m, expr, capture, true)>"
```

```
CommonSetStuff(m, expr, capture, invert) ::= <<  
self.state = <m.stateNumber>  
<if(m.labels)><m.labels:{1 | <labelref(l)> = }>self._input.LT(1)<endif>  
<capture>  
<if(invert)>if <m.varName> \<= 0 or <expr><else>if not(<expr>)<endif>:  
<if(m.labels)><m.labels:{1 | <labelref(l)> = }><else> <endif>self._errHandler.recoverInline(self)  
else:  
    self._errHandler.reportMatch(self)  
    self.consume()  
>>
```

```
Wildcard(w) ::= <<  
self.state = <w.stateNumber>  
<if(w.labels)><w.labels:{1 | <labelref(l)> = }><endif>self.matchWildcard()  
>>
```

```
// ACTION STUFF
```

```
Action(a, foo, chunks) ::= "<chunks>"
```

```
ArgAction(a, chunks) ::= "<chunks>"
```

```
SemPred(p, chunks, failChunks) ::= <<  
self.state = <p.stateNumber>  
if not <chunks>:  
    from antlr4.error.Errors import FailedPredicateException  
    raise FailedPredicateException(self, <p.predicate><if(failChunks)>, <failChunks><elseif(p.msg)>,  
<p.msg><endif>)  
>>
```

```
ExceptionClause(e, catchArg, catchAction) ::= <<  
catch (<catchArg>) {  
    <catchAction>  
}  
>>
```

```
// lexer actions are not associated with model objects
```

```
LexerSkipCommand() ::= "skip()  
LexerMoreCommand() ::= "more()  
LexerPopModeCommand() ::= "popMode()
```

```
LexerTypeCommand(arg, grammar) ::= "_type = <arg>"  
LexerChannelCommand(arg, grammar) ::= "_channel = <arg>"  
LexerModeCommand(arg, grammar) ::= "_mode = <arg>"
```

```

LexerPushModeCommand(arg, grammar) ::= "pushMode(<arg>)"

ActionText(t) ::= "<t.text>"
ActionTemplate(t) ::= "<t.st>"
ArgRef(a) ::= "localctx.<a.name>"
LocalRef(a) ::= "localctx.<a.name>"
RetValRef(a) ::= "localctx.<a.name>"
QRetValRef(a) ::= "<ctx(a)>.<a.dict>.<a.name>"
/** How to translate $tokenLabel */
TokenRef(t) ::= "<ctx(t)>.<t.name>"
LabelRef(t) ::= "<ctx(t)>.<t.name>"
ListLabelRef(t) ::= "<ctx(t)>.<ListLabelName(t.name)>"
SetAttr(s,rhsChunks) ::= "<ctx(s)>.<s.name> = <rhsChunks>"

TokenLabelType() ::= "<file.TokenLabelType; null={Token}>"
InputSymbolType() ::= "<file.InputSymbolType; null={Token}>"

TokenPropertyRef_text(t) ::= "(None if <ctx(t)>.<t.label> is None else <ctx(t)>.<t.label>.text)"
TokenPropertyRef_type(t) ::= "(0 if <ctx(t)>.<t.label> is None else <ctx(t)>.<t.label>.type)"
TokenPropertyRef_line(t) ::= "(0 if <ctx(t)>.<t.label> is None else <ctx(t)>.<t.label>.line)"
TokenPropertyRef_pos(t) ::= "(0 if <ctx(t)>.<t.label> is None else <ctx(t)>.<t.label>.column)"
TokenPropertyRef_channel(t) ::= "(0 if (<ctx(t)>.<t.label> is None else <ctx(t)>.<t.label>.channel)"
TokenPropertyRef_index(t) ::= "(0 if <ctx(t)>.<t.label> is None else <ctx(t)>.<t.label>.tokenIndex)"
TokenPropertyRef_int(t) ::= "(0 if <ctx(t)>.<t.label> is None else int(<ctx(t)>.<t.label>.text))"

RulePropertyRef_start(r) ::= "(None if <ctx(r)>.<r.label> is None else <ctx(r)>.<r.label>.start)"
RulePropertyRef_stop(r) ::= "(None if <ctx(r)>.<r.label> is None else <ctx(r)>.<r.label>.stop)"
RulePropertyRef_text(r) ::= "(None if <ctx(r)>.<r.label> is None else
self._input.getText((<ctx(r)>.<r.label>.start,<ctx(r)>.<r.label>.stop)))"
RulePropertyRef_ctx(r) ::= "<ctx(r)>.<r.label>"
RulePropertyRef_parser(r) ::= "self"

ThisRulePropertyRef_start(r) ::= "localctx.start"
ThisRulePropertyRef_stop(r) ::= "localctx.stop"
ThisRulePropertyRef_text(r) ::= "self._input.getText((localctx.start, self._input.LT(-1)))"
ThisRulePropertyRef_ctx(r) ::= "localctx"
ThisRulePropertyRef_parser(r) ::= "self"

NonLocalAttrRef(s) ::= "getInvokingContext(<s.ruleIndex>).<s.name>"
SetNonLocalAttr(s, rhsChunks) ::= "getInvokingContext(<s.ruleIndex>).<s.name> = <rhsChunks>"

AddToLabelList(a) ::= "<ctx(a.label)>.<a.listName>.append(<labelref(a.label)>)"

TokenDecl(t) ::= "self.<t.name> = None # <TokenLabelType()>"
TokenTypeDecl(t) ::= "self.<t.name> = 0 # <TokenLabelType()> type"
TokenListDecl(t) ::= "self.<t.name> = list() # of <TokenLabelType()>s"
RuleContextDecl(r) ::= "self.<r.name> = None # <r.ctxName>"
RuleContextListDecl(rdecl) ::= "self.<rdecl.name> = list() # of <rdecl.ctxName>s"

```

```

ContextTokenGetterDecl(t) ::= <<
def <t.name>(self):
    return self.getToken(<parser.name>.<t.name>, 0)
>>

// should never be called
ContextTokenListGetterDecl(t) ::= <<
def <t.name>_list(self):
    return self.getTokens(<parser.name>.<t.name>)
>>

ContextTokenListIndexedGetterDecl(t) ::= <<
def <t.name>(self, i:int=None):
    if i is None:
        return self.getTokens(<parser.name>.<t.name>)
    else:
        return self.getToken(<parser.name>.<t.name>, i)
>>

ContextRuleGetterDecl(r) ::= <<
def <r.name>(self):
    return self.getTypedRuleContext(<parser.name>.<r.ctxName>,0)

>>

// should never be called
ContextRuleListGetterDecl(r) ::= <<
def <r.name>_list(self):
    return self.getTypedRuleContexts(<parser.name>.<r.ctxName>)

>>

ContextRuleListIndexedGetterDecl(r) ::= <<
def <r.name>(self, i:int=None):
    if i is None:
        return self.getTypedRuleContexts(<parser.name>.<r.ctxName>)
    else:
        return self.getTypedRuleContext(<parser.name>.<r.ctxName>,i)

>>

LexerRuleContext() ::= "RuleContext"

/** The rule context name is the rule followed by a suffix; e.g.,
 * r becomes rContext.
 */
RuleContextNameSuffix() ::= "Context"

```



```

ImplicitTokenLabel(tokenName) ::= "_<tokenName>"
ImplicitRuleLabel(ruleName) ::= "_<ruleName>"
ImplicitSetLabel(id) ::= "_tset<id>"
ListLabelName(label) ::= "<label>"

CaptureNextToken(d) ::= "<d.varName> = self._input.LT(1)"
CaptureNextTokenType(d) ::= "<d.varName> = self._input.LA(1)"

StructDecl(struct,ctorAttrs,attrs,getters,dispatchMethods,interfaces,extensionMembers) ::= <<
class <struct.name><(if(contextSuperClass)><contextSuperClass><else>ParserRuleContext<endif>):

    def __init__(self, parser, parent:ParserRuleContext=None, invokingState:int=-1<struct.ctorAttrs:{ a | ,
<a.name><if(a.type)>:<a.type><endif>=None }>):
        super().__init__(parent, invokingState)
        self.parser = parser
        <attrs:{ a | <a> }; separator="\n">
        <struct.ctorAttrs:{ a | self.<a.name> = <a.name> }; separator="\n">

        <getters:{ g | <g> }; separator="\n\n">

    def getRuleIndex(self):
        return <parser.name>.RULE_<struct.derivedFromName>

<if(struct.provideCopyFrom)> <! don't need copy unless we have subclasses !>
    def copyFrom(self, ctx:ParserRuleContext):
        super().copyFrom(ctx)
        <struct.attrs:{ a | self.<a.name> = ctx.<a.name> }; separator="\n">

<endif>
    <dispatchMethods; separator="\n">
    <extensionMembers; separator="\n">

>>

AltLabelStructDecl(struct,attrs,getters,dispatchMethods) ::= <<
class <struct.name><(currentRule.name; format="cap">Context):

    def __init__(self, parser, ctx:ParserRuleContext): # actually a <parser.name>.<currentRule.name;
format="cap">Context
        super().__init__(parser)
        <attrs:{ a | <a> }; separator="\n">
        self.copyFrom(ctx)

        <getters:{ g | <g> }; separator="\n">

        <dispatchMethods; separator="\n">

```

>>

```
ListenerDispatchMethod(method) ::= <<
def <if(method.isEnter)>enter<else>exit<endif>Rule(self, listener:ParseTreeListener):
  if hasattr( listener, "<if(method.isEnter)>enter<else>exit<endif><struct.derivedFromName; format="cap">" ):
    listener.<if(method.isEnter)>enter<else>exit<endif><struct.derivedFromName; format="cap">(self)
```

>>

```
VisitorDispatchMethod(method) ::= <<
def accept(self, visitor:ParseTreeVisitor):
  if hasattr( visitor, "visit<struct.derivedFromName; format="cap">" ):
    return visitor.visit<struct.derivedFromName; format="cap">(self)
  else:
    return visitor.visitChildren(self)
```

>>

```
AttributeDecl(d) ::= "self.<d.name> = <if(d.initValue)><d.initValue><else>None<endif>"
```

```
/** If we don't know location of label def x, use this template */
```

```
labelref(x) ::= "<if(!x.isLocal)>localctx.<endif><x.name>"
```

```
/** For any action chunk, what is correctly-typed context struct ptr? */
```

```
ctx(actionChunk) ::= "localctx"
```

```
// used for left-recursive rules
```

```
recRuleAltPredicate(ruleName,opPrec) ::= "self.precpred(self._ctx, <opPrec>)"
```

```
recRuleSetReturnAction(src,name) ::= "$<name>=$<src>.<name>"
```

```
recRuleSetStopToken() ::= "self._ctx.stop = self._input.LT(-1)"
```

```
recRuleAltStartAction(ruleName, ctxName, label) ::= <<
```

```
localctx = <parser.name>.<ctxName>Context(self, _parentctx, _parentState)
```

```
<if(label)>localctx.<label> = _prevctx<endif>
```

```
self.pushNewRecursionContext(localctx, _startState, self.RULE_<ruleName>)
```

>>

```
recRuleLabeledAltStartAction(ruleName, currentAltLabel, label, isListLabel) ::= <<
```

```
localctx = <parser.name>.<currentAltLabel; format="cap">Context(self, <parser.name>.<ruleName;
format="cap">Context(self, _parentctx, _parentState))
```

```
<if(label)>
```

```
<if(isListLabel)>
```

```
localctx.<label>.append(_prevctx)
```

```
<else>
```

```
localctx.<label> = _prevctx
```

```
<endif>
```

```
<endif>
```

```
self.pushNewRecursionContext(localctx, _startState, self.RULE_<ruleName>)
```

```
>>
```

```
recRuleReplaceContext(ctxName) ::= <<  
localctx = <parser.name>.<ctxName>Context(self, localctx)  
self._ctx = localctx  
_prevctx = localctx  
>>
```

```
recRuleSetPrevCtx() ::= <<  
if self._parseListeners is not None:  
    self.triggerExitRuleEvent()  
_prevctx = localctx  
>>
```

```
LexerFile(lexerFile, lexer, namedActions) ::= <<  
<fileHeader(lexerFile.grammarFileName, lexerFile.ANTLRVersion)>  
from antlr4 import *  
from io import StringIO  
from typing.io import TextIO  
import sys
```

```
<namedActions.header>
```

```
<lexer>
```

```
>>
```

```
Lexer(lexer, atn, actionFuncs, sempredFuncs, superClass) ::= <<
```

```
<atn>
```

```
class <lexer.name>(<if(superClass)><superClass><else>Lexer<endif>):
```

```
    atn = ATNDeserializer().deserialize(serializedATN())
```

```
    decisionsToDFA = [ DFA(ds, i) for i, ds in enumerate(atn.decisionToState) ]
```

```
<if(lexer.channels)>
```

```
    <lexer.channels:{c| <c> = <lexer.channels.(c)>}; separator="\n">
```

```
<endif>
```

```
<if(rest(lexer.modes))>
```

```
    <rest(lexer.modes):{m| <m> = <i>}; separator="\n">
```

```
<endif>
```

```
    <lexer.tokens:{k| <k> = <lexer.tokens.(k)>}; separator="\n", wrap, anchor>
```

```
    channelNames = [ u"DEFAULT_TOKEN_CHANNEL", u"HIDDEN"<if (lexer.channels)>, <lexer.channels:{c|
```

```

u"<c>"; separator=", ", wrap, anchor><endif> ]

modeNames = [ <lexer.modes:{m| "<m>"}; separator=", ", wrap, anchor> ]

literalNames = [ "\<INVALID>",
  <lexer.literalNames:{t | <t>}; separator=", ", wrap, anchor> ]

symbolicNames = [ "\<INVALID>",
  <lexer.symbolicNames:{t | <t>}; separator=", ", wrap, anchor> ]

ruleNames = [ <lexer.ruleNames:{r | "<r>"}; separator=", ", wrap, anchor> ]

grammarFileName = "<lexer.grammarFileName>"

def __init__(self, input=None, output:TextIO = sys.stdout):
    super().__init__(input, output)
    self.checkVersion("<lexerFile.ANTLRVersion>")
    self._interp = LexerATNSimulator(self, self.atn, self.decisionsToDFA, PredictionContextCache())
    self._actions = None
    self._predicates = None

<namedActions.members>

<dumpActions(lexer, "", actionFuncs, sempredFuncs)>

>>

SerializedATN(model) ::= <<
<! only one segment, can be inlined !>

def serializedATN():
    with StringIO() as buf:
        buf.write("<model.serialized; wrap={ }<n>    buf.write({ }>")
        return buf.getvalue()

>>

/** Using a type to init value map, try to init a type; if not in table
 * must be an object, default value is "null".
 */
initValue(typeName) ::= <<
<pythonTypeInitMap.(typeName)>
>>

codeFileExtension() ::= ".py"

Found in path(s):
* /opt/cola/permits/1274703849_1645234551.46/0/antlr4-4-7-1-sources-

```

jar/org/antlr/v4/tool/templates/codegen/Python3/Python3.stg

No license file was found, but licenses were detected in source scan.

/\*

[The "BSD licence"]

Copyright (c) 2005-2009 Terence Parr

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The name of the author may not be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

\*/

Found in path(s):

\* /opt/cola/permits/1274703849\_1645234551.46/0/antlr4-4-7-1-sources-jar/org/antlr/v4/parse/ANTLRLexer.java

No license file was found, but licenses were detected in source scan.

/\*

\* [The "BSD license"]

\* Copyright (c) 2012-2016 Terence Parr

\* Copyright (c) 2012-2016 Sam Harwell

\* All rights reserved.

\*

\* Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

\*

- \* 1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- \* 2. Redistributions in binary form must reproduce the above copyright

\* notice, this list of conditions and the following disclaimer in the  
 \* documentation and/or other materials provided with the distribution.  
 \* 3. The name of the author may not be used to endorse or promote products  
 \* derived from this software without specific prior written permission.  
 \*  
 \* THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR  
 \* IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES  
 \* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.  
 \* IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,  
 \* INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT  
 \* NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,  
 \* DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY  
 \* THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT  
 \* (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF  
 \* THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.  
 \*/

tree grammar ATNBuilder;

```
options {
  language = Java;
  tokenVocab = ANTLRParser;
  ASTLabelType = GrammarAST;
  // filter = true;
}
```

// Include the copyright in this source and also the generated source

@header {

/\*

[The "BSD license"]

Copyright (c) 2010 Terence Parr

All rights reserved.

Redistribution and use in source and binary forms, with or without  
 modification, are permitted provided that the following conditions  
 are met:

1. Redistributions of source code must retain the above copyright  
 notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright  
 notice, this list of conditions and the following disclaimer in the  
 documentation and/or other materials provided with the distribution.
3. The name of the author may not be used to endorse or promote products  
 derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR  
 IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES  
 OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.  
 IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,  
 INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT  
 NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,  
 DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY

THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

\*/

```
package org.antlr.v4.parse;
import org.antlr.v4.tool.*;
import org.antlr.v4.tool.ast.*;
import org.antlr.v4.automata.ATNFactory;
}
```

```
@members {
    ATNFactory factory;
    public ATNBuilder(TreeNodeStream input, ATNFactory factory) {
        this(input);
        this.factory = factory;
    }
}
```

dummy : block[null] ; // avoid error about no start rule

```
ruleBlock[GrammarAST ebnfRoot] returns [ATNFactory.Handle p]
@init {
    List<ATNFactory.Handle> alts = new ArrayList<ATNFactory.Handle>();
    int alt = 1;
    factory.setCurrentOuterAlt(alt);
}
: ^(BLOCK
    (^ (OPTIONS .*)?
    ( a=alternative
        {alts.add($a.p); factory.setCurrentOuterAlt(++alt);}
    )+
    )
    {$p = factory.block((BlockAST)$BLOCK, ebnfRoot, alts);}
;
```

```
block[GrammarAST ebnfRoot] returns [ATNFactory.Handle p]
@init {List<ATNFactory.Handle> alts = new ArrayList<ATNFactory.Handle>();}
: ^(BLOCK (^ (OPTIONS .*)? (a=alternative {alts.add($a.p);})+
    {$p = factory.block((BlockAST)$BLOCK, ebnfRoot, alts);}
;
```

```
alternative returns [ATNFactory.Handle p]
@init {List<ATNFactory.Handle> els = new ArrayList<ATNFactory.Handle>();}
: ^(LEXER_ALT_ACTION a=alternative lexerCommands
    {$p = factory.lexerAltCommands($a.p,$lexerCommands.p);}
| ^(ALT elementOptions? EPSILON) {$p = factory.epsilon($EPSILON);}
| ^(ALT elementOptions? (e=element {els.add($e.p);})+) {$p = factory.alt(els);}
;
```

```
lexerCommands returns [ATNFactory.Handle p]
@init {List<ATNFactory.Handle> cmds = new ArrayList<ATNFactory.Handle>();}
: (c=lexerCommand {if ($c.cmd != null) cmds.add($c.cmd);})+
  {
    $p = factory.alt(cmds);
  }
;
```

```
lexerCommand returns [ATNFactory.Handle cmd]
: ^(LEXER_ACTION_CALL ID lexerCommandExpr)
  {$cmd = factory.lexerCallCommand($ID, $lexerCommandExpr.start);}
| ID
  {$cmd = factory.lexerCommand($ID);}
;
```

```
lexerCommandExpr
: ID
| INT
;
```

```
element returns [ATNFactory.Handle p]
: labeledElement {$p = $labeledElement.p;}
| atom {$p = $atom.p;}
| subrule {$p = $subrule.p;}
| ACTION {$p = factory.action((ActionAST)$ACTION);}
| SEMPRED {$p = factory.sempred((PredAST)$SEMPRED);}
| ^(ACTION .) {$p = factory.action((ActionAST)$ACTION);}
| ^(SEMPRED .) {$p = factory.sempred((PredAST)$SEMPRED);}
| ^(NOT b=blockSet[true]) {$p = $b.p;}
| LEXER_CHAR_SET {$p = factory.charSetLiteral($start);}
;
```

```
astOperand returns [ATNFactory.Handle p]
: atom {$p = $atom.p;}
| ^(NOT blockSet[true]) {$p = $blockSet.p;}
;
```

```
labeledElement returns [ATNFactory.Handle p]
: ^(ASSIGN ID element) {$p = factory.label($element.p);}
| ^(PLUS_ASSIGN ID element) {$p = factory.listLabel($element.p);}
;
```

```
subrule returns [ATNFactory.Handle p]
: ^(OPTIONAL block[$start]) {$p = $block.p;}
| ^(CLOSURE block[$start]) {$p = $block.p;}
| ^(POSITIVE_CLOSURE block[$start]) {$p = $block.p;}
| block[null] {$p = $block.p;}
;
```



```

;

blockSet[boolean invert] returns [ATNFactory.Handle p]
@init {List<GrammarAST> alts = new ArrayList<GrammarAST>();}
: ^(SET (setElement {alts.add($setElement.start;)}+)) {$p = factory.set($start, alts, $invert);}
;

/** Don't combine with atom otherwise it will build spurious ATN nodes */
setElement
: ^(STRING_LITERAL .)
| ^(TOKEN_REF .)
| STRING_LITERAL
| TOKEN_REF
| ^(RANGE a=STRING_LITERAL b=STRING_LITERAL)
| LEXER_CHAR_SET
;

atom returns [ATNFactory.Handle p]
: range {$p = $range.p;}
| ^(DOT ID terminal) {$p = $terminal.p;}
| ^(DOT ID ruleref) {$p = $ruleref.p;}
| ^(WILDCARD .) {$p = factory.wildcard($start);}
| WILDCARD {$p = factory.wildcard($start);}
| blockSet[false] {$p = $blockSet.p;}
| terminal {$p = $terminal.p;}
| ruleref {$p = $ruleref.p;}
;

ruleref returns [ATNFactory.Handle p]
: ^(RULE_REF ARG_ACTION? ^(ELEMENT_OPTIONS .*)) {$p = factory.ruleRef($RULE_REF);}
| ^(RULE_REF ARG_ACTION?) {$p = factory.ruleRef($RULE_REF);}
| RULE_REF {$p = factory.ruleRef($RULE_REF);}
;

range returns [ATNFactory.Handle p]
: ^(RANGE a=STRING_LITERAL b=STRING_LITERAL) {$p = factory.range($a,$b);}
;

terminal returns [ATNFactory.Handle p]
: ^(STRING_LITERAL .) {$p = factory.stringLiteral((TerminalAST)$start);}
| STRING_LITERAL {$p = factory.stringLiteral((TerminalAST)$start);}
| ^(TOKEN_REF ARG_ACTION .) {$p = factory.tokenRef((TerminalAST)$start);}
| ^(TOKEN_REF .) {$p = factory.tokenRef((TerminalAST)$start);}
| TOKEN_REF {$p = factory.tokenRef((TerminalAST)$start);}
;

elementOptions
: ^(ELEMENT_OPTIONS elementOption*)

```

;

elementOption

: ID

| ^(ASSIGN ID ID)

| ^(ASSIGN ID STRING\_LITERAL)

| ^(ASSIGN ID ACTION)

| ^(ASSIGN ID INT)

;

Found in path(s):

\* /opt/cola/permits/1274703849\_1645234551.46/0/antlr4-4-7-1-sources-jar/org/antlr/v4/parse/ATNBuilder.g

No license file was found, but licenses were detected in source scan.

/\*

[The "BSD license"]

Copyright (c) 2011 Terence Parr

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The name of the author may not be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

\*/

Found in path(s):

\* /opt/cola/permits/1274703849\_1645234551.46/0/antlr4-4-7-1-sources-jar/org/antlr/v4/parse/GrammarTreeVisitor.java

No license file was found, but licenses were detected in source scan.

~ Copyright (c) 2012-2017 The ANTLR Project. All rights reserved.

Found in path(s):

\* /opt/cola/permits/1274703849\_1645234551.46/0/antlr4-4-7-1-sources-jar/META-INF/maven/org.antlr/antlr4/pom.xml

## 1.293 slf4j-api-module 1.7.29

### 1.293.1 Available under license :

No license file was found, but licenses were detected in source scan.

/\*\*

\* Copyright (c) 2004-2011 QOS.ch

\* All rights reserved.

\*

\* Permission is hereby granted, free of charge, to any person obtaining

\* a copy of this software and associated documentation files (the

\* "Software"), to deal in the Software without restriction, including

\* without limitation the rights to use, copy, modify, merge, publish,

\* distribute, sublicense, and/or sell copies of the Software, and to

\* permit persons to whom the Software is furnished to do so, subject to

\* the following conditions:

\*

\* The above copyright notice and this permission notice shall be

\* included in all copies or substantial portions of the Software.

\*

\* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,

\* EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF

\* MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND

\* NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE

\* LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION

\* OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION

\* WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

\*

\*/

Found in path(s):

\* /opt/ws\_local/PERMITS\_SQL/1014221182\_1593546679.56/0/slf4j-api-1-7-29-sources-jar/org/slf4j/helpers/BasicMarker.java

\* /opt/ws\_local/PERMITS\_SQL/1014221182\_1593546679.56/0/slf4j-api-1-7-29-sources-jar/org/slf4j/helpers/MessageFormatter.java

\* /opt/ws\_local/PERMITS\_SQL/1014221182\_1593546679.56/0/slf4j-api-1-7-29-sources-jar/org/slf4j/helpers/BasicMDCAdapter.java

\* /opt/ws\_local/PERMITS\_SQL/1014221182\_1593546679.56/0/slf4j-api-1-7-29-sources-jar/org/slf4j/helpers/FormattingTuple.java

\* /opt/ws\_local/PERMITS\_SQL/1014221182\_1593546679.56/0/slf4j-api-1-7-29-sources-jar/org/slf4j/IMarkerFactory.java

\* /opt/ws\_local/PERMITS\_SQL/1014221182\_1593546679.56/0/slf4j-api-1-7-29-sources-jar/org/slf4j/spi/LocationAwareLogger.java  
\* /opt/ws\_local/PERMITS\_SQL/1014221182\_1593546679.56/0/slf4j-api-1-7-29-sources-jar/org/slf4j/MDC.java  
\* /opt/ws\_local/PERMITS\_SQL/1014221182\_1593546679.56/0/slf4j-api-1-7-29-sources-jar/org/slf4j/helpers/Util.java  
\* /opt/ws\_local/PERMITS\_SQL/1014221182\_1593546679.56/0/slf4j-api-1-7-29-sources-jar/org/slf4j/helpers/SubstituteLogger.java  
\* /opt/ws\_local/PERMITS\_SQL/1014221182\_1593546679.56/0/slf4j-api-1-7-29-sources-jar/org/slf4j/LoggerFactory.java  
\* /opt/ws\_local/PERMITS\_SQL/1014221182\_1593546679.56/0/slf4j-api-1-7-29-sources-jar/org/slf4j/impl/StaticMDCBinder.java  
\* /opt/ws\_local/PERMITS\_SQL/1014221182\_1593546679.56/0/slf4j-api-1-7-29-sources-jar/org/slf4j/spi/LoggerFactoryBinder.java  
\* /opt/ws\_local/PERMITS\_SQL/1014221182\_1593546679.56/0/slf4j-api-1-7-29-sources-jar/org/slf4j/Logger.java  
\* /opt/ws\_local/PERMITS\_SQL/1014221182\_1593546679.56/0/slf4j-api-1-7-29-sources-jar/org/slf4j/impl/StaticMarkerBinder.java  
\* /opt/ws\_local/PERMITS\_SQL/1014221182\_1593546679.56/0/slf4j-api-1-7-29-sources-jar/org/slf4j/helpers/SubstituteLoggerFactory.java  
\* /opt/ws\_local/PERMITS\_SQL/1014221182\_1593546679.56/0/slf4j-api-1-7-29-sources-jar/org/slf4j/helpers/NOPLogger.java  
\* /opt/ws\_local/PERMITS\_SQL/1014221182\_1593546679.56/0/slf4j-api-1-7-29-sources-jar/org/slf4j/helpers/BasicMarkerFactory.java  
\* /opt/ws\_local/PERMITS\_SQL/1014221182\_1593546679.56/0/slf4j-api-1-7-29-sources-jar/org/slf4j/helpers/NOPMDCAdapter.java  
\* /opt/ws\_local/PERMITS\_SQL/1014221182\_1593546679.56/0/slf4j-api-1-7-29-sources-jar/org/slf4j/spi/MarkerFactoryBinder.java  
\* /opt/ws\_local/PERMITS\_SQL/1014221182\_1593546679.56/0/slf4j-api-1-7-29-sources-jar/org/slf4j/ILoggerFactory.java  
\* /opt/ws\_local/PERMITS\_SQL/1014221182\_1593546679.56/0/slf4j-api-1-7-29-sources-jar/org/slf4j/helpers/NOPLoggerFactory.java  
\* /opt/ws\_local/PERMITS\_SQL/1014221182\_1593546679.56/0/slf4j-api-1-7-29-sources-jar/org/slf4j/helpers/NamedLoggerBase.java  
\* /opt/ws\_local/PERMITS\_SQL/1014221182\_1593546679.56/0/slf4j-api-1-7-29-sources-jar/org/slf4j/spi/MDCAdapter.java  
\* /opt/ws\_local/PERMITS\_SQL/1014221182\_1593546679.56/0/slf4j-api-1-7-29-sources-jar/org/slf4j/MarkerFactory.java  
\* /opt/ws\_local/PERMITS\_SQL/1014221182\_1593546679.56/0/slf4j-api-1-7-29-sources-jar/org/slf4j/impl/StaticLoggerBinder.java  
\* /opt/ws\_local/PERMITS\_SQL/1014221182\_1593546679.56/0/slf4j-api-1-7-29-sources-jar/org/slf4j/helpers/MarkerIgnoringBase.java  
\* /opt/ws\_local/PERMITS\_SQL/1014221182\_1593546679.56/0/slf4j-api-1-7-29-sources-jar/org/slf4j/Marker.java

## 1.294 micronaut 2.0.0

## 1.294.1 Available under license :

Apache License

Version 2.0, January 2004

<https://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
  - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.
6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. **Disclaimer of Warranty.** Unless required by applicable law or

agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");



you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

## 1.295 jackson-module-parameter-names

### 2.13.2

#### 1.295.1 Available under license :

Apache-2.0

## 1.296 mockserver 5.11.2

#### 1.296.1 Available under license :

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

#### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

##### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of

this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only

on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "{}" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright {yyyy} {name of copyright owner}

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

# 1.297 reactive-relational-database- connectivity-bill-of-materials Arabba-SR11

## 1.297.1 Available under license :

Apache License  
Version 2.0, January 2004  
<https://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems,

and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
  - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
  - (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
  - (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. **Disclaimer of Warranty.** Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.



8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<https://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and

limitations under the License.  
Reactive Relational Database Connectivity

Copyright 2017-2018 the original author or authors.

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<https://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software  
distributed under the License is distributed on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.

## 1.298 apache-httpcomponents-core 4.4.13

### 1.298.1 Available under license :

Apache HttpComponents Core  
Copyright 2005-2020 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

#### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

##### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,  
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by  
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all  
other entities that control, are controlled by, or are under common  
control with that entity. For the purposes of this definition,  
"control" means (i) the power, direct or indirect, to cause the  
direction or management of such entity, whether by contract or  
otherwise, or (ii) ownership of fifty percent (50%) or more of the  
outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of,

publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution

notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing

the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

## 1.299 java-servlet-api 4.0.4

### 1.299.1 Available under license :

Found license 'General Public License 2.0' in 'Copyright (c) 1997, 2018 Oracle and/or its affiliates. All rights reserved. This program and the accompanying materials are made available under the terms of the Eclipse Public License v. 2.0, which is available at Eclipse Public License v. 2.0 are satisfied: GNU General Public License, Copyright &#169; 2019 Eclipse Foundation. All rights reserved.<br>'

Found license 'General Public License 2.0' in 'Copyright (c) 2008, 2018 Oracle and/or its affiliates. All rights reserved. This program and the accompanying materials are made available under the terms of the Eclipse Public License v. 2.0, which is available at Eclipse Public License v. 2.0 are satisfied: GNU General Public License,'

Found license 'General Public License 2.0' in 'Copyright (c) 2009, 2018 Oracle and/or its affiliates. All rights reserved. This program and the accompanying materials are made available under the terms of the Eclipse Public License v. 2.0, which is available at Eclipse Public License v. 2.0 are satisfied: GNU General Public License,'

Found license 'Eclipse Public License 1.0' in 'Copyright (c) 2009, 2018 Oracle and/or its affiliates. All rights reserved. This program and the accompanying materials are made available under the terms of the Eclipse Public License v. 2.0, which is available at Eclipse Public License v. 2.0 are satisfied: GNU General Public License,'

Found license 'Eclipse Public License 1.0' in 'Copyright (c) 1997, 2018 Oracle and/or its affiliates. All rights reserved. This program and the accompanying materials are made available under the terms of the Eclipse Public License v. 2.0, which is available at Eclipse Public License v. 2.0 are satisfied: GNU General Public License, Copyright &#169; 2019 Eclipse Foundation. All rights reserved.<br>'

Found license 'Eclipse Public License 1.0' in 'Copyright (c) 2008, 2018 Oracle and/or its affiliates. All rights reserved. This program and the accompanying materials are made available under the terms of the Eclipse Public License v. 2.0, which is available at Eclipse Public License v. 2.0 are satisfied: GNU General Public License,'

## 1.300 mockito 3.0.0

### 1.300.1 Available under license :

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

## 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent

to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
  - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
  - (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
  - (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work,



excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any

risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
  
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

#### END OF TERMS AND CONDITIONS

#### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS,

WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.

## 1.301 metrics-core 4.1.25

### 1.301.1 Available under license :

Apache-2.0

## 1.302 protocol-buffers-[bom] 3.17.2

### 1.302.1 Available under license :

This is free and unencumbered software released into the public domain.

Anyone is free to copy, modify, publish, use, compile, sell, or distribute this software, either in source code form or as a compiled binary, for any purpose, commercial or non-commercial, and by any means.

In jurisdictions that recognize copyright laws, the author or authors of this software dedicate any and all copyright interest in the software to the public domain. We make this dedication for the benefit of the public at large and to the detriment of our heirs and successors. We intend this dedication to be an overt act of relinquishment in perpetuity of all present and future rights to this software under copyright law.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

For more information, please refer to <http://unlicense.org/>  
Copyright 2008 Google Inc. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer

in the documentation and/or other materials provided with the distribution.

\* Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Code generated by the Protocol Buffer compiler is owned by the owner of the input file used when generating it. This code is not standalone and requires a support library to be linked with it. This support library is itself covered by the above license. This file contains a list of people who have made large contributions to the public version of Protocol Buffers.

Original Protocol Buffers design and implementation:

Sanjay Ghemawat <sanjay@google.com>

Jeff Dean <jeff@google.com>

Daniel Dulitz <daniel@google.com>

Craig Silverstein

Paul Haahr <haahr@google.com>

Corey Anderson <corin@google.com>

(and many others)

Proto2 C++ and Java primary author:

Kenton Varda <kenton@google.com>

Proto2 Python primary authors:

Will Robinson <robinson@google.com>

Petar Petrov <petar@google.com>

Java Nano primary authors:

Brian Duff <bduff@google.com>

Tom Chao <chaot@google.com>

Max Cai <maxtroy@google.com>

Ulas Kirazci <ulas@google.com>

Large code contributions:

Jason Hsueh <jasonh@google.com>  
Joseph Schorr <jschorr@google.com>  
Wenbo Zhu <wenboz@google.com>

Large quantity of code reviews:

Scott Bruce <sbruce@google.com>  
Frank Yellin  
Neal Norwitz <nnorwitz@google.com>  
Jeffrey Yasskin <jyasskin@google.com>  
Ambrose Feinstein <ambrose@google.com>

Documentation:

Lisa Carey <lcarey@google.com>

Maven packaging:

Gregory Kick <gak@google.com>

Patch contributors:

Kevin Ko <kevin.s.ko@gmail.com>  
\* Small patch to handle trailing slashes in --proto\_path flag.

Johan Euphrosine <proppy@aminche.com>  
\* Small patch to fix Python CallMethod().

Ulrich Kunitz <kune@deine-taler.de>  
\* Small optimizations to Python serialization.

Leandro Lucarella <llucax@gmail.com>  
\* VI syntax highlighting tweaks.  
\* Fix compiler to not make output executable.

Dilip Joseph <dilip.antony.joseph@gmail.com>  
\* Heuristic detection of sub-messages when printing unknown fields in text format.

Brian Atkinson <nairb774@gmail.com>  
\* Added @Override annotation to generated Java code where appropriate.

Vincent Choinire <Choiniere.Vincent@hydro.qc.ca>  
\* Tru64 support.

Monty Taylor <monty.taylor@gmail.com>  
\* Solaris 10 + Sun Studio fixes.

Alek Storm <alek.storm@gmail.com>  
\* Slicing support for repeated scalar fields for the Python API.

Oleg Smolsky <oleg.smolsky@gmail.com>  
\* MS Visual Studio error format option.  
\* Detect unordered\_map in stl\_hash.m4.

Brian Olson <brianolson@google.com>  
\* gzip/zlib I/O support.

Michael Poole <mdpoole@troilus.org>  
\* Fixed warnings about generated constructors not explicitly initializing all fields (only present with certain compiler settings).  
\* Added generation of field number constants.

Wink Saville <wink@google.com>

- \* Fixed initialization ordering problem in logging code.

Will Pierce <willp@nuclei.com>

- \* Small patch improving performance of in Python serialization.

Alexandre Vassalotti <alexandre@peadrop.com>

- \* Emacs mode for Protocol Buffers (editors/protobuf-mode.el).

Scott Stafford <scott.stafford@gmail.com>

- \* Added Swap(), SwapElements(), and RemoveLast() to Reflection interface.

Alexander Melnikov <alm@sibmail.ru>

- \* HPUX support.

Oliver Jowett <oliver.jowett@gmail.com>

- \* Detect whether zlib is new enough in configure script.
- \* Fixes for Solaris 10 32/64-bit confusion.

Evan Jones <evanj@mit.edu>

- \* Optimize Java serialization code when writing a small message to a stream.
- \* Optimize Java serialization of strings so that UTF-8 encoding happens only once per string per serialization call.
- \* Clean up some Java warnings.
- \* Fix bug with permanent callbacks that delete themselves when run.

Michael Kucharski <m.kucharski@gmail.com>

- \* Added CodedInputStream.getTotalBytesRead().

Kacper Kowalik <xarthisius.kk@gmail.com>

- \* Fixed m4/acx\_pthread.m4 problem for some Linux distributions.

William Orr <will@worrbase.com>

- \* Fixed detection of sched\_yield on Solaris.
- \* Added atomicops for Solaris

Andrew Paprocki <andrew@ishiboo.com>

- \* Fixed minor IBM xLC compiler build issues
- \* Added atomicops for AIX (POWER)

## 1.303 cloudevents---kafka-transport-binding

### 2.1.1

#### 1.303.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
<!--
~ Copyright 2018-Present The CloudEvents Authors
~ <p>
~ Licensed under the Apache License, Version 2.0 (the "License");
~ you may not use this file except in compliance with the License.
~ You may obtain a copy of the License at
~ <p>
~ http://www.apache.org/licenses/LICENSE-2.0
~ <p>
~ Unless required by applicable law or agreed to in writing, software
~ distributed under the License is distributed on an "AS IS" BASIS,
```

~ WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
~ See the License for the specific language governing permissions and  
~ limitations under the License.  
~  
-->

Found in path(s):

\* /opt/cola/permits/1337069740\_1654221784.6351657/0/cloudevents-kafka-2-1-1-jar/META-INF/maven/io.cloudevents/cloudevents-kafka/pom.xml

## 1.304 bean-validation-api 2.0.1

### 1.304.1 Available under license :

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

#### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

##### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a



cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,

any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright 2013 Cognifide Limited

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

# 1.305 netty-project 4.1.76.Final

## 1.305.1 Available under license :

Copyright (c) 2003-2008 Yuta Mori All Rights Reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING

FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

The person or persons who have associated work with this document (the "Dedicator" or "Certifier") hereby either (a) certifies that, to the best of his knowledge, the work of authorship identified is in the public domain of the country from which the work is published, or (b) hereby dedicates whatever copyright the dedicator holds in the work of authorship identified below (the "Work") to the public domain. A certifier, moreover, dedicates any copyright interest he may have in the associated work, and for these purposes, is described as a "dedicator" below.

A certifier has taken reasonable steps to verify the copyright status of this work. Certifier recognizes that his good faith efforts may not shield him from liability if in fact the work certified is not in the public domain.

Dedicator makes this dedication for the benefit of the public at large and to the detriment of the Dedicator's heirs and successors. Dedicator intends this dedication to be an overt act of relinquishment in perpetuity of all present and future rights under copyright law, whether vested or contingent, in the Work. Dedicator understands that such relinquishment of all rights includes the relinquishment of all rights to enforce (by lawsuit or otherwise) those copyrights in the Work.

Dedicator recognizes that, once placed in the public domain, the Work may be freely reproduced, distributed, transmitted, used, modified, built upon, or otherwise exploited by anyone for any purpose, commercial or non-commercial, and in any way, including by methods that have not yet been invented or conceived.

Apache License  
Version 2.0, January 2004  
<https://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the

outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable

copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and

do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

Apache License  
Version 2.0, January 2004  
<https://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or



Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work

or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work

by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<https://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

The MIT License

Copyright (c) 2009 William Kinney

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Copyright 2009-2010 Ning, Inc.

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at <https://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Apache License  
Version 2.0, January 2004  
<https://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate

as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify

the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

/\*

\* Copyright (c) 2004-2006, 2008, 2009, 2011 Apple Inc. All rights reserved.

\*

\* @APPLE\_LICENSE\_HEADER\_START@

\*

\* This file contains Original Code and/or Modifications of Original Code



\* as defined in and that are subject to the Apple Public Source License  
\* Version 2.0 (the 'License'). You may not use this file except in  
\* compliance with the License. Please obtain a copy of the License at  
\* <https://www.opensource.apple.com/apsl/> and read it before using this  
\* file.  
\*  
\* The Original Code and all software distributed under the License are  
\* distributed on an 'AS IS' basis, WITHOUT WARRANTY OF ANY KIND, EITHER  
\* EXPRESS OR IMPLIED, AND APPLE HEREBY DISCLAIMS ALL SUCH WARRANTIES,  
\* INCLUDING WITHOUT LIMITATION, ANY WARRANTIES OF MERCHANTABILITY,  
\* FITNESS FOR A PARTICULAR PURPOSE, QUIET ENJOYMENT OR NON-INFRINGEMENT.  
\* Please see the License for the specific language governing rights and  
\* limitations under the License.  
\*  
\* @APPLE\_LICENSE\_HEADER\_END@  
\*/

The MIT License (MIT)

Copyright (c) 2014 Cory Benfield

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NON-INFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Copyright 2011, Google Inc.

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer

in the documentation and/or other materials provided with the distribution.

\* Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Copyright (c) 2010-2011 Matthew J. Francis and Contributors of the jbzip2 Project

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

The person or persons who have associated work with this document (the "Dedicator" or "Certifier") hereby either (a) certifies that, to the best of his knowledge, the work of authorship identified is in the public domain of the country from which the work is published, or (b) hereby dedicates whatever copyright the dedicators holds in the work of authorship identified below (the "Work") to the public domain. A certifier, moreover, dedicates any copyright interest he may have in the associated work, and for these purposes, is described as a "dedicator" below.

A certifier has taken reasonable steps to verify the copyright status of this work. Certifier recognizes that his good faith efforts may not shield him from liability if in fact the work certified is not in the public domain.

Dedicator makes this dedication for the benefit of the public at large and to the detriment of the Dedicator's heirs and successors. Dedicator intends this dedication to be an overt act of relinquishment in perpetuate of all present and future rights under copyright law, whether vested or contingent, in the Work. Dedicator understands that such relinquishment of all rights includes the relinquishment of all rights to enforce (by lawsuit or otherwise) those copyrights in the Work.

Dedicator recognizes that, once placed in the public domain, the Work may be freely reproduced, distributed, transmitted, used, modified, built upon, or otherwise exploited by anyone for any purpose, commercial or non-commercial, and in any way, including by methods that have not yet been invented or conceived.

Apache License  
Version 2.0, January 2004  
<https://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a

cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,

any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<https://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

The MIT License

Copyright (c) 2012, 2014, 2015, 2016 Tatsuhiro Tsujikawa  
Copyright (c) 2012, 2014, 2015, 2016 nghttp2 contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

The MIT License (MIT)

Copyright (c) 2000 - 2013 The Legion of the Bouncy Castle Inc.

(<https://www.bouncycastle.org>)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Apache License

Version 2.0, January 2004

<https://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.



"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made,

use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability

incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "{}" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright {yyyy} {name of copyright owner}

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<https://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

(BSD License: <https://www.opensource.org/licenses/bsd-license>)

Copyright (c) 2011, Joe Walnes, Aslak Hellesy and contributors  
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- \* Neither the name of the Webbit nor the names of

its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Copyright (c) 2000,2001,2002,2003,2004 ymnk, JCraft,Inc. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The names of the authors may not be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL JCRAFT, INC. OR ANY CONTRIBUTORS TO THIS SOFTWARE BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

/\*

\* Copyright (c) 2004-2007 QOS.ch

\* All rights reserved.

\*

\* Permission is hereby granted, free of charge, to any person obtaining

\* a copy of this software and associated documentation files (the  
\* "Software"), to deal in the Software without restriction, including  
\* without limitation the rights to use, copy, modify, merge, publish,  
\* distribute, sublicense, and/or sell copies of the Software, and to  
\* permit persons to whom the Software is furnished to do so, subject to  
\* the following conditions:  
\*  
\* The above copyright notice and this permission notice shall be  
\* included in all copies or substantial portions of the Software.  
\*  
\* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,  
\* EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF  
\* MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND  
\* NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE  
\* LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION  
\* OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION  
\* WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.  
\*/

The Netty Project

=====

Please visit the Netty web site for more information:

\* <https://netty.io/>

Copyright 2014 The Netty Project

The Netty Project licenses this file to you under the Apache License,  
version 2.0 (the "License"); you may not use this file except in compliance  
with the License. You may obtain a copy of the License at:

<https://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software  
distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
License for the specific language governing permissions and limitations  
under the License.

Also, please refer to each LICENSE.<component>.txt file, which is located in  
the 'license' directory of the distribution file, for the license terms of the  
components that this product depends on.

-----  
This product contains the extensions to Java Collections Framework which has  
been derived from the works by JSR-166 EG, Doug Lea, and Jason T. Greene:

\* LICENSE:

\* [license/LICENSE.jsr166y.txt](#) (Public Domain)

\* HOMEPAGE:

\* <http://gee.cs.oswego.edu/cgi-bin/viewcvs.cgi/jsr166/>

\* <http://viewvc.jboss.org/cgi-bin/viewvc.cgi/jboss/cache/experimental/jsr166/>

This product contains a modified version of Robert Harder's Public Domain Base64 Encoder and Decoder, which can be obtained at:

\* LICENSE:

\* [license/LICENSE.base64.txt](#) (Public Domain)

\* HOMEPAGE:

\* <http://iharder.sourceforge.net/current/java/base64/>

This product contains a modified portion of 'Webbit', an event based WebSocket and HTTP server, which can be obtained at:

\* LICENSE:

\* [license/LICENSE.webbit.txt](#) (BSD License)

\* HOMEPAGE:

\* <https://github.com/joewalnes/webbit>

This product contains a modified portion of 'SLF4J', a simple logging facade for Java, which can be obtained at:

\* LICENSE:

\* [license/LICENSE.slf4j.txt](#) (MIT License)

\* HOMEPAGE:

\* <https://www.slf4j.org/>

This product contains a modified portion of 'Apache Harmony', an open source Java SE, which can be obtained at:

\* NOTICE:

\* [license/NOTICE.harmony.txt](#)

\* LICENSE:

\* [license/LICENSE.harmony.txt](#) (Apache License 2.0)

\* HOMEPAGE:

\* <https://archive.apache.org/dist/harmony/>

This product contains a modified portion of 'jzip2', a Java bzip2 compression and decompression library written by Matthew J. Francis. It can be obtained at:

\* LICENSE:

\* [license/LICENSE.jbzip2.txt](#) (MIT License)

\* HOMEPAGE:

\* <https://code.google.com/p/jbzip2/>

This product contains a modified portion of 'libdivsufsort', a C API library to construct the suffix array and the Burrows-Wheeler transformed string for any input string of a constant-size alphabet written by Yuta Mori. It can be obtained at:

- \* LICENSE:
  - \* license/LICENSE.libdivsufsort.txt (MIT License)
- \* HOMEPAGE:
  - \* <https://github.com/y-256/libdivsufsort>

This product contains a modified portion of Nitsan Wakart's 'JCTools', Java Concurrency Tools for the JVM, which can be obtained at:

- \* LICENSE:
  - \* license/LICENSE.jctools.txt (ASL2 License)
- \* HOMEPAGE:
  - \* <https://github.com/JCTools/JCTools>

This product optionally depends on 'JZlib', a re-implementation of zlib in pure Java, which can be obtained at:

- \* LICENSE:
  - \* license/LICENSE.jzlib.txt (BSD style License)
- \* HOMEPAGE:
  - \* <http://www.jcraft.com/jzlib/>

This product optionally depends on 'Compress-LZF', a Java library for encoding and decoding data in LZF format, written by Tatu Saloranta. It can be obtained at:

- \* LICENSE:
  - \* license/LICENSE.compress-lzf.txt (Apache License 2.0)
- \* HOMEPAGE:
  - \* <https://github.com/ning/compress>

This product optionally depends on 'lz4', a LZ4 Java compression and decompression library written by Adrien Grand. It can be obtained at:

- \* LICENSE:
  - \* license/LICENSE.lz4.txt (Apache License 2.0)
- \* HOMEPAGE:
  - \* <https://github.com/jpountz/lz4-java>

This product optionally depends on 'lzma-java', a LZMA Java compression and decompression library, which can be obtained at:

- \* LICENSE:
  - \* license/LICENSE.lzma-java.txt (Apache License 2.0)
- \* HOMEPAGE:
  - \* <https://github.com/jponge/lzma-java>



This product optionally depends on 'zstd-jni', a zstd-jni Java compression and decompression library, which can be obtained at:

- \* LICENSE:
  - \* license/LICENSE.zstd-jni.txt (Apache License 2.0)
- \* HOMEPAGE:
  - \* <https://github.com/luben/zstd-jni>

This product contains a modified portion of 'jfastlz', a Java port of FastLZ compression and decompression library written by William Kinney. It can be obtained at:

- \* LICENSE:
  - \* license/LICENSE.jfastlz.txt (MIT License)
- \* HOMEPAGE:
  - \* <https://code.google.com/p/jfastlz/>

This product contains a modified portion of and optionally depends on 'Protocol Buffers', Google's data interchange format, which can be obtained at:

- \* LICENSE:
  - \* license/LICENSE.protobuf.txt (New BSD License)
- \* HOMEPAGE:
  - \* <https://github.com/google/protobuf>

This product optionally depends on 'Bouncy Castle Crypto APIs' to generate a temporary self-signed X.509 certificate when the JVM does not provide the equivalent functionality. It can be obtained at:

- \* LICENSE:
  - \* license/LICENSE.bouncycastle.txt (MIT License)
- \* HOMEPAGE:
  - \* <https://www.bouncycastle.org/>

This product optionally depends on 'Snappy', a compression library produced by Google Inc, which can be obtained at:

- \* LICENSE:
  - \* license/LICENSE.snappy.txt (New BSD License)
- \* HOMEPAGE:
  - \* <https://github.com/google/snappy>

This product optionally depends on 'JBoss Marshalling', an alternative Java serialization API, which can be obtained at:

- \* LICENSE:
  - \* license/LICENSE.jboss-marshalling.txt (Apache License 2.0)
- \* HOMEPAGE:

\* <https://github.com/jboss-remoting/jboss-marshalling>

This product optionally depends on 'Caliper', Google's micro-benchmarking framework, which can be obtained at:

\* LICENSE:

\* [license/LICENSE.caliper.txt](#) (Apache License 2.0)

\* HOMEPAGE:

\* <https://github.com/google/caliper>

This product optionally depends on 'Apache Commons Logging', a logging framework, which can be obtained at:

\* LICENSE:

\* [license/LICENSE.commons-logging.txt](#) (Apache License 2.0)

\* HOMEPAGE:

\* <https://commons.apache.org/logging/>

This product optionally depends on 'Apache Log4J', a logging framework, which can be obtained at:

\* LICENSE:

\* [license/LICENSE.log4j.txt](#) (Apache License 2.0)

\* HOMEPAGE:

\* <https://logging.apache.org/log4j/>

This product optionally depends on 'Aalto XML', an ultra-high performance non-blocking XML processor, which can be obtained at:

\* LICENSE:

\* [license/LICENSE.aalto-xml.txt](#) (Apache License 2.0)

\* HOMEPAGE:

\* <https://wiki.fasterxml.com/AaltoHome>

This product contains a modified version of 'HPACK', a Java implementation of the HTTP/2 HPACK algorithm written by Twitter. It can be obtained at:

\* LICENSE:

\* [license/LICENSE.hpack.txt](#) (Apache License 2.0)

\* HOMEPAGE:

\* <https://github.com/twitter/hpack>

This product contains a modified version of 'HPACK', a Java implementation of the HTTP/2 HPACK algorithm written by Cory Benfield. It can be obtained at:

\* LICENSE:

\* [license/LICENSE.hyper-hpack.txt](#) (MIT License)

\* HOMEPAGE:

\* <https://github.com/python-hyper/hpack/>

This product contains a modified version of 'HPACK', a Java implementation of the HTTP/2 HPACK algorithm written by Tatsuhiro Tsujikawa. It can be obtained at:

\* LICENSE:

\* [license/LICENSE.nghttp2-hpack.txt](#) (MIT License)

\* HOMEPAGE:

\* <https://github.com/nghttp2/nghttp2/>

This product contains a modified portion of 'Apache Commons Lang', a Java library provides utilities for the java.lang API, which can be obtained at:

\* LICENSE:

\* [license/LICENSE.commons-lang.txt](#) (Apache License 2.0)

\* HOMEPAGE:

\* <https://commons.apache.org/proper/commons-lang/>

This product contains the Maven wrapper scripts from 'Maven Wrapper', that provides an easy way to ensure a user has everything necessary to run the Maven build.

\* LICENSE:

\* [license/LICENSE.mvn-wrapper.txt](#) (Apache License 2.0)

\* HOMEPAGE:

\* <https://github.com/takari/maven-wrapper>

This product contains the dnsinfo.h header file, that provides a way to retrieve the system DNS configuration on MacOS.

This private header is also used by Apple's open source mDNSResponder (<https://opensource.apple.com/tarballs/mDNSResponder/>).

\* LICENSE:

\* [license/LICENSE.dnsinfo.txt](#) (Apple Public Source License 2.0)

\* HOMEPAGE:

\* <https://www.opensource.apple.com/source/configd/configd-453.19/dnsinfo/dnsinfo.h>

This product optionally depends on 'Brotli4j', Brotli compression and decompression for Java., which can be obtained at:

\* LICENSE:

\* [license/LICENSE.brotli4j.txt](#) (Apache License 2.0)

\* HOMEPAGE:

\* <https://github.com/hyperxpro/Brotli4j>

Protocol Buffers - Google's data interchange format

Copyright 2013 Google Inc. All rights reserved.

<https://developers.google.com/protocol-buffers/>

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

- \* Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Code generated by the Protocol Buffer compiler is owned by the owner of the input file used when generating it. This code is not standalone and requires a support library to be linked with it. This support library is itself covered by the above license.

This copy of Aalto XML processor is licensed under the Apache (Software) License, version 2.0 ("the License"). See the License for details about distribution rights, and the specific rights regarding derivative works.

You may obtain a copy of the License at:

<https://www.apache.org/licenses/>

A copy is also included with both the the downloadable source code package and jar that contains class bytecodes, as file "ASL 2.0". In both cases, that file should be located next to this file: in source distribution the location should be "release-notes/asl"; and in jar "META-INF/" Apache Harmony

Copyright 2006, 2010 The Apache Software Foundation.

This product includes software developed at

## 1.306 protocol-buffer-java-util-package 3.17.2

### 1.306.1 Available under license :

No license file was found, but licenses were detected in source scan.

Manifest-Version: 1.0  
Automatic-Module-Name: com.google.protobuf.util  
Bnd-LastModified: 1622656380159  
Build-Jdk: 1.8.0\_181-google-v7  
Built-By: deannagarcia  
Bundle-Description: Utilities for Protocol Buffers  
Bundle-DocURL: <https://developers.google.com/protocol-buffers/>  
Bundle-License: <https://opensource.org/licenses/BSD-3-Clause>  
Bundle-ManifestVersion: 2  
Bundle-Name: Protocol Buffers [Util]  
Bundle-SymbolicName: com.google.protobuf.util  
Bundle-Version: 3.17.2  
Created-By: Apache Maven Bundle Plugin  
Export-Package: com.google.protobuf.util;version="3.17.2";uses:="com.google.protobuf"  
Import-Package: com.google.common.base;version="[30.1,31)",com.google.common.io;version="[30.1,31)",com.google.common.math;version="[30.1,31)",com.google.common.primitives;version="[30.1,31)",com.google.gson;version="[2.8,3)",com.google.gson.stream;version="[2.8,3)",com.google.protobuf;version="[3.17,4)"  
Require-Capability: osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=1.7))"  
Tool: Bnd-3.0.0.201509101326

Found in path(s):

\* /opt/cola/permits/1340031505\_1654679723.4416683/0/protobuf-java-util-3-17-2-jar/META-INF/MANIFEST.MF

## 1.307 swagger-parser 2.0.26

### 1.307.1 Available under license :

Apache-2.0

## 1.308 micronaut-kafka 4.3.0

### 1.308.1 Available under license :

No license file was found, but licenses were detected in source scan.

# Licensed under the Apache License, Version 2.0 (the "License");

# you may not use this file except in compliance with the License.

# You may obtain a copy of the License at  
# distributed under the License is distributed on an "AS IS" BASIS,

Found in path(s):

\* /opt/cola/permits/1340031632\_1654618382.6708531/0/micronaut-kafka-4-3-0-jar/META-INF/native-image/io.micronaut.kafka/micronaut-kafka/native-image.properties

# 1.309 jax-rs-core-api 3.0.12.Final

## 1.309.1 Available under license :

Google Guice - Core Library  
Copyright 2006-2011 Google, Inc.

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).  
This copy of Jackson JSON processor databind module is licensed under the  
Apache (Software) License, version 2.0 ("the License").  
See the License for details about distribution rights, and the  
specific rights regarding derivate works.

You may obtain a copy of the License at:

<http://www.apache.org/licenses/LICENSE-2.0>  
Apache Commons IO  
Copyright 2002-2011 The Apache Software Foundation

This product includes software developed by  
The Apache Software Foundation (<http://www.apache.org/>).  
This copy of Jackson JSON processor annotations is licensed under the  
Apache (Software) License, version 2.0 ("the License").  
See the License for details about distribution rights, and the  
specific rights regarding derivate works.

You may obtain a copy of the License at:

<http://www.apache.org/licenses/LICENSE-2.0>  
Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,  
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but

excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
  - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
  - (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
  - (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
  - (d) If the Work includes a "NOTICE" text file as part of its



distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. **Disclaimer of Warranty.** Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. **Limitation of Liability.** In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise,

unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. **Accepting Warranty or Additional Liability.** While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Eclipse Distribution License - v 1.0

Copyright (c) 2007, Eclipse Foundation, Inc. and its licensors.

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

Neither the name of the Eclipse Foundation, Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

This copy of Jackson JSON processor streaming parser/generator is licensed under the Apache (Software) License, version 2.0 ("the License").

See the License for details about distribution rights, and the specific rights regarding derivative works.

You may obtain a copy of the License at:

<http://www.apache.org/licenses/LICENSE-2.0>

Apache JAMES Mime4j

Copyright 2004-2009 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

This product currently only contains code developed by authors  
of specific components, as identified by the source code files.

Since product implements StAX API, it has dependencies to StAX API  
classes.

For additional credits (generally to people who reported problems)  
see CREDITS file.

Copyright 2008, Google Inc.

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

\* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

\* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

\* Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Code generated by the Protocol Buffer compiler is owned by the owner of the input file used when generating it. This code is not standalone and requires a support library to be linked with it. This support library is itself covered by the above license.

COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL) Version 1.0

## 1. Definitions.

1.1. Contributor. means each individual or entity that creates or contributes to the creation of Modifications.

1.2. Contributor Version. means the combination of the Original Software, prior Modifications used by a Contributor (if any), and the Modifications made by that particular Contributor.

1.3. Covered Software. means (a) the Original Software, or (b) Modifications, or (c) the combination of files containing Original Software with files containing Modifications, in each case including portions thereof.

1.4. Executable. means the Covered Software in any form other than Source Code.

1.5. Initial Developer. means the individual or entity that first makes Original Software available under this

License.

1.6. Larger Work. means a work which combines Covered Software or portions thereof with code not governed by the terms of this License.

1.7. License. means this document.

1.8. Licensable. means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed herein.

1.9. Modifications. means the Source Code and Executable form of any of the following:

A. Any file that results from an addition to, deletion from or modification of the contents of a file containing Original Software or previous Modifications;

B. Any new file that contains any part of the Original Software or previous Modification; or

C. Any new file that is contributed or otherwise made available under the terms of this License.

1.10. Original Software. means the Source Code and Executable form of computer software code that is originally released under this License.

1.11. Patent Claims. means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent Licensable by grantor.

1.12. Source Code. means (a) the common form of computer software code in which modifications are made and (b) associated documentation included in or with such code.

1.13. You. (or .Your.) means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License. For legal entities, .You. includes any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, .control. means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

## 2. License Grants.

### 2.1. The Initial Developer Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, the Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Initial Developer, to use, reproduce, modify, display, perform, sublicense and distribute the Original Software (or portions thereof), with or without Modifications, and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using or selling of Original Software, to make, have made, use, practice, sell, and offer for sale, and/or otherwise dispose of the Original Software (or portions thereof).

(c) The licenses granted in Sections 2.1(a) and (b) are effective on the date Initial Developer first distributes or otherwise makes the Original Software available to a third party under the terms of this License.

(d) Notwithstanding Section 2.1(b) above, no patent license is granted: (1) for code that You delete from the Original Software, or (2) for infringements caused by: (i) the modification of the Original Software, or (ii) the combination of the Original Software with other software or devices.

## 2.2. Contributor Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Contributor to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof), either on an unmodified basis, with other Modifications, as Covered Software and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor either alone and/or in combination with its Contributor Version (or portions of such combination), to make, use, sell, offer for sale, have made, and/or otherwise dispose of: (1) Modifications made by that Contributor (or portions thereof); and (2) the combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).

(c) The licenses granted in Sections 2.2(a) and 2.2(b) are effective on the date Contributor first distributes or otherwise makes the Modifications available to a third party.

(d) Notwithstanding Section 2.2(b) above, no patent license is granted: (1) for any code that Contributor has deleted from the Contributor Version; (2) for infringements caused by: (i) third party modifications of Contributor Version, or (ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or (3) under Patent Claims infringed by Covered Software in the absence of Modifications made by that Contributor.

## 3. Distribution Obligations.

### 3.1. Availability of Source Code.

Any Covered Software that You distribute or otherwise make available in Executable form must also be made available in Source Code form and that Source Code form must be distributed only under the terms of this License. You must include a copy of this License with every copy of the Source Code form of the Covered Software You distribute or otherwise make available. You must inform recipients of any such Covered Software in Executable form as to how they can obtain such Covered Software in Source Code form in a reasonable manner on or through a medium customarily used for software exchange.

### 3.2. Modifications.

The Modifications that You create or to which You contribute are governed by the terms of this License. You represent that You believe Your Modifications are Your original creation(s) and/or You have sufficient rights to grant the rights conveyed by this License.

### 3.3. Required Notices.

You must include a notice in each of Your Modifications that identifies You as the Contributor of the Modification. You may not remove or alter any copyright, patent or trademark notices contained within the Covered Software, or any notices of licensing or any descriptive text giving attribution to any Contributor or the Initial Developer.

#### 3.4. Application of Additional Terms.

You may not offer or impose any terms on any Covered Software in Source Code form that alters or restricts the applicable version of this License or the recipients' rights hereunder. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, you may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it absolutely clear that any such warranty, support, indemnity or liability obligation is offered by You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of warranty, support, indemnity or liability terms You offer.

#### 3.5. Distribution of Executable Versions.

You may distribute the Executable form of the Covered Software under the terms of this License or under the terms of a license of Your choice, which may contain terms different from this License, provided that You are in compliance with the terms of this License and that the license for the Executable form does not attempt to limit or alter the recipient's rights in the Source Code form from the rights set forth in this License. If You distribute the Covered Software in Executable form under a different license, You must make it absolutely clear that any terms which differ from this License are offered by You alone, not by the Initial Developer or Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer.

#### 3.6. Larger Works.

You may create a Larger Work by combining Covered Software with other code not governed by the terms of this License and distribute the Larger Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled for the Covered Software.

### 4. Versions of the License.

#### 4.1. New Versions.

Sun Microsystems, Inc. is the initial license steward and may publish revised and/or new versions of this License from time to time. Each version will be given a distinguishing version number. Except as provided in Section 4.3, no one other than the license steward has the right to modify this License.

#### 4.2. Effect of New Versions.

You may always continue to use, distribute or otherwise make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. If the Initial Developer includes a notice in the Original Software prohibiting it from being distributed or otherwise made available under any subsequent version of the License, You must distribute and make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. Otherwise, You may also choose to use, distribute or otherwise make the Covered Software available under the terms of any subsequent version of the License published by the license steward.

#### 4.3. Modified Versions.

When You are an Initial Developer and You want to create a new license for Your Original Software, You may create and use a modified version of this License if You: (a) rename the license and remove any references to the

name of the license steward (except to note that the license differs from this License); and (b) otherwise make it clear that the license contains terms which differ from this License.

## 5. DISCLAIMER OF WARRANTY.

COVERED SOFTWARE IS PROVIDED UNDER THIS LICENSE ON AN .AS IS. BASIS, WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES THAT THE COVERED SOFTWARE IS FREE OF DEFECTS, MERCHANTABILITY, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED SOFTWARE IS WITH YOU. SHOULD ANY COVERED SOFTWARE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED SOFTWARE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

## 6. TERMINATION.

6.1. This License and the rights granted hereunder will terminate automatically if You fail to comply with terms herein and fail to cure such breach within 30 days of becoming aware of the breach. Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive.

6.2. If You assert a patent infringement claim (excluding declaratory judgment actions) against Initial Developer or a Contributor (the Initial Developer or Contributor against whom You assert such claim is referred to as .Participant.) alleging that the Participant Software (meaning the Contributor Version where the Participant is a Contributor or the Original Software where the Participant is the Initial Developer) directly or indirectly infringes any patent, then any and all rights granted directly or indirectly to You by such Participant, the Initial Developer (if the Initial Developer is not the Participant) and all Contributors under Sections 2.1 and/or 2.2 of this License shall, upon 60 days notice from Participant terminate prospectively and automatically at the expiration of such 60 day notice period, unless if within such 60 day period You withdraw Your claim with respect to the Participant Software against such Participant either unilaterally or pursuant to a written agreement with Participant.

6.3. In the event of termination under Sections 6.1 or 6.2 above, all end user licenses that have been validly granted by You or any distributor hereunder prior to termination (excluding licenses granted to You by any distributor) shall survive termination.

## 7. LIMITATION OF LIABILITY.

UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED SOFTWARE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOST PROFITS, LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTY'S NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OR LIMITATION OF



INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

#### 8. U.S. GOVERNMENT END USERS.

The Covered Software is a .commercial item., as that term is defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of .commercial computer software. (as that term is defined at 48 C.F.R. 252.227-7014(a)(1)) and .commercial computer software documentation. as such terms are used in 48 C.F.R. 12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4 (June 1995), all U.S. Government End Users acquire Covered Software with only those rights set forth herein. This U.S. Government Rights clause is in lieu of, and supersedes, any other FAR, DFAR, or other clause or provision that addresses Government rights in computer software under this License.

#### 9. MISCELLANEOUS.

This License represents the complete agreement concerning subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by the law of the jurisdiction specified in a notice contained within the Original Software (except to the extent applicable law, if any, provides otherwise), excluding such jurisdiction.s conflict-of-law provisions. Any litigation relating to this License shall be subject to the jurisdiction of the courts located in the jurisdiction and venue specified in a notice contained within the Original Software, with the losing party responsible for costs, including, without limitation, court costs and reasonable attorneys. fees and expenses. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not apply to this License. You agree that You alone are responsible for compliance with the United States export administration regulations (and the export control laws and regulation of any other countries) when You use, distribute or otherwise make available any Covered Software.

#### 10. RESPONSIBILITY FOR CLAIMS.

As between Initial Developer and the Contributors, each party is responsible for claims and damages arising, directly or indirectly, out of its utilization of rights under this License and You agree to work with Initial Developer and Contributors to distribute such responsibility on an equitable basis. Nothing herein is intended or shall be deemed to constitute any admission of liability.

#### NOTICE PURSUANT TO SECTION 9 OF THE COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL)

The code released under the CDDL shall be governed by the laws of the State of California (excluding conflict-of-law provisions). Any litigation relating to this License shall be subject to the jurisdiction of the Federal Courts of the Northern District of California and the state courts of the State of California, with venue lying in Santa Clara County, California.

The GNU General Public License (GPL) Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc. 59 Temple Place, Suite 330, Boston, MA 02111-1307

USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

#### Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

#### TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term

"modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable

form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

#### NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL,

SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

## END OF TERMS AND CONDITIONS

### How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.

#### Copyright (C)

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author

Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'. This is free software, and you are welcome to redistribute it under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program `Gnomovision' (which makes passes at compilers) written by James Hacker.

signature of Ty Coon, 1 April 1989  
Ty Coon, President of Vice

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

## "CLASSPATH" EXCEPTION TO THE GPL VERSION 2

Certain source files distributed by Sun Microsystems, Inc. are subject to the following clarification and special exception to the GPL Version 2, but only where Sun has expressly included in the particular source file's header the words

"Sun designates this particular file as subject to the "Classpath" exception as provided by Sun in the License file that accompanied this code."

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License Version 2 cover the whole combination.

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module.? An independent module is a module which is not derived from or based on this library.? If you modify this library, you may extend this exception to your version of the library, but you are not obligated to do so.? If you do not wish to do so, delete this exception statement from your version.

This product currently only contains code developed by authors of specific components, as identified by the source code files; if such notes are missing files have been created by Tatu Saloranta.

For additional credits (generally to people who reported problems) see CREDITS file.

/\*

\* Copyright (c) 2004-2007 QOS.ch

\* All rights reserved.

\*

\* Permission is hereby granted, free of charge, to any person obtaining

\* a copy of this software and associated documentation files (the

\* "Software"), to deal in the Software without restriction, including

\* without limitation the rights to use, copy, modify, merge, publish,

\* distribute, sublicense, and/or sell copies of the Software, and to

\* permit persons to whom the Software is furnished to do so, subject to

\* the following conditions:

\*  
\* The above copyright notice and this permission notice shall be  
\* included in all copies or substantial portions of the Software.  
\*  
\* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,  
\* EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF  
\* MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND  
\* NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE  
\* LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION  
\* OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION  
\* WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.  
\*/

GNU LESSER GENERAL PUBLIC LICENSE  
Version 2.1, February 1999

Copyright (C) 1991, 1999 Free Software Foundation, Inc.  
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA  
Everyone is permitted to copy and distribute verbatim copies  
of this license document, but changing it is not allowed.

[This is the first released version of the Lesser GPL. It also counts  
as the successor of the GNU Library Public License, version 2, hence  
the version number 2.1.]

Preamble

The licenses for most software are designed to take away your  
freedom to share and change it. By contrast, the GNU General Public  
Licenses are intended to guarantee your freedom to share and change  
free software--to make sure the software is free for all its users.

This license, the Lesser General Public License, applies to some  
specially designated software packages--typically libraries--of the  
Free Software Foundation and other authors who decide to use it. You  
can use it too, but we suggest you first think carefully about whether  
this license or the ordinary General Public License is the better  
strategy to use in any particular case, based on the explanations below.

When we speak of free software, we are referring to freedom of use,  
not price. Our General Public Licenses are designed to make sure that  
you have the freedom to distribute copies of free software (and charge  
for this service if you wish); that you receive source code or can get  
it if you want it; that you can change the software and use pieces of  
it in new free programs; and that you are informed that you can do  
these things.

To protect your rights, we need to make restrictions that forbid



distributors to deny you these rights or to ask you to surrender these rights. These restrictions translate to certain responsibilities for you if you distribute copies of the library or if you modify it.

For example, if you distribute copies of the library, whether gratis or for a fee, you must give the recipients all the rights that we gave you. You must make sure that they, too, receive or can get the source code. If you link other code with the library, you must provide complete object files to the recipients, so that they can relink them with the library after making changes to the library and recompiling it. And you must show them these terms so they know their rights.

We protect your rights with a two-step method: (1) we copyright the library, and (2) we offer you this license, which gives you legal permission to copy, distribute and/or modify the library.

To protect each distributor, we want to make it very clear that there is no warranty for the free library. Also, if the library is modified by someone else and passed on, the recipients should know that what they have is not the original version, so that the original author's reputation will not be affected by problems that might be introduced by others.

Finally, software patents pose a constant threat to the existence of any free program. We wish to make sure that a company cannot effectively restrict the users of a free program by obtaining a restrictive license from a patent holder. Therefore, we insist that any patent license obtained for a version of the library must be consistent with the full freedom of use specified in this license.

Most GNU software, including some libraries, is covered by the ordinary GNU General Public License. This license, the GNU Lesser General Public License, applies to certain designated libraries, and is quite different from the ordinary General Public License. We use this license for certain libraries in order to permit linking those libraries into non-free programs.

When a program is linked with a library, whether statically or using a shared library, the combination of the two is legally speaking a combined work, a derivative of the original library. The ordinary General Public License therefore permits such linking only if the entire combination fits its criteria of freedom. The Lesser General Public License permits more lax criteria for linking other code with the library.

We call this license the "Lesser" General Public License because it does Less to protect the user's freedom than the ordinary General Public License. It also provides other free software developers Less

of an advantage over competing non-free programs. These disadvantages are the reason we use the ordinary General Public License for many libraries. However, the Lesser license provides advantages in certain special circumstances.

For example, on rare occasions, there may be a special need to encourage the widest possible use of a certain library, so that it becomes a de-facto standard. To achieve this, non-free programs must be allowed to use the library. A more frequent case is that a free library does the same job as widely used non-free libraries. In this case, there is little to gain by limiting the free library to free software only, so we use the Lesser General Public License.

In other cases, permission to use a particular library in non-free programs enables a greater number of people to use a large body of free software. For example, permission to use the GNU C Library in non-free programs enables many more people to use the whole GNU operating system, as well as its variant, the GNU/Linux operating system.

Although the Lesser General Public License is Less protective of the users' freedom, it does ensure that the user of a program that is linked with the Library has the freedom and the wherewithal to run that program using a modified version of the Library.

The precise terms and conditions for copying, distribution and modification follow. Pay close attention to the difference between a "work based on the library" and a "work that uses the library". The former contains code derived from the library, whereas the latter must be combined with the library in order to run.

## GNU LESSER GENERAL PUBLIC LICENSE TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License Agreement applies to any software library or other program which contains a notice placed by the copyright holder or other authorized party saying it may be distributed under the terms of this Lesser General Public License (also called "this License"). Each licensee is addressed as "you".

A "library" means a collection of software functions and/or data prepared so as to be conveniently linked with application programs (which use some of those functions and data) to form executables.

The "Library", below, refers to any such software library or work which has been distributed under these terms. A "work based on the Library" means either the Library or any derivative work under copyright law: that is to say, a work containing the Library or a

portion of it, either verbatim or with modifications and/or translated straightforwardly into another language. (Hereinafter, translation is included without limitation in the term "modification".)

"Source code" for a work means the preferred form of the work for making modifications to it. For a library, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the library.

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running a program using the Library is not restricted, and output from such a program is covered only if its contents constitute a work based on the Library (independent of the use of the Library in a tool for writing it). Whether that is true depends on what the Library does and what the program that uses the Library does.

1. You may copy and distribute verbatim copies of the Library's complete source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and distribute a copy of this License along with the Library.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Library or any portion of it, thus forming a work based on the Library, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

- a) The modified work must itself be a software library.
- b) You must cause the files modified to carry prominent notices stating that you changed the files and the date of any change.
- c) You must cause the whole of the work to be licensed at no charge to all third parties under the terms of this License.
- d) If a facility in the modified Library refers to a function or a table of data to be supplied by an application program that uses the facility, other than as an argument passed when the facility is invoked, then you must make a good faith effort to ensure that, in the event an application does not supply such function or

table, the facility still operates, and performs whatever part of its purpose remains meaningful.

(For example, a function in a library to compute square roots has a purpose that is entirely well-defined independent of the application. Therefore, Subsection 2d requires that any application-supplied function or table used by this function must be optional: if the application does not supply it, the square root function must still compute square roots.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Library, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Library, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Library.

In addition, mere aggregation of another work not based on the Library with the Library (or with a work based on the Library) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may opt to apply the terms of the ordinary GNU General Public License instead of this License to a given copy of the Library. To do this, you must alter all the notices that refer to this License, so that they refer to the ordinary GNU General Public License, version 2, instead of to this License. (If a newer version than version 2 of the ordinary GNU General Public License has appeared, then you can specify that version instead if you wish.) Do not make any other change in these notices.

Once this change is made in a given copy, it is irreversible for that copy, so the ordinary GNU General Public License applies to all subsequent copies and derivative works made from that copy.

This option is useful when you wish to copy part of the code of the Library into a program that is not a library.

4. You may copy and distribute the Library (or a portion or

derivative of it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange.

If distribution of object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place satisfies the requirement to distribute the source code, even though third parties are not compelled to copy the source along with the object code.

5. A program that contains no derivative of any portion of the Library, but is designed to work with the Library by being compiled or linked with it, is called a "work that uses the Library". Such a work, in isolation, is not a derivative work of the Library, and therefore falls outside the scope of this License.

However, linking a "work that uses the Library" with the Library creates an executable that is a derivative of the Library (because it contains portions of the Library), rather than a "work that uses the library". The executable is therefore covered by this License. Section 6 states terms for distribution of such executables.

When a "work that uses the Library" uses material from a header file that is part of the Library, the object code for the work may be a derivative work of the Library even though the source code is not. Whether this is true is especially significant if the work can be linked without the Library, or if the work is itself a library. The threshold for this to be true is not precisely defined by law.

If such an object file uses only numerical parameters, data structure layouts and accessors, and small macros and small inline functions (ten lines or less in length), then the use of the object file is unrestricted, regardless of whether it is legally a derivative work. (Executables containing this object code plus portions of the Library will still fall under Section 6.)

Otherwise, if the work is a derivative of the Library, you may distribute the object code for the work under the terms of Section 6. Any executables containing that work also fall under Section 6, whether or not they are linked directly with the Library itself.

6. As an exception to the Sections above, you may also combine or link a "work that uses the Library" with the Library to produce a work containing portions of the Library, and distribute that work under terms of your choice, provided that the terms permit modification of the work for the customer's own use and reverse

engineering for debugging such modifications.

You must give prominent notice with each copy of the work that the Library is used in it and that the Library and its use are covered by this License. You must supply a copy of this License. If the work during execution displays copyright notices, you must include the copyright notice for the Library among them, as well as a reference directing the user to the copy of this License. Also, you must do one of these things:

a) Accompany the work with the complete corresponding machine-readable source code for the Library including whatever changes were used in the work (which must be distributed under Sections 1 and 2 above); and, if the work is an executable linked with the Library, with the complete machine-readable "work that uses the Library", as object code and/or source code, so that the user can modify the Library and then relink to produce a modified executable containing the modified Library. (It is understood that the user who changes the contents of definitions files in the Library will not necessarily be able to recompile the application to use the modified definitions.)

b) Use a suitable shared library mechanism for linking with the Library. A suitable mechanism is one that (1) uses at run time a copy of the library already present on the user's computer system, rather than copying library functions into the executable, and (2) will operate properly with a modified version of the library, if the user installs one, as long as the modified version is interface-compatible with the version that the work was made with.

c) Accompany the work with a written offer, valid for at least three years, to give the same user the materials specified in Subsection 6a, above, for a charge no more than the cost of performing this distribution.

d) If distribution of the work is made by offering access to copy from a designated place, offer equivalent access to copy the above specified materials from the same place.

e) Verify that the user has already received a copy of these materials or that you have already sent this user a copy.

For an executable, the required form of the "work that uses the Library" must include any data and utility programs needed for reproducing the executable from it. However, as a special exception, the materials to be distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on

which the executable runs, unless that component itself accompanies the executable.

It may happen that this requirement contradicts the license restrictions of other proprietary libraries that do not normally accompany the operating system. Such a contradiction means you cannot use both them and the Library together in an executable that you distribute.

7. You may place library facilities that are a work based on the Library side-by-side in a single library together with other library facilities not covered by this License, and distribute such a combined library, provided that the separate distribution of the work based on the Library and of the other library facilities is otherwise permitted, and provided that you do these two things:

a) Accompany the combined library with a copy of the same work based on the Library, uncombined with any other library facilities. This must be distributed under the terms of the Sections above.

b) Give prominent notice with the combined library of the fact that part of it is a work based on the Library, and explaining where to find the accompanying uncombined form of the same work.

8. You may not copy, modify, sublicense, link with, or distribute the Library except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense, link with, or distribute the Library is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

9. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Library or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Library (or any work based on the Library), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Library or works based on it.

10. Each time you redistribute the Library (or any work based on the Library), the recipient automatically receives a license from the original licensor to copy, distribute, link with or modify the Library subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties with

this License.

11. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Library at all. For example, if a patent license would not permit royalty-free redistribution of the Library by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Library.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply, and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

12. If the distribution and/or use of the Library is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Library under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

13. The Free Software Foundation may publish revised and/or new versions of the Lesser General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library specifies a version number of this License which applies to it and



"any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Library does not specify a license version number, you may choose any version ever published by the Free Software Foundation.

14. If you wish to incorporate parts of the Library into other free programs whose distribution conditions are incompatible with these, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

#### NO WARRANTY

15. BECAUSE THE LIBRARY IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE LIBRARY, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE LIBRARY "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE LIBRARY IS WITH YOU. SHOULD THE LIBRARY PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE LIBRARY AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE LIBRARY (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE LIBRARY TO OPERATE WITH ANY OTHER SOFTWARE), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

#### END OF TERMS AND CONDITIONS

##### How to Apply These Terms to Your New Libraries

If you develop a new library, and you want it to be of the greatest possible use to the public, we recommend making it free software that everyone can redistribute and change. You can do so by permitting redistribution under these terms (or, alternatively, under the terms of the ordinary General Public License).

To apply these terms, attach the following notices to the library. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the library's name and a brief idea of what it does.>

Copyright (C) <year> <name of author>

This library is free software; you can redistribute it and/or modify it under the terms of the GNU Lesser General Public License as published by the Free Software Foundation; either version 2.1 of the License, or (at your option) any later version.

This library is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Lesser General Public License for more details.

You should have received a copy of the GNU Lesser General Public License along with this library; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, 5th Floor, Boston, MA 02110-1301 USA

Also add information on how to contact you by electronic and paper mail.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the library, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the library `Frob' (a library for tweaking knobs) written by James Random Hacker.

<signature of Ty Coon>, 1 April 1990

Ty Coon, President of Vice

That's all there is to it!

The person or persons who have associated work with this document (the "Dedicator" or "Certifier") hereby either (a) certifies that, to the best of his knowledge, the work of authorship identified is in the public domain of the country from which the work is published, or (b) hereby dedicates whatever copyright the dedicators holds in the work of authorship identified below (the "Work") to the public domain. A certifier, moreover, dedicates any copyright interest he may have in the associated work, and for these purposes, is described as a "dedicator" below.

A certifier has taken reasonable steps to verify the copyright status of this work. Certifier recognizes that his good faith efforts may not shield him from liability if in fact the work certified is not in the public domain.

Dedicator makes this dedication for the benefit of the public at large and to the detriment of the Dedicator's heirs and successors. Dedicator intends this dedication to be an overt act of relinquishment in perpetuity of all present and future rights under copyright law, whether vested or contingent, in the Work. Dedicator understands that such relinquishment of all rights includes the relinquishment of all rights to enforce (by lawsuit or otherwise) those copyrights in the Work.

Dedicator recognizes that, once placed in the public domain, the Work may be freely reproduced, distributed, transmitted, used, modified, built upon, or otherwise exploited by anyone for any purpose, commercial or non-commercial, and in any way, including by methods that have not yet been invented or conceived.

Apache Commons Codec

Copyright 2002-2011 The Apache Software Foundation

This product includes software developed by  
The Apache Software Foundation (<http://www.apache.org/>).

-----  
src/test/org/apache/commons/codec/language/DoubleMetaphoneTest.java contains  
test data from <http://aspell.sourceforge.net/test/batch0.tab>.

Copyright (C) 2002 Kevin Atkinson ([kevina@gnu.org](mailto:kevina@gnu.org)). Verbatim copying  
and distribution of this entire article is permitted in any medium,  
provided this notice is preserved.

-----  
# Jackson JSON processor

Jackson is a high-performance, Free/Open Source JSON processing library.  
It was originally written by Tatu Saloranta ([tatu.saloranta@iki.fi](mailto:tatu.saloranta@iki.fi)), and has  
been in development since 2007.

It is currently developed by a community of developers, as well as supported  
commercially by FasterXML.com.

## Licensing

Jackson core and extension components may licensed under different licenses.  
To find the details that apply to this artifact see the accompanying LICENSE file.  
For more information, including possible other licensing options, contact  
FasterXML.com (<http://fasterxml.com>).

## Credits

A list of contributors may be found from CREDITS file, which is included  
in some artifacts (usually source distributions); but is always available  
from the source code management (SCM) system project uses.

## GNU LESSER GENERAL PUBLIC LICENSE

Version 2.1, February 1999

Copyright (C) 1991, 1999 Free Software Foundation, Inc.

59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

[This is the first released version of the Lesser GPL. It also counts as the successor of the GNU Library Public License, version 2, hence the version number 2.1.]

### Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public Licenses are intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users.

This license, the Lesser General Public License, applies to some specially designated software packages--typically libraries--of the Free Software Foundation and other authors who decide to use it. You can use it too, but we suggest you first think carefully about whether this license or the ordinary General Public License is the better strategy to use in any particular case, based on the explanations below.

When we speak of free software, we are referring to freedom of use, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish); that you receive source code or can get it if you want it; that you can change the software and use pieces of it in new free programs; and that you are informed that you can do these things.

To protect your rights, we need to make restrictions that forbid distributors to deny you these rights or to ask you to surrender these rights. These restrictions translate to certain responsibilities for you if you distribute copies of the library or if you modify it.

For example, if you distribute copies of the library, whether gratis or for a fee, you must give the recipients all the rights that we gave you. You must make sure that they, too, receive or can get the source code. If you link other code with the library, you must provide complete object files to the recipients, so that they can relink them with the library after making changes to the library and recompiling it. And you must show them these terms so they know their rights.

We protect your rights with a two-step method: (1) we copyright the

library, and (2) we offer you this license, which gives you legal permission to copy, distribute and/or modify the library.

To protect each distributor, we want to make it very clear that there is no warranty for the free library. Also, if the library is modified by someone else and passed on, the recipients should know that what they have is not the original version, so that the original author's reputation will not be affected by problems that might be introduced by others.

Finally, software patents pose a constant threat to the existence of any free program. We wish to make sure that a company cannot effectively restrict the users of a free program by obtaining a restrictive license from a patent holder. Therefore, we insist that any patent license obtained for a version of the library must be consistent with the full freedom of use specified in this license.

Most GNU software, including some libraries, is covered by the ordinary GNU General Public License. This license, the GNU Lesser General Public License, applies to certain designated libraries, and is quite different from the ordinary General Public License. We use this license for certain libraries in order to permit linking those libraries into non-free programs.

When a program is linked with a library, whether statically or using a shared library, the combination of the two is legally speaking a combined work, a derivative of the original library. The ordinary General Public License therefore permits such linking only if the entire combination fits its criteria of freedom. The Lesser General Public License permits more lax criteria for linking other code with the library.

We call this license the "Lesser" General Public License because it does Less to protect the user's freedom than the ordinary General Public License. It also provides other free software developers Less of an advantage over competing non-free programs. These disadvantages are the reason we use the ordinary General Public License for many libraries. However, the Lesser license provides advantages in certain special circumstances.

For example, on rare occasions, there may be a special need to encourage the widest possible use of a certain library, so that it becomes a de-facto standard. To achieve this, non-free programs must be allowed to use the library. A more frequent case is that a free library does the same job as widely used non-free libraries. In this case, there is little to gain by limiting the free library to free software only, so we use the Lesser General Public License.

In other cases, permission to use a particular library in non-free programs enables a greater number of people to use a large body of free software. For example, permission to use the GNU C Library in non-free programs enables many more people to use the whole GNU operating system, as well as its variant, the GNU/Linux operating system.

Although the Lesser General Public License is Less protective of the users' freedom, it does ensure that the user of a program that is linked with the Library has the freedom and the wherewithal to run that program using a modified version of the Library.

The precise terms and conditions for copying, distribution and modification follow. Pay close attention to the difference between a "work based on the library" and a "work that uses the library". The former contains code derived from the library, whereas the latter must be combined with the library in order to run.

## GNU LESSER GENERAL PUBLIC LICENSE

### TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License Agreement applies to any software library or other program which contains a notice placed by the copyright holder or other authorized party saying it may be distributed under the terms of this Lesser General Public License (also called "this License"). Each licensee is addressed as "you".

A "library" means a collection of software functions and/or data prepared so as to be conveniently linked with application programs (which use some of those functions and data) to form executables.

The "Library", below, refers to any such software library or work which has been distributed under these terms. A "work based on the Library" means either the Library or any derivative work under copyright law: that is to say, a work containing the Library or a portion of it, either verbatim or with modifications and/or translated straightforwardly into another language. (Hereinafter, translation is included without limitation in the term "modification".)

"Source code" for a work means the preferred form of the work for making modifications to it. For a library, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the library.

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running a program using the Library is not restricted, and output from

such a program is covered only if its contents constitute a work based on the Library (independent of the use of the Library in a tool for writing it). Whether that is true depends on what the Library does and what the program that uses the Library does.

1. You may copy and distribute verbatim copies of the Library's complete source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and distribute a copy of this License along with the Library.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Library or any portion of it, thus forming a work based on the Library, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

- a) The modified work must itself be a software library.
- b) You must cause the files modified to carry prominent notices stating that you changed the files and the date of any change.
- c) You must cause the whole of the work to be licensed at no charge to all third parties under the terms of this License.
- d) If a facility in the modified Library refers to a function or a table of data to be supplied by an application program that uses the facility, other than as an argument passed when the facility is invoked, then you must make a good faith effort to ensure that, in the event an application does not supply such function or table, the facility still operates, and performs whatever part of its purpose remains meaningful.

(For example, a function in a library to compute square roots has a purpose that is entirely well-defined independent of the application. Therefore, Subsection 2d requires that any application-supplied function or table used by this function must be optional: if the application does not supply it, the square root function must still compute square roots.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Library, and can be reasonably considered independent and separate works in

themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Library, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Library.

In addition, mere aggregation of another work not based on the Library with the Library (or with a work based on the Library) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may opt to apply the terms of the ordinary GNU General Public License instead of this License to a given copy of the Library. To do this, you must alter all the notices that refer to this License, so that they refer to the ordinary GNU General Public License, version 2, instead of to this License. (If a newer version than version 2 of the ordinary GNU General Public License has appeared, then you can specify that version instead if you wish.) Do not make any other change in these notices.

Once this change is made in a given copy, it is irreversible for that copy, so the ordinary GNU General Public License applies to all subsequent copies and derivative works made from that copy.

This option is useful when you wish to copy part of the code of the Library into a program that is not a library.

4. You may copy and distribute the Library (or a portion or derivative of it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange.

If distribution of object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place satisfies the requirement to distribute the source code, even though third parties are not compelled to copy the source along with the object code.

5. A program that contains no derivative of any portion of the



Library, but is designed to work with the Library by being compiled or linked with it, is called a "work that uses the Library". Such a work, in isolation, is not a derivative work of the Library, and therefore falls outside the scope of this License.

However, linking a "work that uses the Library" with the Library creates an executable that is a derivative of the Library (because it contains portions of the Library), rather than a "work that uses the library". The executable is therefore covered by this License. Section 6 states terms for distribution of such executables.

When a "work that uses the Library" uses material from a header file that is part of the Library, the object code for the work may be a derivative work of the Library even though the source code is not. Whether this is true is especially significant if the work can be linked without the Library, or if the work is itself a library. The threshold for this to be true is not precisely defined by law.

If such an object file uses only numerical parameters, data structure layouts and accessors, and small macros and small inline functions (ten lines or less in length), then the use of the object file is unrestricted, regardless of whether it is legally a derivative work. (Executables containing this object code plus portions of the Library will still fall under Section 6.)

Otherwise, if the work is a derivative of the Library, you may distribute the object code for the work under the terms of Section 6. Any executables containing that work also fall under Section 6, whether or not they are linked directly with the Library itself.

6. As an exception to the Sections above, you may also combine or link a "work that uses the Library" with the Library to produce a work containing portions of the Library, and distribute that work under terms of your choice, provided that the terms permit modification of the work for the customer's own use and reverse engineering for debugging such modifications.

You must give prominent notice with each copy of the work that the Library is used in it and that the Library and its use are covered by this License. You must supply a copy of this License. If the work during execution displays copyright notices, you must include the copyright notice for the Library among them, as well as a reference directing the user to the copy of this License. Also, you must do one of these things:

- a) Accompany the work with the complete corresponding machine-readable source code for the Library including whatever changes were used in the work (which must be distributed under

Sections 1 and 2 above); and, if the work is an executable linked with the Library, with the complete machine-readable "work that uses the Library", as object code and/or source code, so that the user can modify the Library and then relink to produce a modified executable containing the modified Library. (It is understood that the user who changes the contents of definitions files in the Library will not necessarily be able to recompile the application to use the modified definitions.)

b) Use a suitable shared library mechanism for linking with the Library. A suitable mechanism is one that (1) uses at run time a copy of the library already present on the user's computer system, rather than copying library functions into the executable, and (2) will operate properly with a modified version of the library, if the user installs one, as long as the modified version is interface-compatible with the version that the work was made with.

c) Accompany the work with a written offer, valid for at least three years, to give the same user the materials specified in Subsection 6a, above, for a charge no more than the cost of performing this distribution.

d) If distribution of the work is made by offering access to copy from a designated place, offer equivalent access to copy the above specified materials from the same place.

e) Verify that the user has already received a copy of these materials or that you have already sent this user a copy.

For an executable, the required form of the "work that uses the Library" must include any data and utility programs needed for reproducing the executable from it. However, as a special exception, the materials to be distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

It may happen that this requirement contradicts the license restrictions of other proprietary libraries that do not normally accompany the operating system. Such a contradiction means you cannot use both them and the Library together in an executable that you distribute.

7. You may place library facilities that are a work based on the Library side-by-side in a single library together with other library facilities not covered by this License, and distribute such a combined library, provided that the separate distribution of the work based on

the Library and of the other library facilities is otherwise permitted, and provided that you do these two things:

- a) Accompany the combined library with a copy of the same work based on the Library, uncombined with any other library facilities. This must be distributed under the terms of the Sections above.
- b) Give prominent notice with the combined library of the fact that part of it is a work based on the Library, and explaining where to find the accompanying uncombined form of the same work.

8. You may not copy, modify, sublicense, link with, or distribute the Library except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense, link with, or distribute the Library is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

9. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Library or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Library (or any work based on the Library), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Library or works based on it.

10. Each time you redistribute the Library (or any work based on the Library), the recipient automatically receives a license from the original licensor to copy, distribute, link with or modify the Library subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties with this License.

11. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Library at all. For example, if a patent license would not permit royalty-free redistribution of the Library by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to

refrain entirely from distribution of the Library.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply, and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

12. If the distribution and/or use of the Library is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Library under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

13. The Free Software Foundation may publish revised and/or new versions of the Lesser General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Library does not specify a license version number, you may choose any version ever published by the Free Software Foundation.

14. If you wish to incorporate parts of the Library into other free programs whose distribution conditions are incompatible with these, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing

and reuse of software generally.

## NO WARRANTY

15. BECAUSE THE LIBRARY IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE LIBRARY, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE LIBRARY "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE LIBRARY IS WITH YOU. SHOULD THE LIBRARY PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE LIBRARY AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE LIBRARY (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE LIBRARY TO OPERATE WITH ANY OTHER SOFTWARE), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

## END OF TERMS AND CONDITIONS

### How to Apply These Terms to Your New Libraries

If you develop a new library, and you want it to be of the greatest possible use to the public, we recommend making it free software that everyone can redistribute and change. You can do so by permitting redistribution under these terms (or, alternatively, under the terms of the ordinary General Public License).

To apply these terms, attach the following notices to the library. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

```
<one line to give the library's name and a brief idea of what it does.>  
Copyright (C) <year> <name of author>
```

This library is free software; you can redistribute it and/or modify it under the terms of the GNU Lesser General Public License as published by the Free Software Foundation; either version 2.1 of the License, or (at your option) any later version.

This library is distributed in the hope that it will be useful,  
but WITHOUT ANY WARRANTY; without even the implied warranty of  
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU  
Lesser General Public License for more details.

You should have received a copy of the GNU Lesser General Public  
License along with this library; if not, write to the Free Software  
Foundation, Inc., 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Also add information on how to contact you by electronic and paper mail.

You should also get your employer (if you work as a programmer) or your  
school, if any, to sign a "copyright disclaimer" for the library, if  
necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the  
library `Frob' (a library for tweaking knobs) written by James Random Hacker.

<signature of Ty Coon>, 1 April 1990  
Ty Coon, President of Vice

That's all there is to it!  
Apache Commons Logging  
Copyright 2003-2013 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

Apache HttpCore  
Copyright 2005-2014 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

This project contains annotations derived from JCIP-ANNOTATIONS  
Copyright (c) 2005 Brian Goetz and Tim Peierls. See <http://www.jcip.net>

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,  
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but

excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. **Grant of Copyright License.** Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. **Grant of Patent License.** Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. **Redistribution.** You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
  - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
  - (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
  - (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
  - (d) If the Work includes a "NOTICE" text file as part of its



distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise,

unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

Copyright 2006 Envoi Solutions LLC

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL) Version 1.0

1. Definitions.

1.1. Contributor. means each individual or entity that creates or contributes to the creation of Modifications.

1.2. Contributor Version. means the combination of the Original Software, prior Modifications used by a Contributor (if any), and the Modifications made by that particular Contributor.

1.3. Covered Software. means (a) the Original Software, or (b) Modifications, or (c) the combination of files containing Original Software with files containing Modifications, in each case including portions thereof.

1.4. Executable. means the Covered Software in any form other than Source Code.

1.5. Initial Developer. means the individual or entity that first makes Original Software available under this License.

1.6. Larger Work. means a work which combines Covered Software or portions thereof with code not governed by the terms of this License.

1.7. License. means this document.

1.8. Licensable. means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed herein.

1.9. Modifications. means the Source Code and Executable form of any of the following:

A. Any file that results from an addition to, deletion from or modification of the contents of a file containing Original Software or previous Modifications;

B. Any new file that contains any part of the Original Software or previous Modification; or

C. Any new file that is contributed or otherwise made available under the terms of this License.

1.10. Original Software. means the Source Code and Executable form of computer software code that is originally released under this License.

1.11. Patent Claims. means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent Licensable by grantor.

1.12. Source Code. means (a) the common form of computer software code in which modifications are made and (b) associated documentation included in or with such code.

1.13. You. (or .Your.) means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License. For legal entities, .You. includes any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, .control. means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

## 2. License Grants.

### 2.1. The Initial Developer Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, the Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Initial Developer, to use, reproduce, modify, display, perform, sublicense and distribute the Original Software (or portions thereof), with or without Modifications, and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using or selling of Original Software, to make, have made, use, practice, sell, and offer for sale, and/or otherwise dispose of the Original Software (or portions thereof).

(c) The licenses granted in Sections 2.1(a) and (b) are effective on the date Initial Developer first distributes or otherwise makes the Original Software available to a third party under the terms of this License.

(d) Notwithstanding Section 2.1(b) above, no patent license is granted: (1) for code that You delete from the Original Software, or (2) for infringements caused by: (i) the modification of the Original Software, or (ii) the combination of the Original Software with other software or devices.

## 2.2. Contributor Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Contributor to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof), either on an unmodified basis, with other Modifications, as Covered Software and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor either alone and/or in combination with its Contributor Version (or portions of such combination), to make, use, sell, offer for sale, have made, and/or otherwise dispose of: (1) Modifications made by that Contributor (or portions thereof); and (2) the combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).

(c) The licenses granted in Sections 2.2(a) and 2.2(b) are effective on the date Contributor first distributes or otherwise makes the Modifications available to a third party.

(d) Notwithstanding Section 2.2(b) above, no patent license is granted: (1) for any code that Contributor has deleted from the Contributor Version; (2) for infringements caused by: (i) third party modifications of Contributor Version, or (ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or (3) under Patent Claims infringed by Covered Software in the absence of Modifications made by that Contributor.

## 3. Distribution Obligations.

### 3.1. Availability of Source Code.

Any Covered Software that You distribute or otherwise make available in Executable form must also be made available in Source Code form and that Source Code form must be distributed only under the terms of this License. You must include a copy of this License with every copy of the Source Code form of the Covered Software You distribute or otherwise make available. You must inform recipients of any such Covered Software in Executable form as to how they can obtain such Covered Software in Source Code form in a reasonable manner on or through a medium customarily used for software exchange.

### 3.2. Modifications.

The Modifications that You create or to which You contribute are governed by the terms of this License. You represent that You believe Your Modifications are Your original creation(s) and/or You have sufficient rights to

grant the rights conveyed by this License.

### 3.3. Required Notices.

You must include a notice in each of Your Modifications that identifies You as the Contributor of the Modification. You may not remove or alter any copyright, patent or trademark notices contained within the Covered Software, or any notices of licensing or any descriptive text giving attribution to any Contributor or the Initial Developer.

### 3.4. Application of Additional Terms.

You may not offer or impose any terms on any Covered Software in Source Code form that alters or restricts the applicable version of this License or the recipients' rights hereunder. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, you may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it absolutely clear that any such warranty, support, indemnity or liability obligation is offered by You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of warranty, support, indemnity or liability terms You offer.

### 3.5. Distribution of Executable Versions.

You may distribute the Executable form of the Covered Software under the terms of this License or under the terms of a license of Your choice, which may contain terms different from this License, provided that You are in compliance with the terms of this License and that the license for the Executable form does not attempt to limit or alter the recipient's rights in the Source Code form from the rights set forth in this License. If You distribute the Covered Software in Executable form under a different license, You must make it absolutely clear that any terms which differ from this License are offered by You alone, not by the Initial Developer or Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer.

### 3.6. Larger Works.

You may create a Larger Work by combining Covered Software with other code not governed by the terms of this License and distribute the Larger Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled for the Covered Software.

## 4. Versions of the License.

### 4.1. New Versions.

Sun Microsystems, Inc. is the initial license steward and may publish revised and/or new versions of this License from time to time. Each version will be given a distinguishing version number. Except as provided in Section 4.3, no one other than the license steward has the right to modify this License.

### 4.2. Effect of New Versions.

You may always continue to use, distribute or otherwise make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. If the Initial Developer includes a notice in the Original Software prohibiting it from being distributed or otherwise made available under any subsequent version of the License, You must distribute and make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. Otherwise, You may also choose to use, distribute or otherwise make the Covered Software available under the terms of any subsequent version of the License published by the license steward.

#### 4.3. Modified Versions.

When You are an Initial Developer and You want to create a new license for Your Original Software, You may create and use a modified version of this License if You: (a) rename the license and remove any references to the name of the license steward (except to note that the license differs from this License); and (b) otherwise make it clear that the license contains terms which differ from this License.

#### 5. DISCLAIMER OF WARRANTY.

COVERED SOFTWARE IS PROVIDED UNDER THIS LICENSE ON AN .AS IS. BASIS, WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES THAT THE COVERED SOFTWARE IS FREE OF DEFECTS, MERCHANTABLE, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED SOFTWARE IS WITH YOU. SHOULD ANY COVERED SOFTWARE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED SOFTWARE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

#### 6. TERMINATION.

6.1. This License and the rights granted hereunder will terminate automatically if You fail to comply with terms herein and fail to cure such breach within 30 days of becoming aware of the breach. Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive.

6.2. If You assert a patent infringement claim (excluding declaratory judgment actions) against Initial Developer or a Contributor (the Initial Developer or Contributor against whom You assert such claim is referred to as .Participant.) alleging that the Participant Software (meaning the Contributor Version where the Participant is a Contributor or the Original Software where the Participant is the Initial Developer) directly or indirectly infringes any patent, then any and all rights granted directly or indirectly to You by such Participant, the Initial Developer (if the Initial Developer is not the Participant) and all Contributors under Sections 2.1 and/or 2.2 of this License shall, upon 60 days notice from Participant terminate prospectively and automatically at the expiration of such 60 day notice period, unless if within such 60 day period You withdraw Your claim with respect to the Participant Software against such Participant either unilaterally or pursuant to a written agreement with Participant.

6.3. In the event of termination under Sections 6.1 or 6.2 above, all end user licenses that have been validly granted by You or any distributor hereunder prior to termination (excluding licenses granted to You by any distributor) shall survive termination.

#### 7. LIMITATION OF LIABILITY.

UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED SOFTWARE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOST PROFITS, LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION

OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTY.S NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

#### 8. U.S. GOVERNMENT END USERS.

The Covered Software is a .commercial item., as that term is defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of .commercial computer software. (as that term is defined at 48 C.F.R. ? 252.227-7014(a)(1)) and .commercial computer software documentation. as such terms are used in 48 C.F.R. 12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4 (June 1995), all U.S. Government End Users acquire Covered Software with only those rights set forth herein. This U.S. Government Rights clause is in lieu of, and supersedes, any other FAR, DFAR, or other clause or provision that addresses Government rights in computer software under this License.

#### 9. MISCELLANEOUS.

This License represents the complete agreement concerning subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by the law of the jurisdiction specified in a notice contained within the Original Software (except to the extent applicable law, if any, provides otherwise), excluding such jurisdiction.s conflict-of-law provisions. Any litigation relating to this License shall be subject to the jurisdiction of the courts located in the jurisdiction and venue specified in a notice contained within the Original Software, with the losing party responsible for costs, including, without limitation, court costs and reasonable attorneys. fees and expenses. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not apply to this License. You agree that You alone are responsible for compliance with the United States export administration regulations (and the export control laws and regulation of any other countries) when You use, distribute or otherwise make available any Covered Software.

#### 10. RESPONSIBILITY FOR CLAIMS.

As between Initial Developer and the Contributors, each party is responsible for claims and damages arising, directly or indirectly, out of its utilization of rights under this License and You agree to work with Initial Developer and Contributors to distribute such responsibility on an equitable basis. Nothing herein is intended or shall be deemed to constitute any admission of liability.

#### NOTICE PURSUANT TO SECTION 9 OF THE COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL)

The code released under the CDDL shall be governed by the laws of the State of California (excluding conflict-of-law provisions). Any litigation relating to this License shall be subject to the jurisdiction of the Federal Courts of the Northern District of California and the state courts of the State of California, with venue lying in Santa Clara County, California.

The GNU General Public License (GPL) Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc. 59 Temple Place, Suite 330, Boston, MA 02111-1307  
USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

## Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

## TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such



program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this

License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a

consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

#### NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

## END OF TERMS AND CONDITIONS

### How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.

#### Copyright (C)

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author

Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'. This is free software, and you are welcome to redistribute it under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program `Gnomovision' (which makes passes at compilers) written by James Hacker.

signature of Ty Coon, 1 April 1989  
Ty Coon, President of Vice

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

#### "CLASSPATH" EXCEPTION TO THE GPL VERSION 2

Certain source files distributed by Sun Microsystems, Inc. are subject to the following clarification and special exception to the GPL Version 2, but only where Sun has expressly included in the particular source file's header the words

"Sun designates this particular file as subject to the "Classpath" exception as provided by Sun in the License file that accompanied this code."

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License Version 2 cover the whole combination.

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module.? An independent module is a module which is not derived from or based on this library.? If you modify this library, you may extend this exception to your version of the library, but you are not obligated to do so.? If you do not wish to do so, delete this exception statement from your version.

The Netty Project  
=====

Please visit the Netty web site for more information:

\* <http://netty.io/>

Copyright 2011 The Netty Project

The Netty Project licenses this file to you under the Apache License, version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at:

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Also, please refer to each LICENSE.<component>.txt file, which is located in the 'license' directory of the distribution file, for the license terms of the components that this product depends on.

-----  
This product contains the extensions to Java Collections Framework which has been derived from the works by JSR-166 EG, Doug Lea, and Jason T. Greene:

\* LICENSE:

\* license/LICENSE.jsr166y.txt (Public Domain)

\* HOMEPAGE:

\* <http://gee.cs.oswego.edu/cgi-bin/viewcvs.cgi/jsr166/>

\* <http://viewvc.jboss.org/cgi-bin/viewvc.cgi/jboss/cache/experimental/jsr166/>

This product contains a modified version of Robert Harder's Public Domain Base64 Encoder and Decoder, which can be obtained at:

\* LICENSE:

\* license/LICENSE.base64.txt (Public Domain)

\* HOMEPAGE:

\* <http://iharder.sourceforge.net/current/java/base64/>

This product contains a modified version of 'JZlib', a re-implementation of zlib in pure Java, which can be obtained at:

\* LICENSE:

\* license/LICENSE.jzlib.txt (BSD Style License)

\* HOMEPAGE:

\* <http://www.jcraft.com/jzlib/>

This product optionally depends on 'Protocol Buffers', Google's data interchange format, which can be obtained at:

\* LICENSE:

\* license/LICENSE.protobuf.txt (New BSD License)

\* HOMEPAGE:

\* <http://code.google.com/p/protobuf/>

This product optionally depends on 'SLF4J', a simple logging facade for Java, which can be obtained at:

- \* LICENSE:
- \* license/LICENSE.slf4j.txt (MIT License)
- \* HOMEPAGE:
- \* <http://www.slf4j.org/>

This product optionally depends on 'Apache Commons Logging', a logging framework, which can be obtained at:

- \* LICENSE:
- \* license/LICENSE.commons-logging.txt (Apache License 2.0)
- \* HOMEPAGE:
- \* <http://commons.apache.org/logging/>

This product optionally depends on 'Apache Log4J', a logging framework, which can be obtained at:

- \* LICENSE:
- \* license/LICENSE.log4j.txt (Apache License 2.0)
- \* HOMEPAGE:
- \* <http://logging.apache.org/log4j/>

This product optionally depends on 'JBoss Logging', a logging framework, which can be obtained at:

- \* LICENSE:
- \* license/LICENSE.jboss-logging.txt (GNU LGPL 2.1)
- \* HOMEPAGE:
- \* <http://anonsvn.jboss.org/repos/common/common-logging-spi/>

This product optionally depends on 'Apache Felix', an open source OSGi framework implementation, which can be obtained at:

- \* LICENSE:
- \* license/LICENSE.felix.txt (Apache License 2.0)
- \* HOMEPAGE:
- \* <http://felix.apache.org/>

This product optionally depends on 'Webbit', a Java event based WebSocket and HTTP server:

- \* LICENSE:
- \* license/LICENSE.webbit.txt (BSD License)
- \* HOMEPAGE:
- \* <https://github.com/joewalnes/webbit>

(BSD License: <http://www.opensource.org/licenses/bsd-license>)

Copyright (c) 2011, Joe Walnes, Aslak Hellesy and contributors  
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- \* Neither the name of the Webbit nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

The person or persons who have associated work with this document (the "Dedicator" or "Certifier") hereby either (a) certifies that, to the best of his knowledge, the work of authorship identified is in the public domain of the country from which the work is published, or (b) hereby dedicates whatever copyright the dedicators holds in the work of authorship identified below (the "Work") to the public domain. A certifier, moreover, dedicates any copyright interest he may have in the associated work, and for these purposes, is described as a "dedicator" below.

A certifier has taken reasonable steps to verify the copyright status of this work. Certifier recognizes that his good faith efforts may not shield him from liability if in fact the work certified is not in the public domain.

Dedicator makes this dedication for the benefit of the public at large and to the detriment of the Dedicator's heirs and successors. Dedicator intends this



dedication to be an overt act of relinquishment in perpetuate of all present and future rights under copyright law, whether vested or contingent, in the Work. Dedicator understands that such relinquishment of all rights includes the relinquishment of all rights to enforce (by lawsuit or otherwise) those copyrights in the Work.

Dedicator recognizes that, once placed in the public domain, the Work may be freely reproduced, distributed, transmitted, used, modified, built upon, or otherwise exploited by anyone for any purpose, commercial or non-commercial, and in any way, including by methods that have not yet been invented or conceived.

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a

copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct

or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of

this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following

boilerplate notice, with the fields enclosed by brackets "[ ]"  
replaced with your own identifying information. (Don't include  
the brackets!) The text should be enclosed in the appropriate  
comment syntax for the file format. We also recommend that a  
file or class name and description of purpose be included on the  
same "printed page" as the copyright notice for easier  
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software  
distributed under the License is distributed on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.

=====

This project contains annotations in the package org.apache.http.annotation  
which are derived from JCIP-ANNOTATIONS

Copyright (c) 2005 Brian Goetz and Tim Peierls.

See <http://www.jcip.net> and the Creative Commons Attribution License  
(<http://creativecommons.org/licenses/by/2.5>)

Full text: <http://creativecommons.org/licenses/by/2.5/legalcode>

License

THE WORK (AS DEFINED BELOW) IS PROVIDED UNDER THE TERMS OF THIS CREATIVE COMMONS  
PUBLIC LICENSE ("CCPL" OR "LICENSE"). THE WORK IS PROTECTED BY COPYRIGHT AND/OR  
OTHER APPLICABLE LAW. ANY USE OF THE WORK OTHER THAN AS AUTHORIZED UNDER THIS  
LICENSE OR COPYRIGHT LAW IS PROHIBITED.

BY EXERCISING ANY RIGHTS TO THE WORK PROVIDED HERE, YOU ACCEPT AND AGREE TO BE  
BOUND BY THE TERMS OF THIS LICENSE. THE LICENSOR GRANTS YOU THE RIGHTS CONTAINED  
HERE IN CONSIDERATION OF YOUR ACCEPTANCE OF SUCH TERMS AND CONDITIONS.

## 1. Definitions

"Collective Work" means a work, such as a periodical issue, anthology or encyclopedia, in which the Work in its  
entirety in unmodified form, along with a number of other contributions, constituting separate and independent  
works in themselves, are assembled into a collective whole. A work that constitutes a Collective Work will not be  
considered a Derivative Work (as defined below) for the purposes of this License.

"Derivative Work" means a work based upon the Work or upon the Work and other pre-existing works, such as a translation, musical arrangement, dramatization, fictionalization, motion picture version, sound recording, art reproduction, abridgment, condensation, or any other form in which the Work may be recast, transformed, or adapted, except that a work that constitutes a Collective Work will not be considered a Derivative Work for the purpose of this License. For the avoidance of doubt, where the Work is a musical composition or sound recording, the synchronization of the Work in timed-relation with a moving image ("synching") will be considered a Derivative Work for the purpose of this License.

"Licensor" means the individual or entity that offers the Work under the terms of this License.

"Original Author" means the individual or entity who created the Work.

"Work" means the copyrightable work of authorship offered under the terms of this License.

"You" means an individual or entity exercising rights under this License who has not previously violated the terms of this License with respect to the Work, or who has received express permission from the Licensor to exercise rights under this License despite a previous violation.

2. Fair Use Rights. Nothing in this license is intended to reduce, limit, or restrict any rights arising from fair use, first sale or other limitations on the exclusive rights of the copyright owner under copyright law or other applicable laws.

3. License Grant. Subject to the terms and conditions of this License, Licensor hereby grants You a worldwide, royalty-free, non-exclusive, perpetual (for the duration of the applicable copyright) license to exercise the rights in the Work as stated below:

to reproduce the Work, to incorporate the Work into one or more Collective Works, and to reproduce the Work as incorporated in the Collective Works;

to create and reproduce Derivative Works;

to distribute copies or phonorecords of, display publicly, perform publicly, and perform publicly by means of a digital audio transmission the Work including as incorporated in Collective Works;

to distribute copies or phonorecords of, display publicly, perform publicly, and perform publicly by means of a digital audio transmission Derivative Works.

For the avoidance of doubt, where the work is a musical composition:

Performance Royalties Under Blanket Licenses. Licensor waives the exclusive right to collect, whether individually or via a performance rights society (e.g. ASCAP, BMI, SESAC), royalties for the public performance or public digital performance (e.g. webcast) of the Work.

Mechanical Rights and Statutory Royalties. Licensor waives the exclusive right to collect, whether individually or via a music rights agency or designated agent (e.g. Harry Fox Agency), royalties for any phonorecord You create from the Work ("cover version") and distribute, subject to the compulsory license created by 17 USC Section 115 of the US Copyright Act (or the equivalent in other jurisdictions).

Webcasting Rights and Statutory Royalties. For the avoidance of doubt, where the Work is a sound recording, Licensor waives the exclusive right to collect, whether individually or via a performance-rights society (e.g. SoundExchange), royalties for the public digital performance (e.g. webcast) of the Work, subject to the compulsory license created by 17 USC Section 114 of the US Copyright Act (or the equivalent in other jurisdictions).

The above rights may be exercised in all media and formats whether now known or hereafter devised. The above rights include the right to make such modifications as are technically necessary to exercise the rights in other media and formats. All rights not expressly granted by Licensor are hereby reserved.

4. Restrictions. The license granted in Section 3 above is expressly made subject to and limited by the following

restrictions:

You may distribute, publicly display, publicly perform, or publicly digitally perform the Work only under the terms of this License, and You must include a copy of, or the Uniform Resource Identifier for, this License with every copy or phonorecord of the Work You distribute, publicly display, publicly perform, or publicly digitally perform. You may not offer or impose any terms on the Work that alter or restrict the terms of this License or the recipients' exercise of the rights granted hereunder. You may not sublicense the Work. You must keep intact all notices that refer to this License and to the disclaimer of warranties. You may not distribute, publicly display, publicly perform, or publicly digitally perform the Work with any technological measures that control access or use of the Work in a manner inconsistent with the terms of this License Agreement. The above applies to the Work as incorporated in a Collective Work, but this does not require the Collective Work apart from the Work itself to be made subject to the terms of this License. If You create a Collective Work, upon notice from any Licensor You must, to the extent practicable, remove from the Collective Work any credit as required by clause 4(b), as requested. If You create a Derivative Work, upon notice from any Licensor You must, to the extent practicable, remove from the Derivative Work any credit as required by clause 4(b), as requested.

If you distribute, publicly display, publicly perform, or publicly digitally perform the Work or any Derivative Works or Collective Works, You must keep intact all copyright notices for the Work and provide, reasonable to the medium or means You are utilizing: (i) the name of the Original Author (or pseudonym, if applicable) if supplied, and/or (ii) if the Original Author and/or Licensor designate another party or parties (e.g. a sponsor institute, publishing entity, journal) for attribution in Licensor's copyright notice, terms of service or by other reasonable means, the name of such party or parties; the title of the Work if supplied; to the extent reasonably practicable, the Uniform Resource Identifier, if any, that Licensor specifies to be associated with the Work, unless such URI does not refer to the copyright notice or licensing information for the Work; and in the case of a Derivative Work, a credit identifying the use of the Work in the Derivative Work (e.g., "French translation of the Work by Original Author," or "Screenplay based on original Work by Original Author"). Such credit may be implemented in any reasonable manner; provided, however, that in the case of a Derivative Work or Collective Work, at a minimum such credit will appear where any other comparable authorship credit appears and in a manner at least as prominent as such other comparable authorship credit.

#### 5. Representations, Warranties and Disclaimer

UNLESS OTHERWISE MUTUALLY AGREED TO BY THE PARTIES IN WRITING, LICENSOR OFFERS THE WORK AS-IS AND MAKES NO REPRESENTATIONS OR WARRANTIES OF ANY KIND CONCERNING THE WORK, EXPRESS, IMPLIED, STATUTORY OR OTHERWISE, INCLUDING, WITHOUT LIMITATION, WARRANTIES OF TITLE, MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, NONINFRINGEMENT, OR THE ABSENCE OF LATENT OR OTHER DEFECTS, ACCURACY, OR THE PRESENCE OF ABSENCE OF ERRORS, WHETHER OR NOT DISCOVERABLE. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OF IMPLIED WARRANTIES, SO SUCH EXCLUSION MAY NOT APPLY TO YOU.

6. Limitation on Liability. EXCEPT TO THE EXTENT REQUIRED BY APPLICABLE LAW, IN NO EVENT WILL LICENSOR BE LIABLE TO YOU ON ANY LEGAL THEORY FOR ANY SPECIAL, INCIDENTAL, CONSEQUENTIAL, PUNITIVE OR EXEMPLARY DAMAGES ARISING OUT OF THIS LICENSE OR THE USE OF THE WORK, EVEN IF LICENSOR HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

#### 7. Termination

This License and the rights granted hereunder will terminate automatically upon any breach by You of the terms of this License. Individuals or entities who have received Derivative Works or Collective Works from You under this License, however, will not have their licenses terminated provided such individuals or entities remain in full compliance with those licenses. Sections 1, 2, 5, 6, 7, and 8 will survive any termination of this License.

Subject to the above terms and conditions, the license granted here is perpetual (for the duration of the applicable copyright in the Work). Notwithstanding the above, Licensor reserves the right to release the Work under different license terms or to stop distributing the Work at any time; provided, however that any such election will not serve to withdraw this License (or any other license that has been, or is required to be, granted under the terms of this License), and this License will continue in full force and effect unless terminated as stated above.

## 8. Miscellaneous

Each time You distribute or publicly digitally perform the Work or a Collective Work, the Licensor offers to the recipient a license to the Work on the same terms and conditions as the license granted to You under this License.

Each time You distribute or publicly digitally perform a Derivative Work, Licensor offers to the recipient a license to the original Work on the same terms and conditions as the license granted to You under this License.

If any provision of this License is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this License, and without further action by the parties to this agreement, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

No term or provision of this License shall be deemed waived and no breach consented to unless such waiver or consent shall be in writing and signed by the party to be charged with such waiver or consent.

This License constitutes the entire agreement between the parties with respect to the Work licensed here. There are no understandings, agreements or representations with respect to the Work not specified here. Licensor shall not be bound by any additional provisions that may appear in any communication from You. This License may not be modified without the mutual written agreement of the Licensor and You.

### GNU LESSER GENERAL PUBLIC LICENSE

Version 2.1, February 1999

Copyright (C) 1991, 1999 Free Software Foundation, Inc.  
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA  
Everyone is permitted to copy and distribute verbatim copies  
of this license document, but changing it is not allowed.

[This is the first released version of the Lesser GPL. It also counts  
as the successor of the GNU Library Public License, version 2, hence  
the version number 2.1.]

### Preamble

The licenses for most software are designed to take away your  
freedom to share and change it. By contrast, the GNU General Public  
Licenses are intended to guarantee your freedom to share and change  
free software--to make sure the software is free for all its users.

This license, the Lesser General Public License, applies to some  
specially designated software packages--typically libraries--of the  
Free Software Foundation and other authors who decide to use it. You



can use it too, but we suggest you first think carefully about whether this license or the ordinary General Public License is the better strategy to use in any particular case, based on the explanations below.

When we speak of free software, we are referring to freedom of use, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish); that you receive source code or can get it if you want it; that you can change the software and use pieces of it in new free programs; and that you are informed that you can do these things.

To protect your rights, we need to make restrictions that forbid distributors to deny you these rights or to ask you to surrender these rights. These restrictions translate to certain responsibilities for you if you distribute copies of the library or if you modify it.

For example, if you distribute copies of the library, whether gratis or for a fee, you must give the recipients all the rights that we gave you. You must make sure that they, too, receive or can get the source code. If you link other code with the library, you must provide complete object files to the recipients, so that they can relink them with the library after making changes to the library and recompiling it. And you must show them these terms so they know their rights.

We protect your rights with a two-step method: (1) we copyright the library, and (2) we offer you this license, which gives you legal permission to copy, distribute and/or modify the library.

To protect each distributor, we want to make it very clear that there is no warranty for the free library. Also, if the library is modified by someone else and passed on, the recipients should know that what they have is not the original version, so that the original author's reputation will not be affected by problems that might be introduced by others.

Finally, software patents pose a constant threat to the existence of any free program. We wish to make sure that a company cannot effectively restrict the users of a free program by obtaining a restrictive license from a patent holder. Therefore, we insist that any patent license obtained for a version of the library must be consistent with the full freedom of use specified in this license.

Most GNU software, including some libraries, is covered by the ordinary GNU General Public License. This license, the GNU Lesser General Public License, applies to certain designated libraries, and is quite different from the ordinary General Public License. We use this license for certain libraries in order to permit linking those

libraries into non-free programs.

When a program is linked with a library, whether statically or using a shared library, the combination of the two is legally speaking a combined work, a derivative of the original library. The ordinary General Public License therefore permits such linking only if the entire combination fits its criteria of freedom. The Lesser General Public License permits more lax criteria for linking other code with the library.

We call this license the "Lesser" General Public License because it does Less to protect the user's freedom than the ordinary General Public License. It also provides other free software developers Less of an advantage over competing non-free programs. These disadvantages are the reason we use the ordinary General Public License for many libraries. However, the Lesser license provides advantages in certain special circumstances.

For example, on rare occasions, there may be a special need to encourage the widest possible use of a certain library, so that it becomes a de-facto standard. To achieve this, non-free programs must be allowed to use the library. A more frequent case is that a free library does the same job as widely used non-free libraries. In this case, there is little to gain by limiting the free library to free software only, so we use the Lesser General Public License.

In other cases, permission to use a particular library in non-free programs enables a greater number of people to use a large body of free software. For example, permission to use the GNU C Library in non-free programs enables many more people to use the whole GNU operating system, as well as its variant, the GNU/Linux operating system.

Although the Lesser General Public License is Less protective of the users' freedom, it does ensure that the user of a program that is linked with the Library has the freedom and the wherewithal to run that program using a modified version of the Library.

The precise terms and conditions for copying, distribution and modification follow. Pay close attention to the difference between a "work based on the library" and a "work that uses the library". The former contains code derived from the library, whereas the latter must be combined with the library in order to run.

GNU LESSER GENERAL PUBLIC LICENSE  
TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License Agreement applies to any software library or other

program which contains a notice placed by the copyright holder or other authorized party saying it may be distributed under the terms of this Lesser General Public License (also called "this License"). Each licensee is addressed as "you".

A "library" means a collection of software functions and/or data prepared so as to be conveniently linked with application programs (which use some of those functions and data) to form executables.

The "Library", below, refers to any such software library or work which has been distributed under these terms. A "work based on the Library" means either the Library or any derivative work under copyright law: that is to say, a work containing the Library or a portion of it, either verbatim or with modifications and/or translated straightforwardly into another language. (Hereinafter, translation is included without limitation in the term "modification".)

"Source code" for a work means the preferred form of the work for making modifications to it. For a library, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the library.

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running a program using the Library is not restricted, and output from such a program is covered only if its contents constitute a work based on the Library (independent of the use of the Library in a tool for writing it). Whether that is true depends on what the Library does and what the program that uses the Library does.

1. You may copy and distribute verbatim copies of the Library's complete source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and distribute a copy of this License along with the Library.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Library or any portion of it, thus forming a work based on the Library, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

- a) The modified work must itself be a software library.
- b) You must cause the files modified to carry prominent notices stating that you changed the files and the date of any change.
- c) You must cause the whole of the work to be licensed at no charge to all third parties under the terms of this License.
- d) If a facility in the modified Library refers to a function or a table of data to be supplied by an application program that uses the facility, other than as an argument passed when the facility is invoked, then you must make a good faith effort to ensure that, in the event an application does not supply such function or table, the facility still operates, and performs whatever part of its purpose remains meaningful.

(For example, a function in a library to compute square roots has a purpose that is entirely well-defined independent of the application. Therefore, Subsection 2d requires that any application-supplied function or table used by this function must be optional: if the application does not supply it, the square root function must still compute square roots.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Library, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Library, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Library.

In addition, mere aggregation of another work not based on the Library with the Library (or with a work based on the Library) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may opt to apply the terms of the ordinary GNU General Public License instead of this License to a given copy of the Library. To do this, you must alter all the notices that refer to this License, so that they refer to the ordinary GNU General Public License, version 2,

instead of to this License. (If a newer version than version 2 of the ordinary GNU General Public License has appeared, then you can specify that version instead if you wish.) Do not make any other change in these notices.

Once this change is made in a given copy, it is irreversible for that copy, so the ordinary GNU General Public License applies to all subsequent copies and derivative works made from that copy.

This option is useful when you wish to copy part of the code of the Library into a program that is not a library.

4. You may copy and distribute the Library (or a portion or derivative of it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange.

If distribution of object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place satisfies the requirement to distribute the source code, even though third parties are not compelled to copy the source along with the object code.

5. A program that contains no derivative of any portion of the Library, but is designed to work with the Library by being compiled or linked with it, is called a "work that uses the Library". Such a work, in isolation, is not a derivative work of the Library, and therefore falls outside the scope of this License.

However, linking a "work that uses the Library" with the Library creates an executable that is a derivative of the Library (because it contains portions of the Library), rather than a "work that uses the library". The executable is therefore covered by this License. Section 6 states terms for distribution of such executables.

When a "work that uses the Library" uses material from a header file that is part of the Library, the object code for the work may be a derivative work of the Library even though the source code is not. Whether this is true is especially significant if the work can be linked without the Library, or if the work is itself a library. The threshold for this to be true is not precisely defined by law.

If such an object file uses only numerical parameters, data structure layouts and accessors, and small macros and small inline functions (ten lines or less in length), then the use of the object file is unrestricted, regardless of whether it is legally a derivative

work. (Executables containing this object code plus portions of the Library will still fall under Section 6.)

Otherwise, if the work is a derivative of the Library, you may distribute the object code for the work under the terms of Section 6. Any executables containing that work also fall under Section 6, whether or not they are linked directly with the Library itself.

6. As an exception to the Sections above, you may also combine or link a "work that uses the Library" with the Library to produce a work containing portions of the Library, and distribute that work under terms of your choice, provided that the terms permit modification of the work for the customer's own use and reverse engineering for debugging such modifications.

You must give prominent notice with each copy of the work that the Library is used in it and that the Library and its use are covered by this License. You must supply a copy of this License. If the work during execution displays copyright notices, you must include the copyright notice for the Library among them, as well as a reference directing the user to the copy of this License. Also, you must do one of these things:

a) Accompany the work with the complete corresponding machine-readable source code for the Library including whatever changes were used in the work (which must be distributed under Sections 1 and 2 above); and, if the work is an executable linked with the Library, with the complete machine-readable "work that uses the Library", as object code and/or source code, so that the user can modify the Library and then relink to produce a modified executable containing the modified Library. (It is understood that the user who changes the contents of definitions files in the Library will not necessarily be able to recompile the application to use the modified definitions.)

b) Use a suitable shared library mechanism for linking with the Library. A suitable mechanism is one that (1) uses at run time a copy of the library already present on the user's computer system, rather than copying library functions into the executable, and (2) will operate properly with a modified version of the library, if the user installs one, as long as the modified version is interface-compatible with the version that the work was made with.

c) Accompany the work with a written offer, valid for at least three years, to give the same user the materials specified in Subsection 6a, above, for a charge no more than the cost of performing this distribution.

d) If distribution of the work is made by offering access to copy from a designated place, offer equivalent access to copy the above specified materials from the same place.

e) Verify that the user has already received a copy of these materials or that you have already sent this user a copy.

For an executable, the required form of the "work that uses the Library" must include any data and utility programs needed for reproducing the executable from it. However, as a special exception, the materials to be distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

It may happen that this requirement contradicts the license restrictions of other proprietary libraries that do not normally accompany the operating system. Such a contradiction means you cannot use both them and the Library together in an executable that you distribute.

7. You may place library facilities that are a work based on the Library side-by-side in a single library together with other library facilities not covered by this License, and distribute such a combined library, provided that the separate distribution of the work based on the Library and of the other library facilities is otherwise permitted, and provided that you do these two things:

a) Accompany the combined library with a copy of the same work based on the Library, uncombined with any other library facilities. This must be distributed under the terms of the Sections above.

b) Give prominent notice with the combined library of the fact that part of it is a work based on the Library, and explaining where to find the accompanying uncombined form of the same work.

8. You may not copy, modify, sublicense, link with, or distribute the Library except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense, link with, or distribute the Library is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

9. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or

distribute the Library or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Library (or any work based on the Library), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Library or works based on it.

10. Each time you redistribute the Library (or any work based on the Library), the recipient automatically receives a license from the original licensor to copy, distribute, link with or modify the Library subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties with this License.

11. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Library at all. For example, if a patent license would not permit royalty-free redistribution of the Library by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Library.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply, and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

12. If the distribution and/or use of the Library is restricted in certain countries either by patents or by copyrighted interfaces, the



original copyright holder who places the Library under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

13. The Free Software Foundation may publish revised and/or new versions of the Lesser General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Library does not specify a license version number, you may choose any version ever published by the Free Software Foundation.

14. If you wish to incorporate parts of the Library into other free programs whose distribution conditions are incompatible with these, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

#### NO WARRANTY

15. BECAUSE THE LIBRARY IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE LIBRARY, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE LIBRARY "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE LIBRARY IS WITH YOU. SHOULD THE LIBRARY PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE LIBRARY AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE LIBRARY (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE LIBRARY TO OPERATE WITH ANY OTHER SOFTWARE), EVEN IF

SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

## END OF TERMS AND CONDITIONS

### How to Apply These Terms to Your New Libraries

If you develop a new library, and you want it to be of the greatest possible use to the public, we recommend making it free software that everyone can redistribute and change. You can do so by permitting redistribution under these terms (or, alternatively, under the terms of the ordinary General Public License).

To apply these terms, attach the following notices to the library. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the library's name and a brief idea of what it does.>  
Copyright (C) <year> <name of author>

This library is free software; you can redistribute it and/or modify it under the terms of the GNU Lesser General Public License as published by the Free Software Foundation; either version 2.1 of the License, or (at your option) any later version.

This library is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Lesser General Public License for more details.

You should have received a copy of the GNU Lesser General Public License along with this library; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA

Also add information on how to contact you by electronic and paper mail.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the library, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the library `Frob' (a library for tweaking knobs) written by James Random Hacker.

<signature of Ty Coon>, 1 April 1990  
Ty Coon, President of Vice

That's all there is to it!

This copy of Jackson JSON processor is licensed under the Apache (Software) License, version 2.0 ("the License"). See the License for details about distribution rights, and the specific rights regarding derivate works.

You may obtain a copy of the License at:

<http://www.apache.org/licenses/>

A copy is also included with both the the downloadable source code package and jar that contains class bytecodes, as file "ASL 2.0". In both cases, that file should be located next to this file: in source distribution the location should be "release-notes/asl"; and in jar "META-INF/"

Apache HttpClient

Copyright 1999-2014 The Apache Software Foundation

This product includes software developed at The Apache Software Foundation (<http://www.apache.org/>).

# Jackson JSON processor

Jackson is a high-performance, Free/Open Source JSON processing library. It was originally written by Tatu Saloranta (tatu.saloranta@iki.fi), and has been in development since 2007.

It is currently developed by a community of developers, as well as supported commercially by FasterXML.com.

## Licensing

Jackson core and extension components may be licensed under different licenses. To find the details that apply to this artifact see the accompanying LICENSE file. For more information, including possible other licensing options, contact FasterXML.com (<http://fasterxml.com>).

## Credits

A list of contributors may be found from CREDITS file, which is included in some artifacts (usually source distributions); but is always available from the source code management (SCM) system project uses.

This copy of Woodstox XML processor is licensed under the Apache (Software) License, version 2.0 ("the License"). See the License for details about distribution rights, and the specific rights regarding derivate works.

You may obtain a copy of the License at:

<http://www.apache.org/licenses/>

A copy is also included with both the the downloadable source code package and jar that contains class bytecodes, as file "ASL 2.0". In both cases, that file should be located next to this file: in source distribution the location should be "release-notes/asl"; and in jar "META-INF/"  
Copyright (c) 2000,2001,2002,2003,2004 ymnk, JCraft,Inc. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The names of the authors may not be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL JCRAFT, INC. OR ANY CONTRIBUTORS TO THIS SOFTWARE BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

The GNU General Public License (GPL)

Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.  
59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to

your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

## TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as

"you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire

whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as

expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a



consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

#### NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A

FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

## END OF TERMS AND CONDITIONS

### How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.

Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) year name of author Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type 'show w'. This is free software, and you are welcome to redistribute it under certain conditions; type 'show c' for details.
```

The hypothetical commands 'show w' and 'show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than 'show w' and 'show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program 'Gnomovision' (which makes passes at compilers) written by James Hacker.

signature of Ty Coon, 1 April 1989

Ty Coon, President of Vice

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

#### "CLASSPATH" EXCEPTION TO THE GPL

Certain source files distributed by Oracle America and/or its affiliates are subject to the following clarification and special exception to the GPL, but only where Oracle has expressly included in the particular source file's header the words "Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code."

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License cover the whole combination.

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module. An independent module is a module which is not derived from or based on this library. If you modify this library, you may extend this exception to your version of the library, but you are not obligated to do so. If you do not wish to do so, delete this exception statement from your version.

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

#### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

##### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to

communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
  - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
  - (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
  - (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of

the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

#### END OF TERMS AND CONDITIONS

Copyright (c) 2004-2010, Woodstox Project (<http://woodstox.codehaus.org/>)

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. Neither the name of the Woodstox XML Processor nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN

CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain



separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the

origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software  
distributed under the License is distributed on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.

## 1.310 feign-httpclient 8.18.0

### 1.310.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*  
* Copyright 2015 Netflix, Inc.  
*  
* Licensed under the Apache License, Version 2.0 (the "License");  
* you may not use this file except in compliance with the License.  
* You may obtain a copy of the License at  
*  
* http://www.apache.org/licenses/LICENSE-2.0  
*  
* Unless required by applicable law or agreed to in writing, software  
* distributed under the License is distributed on an "AS IS" BASIS,  
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
* See the License for the specific language governing permissions and  
* limitations under the License.  
*/
```

Found in path(s):

```
* /opt/cola/permits/1274702072_1645234420.76/0/feign-httpclient-8-18-0-sources-  
jar/feign/httpclient/HttpClient.java
```

## 1.311 kotlin-libraries-bill-of-materials 1.6.10

### 1.311.1 Available under license :

The version of Rhino used in GWT is licensed under a dual license,  
Netscape Public License 1.1 / GNU General Public License.

The text of the Netscape Public License

is provided below (<http://website-archive.mozilla.org/www.mozilla.org/mpl/MPL/NPL/1.1/>):

## AMENDMENTS

The Netscape Public License Version 1.1 ("NPL") consists of the Mozilla Public License Version 1.1 with the following Amendments, including Exhibit A-Netscape Public License. Files identified with "Exhibit A-Netscape Public License" are governed by the Netscape Public License Version 1.1.

Additional Terms applicable to the Netscape Public License.

### I. Effect.

These additional terms described in this Netscape Public License -- Amendments shall apply to the Mozilla Communicator client code and to all Covered Code under this License.

II. "Netscape's Branded Code" means Covered Code that Netscape distributes and/or permits others to distribute under one or more trademark(s) which are controlled by Netscape but which are not licensed for use under this License.

### III. Netscape and logo.

This License does not grant any rights to use the trademarks "Netscape", the "Netscape N and horizon" logo or the "Netscape lighthouse" logo, "Netcenter", "Gecko", "Java" or "JavaScript", "Smart Browsing" even if such marks are included in the Original Code or Modifications.

### IV. Inability to Comply Due to Contractual Obligation.

Prior to licensing the Original Code under this License, Netscape has licensed third party code for use in Netscape's Branded Code. To the extent that Netscape is limited contractually from making such third party code available under this License, Netscape may choose to reintegrate such code into Covered Code without being required to distribute such code in Source Code form, even if such code would otherwise be considered "Modifications" under this License.

### V. Use of Modifications and Covered Code by Initial Developer.

#### V.1. In General.

The obligations of Section 3 apply to Netscape, except to the extent specified in this Amendment, Section V.2 and V.3.

## V.2. Other Products.

Netscape may include Covered Code in products other than the Netscape's Branded Code which are released by Netscape during the two (2) years following the release date of the Original Code, without such additional products becoming subject to the terms of this License, and may license such additional products on different terms from those contained in this License.

## V.3. Alternative Licensing.

Netscape may license the Source Code of Netscape's Branded Code, including Modifications incorporated therein, without such Netscape Branded Code becoming subject to the terms of this License, and may license such Netscape Branded Code on different terms from those contained in this License.

## VI. Litigation.

Notwithstanding the limitations of Section 11 above, the provisions regarding litigation in Section 11(a), (b) and (c) of the License shall apply to all disputes relating to this License.

## EXHIBIT A-Netscape Public License.

"The contents of this file are subject to the Netscape Public License Version 1.1 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at <http://www.mozilla.org/NPL/>

Software distributed under the License is distributed on an "AS IS" basis, WITHOUT WARRANTY OF ANY KIND, either express or implied. See the License for the specific language governing rights and limitations under the License.

The Original Code is Mozilla Communicator client code, released March 31, 1998.

The Initial Developer of the Original Code is Netscape Communications Corporation. Portions created by Netscape are Copyright (C) 1998-1999 Netscape Communications Corporation. All Rights Reserved.

Contributor(s): \_\_\_\_\_.

Alternatively, the contents of this file may be used under the terms of the \_\_\_\_\_ license (the [\_\_\_\_] License), in which case the provisions of [\_\_\_\_\_] License are applicable instead of those above. If you wish to allow use of your version of this file only under the terms of the [\_\_\_\_] License and not to allow others to use your version of this file under the NPL, indicate your decision by deleting the provisions above and replace them with the notice and other provisions required by the [\_\_\_\_] License. If you do not delete the provisions above, a recipient may use your version of this file under either the NPL or the [\_\_\_\_] License."

-----

## MOZILLA PUBLIC LICENSE

Version 1.1

### 1. Definitions.

1.0.1. "Commercial Use" means distribution or otherwise making the Covered Code available to a third party.

1.1. "Contributor" means each entity that creates or contributes to the creation of Modifications.

1.2. "Contributor Version" means the combination of the Original Code, prior Modifications used by a Contributor, and the Modifications made by that particular Contributor.

1.3. "Covered Code" means the Original Code or Modifications or the combination of the Original Code and Modifications, in each case including portions thereof.

1.4. "Electronic Distribution Mechanism" means a mechanism generally accepted in the software development community for the electronic transfer of data.

1.5. "Executable" means Covered Code in any form other than Source Code.

1.6. "Initial Developer" means the individual or entity identified as the Initial Developer in the Source Code notice required by Exhibit A.

1.7. "Larger Work" means a work which combines Covered Code or

portions thereof with code not governed by the terms of this License.

1.8. "License" means this document.

1.8.1. "Licensable" means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed herein.

1.9. "Modifications" means any addition to or deletion from the substance or structure of either the Original Code or any previous Modifications. When Covered Code is released as a series of files, a Modification is:

A. Any addition to or deletion from the contents of a file containing Original Code or previous Modifications.

B. Any new file that contains any part of the Original Code or previous Modifications.

1.10. "Original Code" means Source Code of computer software code which is described in the Source Code notice required by Exhibit A as Original Code, and which, at the time of its release under this License is not already Covered Code governed by this License.

1.10.1. "Patent Claims" means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent Licensable by grantor.

1.11. "Source Code" means the preferred form of the Covered Code for making modifications to it, including all modules it contains, plus any associated interface definition files, scripts used to control compilation and installation of an Executable, or source code differential comparisons against either the Original Code or another well known, available Covered Code of the Contributor's choice. The Source Code can be in a compressed or archival form, provided the appropriate decompression or de-archiving software is widely available for no charge.

1.12. "You" (or "Your") means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License or a future version of this License issued under Section 6.1. For legal entities, "You" includes any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, "control" means (a) the power, direct or indirect, to cause the direction or management of



such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

## 2. Source Code License.

### 2.1. The Initial Developer Grant.

The Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license, subject to third party intellectual property claims:

(a) under intellectual property rights (other than patent or trademark) Licensable by Initial Developer to use, reproduce, modify, display, perform, sublicense and distribute the Original Code (or portions thereof) with or without Modifications, and/or as part of a Larger Work; and

(b) under Patents Claims infringed by the making, using or selling of Original Code, to make, have made, use, practice, sell, and offer for sale, and/or otherwise dispose of the Original Code (or portions thereof).

(c) the licenses granted in this Section 2.1(a) and (b) are effective on the date Initial Developer first distributes Original Code under the terms of this License.

(d) Notwithstanding Section 2.1(b) above, no patent license is granted: 1) for code that You delete from the Original Code; 2) separate from the Original Code; or 3) for infringements caused by: i) the modification of the Original Code or ii) the combination of the Original Code with other software or devices.

### 2.2. Contributor Grant.

Subject to third party intellectual property claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license

(a) under intellectual property rights (other than patent or trademark) Licensable by Contributor, to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof) either on an unmodified basis, with other Modifications, as Covered Code and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor either alone and/or in combination with its Contributor Version (or portions of such combination), to make, use, sell, offer for sale, have made, and/or otherwise dispose of: 1) Modifications made by that Contributor (or portions thereof); and 2) the combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).

(c) the licenses granted in Sections 2.2(a) and 2.2(b) are effective on the date Contributor first makes Commercial Use of the Covered Code.

(d) Notwithstanding Section 2.2(b) above, no patent license is granted: 1) for any code that Contributor has deleted from the Contributor Version; 2) separate from the Contributor Version; 3) for infringements caused by: i) third party modifications of Contributor Version or ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or 4) under Patent Claims infringed by Covered Code in the absence of Modifications made by that Contributor.

### 3. Distribution Obligations.

#### 3.1. Application of License.

The Modifications which You create or to which You contribute are governed by the terms of this License, including without limitation Section 2.2. The Source Code version of Covered Code may be distributed only under the terms of this License or a future version of this License released under Section 6.1, and You must include a copy of this License with every copy of the Source Code You distribute. You may not offer or impose any terms on any Source Code version that alters or restricts the applicable version of this License or the recipients' rights hereunder. However, You may include an additional document offering the additional rights described in Section 3.5.

#### 3.2. Availability of Source Code.

Any Modification which You create or to which You contribute must be made available in Source Code form under the terms of this License either on the same media as an Executable version or via an accepted Electronic Distribution Mechanism to anyone to whom you made an Executable version available; and if made available via Electronic Distribution Mechanism, must remain available for

at least twelve (12) months after the date it initially became available, or at least six (6) months after a subsequent version of that particular Modification has been made available to such recipients. You are responsible for ensuring that the Source Code version remains available even if the Electronic Distribution Mechanism is maintained by a third party.

### 3.3. Description of Modifications.

You must cause all Covered Code to which You contribute to contain a file documenting the changes You made to create that Covered Code and the date of any change. You must include a prominent statement that the Modification is derived, directly or indirectly, from Original Code provided by the Initial Developer and including the name of the Initial Developer in (a) the Source Code, and (b) in any notice in an Executable version or related documentation in which You describe the origin or ownership of the Covered Code.

### 3.4. Intellectual Property Matters

#### (a) Third Party Claims.

If Contributor has knowledge that a license under a third party's intellectual property rights is required to exercise the rights granted by such Contributor under Sections 2.1 or 2.2, Contributor must include a text file with the Source Code distribution titled "LEGAL" which describes the claim and the party making the claim in sufficient detail that a recipient will know whom to contact. If Contributor obtains such knowledge after the Modification is made available as described in Section 3.2, Contributor shall promptly modify the LEGAL file in all copies Contributor makes available thereafter and shall take other steps (such as notifying appropriate mailing lists or newsgroups) reasonably calculated to inform those who received the Covered Code that new knowledge has been obtained.

#### (b) Contributor APIs.

If Contributor's Modifications include an application programming interface and Contributor has knowledge of patent licenses which are reasonably necessary to implement that API, Contributor must also include this information in the LEGAL file.

#### (c) Representations.

Contributor represents that, except as disclosed pursuant to Section 3.4(a) above, Contributor believes that Contributor's Modifications are Contributor's original creation(s) and/or Contributor has sufficient rights to grant the rights conveyed by this License.

### 3.5. Required Notices.

You must duplicate the notice in Exhibit A in each file of the Source Code. If it is not possible to put such notice in a particular Source Code file due to its structure, then You must include such notice in a location (such as a relevant directory) where a user would be likely to look for such a notice. If You created one or more Modification(s) You may add your name as a Contributor to the notice described in Exhibit A. You must also duplicate this License in any documentation for the Source Code where You describe recipients' rights or ownership rights relating to Covered Code. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Code. However, You may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it absolutely clear than any such warranty, support, indemnity or liability obligation is offered by You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of warranty, support, indemnity or liability terms You offer.

### 3.6. Distribution of Executable Versions.

You may distribute Covered Code in Executable form only if the requirements of Section 3.1-3.5 have been met for that Covered Code, and if You include a notice stating that the Source Code version of the Covered Code is available under the terms of this License, including a description of how and where You have fulfilled the obligations of Section 3.2. The notice must be conspicuously included in any notice in an Executable version, related documentation or collateral in which You describe recipients' rights relating to the Covered Code. You may distribute the Executable version of Covered Code or ownership rights under a license of Your choice, which may contain terms different from this License, provided that You are in compliance with the terms of this License and that the license for the Executable version does not attempt to limit or alter the recipient's rights in the Source Code version from the rights set forth in this License. If You distribute the Executable version under a different license You must make it absolutely clear that

any terms which differ from this License are offered by You alone, not by the Initial Developer or any Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer.

### 3.7. Larger Works.

You may create a Larger Work by combining Covered Code with other code not governed by the terms of this License and distribute the Larger Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled for the Covered Code.

## 4. Inability to Comply Due to Statute or Regulation.

If it is impossible for You to comply with any of the terms of this License with respect to some or all of the Covered Code due to statute, judicial order, or regulation then You must: (a) comply with the terms of this License to the maximum extent possible; and (b) describe the limitations and the code they affect. Such description must be included in the LEGAL file described in Section 3.4 and must be included with all distributions of the Source Code. Except to the extent prohibited by statute or regulation, such description must be sufficiently detailed for a recipient of ordinary skill to be able to understand it.

## 5. Application of this License.

This License applies to code to which the Initial Developer has attached the notice in Exhibit A and to related Covered Code.

## 6. Versions of the License.

### 6.1. New Versions.

Netscape Communications Corporation ("Netscape") may publish revised and/or new versions of the License from time to time. Each version will be given a distinguishing version number.

### 6.2. Effect of New Versions.

Once Covered Code has been published under a particular version of the License, You may always continue to use it under the terms of that version. You may also choose to use such Covered Code under the terms of any subsequent version of the License published by Netscape. No one other than Netscape has the right to modify the

terms applicable to Covered Code created under this License.

### 6.3. Derivative Works.

If You create or use a modified version of this License (which you may only do in order to apply it to code which is not already Covered Code governed by this License), You must (a) rename Your license so that the phrases "Mozilla", "MOZILLAPL", "MOZPL", "Netscape", "MPL", "NPL" or any confusingly similar phrase do not appear in your license (except to note that your license differs from this License) and (b) otherwise make it clear that Your version of the license contains terms which differ from the Mozilla Public License and Netscape Public License. (Filling in the name of the Initial Developer, Original Code or Contributor in the notice described in Exhibit A shall not of themselves be deemed to be modifications of this License.)

## 7. DISCLAIMER OF WARRANTY.

COVERED CODE IS PROVIDED UNDER THIS LICENSE ON AN "AS IS" BASIS, WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES THAT THE COVERED CODE IS FREE OF DEFECTS, MERCHANTABLE, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED CODE IS WITH YOU. SHOULD ANY COVERED CODE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED CODE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

## 8. TERMINATION.

8.1. This License and the rights granted hereunder will terminate automatically if You fail to comply with terms herein and fail to cure such breach within 30 days of becoming aware of the breach. All sublicenses to the Covered Code which are properly granted shall survive any termination of this License. Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive.

8.2. If You initiate litigation by asserting a patent infringement claim (excluding declaratory judgment actions) against Initial Developer or a Contributor (the Initial Developer or Contributor against whom You file such action is referred to as "Participant") alleging that:

(a) such Participant's Contributor Version directly or indirectly

infringes any patent, then any and all rights granted by such Participant to You under Sections 2.1 and/or 2.2 of this License shall, upon 60 days notice from Participant terminate prospectively, unless if within 60 days after receipt of notice You either: (i) agree in writing to pay Participant a mutually agreeable reasonable royalty for Your past and future use of Modifications made by such Participant, or (ii) withdraw Your litigation claim with respect to the Contributor Version against such Participant. If within 60 days of notice, a reasonable royalty and payment arrangement are not mutually agreed upon in writing by the parties or the litigation claim is not withdrawn, the rights granted by Participant to You under Sections 2.1 and/or 2.2 automatically terminate at the expiration of the 60 day notice period specified above.

(b) any software, hardware, or device, other than such Participant's Contributor Version, directly or indirectly infringes any patent, then any rights granted to You by such Participant under Sections 2.1(b) and 2.2(b) are revoked effective as of the date You first made, used, sold, distributed, or had made, Modifications made by that Participant.

8.3. If You assert a patent infringement claim against Participant alleging that such Participant's Contributor Version directly or indirectly infringes any patent where such claim is resolved (such as by license or settlement) prior to the initiation of patent infringement litigation, then the reasonable value of the licenses granted by such Participant under Sections 2.1 or 2.2 shall be taken into account in determining the amount or value of any payment or license.

8.4. In the event of termination under Sections 8.1 or 8.2 above, all end user license agreements (excluding distributors and resellers) which have been validly granted by You or any distributor hereunder prior to termination shall survive termination.

## 9. LIMITATION OF LIABILITY.

UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED CODE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF

SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTY'S NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

#### 10. U.S. GOVERNMENT END USERS.

The Covered Code is a "commercial item," as that term is defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of "commercial computer software" and "commercial computer software documentation," as such terms are used in 48 C.F.R. 12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4 (June 1995), all U.S. Government End Users acquire Covered Code with only those rights set forth herein.

#### 11. MISCELLANEOUS.

This License represents the complete agreement concerning subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by California law provisions (except to the extent applicable law, if any, provides otherwise), excluding its conflict-of-law provisions. With respect to disputes in which at least one party is a citizen of, or an entity chartered or registered to do business in the United States of America, any litigation relating to this License shall be subject to the jurisdiction of the Federal Courts of the Northern District of California, with venue lying in Santa Clara County, California, with the losing party responsible for costs, including without limitation, court costs and reasonable attorneys' fees and expenses. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not apply to this License.

#### 12. RESPONSIBILITY FOR CLAIMS.

As between Initial Developer and the Contributors, each party is responsible for claims and damages arising, directly or indirectly, out of its utilization of rights under this License and You agree to work with Initial Developer and Contributors to distribute such responsibility on an equitable basis. Nothing herein is intended or shall be deemed to constitute any admission of liability.



### 13. MULTIPLE-LICENSED CODE.

Initial Developer may designate portions of the Covered Code as Multiple-Licensed. Multiple-Licensed means that the Initial Developer permits you to utilize portions of the Covered Code under Your choice of the NPL or the alternative licenses, if any, specified by the Initial Developer in the file described in Exhibit A.

#### EXHIBIT A -Mozilla Public License.

``The contents of this file are subject to the Mozilla Public License Version 1.1 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at <http://www.mozilla.org/MPL/>

Software distributed under the License is distributed on an "AS IS" basis, WITHOUT WARRANTY OF ANY KIND, either express or implied. See the License for the specific language governing rights and limitations under the License.

The Original Code is \_\_\_\_\_.

The Initial Developer of the Original Code is \_\_\_\_\_.  
\_\_\_\_\_. Portions created by \_\_\_\_\_  
\_\_\_\_\_ are Copyright (C) \_\_\_\_\_  
\_\_\_\_\_. All Rights Reserved.

Contributor(s): \_\_\_\_\_.

Alternatively, the contents of this file may be used under the terms of the \_\_\_\_\_ license (the [\_\_\_\_\_] License), in which case the provisions of [\_\_\_\_\_] License are applicable instead of those above. If you wish to allow use of your version of this file only under the terms of the [\_\_\_\_\_] License and not to allow others to use your version of this file under the MPL, indicate your decision by deleting the provisions above and replace them with the notice and other provisions required by the [\_\_\_\_\_] License. If you do not delete the provisions above, a recipient may use your version of this file under either the MPL or the [\_\_\_\_\_] License."

[NOTE: The text of this Exhibit A may differ slightly from the text of the notices in the Source Code files of the Original Code. You should use the text of this Exhibit A rather than the text found in the Original Code Source Code for Your Modifications.]

---

## GNU GENERAL PUBLIC LICENSE

Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.,  
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA  
Everyone is permitted to copy and distribute verbatim copies  
of this license document, but changing it is not allowed.

### Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Lesser General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so

that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

## GNU GENERAL PUBLIC LICENSE

### TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

- a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.
  
- b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.
  
- c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

- a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
  
- b) Accompany it with a written offer, valid for at least three

years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the

original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will

be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

#### NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

#### END OF TERMS AND CONDITIONS

#### How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

```
<one line to give the program's name and a brief idea of what it does.>  
Copyright (C) <year> <name of author>
```

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA.

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) year name of author  
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.  
This is free software, and you are welcome to redistribute it  
under certain conditions; type `show c' for details.
```

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

```
Yoyodyne, Inc., hereby disclaims all copyright interest in the program  
'Gnomovision' (which makes passes at compilers) written by James Hacker.
```

```
<signature of Ty Coon>, 1 April 1989  
Ty Coon, President of Vice
```



This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Lesser General Public License instead of this License.

=====  
SDL 2.0 and newer are available under the zlib license :

This software is provided 'as-is', without any express or implied warranty. In no event will the authors be held liable for any damages arising from the use of this software.

Permission is granted to anyone to use this software for any purpose, including commercial applications, and to alter it and redistribute it freely, subject to the following restrictions:

1. The origin of this software must not be misrepresented; you must not claim that you wrote the original software. If you use this software in a product, an acknowledgment in the product documentation would be appreciated but is not required.
2. Altered source versions must be plainly marked as such, and must not be misrepresented as being the original software.
3. This notice may not be removed or altered from any source distribution.

**COPYRIGHT AND PERMISSION NOTICE**

Copyright (c) 1996 - 2021, Daniel Stenberg, <daniel@haxx.se>, and many contributors, see the THANKS file.

All rights reserved.

Permission to use, copy, modify, and distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT OF THIRD PARTY RIGHTS. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Except as contained in this notice, the name of a copyright holder shall not be used in advertising or otherwise to promote the sale, use or other dealings in this Software without prior written authorization of the copyright holder.

=====  
libc++ License  
=====

The libc++ library is dual licensed under both the University of Illinois "BSD-Like" license and the MIT license. As a user of this code you may choose to use it under either license. As a contributor, you agree to allow your code to be used under both.

Full text of the relevant licenses is included below.

=====

University of Illinois/NCSA  
Open Source License

Copyright (c) 2009-2017 by the contributors listed in CREDITS.TXT

All rights reserved.

Developed by:

LLVM Team

University of Illinois at Urbana-Champaign

<http://llvm.org>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal with the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimers.
- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimers in the documentation and/or other materials provided with the distribution.
- \* Neither the names of the LLVM Team, University of Illinois at Urbana-Champaign, nor the names of its contributors may be used to endorse or promote products derived from this Software without specific prior written permission.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE CONTRIBUTORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER

LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS WITH THE SOFTWARE.

---

Copyright (c) 2009-2014 by the contributors listed in CREDITS.TXT

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity

exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided

that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity,

or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

=====  
=====

### APACHE HARMONY SUBCOMPONENTS:

Apache Harmony includes a number of subcomponents with separate copyright notices and license terms. Your use of the source code for these subcomponents is subject to the terms and conditions of the following licenses.

License Notice for ICU4C version 3.4

=====

ICU License - ICU 1.8.1 and later

**COPYRIGHT AND PERMISSION NOTICE**

Copyright (c) 1995-2005 International Business Machines Corporation and others  
All rights reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, provided that the above copyright notice(s) and this permission notice appear in all copies of the Software and that both the above copyright notice(s) and this permission notice appear in supporting documentation.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT OF THIRD PARTY RIGHTS. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS NOTICE BE LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL DAMAGES, OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

Except as contained in this notice, the name of a copyright holder shall not be used in advertising or otherwise to promote the sale, use or other dealings in this Software without prior written authorization of the copyright holder.

-----

All trademarks and registered trademarks mentioned herein are the property of their respective owners.

=====



=====

ICU4J license - ICU4J 1.8.1 and later

**COPYRIGHT AND PERMISSION NOTICE**

Copyright (c) 1995-2009 International Business Machines Corporation and others

All rights reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, provided that the above copyright notice(s) and this permission notice appear in all copies of the Software and that both the above copyright notice(s) and this permission notice appear in supporting documentation.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT OF THIRD PARTY RIGHTS. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS NOTICE BE LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL DAMAGES, OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

Except as contained in this notice, the name of a copyright holder shall not be used in advertising or otherwise to promote the sale, use or other dealings in this Software without prior written authorization of the copyright holder.

-----

All trademarks and registered trademarks mentioned herein are the property of their respective owners.

=====

License Notice for FDLIBM version 5.2

=====

Copyright (C) 2004 by Sun Microsystems, Inc. All rights reserved.

Developed at SunSoft, a Sun Microsystems, Inc. business.

Permission to use, copy, modify, and distribute this software is freely granted, provided that this notice is preserved.

=====

License Notice for ZLIB version 1.2.3

=====

(C) 1995-2004 Jean-loup Gailly and Mark Adler

This software is provided 'as-is', without any express or implied warranty. In no event will the authors be held liable for any damages arising from the use of this software.

Permission is granted to anyone to use this software for any purpose, including commercial applications, and to alter it and redistribute it freely, subject to the following restrictions:

1. The origin of this software must not be misrepresented; you must not claim that you wrote the original software. If you use this software in a product, an acknowledgment in the product documentation would be appreciated but is not required.
2. Altered source versions must be plainly marked as such, and must not be misrepresented as being the original software.
3. This notice may not be removed or altered from any source distribution.

Jean-loup Gailly      Mark Adler  
jloup@gzip.org      madler@alumni.caltech.edu

=====

Visual C++ Runtime Files

=====  
The file msvcr71.dll is the Microsoft(R) C Runtime Library.  
The file msvcp71.dll is the Microsoft Multithreaded Standard C++ Library.

These files are redistributed from Microsoft(R) Visual Studio 7.1 as described in the file "redist.txt" available with that product.

=====  
=====  
License Notice for Bouncy Castle version 1.45  
=====

Copyright (c) 2000 - 2009 The Legion Of The Bouncy Castle (<http://www.bouncycastle.org>)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

=====  
=====  
License Notice for MX4J 3.0.2.  
=====

The MX4J License, Version 1.0

Copyright (c) 2001-2004 by the MX4J contributors. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The end-user documentation included with the redistribution, if any, must include the following acknowledgment:  
"This product includes software developed by the  
MX4J project (<http://mx4j.sourceforge.net>)."  
Alternately, this acknowledgment may appear in the software itself, if and wherever such third-party acknowledgments normally appear.
4. The name "MX4J" must not be used to endorse or promote products derived from this software without prior written permission.  
For written permission, please contact  
biorn\_steedom [at] users [dot] sourceforge [dot] net
5. Products derived from this software may not be called "MX4J", nor may "MX4J" appear in their name, without prior written permission of Simone Bordet.

THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE MX4J CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

=====  
This software consists of voluntary contributions made by many individuals on behalf of the MX4J project. For more information on

MX4J, please see the MX4J website (<http://mx4j.sourceforge.net/>).

=====

=====

Notice for The Independent JPEG Group's JPEG software

=====

This distribution may contain software that is based in part on the work of the Independent JPEG Group for which the following notice applies:

The authors make NO WARRANTY or representation, either express or implied, with respect to this software, its quality, accuracy, merchantability, or fitness for a particular purpose. This software is provided "AS IS", and you, its user, assume the entire risk as to its quality and accuracy.

This software is copyright (C) 1991-1998, Thomas G. Lane.  
All Rights Reserved except as specified below.

Permission is hereby granted to use, copy, modify, and distribute this software (or portions thereof) for any purpose, without fee, subject to these conditions:

- (1) If any part of the source code for this software is distributed, then this README file must be included, with this copyright and no-warranty notice unaltered; and any additions, deletions, or changes to the original files must be clearly indicated in accompanying documentation.
- (2) If only executable code is distributed, then the accompanying documentation must state that "this software is based in part on the work of the Independent JPEG Group".
- (3) Permission for use of this software is granted only if the user accepts full responsibility for any undesirable consequences; the authors accept NO LIABILITY for damages of any kind.

These conditions apply to any software derived from or based on the IJG code, not just to the unmodified library. If you use our work, you ought to acknowledge us.

Permission is NOT granted for the use of any IJG author's name or company name in advertising or publicity relating to this software or products derived from it. This software may be referred to only as "the Independent JPEG Group's software".

We specifically permit and encourage the use of this software as the basis of commercial products, provided that all warranty or liability claims are

assumed by the product vendor.

=====  
=====

Notice for Little CMS

=====

This distribution may contain software that is based in part on Little cms for which the following notice applies:

Copyright (c) 1998-2007 Marti Maria Saguer

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

=====  
=====

Notice for libpng

=====

This distribution may contain software that is based in part on libpng v1.2.38 for which the following notice applies:

libpng versions 1.2.6, August 15, 2004, through 1.2.38, July 16, 2009, are Copyright (c) 2004, 2006-2009 Glenn Randers-Pehrson, and are distributed according to the same disclaimer and license as libpng-1.2.5 with the following individual added to the list of Contributing Authors:

Cosmin Truta

libpng versions 1.0.7, July 1, 2000, through 1.2.5, October 3, 2002, are Copyright (c) 2000-2002 Glenn Randers-Pehrson, and are distributed according to the same disclaimer and license as libpng-1.0.6 with the following individuals added to the list of Contributing Authors:

Simon-Pierre Cadieux

Eric S. Raymond

Gilles Vollant

and with the following additions to the disclaimer:

There is no warranty against interference with your enjoyment of the library or against infringement. There is no warranty that our efforts or the library will fulfill any of your particular purposes or needs. This library is provided with all faults, and the entire risk of satisfactory quality, performance, accuracy, and effort is with the user.

libpng versions 0.97, January 1998, through 1.0.6, March 20, 2000, are Copyright (c) 1998, 1999, 2000 Glenn Randers-Pehrson, and are distributed according to the same disclaimer and license as libpng-0.96, with the following individuals added to the list of Contributing Authors:

Tom Lane

Glenn Randers-Pehrson

Willem van Schaik

libpng versions 0.89, June 1996, through 0.96, May 1997, are Copyright (c) 1996, 1997 Andreas Dilger  
Distributed according to the same disclaimer and license as libpng-0.88, with the following individuals added to the list of Contributing Authors:

John Bowler

Kevin Bracey

Sam Bushell

Magnus Holmgren

Greg Roelofs

Tom Tanner

libpng versions 0.5, May 1995, through 0.88, January 1996, are Copyright (c) 1995, 1996 Guy Eric Schalnat, Group 42, Inc.

For the purposes of this copyright and license, "Contributing Authors" is defined as the following set of individuals:

Andreas Dilger  
Dave Martindale  
Guy Eric Schalnat  
Paul Schmidt  
Tim Wegner

The PNG Reference Library is supplied "AS IS". The Contributing Authors and Group 42, Inc. disclaim all warranties, expressed or implied, including, without limitation, the warranties of merchantability and of fitness for any purpose. The Contributing Authors and Group 42, Inc. assume no liability for direct, indirect, incidental, special, exemplary, or consequential damages, which may result from the use of the PNG Reference Library, even if advised of the possibility of such damage.

Permission is hereby granted to use, copy, modify, and distribute this source code, or portions hereof, for any purpose, without fee, subject to the following restrictions:

1. The origin of this source code must not be misrepresented.
2. Altered versions must be plainly marked as such and must not be misrepresented as being the original source.
3. This Copyright notice may not be removed or altered from any source or altered source distribution.

The Contributing Authors and Group 42, Inc. specifically permit, without fee, and encourage the use of this source code as a component to supporting the PNG file format in commercial products. If you use this source code in a product, acknowledgment is not required but would be appreciated.

=====  
=====

Notice for Unicode Character Database

=====

Copyright (c) 1991-2005 Unicode, Inc. All rights reserved. Distributed under the Terms of Use in <http://www.unicode.org/copyright.html>.



Permission is hereby granted, free of charge, to any person obtaining a copy of the Unicode data files and any associated documentation (the "Data Files") or Unicode software and any associated documentation (the "Software") to deal in the Data Files or Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, and/or sell copies of the Data Files or Software, and to permit persons to whom the Data Files or Software are furnished to do so, provided that (a) the above copyright notice(s) and this permission notice appear with all copies of the Data Files or Software, (b) both the above copyright notice(s) and this permission notice appear in associated documentation, and (c) there is clear notice in each modified Data File or in the Software as well as in the documentation associated with the Data File(s) or Software that the data or software has been modified.

THE DATA FILES AND SOFTWARE ARE PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT OF THIRD PARTY RIGHTS. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS NOTICE BE LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL DAMAGES, OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THE DATA FILES OR SOFTWARE.

Except as contained in this notice, the name of a copyright holder shall not be used in advertising or otherwise to promote the sale, use or other dealings in these Data Files or Software without prior written authorization of the copyright holder.

=====  
=====

Notice for IETF RFCs prior to 2005

=====

This distribution may contain software that is based in part on the work of the following IETF RFCs. Portions of the IETF RFC specifications may be included in source code comments for reference, and in accordance with the licensing terms, the licenses are reproduced here:

RFC 1779 - A String Representation of Distinguished Names

RFC 2045 - Multipurpose Internet Mail Extensions (MIME) Part One: Format of

## Internet Message Bodies

RFC 2251 - Lightweight Directory Access Protocol (v3)

Copyright (C) The Internet Society (1997). All Rights Reserved.

RFC 2253 - Lightweight Directory Access Protocol (v3): UTF-8 String Representation of Distinguished Names

Copyright (C) The Internet Society (1997). All Rights Reserved.

RFC 2313 - PKCS #1: RSA Encryption

Copyright (C) The Internet Society (1998). All Rights Reserved.

RFC 2315 - PKCS #7: Cryptographic Message Syntax

Copyright (C) The Internet Society (1998). All Rights Reserved.

RFC 2459 - Internet X.509 Public Key Infrastructure Certificate and CRL Profile

Copyright (C) The Internet Society (1999). All Rights Reserved.

RFC 2616 - Hypertext Transfer Protocol -- HTTP/1.1

Copyright (C) The Internet Society (1999). All Rights Reserved.

RFC 2781 - UTF-16, an encoding of ISO 10646

Copyright (C) The Internet Society (2000). All Rights Reserved.

RFC 2891 - LDAP Control Extension for Server Side Sorting of Search Results

Copyright (C) The Internet Society (2000). All Rights Reserved.

RFC 2985 - PKCS #9: Selected Object Classes and Attribute Types

Copyright (C) The Internet Society (2000). All Rights Reserved.

RFC 3161 - Internet X.509 Public Key Infrastructure Time-Stamp Protocol (TSP)

Copyright (C) The Internet Society (2001). All Rights Reserved.

RFC 3280 - Internet X.509 Public Key Infrastructure, Certificate and Certificate Revocation List (CRL) Profile

Copyright (C) The Internet Society (2002). All Rights Reserved.

INTERNET-DRAFT - Persistent Search: A Simple LDAP Change Notification Mechanism

<draft-ietf-ldapext-psearch-03.txt>

Copyright (C) The Internet Society (1997-2000). All Rights Reserved.

The following statement applies to each RFC:

This document and translations of it may be copied and furnished to others, and derivative works that comment on or otherwise explain it or assist in its implementation may be prepared, copied, published and distributed, in whole or in part, without restriction of any kind, provided that the above copyright notice and this paragraph are

included on all such copies and derivative works. However, this document itself may not be modified in any way, such as by removing the copyright notice or references to the Internet Society or other Internet organizations, except as needed for the purpose of developing Internet standards in which case the procedures for copyrights defined in the Internet Standards process must be followed, or as required to translate it into languages other than English.

The limited permissions granted above are perpetual and will not be revoked by the Internet Society or its successors or assigns.

This document and the information contained herein is provided on an "AS IS" basis and THE INTERNET SOCIETY AND THE INTERNET ENGINEERING TASK FORCE DISCLAIMS ALL WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO ANY WARRANTY THAT THE USE OF THE INFORMATION HEREIN WILL NOT INFRINGE ANY RIGHTS OR ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.

Notice for IETF RFCs from 2005 onwards

=====

This distribution may contain software that is based in part on the work of the following IETF RFCs. Portions of the IETF RFC specifications may be included in source code comments for reference, and in accordance with the licensing terms, the licenses are reproduced here:

RFC 4122 - A Universally Unique Identifier (UUID) URN Namespace  
Copyright (C) The Internet Society (2005).

The following statement applies to this RFC:

Copyright (C) The Internet Society (2005).

This document is subject to the rights, licenses and restrictions contained in BCP 78, and except as set forth therein, the authors retain all their rights.

This document and the information contained herein are provided on an "AS IS" basis and THE CONTRIBUTOR, THE ORGANIZATION HE/SHE REPRESENTS OR IS SPONSORED BY (IF ANY), THE INTERNET SOCIETY AND THE INTERNET ENGINEERING TASK FORCE DISCLAIM ALL WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO ANY WARRANTY THAT THE USE OF THE INFORMATION HEREIN WILL NOT INFRINGE ANY RIGHTS OR ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.

=====  
=====

Notice for RSA Public-Key Cryptography Standards

=====

Portions of Apache Harmony reference RSA Public-Key Cryptography Standards: PKCS#7, PKCS#8 and PKSC#10. Portions of these standards are included in Harmony Javadoc for reference, and in accordance with the licensing terms for PKCS#7, PKCS#8 and PKSC#10, the full copyright statement is here:

Copyright 1991-1993 RSA Laboratories, a division of RSA Data Security, Inc. License to copy this document is granted provided that it is identified as "RSA Data Security, Inc. Public-Key Cryptography Standards (PKCS)" in all material mentioning or referencing this document.

=====  
=====

Notice for Apache Yoko

=====

This distribution may contain software that is based in part on Apache Yoko for which the following notice applies:

Apache Yoko is an effort undergoing incubation at the Apache Software Foundation (ASF). Incubation is required of all newly accepted projects until a further review indicates that the infrastructure, communications, and decision making process have stabilized in a manner consistent with other successful ASF projects. While incubation status is not necessarily a reflection of the completeness or stability of the code, it does indicate that the project has yet to be fully endorsed by the ASF.

<http://incubator.apache.org/yoko/>

=====  
=====

Notice for the Eclipse JDT Core Batch Compiler

=====

The license terms for the Eclipse JDT Core Batch Compiler are available at  
<http://www.eclipse.org/legal/epl-v10.html>

Source code for the Eclipse JDT Core Batch Compiler can be found at:  
<http://download.eclipse.org/eclipse/downloads/>

Navigate to the version of ECJ used in this distribution, and the source is provided in a ZIP file in the section titled "JDT Core Batch Compiler".

=====

License notice for the DejaVu fonts package

=====

Fonts are (c) Bitstream (see below). DejaVu changes are in public domain.  
Glyphs imported from Arev fonts are (c) Tavmjung Bah (see below)

Bitstream Vera Fonts Copyright

-----

Copyright (c) 2003 by Bitstream, Inc. All Rights Reserved. Bitstream Vera is a trademark of Bitstream, Inc.

Permission is hereby granted, free of charge, to any person obtaining a copy of the fonts accompanying this license ("Fonts") and associated documentation files (the "Font Software"), to reproduce and distribute the Font Software, including without limitation the rights to use, copy, merge, publish, distribute, and/or sell copies of the Font Software, and to permit persons to whom the Font Software is furnished to do so, subject to the following conditions:

The above copyright and trademark notices and this permission notice shall be included in all copies of one or more of the Font Software typefaces.

The Font Software may be modified, altered, or added to, and in particular the designs of glyphs or characters in the Fonts may be modified and

additional glyphs or characters may be added to the Fonts, only if the fonts are renamed to names not containing either the words "Bitstream" or the word "Vera".

This License becomes null and void to the extent applicable to Fonts or Font Software that has been modified and is distributed under the "Bitstream Vera" names.

The Font Software may be sold as part of a larger software package but no copy of one or more of the Font Software typefaces may be sold by itself.

THE FONT SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO ANY WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT OF COPYRIGHT, PATENT, TRADEMARK, OR OTHER RIGHT. IN NO EVENT SHALL BITSTREAM OR THE GNOME FOUNDATION BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, INCLUDING ANY GENERAL, SPECIAL, INDIRECT, INCIDENTAL, OR CONSEQUENTIAL DAMAGES, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF THE USE OR INABILITY TO USE THE FONT SOFTWARE OR FROM OTHER DEALINGS IN THE FONT SOFTWARE.

Except as contained in this notice, the names of Gnome, the Gnome Foundation, and Bitstream Inc., shall not be used in advertising or otherwise to promote the sale, use or other dealings in this Font Software without prior written authorization from the Gnome Foundation or Bitstream Inc., respectively. For further information, contact: fonts at gnome dot org.

Arev Fonts Copyright

-----

Copyright (c) 2006 by Tavmjong Bah. All Rights Reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy of the fonts accompanying this license ("Fonts") and associated documentation files (the "Font Software"), to reproduce and distribute the modifications to the Bitstream Vera Font Software, including without limitation the rights to use, copy, merge, publish, distribute, and/or sell copies of the Font Software, and to permit persons to whom the Font Software is furnished to do so, subject to the following conditions:

The above copyright and trademark notices and this permission notice shall be included in all copies of one or more of the Font Software typefaces.

The Font Software may be modified, altered, or added to, and in particular the designs of glyphs or characters in the Fonts may be

modified and additional glyphs or characters may be added to the Fonts, only if the fonts are renamed to names not containing either the words "Tavmjong Bah" or the word "Arev".

This License becomes null and void to the extent applicable to Fonts or Font Software that has been modified and is distributed under the "Tavmjong Bah Arev" names.

The Font Software may be sold as part of a larger software package but no copy of one or more of the Font Software typefaces may be sold by itself.

THE FONT SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO ANY WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NON-INFRINGEMENT OF COPYRIGHT, PATENT, TRADEMARK, OR OTHER RIGHT. IN NO EVENT SHALL TAVMJONG BAH BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, INCLUDING ANY GENERAL, SPECIAL, INDIRECT, INCIDENTAL, OR CONSEQUENTIAL DAMAGES, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF THE USE OR INABILITY TO USE THE FONT SOFTWARE OR FROM OTHER DEALINGS IN THE FONT SOFTWARE.

Except as contained in this notice, the name of Tavmjong Bah shall not be used in advertising or otherwise to promote the sale, use or other dealings in this Font Software without prior written authorization from Tavmjong Bah. For further information, contact: tavmjong @ free . fr.

=====  
=====

License notice for ASM

=====

ASM: a very small and fast Java bytecode manipulation framework  
Copyright (c) 2000-2005 INRIA, France Telecom  
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright

notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

3. Neither the name of the copyright holders nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

=====  
=====

#### License notice for Junit

=====

This distribution may contain a jar file based on Junit 4.2.1 for which the following notice applies:

Copyright 2001-2009 Kent Beck <kent@threeiversinstitute.org>

Copyright 2000-2009 Erich Gamma <erich\_gamma@acm.org>

Copyright 2006-2009 David Saff <david@saff.net>

#### Common Public License - v 1.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS COMMON PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

#### 1. DEFINITIONS

"Contribution" means:

- a) in the case of the initial Contributor, the initial code and documentation distributed under this Agreement, and
- b) in the case of each subsequent Contributor:



i) changes to the Program, and

ii) additions to the Program;

where such changes and/or additions to the Program originate from and are distributed by that particular Contributor. A Contribution 'originates' from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include additions to the Program which: (i) are separate modules of software distributed in conjunction with the Program under their own license agreement, and (ii) are not derivative works of the Program.

"Contributor" means any person or entity that distributes the Program.

"Licensed Patents " mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement, including all Contributors.

## 2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare derivative works of, publicly display, publicly perform, distribute and sublicense the Contribution of such Contributor, if any, and such derivative works, in source code and object code form.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in source code and object code form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor

disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

### 3. REQUIREMENTS

A Contributor may choose to distribute the Program in object code form under its own license agreement, provided that:

a) it complies with the terms and conditions of this Agreement; and

b) its license agreement:

i) effectively disclaims on behalf of all Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;

ii) effectively excludes on behalf of all Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;

iii) states that any provisions which differ from this Agreement are offered by that Contributor alone and not by any other party; and

iv) states that source code for the Program is available from such Contributor, and informs licensees how to obtain it in a reasonable manner on or through a medium customarily used for software exchange.

When the Program is made available in source code form:

a) it must be made available under this Agreement; and

b) a copy of this Agreement must be included with each copy of the Program.

Contributors may not remove or alter any copyright notices contained within the Program.

Each Contributor must identify itself as the originator of its Contribution, if any, in a manner that reasonably allows subsequent Recipients to identify the originator of the Contribution.

#### 4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

#### 5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

## 6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

## 7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against a Contributor with respect to a patent applicable to software (including a cross-claim or counterclaim in a lawsuit), then any patent licenses granted by that Contributor to such Recipient under this Agreement shall terminate as of the date such litigation is filed. In addition, if Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. IBM is the initial Agreement Steward. IBM may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be distributed subject to the version of the Agreement under which it was received. In addition, after a new version of

the Agreement is published, Contributor may elect to distribute the Program (including its Contributions) under the new version. Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved.

This Agreement is governed by the laws of the State of New York and the intellectual property laws of the United States of America. No party to this Agreement will bring a legal action under this Agreement more than one year after the cause of action arose. Each party waives its rights to a jury trial in any resulting litigation.

=====  
=====

The Apache Harmony DRLVM uses the Apache Portable Runtime which includes a number of subcomponents with separate copyright notices and license terms. Your use of the source code for the these subcomponents is subject to the terms and conditions of the following licenses.

From strings/apr\_fnmatch.c, include/apr\_fnmatch.h, misc/unix/getopt.c, file\_io/unix/mktemp.c, strings/apr\_strings.c:

```
/*
 * Copyright (c) 1987, 1993, 1994
 *   The Regents of the University of California. All rights reserved.
 *
 * Redistribution and use in source and binary forms, with or without
 * modification, are permitted provided that the following conditions
 * are met:
 * 1. Redistributions of source code must retain the above copyright
 * notice, this list of conditions and the following disclaimer.
 * 2. Redistributions in binary form must reproduce the above copyright
 * notice, this list of conditions and the following disclaimer in the
 * documentation and/or other materials provided with the distribution.
 * 3. All advertising materials mentioning features or use of this software
 * must display the following acknowledgement:
 *   This product includes software developed by the University of
 *   California, Berkeley and its contributors.
 * 4. Neither the name of the University nor the names of its contributors
 * may be used to endorse or promote products derived from this software
 * without specific prior written permission.
 *
```

\* THIS SOFTWARE IS PROVIDED BY THE REGENTS AND CONTRIBUTORS ``AS IS" AND  
\* ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE  
\* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE  
\* ARE DISCLAIMED. IN NO EVENT SHALL THE REGENTS OR CONTRIBUTORS BE LIABLE  
\* FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL  
\* DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS  
\* OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)  
\* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT  
\* LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY  
\* OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF  
\* SUCH DAMAGE.

From network\_io/unix/inet\_ntop.c, network\_io/unix/inet\_pton.c:

/\* Copyright (c) 1996 by Internet Software Consortium.

\*

\* Permission to use, copy, modify, and distribute this software for any  
\* purpose with or without fee is hereby granted, provided that the above  
\* copyright notice and this permission notice appear in all copies.

\*

\* THE SOFTWARE IS PROVIDED "AS IS" AND INTERNET SOFTWARE CONSORTIUM DISCLAIMS  
\* ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES  
\* OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL INTERNET SOFTWARE  
\* CONSORTIUM BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL  
\* DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR  
\* PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS  
\* ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS  
\* SOFTWARE.

From dso/aix/dso.c:

\* Based on libdl (dlfcn.c/dlfcn.h) which is

\* Copyright (c) 1992,1993,1995,1996,1997,1988

\* Jens-Uwe Mager, Helios Software GmbH, Hannover, Germany.

\*

\* Not derived from licensed software.

\*

\* Permission is granted to freely use, copy, modify, and redistribute  
\* this software, provided that the author is not construed to be liable  
\* for any results of using the software, alterations are clearly marked  
\* as such, and this notice is not modified.

From strings/apr\_strnatcmp.c, include/apr\_strings.h:

strnatcmp.c -- Perform 'natural order' comparisons of strings in C.

Copyright (C) 2000 by Martin Pool <mbp@humblebug.org.au>

This software is provided 'as-is', without any express or implied

warranty. In no event will the authors be held liable for any damages arising from the use of this software.

Permission is granted to anyone to use this software for any purpose, including commercial applications, and to alter it and redistribute it freely, subject to the following restrictions:

1. The origin of this software must not be misrepresented; you must not claim that you wrote the original software. If you use this software in a product, an acknowledgment in the product documentation would be appreciated but is not required.
2. Altered source versions must be plainly marked as such, and must not be misrepresented as being the original software.
3. This notice may not be removed or altered from any source distribution.

From strings/apr\_sprintf.c:

```
*  
* cvt - IEEE floating point formatting routines.  
*   Derived from UNIX V7, Copyright(C) Caldera International Inc.  
*
```

Copyright(C) Caldera International Inc. 2001-2002. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

Redistributions of source code and documentation must retain the above copyright notice, this list of conditions and the following disclaimer.

Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

All advertising materials mentioning features or use of this software must display the following acknowledgement:

This product includes software developed or owned by Caldera International, Inc.

Neither the name of Caldera International, Inc. nor the names of other contributors may be used to endorse or promote products derived from this software without specific prior written permission.

USE OF THE SOFTWARE PROVIDED FOR UNDER THIS LICENSE BY CALDERA INTERNATIONAL, INC. AND CONTRIBUTORS ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF

MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL CALDERA INTERNATIONAL, INC. BE LIABLE FOR ANY DIRECT, INDIRECT INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

=====  
=====

License notice for Hamcrest

=====

BSD License

Copyright (c) 2000-2006, www.hamcrest.org  
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

Neither the name of Hamcrest nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN



CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

=====  
=====  
The Trove library is licensed under the Lesser GNU Public License,  
which is included with the distribution in a file called trove\_license.txt.

The PrimeFinder and HashFunctions classes in Trove are subject to the following license restrictions:

Copyright (c) 1999 CERN - European Organization for Nuclear Research.

Permission to use, copy, modify, distribute and sell this software and its documentation for any purpose is hereby granted without fee, provided that the above copyright notice appear in all copies and that both that copyright notice and this permission notice appear in supporting documentation. CERN makes no representations about the suitability of this software for any purpose. It is provided "as is" without expressed or implied warranty.

Copyright (c) 2005-2010 Sam Stephenson

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Copyright (C) 2009-2015 The Project Lombok Authors.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is

furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

MIT License

Copyright (c) 2019 Microsoft Corporation, Daan Leijen

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

=====  
== NOTICE file corresponding to the section 4 d of ==  
== the Apache License, Version 2.0, ==  
== in this case for the Kotlin Compiler distribution. ==  
=====

Kotlin Compiler  
Copyright 2010-2020 JetBrains s.r.o and respective authors and developers  
Eclipse Distribution License - v 1.0

Copyright (c) 2007, Eclipse Foundation, Inc. and its licensors.

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the

following conditions are met:

Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

Neither the name of the Eclipse Foundation, Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Eclipse Public License - v 1.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

## 1. DEFINITIONS

"Contribution" means:

a) in the case of the initial Contributor, the initial code and documentation distributed under this Agreement, and

b) in the case of each subsequent Contributor:

i) changes to the Program, and

ii) additions to the Program;

where such changes and/or additions to the Program originate from and are distributed by that particular Contributor. A Contribution 'originates' from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include additions to the Program which: (i) are separate modules of software distributed in conjunction with the Program under their own license agreement, and (ii) are not derivative works of the Program.

"Contributor" means any person or entity that distributes the Program.

"Licensed Patents" mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement, including all Contributors.

## 2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare derivative works of, publicly display, publicly perform, distribute and sublicense the Contribution of such Contributor, if any, and such derivative works, in source code and object code form.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in source code and object code form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

## 3. REQUIREMENTS

A Contributor may choose to distribute the Program in object code form under its own license agreement, provided that:

a) it complies with the terms and conditions of this Agreement; and

b) its license agreement:

i) effectively disclaims on behalf of all Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;

ii) effectively excludes on behalf of all Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;

iii) states that any provisions which differ from this Agreement are offered by that Contributor alone and not by any other party; and

iv) states that source code for the Program is available from such Contributor, and informs licensees how to obtain it

in a reasonable manner on or through a medium customarily used for software exchange.

When the Program is made available in source code form:

- a) it must be made available under this Agreement; and
- b) a copy of this Agreement must be included with each copy of the Program.

Contributors may not remove or alter any copyright notices contained within the Program.

Each Contributor must identify itself as the originator of its Contribution, if any, in a manner that reasonably allows subsequent Recipients to identify the originator of the Contribution.

#### 4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

#### 5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

#### 6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

## 7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to distribute the Program (including its Contributions) under the new version. Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved.

This Agreement is governed by the laws of the State of New York and the intellectual property laws of the United States of America. No party to this Agreement will bring a legal action under this Agreement more than one year after the cause of action arose. Each party waives its rights to a jury trial in any resulting litigation.

This license applies to all parts of Dart that are not externally maintained libraries. The external maintained libraries used by Dart are:

7-Zip - in third\_party/7zip

JSCORE - in runtime/third\_party/jscre

Ant - in third\_party/apache\_ant  
args4j - in third\_party/args4j  
bzip2 - in third\_party/bzip2  
dromaeo - in samples/third\_party/dromaeo  
Eclipse - in third\_party/eclipse  
gsutil = in third\_party/gsutil  
Guava - in third\_party/guava  
hamcrest - in third\_party/hamcrest  
HttpLib2 - in samples/third\_party/httpLib2  
JSON - in third\_party/json  
JUnit - in third\_party/junit  
Oauth - in samples/third\_party/oauth2client  
Rhino - in third\_party/rhino  
weberknecht - in third\_party/weberknecht

The libraries may have their own licenses; we recommend you read them, as their terms may differ from the terms below.

Copyright 2012, the Dart project authors. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- \* Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

libffi - Copyright (c) 1996-2014 Anthony Green, Red Hat, Inc and others.

See source files for details.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the ``Software"), to deal in the Software without restriction, including

without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED ``AS IS'', WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.



"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You

institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.  
Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.
6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. **Disclaimer of Warranty.** Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. **Limitation of Liability.** In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. **Accepting Warranty or Additional Liability.** While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

## APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "{}" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright {yyyy} {name of copyright owner}

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

The Apache 2 license (given in full in [LICENSE.txt](LICENSE.txt)) applies to all code in this repository which is copyright by JetBrains. The following sections of the repository contain third-party code, to which different licenses may apply:

### ## Kotlin Compiler

The following modules contain third-party code and are incorporated into the Kotlin compiler and/or the Kotlin IntelliJ IDEA plugin:

- Path: compiler/backend/src/org/jetbrains/kotlin/codegen/inline/MaxStackSizeAndLocalsCalculator.java
  - License: BSD ([license/third\_party/asm\_license.txt][asm])
  - Origin: Derived from ASM: a very small and fast Java bytecode manipulation framework, Copyright (c) 2000-2011 INRIA, France Telecom
- Path: compiler/backend/src/org/jetbrains/kotlin/codegen/inline/MaxLocalsCalculator.java
  - License: BSD ([license/third\_party/asm\_license.txt][asm])
  - Origin: Derived from ASM: a very small and fast Java bytecode manipulation framework, Copyright (c) 2000-2011 INRIA, France Telecom
- Path: compiler/backend/src/org/jetbrains/kotlin/codegen/optimization/common/FastMethodAnalyzer.kt
  - License: BSD ([license/third\_party/asm\_license.txt][asm])
  - Origin: Derived from ASM: a very small and fast Java bytecode manipulation framework, Copyright (c) 2000-2011 INRIA, France Telecom

- Path: compiler/backend/src/org/jetbrains/kotlin/codegen/optimization/common/InstructionLivenessAnalyzer.kt
  - License: BSD ([license/third\_party/asm\_license.txt][asm])
  - Origin: Derived from ASM: a very small and fast Java bytecode manipulation framework, Copyright (c) 2000-2011 INRIA, France Telecom
  
- Path: compiler/backend/src/org/jetbrains/kotlin/codegen/optimization/common/ControlFlowGraph.kt
  - License: BSD ([license/third\_party/asm\_license.txt][asm])
  - Origin: Derived from ASM: a very small and fast Java bytecode manipulation framework, Copyright (c) 2000-2011 INRIA, France Telecom
  
- Path: compiler/backend/src/org/jetbrains/kotlin/codegen/optimization/fixStack/FastStackAnalyzer.kt
  - License: BSD ([license/third\_party/asm\_license.txt][asm])
  - Origin: Derived from ASM: a very small and fast Java bytecode manipulation framework, Copyright (c) 2000-2011 INRIA, France Telecom
  
- Path: compiler/backend/src/org/jetbrains/kotlin/codegen/optimization/temporaryVals/FastStoreLoadAnalyzer.kt
  - License: BSD ([license/third\_party/asm\_license.txt][asm])
  - Origin: Derived from ASM: a very small and fast Java bytecode manipulation framework, Copyright (c) 2000-2011 INRIA, France Telecom
  
- Path: core/reflection.jvm/src/kotlin.reflect/jvm/internal/pcollections
  - License: MIT ([license/third\_party/pcollections\_LICENSE.txt][pcollections])
  - Origin: Derived from PCollections, A Persistent Java Collections Library (<https://pcollections.org/>)
  
- Path: eval4j/src/org/jetbrains/eval4j/interpreterLoop.kt
  - License: BSD ([license/third\_party/asm\_license.txt][asm])
  - Origin: Derived from ASM: a very small and fast Java bytecode manipulation framework, Copyright (c) 2000-2011 INRIA, France Telecom
  
- Path: compiler/backend/src/org/jetbrains/kotlin/codegen/optimization/common/OptimizationBasicInterpreter.java
  - License: BSD ([license/third\_party/asm\_license.txt][asm])
  - Origin: Derived from ASM: a very small and fast Java bytecode manipulation framework, Copyright (c) 2000-2011 INRIA, France Telecom
  
- Path: js/js.ast
  - License: BSD ([license/third\_party/dart\_LICENSE.txt][dart])
  - Origin: Originally part of the Dart compiler, (c) 2011 the Dart Project Authors,
  
- Path: js/js.inliner/src/org/jetbrains/kotlin/js/inline/FunctionInlineMutator.kt
  - License: BSD ([license/third\_party/dart\_LICENSE.txt][dart])
  - Origin: Originally part of the Dart compiler, (c) 2011 the Dart Project Authors,
  
- Path: js/js.parser/src/com/google
  - License: Netscape Public License 1.1 ([license/third\_party/rhino\_LICENSE.txt][rhino])
  - Origin: Originally part of GWT, (C) 2007-08 Google Inc., distributed under the Apache 2 license. The code is derived from Rhino, (C) 1997-1999 Netscape Communications Corporation, distributed under the Netscape Public License.

- Path: js/js.translator/qunit/qunit.js
  - License: MIT ([license/third\_party/qunit\_license.txt][qunit])
  - Origin: QUnit, Copyright (c) 2012 John Resig, Jrn Zaefferer,
  
- Path: libraries/stdlib/src/kotlin/collections
  - License: Apache 2 ([license/third\_party/gwt\_license.txt][gwt])
  - Origin: Derived from GWT, (C) 2007-08 Google Inc.
  
- Path: libraries/stdlib/unsigned/src/kotlin/UnsignedUtils.kt
  - License: Apache 2 ([license/third\_party/guava\_license.txt][guava])
  - Origin: Derived from Guava's UnsignedLongs, (C) 2011 The Guava Authors
  
- Path: libraries/stdlib/jvm/src/kotlin/util/MathJVM.kt
  - License: Boost Software License 1.0 ([license/third\_party/boost\_LICENSE.txt][boost])
  - Origin: Derived from boost special math functions, Copyright Eric Ford & Hubert Holin 2001.
  
- Path: libraries/stdlib/js/src/kotlin/collections
  - License: Apache 2 ([license/third\_party/gwt\_license.txt][gwt])
  - Origin: Derived from GWT, (C) 2007-08 Google Inc.
  
- Path: libraries/stdlib/js-v1/src/js/long.js
  - License: Apache 2 ([license/third\_party/closure-compiler\_LICENSE.txt][closure-compiler])
  - Origin: Google Closure Library, Copyright 2009 The Closure Library Authors
  
- Path: libraries/stdlib/js-v1/src/js/polyfills.js
  - License: Boost Software License 1.0 ([license/third\_party/boost\_LICENSE.txt][boost])
  - Origin: Derived from boost special math functions, Copyright Eric Ford & Hubert Holin 2001.
  
- Path: libraries/stdlib/wasm/internal/kotlin/wasm/internal/Number2String.kt
  - License: Apache 2 ([third\_party/assemblyscript\_license.txt][assemblyscript])
  - Origin: Derived from assemblyscript standard library
  
- Path: plugins/lint/android-annotations
  - License: Apache 2 ([license/third\_party/aosp\_license.txt][aosp])
  - Origin: Copyright (C) 2011-15 The Android Open Source Project
  
- Path: plugins/lint/lint-api
  - License: Apache 2 ([license/third\_party/aosp\_license.txt][aosp])
  - Origin: Copyright (C) 2011-15 The Android Open Source Project
  
- Path: plugins/lint/lint-checks
  - License: Apache 2 ([license/third\_party/aosp\_license.txt][aosp])
  - Origin: Copyright (C) 2011-15 The Android Open Source Project
  
- Path: plugins/lint/lint-idea
  - License: Apache 2 ([license/third\_party/aosp\_license.txt][aosp])
  - Origin: Copyright (C) 2011-15 The Android Open Source Project

- Path: wasm/ir/src/org/jetbrains/kotlin/wasm/ir/convertors
  - License: MIT ([license/third\_party/asmble\_license.txt][asmble])
  - Origin: Copyright (C) 2018 Chad Retz
  
- Path: compiler/tests-common/tests/org/jetbrains/kotlin/codegen/ir/ComposeLikeGenerationExtension.kt
  - License: Apache 2 ([license/third\_party/aosp\_license.txt][aosp])
  - Origin: Derived from JetPack Compose compiler plugin code, Copyright 2019 The Android Open Source Project

## ## Kotlin Test Data

The following source code is used for testing the Kotlin compiler and/or plugin and is not incorporated into any distributions of the compiler, libraries or plugin:

- Path: third-party/annotations/android
  - License: Apache 2 ([license/third\_party/aosp\_license.txt][aosp])
  - Origin: Copyright (C) 2011-15 The Android Open Source Project
  
- Path: third-party/annotations/com/android
  - License: Apache 2 ([license/third\_party/aosp\_license.txt][aosp])
  - Origin: Copyright (C) 2011-15 The Android Open Source Project
  
- Path: third-party/annotations/org/eclipse
  - License: Eclipse Public License v1.0 ([license/third\_party/testdata/eclipse\_license.txt][eclipse])
  - Origin: Eclipse JDT, Copyright (c) 2011, 2013 Stephan Herrmann and others.
  
- Path: third-party/annotations/androidx
  - License: Apache 2 ([license/third\_party/aosp\_license.txt][aosp])
  - Origin: Copyright (C) 2011-15 The Android Open Source Project
  
- Path: third-party/annotations/edu/umd/cs/findbugs
  - License: LGPL 2.1 ([license/third\_party/testdata/findbugs\_license.txt][findbugs])
  - Origin: Bytecode Analysis Framework, Copyright (C) 2005 University of Maryland
  
- Path: third-party/java8-annotations/org/eclipse
  - License: Eclipse Public License v1.0 ([license/third\_party/testdata/eclipse\_license.txt][eclipse])
  - Origin: Eclipse JDT, Copyright (c) 2011, 2013 Stephan Herrmann and others.
  
- Path: third-party/annotations/io/reactivex
  - License: Apache 2 ([license/third\_party/testdata/rxjava\_license.txt][rxjava])
  - Origin: RxJava, Copyright (c) 2016-present, RxJava Contributors
  
- Path: third-party/java8-annotations/org/jspecify
  - License: Apache 2 ([license/third\_party/testdata/jspecify\_license.txt][jspecify])
  - Origin: JSpecify, Copyright (C) 2020 The JSpecify Authors
  
- Path: third-party/java9-annotations/org/jspecify

- License: Apache 2 ([license/third\_party/testdata/jspecify\_license.txt][jspecify])
- Origin: JSpecify, Copyright (C) 2020 The JSpecify Authors
  
- Path: third-party/annotations/lombok
- License: MIT ([license/third\_party/testdata/lombok\_license.txt][lombok])
- Origin: Project Lombok, Copyright (C) 2009-2013 The Project Lombok Authors
  
- Path: idea/idea-android/tests/org/jetbrains/kotlin/android/AndroidTestBase.java
- License: Apache 2 ([license/third\_party/aosp\_license.txt][aosp])
- Origin: Copyright (C) 2011-15 The Android Open Source Project
  
- Path: idea/testData/android/lintQuickfix/requiresApi/RequiresApi.java
- License: Apache 2 ([license/third\_party/aosp\_license.txt][aosp])
- Origin: Copyright (C) 2011-15 The Android Open Source Project
  
- Path: idea/testData/android/lint/IntRange.java
- License: Apache 2 ([license/third\_party/aosp\_license.txt][aosp])
- Origin: Copyright (C) 2011-15 The Android Open Source Project
  
- Path: idea/testData/android/lint/RequiresPermission.java
- License: Apache 2 ([license/third\_party/aosp\_license.txt][aosp])
- Origin: Copyright (C) 2011-15 The Android Open Source Project
  
- Path: libraries/tools/kotlin-gradle-plugin-integration-tests/src/test/resources/testProject/allOpenSpring/src/org/springframework/stereotype/Component.java
- License: Apache 2 ([license/third\_party/testdata/spring\_license.txt][spring])
- Origin: Spring Framework, Copyright 2002-2007 the original author or authors.
  
- Path: libraries/tools/kotlin-gradle-plugin-integration-tests/src/test/resources/testProject/AndroidDaggerProject
- License: Apache 2 ([license/third\_party/testdata/dagger\_license.txt][dagger])
- Origin: Dagger, Copyright (C) 2013 Square, Inc.
  
- Path: libraries/tools/kotlin-gradle-plugin-integration-tests/src/test/resources/testProject/kapt2
- License: Apache 2 ([license/third\_party/testdata/dagger\_license.txt][dagger])
- Origin: Dagger, Copyright (C) 2013 Square, Inc.
  
- Path: libraries/tools/kotlin-maven-plugin-test/src/it/test-allopen-spring/src/main/java/org/springframework/stereotype/Component.java
- License: Apache 2 ([license/third\_party/testdata/spring\_license.txt][spring])
- Origin: Spring Framework, Copyright 2002-2007 the original author or authors.

### ## Kotlin Tools and Libraries Tests

The following source code is used for testing the Kotlin tools and/or libraries and is not incorporated into any distributions of the tools or libraries:

- Path: libraries/tools/kotlin-gradle-plugin-integration-tests/src/test/kotlin/org/jetbrains/kotlin/gradle/PluginsDslIT.kt
- License: Apache 2 ([license/third\_party/gradle\_license.txt][gradle])



- Origin: Gradle, Copyright 2002-2017 Gradle, Inc.
  
- Path: libraries/tools/kotlin-gradle-plugin-integration-tests/target/test-classes/testProject/noArgJpa/src/javax/persistence/Entity.java
  - License: Eclipse Public License v1.0 ([license/third\_party/testdata/eclipse\_license.txt][eclipse]) and Eclipse Distribution License - v1.0 ([license/third\_party/testdata/eclipse\_distribution\_license.txt][eclipse-distribution])
  - Origin: javax.persistence, Copyright (c) 2008, 2017 Sun Microsystems, Oracle Corporation.
  
- Path: libraries/tools/kotlin-gradle-plugin-integration-tests/src/test/resources/testProject/noArgJpa/src/javax/persistence/Entity.java
  - License: Eclipse Public License v1.0 ([license/third\_party/testdata/eclipse\_license.txt][eclipse]) and Eclipse Distribution License - v1.0 ([license/third\_party/testdata/eclipse\_distribution\_license.txt][eclipse-distribution])
  - Origin: javax.persistence, Copyright (c) 2008, 2017 Sun Microsystems, Oracle Corporation.
  
- Path: libraries/tools/kotlin-gradle-plugin-integration-tests/src/test/resources/testProject/noArgJpa/src/javax/persistence/Embeddable.java
  - License: Eclipse Public License v1.0 ([license/third\_party/testdata/eclipse\_license.txt][eclipse]) and Eclipse Distribution License - v1.0 ([license/third\_party/testdata/eclipse\_distribution\_license.txt][eclipse-distribution])
  - Origin: javax.persistence, Copyright (c) 2008, 2017 Sun Microsystems, Oracle Corporation.
  
- Path: libraries/tools/kotlin-test-js-runner/karma-kotlin-reporter.js
  - License: MIT ([license/third\_party/karma\_LICENSE.txt](third\_party/karma\_LICENSE.txt) and [license/third\_party/karma-teamcity-reporter\_LICENSE.txt](third\_party/karma-teamcity-reporter\_LICENSE.txt))
  - Origin: Copyright (C) 2011-2019 Google, Inc. and Copyright (C) 2011-2013 Vojta Jna and contributors.
  
- Path: libraries/tools/kotlin-test-js-runner/mocha-kotlin-reporter.js
  - License: MIT ([license/third\_party/mocha-teamcity-reporter\_LICENSE.txt](third\_party/mocha-teamcity-reporter\_LICENSE.txt))
  - Origin: Copyright (c) 2016 Jamie Sherriff
  
- Path: libraries/tools/kotlin-test-js-runner/src/utils.ts
  - License: MIT ([license/third\_party/teamcity-service-messages\_LICENSE.txt](third\_party/teamcity-service-messages\_LICENSE.txt) and [license/third\_party/lodash\_LICENSE.txt](third\_party/lodash\_LICENSE.txt))
  - Origin: Copyright (c) 2013 Aaron Forsander and Copyright JS Foundation and other contributors <<https://js.foundation/>>
  
- Path: libraries/tools/kotlin-test-js-runner/src/teamcity-format.js
  - License: MIT ([license/third\_party/mocha-teamcity-reporter\_LICENSE.txt](third\_party/mocha-teamcity-reporter\_LICENSE.txt) and [license/third\_party/teamcity-service-messages\_LICENSE.txt](third\_party/teamcity-service-messages\_LICENSE.txt))
  - Origin: Copyright (c) 2016 Jamie Sherriff and Copyright (c) 2013 Aaron Forsander

## ## Example Code

The following code is provided as examples and is not incorporated into any distributions of the compiler, libraries or plugin:

- Path: libraries/examples/browser-example/src/js/jquery.js
  - License: MIT ([license/third\_party/jquery\_license.txt][jquery])
  - Origin: jQuery JavaScript Library v1.6.2, Copyright 2011, John Resig
- Path: libraries/examples/browser-example-with-library/src/js/jquery.js
  - License: MIT ([license/third\_party/jquery\_license.txt][jquery])
  - Origin: jQuery JavaScript Library v1.6.2, Copyright 2011, John Resig

[aosp]: third\_party/aosp\_license.txt  
[asm]: third\_party/asm\_license.txt  
[boost]: third\_party/boost\_LICENSE.txt  
[closure-compiler]: third\_party/closure-compiler\_LICENSE.txt  
[dagger]: third\_party/testdata/dagger\_license.txt  
[dart]: third\_party/dart\_LICENSE.txt  
[eclipse]: third\_party/testdata/eclipse\_license.txt  
[eclipse-distribution]: third\_party/testdata/eclipse\_distribution\_license.txt  
[findbugs]: third\_party/testdata/findbugs\_license.txt  
[gradle]: third\_party/gradle\_license.txt  
[guava]: third\_party/guava\_license.txt  
[gwt]: third\_party/gwt\_license.txt  
[jquery]: third\_party/jquery\_license.txt  
[lombok]: third\_party/testdata/lombok\_license.txt  
[pcollections]: third\_party/pcollections\_LICENSE.txt  
[qunit]: third\_party/qunit\_license.txt  
[rhino]: third\_party/rhino\_LICENSE.txt  
[rxjava]: third\_party/testdata/rxjava\_license.txt  
[spring]: third\_party/testdata/spring\_license.txt  
[assemblyscript]: third\_party/assemblyscript\_license.txt

/\*

\* Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language contributors.

\* Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.

\*/

## GCC RUNTIME LIBRARY EXCEPTION

Version 3.1, 31 March 2009

Copyright (C) 2009 Free Software Foundation, Inc.

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

This GCC Runtime Library Exception ("Exception") is an additional permission under section 7 of the GNU General Public License, version

3 ("GPLv3"). It applies to a given file (the "Runtime Library") that bears a notice placed by the copyright holder of the file stating that the file is governed by GPLv3 along with this Exception.

When you use GCC to compile a program, GCC may combine portions of certain GCC header files and runtime libraries with the compiled program. The purpose of this Exception is to allow compilation of non-GPL (including proprietary) programs to use, in this way, the header files and runtime libraries covered by this Exception.

## 0. Definitions.

A file is an "Independent Module" if it either requires the Runtime Library for execution after a Compilation Process, or makes use of an interface provided by the Runtime Library, but is not otherwise based on the Runtime Library.

"GCC" means a version of the GNU Compiler Collection, with or without modifications, governed by version 3 (or a specified later version) of the GNU General Public License (GPL) with the option of using any subsequent versions published by the FSF.

"GPL-compatible Software" is software whose conditions of propagation, modification and use would permit combination with GCC in accord with the license of GCC.

"Target Code" refers to output from any compiler for a real or virtual target processor architecture, in executable form or suitable for input to an assembler, loader, linker and/or execution phase. Notwithstanding that, Target Code does not include data in any format that is used as a compiler intermediate representation, or used for producing a compiler intermediate representation.

The "Compilation Process" transforms code entirely represented in non-intermediate languages designed for human-written code, and/or in Java Virtual Machine byte code, into Target Code. Thus, for example, use of source code generators and preprocessors need not be considered part of the Compilation Process, since the Compilation Process can be understood as starting with the output of the generators or preprocessors.

A Compilation Process is "Eligible" if it is done using GCC, alone or with other GPL-compatible software, or if it is done without using any work based on GCC. For example, using non-GPL-compatible Software to optimize any GCC intermediate representations would not qualify as an Eligible Compilation Process.

## 1. Grant of Additional Permission.

You have permission to propagate a work of Target Code formed by combining the Runtime Library with Independent Modules, even if such propagation would otherwise violate the terms of GPLv3, provided that all Target Code was generated by Eligible Compilation Processes. You may then convey such a combination under terms of your choice, consistent with the licensing of the Independent Modules.

## 2. No Weakening of GCC Copyleft.

The availability of this Exception does not imply any general presumption that third-party software is unaffected by the copyleft requirements of the license of GCC.

Hopefully that text is self-explanatory. If it isn't, you need to speak to your lawyer, or the Free Software Foundation.  
Copyright (c) 2008 Harold Cooper

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Eclipse Public License, Version 1.0 (EPL-1.0)

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

## 1. DEFINITIONS

"Contribution" means:

- a) in the case of the initial Contributor, the initial code and documentation distributed under this Agreement, and

b) in the case of each subsequent Contributor:

- i) changes to the Program, and
- ii) additions to the Program;

where such changes and/or additions to the Program originate from and are distributed by that particular Contributor. A Contribution 'originates' from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include additions to the Program which: (i) are separate modules of software distributed in conjunction with the Program under their own license agreement, and (ii) are not derivative works of the Program.

"Contributor" means any person or entity that distributes the Program.

"Licensed Patents " mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement, including all Contributors.

## 2. GRANT OF RIGHTS

- a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare derivative works of, publicly display, publicly perform, distribute and sublicense the Contribution of such Contributor, if any, and such derivative works, in source code and object code form.
- b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in source code and object code form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution.  
No hardware per se is licensed hereunder.
- c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the

patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

- d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

### 3. REQUIREMENTS

A Contributor may choose to distribute the Program in object code form under its own license agreement, provided that:

- a) it complies with the terms and conditions of this Agreement; and
- b) its license agreement:
  - i) effectively disclaims on behalf of all Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;
  - ii) effectively excludes on behalf of all Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;
  - iii) states that any provisions which differ from this Agreement are offered by that Contributor alone and not by any other party; and
  - iv) states that source code for the Program is available from such Contributor, and informs licensees how to obtain it in a reasonable manner on or through a medium customarily used for software exchange.

When the Program is made available in source code form:

- a) it must be made available under this Agreement; and
- b) a copy of this Agreement must be included with each copy of the Program.

Contributors may not remove or alter any copyright notices contained within the Program.

Each Contributor must identify itself as the originator of its Contribution, if any, in a manner that reasonably allows subsequent Recipients to identify the originator of the Contribution.

#### 4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

#### 5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.

Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability

or interruption of operations.

## 6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

## 7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to distribute the Program



(including its Contributions) under the new version. Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved.

This Agreement is governed by the laws of the State of New York and the intellectual property laws of the United States of America. No party to this Agreement will bring a legal action under this Agreement more than one year after the cause of action arose. Each party waives its rights to a jury trial in any resulting litigation.

JSON

Copyright (c) 2002 JSON.org

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

The Software shall be used for Good, not Evil.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

/\*

\* Copyright 2000-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.

\* Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.

\*/

package tasks

```
import groovy.util.Node
import groovy.util.XmlParser
import org.gradle.api.DefaultTask
import org.gradle.api.file.RegularFileProperty
import org.gradle.api.provider.Property
import org.gradle.api.tasks.Input
import org.gradle.api.tasks.InputFile
```

```

import org.gradle.api.tasks.OutputFile
import org.gradle.api.tasks.TaskAction
import java.util.*

abstract class WriteCopyrightToFile : DefaultTask() {
    @InputFile
    val path = project.file("${project.rootDir}/.idea/copyright/apache.xml")

    @get:OutputFile
    abstract val outputFile: RegularFileProperty

    @get:Input
    val commented: Property<Boolean> = project.objects.property(Boolean::class.java).convention(true)

    @TaskAction
    fun write() {
        val file = outputFile.asFile.get()
        file.writeText(if (commented.get()) readCopyrightCommented() else readCopyright())
    }

    private fun readCopyright(): String {
        assert(path.exists()) {
            "File $path with copyright not found"
        }

        val xmlParser = XmlParser()
        val node = xmlParser.parse(path)
        assert(node.attribute("name") == "CopyrightManager") {
            "Format changed occasionally?"
        }

        val copyrightBlock = node.children().filterIsInstance<Node>().single()
        val noticeNode = copyrightBlock.children().filterIsInstance<Node>().single { it.attribute("name") == "notice" }
        return noticeNode.attribute("value").toString().replace("#36;today.year",
GregorianCalendar()[Calendar.YEAR].toString())
    }

    private fun readCopyrightCommented(): String {
        return "/*\n" + readCopyright().prependIndent(" * ") + "\n */"
    }
}

```

Apache License  
 Version 2.0, January 2004  
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

## 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent

to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
  - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
  - (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
  - (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work,

excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any

risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
  
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

#### END OF TERMS AND CONDITIONS

#### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS,

WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

See the License for the specific language governing permissions and limitations under the License.

The MIT License

Copyright (C) 2011-2013 Vojta Jna and contributors.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

MIT License

Copyright (c) 2018 Chad Retz

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

=====

== NOTICE file corresponding to the section 4 d of ==  
== the Apache License, Version 2.0, ==  
== in this case for the Kotlin Compiler distribution. ==

---

Kotlin Compiler

Copyright 2010-2017 JetBrains s.r.o and respective authors and developers

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes



of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You

meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor,

except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright 2000-2020 JetBrains s.r.o.

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software  
distributed under the License is distributed on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.

/\*\*

\* Copyright 2010 Tim Down.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Copyright (C) 2009-2021 The Project Lombok Authors.

Permission is hereby granted, free of charge, to any person obtaining a copy  
of this software and associated documentation files (the "Software"), to deal  
in the Software without restriction, including without limitation the rights  
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell  
copies of the Software, and to permit persons to whom the Software is  
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in  
all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR  
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,  
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE  
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER  
LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,  
OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN  
THE SOFTWARE.

The MIT License

Copyright (C) 2011-2019 Google, Inc.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

zlib.h -- interface of the 'zlib' general purpose compression library  
version 1.2.11, January 15th, 2017

Copyright (C) 1995-2017 Jean-loup Gailly and Mark Adler

This software is provided 'as-is', without any express or implied warranty. In no event will the authors be held liable for any damages arising from the use of this software.

Permission is granted to anyone to use this software for any purpose, including commercial applications, and to alter it and redistribute it freely, subject to the following restrictions:

1. The origin of this software must not be misrepresented; you must not claim that you wrote the original software. If you use this software in a product, an acknowledgment in the product documentation would be appreciated but is not required.
2. Altered source versions must be plainly marked as such, and must not be misrepresented as being the original software.
3. This notice may not be removed or altered from any source distribution.

Jean-loup Gailly      Mark Adler  
jloup@gzip.org      madler@alumni.caltech.edu  
SCALA LICENSE

Copyright (c) 2002-2012 EPFL, Lausanne, unless otherwise specified.  
All rights reserved.

This software was developed by the Programming Methods Laboratory of the Swiss Federal Institute of Technology (EPFL), Lausanne, Switzerland.

Permission to use, copy, modify, and distribute this software in source or binary form for any purpose with or without fee is hereby granted, provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. Neither the name of the EPFL nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE REGENTS AND CONTRIBUTORS ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE REGENTS OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

ASM: a very small and fast Java bytecode manipulation framework  
Copyright (c) 2000-2005 INRIA, France Telecom  
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. Neither the name of the copyright holders nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS"

AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

The MIT License (MIT)

Copyright (c) 2016 Jamie Sherriff

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common

control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.



2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
  - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
  - (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
  - (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
  - (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or

documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.
6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. **Disclaimer of Warranty.** Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. **Limitation of Liability.** In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill,

work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

---

Licenses for included components:

---

Eclipse Public License 1.0  
<https://opensource.org/licenses/EPL-1.0>

junit:junit  
org.sonatype.aether:aether-api  
org.sonatype.aether:aether-connector-wagon  
org.sonatype.aether:aether-impl  
org.sonatype.aether:aether-spi  
org.sonatype.aether:aether-util

---

3-Clause BSD  
<https://opensource.org/licenses/BSD-3-Clause>

com.google.code.findbugs:jsr305

org.hamcrest:hamcrest-core  
BSD License

Copyright (c) 2000-2015 [www.hamcrest.org](http://www.hamcrest.org)  
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

Redistributions of source code must retain the above copyright notice, this list of

conditions and the following disclaimer. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

Neither the name of Hamcrest nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

com.esotericsoftware.kryo:kryo

com.esotericsoftware.minlog:minlog

Copyright (c) 2008-2018, Nathan Sweet All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

Neither the name of Esoteric Software nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

org.ow2.asm:asm  
org.ow2.asm:asm-analysis  
org.ow2.asm:asm-commons  
org.ow2.asm:asm-tree  
org.ow2.asm:asm-util  
ASM: a very small and fast Java bytecode manipulation framework  
Copyright (c) 2000-2011 INRIA, France Telecom  
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. Neither the name of the copyright holders nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

-----  
MIT

com.googlecode.plist:dd-plist  
dd-plist - An open source library to parse and generate property lists  
Copyright (C) 2016 Daniel Dreibrodt

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in

all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

org.bouncycastle:bcpg-jdk15on

org.bouncycastle:bcprov-jdk15on

Copyright (c) 2000 - 2019 The Legion of the Bouncy Castle Inc. (<https://www.bouncycastle.org>)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

org.slf4j:jcl-over-slf4j

org.slf4j:jul-to-slf4j

org.slf4j:log4j-over-slf4j

org.slf4j:slf4j-api

Copyright (c) 2004-2017 QOS.ch

All rights reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,

EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

-----  
CDDL

<https://opensource.org/licenses/CDDL-1.0>

com.sun.xml.bind:jaxb-impl

-----  
LGPL 2.1

<https://www.gnu.org/licenses/old-licenses/lgpl-2.1.en.html>

org.samba.jcifs:jcifs

org.jetbrains.intellij.deps:trove4j

-----  
License for the GNU Trove library included by the Kotlin embeddable compiler

-----  
The source code for GNU Trove is licensed under the Lesser GNU Public License (LGPL).

Copyright (c) 2001, Eric D. Friedman All Rights Reserved. This library is free software; you can redistribute it and/or modify it under the terms of the GNU Lesser General Public License as published by the Free Software Foundation; either version 2.1 of the License, or (at your option) any later version. This library is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details. You should have received a copy of the GNU Lesser General Public License along with this program; if not, write to the Free Software Foundation, Inc., 59 Temple Place - Suite 330, Boston, MA 02111-1307, USA.

Two classes (HashFunctions and PrimeFinder) included in Trove are licensed under the following terms:

Copyright (c) 1999 CERN - European Organization for Nuclear Research. Permission to use, copy, modify, distribute and sell this software and its documentation for any purpose is hereby granted without fee, provided that the above copyright notice appear in all copies and that both that copyright notice and this permission notice appear in supporting documentation. CERN makes no representations about the

suitability of this software for any purpose. It is provided "as is" without expressed or implied warranty.

The source code of modified GNU Trove library is available at

<https://github.com/JetBrains/intellij-deps-trove4j> (with `trove4j_changes.txt` describing the changes)

-----  
Eclipse Distribution License 1.0

<https://www.eclipse.org/org/documents/edl-v10.php>

`org.eclipse.jgit:org.eclipse.jgit`

-----  
BSD-style

`com.jcraft:jsch`

`com.jcraft:jzlib`

Copyright (c) 2000-2011 ymnk, JCraft,Inc. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The names of the authors may not be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL JCRAFT, INC. OR ANY CONTRIBUTORS TO THIS SOFTWARE BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

-----  
Eclipse Public License 2.0

<https://www.eclipse.org/legal/epl-2.0/>

`org.junit.platform:junit-platform-launcher`



-----  
Mozilla Public License 2.0

<https://www.mozilla.org/en-US/MPL/2.0/>

org.mozilla:rhino

/\*

\* Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming Language contributors.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

must as a whole is licensed under the following standard MIT license:

-----  
Copyright 2005-2014 Rich Felker, et al.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

-----  
Authors/contributors include:

Anthony G. Basile  
Arvid Picciani  
Bobby Bingham  
Boris Brezillon  
Chris Spiegel  
Emil Renner Berthing  
Hiltjo Posthuma  
Isaac Dunham  
Jens Gustedt  
Jeremy Huntwork  
John Spencer  
Justin Cormack  
Luca Barbato  
Luka Perkov  
Michael Forney  
Nicholas J. Kain  
orc  
Pascal Cuoq  
Pierre Carrier  
Rich Felker  
Richard Pennington  
Solar Designer  
Strake  
Szabolcs Nagy  
Timo Ters  
Valentin Ochs  
William Haddon

Portions of this software are derived from third-party works licensed under terms compatible with the above MIT license:

The TRE regular expression implementation (`src/regex/reg*` and `src/regex/tre*`) is Copyright 2001-2008 Ville Laurikari and licensed under a 2-clause BSD license (license text in the source files). The included version has been heavily modified by Rich Felker in 2012, in the interests of size, simplicity, and namespace cleanliness.

Much of the math library code (`src/math/*` and `src/complex/*`) is Copyright 1993,2004 Sun Microsystems or Copyright 2003-2011 David Schultz or Copyright 2003-2009 Steven G. Kargl or Copyright 2003-2009 Bruce D. Evans or Copyright 2008 Stephen L. Moshier and labelled as such in comments in the individual source files. All have been licensed under extremely permissive terms.

The ARM memcpy code (`src/string/armel/memcpy.s`) is Copyright 2008 The Android Open Source Project and is licensed under a two-clause BSD

license. It was taken from Bionic libc, used on Android.

The implementation of DES for crypt (src/misc/crypt\_des.c) is Copyright 1994 David Burren. It is licensed under a BSD license.

The implementation of blowfish crypt (src/misc/crypt\_blowfish.c) was originally written by Solar Designer and placed into the public domain. The code also comes with a fallback permissive license for use in jurisdictions that may not recognize the public domain.

The smoothsort implementation (src/stdlib/qsart.c) is Copyright 2011 Valentin Ochs and is licensed under an MIT-style license.

The BSD PRNG implementation (src/prng/random.c) and XSI search API (src/search/\*.c) functions are Copyright 2011 Szabolcs Nagy and licensed under following terms: "Permission to use, copy, modify, and/or distribute this code for any purpose with or without fee is hereby granted. There is no warranty."

The x86\_64 port was written by Nicholas J. Kain. Several files (crt) were released into the public domain; others are licensed under the standard MIT license terms at the top of this file. See individual files for their copyright status.

The mips and microblaze ports were originally written by Richard Pennington for use in the elcc project. The original code was adapted by Rich Felker for build system and code conventions during upstream integration. It is licensed under the standard MIT terms.

The powerpc port was also originally written by Richard Pennington, and later supplemented and integrated by John Spencer. It is licensed under the standard MIT terms.

All other files which have no copyright comments are original works produced specifically for use as part of this library, written either by Rich Felker, the main author of the library, or by one or more contributors listed above. Details on authorship of individual files can be found in the git version control history of the project. The omission of copyright and license comments in each file is in the interest of source tree size.

All public header files (include/\* and arch/\*/bits/\*) should be treated as Public Domain as they intentionally contain no content which can be covered by copyright. Some source modules may fall in this category as well. If you believe that a file is so trivial that it should be in the Public Domain, please contact the authors and request an explicit statement releasing it from copyright.

The following files are trivial, believed not to be copyrightable in the first place, and hereby explicitly released to the Public Domain:

All public headers: include/\*, arch/\*/bits/\*

Startup files: crt/\*

UNLESS SPECIFIED OTHERWISE IN THE INDIVIDUAL SOURCE FILES INCLUDED WITH THIS PACKAGE, they may freely be used, modified and/or redistributed for any purpose.

Portions, Copyright 1991-2005 Unicode, Inc. The following applies to Unicode.

#### COPYRIGHT AND PERMISSION NOTICE

Copyright 1991-2005 Unicode, Inc. All rights reserved. Distributed under the Terms of Use in <http://www.unicode.org/copyright.html>. Permission is hereby granted, free of charge, to any person obtaining a copy of the Unicode data files and any associated documentation (the "Data Files") or Unicode software and any associated documentation (the "Software") to deal in the Data Files or Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, and/or sell copies of the Data Files or Software, and to permit persons to whom the Data Files or Software are furnished to do so, provided that (a) the above copyright notice(s) and this permission notice appear with all copies of the Data Files or Software, (b) both the above copyright notice(s) and this permission notice appear in associated documentation, and (c) there is clear notice in each modified Data File or in the Software as well as in the documentation associated with the Data File(s) or Software that the data or software has been modified.

THE DATA FILES AND SOFTWARE ARE PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NON-INFRINGEMENT OF THIRD PARTY RIGHTS. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS NOTICE BE LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL DAMAGES, OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THE DATA FILES OR SOFTWARE.

Except as contained in this notice, the name of a copyright holder shall not be used in advertising or otherwise to promote the sale, use or other dealings in these Data Files or Software without prior written authorization of the copyright holder.

2. Additional terms from the Database:

Copyright 1995-1999 Unicode, Inc. All Rights reserved.

Disclaimer

The Unicode Character Database is provided as is by Unicode, Inc. No claims are made as to fitness for any particular purpose. No warranties of any kind are expressed or implied. The recipient agrees to determine applicability of information provided. If this file has been purchased on magnetic or optical media from Unicode, Inc., the sole remedy for any claim will be exchange of defective media within 90 days of receipt. This disclaimer is applicable for all other data files accompanying the Unicode Character Database, some of which have been compiled by the Unicode Consortium, and some of which have been supplied by other sources.

#### Limitations on Rights to Redistribute This Data

Recipient is granted the right to make copies in any form for internal distribution and to freely use the information supplied in the creation of products supporting the Unicode™ Standard. The files in the Unicode Character Database can be redistributed to third parties or other organizations (whether for profit or not) as long as this notice and the disclaimer notice are retained. Information can be extracted from these files and used in documentation or programs, as long as there is an accompanying notice indicating the source.

Google Dart Js backend was removed - <https://code.google.com/p/dart/source/detail?r=4771>

According to <http://www.apache.org/legal/3party.html> we can include "Google Dart Js backend" in source form, because code license is "New BSD License" (Authorized License).

This part of code will be removed when kotlin will be rewritten on kotlin.  
Copyright JS Foundation and other contributors, <https://js.foundation/>

This software consists of voluntary contributions made by many individuals. For exact contribution history, see the revision history available at <https://github.com/jquery/jquery>

The following license applies to all parts of this software except as documented below:

====

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

====

Boost Software License - Version 1.0 - August 17th, 2003

Permission is hereby granted, free of charge, to any person or organization obtaining a copy of the software and accompanying documentation covered by this license (the "Software") to use, reproduce, display, distribute, execute, and transmit the Software, and to prepare derivative works of the Software, and to permit third-parties to whom the Software is furnished to do so, all subject to the following:

The copyright notices in the Software and this entire statement, including the above license grant, this restriction and the following disclaimer, must be included in all copies of the Software, in whole or in part, and all derivative works of the Software, unless such copies or derivative works are solely in the form of machine-executable object code generated by a source language processor.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, TITLE AND NON-INFRINGEMENT. IN NO EVENT SHALL THE COPYRIGHT HOLDERS OR ANYONE DISTRIBUTING THE SOFTWARE BE LIABLE FOR ANY DAMAGES OR OTHER LIABILITY, WHETHER IN CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

The files in this package are taken from mozilla's Rhino project.

See <http://www.mozilla.org/rhino/>

The files modified from Rhino 1.5R3  
(<ftp://ftp.mozilla.org/pub/js/rhino15R3.zip>).

--

The contents of this package are subject to the Netscape Public License Version 1.1 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at <http://www.mozilla.org/NPL/>

Software distributed under the License is distributed on an "AS IS" basis, WITHOUT WARRANTY OF ANY KIND, either express or

implied. See the License for the specific language governing rights and limitations under the License.

The Original Code is Rhino code, released May 6, 1999.

The Initial Developer of the Original Code is Netscape Communications Corporation. Portions created by Netscape are Copyright (C) 1997-2000 Netscape Communications Corporation. All Rights Reserved.

Alternatively, the contents of this file may be used under the terms of the GNU Public License (the "GPL"), in which case the provisions of the GPL are applicable instead of those above.

If you wish to allow use of your version of this file only under the terms of the GPL and not to allow others to use your version of this file under the NPL, indicate your decision by deleting the provisions above and replace them with the notice and other provisions required by the GPL. If you do not delete the provisions above, a recipient may use your version of this file under either the NPL or the GPL.

<http://fastutil.di.unimi.it/>

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of



this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only

on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

The majority of Rhino is MPL 1.1 / GPL 2.0 dual licensed:

The Mozilla Public License (<http://www.mozilla.org/MPL/MPL-1.1.txt>):

=====

MOZILLA PUBLIC LICENSE

Version 1.1

-----

### 1. Definitions.

1.0.1. "Commercial Use" means distribution or otherwise making the Covered Code available to a third party.

1.1. "Contributor" means each entity that creates or contributes to the creation of Modifications.

1.2. "Contributor Version" means the combination of the Original Code, prior Modifications used by a Contributor, and the Modifications made by that particular Contributor.

1.3. "Covered Code" means the Original Code or Modifications or the combination of the Original Code and Modifications, in each case including portions thereof.

1.4. "Electronic Distribution Mechanism" means a mechanism generally accepted in the software development community for the electronic transfer of data.

1.5. "Executable" means Covered Code in any form other than Source Code.

1.6. "Initial Developer" means the individual or entity identified as the Initial Developer in the Source Code notice required by Exhibit A.

1.7. "Larger Work" means a work which combines Covered Code or portions thereof with code not governed by the terms of this License.

1.8. "License" means this document.

1.8.1. "Licensable" means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed herein.

1.9. "Modifications" means any addition to or deletion from the substance or structure of either the Original Code or any previous Modifications. When Covered Code is released as a series of files, a Modification is:

A. Any addition to or deletion from the contents of a file containing Original Code or previous Modifications.

B. Any new file that contains any part of the Original Code or previous Modifications.

1.10. "Original Code" means Source Code of computer software code which is described in the Source Code notice required by Exhibit A as Original Code, and which, at the time of its release under this License is not already Covered Code governed by this License.

1.10.1. "Patent Claims" means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent Licensable by grantor.

1.11. "Source Code" means the preferred form of the Covered Code for making modifications to it, including all modules it contains, plus any associated interface definition files, scripts used to control compilation and installation of an Executable, or source code differential comparisons against either the Original Code or another well known, available Covered Code of the Contributor's choice. The Source Code can be in a compressed or archival form, provided the appropriate decompression or de-archiving software is widely available for no charge.

1.12. "You" (or "Your") means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License or a future version of this License issued under Section 6.1. For legal entities, "You" includes any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, "control" means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

## 2. Source Code License.

### 2.1. The Initial Developer Grant.

The Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license, subject to third party intellectual property claims:

(a) under intellectual property rights (other than patent or trademark) Licensable by Initial Developer to use, reproduce, modify, display, perform, sublicense and distribute the Original Code (or portions thereof) with or without Modifications, and/or as part of a Larger Work; and

(b) under Patents Claims infringed by the making, using or selling of Original Code, to make, have made, use, practice, sell, and offer for sale, and/or otherwise dispose of the Original Code (or portions thereof).

(c) the licenses granted in this Section 2.1(a) and (b) are effective on the date Initial Developer first distributes Original Code under the terms of this License.

(d) Notwithstanding Section 2.1(b) above, no patent license is granted: 1) for code that You delete from the Original Code; 2) separate from the Original Code; or 3) for infringements caused by: i) the modification of the Original Code or ii) the combination of the Original Code with other software or devices.

## 2.2. Contributor Grant.

Subject to third party intellectual property claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license

(a) under intellectual property rights (other than patent or trademark) Licensable by Contributor, to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof) either on an unmodified basis, with other Modifications, as Covered Code and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor either alone and/or in combination with its Contributor Version (or portions of such combination), to make, use, sell, offer for sale, have made, and/or otherwise dispose of: 1) Modifications made by that Contributor (or portions thereof); and 2) the combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).

(c) the licenses granted in Sections 2.2(a) and 2.2(b) are effective on the date Contributor first makes Commercial Use of the Covered Code.

(d) Notwithstanding Section 2.2(b) above, no patent license is granted: 1) for any code that Contributor has deleted from the Contributor Version; 2) separate from the Contributor Version; 3) for infringements caused by: i) third party modifications of Contributor Version or ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or 4) under Patent Claims infringed by Covered Code in the absence of Modifications made by that Contributor.

## 3. Distribution Obligations.

### 3.1. Application of License.

The Modifications which You create or to which You contribute are governed by the terms of this License, including without limitation Section 2.2. The Source Code version of Covered Code may be distributed only under the terms of this License or a future version of this License released under Section 6.1, and You must include a copy of this License with every copy of the Source Code You distribute. You may not offer or impose any terms on any Source Code version that alters or restricts the applicable version of this License or the recipients' rights hereunder. However, You may include an additional document offering the additional rights described in Section 3.5.

### 3.2. Availability of Source Code.

Any Modification which You create or to which You contribute must be made available in Source Code form under the terms of this License either on the same media as an Executable version or via an accepted Electronic Distribution Mechanism to anyone to whom you made an Executable version available; and if made available via Electronic Distribution Mechanism, must remain available for at least twelve (12) months after the date it initially became available, or at least six (6) months after a subsequent version of that particular Modification has been made available to such recipients. You are responsible for ensuring that the Source Code version remains available even if the Electronic Distribution Mechanism is maintained by a third party.

### 3.3. Description of Modifications.

You must cause all Covered Code to which You contribute to contain a file documenting the changes You made to create that Covered Code and the date of any change. You must include a prominent statement that the Modification is derived, directly or indirectly, from Original Code provided by the Initial Developer and including the name of the Initial Developer in (a) the Source Code, and (b) in any notice in an Executable version or related documentation in which You describe the origin or ownership of the Covered Code.

### 3.4. Intellectual Property Matters

#### (a) Third Party Claims.

If Contributor has knowledge that a license under a third party's intellectual property rights is required to exercise the rights granted by such Contributor under Sections 2.1 or 2.2, Contributor must include a text file with the Source Code distribution titled "LEGAL" which describes the claim and the party making the claim in sufficient detail that a recipient will know whom to contact. If Contributor obtains such knowledge after the Modification is made available as described in Section 3.2, Contributor shall promptly modify the LEGAL file in all copies Contributor makes available thereafter and shall take other steps (such as notifying appropriate mailing lists or newsgroups) reasonably calculated to inform those who received the Covered Code that new knowledge has been obtained.

#### (b) Contributor APIs.

If Contributor's Modifications include an application programming interface and Contributor has knowledge of patent licenses which are reasonably necessary to implement that API, Contributor must also include this information in the LEGAL file.

#### (c) Representations.

Contributor represents that, except as disclosed pursuant to

Section 3.4(a) above, Contributor believes that Contributor's Modifications are Contributor's original creation(s) and/or Contributor has sufficient rights to grant the rights conveyed by this License.

### 3.5. Required Notices.

You must duplicate the notice in Exhibit A in each file of the Source Code. If it is not possible to put such notice in a particular Source Code file due to its structure, then You must include such notice in a location (such as a relevant directory) where a user would be likely to look for such a notice. If You created one or more Modification(s) You may add your name as a Contributor to the notice described in Exhibit A. You must also duplicate this License in any documentation for the Source Code where You describe recipients' rights or ownership rights relating to Covered Code. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Code. However, You may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it absolutely clear than any such warranty, support, indemnity or liability obligation is offered by You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of warranty, support, indemnity or liability terms You offer.

### 3.6. Distribution of Executable Versions.

You may distribute Covered Code in Executable form only if the requirements of Section 3.1-3.5 have been met for that Covered Code, and if You include a notice stating that the Source Code version of the Covered Code is available under the terms of this License, including a description of how and where You have fulfilled the obligations of Section 3.2. The notice must be conspicuously included in any notice in an Executable version, related documentation or collateral in which You describe recipients' rights relating to the Covered Code. You may distribute the Executable version of Covered Code or ownership rights under a license of Your choice, which may contain terms different from this License, provided that You are in compliance with the terms of this License and that the license for the Executable version does not attempt to limit or alter the recipient's rights in the Source Code version from the rights set forth in this License. If You distribute the Executable version under a different license You must make it absolutely clear that any terms which differ from this License are offered by You alone, not by the Initial Developer or any Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer.



### 3.7. Larger Works.

You may create a Larger Work by combining Covered Code with other code not governed by the terms of this License and distribute the Larger Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled for the Covered Code.

## 4. Inability to Comply Due to Statute or Regulation.

If it is impossible for You to comply with any of the terms of this License with respect to some or all of the Covered Code due to statute, judicial order, or regulation then You must: (a) comply with the terms of this License to the maximum extent possible; and (b) describe the limitations and the code they affect. Such description must be included in the LEGAL file described in Section 3.4 and must be included with all distributions of the Source Code. Except to the extent prohibited by statute or regulation, such description must be sufficiently detailed for a recipient of ordinary skill to be able to understand it.

## 5. Application of this License.

This License applies to code to which the Initial Developer has attached the notice in Exhibit A and to related Covered Code.

## 6. Versions of the License.

### 6.1. New Versions.

Netscape Communications Corporation ("Netscape") may publish revised and/or new versions of the License from time to time. Each version will be given a distinguishing version number.

### 6.2. Effect of New Versions.

Once Covered Code has been published under a particular version of the License, You may always continue to use it under the terms of that version. You may also choose to use such Covered Code under the terms of any subsequent version of the License published by Netscape. No one other than Netscape has the right to modify the terms applicable to Covered Code created under this License.

### 6.3. Derivative Works.

If You create or use a modified version of this License (which you may only do in order to apply it to code which is not already Covered Code governed by this License), You must (a) rename Your license so that the phrases "Mozilla", "MOZILLAPL", "MOZPL", "Netscape", "MPL", "NPL" or any confusingly similar phrase do not appear in your license (except to note that your license differs from this License) and (b) otherwise make it clear that Your version of the license contains terms which differ from the Mozilla Public License and

Netscape Public License. (Filling in the name of the Initial Developer, Original Code or Contributor in the notice described in Exhibit A shall not of themselves be deemed to be modifications of this License.)

## 7. DISCLAIMER OF WARRANTY.

COVERED CODE IS PROVIDED UNDER THIS LICENSE ON AN "AS IS" BASIS, WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES THAT THE COVERED CODE IS FREE OF DEFECTS, MERCHANTABILITY, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED CODE IS WITH YOU. SHOULD ANY COVERED CODE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED CODE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

## 8. TERMINATION.

8.1. This License and the rights granted hereunder will terminate automatically if You fail to comply with terms herein and fail to cure such breach within 30 days of becoming aware of the breach. All sublicenses to the Covered Code which are properly granted shall survive any termination of this License. Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive.

8.2. If You initiate litigation by asserting a patent infringement claim (excluding declaratory judgment actions) against Initial Developer or a Contributor (the Initial Developer or Contributor against whom You file such action is referred to as "Participant") alleging that:

(a) such Participant's Contributor Version directly or indirectly infringes any patent, then any and all rights granted by such Participant to You under Sections 2.1 and/or 2.2 of this License shall, upon 60 days notice from Participant terminate prospectively, unless if within 60 days after receipt of notice You either: (i) agree in writing to pay Participant a mutually agreeable reasonable royalty for Your past and future use of Modifications made by such Participant, or (ii) withdraw Your litigation claim with respect to the Contributor Version against such Participant. If within 60 days of notice, a reasonable royalty and payment arrangement are not mutually agreed upon in writing by the parties or the litigation claim is not withdrawn, the rights granted by Participant to You under Sections 2.1 and/or 2.2 automatically terminate at the expiration of the 60 day notice period specified above.

(b) any software, hardware, or device, other than such Participant's Contributor Version, directly or indirectly infringes any patent, then any rights granted to You by such Participant under Sections 2.1(b) and 2.2(b) are revoked effective as of the date You first made, used, sold, distributed, or had made, Modifications made by that Participant.

8.3. If You assert a patent infringement claim against Participant alleging that such Participant's Contributor Version directly or indirectly infringes any patent where such claim is resolved (such as by license or settlement) prior to the initiation of patent infringement litigation, then the reasonable value of the licenses granted by such Participant under Sections 2.1 or 2.2 shall be taken into account in determining the amount or value of any payment or license.

8.4. In the event of termination under Sections 8.1 or 8.2 above, all end user license agreements (excluding distributors and resellers) which have been validly granted by You or any distributor hereunder prior to termination shall survive termination.

## 9. LIMITATION OF LIABILITY.

UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED CODE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTY'S NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

## 10. U.S. GOVERNMENT END USERS.

The Covered Code is a "commercial item," as that term is defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of "commercial computer software" and "commercial computer software documentation," as such terms are used in 48 C.F.R. 12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4 (June 1995), all U.S. Government End Users acquire Covered Code with only those rights set forth herein.

## 11. MISCELLANEOUS.

This License represents the complete agreement concerning subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by California law provisions (except to the extent applicable law, if any, provides otherwise), excluding its conflict-of-law provisions. With respect to disputes in which at least one party is a citizen of, or an entity chartered or registered to do business in the United States of America, any litigation relating to this License shall be subject to the jurisdiction of the Federal Courts of the Northern District of California, with venue lying in Santa Clara County, California, with the losing party responsible for costs, including without limitation, court costs and reasonable attorneys' fees and expenses. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not apply to this License.

## 12. RESPONSIBILITY FOR CLAIMS.

As between Initial Developer and the Contributors, each party is responsible for claims and damages arising, directly or indirectly, out of its utilization of rights under this License and You agree to work with Initial Developer and Contributors to distribute such responsibility on an equitable basis. Nothing herein is intended or shall be deemed to constitute any admission of liability.

## 13. MULTIPLE-LICENSED CODE.

Initial Developer may designate portions of the Covered Code as "Multiple-Licensed". "Multiple-Licensed" means that the Initial Developer permits you to utilize portions of the Covered Code under Your choice of the NPL or the alternative licenses, if any, specified by the Initial Developer in the file described in Exhibit A.

## EXHIBIT A -Mozilla Public License.

``The contents of this file are subject to the Mozilla Public License Version 1.1 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at <http://www.mozilla.org/MPL/>

Software distributed under the License is distributed on an "AS IS" basis, WITHOUT WARRANTY OF ANY KIND, either express or implied. See the License for the specific language governing rights and limitations

under the License.

The Original Code is \_\_\_\_\_.

The Initial Developer of the Original Code is \_\_\_\_\_.

Portions created by \_\_\_\_\_ are Copyright (C) \_\_\_\_\_  
\_\_\_\_\_. All Rights Reserved.

Contributor(s): \_\_\_\_\_.

Alternatively, the contents of this file may be used under the terms of the \_\_\_\_\_ license (the "[\_\_\_\_\_] License"), in which case the provisions of [\_\_\_\_\_] License are applicable instead of those above. If you wish to allow use of your version of this file only under the terms of the [\_\_\_\_\_] License and not to allow others to use your version of this file under the MPL, indicate your decision by deleting the provisions above and replace them with the notice and other provisions required by the [\_\_\_\_\_] License. If you do not delete the provisions above, a recipient may use your version of this file under either the MPL or the [\_\_\_\_\_] License."

[NOTE: The text of this Exhibit A may differ slightly from the text of the notices in the Source Code files of the Original Code. You should use the text of this Exhibit A rather than the text found in the Original Code Source Code for Your Modifications.]

=====  
=====

GNU GENERAL PUBLIC LICENSE

Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.,  
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA  
Everyone is permitted to copy and distribute verbatim copies  
of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Lesser General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

## GNU GENERAL PUBLIC LICENSE

### TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another

language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in

themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.



If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other

circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY

FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

```
<one line to give the program's name and a brief idea of what it does.>  
Copyright (C) <year> <name of author>
```

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA.

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
This is free software, and you are welcome to redistribute it
under certain conditions; type `show c' for details.
```

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

```
Yoyodyne, Inc., hereby disclaims all copyright interest in the program
`Gnomovision' (which makes passes at compilers) written by James Hacker.
```

```
<signature of Ty Coon>, 1 April 1989
Ty Coon, President of Vice
```

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Lesser General Public License instead of this License.

=====  
Additionally, some files (currently the contents of  
toolsrc/org/mozilla/javascript/tools/debugger/treetable/) are available  
only under the following license:

- =====  
\* Copyright 1997, 1998 Sun Microsystems, Inc. All Rights Reserved.  
\*  
\* Redistribution and use in source and binary forms, with or without  
\* modification, are permitted provided that the following conditions  
\* are met:  
\*  
\* - Redistributions of source code must retain the above copyright  
\* notice, this list of conditions and the following disclaimer.  
\*  
\* - Redistributions in binary form must reproduce the above copyright

\* notice, this list of conditions and the following disclaimer in the  
\* documentation and/or other materials provided with the distribution.  
\*  
\* - Neither the name of Sun Microsystems nor the names of its  
\* contributors may be used to endorse or promote products derived  
\* from this software without specific prior written permission.  
\*  
\* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS  
\* IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO,  
\* THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR  
\* PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR  
\* CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,  
\* EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,  
\* PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR  
\* PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF  
\* LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING  
\* NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS  
\* SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

=====  
Copyright (c) 2013 Aaron Forsander

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

GNU LESSER GENERAL PUBLIC LICENSE

Version 2.1, February 1999

Copyright (C) 1991, 1999 Free Software Foundation, Inc.  
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA  
Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

[This is the first released version of the Lesser GPL. It also counts as the successor of the GNU Library Public License, version 2, hence

the version number 2.1.]

## Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public Licenses are intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users.

This license, the Lesser General Public License, applies to some specially designated software packages--typically libraries--of the Free Software Foundation and other authors who decide to use it. You can use it too, but we suggest you first think carefully about whether this license or the ordinary General Public License is the better strategy to use in any particular case, based on the explanations below.

When we speak of free software, we are referring to freedom of use, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish); that you receive source code or can get it if you want it; that you can change the software and use pieces of it in new free programs; and that you are informed that you can do these things.

To protect your rights, we need to make restrictions that forbid distributors to deny you these rights or to ask you to surrender these rights. These restrictions translate to certain responsibilities for you if you distribute copies of the library or if you modify it.

For example, if you distribute copies of the library, whether gratis or for a fee, you must give the recipients all the rights that we gave you. You must make sure that they, too, receive or can get the source code. If you link other code with the library, you must provide complete object files to the recipients, so that they can relink them with the library after making changes to the library and recompiling it. And you must show them these terms so they know their rights.

We protect your rights with a two-step method: (1) we copyright the library, and (2) we offer you this license, which gives you legal permission to copy, distribute and/or modify the library.

To protect each distributor, we want to make it very clear that there is no warranty for the free library. Also, if the library is modified by someone else and passed on, the recipients should know that what they have is not the original version, so that the original author's reputation will not be affected by problems that might be introduced by others.

Finally, software patents pose a constant threat to the existence of any free program. We wish to make sure that a company cannot effectively restrict the users of a free program by obtaining a restrictive license from a patent holder. Therefore, we insist that any patent license obtained for a version of the library must be consistent with the full freedom of use specified in this license.

Most GNU software, including some libraries, is covered by the ordinary GNU General Public License. This license, the GNU Lesser General Public License, applies to certain designated libraries, and is quite different from the ordinary General Public License. We use this license for certain libraries in order to permit linking those libraries into non-free programs.

When a program is linked with a library, whether statically or using a shared library, the combination of the two is legally speaking a combined work, a derivative of the original library. The ordinary General Public License therefore permits such linking only if the entire combination fits its criteria of freedom. The Lesser General Public License permits more lax criteria for linking other code with the library.

We call this license the "Lesser" General Public License because it does Less to protect the user's freedom than the ordinary General Public License. It also provides other free software developers Less of an advantage over competing non-free programs. These disadvantages are the reason we use the ordinary General Public License for many libraries. However, the Lesser license provides advantages in certain special circumstances.

For example, on rare occasions, there may be a special need to encourage the widest possible use of a certain library, so that it becomes a de-facto standard. To achieve this, non-free programs must be allowed to use the library. A more frequent case is that a free library does the same job as widely used non-free libraries. In this case, there is little to gain by limiting the free library to free software only, so we use the Lesser General Public License.

In other cases, permission to use a particular library in non-free programs enables a greater number of people to use a large body of free software. For example, permission to use the GNU C Library in non-free programs enables many more people to use the whole GNU operating system, as well as its variant, the GNU/Linux operating system.

Although the Lesser General Public License is Less protective of the users' freedom, it does ensure that the user of a program that is linked with the Library has the freedom and the wherewithal to run

that program using a modified version of the Library.

The precise terms and conditions for copying, distribution and modification follow. Pay close attention to the difference between a "work based on the library" and a "work that uses the library". The former contains code derived from the library, whereas the latter must be combined with the library in order to run.

## GNU LESSER GENERAL PUBLIC LICENSE TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License Agreement applies to any software library or other program which contains a notice placed by the copyright holder or other authorized party saying it may be distributed under the terms of this Lesser General Public License (also called "this License"). Each licensee is addressed as "you".

A "library" means a collection of software functions and/or data prepared so as to be conveniently linked with application programs (which use some of those functions and data) to form executables.

The "Library", below, refers to any such software library or work which has been distributed under these terms. A "work based on the Library" means either the Library or any derivative work under copyright law: that is to say, a work containing the Library or a portion of it, either verbatim or with modifications and/or translated straightforwardly into another language. (Hereinafter, translation is included without limitation in the term "modification".)

"Source code" for a work means the preferred form of the work for making modifications to it. For a library, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the library.

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running a program using the Library is not restricted, and output from such a program is covered only if its contents constitute a work based on the Library (independent of the use of the Library in a tool for writing it). Whether that is true depends on what the Library does and what the program that uses the Library does.

1. You may copy and distribute verbatim copies of the Library's complete source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any



warranty; and distribute a copy of this License along with the Library.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Library or any portion of it, thus forming a work based on the Library, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

- a) The modified work must itself be a software library.
- b) You must cause the files modified to carry prominent notices stating that you changed the files and the date of any change.
- c) You must cause the whole of the work to be licensed at no charge to all third parties under the terms of this License.
- d) If a facility in the modified Library refers to a function or a table of data to be supplied by an application program that uses the facility, other than as an argument passed when the facility is invoked, then you must make a good faith effort to ensure that, in the event an application does not supply such function or table, the facility still operates, and performs whatever part of its purpose remains meaningful.

(For example, a function in a library to compute square roots has a purpose that is entirely well-defined independent of the application. Therefore, Subsection 2d requires that any application-supplied function or table used by this function must be optional: if the application does not supply it, the square root function must still compute square roots.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Library, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Library, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to

exercise the right to control the distribution of derivative or collective works based on the Library.

In addition, mere aggregation of another work not based on the Library with the Library (or with a work based on the Library) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may opt to apply the terms of the ordinary GNU General Public License instead of this License to a given copy of the Library. To do this, you must alter all the notices that refer to this License, so that they refer to the ordinary GNU General Public License, version 2, instead of to this License. (If a newer version than version 2 of the ordinary GNU General Public License has appeared, then you can specify that version instead if you wish.) Do not make any other change in these notices.

Once this change is made in a given copy, it is irreversible for that copy, so the ordinary GNU General Public License applies to all subsequent copies and derivative works made from that copy.

This option is useful when you wish to copy part of the code of the Library into a program that is not a library.

4. You may copy and distribute the Library (or a portion or derivative of it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange.

If distribution of object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place satisfies the requirement to distribute the source code, even though third parties are not compelled to copy the source along with the object code.

5. A program that contains no derivative of any portion of the Library, but is designed to work with the Library by being compiled or linked with it, is called a "work that uses the Library". Such a work, in isolation, is not a derivative work of the Library, and therefore falls outside the scope of this License.

However, linking a "work that uses the Library" with the Library creates an executable that is a derivative of the Library (because it contains portions of the Library), rather than a "work that uses the library". The executable is therefore covered by this License. Section 6 states terms for distribution of such executables.

When a "work that uses the Library" uses material from a header file that is part of the Library, the object code for the work may be a derivative work of the Library even though the source code is not. Whether this is true is especially significant if the work can be linked without the Library, or if the work is itself a library. The threshold for this to be true is not precisely defined by law.

If such an object file uses only numerical parameters, data structure layouts and accessors, and small macros and small inline functions (ten lines or less in length), then the use of the object file is unrestricted, regardless of whether it is legally a derivative work. (Executables containing this object code plus portions of the Library will still fall under Section 6.)

Otherwise, if the work is a derivative of the Library, you may distribute the object code for the work under the terms of Section 6. Any executables containing that work also fall under Section 6, whether or not they are linked directly with the Library itself.

6. As an exception to the Sections above, you may also combine or link a "work that uses the Library" with the Library to produce a work containing portions of the Library, and distribute that work under terms of your choice, provided that the terms permit modification of the work for the customer's own use and reverse engineering for debugging such modifications.

You must give prominent notice with each copy of the work that the Library is used in it and that the Library and its use are covered by this License. You must supply a copy of this License. If the work during execution displays copyright notices, you must include the copyright notice for the Library among them, as well as a reference directing the user to the copy of this License. Also, you must do one of these things:

a) Accompany the work with the complete corresponding machine-readable source code for the Library including whatever changes were used in the work (which must be distributed under Sections 1 and 2 above); and, if the work is an executable linked with the Library, with the complete machine-readable "work that uses the Library", as object code and/or source code, so that the user can modify the Library and then relink to produce a modified executable containing the modified Library. (It is understood that the user who changes the contents of definitions files in the Library will not necessarily be able to recompile the application to use the modified definitions.)

b) Use a suitable shared library mechanism for linking with the

Library. A suitable mechanism is one that (1) uses at run time a copy of the library already present on the user's computer system, rather than copying library functions into the executable, and (2) will operate properly with a modified version of the library, if the user installs one, as long as the modified version is interface-compatible with the version that the work was made with.

c) Accompany the work with a written offer, valid for at least three years, to give the same user the materials specified in Subsection 6a, above, for a charge no more than the cost of performing this distribution.

d) If distribution of the work is made by offering access to copy from a designated place, offer equivalent access to copy the above specified materials from the same place.

e) Verify that the user has already received a copy of these materials or that you have already sent this user a copy.

For an executable, the required form of the "work that uses the Library" must include any data and utility programs needed for reproducing the executable from it. However, as a special exception, the materials to be distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

It may happen that this requirement contradicts the license restrictions of other proprietary libraries that do not normally accompany the operating system. Such a contradiction means you cannot use both them and the Library together in an executable that you distribute.

7. You may place library facilities that are a work based on the Library side-by-side in a single library together with other library facilities not covered by this License, and distribute such a combined library, provided that the separate distribution of the work based on the Library and of the other library facilities is otherwise permitted, and provided that you do these two things:

a) Accompany the combined library with a copy of the same work based on the Library, uncombined with any other library facilities. This must be distributed under the terms of the Sections above.

b) Give prominent notice with the combined library of the fact that part of it is a work based on the Library, and explaining

where to find the accompanying uncombined form of the same work.

8. You may not copy, modify, sublicense, link with, or distribute the Library except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense, link with, or distribute the Library is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

9. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Library or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Library (or any work based on the Library), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Library or works based on it.

10. Each time you redistribute the Library (or any work based on the Library), the recipient automatically receives a license from the original licensor to copy, distribute, link with or modify the Library subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties with this License.

11. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Library at all. For example, if a patent license would not permit royalty-free redistribution of the Library by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Library.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply, and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system which is

implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

12. If the distribution and/or use of the Library is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Library under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

13. The Free Software Foundation may publish revised and/or new versions of the Lesser General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Library does not specify a license version number, you may choose any version ever published by the Free Software Foundation.

14. If you wish to incorporate parts of the Library into other free programs whose distribution conditions are incompatible with these, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

#### NO WARRANTY

15. BECAUSE THE LIBRARY IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE LIBRARY, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE LIBRARY "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR

PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE LIBRARY IS WITH YOU. SHOULD THE LIBRARY PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE LIBRARY AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE LIBRARY (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE LIBRARY TO OPERATE WITH ANY OTHER SOFTWARE), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

#### END OF TERMS AND CONDITIONS

##### How to Apply These Terms to Your New Libraries

If you develop a new library, and you want it to be of the greatest possible use to the public, we recommend making it free software that everyone can redistribute and change. You can do so by permitting redistribution under these terms (or, alternatively, under the terms of the ordinary General Public License).

To apply these terms, attach the following notices to the library. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the library's name and a brief idea of what it does.>  
Copyright (C) <year> <name of author>

This library is free software; you can redistribute it and/or modify it under the terms of the GNU Lesser General Public License as published by the Free Software Foundation; either version 2.1 of the License, or (at your option) any later version.

This library is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Lesser General Public License for more details.

You should have received a copy of the GNU Lesser General Public License along with this library; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA

Also add information on how to contact you by electronic and paper mail.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the library, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the library `Frob' (a library for tweaking knobs) written by James Random Hacker.

<signature of Ty Coon>, 1 April 1990  
Ty Coon, President of Vice

That's all there is to it!  
The MIT License

Copyright (c) 2003, Kohsuke Kawaguchi

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

The MIT License

Copyright JS Foundation and other contributors <<https://js.foundation/>>

Based on Underscore.js, copyright Jeremy Ashkenas,  
DocumentCloud and Investigative Reporters & Editors <<http://underscorejs.org/>>

This software consists of voluntary contributions made by many individuals. For exact contribution history, see the revision history available at <https://github.com/lodash/lodash>

The following license applies to all parts of this software except as documented below:

====



Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

====

Copyright and related rights for sample code are waived via CC0. Sample code is defined as all source code displayed within the prose of the documentation.

CC0: <http://creativecommons.org/publicdomain/zero/1.0/>

====

Files located in the `node_modules` and `vendor` directories are externally maintained libraries used by this software which have their own licenses; we recommend you read them, as their terms may differ from the terms above.

Copyright JS Foundation and other contributors, <https://js.foundation>

This software consists of voluntary contributions made by many individuals. For exact contribution history, see the revision history available at <https://github.com/qunitjs/qunit>

The following license applies to all parts of this software except as documented below:

====

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including

without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

====

GNU LESSER GENERAL PUBLIC LICENSE  
Version 2.1, February 1999

Copyright (C) 1991, 1999 Free Software Foundation, Inc.

59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

[This is the first released version of the Lesser GPL. It also counts as the successor of the GNU Library Public License, version 2, hence the version number 2.1.]

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public Licenses are intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users.

This license, the Lesser General Public License, applies to some specially designated software packages--typically libraries--of the Free Software Foundation and other authors who decide to use it. You can use it too, but we suggest you first think carefully about whether this license or the ordinary General Public License is the better strategy to use in any particular case, based on the explanations below.

When we speak of free software, we are referring to freedom of use, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish); that you receive source code or can get it if you want it; that you can change the software and use pieces of

it in new free programs; and that you are informed that you can do these things.

To protect your rights, we need to make restrictions that forbid distributors to deny you these rights or to ask you to surrender these rights. These restrictions translate to certain responsibilities for you if you distribute copies of the library or if you modify it.

For example, if you distribute copies of the library, whether gratis or for a fee, you must give the recipients all the rights that we gave you. You must make sure that they, too, receive or can get the source code. If you link other code with the library, you must provide complete object files to the recipients, so that they can relink them with the library after making changes to the library and recompiling it. And you must show them these terms so they know their rights.

We protect your rights with a two-step method: (1) we copyright the library, and (2) we offer you this license, which gives you legal permission to copy, distribute and/or modify the library.

To protect each distributor, we want to make it very clear that there is no warranty for the free library. Also, if the library is modified by someone else and passed on, the recipients should know that what they have is not the original version, so that the original author's reputation will not be affected by problems that might be introduced by others.

Finally, software patents pose a constant threat to the existence of any free program. We wish to make sure that a company cannot effectively restrict the users of a free program by obtaining a restrictive license from a patent holder. Therefore, we insist that any patent license obtained for a version of the library must be consistent with the full freedom of use specified in this license.

Most GNU software, including some libraries, is covered by the ordinary GNU General Public License. This license, the GNU Lesser General Public License, applies to certain designated libraries, and is quite different from the ordinary General Public License. We use this license for certain libraries in order to permit linking those libraries into non-free programs.

When a program is linked with a library, whether statically or using a shared library, the combination of the two is legally speaking a combined work, a derivative of the original library. The ordinary General Public License therefore permits such linking only if the entire combination fits its criteria of freedom. The Lesser General Public License permits more lax criteria for linking other code with the library.

We call this license the "Lesser" General Public License because it does Less to protect the user's freedom than the ordinary General Public License. It also provides other free software developers Less of an advantage over competing non-free programs. These disadvantages are the reason we use the ordinary General Public License for many libraries. However, the Lesser license provides advantages in certain special circumstances.

For example, on rare occasions, there may be a special need to encourage the widest possible use of a certain library, so that it becomes a de-facto standard. To achieve this, non-free programs must be allowed to use the library. A more frequent case is that a free library does the same job as widely used non-free libraries. In this case, there is little to gain by limiting the free library to free software only, so we use the Lesser General Public License.

In other cases, permission to use a particular library in non-free programs enables a greater number of people to use a large body of free software. For example, permission to use the GNU C Library in non-free programs enables many more people to use the whole GNU operating system, as well as its variant, the GNU/Linux operating system.

Although the Lesser General Public License is Less protective of the users' freedom, it does ensure that the user of a program that is linked with the Library has the freedom and the wherewithal to run that program using a modified version of the Library.

The precise terms and conditions for copying, distribution and modification follow. Pay close attention to the difference between a "work based on the library" and a "work that uses the library". The former contains code derived from the library, whereas the latter must be combined with the library in order to run.

#### GNU LESSER GENERAL PUBLIC LICENSE TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License Agreement applies to any software library or other program which contains a notice placed by the copyright holder or other authorized party saying it may be distributed under the terms of this Lesser General Public License (also called "this License"). Each licensee is addressed as "you".

A "library" means a collection of software functions and/or data prepared so as to be conveniently linked with application programs (which use some of those functions and data) to form executables.

The "Library", below, refers to any such software library or work which has been distributed under these terms. A "work based on the Library" means either the Library or any derivative work under copyright law: that is to say, a work containing the Library or a portion of it, either verbatim or with modifications and/or translated straightforwardly into another language. (Hereinafter, translation is included without limitation in the term "modification".)

"Source code" for a work means the preferred form of the work for making modifications to it. For a library, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the library.

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running a program using the Library is not restricted, and output from such a program is covered only if its contents constitute a work based on the Library (independent of the use of the Library in a tool for writing it). Whether that is true depends on what the Library does and what the program that uses the Library does.

1. You may copy and distribute verbatim copies of the Library's complete source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and distribute a copy of this License along with the Library.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Library or any portion of it, thus forming a work based on the Library, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

- a) The modified work must itself be a software library.
- b) You must cause the files modified to carry prominent notices stating that you changed the files and the date of any change.
- c) You must cause the whole of the work to be licensed at no charge to all third parties under the terms of this License.
- d) If a facility in the modified Library refers to a function or a

table of data to be supplied by an application program that uses the facility, other than as an argument passed when the facility is invoked, then you must make a good faith effort to ensure that, in the event an application does not supply such function or table, the facility still operates, and performs whatever part of its purpose remains meaningful.

(For example, a function in a library to compute square roots has a purpose that is entirely well-defined independent of the application. Therefore, Subsection 2d requires that any application-supplied function or table used by this function must be optional: if the application does not supply it, the square root function must still compute square roots.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Library, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Library, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Library.

In addition, mere aggregation of another work not based on the Library with the Library (or with a work based on the Library) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may opt to apply the terms of the ordinary GNU General Public License instead of this License to a given copy of the Library. To do this, you must alter all the notices that refer to this License, so that they refer to the ordinary GNU General Public License, version 2, instead of to this License. (If a newer version than version 2 of the ordinary GNU General Public License has appeared, then you can specify that version instead if you wish.) Do not make any other change in these notices.

Once this change is made in a given copy, it is irreversible for that copy, so the ordinary GNU General Public License applies to all subsequent copies and derivative works made from that copy.

This option is useful when you wish to copy part of the code of the Library into a program that is not a library.

4. You may copy and distribute the Library (or a portion or derivative of it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange.

If distribution of object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place satisfies the requirement to distribute the source code, even though third parties are not compelled to copy the source along with the object code.

5. A program that contains no derivative of any portion of the Library, but is designed to work with the Library by being compiled or linked with it, is called a "work that uses the Library". Such a work, in isolation, is not a derivative work of the Library, and therefore falls outside the scope of this License.

However, linking a "work that uses the Library" with the Library creates an executable that is a derivative of the Library (because it contains portions of the Library), rather than a "work that uses the library". The executable is therefore covered by this License. Section 6 states terms for distribution of such executables.

When a "work that uses the Library" uses material from a header file that is part of the Library, the object code for the work may be a derivative work of the Library even though the source code is not. Whether this is true is especially significant if the work can be linked without the Library, or if the work is itself a library. The threshold for this to be true is not precisely defined by law.

If such an object file uses only numerical parameters, data structure layouts and accessors, and small macros and small inline functions (ten lines or less in length), then the use of the object file is unrestricted, regardless of whether it is legally a derivative work. (Executables containing this object code plus portions of the Library will still fall under Section 6.)

Otherwise, if the work is a derivative of the Library, you may distribute the object code for the work under the terms of Section 6. Any executables containing that work also fall under Section 6, whether or not they are linked directly with the Library itself.

6. As an exception to the Sections above, you may also combine or

link a "work that uses the Library" with the Library to produce a work containing portions of the Library, and distribute that work under terms of your choice, provided that the terms permit modification of the work for the customer's own use and reverse engineering for debugging such modifications.

You must give prominent notice with each copy of the work that the Library is used in it and that the Library and its use are covered by this License. You must supply a copy of this License. If the work during execution displays copyright notices, you must include the copyright notice for the Library among them, as well as a reference directing the user to the copy of this License. Also, you must do one of these things:

a) Accompany the work with the complete corresponding machine-readable source code for the Library including whatever changes were used in the work (which must be distributed under Sections 1 and 2 above); and, if the work is an executable linked with the Library, with the complete machine-readable "work that uses the Library", as object code and/or source code, so that the user can modify the Library and then relink to produce a modified executable containing the modified Library. (It is understood that the user who changes the contents of definitions files in the Library will not necessarily be able to recompile the application to use the modified definitions.)

b) Use a suitable shared library mechanism for linking with the Library. A suitable mechanism is one that (1) uses at run time a copy of the library already present on the user's computer system, rather than copying library functions into the executable, and (2) will operate properly with a modified version of the library, if the user installs one, as long as the modified version is interface-compatible with the version that the work was made with.

c) Accompany the work with a written offer, valid for at least three years, to give the same user the materials specified in Subsection 6a, above, for a charge no more than the cost of performing this distribution.

d) If distribution of the work is made by offering access to copy from a designated place, offer equivalent access to copy the above specified materials from the same place.

e) Verify that the user has already received a copy of these materials or that you have already sent this user a copy.

For an executable, the required form of the "work that uses the Library" must include any data and utility programs needed for



reproducing the executable from it. However, as a special exception, the materials to be distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

It may happen that this requirement contradicts the license restrictions of other proprietary libraries that do not normally accompany the operating system. Such a contradiction means you cannot use both them and the Library together in an executable that you distribute.

7. You may place library facilities that are a work based on the Library side-by-side in a single library together with other library facilities not covered by this License, and distribute such a combined library, provided that the separate distribution of the work based on the Library and of the other library facilities is otherwise permitted, and provided that you do these two things:

- a) Accompany the combined library with a copy of the same work based on the Library, uncombined with any other library facilities. This must be distributed under the terms of the Sections above.
- b) Give prominent notice with the combined library of the fact that part of it is a work based on the Library, and explaining where to find the accompanying uncombined form of the same work.

8. You may not copy, modify, sublicense, link with, or distribute the Library except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense, link with, or distribute the Library is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

9. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Library or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Library (or any work based on the Library), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Library or works based on it.

10. Each time you redistribute the Library (or any work based on the Library), the recipient automatically receives a license from the

original licensor to copy, distribute, link with or modify the Library subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties with this License.

11. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Library at all. For example, if a patent license would not permit royalty-free redistribution of the Library by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Library.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply, and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

12. If the distribution and/or use of the Library is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Library under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

13. The Free Software Foundation may publish revised and/or new versions of the Lesser General Public License from time to time. Such new versions will be similar in spirit to the present version,

but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Library does not specify a license version number, you may choose any version ever published by the Free Software Foundation.

14. If you wish to incorporate parts of the Library into other free programs whose distribution conditions are incompatible with these, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

#### NO WARRANTY

15. BECAUSE THE LIBRARY IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE LIBRARY, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE LIBRARY "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE LIBRARY IS WITH YOU. SHOULD THE LIBRARY PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE LIBRARY AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE LIBRARY (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE LIBRARY TO OPERATE WITH ANY OTHER SOFTWARE), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

#### END OF TERMS AND CONDITIONS

#### How to Apply These Terms to Your New Libraries

If you develop a new library, and you want it to be of the greatest possible use to the public, we recommend making it free software that

everyone can redistribute and change. You can do so by permitting redistribution under these terms (or, alternatively, under the terms of the ordinary General Public License).

To apply these terms, attach the following notices to the library. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the library's name and a brief idea of what it does.>  
Copyright (C) <year> <name of author>

This library is free software; you can redistribute it and/or modify it under the terms of the GNU Lesser General Public License as published by the Free Software Foundation; either version 2.1 of the License, or (at your option) any later version.

This library is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Lesser General Public License for more details.

You should have received a copy of the GNU Lesser General Public License along with this library; if not, write to the Free Software Foundation, Inc., 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Also add information on how to contact you by electronic and paper mail.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the library, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the library `Frob' (a library for tweaking knobs) written by James Random Hacker.

<signature of Ty Coon>, 1 April 1990  
Ty Coon, President of Vice

That's all there is to it!

## 1.312 swagger-integration 2.1.6

### 1.312.1 Available under license :

No license file was found, but licenses were detected in source scan.

Manifest-Version: 1.0  
Automatic-Module-Name: io.swagger.v3.oas.integration

Bnd-LastModified: 1607101128644  
Build-Jdk: 1.8.0\_275  
Built-By: runner  
Bundle-Description: swagger-integration  
Bundle-License: <http://www.apache.org/licenses/LICENSE-2.0.html>  
Bundle-ManifestVersion: 2  
Bundle-Name: swagger-integration  
Bundle-SymbolicName: io.swagger.core.v3.swagger-integration  
Bundle-Version: 2.1.6  
Created-By: Apache Maven Bundle Plugin  
Export-Package: io.swagger.v3.oas.integration;uses:="com.fasterxml.jackson.databind,io.swagger.v3.core.converter,io.swagger.v3.core.util,io.swagger.v3.oas.integration.api,io.swagger.v3.oas.models,org.apache.commons.lang3.tuple,org.slf4j";version="2.1.6",io.swagger.v3.oas.integration.api;uses:="com.fasterxml.jackson.databind,io.swagger.v3.core.converter,io.swagger.v3.oas.integration,io.swagger.v3.oas.models";version="2.1.6"  
implementation-version: 2.1.6  
Import-Package: com.fasterxml.jackson.annotation;version="[2.11,3)",com.fasterxml.jackson.databind;version="[2.11,3)",com.fasterxml.jackson.databind.annotation;version="[2.11,3)",io.github.classgraph;version="[4.8,5)",io.swagger.v3.core.converter;version="[2.1,3)",io.swagger.v3.core.jackson;version="[2.1,3)",io.swagger.v3.core.util;version="[2.1,3)",io.swagger.v3.oas.annotations;version="[2.1,3)",io.swagger.v3.oas.integration,io.swagger.v3.oas.integration.api,io.swagger.v3.oas.models;version="[2.1,3)",io.swagger.v3.oas.models.media;version="[2.1,3)",org.apache.commons.lang3;version="[3.7,4)",org.apache.commons.lang3.tuple;version="[3.7,4)",org.slf4j;version="[1.7,2)"  
mode: development  
package: io.swagger  
Require-Capability: osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=1.8))"  
Tool: Bnd-4.2.0.201903051501  
url: <https://github.com/swagger-api/swagger-core/modules/swagger-integration>

Found in path(s):

\* /opt/cola/permits/1115978497\_1654757459.531438/0/swagger-integration-2-1-6-jar/META-INF/MANIFEST.MF

## 1.313 io-grpc-grpc-context 1.39.0

### 1.313.1 Available under license :

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

## 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted"

means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
  - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
  - (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
  - (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and

attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the



appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "{}" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright 2016-2020 Istio Authors

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software

distributed under the License is distributed on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.

Envoy

Copyright 2016-2019 Envoy Project Authors

Licensed under Apache License 2.0. See LICENSE for terms.

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,  
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by  
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all  
other entities that control, are controlled by, or are under common  
control with that entity. For the purposes of this definition,  
"control" means (i) the power, direct or indirect, to cause the  
direction or management of such entity, whether by contract or  
otherwise, or (ii) ownership of fifty percent (50%) or more of the  
outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity  
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,  
including but not limited to software source code, documentation  
source, and configuration files.

"Object" form shall mean any form resulting from mechanical  
transformation or translation of a Source form, including but  
not limited to compiled object code, generated documentation,  
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or  
Object form, made available under the License, as indicated by a  
copyright notice that is included in or attached to the work  
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed

with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate

comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner].

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

protoc-gen-validate

Copyright 2019 Envoy Project Authors

Licensed under Apache License 2.0. See LICENSE for terms.

zero-allocation-hashing

Copyright 2015 Higher Frequency Trading <http://www.higherfrequencytrading.com>

Licensed under Apache License 2.0. See LICENSE for terms.

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the

Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
  
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
  - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
  
  - (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
  
  - (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
  
  - (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside



or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.
6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. **Disclaimer of Warranty.** Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. **Limitation of Liability.** In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. **Accepting Warranty or Additional Liability.** While redistributing the Work or Derivative Works thereof, You may choose to offer,

and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

/\*

\* Copyright 2015 The gRPC Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Copyright 2014 The gRPC Authors

Licensed under the Apache License, Version 2.0 (the "License");

you may not use this file except in compliance with the License.

You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

See the License for the specific language governing permissions and limitations under the License.

-----

This product contains a modified portion of 'OkHttp', an open source HTTP & SPDY client for Android and Java applications, which can be obtained at:

\* LICENSE:

\* [okhttp/third\\_party/okhttp/LICENSE](#) (Apache License 2.0)

\* HOMEPAGE:

\* <https://github.com/square/okhttp>

\* LOCATION\_IN\_GRPC:

\* [okhttp/third\\_party/okhttp](#)

This product contains a modified portion of 'Envoy', an open source cloud-native high-performance edge/middle/service proxy, which can be obtained at:

\* LICENSE:

\* [xds/third\\_party/envoy/LICENSE](#) (Apache License 2.0)

\* NOTICE:

\* [xds/third\\_party/envoy/NOTICE](#)

\* HOMEPAGE:

\* <https://www.envoyproxy.io>

\* LOCATION\_IN\_GRPC:

\* [xds/third\\_party/envoy](#)

This product contains a modified portion of 'protoc-gen-validate (PGV)', an open source protoc plugin to generate polyglot message validators, which can be obtained at:

\* LICENSE:

\* [xds/third\\_party/protoc-gen-validate/LICENSE](#) (Apache License 2.0)

- \* NOTICE:
  - \* xds/third\_party/protoc-gen-validate/NOTICE
- \* HOMEPAGE:
  - \* <https://github.com/envoyproxy/protoc-gen-validate>
- \* LOCATION\_IN\_GRPC:
  - \* xds/third\_party/protoc-gen-validate

This product contains a modified portion of 'udpa',  
an open source universal data plane API, which can be obtained at:

- \* LICENSE:
  - \* xds/third\_party/udpa/LICENSE (Apache License 2.0)
- \* HOMEPAGE:
  - \* <https://github.com/cncf/udpa>
- \* LOCATION\_IN\_GRPC:
  - \* xds/third\_party/udpa

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but

not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their

Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with

the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.  
Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.
6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. **Disclaimer of Warranty.** Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. **Limitation of Liability.** In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. **Accepting Warranty or Additional Liability.** While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

# 1.314 rxjava 2.2.10

## 1.314.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/**
 * Copyright (c) 2016-present, RxJava Contributors.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```



Found in path(s):

- \* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/schedulers/SchedulerWhen.java
- \* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/schedulers/ScheduledDirectPeriodicTask.java
- \* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/schedulers/InstantPeriodicTask.java
- \* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/schedulers/AbstractDirectTask.java
- \* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/schedulers/ScheduledDirectTask.java

No license file was found, but licenses were detected in source scan.

/\*\*

- \* Copyright (c) 2016-present, RxJava Contributors.
- \*
- \* Licensed under the Apache License, Version 2.0 (the "License");
- \* you may not use this file except in compliance with the License.
- \* You may obtain a copy of the License at
- \*
- \* <http://www.apache.org/licenses/LICENSE-2.0>
- \*
- \* Unless required by applicable law or agreed to in writing, software
- \* distributed under the License is distributed on an "AS IS" BASIS,
- \* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- \* See the License for the specific language governing permissions and
- \* limitations under the License.

\*/

Found in path(s):

- \* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/schedulers/package-info.java
- \* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/exceptions/package-info.java
- \* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/flowables/package-info.java
- \* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/flowable/FlowableGroupJoin.java
- \* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/package-info.java
- \* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/schedulers/TrampolineScheduler.java
- \* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/schedulers/ComputationScheduler.java
- \* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/subjects/package-info.java
- \* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/BackpressureOverflowStrategy.java
- \* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/observables/package-

info.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/observers/package-info.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/observable/ObservableJoin.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/disposables/package-info.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/functions/package-info.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/exceptions/CompositeException.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/annotations/package-info.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/subscribers/package-info.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/flowable/FlowablePublishMulticast.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/processors/package-info.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/parallel/package-info.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/schedulers/SchedulerPoolFactory.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/schedulers/NewThreadScheduler.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/plugins/package-info.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/observable/ObservableGroupJoin.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/schedulers/IOScheduler.java  
No license file was found, but licenses were detected in source scan.

/\*\*

\* Copyright (c) 2016-present, RxJava Contributors.  
\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in  
\* compliance with the License. You may obtain a copy of the License at  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\* Unless required by applicable law or agreed to in writing, software distributed under the License is  
\* distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express  
or implied. See  
\* the License for the specific language governing permissions and limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/schedulers/SchedulerRunnableIntrospection.java  
No license file was found, but licenses were detected in source scan.

/\*\*

\* Copyright (c) 2016-present, RxJava Contributors.  
\* <p>  
\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in  
\* compliance with the License. You may obtain a copy of the License at  
\* <p>  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\* <p>  
\* Unless required by applicable law or agreed to in writing, software distributed under the License is  
\* distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express  
or implied. See  
\* the License for the specific language governing permissions and limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
jar/io/reactivex/internal/operators/flowable/FlowableOnBackpressureError.java  
No license file was found, but licenses were detected in source scan.

/\*\*

\* Copyright (c) 2016-present, RxJava Contributors.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in  
\* compliance with the License. You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software distributed under the License is  
\* distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express  
or implied. See  
\* the License for the specific language governing permissions and limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
jar/io/reactivex/internal/operators/observable/ObserverResourceWrapper.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
jar/io/reactivex/internal/operators/single/SingleCache.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
jar/io/reactivex/internal/operators/flowable/FlowableMergeWithCompletable.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
jar/io/reactivex/internal/operators/observable/BlockingObservableNext.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
jar/io/reactivex/subjects/MaybeSubject.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
jar/io/reactivex/internal/operators/completable/CompletableMergeArray.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
jar/io/reactivex/internal/operators/observable/ObservableCount.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-

jar/io/reactivex/internal/operators/parallel/ParallelSortedJoin.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
jar/io/reactivex/internal/operators/flowable/FlowableAnySingle.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
jar/io/reactivex/internal/operators/single/SingleOnErrorReturn.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
jar/io/reactivex/internal/operators/observable/ObservableCollectSingle.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
jar/io/reactivex/internal/operators/flowable/FlowableLimit.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
jar/io/reactivex/internal/schedulers/ScheduledRunnable.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
jar/io/reactivex/internal/operators/flowable/FlowableSequenceEqualSingle.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
jar/io/reactivex/processors/MulticastProcessor.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/MaybeOperator.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
jar/io/reactivex/internal/operators/parallel/ParallelReduceFull.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
jar/io/reactivex/internal/util/ConnectConsumer.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
jar/io/reactivex/internal/operators/maybe/MaybeIgnoreElement.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
jar/io/reactivex/internal/operators/flowable/FlowableRetryBiPredicate.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
jar/io/reactivex/internal/operators/completable/CompletableOnErrorComplete.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
jar/io/reactivex/internal/operators/observable/ObservableBuffer.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
jar/io/reactivex/internal/observers/BlockingObserver.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
jar/io/reactivex/internal/util/ArrayListSupplier.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
jar/io/reactivex/internal/operators/flowable/FlowableTakeUntil.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
jar/io/reactivex/internal/operators/mixed/ObservableConcatMapMaybe.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
jar/io/reactivex/internal/operators/flowable/FlowableSubscribeOn.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
jar/io/reactivex/internal/operators/maybe/MaybeFromFuture.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
jar/io/reactivex/internal/subscriptions/BasicQueueSubscription.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
jar/io/reactivex/flowables/GroupedFlowable.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
jar/io/reactivex/internal/operators/observable/ObservableRefCount.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
jar/io/reactivex/internal/operators/observable/ObservableInterval.java

\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/subscribers/SubscriberResourceWrapper.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/maybe/MaybeCount.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/observers/BlockingFirstObserver.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/observable/ObservableSerialized.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/maybe/MaybeCache.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/maybe/MaybeToSingle.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/observable/ObservableZip.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/completable/CompletableSubscribeOn.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/observable/ObservableFlatMapMaybe.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/flowable/FlowableBufferExactBoundary.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/maybe/MaybeContains.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/flowable/FlowableInternalHelper.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/flowable/FlowableSkipWhile.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/fuseable/SimplePlainQueue.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/flowable/FlowableAmb.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/flowable/FlowableRetryWhen.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/observable/ObservableConcatMap.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/observers/InnerQueuedObserver.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/observable/ObservableThrottleLatest.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/subscribers/StrictSubscriber.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/flowable/FlowableWithLatestFromMany.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/flowable/FlowableFromObservable.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/observable/ObservableFilter.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/FlowableSubscriber.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-

jar/io/reactivex/internal/operators/completable/CompletableHide.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
jar/io/reactivex/internal/operators/maybe/MaybeMap.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
jar/io/reactivex/observers/DisposableObserver.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
jar/io/reactivex/internal/subscriptions/EmptySubscription.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
jar/io/reactivex/internal/operators/flowable/FlowableSkipLast.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
jar/io/reactivex/internal/operators/flowable/FlowableToListSingle.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
jar/io/reactivex/internal/operators/maybe/MaybeFromSingle.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
jar/io/reactivex/internal/observers/FutureSingleObserver.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
jar/io/reactivex/internal/operators/completable/CompletableFromPublisher.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
jar/io/reactivex/internal/operators/observable/ObservableJust.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
jar/io/reactivex/internal/operators/completable/CompletableFromObservable.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
jar/io/reactivex/internal/operators/single/SingleFlatMap.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
jar/io/reactivex/internal/operators/maybe/MaybeDoOnEvent.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
jar/io/reactivex/internal/operators/maybe/MaybeDelay.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
jar/io/reactivex/internal/operators/flowable/FlowableRange.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
jar/io/reactivex/internal/fuseable/SimpleQueue.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
jar/io/reactivex/internal/operators/maybe/MaybeUnsubscribeOn.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
jar/io/reactivex/internal/operators/observable/ObservableFromIterable.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
jar/io/reactivex/internal/operators/single/SingleLift.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
jar/io/reactivex/internal/operators/maybe/MaybeCreate.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
jar/io/reactivex/internal/operators/parallel/ParallelRunOn.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
jar/io/reactivex/internal/operators/observable/ObservableWithLatestFromMany.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/functions/Function.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
jar/io/reactivex/internal/operators/observable/ObservableTimeout.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
jar/io/reactivex/internal/operators/observable/ObservableTakeLastOne.java

\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/parallel/ParallelMapTry.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/observers/DisposableCompletableObserver.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/observable/ObservableSequenceEqualSingle.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/maybe/MaybeTimer.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/observable/ObservableConcatWithSingle.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/subscribers/QueueDrainSubscriber.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/MaybeEmitter.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/functions/Function5.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/flowable/FlowableSwitchMap.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/observable/ObservableScalarXMap.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/completable/CompletableTakeUntilCompletable.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/functions/Functions.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/util/HalfSerializer.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/flowable/FlowableTimeoutTimed.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/Emitter.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/util/QueueDrain.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/observable/ObservableConcatMapEager.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/schedulers/NewThreadWorker.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/queue/MpscLinkedQueue.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/fuseable/FuseToMaybe.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/maybe/MaybeUnsafeCreate.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/queue/SpscLinkedListArrayQueue.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/flowable/FlowableCollectSingle.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/fuseable/ScalarCallable.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/maybe/MaybeHide.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-

jar/io/reactivex/internal/operators/flowable/FlowableIgnoreElements.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
jar/io/reactivex/internal/operators/flowable/FlowableOnBackpressureLatest.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
jar/io/reactivex/internal/operators/flowable/FlowableDefer.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
jar/io/reactivex/internal/operators/single/SingleSubscribeOn.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
jar/io/reactivex/internal/operators/flowable/BlockingFlowableIterable.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
jar/io/reactivex/subscribers/DefaultSubscriber.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
jar/io/reactivex/internal/operators/single/SingleFlatMapIterableFlowable.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
jar/io/reactivex/internal/operators/observable/ObservableRangeLong.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
jar/io/reactivex/ObservableOnSubscribe.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
jar/io/reactivex/internal/operators/observable/ObservableBufferBoundary.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
jar/io/reactivex/internal/operators/flowable/FlowableDoOnEach.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
jar/io/reactivex/subjects/CompletableSubject.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
jar/io/reactivex/internal/operators/flowable/FlowableReplay.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
jar/io/reactivex/internal/operators/mixed/CompletableAndThenPublisher.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/SingleTransformer.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
jar/io/reactivex/internal/operators/observable/ObservableAllSingle.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
jar/io/reactivex/internal/operators/flowable/FlowableDebounceTimed.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
jar/io/reactivex/internal/operators/parallel/ParallelMap.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
jar/io/reactivex/internal/operators/observable/ObservableFlatMapSingle.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
jar/io/reactivex/internal/util/EndConsumerHelper.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
jar/io/reactivex/internal/operators/flowable/FlowableHide.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
jar/io/reactivex/internal/operators/observable/ObservableBufferBoundarySupplier.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
jar/io/reactivex/internal/operators/flowable/FlowableFlatMapCompletableCompletable.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
jar/io/reactivex/internal/operators/single/SingleDelayWithPublisher.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
jar/io/reactivex/internal/operators/maybe/MaybeFlatMapSingleElement.java



\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/observers/BlockingBaseObserver.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/completable/CompletableTimer.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/observable/ObservableBufferExactBoundary.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/observable/ObservableIntervalRange.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/observable/ObservableSingleSingle.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/functions/Function4.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/maybe/MaybeDoAfterSuccess.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/single/SingleTakeUntil.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/functions/BiFunction.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/flowable/FlowablePublishClassic.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/flowable/FlowableTake.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/functions/BooleanSupplier.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/parallel/ParallelFlatMap.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/fuseable/HasUpstreamPublisher.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/observable/ObservableUnsubscribeOn.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/observable/ObservableOnErrorNext.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/mixed/MaybeFlatMapPublisher.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/subscriptions/BooleanSubscription.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/single/SingleDelayWithSingle.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/completable/CompletableErrorSupplier.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/observables/ConnectableObservable.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/maybe/AbstractMaybeWithUpstream.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/subscribers/DeferredScalarSubscriber.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/parallel/ParallelJoin.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/subjects/PublishSubject.java

\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/observable/ObservableTimer.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/observers/BasicFuseableObserver.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/observable/ObservableDoFinally.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/plugins/RxJavaPlugins.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/maybe/MaybeDelayOtherPublisher.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/flowable/FlowableSingleMaybe.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/maybe/MaybeTimeoutMaybe.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/flowable/FlowableConcatMapEagerPublisher.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/completable/CompletableMergeDelayErrorIterable.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/single/SingleFlatMapCompletable.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/flowable/FlowableElementAtMaybe.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/maybe/MaybeEqualSingle.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/subscribers/BoundedSubscriber.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/observers/ResourceMaybeObserver.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/FlowableEmitter.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/observable/ObservableDebounceTimed.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/SingleOperator.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/CompletableTransformer.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/SingleObserver.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/completable/CompletableAmb.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/ObservableOperator.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/observable/ObservableFromArray.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/maybe/MaybeOnErrorNext.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/flowable/FlowableBufferTimed.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/maybe/MaybeLift.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/observers/DisposableLambdaObserver.java

\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/observers/BasicIntQueueDisposable.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/flowable/FlowableFilter.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/maybe/MaybeTakeUntilPublisher.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/single/SingleCreate.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/flowable/FlowableTimeInterval.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/util/BackpressureHelper.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/schedulers/NonBlockingThread.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/maybe/MaybeDelayWithCompletable.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/parallel/ParallelFlowableConverter.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/observers/DisposableMaybeObserver.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/observable/ObservableLastMaybe.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/flowable/FlowableDetach.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/parallel/ParallelFilter.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/mixed/ObservableConcatMapSingle.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/observable/ObservableMapNotification.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/maybe/MaybeMergeArray.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/fuseable/FuseToFlowable.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/flowable/FlowableDoFinally.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/observable/ObservableCache.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/completable/CompletableFromAction.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/single/SingleFlatMapPublisher.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/flowable/FlowableThrottleFirstTimed.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/disposables/CompositeDisposable.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/subscribers/SinglePostCompleteSubscriber.java

\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/single/SingleObserveOn.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/observers/DeferredScalarDisposable.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/observable/ObservablePublish.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/flowable/FlowableConcatMap.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/subscribers/BlockingSubscriber.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/observable/ObservableWindowBoundarySupplier.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/flowable/FlowablePublish.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/flowable/FlowableFromIterable.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/flowable/FlowableReduceMaybe.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/exceptions/MissingBackpressureException.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/disposables/ReferenceDisposable.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/flowable/FlowableObserveOn.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/subscriptions/SubscriptionArbiter.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/flowables/ConnectableFlowable.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/flowable/FlowableFlatMapCompletable.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/subjects/UnicastSubject.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/observable/ObservableEmpty.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/flowable/FlowableGenerate.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/single/SingleFromCallable.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/observable/ObservableFromUnsafeSource.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/completable/CompletableCreate.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/subscriptions/ArrayCompositeSubscription.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/processors/ReplayProcessor.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/functions/Function8.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-

jar/io/reactivex/subjects/ReplaySubject.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
jar/io/reactivex/internal/operators/maybe/MaybeMaterialize.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
jar/io/reactivex/internal/operators/observable/ObservableBlockingSubscribe.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
jar/io/reactivex/internal/operators/mixed/FlowableConcatMapSingle.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
jar/io/reactivex/internal/operators/completable/CompletableObserveOn.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/FlowableOperator.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
jar/io/reactivex/internal/subscribers/InnerQueuedSubscriberSupport.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/CompletableOperator.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
jar/io/reactivex/internal/operators/mixed/ObservableSwitchMapMaybe.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
jar/io/reactivex/internal/fuseable/QueueSubscription.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
jar/io/reactivex/internal/operators/flowable/FlowableNever.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
jar/io/reactivex/internal/operators/observable/ObservableMaterialize.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
jar/io/reactivex/internal/operators/parallel/ParallelReduce.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
jar/io/reactivex/processors/FlowableProcessor.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
jar/io/reactivex/internal/operators/observable/ObservableSkipLastTimed.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
jar/io/reactivex/internal/operators/flowable/FlowableCreate.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/functions/BiPredicate.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/annotations/Beta.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
jar/io/reactivex/internal/fuseable/QueueFuseable.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
jar/io/reactivex/internal/util/VolatileSizeArrayList.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
jar/io/reactivex/internal/operators/single/SingleTimeout.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
jar/io/reactivex/internal/operators/maybe/MaybeFromRunnable.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
jar/io/reactivex/internal/operators/observable/ObservableTimeoutTimed.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
jar/io/reactivex/observers/ResourceObserver.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
jar/io/reactivex/annotations/CheckReturnValue.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
jar/io/reactivex/internal/subscribers/BasicFuseableSubscriber.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-

jar/io/reactivex/internal/operators/flowable/FlowableToList.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
jar/io/reactivex/internal/operators/flowable/FlowableInterval.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/BackpressureStrategy.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
jar/io/reactivex/internal/operators/observable/ObservableSkipUntil.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
jar/io/reactivex/internal/operators/flowable/FlowableJoin.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
jar/io/reactivex/internal/operators/maybe/MaybeFromCompletable.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
jar/io/reactivex/internal/operators/observable/ObservableRange.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
jar/io/reactivex/observers/DisposableSingleObserver.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
jar/io/reactivex/internal/observers/BasicQueueDisposable.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
jar/io/reactivex/internal/operators/completable/CompletableCache.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
jar/io/reactivex/internal/fuseable/HasUpstreamCompletableSource.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
jar/io/reactivex/internal/operators/observable/ObservableFromCallable.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
jar/io/reactivex/internal/fuseable/HasUpstreamObservableSource.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
jar/io/reactivex/internal/operators/observable/ObservableSubscribeOn.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
jar/io/reactivex/internal/operators/flowable/FlowableSamplePublisher.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
jar/io/reactivex/internal/operators/observable/BlockingObservableMostRecent.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
jar/io/reactivex/processors/BehaviorProcessor.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/Observable.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
jar/io/reactivex/internal/operators/mixed/ObservableConcatMapCompletable.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/annotations/NonNull.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
jar/io/reactivex/internal/operators/flowable/FlowableTakeLastTimed.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
jar/io/reactivex/internal/operators/flowable/BlockingFlowableNext.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
jar/io/reactivex/internal/operators/single/SingleFlatMapIterableObservable.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/functions/Function6.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
jar/io/reactivex/internal/operators/observable/ObservableFlattenIterable.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
jar/io/reactivex/internal/operators/observable/ObservableFromPublisher.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-

jar/io/reactivex/internal/operators/single/SingleMaterialize.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
jar/io/reactivex/internal/operators/observable/ObservableTakeUntilPredicate.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
jar/io/reactivex/internal/operators/completable/CompletableToFlowable.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
jar/io/reactivex/internal/operators/completable/CompletableFromRunnable.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
jar/io/reactivex/internal/operators/maybe/MaybeFlatMapIterableFlowable.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
jar/io/reactivex/internal/operators/maybe/MaybeDelaySubscriptionOtherPublisher.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
jar/io/reactivex/internal/operators/flowable/FlowableMap.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
jar/io/reactivex/internal/observers/InnerQueuedObserverSupport.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
jar/io/reactivex/CompletableOnSubscribe.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
jar/io/reactivex/internal/operators/flowable/FlowableWindowTimed.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
jar/io/reactivex/internal/operators/observable/ObservableError.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
jar/io/reactivex/internal/operators/mixed/MaybeFlatMapObservable.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
jar/io/reactivex/internal/operators/observable/ObservableMap.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
jar/io/reactivex/internal/operators/observable/ObservableHide.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
jar/io/reactivex/internal/operators/maybe/MaybeToFlowable.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
jar/io/reactivex/internal/operators/maybe/MaybeObserveOn.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
jar/io/reactivex/internal/operators/flowable/FlowableDistinctUntilChanged.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
jar/io/reactivex/internal/operators/completable/CompletableDoFinally.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/functions/IntFunction.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
jar/io/reactivex/FlowableOnSubscribe.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
jar/io/reactivex/internal/operators/flowable/FlowableBlockingSubscribe.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
jar/io/reactivex/internal/operators/completable/CompletableConcatArray.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
jar/io/reactivex/internal/operators/observable/ObservableDetach.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
jar/io/reactivex/internal/operators/flowable/FlowableFlatMap.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
jar/io/reactivex/internal/subscriptions/DeferredScalarSubscription.java

\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/observable/ObservableRepeatWhen.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/observable/ObservableCountSingle.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/util/OpenHashSet.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/Completable.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/observable/ObservableConcatWithMaybe.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/observable/ObservableToListSingle.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/single/SingleDoOnSuccess.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/single/SingleDelay.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/observable/ObservableElementAt.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/flowable/FlowableIntervalRange.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/observable/ObservableSkipLast.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/exceptions/UndeliverableException.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/single/SingleDematerialize.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/flowable/FlowableZipIterable.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/mixed/ObservableSwitchMapCompletable.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/flowable/FlowableFromPublisher.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/flowable/FlowableAll.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/disposables/EmptyDisposable.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/observable/ObservableScan.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/flowable/FlowableCombineLatest.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/MaybeSource.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/observable/ObservableRepeat.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/single/SingleUsing.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/completable/CompletableToSingle.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/maybe/MaybeConcatIterable.java



\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/flowable/FlowableUnsubscribeOn.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/flowable/FlowableSequenceEqual.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/observable/BlockingObservableIterable.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/maybe/MaybeConcatArrayDelayError.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/disposables/SubscriptionDisposable.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/annotations/SchedulerSupport.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/Observer.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/parallel/ParallelConcatMap.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/flowable/FlowableDelaySubscriptionOther.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/processors/AsyncProcessor.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/subjects/Subject.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/functions/BiConsumer.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/observable/ObservableIgnoreElementsCompletable.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/flowable/FlowableScan.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/CompletableEmitter.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/completable/CompletableMergeIterable.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/SingleOnSubscribe.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/maybe/MaybePeek.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/completable/CompletableUsing.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/observers/BlockingMultiObserver.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/single/SingleDoOnError.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/single/SingleDelayWithCompletable.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/maybe/MaybeDetach.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/observers/FutureObserver.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/observable/ObservableSkipWhile.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/flowable/FlowableTakeUntilPredicate.java

\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/maybe/MaybeOnErrorReturn.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/observable/ObservableTakeWhile.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/completable/CompletableDetach.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/mixed/FlowableConcatMapMaybe.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/disposables/ResettableConnectable.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/util/SorterFunction.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/observable/ObservableElementAtMaybe.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/mixed/MaterializeSingleObserver.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/observable/ObservableInternalHelper.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/single/SingleTimer.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/mixed/CompletableAndThenObservable.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/subscribers/LambdaSubscriber.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/completable/CompletableDelay.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/observable/ObservableWithLatestFrom.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/observable/ObservablePublishAlt.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/flowable/FlowableOnErrorReturn.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/observable/ObservableCollect.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/subjects/AsyncSubject.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/observers/BaseTestConsumer.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/flowable/FlowableWithLatestFrom.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/subscribers/BlockingLastSubscriber.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/flowable/FlowableDebounce.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/observable/ObservableTimeInterval.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/subscribers/SerializedSubscriber.java

\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/disposables/CancellableDisposable.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/CompletableSource.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/observable/ObservableMergeWithMaybe.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/observable/ObservableAutoConnect.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/observable/ObservableLift.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/observers/CallbackCompletableObserver.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/observable/ObservableBufferTimed.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/observable/ObservableSampleWithObservable.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/mixed/FlowableSwitchMapSingle.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/processors/PublishProcessor.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/disposables/Disposable.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/schedulers/Schedulers.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/util/LinkedList.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/completable/CompletableMergeDelayErrorArray.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/observables/GroupedObservable.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/observable/ObservableScanSeed.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/flowable/FlowableAutoConnect.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/completable/CompletableDoOnEvent.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/flowable/FlowableOnBackpressureBufferStrategy.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/flowable/FlowableConcatWithSingle.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/observable/ObservableWindow.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/flowable/FlowableTimeout.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/maybe/MaybeToObservable.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/subscriptions/AsyncSubscription.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-

jar/io/reactivex/internal/operators/observable/ObservableDebounce.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
jar/io/reactivex/internal/operators/maybe/MaybeJust.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
jar/io/reactivex/functions/LongConsumer.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
jar/io/reactivex/internal/operators/maybe/MaybeUsing.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
jar/io/reactivex/internal/operators/observable/ObservableOnErrorReturn.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
jar/io/reactivex/exceptions/Exceptions.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
jar/io/reactivex/internal/operators/flowable/FlowableThrottleLatest.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
jar/io/reactivex/internal/operators/flowable/FlowableCount.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
jar/io/reactivex/internal/operators/completable/CompletableError.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
jar/io/reactivex/internal/operators/single/SingleError.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
jar/io/reactivex/internal/operators/single/SingleUnsubscribeOn.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
jar/io/reactivex/internal/operators/flowable/FlowableElementAt.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
jar/io/reactivex/internal/operators/parallel/ParallelFilterTry.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
jar/io/reactivex/internal/operators/observable/ObservableAnySingle.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
jar/io/reactivex/internal/operators/completable/CompletableConcat.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/FlowableTransformer.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
jar/io/reactivex/internal/operators/flowable/FlowableRepeatWhen.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
jar/io/reactivex/internal/observers/ConsumerSingleObserver.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
jar/io/reactivex/internal/operators/completable/CompletableMerge.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
jar/io/reactivex/internal/operators/single/SingleDelayWithObservable.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/CompletableObserver.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
jar/io/reactivex/internal/operators/completable/CompletableResumeNext.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
jar/io/reactivex/internal/operators/single/SingleDetach.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
jar/io/reactivex/internal/operators/maybe/MaybeZipArray.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
jar/io/reactivex/internal/observers/QueueDrainObserver.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-

jar/io/reactivex/internal/util/ObservableQueueDrain.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
jar/io/reactivex/internal/operators/flowable/FlowableCache.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
jar/io/reactivex/internal/operators/flowable/FlowableFromArray.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
jar/io/reactivex/internal/operators/observable/ObservableSampleTimed.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
jar/io/reactivex/internal/observers/ForEachWhileObserver.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
jar/io/reactivex/internal/operators/observable/ObservableMergeWithCompletable.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
jar/io/reactivex/processors/SerializedProcessor.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
jar/io/reactivex/internal/operators/flowable/BlockingFlowableLatest.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
jar/io/reactivex/CompletableConverter.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
jar/io/reactivex/internal/subscribers/FutureSubscriber.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
jar/io/reactivex/internal/operators/observable/ObservableReplay.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
jar/io/reactivex/internal/disposables/ListCompositeDisposable.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
jar/io/reactivex/internal/operators/single/SingleToFlowable.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
jar/io/reactivex/annotations/Experimental.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
jar/io/reactivex/internal/operators/maybe/MaybeFlatMapCompletable.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
jar/io/reactivex/internal/operators/completable/CompletableToObservable.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
jar/io/reactivex/internal/operators/single/SingleHide.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
jar/io/reactivex/internal/operators/observable/AbstractObservableWithUpstream.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
jar/io/reactivex/internal/operators/completable/CompletableConcatIterable.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
jar/io/reactivex/internal/operators/observable/ObservableAmb.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
jar/io/reactivex/internal/util/BlockingIgnoringReceiver.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
jar/io/reactivex/internal/operators/single/SingleMap.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
jar/io/reactivex/internal/observers/BiConsumerSingleObserver.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/Single.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
jar/io/reactivex/internal/operators/flowable/FlowableWindowBoundary.java

\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/flowable/FlowableSkipLastTimed.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/mixed/FlowableConcatMapCompletable.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/observers/TestObserver.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/flowable/FlowableBufferBoundary.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/observable/BlockingObservableLatest.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/observable/ObservableTake.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/observable/ObservableDoOnLifecycle.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/schedulers/SchedulerMultiWorkerSupport.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/observable/ObservableReduceMaybe.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/flowable/FlowableLastMaybe.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/parallel/ParallelFromPublisher.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/exceptions/ProtocolViolationException.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/subjects/SerializedSubject.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/subjects/BehaviorSubject.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/maybe/MaybeIsEmpty.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/util/AppendOnlyLinkedList.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/flowable/FlowableOnBackpressureBuffer.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/observable/ObservableDelaySubscriptionOther.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/flowable/FlowableElementAtSingle.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/parallel/ParallelPeek.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/parallel/ParallelTransformer.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/disposables/SerialDisposable.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/util/BlockingHelper.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/maybe/MaybeTakeUntilMaybe.java

\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/observable/ObservableRepeatUntil.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/flowable/FlowableRefCount.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/functions/Consumer.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/single/SingleZipIterable.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/ObservableConverter.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/observable/ObservableReduceSeedSingle.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/schedulers/ExecutorScheduler.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/observable/ObservablePublishClassic.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/Notification.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/maybe/MaybeFlatMapBiSelector.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/observers/EmptyCompletableObserver.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/completable/CompletableFromCallable.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/flowable/FlowableAllSingle.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/functions/Function7.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/flowable/FlowableTakePublisher.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/flowable/FlowableTakeLast.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/annotations/BackpressureKind.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/observers/DefaultObserver.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/util/QueueDrainHelper.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/util/NotificationLite.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/flowable/FlowableSampleTimed.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/functions/Function9.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/flowable/FlowableConcatMapPublisher.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/flowable/FlowableDelay.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/completable/CompletableFromUnsafeSource.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/observable/ObservableTakeLastTimed.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-

jar/io/reactivex/internal/operators/observable/ObservableObserveOn.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
jar/io/reactivex/subjects/SingleSubject.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
jar/io/reactivex/internal/operators/completable/CompletableDisposeOn.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
jar/io/reactivex/internal/operators/flowable/AbstractFlowableWithUpstream.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
jar/io/reactivex/internal/operators/flowable/FlowableUsing.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
jar/io/reactivex/internal/operators/single/SingleJust.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
jar/io/reactivex/internal/operators/flowable/FlowableAny.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
jar/io/reactivex/internal/operators/maybe/MaybeDoOnTerminate.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
jar/io/reactivex/internal/observers/SubscriberCompletableObserver.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
jar/io/reactivex/internal/operators/flowable/FlowableScalarXMap.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
jar/io/reactivex/internal/operators/flowable/FlowableConcatArray.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
jar/io/reactivex/internal/operators/flowable/FlowableFlattenIterable.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
jar/io/reactivex/internal/operators/maybe/MaybeFromAction.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
jar/io/reactivex/internal/operators/observable/ObservableWindowBoundary.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
jar/io/reactivex/internal/functions/ObjectHelper.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
jar/io/reactivex/internal/operators/flowable/FlowableDistinct.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
jar/io/reactivex/internal/operators/flowable/FlowableError.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
jar/io/reactivex/internal/operators/completable/CompletableEmpty.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
jar/io/reactivex/internal/observers/LambdaObserver.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
jar/io/reactivex/internal/subscriptions/SubscriptionHelper.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
jar/io/reactivex/internal/operators/flowable/FlowableMergeWithSingle.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
jar/io/reactivex/internal/operators/observable/ObservableThrottleFirstTimed.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
jar/io/reactivex/internal/disposables/DisposableHelper.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
jar/io/reactivex/internal/operators/flowable/FlowableCountSingle.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-



jar/io/reactivex/internal/operators/completable/CompletableNever.java  
 \* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
 jar/io/reactivex/internal/fuseable/FuseToObservable.java  
 \* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
 jar/io/reactivex/internal/operators/completable/CompletablePeek.java  
 \* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
 jar/io/reactivex/internal/operators/observable/ObservableElementAtSingle.java  
 \* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
 jar/io/reactivex/internal/operators/completable/CompletableMaterialize.java  
 \* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
 jar/io/reactivex/internal/operators/observable/ObservableGroupBy.java  
 \* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
 jar/io/reactivex/internal/operators/completable/CompletableDefer.java  
 \* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
 jar/io/reactivex/internal/operators/single/SingleEquals.java  
 \* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
 jar/io/reactivex/internal/operators/maybe/MaybeTimeoutPublisher.java  
 \* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/fuseable/package-  
 info.java  
 \* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
 jar/io/reactivex/internal/operators/flowable/FlowablePublishAlt.java  
 \* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/SingleEmitter.java  
 \* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
 jar/io/reactivex/internal/fuseable/HasUpstreamMaybeSource.java  
 \* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
 jar/io/reactivex/internal/operators/mixed/ObservableSwitchMapSingle.java  
 \* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
 jar/io/reactivex/internal/operators/flowable/FlowableReduceSeedSingle.java  
 \* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
 jar/io/reactivex/internal/operators/single/SingleFlatMapMaybe.java  
 \* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/Scheduler.java  
 \* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
 jar/io/reactivex/internal/operators/observable/ObservableFlatMapCompletableCompletable.java  
 \* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
 jar/io/reactivex/schedulers/TestScheduler.java  
 \* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
 jar/io/reactivex/internal/util/MergerBiFunction.java  
 \* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
 jar/io/reactivex/internal/operators/observable/ObservableWindowTimed.java  
 \* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
 jar/io/reactivex/internal/operators/observable/ObservableDematerialize.java  
 \* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
 jar/io/reactivex/internal/observers/ResumeSingleObserver.java  
 \* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
 jar/io/reactivex/internal/operators/flowable/FlowableEmpty.java  
 \* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
 jar/io/reactivex/parallel/ParallelFailureHandling.java  
 \* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-

jar/io/reactivex/internal/operators/observable/ObservableRetryBiPredicate.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/Maybe.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/observable/ObservableWindowBoundarySelector.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/flowable/FlowableDematerialize.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/util/ListAddBiConsumer.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/single/SingleDoFinally.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/util/ErrorMessage.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/single/SingleNever.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/observers/SafeObserver.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/maybe/MaybeConcatArray.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/observable/ObservableRetryPredicate.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/flowable/FlowableTakeLastOne.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/observers/ResourceSingleObserver.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/completable/CompletableAndThenCompletable.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/schedulers/ImmediateThinScheduler.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/single/SingleDoOnEvent.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/single/SingleToObservable.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/flowable/FlowableSerialized.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/observable/ObservableToList.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/single/SingleDoAfterSuccess.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/single/SingleDoOnSubscribe.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/flowable/FlowableJust.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/MaybeConverter.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/subscribers/BlockingFirstSubscriber.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/subscribers/ForEachWhileSubscriber.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-

jar/io/reactivex/internal/operators/observable/ObservableAll.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
jar/io/reactivex/internal/operators/single/SingleDoOnTerminate.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
jar/io/reactivex/internal/operators/single/SingleResumeNext.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
jar/io/reactivex/internal/operators/maybe/MaybeFlatten.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
jar/io/reactivex/internal/observers/DeferredScalarObserver.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
jar/io/reactivex/internal/operators/observable/ObservablePublishSelector.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
jar/io/reactivex/internal/operators/flowable/FlowableFlatMapPublisher.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
jar/io/reactivex/internal/operators/flowable/FlowableRangeLong.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
jar/io/reactivex/internal/schedulers/SingleScheduler.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
jar/io/reactivex/internal/operators/parallel/ParallelDoOnNextTry.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
jar/io/reactivex/disposables/Disposables.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
jar/io/reactivex/internal/queue/SpSCArrayQueue.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
jar/io/reactivex/internal/operators/maybe/MaybeIsEmptySingle.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
jar/io/reactivex/internal/operators/observable/ObservableFromFuture.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
jar/io/reactivex/subscribers/TestSubscriber.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
jar/io/reactivex/internal/operators/observable/ObservableGenerate.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
jar/io/reactivex/internal/operators/flowable/FlowableWindowBoundarySupplier.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
jar/io/reactivex/internal/operators/maybe/MaybeDoFinally.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
jar/io/reactivex/exceptions/OnErrorNotImplementedException.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
jar/io/reactivex/subscribers/SafeSubscriber.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
jar/io/reactivex/internal/subscriptions/BasicIntQueueSubscription.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
jar/io/reactivex/internal/operators/parallel/ParallelFromArray.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
jar/io/reactivex/observers/LambdaConsumerIntrospection.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
jar/io/reactivex/internal/operators/flowable/FlowableMergeWithMaybe.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-

jar/io/reactivex/internal/operators/maybe/MaybeSwitchIfEmptySingle.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
jar/io/reactivex/internal/operators/flowable/FlowableBuffer.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
jar/io/reactivex/internal/operators/flowable/FlowableCollect.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
jar/io/reactivex/internal/operators/observable/ObservableDoOnEach.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
jar/io/reactivex/processors/UnicastProcessor.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
jar/io/reactivex/observers/ResourceCompletableObserver.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
jar/io/reactivex/internal/operators/observable/ObservableDoAfterNext.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
jar/io/reactivex/internal/operators/flowable/FlowableSingle.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/functions/Function3.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
jar/io/reactivex/internal/operators/flowable/FlowableMapPublisher.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
jar/io/reactivex/internal/operators/single/SingleDefer.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
jar/io/reactivex/internal/operators/observable/ObservableDelay.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
jar/io/reactivex/internal/util/AtomicThrowable.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
jar/io/reactivex/internal/operators/completable/CompletableFromSingle.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
jar/io/reactivex/internal/operators/observable/ObservableConcatWithCompletable.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
jar/io/reactivex/internal/operators/flowable/FlowableScanSeed.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
jar/io/reactivex/internal/operators/observable/ObservableSingleMaybe.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
jar/io/reactivex/internal/operators/observable/ObservableCombineLatest.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
jar/io/reactivex/annotations/BackpressureSupport.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
jar/io/reactivex/internal/operators/single/SingleAmb.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/schedulers/Timed.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
jar/io/reactivex/internal/operators/flowable/FlowableReduce.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
jar/io/reactivex/internal/operators/maybe/MaybeFlatMapSingle.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
jar/io/reactivex/internal/operators/observable/ObservableTakeUntil.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-  
jar/io/reactivex/internal/subscriptions/ScalarSubscription.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-

jar/io/reactivex/internal/operators/completable/CompletableLift.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/ObservableEmitter.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/completable/CompletableTimeout.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/flowable/FlowableOnBackpressureDrop.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/util/SuppressAnimalSniffer.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/flowable/FlowableRepeat.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/single/SingleDoAfterTerminate.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/flowable/FlowableWindowBoundarySelector.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/flowable/FlowableConcatMapEager.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/flowable/FlowableFlatMapSingle.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/observable/ObservableFlatMapCompletable.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/maybe/MaybeAmb.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/observable/ObservableZipIterable.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/MaybeTransformer.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/maybe/MaybeFlatMapIterableObservable.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/observable/ObservableMergeWithSingle.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/flowable/BlockingFlowableMostRecent.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/ObservableSource.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/SingleConverter.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/schedulers/DisposeOnCancel.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/observable/ObservableSwitchMap.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/flowable/FlowableSingleSingle.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/maybe/MaybeErrorCallable.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/disposables/ActionDisposable.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/maybe/MaybeError.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/single/SingleFromPublisher.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-

jar/io/reactivex/internal/operators/maybe/MaybeZipIterable.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/functions/Predicate.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/flowable/FlowableLift.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/maybe/MaybeSwitchIfEmpty.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/util/EmptyComponent.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/flowable/FlowableIgnoreElementsCompletable.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/observable/ObservableNever.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/observable/ObservableDistinct.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/flowable/FlowableSkip.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/observable/ObservableSequenceEqual.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/annotations/Nullable.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/disposables/RunnableDisposable.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/ObservableTransformer.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/subscribers/ResourceSubscriber.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/subscribers/InnerQueuedSubscriber.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/flowable/FlowableFromFuture.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/flowable/FlowableRepeatUntil.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/MaybeObserver.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/observable/ObservableRetryWhen.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/single/SingleFromUnsafeSource.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/single/SingleDoOnDispose.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/observable/ObservableLastSingle.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/disposables/DisposableContainer.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/flowable/FlowableConcatWithCompletable.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/flowable/FlowableLastSingle.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/maybe/MaybeCallbackObserver.java

\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/observers/SerializedObserver.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/single/SingleInternalHelper.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/subscribers/BlockingBaseSubscriber.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/observable/ObservableSkip.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/functions/Action.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/maybe/MaybeFilterSingle.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/flowable/FlowableDoOnLifecycle.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/schedulers/RxThreadFactory.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/flowable/FlowableSkipUntil.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/functions/Cancellable.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/observable/ObservableUsing.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/fuseable/HasUpstreamSingleSource.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/maybe/MaybeSubscribeOn.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/flowable/FlowableFromCallable.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/fuseable/ConditionalSubscriber.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/flowable/FlowableZip.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/disposables/ArrayCompositeDisposable.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/mixed/ScalarXMapZHelper.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/flowable/FlowableTakeWhile.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/flowable/FlowableGroupBy.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/mixed/SingleFlatMapObservable.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/single/SingleContains.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/flowable/FlowableMapNotification.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/flowable/FlowableBufferBoundarySupplier.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/mixed/FlowableSwitchMapCompletable.java

\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/maybe/MaybeFilter.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/util/HashMapSupplier.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/parallel/ParallelCollect.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/SingleSource.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/subscribers/BasicFuseableConditionalSubscriber.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/observable/ObservableTakeLast.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/maybe/MaybeOnErrorComplete.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/maybe/MaybeIgnoreElementCompletable.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/flowable/FlowableTimer.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/maybe/MaybeDefer.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/observable/ObservableDistinctUntilChanged.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/disposables/FutureDisposable.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/fuseable/QueueDisposable.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/observable/ObservableReduceWithSingle.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/observable/ObservableFlatMap.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/flowable/FlowableMaterialize.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/maybe/MaybeNever.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/maybe/MaybeFromCallable.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/flowable/FlowableReduceWithSingle.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/single/SingleZipArray.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/util/ExceptionHelper.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/maybe/MaybeEmpty.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/disposables/SequentialDisposable.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/flowable/FlowableSwitchIfEmpty.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-



jar/io/reactivex/internal/observers/BlockingLastObserver.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/MaybeOnSubscribe.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/flowable/FlowableRetryPredicate.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/flowable/FlowableWindow.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/observable/ObservableIgnoreElements.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/observable/ObservableSwitchIfEmpty.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/Flowable.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/flowable/FlowableConcatWithMaybe.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/subscribers/DisposableSubscriber.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/flowable/FlowableOnErrorNext.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/observable/ObservableAny.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/maybe/MaybeToPublisher.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/flowable/FlowableDoAfterNext.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/maybe/MaybeFlatMapNotification.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/observable/ObservableCreate.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/flowable/FlowableFlatMapMaybe.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/parallel/ParallelFlowable.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/observable/ObservableDefer.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/operators/mixed/FlowableSwitchMapMaybe.java  
\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/FlowableConverter.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Copyright (c) 2016-present, RxJava Contributors.

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in

\* compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License is

\* distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express

or implied. See

\* the License for the specific language governing permissions and limitations under the License.

\*/

/\*

\* Original License: <https://github.com/JCTools/JCTools/blob/master/LICENSE>

\* Original location: <https://github.com/JCTools/JCTools/blob/master/jctools-core/src/main/java/org/jctools/util/Pow2.java>

\*/

Found in path(s):

\* /opt/cola/permits/1277961268\_1645785784.62/0/rxjava-2-2-10-sources-jar/io/reactivex/internal/util/Pow2.java

## 1.315 dropwizard-logging-support 2.0.25

### 1.315.1 Available under license :

Found license 'Eclipse Public License 1.0' in '\* Copyright (C) 1999-2015, QOS.ch. All rights reserved. \* This program and the accompanying materials are dual-licensed under \* either the terms of the Eclipse Public License v1.0 as published by \* under the terms of the GNU Lesser General Public License version 2.1 \* as published by the Free Software Foundation.'

Found license 'GNU Lesser General Public License' in '\* Copyright (C) 1999-2015, QOS.ch. All rights reserved. \* This program and the accompanying materials are dual-licensed under \* either the terms of the Eclipse Public License v1.0 as published by \* under the terms of the GNU Lesser General Public License version 2.1 \* as published by the Free Software Foundation.'

## 1.316 micronaut-mqtt 2.1.0

### 1.316.1 Available under license :

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2017-2020 original authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1331473884\_1653514363.4906576/0/micronaut-mqtt-core-2-1-0-sources-jar/io/micronaut/mqtt/annotation/Retained.java

\* /opt/cola/permits/1331473884\_1653514363.4906576/0/micronaut-mqtt-core-2-1-0-sources-jar/io/micronaut/mqtt/bind/AnnotatedMqttBinder.java

\* /opt/cola/permits/1331473884\_1653514363.4906576/0/micronaut-mqtt-core-2-1-0-sources-jar/io/micronaut/mqtt/bind/DefaultMqttBinderRegistry.java

\* /opt/cola/permits/1331473884\_1653514363.4906576/0/micronaut-mqtt-core-2-1-0-sources-jar/io/micronaut/mqtt/serdes/MqttPayloadSerDesRegistry.java

\* /opt/cola/permits/1331473884\_1653514363.4906576/0/micronaut-mqtt-core-2-1-0-sources-jar/io/micronaut/mqtt/bind/MqttBinderRegistry.java

\* /opt/cola/permits/1331473884\_1653514363.4906576/0/micronaut-mqtt-core-2-1-0-sources-jar/io/micronaut/mqtt/bind/impl/QosMqttBinder.java

\* /opt/cola/permits/1331473884\_1653514363.4906576/0/micronaut-mqtt-core-2-1-0-sources-jar/io/micronaut/mqtt/serdes/MqttPayloadSerDes.java

\* /opt/cola/permits/1331473884\_1653514363.4906576/0/micronaut-mqtt-core-2-1-0-sources-jar/io/micronaut/mqtt/serdes/JavaLangMqttPayloadSerDes.java

\* /opt/cola/permits/1331473884\_1653514363.4906576/0/micronaut-mqtt-core-2-1-0-sources-jar/io/micronaut/mqtt/config/MqttSSLConfiguration.java

\* /opt/cola/permits/1331473884\_1653514363.4906576/0/micronaut-mqtt-core-2-1-0-sources-jar/io/micronaut/mqtt/exception/MqttSubscriberException.java

\* /opt/cola/permits/1331473884\_1653514363.4906576/0/micronaut-mqtt-core-2-1-0-sources-jar/io/micronaut/mqtt/bind/impl/RetainedMqttBinder.java

\* /opt/cola/permits/1331473884\_1653514363.4906576/0/micronaut-mqtt-core-2-1-0-sources-jar/io/micronaut/mqtt/bind/MqttBinder.java

\* /opt/cola/permits/1331473884\_1653514363.4906576/0/micronaut-mqtt-core-2-1-0-sources-jar/io/micronaut/mqtt/exception/MqttClientException.java

\* /opt/cola/permits/1331473884\_1653514363.4906576/0/micronaut-mqtt-core-2-1-0-sources-jar/io/micronaut/mqtt/bind/impl/IdMqttBinder.java

\* /opt/cola/permits/1331473884\_1653514363.4906576/0/micronaut-mqtt-core-2-1-0-sources-jar/io/micronaut/mqtt/bind/TypedMqttBinder.java

\* /opt/cola/permits/1331473884\_1653514363.4906576/0/micronaut-mqtt-core-2-1-0-sources-jar/io/micronaut/mqtt/serdes/JsonMqttPayloadSerDes.java

\* /opt/cola/permits/1331473884\_1653514363.4906576/0/micronaut-mqtt-core-2-1-0-sources-jar/io/micronaut/mqtt/bind/impl/PayloadMqttBinder.java

\* /opt/cola/permits/1331473884\_1653514363.4906576/0/micronaut-mqtt-core-2-1-0-sources-jar/io/micronaut/mqtt/annotation/MqttSubscriber.java

\* /opt/cola/permits/1331473884\_1653514363.4906576/0/micronaut-mqtt-core-2-1-0-sources-jar/io/micronaut/mqtt/annotation/Qos.java

\* /opt/cola/permits/1331473884\_1653514363.4906576/0/micronaut-mqtt-core-2-1-0-sources-jar/io/micronaut/mqtt/executor/MqttExecutorFactory.java

\* /opt/cola/permits/1331473884\_1653514363.4906576/0/micronaut-mqtt-core-2-1-0-sources-jar/io/micronaut/mqtt/annotation/package-info.java

\* /opt/cola/permits/1331473884\_1653514363.4906576/0/micronaut-mqtt-core-2-1-0-sources-jar/io/micronaut/mqtt/exception/DefaultMqttSubscriberExceptionHandler.java

\* /opt/cola/permits/1331473884\_1653514363.4906576/0/micronaut-mqtt-core-2-1-0-sources-jar/io/micronaut/mqtt/intercept/MqttPublisherState.java

\* /opt/cola/permits/1331473884\_1653514363.4906576/0/micronaut-mqtt-core-2-1-0-sources-jar/io/micronaut/mqtt/bind/impl/TopicMqttBinder.java

```
* /opt/cola/permits/1331473884_1653514363.4906576/0/micronaut-mqtt-core-2-1-0-sources-
jar/io/micronaut/mqtt/bind/FallbackMqttBinder.java
* /opt/cola/permits/1331473884_1653514363.4906576/0/micronaut-mqtt-core-2-1-0-sources-
jar/io/micronaut/mqtt/annotation/Id.java
* /opt/cola/permits/1331473884_1653514363.4906576/0/micronaut-mqtt-core-2-1-0-sources-
jar/io/micronaut/mqtt/serdes/DefaultMqttPayloadSerDesRegistry.java
* /opt/cola/permits/1331473884_1653514363.4906576/0/micronaut-mqtt-core-2-1-0-sources-
jar/io/micronaut/mqtt/serdes/package-info.java
* /opt/cola/permits/1331473884_1653514363.4906576/0/micronaut-mqtt-core-2-1-0-sources-
jar/io/micronaut/mqtt/intercept/AbstractMqttIntroductionAdvice.java
* /opt/cola/permits/1331473884_1653514363.4906576/0/micronaut-mqtt-core-2-1-0-sources-
jar/io/micronaut/mqtt/annotation/Topics.java
* /opt/cola/permits/1331473884_1653514363.4906576/0/micronaut-mqtt-core-2-1-0-sources-
jar/io/micronaut/mqtt/bind/impl/AcknowledgeMqttBinder.java
* /opt/cola/permits/1331473884_1653514363.4906576/0/micronaut-mqtt-core-2-1-0-sources-
jar/io/micronaut/mqtt/intercept/AbstractMqttSubscriberAdvice.java
* /opt/cola/permits/1331473884_1653514363.4906576/0/micronaut-mqtt-core-2-1-0-sources-
jar/io/micronaut/mqtt/bind/impl/DefaultMqttBinder.java
* /opt/cola/permits/1331473884_1653514363.4906576/0/micronaut-mqtt-core-2-1-0-sources-
jar/io/micronaut/mqtt/exception/MqttSubscriberExceptionHandler.java
* /opt/cola/permits/1331473884_1653514363.4906576/0/micronaut-mqtt-core-2-1-0-sources-
jar/io/micronaut/mqtt/bind/MqttBindingContext.java
```

No license file was found, but licenses were detected in source scan.

```
/*
```

```
* Copyright 2017-2021 original authors
```

```
*
```

```
* Licensed under the Apache License, Version 2.0 (the "License");
```

```
* you may not use this file except in compliance with the License.
```

```
* You may obtain a copy of the License at
```

```
*
```

```
* https://www.apache.org/licenses/LICENSE-2.0
```

```
*
```

```
* Unless required by applicable law or agreed to in writing, software
```

```
* distributed under the License is distributed on an "AS IS" BASIS,
```

```
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
```

```
* See the License for the specific language governing permissions and
```

```
* limitations under the License.
```

```
*/
```

Found in path(s):

```
* /opt/cola/permits/1331473884_1653514363.4906576/0/micronaut-mqtt-core-2-1-0-sources-
jar/io/micronaut/mqtt/annotation/Topic.java
```

## 1.317 io-swagger-swagger-annotations 2.1.7

## 1.317.1 Available under license :

No license file was found, but licenses were detected in source scan.

Manifest-Version: 1.0

Bundle-Description: swagger-annotations

Automatic-Module-Name: io.swagger.v3.oas.annotations

Bundle-License: "Apache License 2.0";link="http://www.apache.org/licenses/LICENSE-2.0.html"

package: io.swagger

Bundle-SymbolicName: io.swagger.core.v3.swagger-annotations

implementation-version: 2.1.7

Built-By: runner

Bundle-ManifestVersion: 2

Bundle-DocURL: <https://github.com/swagger-api/swagger-core/modules/swagger-annotations>

Import-Package: io.swagger.v3.oas.annotations,io.swagger.v3.oas.annotations.enums,io.swagger.v3.oas.annotations.extensions,io.swagger.v3.oas.annotations.headers,io.swagger.v3.oas.annotations.info,io.swagger.v3.oas.annotations.links,io.swagger.v3.oas.annotations.media,io.swagger.v3.oas.annotations.parameters,io.swagger.v3.oas.annotations.responses,io.swagger.v3.oas.annotations.security,io.swagger.v3.oas.annotations.servers,io.swagger.v3.oas.annotations.tags

Require-Capability: osgi.ee;filter="(&(osgi.ee=JavaSE)(version=1.8))"

Bundle-Developers: fehguy;email="fehguy@gmail.com";name="Tony Tam",webbron;email="webbron@gmail.com";name="Ron Ratovsky"

url: <https://github.com/swagger-api/swagger-core/modules/swagger-annotations>

mode: development

Export-Package: io.swagger.v3.oas.annotations;uses:="io.swagger.v3.oas.annotations.enums,io.swagger.v3.oas.annotations.extensions,io.swagger.v3.oas.annotations.info,io.swagger.v3.oas.annotations.media,io.swagger.v3.oas.annotations.parameters,io.swagger.v3.oas.annotations.responses,io.swagger.v3.oas.annotations.security,io.swagger.v3.oas.annotations.servers,io.swagger.v3.oas.annotations.tags";version="2.1.7",io.swagger.v3.oas.annotations.callbacks;uses:="io.swagger.v3.oas.annotations,io.swagger.v3.oas.annotations.extensions";version="2.1.7",io.swagger.v3.oas.annotations.enums;version="2.1.7",io.swagger.v3.oas.annotations.extensions;version="2.1.7",io.swagger.v3.oas.annotations.headers;uses:="io.swagger.v3.oas.annotations.media";version="2.1.7",io.swagger.v3.oas.annotations.info;uses:="io.swagger.v3.oas.annotations.extensions";version="2.1.7",io.swagger.v3.oas.annotations.links;uses:="io.swagger.v3.oas.annotations.extensions,io.swagger.v3.oas.annotations.servers";version="2.1.7",io.swagger.v3.oas.annotations.media;uses:="io.swagger.v3.oas.annotations,io.swagger.v3.oas.annotations.extensions,io.swagger.v3.oas.annotations.headers";version="2.1.7",io.swagger.v3.oas.annotations.parameters;uses:="io.swagger.v3.oas.annotations.extensions,io.swagger.v3.oas.annotations.media";version="2.1.7",io.swagger.v3.oas.annotations.responses;uses:="io.swagger.v3.oas.annotations.e

xtensions,io.swagger.v3.oas.annotations.headers,io.swagger.v3.oas.annotations.links,io.swagger.v3.oas.annotations.media";version="2.1.7",io.swagger.v3.oas.annotations.security;uses="io.swagger.v3.oas.annotations.enums,io.swagger.v3.oas.annotations.extensions";version="2.1.7",io.swagger.v3.oas.annotations.servers;uses="io.swagger.v3.oas.annotations.extensions";version="2.1.7",io.swagger.v3.oas.annotations.tags;uses="io.swagger.v3.oas.annotations,io.swagger.v3.oas.annotations.extensions";version="2.1.7"

Bundle-Name: swagger-annotations

Bundle-Version: 2.1.7

Bundle-SCM: url="https://github.com/swagger-api/swagger-core/modules/swagger-annotations",connection="scm:git:git@github.com:swagger-api/swagger-core.git/modules/swagger-annotations",developer-connection="scm:git:git@github.com:swagger-api/swagger-core.git/modules/swagger-annotations",tag=HEAD

Created-By: Apache Maven 3.6.3

Build-Jdk: 1.8.0\_282

Found in path(s):

\* /opt/cola/permits/1340076287\_1654762415.7703397/0/swagger-annotations-2-1-7-jar/META-INF/MANIFEST.MF

## 1.318 feign-jaxrs 8.18.0

### 1.318.1 Available under license :

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2013 Netflix, Inc.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1274698784\_1645233710.69/0/feign-jaxrs-8-18-0-sources-jar/feign/jaxrs/JAXRSContract.java

# 1.319 reactor-core 3.4.14

## 1.319.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (c) 2016-2021 VMware Inc. or its affiliates, All Rights Reserved.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * https://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1340076475_1654622420.5909758/0/reactor-core-3-4-14-sources-1-
jar/reactor/core/publisher/MonoSwitchIfEmpty.java
* /opt/cola/permits/1340076475_1654622420.5909758/0/reactor-core-3-4-14-sources-1-
jar/reactor/core/publisher/FluxBufferBoundary.java
* /opt/cola/permits/1340076475_1654622420.5909758/0/reactor-core-3-4-14-sources-1-
jar/reactor/core/publisher/FluxHandleFuseable.java
* /opt/cola/permits/1340076475_1654622420.5909758/0/reactor-core-3-4-14-sources-1-
jar/reactor/core/publisher/MonoSingle.java
* /opt/cola/permits/1340076475_1654622420.5909758/0/reactor-core-3-4-14-sources-1-
jar/reactor/core/publisher/FluxConcatIterable.java
* /opt/cola/permits/1340076475_1654622420.5909758/0/reactor-core-3-4-14-sources-1-
jar/reactor/core/publisher/FluxFlatMap.java
* /opt/cola/permits/1340076475_1654622420.5909758/0/reactor-core-3-4-14-sources-1-
jar/reactor/core/publisher/DirectProcessor.java
* /opt/cola/permits/1340076475_1654622420.5909758/0/reactor-core-3-4-14-sources-1-
jar/reactor/core/publisher/MonoSupplier.java
* /opt/cola/permits/1340076475_1654622420.5909758/0/reactor-core-3-4-14-sources-1-
jar/reactor/core/publisher/FluxZipIterable.java
* /opt/cola/permits/1340076475_1654622420.5909758/0/reactor-core-3-4-14-sources-1-
jar/reactor/core/publisher/MonoReduceSeed.java
* /opt/cola/permits/1340076475_1654622420.5909758/0/reactor-core-3-4-14-sources-1-
jar/reactor/core/publisher/FluxTakeLastOne.java
* /opt/cola/permits/1340076475_1654622420.5909758/0/reactor-core-3-4-14-sources-1-
jar/reactor/core/publisher/FluxContextWrite.java
* /opt/cola/permits/1340076475_1654622420.5909758/0/reactor-core-3-4-14-sources-1-
```

jar/reactor/core/publisher/ParallelMergeSequential.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-  
jar/reactor/core/publisher/ParallelMergeReduce.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-  
jar/reactor/util/function/Tuple8.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-  
jar/reactor/core/publisher/ParallelReduceSeed.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-  
jar/reactor/core/publisher/FluxDefaultIfEmpty.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-  
jar/reactor/core/publisher/InternalFluxOperator.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-  
jar/reactor/core/publisher/MonoEmpty.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-  
jar/reactor/core/publisher/FluxCombineLatest.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-  
jar/reactor/core/publisher/FluxOnErrorResume.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-  
jar/reactor/core/publisher/MonoDoFinally.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-  
jar/reactor/core/publisher/FluxTake.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-  
jar/reactor/core/publisher/ParallelPeek.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-  
jar/reactor/core/publisher/SerializedSubscriber.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-  
jar/reactor/core/publisher/FluxErrorOnRequest.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-  
jar/reactor/core/publisher/MonoHasElements.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-  
jar/reactor/core/publisher/FluxSwitchMap.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-  
jar/reactor/core/publisher/FluxTakeUntilOther.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-  
jar/reactor/core/publisher/FluxSubscribeOnCallable.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-  
jar/reactor/core/publisher/MonoCollect.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-  
jar/reactor/core/publisher/InternalMonoOperator.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-  
jar/reactor/core/publisher/MonoFromPublisher.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-  
jar/reactor/core/publisher/FluxErrorSupplied.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-  
jar/reactor/core/publisher/Operators.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-  
jar/reactor/core/publisher/ParallelMap.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-



jar/reactor/core/publisher/FluxSkip.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-  
jar/reactor/core/publisher/MonoMapFuseable.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-  
jar/reactor/core/publisher/BaseSubscriber.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-  
jar/reactor/core/publisher/ParallelSource.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-  
jar/reactor/core/publisher/FluxPublish.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-  
jar/reactor/core/scheduler/Schedulers.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-  
jar/reactor/core/publisher/MonoDematerialize.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-  
jar/reactor/core/publisher/FluxMapSignal.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-  
jar/reactor/core/scheduler/NonBlocking.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-  
jar/reactor/core/scheduler/ParallelScheduler.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-  
jar/reactor/core/publisher/FluxHandle.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-  
jar/reactor/core/publisher/DelegateProcessor.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-  
jar/reactor/core/publisher/FluxOnAssembly.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-  
jar/reactor/core/publisher/MonoOnErrorResume.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-  
jar/reactor/core/publisher/MonoDelay.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-  
jar/reactor/core/publisher/FluxDoFinally.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-  
jar/reactor/core/publisher/MonoFilterFuseable.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-  
jar/reactor/core/publisher/FluxSkipLast.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-  
jar/reactor/core/publisher/SignalType.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-  
jar/reactor/core/publisher/FluxDoOnEach.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-  
jar/reactor/core/publisher/MonoCount.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-  
jar/reactor/core/publisher/MonoDoFirst.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-  
jar/reactor/core/publisher/FluxConcatArray.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-  
jar/reactor/core/publisher/MonoDefer.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-

jar/reactor/core/publisher/FluxFlattenIterable.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-  
jar/reactor/core/publisher/InnerProducer.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-  
jar/reactor/core/publisher/SinkOneMulticast.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-  
jar/reactor/core/publisher/InnerConsumer.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-  
jar/reactor/core/publisher/Hooks.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-  
jar/reactor/core/publisher/FluxMerge.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-  
jar/reactor/core/publisher/MonoZip.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-  
jar/reactor/core/publisher/MonoLiftFuseable.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-  
jar/reactor/core/publisher/FluxPeekFuseable.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-  
jar/reactor/core/publisher/MonoCompletionStage.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-  
jar/reactor/core/publisher/FluxOnBackpressureLatest.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-  
jar/reactor/core/publisher/MonoLift.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-  
jar/reactor/core/publisher/FluxRetryWhen.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-  
jar/reactor/core/publisher/MonoSingleMono.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-  
jar/reactor/core/publisher/FluxFromMonoOperator.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-  
jar/reactor/core/publisher/FluxInterval.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-  
jar/reactor/core/publisher/MonoSource.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-  
jar/reactor/core/publisher/Mono.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-  
jar/reactor/core/publisher/MonoSubscribeOnCallable.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-  
jar/reactor/core/publisher/FluxScan.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-  
jar/reactor/core/publisher/FluxSink.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-  
jar/reactor/core/publisher/MonoAll.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-  
jar/reactor/core/publisher/MonoFilter.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-  
jar/reactor/core/publisher/ParallelLiftFuseable.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-jar/reactor/util/Logger.java

\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-jar/reactor/core/scheduler/ImmediateScheduler.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-jar/reactor/core/publisher/MonoFlatMapMany.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-jar/reactor/core/publisher/MonoSourceFluxFuseable.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-jar/reactor/core/publisher/FluxSwitchIfEmpty.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-jar/reactor/core/publisher/FluxEmpty.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-jar/reactor/core/publisher/FluxSubscribeOn.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-jar/reactor/core/publisher/ParallelDoOnEach.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-jar/reactor/core/publisher/MonoTimed.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-jar/reactor/core/publisher/MonoDoOnEachFuseable.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-jar/reactor/core/publisher/MonoMap.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-jar/reactor/core/publisher/MonoSourceFlux.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-jar/reactor/core/publisher/Flux.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-jar/reactor/core/publisher/MonoRepeatPredicate.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-jar/reactor/core/publisher/MonoContextWrite.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-jar/reactor/core/scheduler/SingleWorkerScheduler.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-jar/reactor/core/publisher/FluxSourceMono.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-jar/reactor/core/publisher/FluxMapFuseable.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-jar/reactor/core/publisher/SignalPeek.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-jar/reactor/core/publisher/EmitterProcessor.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-jar/reactor/core/publisher/ParallelCollect.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-jar/reactor/core/publisher/FluxWindowPredicate.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-jar/reactor/util/function/Tuples.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-jar/reactor/core/publisher/MonoCollectList.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-jar/reactor/core/publisher/FluxDistinct.java

\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-jar/reactor/core/publisher/MonoPeekFuseable.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-jar/reactor/core/publisher/FluxPublishOn.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-jar/reactor/core/publisher/FluxLogFuseable.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-jar/reactor/core/publisher/MonoSubscribeOnValue.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-jar/reactor/core/publisher/SourceProducer.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-jar/reactor/core/publisher/FluxOperator.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-jar/reactor/core/Fuseable.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-jar/reactor/core/publisher/FluxCallableOnAssembly.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-jar/reactor/core/publisher/MonoPeek.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-jar/reactor/core/publisher/UnicastProcessor.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-jar/reactor/core/publisher/NextProcessor.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-jar/reactor/core/publisher/ParallelFluxOnAssembly.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-jar/reactor/core/publisher/FluxDoFirstFuseable.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-jar/reactor/core/publisher/FluxGroupBy.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-jar/reactor/util/function/Tuple2.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-jar/reactor/core/publisher/FluxUsing.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-jar/reactor/util/function/Tuple5.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-jar/reactor/core/publisher/MonoCallable.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-jar/reactor/core/publisher/FluxSourceFuseable.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-jar/reactor/core/publisher/ReplayProcessor.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-jar/reactor/core/publisher/MonoRetry.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-jar/reactor/util/Loggers.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-jar/reactor/core/publisher/FluxTakeFuseable.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-jar/reactor/core/publisher/FluxError.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-

jar/reactor/core/publisher/FluxCreate.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-  
jar/reactor/core/publisher/MonoLogFuseable.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-  
jar/reactor/core/publisher/MonoSingleCallable.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-  
jar/reactor/core/publisher/FluxFirstWithSignal.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-  
jar/reactor/core/publisher/FluxWithLatestFrom.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-  
jar/reactor/core/publisher/MonoElementAt.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-  
jar/reactor/core/publisher/FluxFirstWithValue.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-  
jar/reactor/core/publisher/DrainUtils.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-  
jar/reactor/core/publisher/FluxGroupJoin.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-  
jar/reactor/core/publisher/FluxNameFuseable.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-  
jar/reactor/core/publisher/ParallelFluxName.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-  
jar/reactor/core/publisher/FluxName.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-  
jar/reactor/core/publisher/MonoDelaySubscription.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-  
jar/reactor/core/publisher/FluxDoFirst.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-  
jar/reactor/core/publisher/FluxLiftFuseable.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-  
jar/reactor/core/publisher/FluxRepeat.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-  
jar/reactor/core/publisher/FluxSkipWhile.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-  
jar/reactor/core/publisher/FluxDefer.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-  
jar/reactor/core/publisher/MonoNameFuseable.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-  
jar/reactor/core/publisher/MonoDoFinallyFuseable.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-  
jar/reactor/core/publisher/FluxStream.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-  
jar/reactor/core/publisher/FluxReplay.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-  
jar/reactor/core/publisher/MonoSourceFuseable.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-  
jar/reactor/core/publisher/MonoBridges.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-

jar/reactor/core/publisher/ParallelFlux.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-  
jar/reactor/core/publisher/MonoSequenceEqual.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-  
jar/reactor/util/function/Tuple4.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-  
jar/reactor/core/scheduler/ExecutorScheduler.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-  
jar/reactor/core/publisher/FluxDelaySubscription.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-  
jar/reactor/util/concurrent/SpscLinkedListArrayQueue.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-  
jar/reactor/core/publisher/MonoAny.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-  
jar/reactor/core/publisher/ConnectableLiftFuseable.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-  
jar/reactor/core/publisher/MonoDetach.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-  
jar/reactor/core/publisher/FluxFilter.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-  
jar/reactor/core/publisher/MonoError.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-  
jar/reactor/core/publisher/MonoHasElement.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-  
jar/reactor/core/publisher/FluxBufferWhen.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-  
jar/reactor/core/publisher/BlockingSingleSubscriber.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-  
jar/reactor/core/publisher/MonoDeferContextual.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-  
jar/reactor/core/publisher/FluxElapsed.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-  
jar/reactor/core/publisher/FluxSample.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-  
jar/reactor/core/publisher/FluxRetry.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-  
jar/reactor/core/publisher/FluxDoFinallyFuseable.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-  
jar/reactor/core/publisher/ParallelFilter.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-  
jar/reactor/core/publisher/MonoFromFluxOperator.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-  
jar/reactor/core/publisher/MonoToCompletableFuture.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-  
jar/reactor/core/publisher/MonoSubscribeOn.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-  
jar/reactor/core/publisher/MonoMaterialize.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-

jar/reactor/core/publisher/LambdaMonoSubscriber.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-  
jar/reactor/core/publisher/ParallelMergeSort.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-  
jar/reactor/core/publisher/MonoElapsed.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-  
jar/reactor/core/publisher/ConnectableLift.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-  
jar/reactor/core/publisher/FluxAutoConnectFuseable.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-  
jar/reactor/core/publisher/MonoCurrentContext.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-jar/reactor/util/Metrics.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-  
jar/reactor/core/publisher/MonoLog.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-  
jar/reactor/core/publisher/MonoHandleFuseable.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-  
jar/reactor/core/publisher/FluxMap.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-  
jar/reactor/core/publisher/GroupedLiftFuseable.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-  
jar/reactor/core/publisher/FluxDistinctFuseable.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-  
jar/reactor/core/publisher/MonoCancelOn.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-  
jar/reactor/core/publisher/BlockingOptionalMonoSubscriber.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-  
jar/reactor/core/publisher/FluxTakeUntil.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-  
jar/reactor/core/publisher/FluxSkipUntil.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-  
jar/reactor/core/publisher/FluxBufferTimeout.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-  
jar/reactor/core/scheduler/SingleScheduler.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-  
jar/reactor/core/scheduler/Scheduler.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-  
jar/reactor/core/publisher/FluxDematerialize.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-  
jar/reactor/core/publisher/MonoRetryWhen.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-  
jar/reactor/core/publisher/MonoTimeout.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-  
jar/reactor/core/publisher/MonoNever.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-  
jar/reactor/core/publisher/FluxScanSeed.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-  
jar/reactor/core/publisher/MonoName.java

\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-jar/reactor/core/publisher/MonoTakeUntilOther.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-jar/reactor/core/publisher/MonoOnAssembly.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-jar/reactor/core/publisher/FluxRepeatPredicate.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-jar/reactor/core/publisher/MonoRepeatWhen.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-jar/reactor/core/publisher/FluxOnBackpressureDrop.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-jar/reactor/core/publisher/FluxProcessor.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-jar/reactor/core/publisher/FluxDistinctUntilChanged.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-jar/reactor/core/publisher/FluxRange.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-jar/reactor/core/publisher/ParallelLift.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-jar/reactor/core/publisher/MonoIgnoreElements.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-jar/reactor/core/publisher/FluxSubscribeOnValue.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-jar/reactor/core/publisher/MonoDefaultIfEmpty.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-jar/reactor/core/publisher/FluxRepeatWhen.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-jar/reactor/core/publisher/OptimizableOperator.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-jar/reactor/core/publisher/FluxAutoConnect.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-jar/reactor/core/publisher/FluxTakeWhile.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-jar/reactor/core/publisher/MonoHandle.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-jar/reactor/core/publisher/SignalLogger.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-jar/reactor/core/CorePublisher.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-jar/reactor/core/publisher/FluxConcatMap.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-jar/reactor/core/publisher/FluxSourceMonoFuseable.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-jar/reactor/core/publisher/MonoPeekTerminal.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-jar/reactor/core/publisher/ParallelRunOn.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-jar/reactor/core/publisher/FluxMergeSequential.java



\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-jar/reactor/core/publisher/MonoFirstWithValue.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-jar/reactor/core/publisher/FluxSource.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-jar/reactor/core/publisher/ConnectableFluxHide.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-jar/reactor/core/publisher/MonoNext.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-jar/reactor/util/function/Tuple6.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-jar/reactor/core/publisher/MonoRepeat.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-jar/reactor/core/publisher/FluxCallable.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-jar/reactor/util/function/Tuple3.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-jar/reactor/core/publisher/FluxDetach.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-jar/reactor/core/publisher/FluxGenerate.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-jar/reactor/core/publisher/FluxBufferPredicate.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-jar/reactor/core/publisher/ParallelConcatMap.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-jar/reactor/core/publisher/MonoIgnoreThen.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-jar/reactor/core/publisher/FluxPeek.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-jar/reactor/core/publisher/ParallelLog.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-jar/reactor/core/publisher/FluxRefCount.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-jar/reactor/core/Exceptions.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-jar/reactor/core/publisher/MonoDoOnEach.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-jar/reactor/util/concurrent/SpSCArrayQueue.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-jar/reactor/core/publisher/MonoErrorSupplied.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-jar/reactor/core/publisher/Signal.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-jar/reactor/core/publisher/MonoDelayElement.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-jar/reactor/core/publisher/ImmutableSignal.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-jar/reactor/core/publisher/LambdaSubscriber.java

\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-jar/reactor/core/publisher/MonoHide.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-jar/reactor/core/publisher/MonoStreamCollector.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-jar/reactor/core/publisher/FluxIndex.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-jar/reactor/core/publisher/MonoFlattenIterable.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-jar/reactor/core/publisher/FluxMaterialize.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-jar/reactor/core/publisher/MonoOperator.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-jar/reactor/core/publisher/BlockingFirstSubscriber.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-jar/reactor/core/scheduler/ElasticScheduler.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-jar/reactor/core/publisher/FluxSkipUntilOther.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-jar/reactor/core/publisher/FluxDoOnEachFuseable.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-jar/reactor/core/publisher/FluxIndexFuseable.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-jar/reactor/core/publisher/FluxPublishMulticast.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-jar/reactor/core/publisher/ParallelGroup.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-jar/reactor/core/publisher/BlockingIterable.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-jar/reactor/core/publisher/FluxLift.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-jar/reactor/core/publisher/FluxFilterFuseable.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-jar/reactor/core/publisher/MonoPublishOn.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-jar/reactor/core/publisher/MonoDoFirstFuseable.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-jar/reactor/core/publisher/FluxIterable.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-jar/reactor/core/publisher/ParallelFlatMap.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-jar/reactor/core/publisher/FluxZip.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-jar/reactor/core/publisher/MonoProcessor.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-jar/reactor/adapters/JdkFlowAdapter.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-jar/reactor/core/publisher/ConnectableFlux.java

\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-jar/reactor/core/publisher/FluxBuffer.java

\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-jar/reactor/core/publisher/FluxHide.java

\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-jar/reactor/core/publisher/MonoFirstWithSignal.java

\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-jar/reactor/core/publisher/ParallelFluxHide.java

\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-jar/reactor/core/publisher/FluxLog.java

\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-jar/reactor/core/publisher/DirectInnerContainer.java

\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-jar/reactor/core/publisher/BlockingMonoSubscriber.java

\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-jar/reactor/core/publisher/MonoTakeLastOne.java

\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-jar/reactor/core/publisher/FluxDeferContextual.java

\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-jar/reactor/core/publisher/FluxWindow.java

\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-jar/reactor/core/publisher/FluxArray.java

\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-jar/reactor/core/publisher/SynchronousSink.java

\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-jar/reactor/core/publisher/MonoCreate.java

\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-jar/reactor/core/publisher/ParallelMergeOrdered.java

\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-jar/reactor/core/publisher/FluxWindowWhen.java

\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-jar/reactor/core/publisher/MonoUsing.java

\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-jar/reactor/core/publisher/ConnectableFluxOnAssembly.java

\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-jar/reactor/core/publisher/MonoFlatMap.java

\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-jar/reactor/util/function/Tuple7.java

\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-jar/reactor/core/publisher/MonoCallableOnAssembly.java

\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-jar/reactor/core/publisher/MonoReduce.java

\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-jar/reactor/core/publisher/InternalConnectableFluxOperator.java

\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-jar/reactor/core/publisher/FluxNever.java

\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-jar/reactor/core/publisher/FluxSampleFirst.java

\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-jar/reactor/core/publisher/FluxSampleTimeout.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-jar/reactor/core/publisher/FluxTimeout.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-jar/reactor/core/publisher/MonoIgnoreElement.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-jar/reactor/core/publisher/FluxJoin.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-jar/reactor/core/publisher/FluxCancelOn.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-jar/reactor/core/publisher/MonoIgnorePublisher.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-jar/reactor/core/publisher/FluxWindowBoundary.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-jar/reactor/core/publisher/FluxTakeLast.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-jar/reactor/core/publisher/GroupedLift.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (c) 2021 VMware Inc. or its affiliates, All Rights Reserved.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-jar/reactor/core/publisher/MonoCacheInvalidateIf.java

\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-jar/reactor/core/publisher/MonoCacheInvalidateWhen.java

\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-jar/reactor/core/publisher/FluxSwitchMapNoPrefetch.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (c) 2015-2021 VMware Inc. or its affiliates, All Rights Reserved.

\*

- \* Licensed under the Apache License, Version 2.0 (the "License");
- \* you may not use this file except in compliance with the License.
- \* You may obtain a copy of the License at
- \*
- \* <https://www.apache.org/licenses/LICENSE-2.0>
- \*
- \* Unless required by applicable law or agreed to in writing, software
- \* distributed under the License is distributed on an "AS IS" BASIS,
- \* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- \* See the License for the specific language governing permissions and
- \* limitations under the License.
- \*/

Found in path(s):

- \* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-jar/reactor/core/publisher/FluxOnBackpressureBuffer.java
- \* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-jar/reactor/core/publisher/MonoSink.java
- \* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-jar/reactor/core/scheduler/ExecutorServiceWorker.java
- \* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-jar/reactor/core/publisher/GroupedFlux.java
- \* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-jar/reactor/core/publisher/MonoJust.java
- \* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-jar/reactor/util/context/Context3.java
- \* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-jar/reactor/util/context/Context2.java
- \* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-jar/reactor/core/publisher/BlockingLastSubscriber.java
- \* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-jar/reactor/core/publisher/InnerOperator.java
- \* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-jar/reactor/core/publisher/FluxOnBackpressureBufferStrategy.java
- \* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-jar/reactor/util/context/ContextN.java
- \* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-jar/reactor/core/publisher/BufferOverflowStrategy.java
- \* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-jar/reactor/util/context/Context0.java
- \* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-jar/reactor/core/publisher/MonoRunnable.java
- \* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-jar/reactor/core/publisher/ContextHolder.java
- \* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-jar/reactor/core/Disposable.java
- \* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-jar/reactor/core/publisher/FluxJust.java

\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-jar/reactor/util/context/Context1.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-jar/reactor/core/publisher/ParallelArraySource.java  
No license file was found, but licenses were detected in source scan.

```
/*  
* Copyright 2002-2017 the original author or authors.  
*  
* Licensed under the Apache License, Version 2.0 (the "License");  
* you may not use this file except in compliance with the License.  
* You may obtain a copy of the License at  
*  
* https://www.apache.org/licenses/LICENSE-2.0  
*  
* Unless required by applicable law or agreed to in writing, software  
* distributed under the License is distributed on an "AS IS" BASIS,  
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
* See the License for the specific language governing permissions and  
* limitations under the License.  
*/
```

Found in path(s):

\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-jar/reactor/util/annotation/Nullable.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-jar/reactor/util/annotation/NonNullApi.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-jar/reactor/util/annotation/NonNull.java  
No license file was found, but licenses were detected in source scan.

```
/*  
* Copyright (c) 2018-2022 VMware Inc. or its affiliates, All Rights Reserved.  
*  
* Licensed under the Apache License, Version 2.0 (the "License");  
* you may not use this file except in compliance with the License.  
* You may obtain a copy of the License at  
*  
* https://www.apache.org/licenses/LICENSE-2.0  
*  
* Unless required by applicable law or agreed to in writing, software  
* distributed under the License is distributed on an "AS IS" BASIS,  
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
* See the License for the specific language governing permissions and  
* limitations under the License.  
*/
```

Found in path(s):

```
* /opt/cola/permits/1340076475_1654622420.5909758/0/reactor-core-3-4-14-sources-1-  
jar/reactor/core/publisher/MonoUsingWhen.java  
* /opt/cola/permits/1340076475_1654622420.5909758/0/reactor-core-3-4-14-sources-1-  
jar/reactor/core/publisher/FluxUsingWhen.java  
No license file was found, but licenses were detected in source scan.
```

```
/*  
* Copyright (c) 2020-2021 VMware Inc. or its affiliates, All Rights Reserved.  
*  
* Licensed under the Apache License, Version 2.0 (the "License");  
* you may not use this file except in compliance with the License.  
* You may obtain a copy of the License at  
*  
* https://www.apache.org/licenses/LICENSE-2.0  
*  
* Unless required by applicable law or agreed to in writing, software  
* distributed under the License is distributed on an "AS IS" BASIS,  
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
* See the License for the specific language governing permissions and  
* limitations under the License.  
*/
```

Found in path(s):

```
* /opt/cola/permits/1340076475_1654622420.5909758/0/reactor-core-3-4-14-sources-1-  
jar/reactor/core/publisher/SinkEmptySerialized.java  
* /opt/cola/permits/1340076475_1654622420.5909758/0/reactor-core-3-4-14-sources-1-  
jar/reactor/core/publisher/InternalManySink.java  
* /opt/cola/permits/1340076475_1654622420.5909758/0/reactor-core-3-4-14-sources-1-  
jar/reactor/core/publisher/Timed.java  
* /opt/cola/permits/1340076475_1654622420.5909758/0/reactor-core-3-4-14-sources-1-  
jar/reactor/core/publisher/UnicastManySinkNoBackpressure.java  
* /opt/cola/permits/1340076475_1654622420.5909758/0/reactor-core-3-4-14-sources-1-  
jar/reactor/util/retry/Retry.java  
* /opt/cola/permits/1340076475_1654622420.5909758/0/reactor-core-3-4-14-sources-1-  
jar/reactor/core/publisher/SinkManySerialized.java  
* /opt/cola/permits/1340076475_1654622420.5909758/0/reactor-core-3-4-14-sources-1-  
jar/reactor/core/publisher/FluxConcatMapNoPrefetch.java  
* /opt/cola/permits/1340076475_1654622420.5909758/0/reactor-core-3-4-14-sources-1-  
jar/reactor/core/publisher/SinkEmptyMulticast.java  
* /opt/cola/permits/1340076475_1654622420.5909758/0/reactor-core-3-4-14-sources-1-  
jar/reactor/core/publisher/SinkManyBestEffort.java  
* /opt/cola/permits/1340076475_1654622420.5909758/0/reactor-core-3-4-14-sources-1-  
jar/reactor/util/retry/RetrySpec.java  
* /opt/cola/permits/1340076475_1654622420.5909758/0/reactor-core-3-4-14-sources-1-  
jar/reactor/util/context/ContextView.java  
* /opt/cola/permits/1340076475_1654622420.5909758/0/reactor-core-3-4-14-sources-1-  
jar/reactor/core/publisher/Sinks.java  
* /opt/cola/permits/1340076475_1654622420.5909758/0/reactor-core-3-4-14-sources-1-
```

jar/reactor/core/scheduler/DelegatingScheduledExecutorService.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-jar/reactor/util/retry/RetryBackoffSpec.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-jar/reactor/core/publisher/SinkOneSerialized.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-jar/reactor/core/publisher/InternalEmptySink.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-jar/reactor/core/publisher/FluxTimed.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-jar/reactor/core/publisher/InternalOneSink.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-jar/reactor/core/publisher/SinksSpecs.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-jar/reactor/util/retry/ImmutableRetrySignal.java

No license file was found, but licenses were detected in source scan.

```
/*  
* Copyright (c) 2011-2021 VMware Inc. or its affiliates, All Rights Reserved.  
*  
* Licensed under the Apache License, Version 2.0 (the "License");  
* you may not use this file except in compliance with the License.  
* You may obtain a copy of the License at  
*  
* https://www.apache.org/licenses/LICENSE-2.0  
*  
* Unless required by applicable law or agreed to in writing, software  
* distributed under the License is distributed on an "AS IS" BASIS,  
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
* See the License for the specific language governing permissions and  
* limitations under the License.  
*/
```

Found in path(s):

\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-jar/reactor/adapters/package-info.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-jar/reactor/util/package-info.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-jar/reactor/core/publisher/MonoExtensions.kt  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-jar/reactor/util/function/TupleExtensions.kt  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-jar/reactor/core/scheduler/package-info.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-jar/reactor/util/concurrent/package-info.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-jar/reactor/core/publisher/FluxExtensions.kt



```
* /opt/cola/permits/1340076475_1654622420.5909758/0/reactor-core-3-4-14-sources-1-
jar/reactor/core/publisher/MonoFunctions.kt
* /opt/cola/permits/1340076475_1654622420.5909758/0/reactor-core-3-4-14-sources-1-jar/reactor/core/package-
info.java
* /opt/cola/permits/1340076475_1654622420.5909758/0/reactor-core-3-4-14-sources-1-
jar/reactor/util/function/package-info.java
* /opt/cola/permits/1340076475_1654622420.5909758/0/reactor-core-3-4-14-sources-1-
jar/reactor/core/publisher/package-info.java
* /opt/cola/permits/1340076475_1654622420.5909758/0/reactor-core-3-4-14-sources-1-
jar/reactor/util/context/package-info.java
No license file was found, but licenses were detected in source scan.
```

```
/*
* Copyright (c) 2019-2021 VMware Inc. or its affiliates, All Rights Reserved.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):

```
* /opt/cola/permits/1340076475_1654622420.5909758/0/reactor-core-3-4-14-sources-1-
jar/reactor/core/publisher/ParallelThen.java
* /opt/cola/permits/1340076475_1654622420.5909758/0/reactor-core-3-4-14-sources-1-
jar/reactor/core/publisher/ContextTrackingFunctionWrapper.java
* /opt/cola/permits/1340076475_1654622420.5909758/0/reactor-core-3-4-14-sources-1-
jar/reactor/core/scheduler/BoundedElasticScheduler.java
* /opt/cola/permits/1340076475_1654622420.5909758/0/reactor-core-3-4-14-sources-1-
jar/reactor/util/context/CoreContext.java
* /opt/cola/permits/1340076475_1654622420.5909758/0/reactor-core-3-4-14-sources-1-
jar/reactor/core/scheduler/ReactorBlockHoundIntegration.java
No license file was found, but licenses were detected in source scan.
```

```
# Copyright (c) 2019-2021 VMware Inc. or its affiliates, All Rights Reserved.
#
# Licensed under the Apache License, Version 2.0 (the "License");
# you may not use this file except in compliance with the License.
# You may obtain a copy of the License at
#
# https://www.apache.org/licenses/LICENSE-2.0
```

```
#
# Unless required by applicable law or agreed to in writing, software
# distributed under the License is distributed on an "AS IS" BASIS,
# WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
# See the License for the specific language governing permissions and
# limitations under the License.
reactor.core.scheduler.ReactorBlockHoundIntegration
```

Found in path(s):

```
* /opt/cola/permits/1340076475_1654622420.5909758/0/reactor-core-3-4-14-sources-1-jar/META-INF/services/reactor.blockhound.integration.BlockHoundIntegration
No license file was found, but licenses were detected in source scan.
```

```
/*
```

```
* Copyright (c) 2017-2021 VMware Inc. or its affiliates, All Rights Reserved.
```

```
*
```

```
* Licensed under the Apache License, Version 2.0 (the "License");
```

```
* you may not use this file except in compliance with the License.
```

```
* You may obtain a copy of the License at
```

```
*
```

```
* https://www.apache.org/licenses/LICENSE-2.0
```

```
*
```

```
* Unless required by applicable law or agreed to in writing, software
```

```
* distributed under the License is distributed on an "AS IS" BASIS,
```

```
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
```

```
* See the License for the specific language governing permissions and
```

```
* limitations under the License.
```

```
*/
```

Found in path(s):

```
* /opt/cola/permits/1340076475_1654622420.5909758/0/reactor-core-3-4-14-sources-1-jar/reactor/util/context/Context.java
```

```
* /opt/cola/permits/1340076475_1654622420.5909758/0/reactor-core-3-4-14-sources-1-jar/reactor/core/Disposables.java
```

```
* /opt/cola/permits/1340076475_1654622420.5909758/0/reactor-core-3-4-14-sources-1-jar/reactor/core/scheduler/InstantPeriodicWorkerTask.java
```

```
* /opt/cola/permits/1340076475_1654622420.5909758/0/reactor-core-3-4-14-sources-1-jar/reactor/core/publisher/FluxRefCountGrace.java
```

```
* /opt/cola/permits/1340076475_1654622420.5909758/0/reactor-core-3-4-14-sources-1-jar/reactor/core/scheduler/EmptyCompositeDisposable.java
```

```
* /opt/cola/permits/1340076475_1654622420.5909758/0/reactor-core-3-4-14-sources-1-jar/reactor/core/CoreSubscriber.java
```

```
* /opt/cola/permits/1340076475_1654622420.5909758/0/reactor-core-3-4-14-sources-1-jar/reactor/core/publisher/MonoWhen.java
```

```
* /opt/cola/permits/1340076475_1654622420.5909758/0/reactor-core-3-4-14-sources-1-jar/reactor/core/scheduler/PeriodicSchedulerTask.java
```

```
* /opt/cola/permits/1340076475_1654622420.5909758/0/reactor-core-3-4-14-sources-1-jar/reactor/util/context/Context5.java
```

\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-jar/reactor/core/publisher/FluxExpand.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-jar/reactor/core/publisher/FluxDelaySequence.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-jar/reactor/core/scheduler/WorkerTask.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-jar/reactor/core/publisher/StrictSubscriber.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-jar/reactor/core/publisher/MonoPublishMulticast.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-jar/reactor/core/publisher/FluxOnBackpressureBufferTimeout.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-jar/reactor/core/Scannable.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-jar/reactor/core/publisher/MonoDelayUntil.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-jar/reactor/util/context/Context4.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-jar/reactor/util/concurrent/Queues.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-jar/reactor/core/publisher/MonoCacheTime.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-jar/reactor/core/publisher/MonoFilterWhen.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-jar/reactor/core/publisher/FluxWindowTimeout.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-jar/reactor/core/scheduler/SchedulerTask.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-jar/reactor/core/publisher/FluxFilterWhen.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-jar/reactor/core/publisher/OperatorDisposables.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-jar/reactor/core/scheduler/PeriodicWorkerTask.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-jar/reactor/core/scheduler/DelegateServiceScheduler.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-jar/reactor/core/publisher/FluxLimitRequest.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-jar/reactor/core/publisher/MonoExpand.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (c) 2018-2021 VMware Inc. or its affiliates, All Rights Reserved.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*  
\* <https://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-jar/reactor/core/publisher/FluxMetrics.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-jar/reactor/core/publisher/QueueDrainSubscriber.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-jar/reactor/core/publisher/FluxMetricsFuseable.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-jar/reactor/core/publisher/FluxMergeComparing.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-jar/reactor/core/publisher/MonoMetricsFuseable.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-jar/reactor/core/scheduler/SchedulerMetricDecorator.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-jar/reactor/core/publisher/MonoMetrics.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-jar/reactor/core/publisher/FluxSwitchOnFirst.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-jar/reactor/core/publisher/OnNextFailureStrategy.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-jar/reactor/util/concurrent/MpscLinkedQueue.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-jar/reactor/core/publisher/Traces.java  
\* /opt/cola/permits/1340076475\_1654622420.5909758/0/reactor-core-3-4-14-sources-1-jar/reactor/core/scheduler/ReactorThreadFactory.java

# 1.320 dropwizard-jersey-support 2.0.25

## 1.320.1 Available under license :

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to

communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
  - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
  - (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
  - (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of

the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. **Limitation of Liability.** In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. **Accepting Warranty or Additional Liability.** While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

#### END OF TERMS AND CONDITIONS

#### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright 2010-2013 Coda Hale and Yammer, Inc., 2014-2020 Dropwizard Team

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.



See the License for the specific language governing permissions and limitations under the License.

# 1.321 objenesis 3.2

## 1.321.1 Available under license :

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object

form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a

file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

## 1.322 error\_prone\_annotations 2.3.4

### 1.322.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*  
* Copyright 2014 The Error Prone Authors.  
*  
* Licensed under the Apache License, Version 2.0 (the "License");  
* you may not use this file except in compliance with the License.  
* You may obtain a copy of the License at  
*  
* http://www.apache.org/licenses/LICENSE-2.0  
*  
* Unless required by applicable law or agreed to in writing, software  
* distributed under the License is distributed on an "AS IS" BASIS,  
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
* See the License for the specific language governing permissions and  
* limitations under the License.  
*/
```

Found in path(s):

```
* /opt/cola/permits/1206718612_1632455182.54/0/error-prone-annotations-2-3-4-sources-9-jar/com/google/errorprone/annotations/concurrent/UnlockMethod.java  
* /opt/cola/permits/1206718612_1632455182.54/0/error-prone-annotations-2-3-4-sources-9-jar/com/google/errorprone/annotations/concurrent/LockMethod.java  
* /opt/cola/permits/1206718612_1632455182.54/0/error-prone-annotations-2-3-4-sources-9-jar/com/google/errorprone/annotations/NoAllocation.java
```

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2016 The Error Prone Authors.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
 * /opt/cola/permits/1206718612_1632455182.54/0/error-prone-annotations-2-3-4-sources-9-
jar/com/google/errorprone/annotations/RestrictedApi.java
 * /opt/cola/permits/1206718612_1632455182.54/0/error-prone-annotations-2-3-4-sources-9-
jar/com/google/errorprone/annotations/DoNotMock.java
 * /opt/cola/permits/1206718612_1632455182.54/0/error-prone-annotations-2-3-4-sources-9-
jar/com/google/errorprone/annotations/CompatibleWith.java
 * /opt/cola/permits/1206718612_1632455182.54/0/error-prone-annotations-2-3-4-sources-9-
jar/com/google/errorprone/annotations/FormatMethod.java
 * /opt/cola/permits/1206718612_1632455182.54/0/error-prone-annotations-2-3-4-sources-9-
jar/com/google/errorprone/annotations/FormatString.java
 * /opt/cola/permits/1206718612_1632455182.54/0/error-prone-annotations-2-3-4-sources-9-
jar/com/google/errorprone/annotations/MustBeClosed.java
No license file was found, but licenses were detected in source scan.
```

```
/*
 * Copyright 2017 The Error Prone Authors.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

- \* /opt/cola/permits/1206718612\_1632455182.54/0/error-prone-annotations-2-3-4-sources-9-jar/com/google/errorprone/annotations/CheckReturnValue.java
- \* /opt/cola/permits/1206718612\_1632455182.54/0/error-prone-annotations-2-3-4-sources-9-jar/com/google/errorprone/annotations/concurrent/GuardedBy.java
- \* /opt/cola/permits/1206718612\_1632455182.54/0/error-prone-annotations-2-3-4-sources-9-jar/com/google/errorprone/annotations/OverridingMethodsMustInvokeSuper.java
- \* /opt/cola/permits/1206718612\_1632455182.54/0/error-prone-annotations-2-3-4-sources-9-jar/com/google/errorprone/annotations/DoNotCall.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2015 The Error Prone Authors.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

- \* /opt/cola/permits/1206718612\_1632455182.54/0/error-prone-annotations-2-3-4-sources-9-jar/com/google/errorprone/annotations/SuppressPackageLocation.java
- \* /opt/cola/permits/1206718612\_1632455182.54/0/error-prone-annotations-2-3-4-sources-9-jar/com/google/errorprone/annotations/ForOverride.java
- \* /opt/cola/permits/1206718612\_1632455182.54/0/error-prone-annotations-2-3-4-sources-9-jar/com/google/errorprone/annotations/IncompatibleModifiers.java
- \* /opt/cola/permits/1206718612\_1632455182.54/0/error-prone-annotations-2-3-4-sources-9-jar/com/google/errorprone/annotations/concurrent/LazyInit.java
- \* /opt/cola/permits/1206718612\_1632455182.54/0/error-prone-annotations-2-3-4-sources-9-jar/com/google/errorprone/annotations/RequiredModifiers.java
- \* /opt/cola/permits/1206718612\_1632455182.54/0/error-prone-annotations-2-3-4-sources-9-jar/com/google/errorprone/annotations/Var.java
- \* /opt/cola/permits/1206718612\_1632455182.54/0/error-prone-annotations-2-3-4-sources-9-jar/com/google/errorprone/annotations/CanIgnoreReturnValue.java
- \* /opt/cola/permits/1206718612\_1632455182.54/0/error-prone-annotations-2-3-4-sources-9-jar/com/google/errorprone/annotations/CompileTimeConstant.java
- \* /opt/cola/permits/1206718612\_1632455182.54/0/error-prone-annotations-2-3-4-sources-9-jar/com/google/errorprone/annotations/Immutable.java

# 1.323 apache-groovy 3.0.9

## 1.323.1 Available under license :

ASM License

ASM: a very small and fast Java bytecode manipulation framework  
Copyright (c) 2000-2011 INRIA, France Telecom  
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. Neither the name of the copyright holders nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Apache Groovy

Copyright 2003-2021 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

This product includes/uses ANTLR2 (<http://www.antlr2.org/>)  
developed by Terence Parr 1989-2006

This product includes/uses ANTLR4 (<https://github.com/antlr/antlr4>)  
Copyright (c) 2012-2017 The ANTLR Project. All rights reserved.



## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
  - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.
6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. **Disclaimer of Warranty.** Unless required by applicable law or

agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");

you may not use this file except in compliance with the License.

You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

-----

#### ANTLR 2 License

Antlr2 is released in the public domain.  
See licenses/antlr2-license.txt for details.

-----

#### ANTLR 4 License

Antlr4 is released under a BSD 3-clause license.  
See licenses/antlr4-license.txt for details.

-----

#### ASM License

ASM uses a 3-clause BSD license. For details, see licenses/asm-license.txt.  
ANTLR 2 License

We reserve no legal rights to the ANTLR--it is fully in the public domain. An individual or company may do whatever they wish with source code distributed with ANTLR or the code generated by ANTLR, including the incorporation of ANTLR, or its output, into commercial software.

We encourage users to develop software with ANTLR. However, we do ask that credit is given to us for developing ANTLR. By "credit", we mean that if you use ANTLR or incorporate any source code into one of your programs (commercial product, research project, or otherwise) that you acknowledge this fact somewhere in the documentation, research report, etc... If you like ANTLR and have developed a nice tool with the output, please mention that you developed it using ANTLR. In addition, we ask that the headers remain intact in our source code. As long as these guidelines are kept, we expect to continue enhancing this system and expect to make other tools available as they are completed.

In countries where the Public Domain status of the work may not be valid, the author grants a copyright licence to the general public to deal in the work without restriction and permission to sublicense derivatives under the terms of any (OSI approved) Open Source licence.

The Python parser generator code under antlr/actions/python/ is covered by the 3-clause BSD licence (this part is included in the binary JAR files); the run-time part under lib/python/ is covered by the GNU GPL, version 3 or later (this part is not included in the binary JAR files). See [1] for the full details.

<https://bugs.debian.org/cgi-bin/bugreport.cgi?bug=750643#80%22>  
ANTLR 4 License

[The "BSD 3-clause license"]

Copyright (c) 2012-2017 The ANTLR Project. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. Neither the name of the copyright holder nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

## 1.324 btf 1.3

### 1.324.1 Available under license :

This software is dual-licensed under:

- the Lesser General Public License (LGPL) version 3.0 or, at your option, any later version;
- the Apache Software License (ASL) version 2.0.

The text of both licenses is included (under the names LGPL-3.0.txt and ASL-2.0.txt respectively).

Direct link to the sources:

- LGPL 3.0: <https://www.gnu.org/licenses/lgpl-3.0.txt>  
- ASL 2.0: <http://www.apache.org/licenses/LICENSE-2.0.txt>  
GNU LESSER GENERAL PUBLIC LICENSE  
Version 3, 29 June 2007

Copyright (C) 2007 Free Software Foundation, Inc. <<http://fsf.org/>>  
Everyone is permitted to copy and distribute verbatim copies  
of this license document, but changing it is not allowed.

This version of the GNU Lesser General Public License incorporates  
the terms and conditions of version 3 of the GNU General Public  
License, supplemented by the additional permissions listed below.

#### 0. Additional Definitions.

As used herein, "this License" refers to version 3 of the GNU Lesser  
General Public License, and the "GNU GPL" refers to version 3 of the GNU  
General Public License.

"The Library" refers to a covered work governed by this License,  
other than an Application or a Combined Work as defined below.

An "Application" is any work that makes use of an interface provided  
by the Library, but which is not otherwise based on the Library.  
Defining a subclass of a class defined by the Library is deemed a mode  
of using an interface provided by the Library.

A "Combined Work" is a work produced by combining or linking an  
Application with the Library. The particular version of the Library  
with which the Combined Work was made is also called the "Linked  
Version".

The "Minimal Corresponding Source" for a Combined Work means the  
Corresponding Source for the Combined Work, excluding any source code  
for portions of the Combined Work that, considered in isolation, are  
based on the Application, and not on the Linked Version.

The "Corresponding Application Code" for a Combined Work means the  
object code and/or source code for the Application, including any data  
and utility programs needed for reproducing the Combined Work from the  
Application, but excluding the System Libraries of the Combined Work.

#### 1. Exception to Section 3 of the GNU GPL.

You may convey a covered work under sections 3 and 4 of this License  
without being bound by section 3 of the GNU GPL.

## 2. Conveying Modified Versions.

If you modify a copy of the Library, and, in your modifications, a facility refers to a function or data to be supplied by an Application that uses the facility (other than as an argument passed when the facility is invoked), then you may convey a copy of the modified version:

- a) under this License, provided that you make a good faith effort to ensure that, in the event an Application does not supply the function or data, the facility still operates, and performs whatever part of its purpose remains meaningful, or
- b) under the GNU GPL, with none of the additional permissions of this License applicable to that copy.

## 3. Object Code Incorporating Material from Library Header Files.

The object code form of an Application may incorporate material from a header file that is part of the Library. You may convey such object code under terms of your choice, provided that, if the incorporated material is not limited to numerical parameters, data structure layouts and accessors, or small macros, inline functions and templates (ten or fewer lines in length), you do both of the following:

- a) Give prominent notice with each copy of the object code that the Library is used in it and that the Library and its use are covered by this License.
- b) Accompany the object code with a copy of the GNU GPL and this license document.

## 4. Combined Works.

You may convey a Combined Work under terms of your choice that, taken together, effectively do not restrict modification of the portions of the Library contained in the Combined Work and reverse engineering for debugging such modifications, if you also do each of the following:

- a) Give prominent notice with each copy of the Combined Work that the Library is used in it and that the Library and its use are covered by this License.
- b) Accompany the Combined Work with a copy of the GNU GPL and this license document.



c) For a Combined Work that displays copyright notices during execution, include the copyright notice for the Library among these notices, as well as a reference directing the user to the copies of the GNU GPL and this license document.

d) Do one of the following:

0) Convey the Minimal Corresponding Source under the terms of this License, and the Corresponding Application Code in a form suitable for, and under terms that permit, the user to recombine or relink the Application with a modified version of the Linked Version to produce a modified Combined Work, in the manner specified by section 6 of the GNU GPL for conveying Corresponding Source.

1) Use a suitable shared library mechanism for linking with the Library. A suitable mechanism is one that (a) uses at run time a copy of the Library already present on the user's computer system, and (b) will operate properly with a modified version of the Library that is interface-compatible with the Linked Version.

e) Provide Installation Information, but only if you would otherwise be required to provide such information under section 6 of the GNU GPL, and only to the extent that such information is necessary to install and execute a modified version of the Combined Work produced by recombining or relinking the Application with a modified version of the Linked Version. (If you use option 4d0, the Installation Information must accompany the Minimal Corresponding Source and Corresponding Application Code. If you use option 4d1, you must provide the Installation Information in the manner specified by section 6 of the GNU GPL for conveying Corresponding Source.)

## 5. Combined Libraries.

You may place library facilities that are a work based on the Library side by side in a single library together with other library facilities that are not Applications and are not covered by this License, and convey such a combined library under terms of your choice, if you do both of the following:

a) Accompany the combined library with a copy of the same work based on the Library, uncombined with any other library facilities, conveyed under the terms of this License.

b) Give prominent notice with the combined library that part of it is a work based on the Library, and explaining where to find the

accompanying uncombined form of the same work.

#### 6. Revised Versions of the GNU Lesser General Public License.

The Free Software Foundation may publish revised and/or new versions of the GNU Lesser General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library as you received it specifies that a certain numbered version of the GNU Lesser General Public License "or any later version" applies to it, you have the option of following the terms and conditions either of that published version or of any later version published by the Free Software Foundation. If the Library as you received it does not specify a version number of the GNU Lesser General Public License, you may choose any version of the GNU Lesser General Public License ever published by the Free Software Foundation.

If the Library as you received it specifies that a proxy can decide whether future versions of the GNU Lesser General Public License shall apply, that proxy's public statement of acceptance of any version is permanent authorization for you to choose that version for the Library.

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

#### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

##### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity

exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided

that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity,

or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

# 1.325 feign-jackson 8.18.0

## 1.325.1 Available under license :

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2013 Netflix, Inc.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

- \* <http://www.apache.org/licenses/LICENSE-2.0>
- \*
- \* Unless required by applicable law or agreed to in writing, software
- \* distributed under the License is distributed on an "AS IS" BASIS,
- \* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- \* See the License for the specific language governing permissions and
- \* limitations under the License.
- \*/

Found in path(s):

- \* /opt/cola/permits/1274699876\_1645234767.83/0/feign-jackson-8-18-0-sources-jar/feign/jackson/JacksonEncoder.java
- \* /opt/cola/permits/1274699876\_1645234767.83/0/feign-jackson-8-18-0-sources-jar/feign/jackson/JacksonDecoder.java

# 1.326 micronaut-groovy 3.0.0

## 1.326.1 Available under license :

Apache License  
Version 2.0, January 2004  
<https://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work,



where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or

for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason

of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

# 1.327 openapi/swagger-support 4.0.0

## 1.327.1 Available under license :

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2017-2021 original authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1340076157\_1654758619.2467897/0/micronaut-openapi-4-0-0-sources-jar/io/micronaut/openapi/postprocessors/JacksonDiscriminatorPostProcessor.java

\* /opt/cola/permits/1340076157\_1654758619.2467897/0/micronaut-openapi-4-0-0-sources-jar/io/micronaut/openapi/visitor/OpenApiJacksonVisitor.java

\* /opt/cola/permits/1340076157\_1654758619.2467897/0/micronaut-openapi-4-0-0-sources-jar/io/micronaut/openapi/postprocessors/OpenApiOperationsPostProcessor.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2017-2020 original authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1340076157\_1654758619.2467897/0/micronaut-openapi-4-0-0-sources-jar/io/micronaut/openapi/annotation/transformers/OperationRetentionPolicyAnnotationTransformer.java

\* /opt/cola/permits/1340076157\_1654758619.2467897/0/micronaut-openapi-4-0-0-sources-jar/io/micronaut/openapi/annotation/transformers/LinkParameterRetentionPolicyAnnotationTransformer.java

\* /opt/cola/permits/1340076157\_1654758619.2467897/0/micronaut-openapi-4-0-0-sources-jar/io/micronaut/openapi/javadoc/JavadocDescription.java

\* /opt/cola/permits/1340076157\_1654758619.2467897/0/micronaut-openapi-4-0-0-sources-jar/io/micronaut/openapi/introspections/InfoConfiguration.java

\* /opt/cola/permits/1340076157\_1654758619.2467897/0/micronaut-openapi-4-0-0-sources-jar/io/micronaut/openapi/annotation/transformers/ContentRetentionPolicyAnnotationTransformer.java

\* /opt/cola/permits/1340076157\_1654758619.2467897/0/micronaut-openapi-4-0-0-sources-jar/io/micronaut/openapi/introspections/ResponsesConfiguration.java

\* /opt/cola/permits/1340076157\_1654758619.2467897/0/micronaut-openapi-4-0-0-sources-jar/io/micronaut/openapi/introspections/ModelConfiguration.java

\* /opt/cola/permits/1340076157\_1654758619.2467897/0/micronaut-openapi-4-0-0-sources-jar/io/micronaut/openapi/visitor/EndpointsConfiguration.java

\* /opt/cola/permits/1340076157\_1654758619.2467897/0/micronaut-openapi-4-0-0-sources-jar/io/micronaut/openapi/annotation/OpenAPIManagement.java

\* /opt/cola/permits/1340076157\_1654758619.2467897/0/micronaut-openapi-4-0-0-sources-

jar/io/micronaut/openapi/annotation/transformers/ExtensionsRetentionPolicyAnnotationTransformer.java  
\* /opt/cola/permits/1340076157\_1654758619.2467897/0/micronaut-openapi-4-0-0-sources-  
jar/io/micronaut/openapi/annotation/transformers/ServersRetentionPolicyAnnotationTransformer.java  
\* /opt/cola/permits/1340076157\_1654758619.2467897/0/micronaut-openapi-4-0-0-sources-  
jar/io/micronaut/openapi/annotation/mappers/OpenAPIManagementAnnotationMapper.java  
\* /opt/cola/permits/1340076157\_1654758619.2467897/0/micronaut-openapi-4-0-0-sources-  
jar/io/micronaut/openapi/annotation/transformers/EncodingRetentionPolicyAnnotationTransformer.java  
\* /opt/cola/permits/1340076157\_1654758619.2467897/0/micronaut-openapi-4-0-0-sources-  
jar/io/micronaut/openapi/view/RedocConfig.java  
\* /opt/cola/permits/1340076157\_1654758619.2467897/0/micronaut-openapi-4-0-0-sources-  
jar/io/micronaut/openapi/introspections/TagsConfiguration.java  
\* /opt/cola/permits/1340076157\_1654758619.2467897/0/micronaut-openapi-4-0-0-sources-  
jar/io/micronaut/openapi/visitor/AbstractOpenApiVisitor.java  
\* /opt/cola/permits/1340076157\_1654758619.2467897/0/micronaut-openapi-4-0-0-sources-  
jar/io/micronaut/openapi/annotation/transformers/RequestBodyRetentionPolicyAnnotationTransformer.java  
\* /opt/cola/permits/1340076157\_1654758619.2467897/0/micronaut-openapi-4-0-0-sources-  
jar/io/micronaut/openapi/annotation/transformers/LicenseRetentionPolicyAnnotationTransformer.java  
\* /opt/cola/permits/1340076157\_1654758619.2467897/0/micronaut-openapi-4-0-0-sources-  
jar/io/micronaut/openapi/visitor/Endpoint.java  
\* /opt/cola/permits/1340076157\_1654758619.2467897/0/micronaut-openapi-4-0-0-sources-  
jar/io/micronaut/openapi/annotation/OpenAPISecurity.java  
\* /opt/cola/permits/1340076157\_1654758619.2467897/0/micronaut-openapi-4-0-0-sources-  
jar/io/micronaut/openapi/annotation/OpenAPIIncludes.java  
\* /opt/cola/permits/1340076157\_1654758619.2467897/0/micronaut-openapi-4-0-0-sources-  
jar/io/micronaut/openapi/annotation/transformers/CallbacksRetentionPolicyAnnotationTransformer.java  
\* /opt/cola/permits/1340076157\_1654758619.2467897/0/micronaut-openapi-4-0-0-sources-  
jar/io/micronaut/openapi/annotation/transformers/HeaderRetentionPolicyAnnotationTransformer.java  
\* /opt/cola/permits/1340076157\_1654758619.2467897/0/micronaut-openapi-4-0-0-sources-  
jar/io/micronaut/openapi/introspections/ParametersConfiguration.java  
\* /opt/cola/permits/1340076157\_1654758619.2467897/0/micronaut-openapi-4-0-0-sources-  
jar/io/micronaut/openapi/annotation/transformers/OpenAPIDefinitionRetentionPolicyAnnotationTransformer.java  
\* /opt/cola/permits/1340076157\_1654758619.2467897/0/micronaut-openapi-4-0-0-sources-  
jar/io/micronaut/openapi/annotation/transformers/ExtensionPropertyRetentionPolicyAnnotationTransformer.java  
\* /opt/cola/permits/1340076157\_1654758619.2467897/0/micronaut-openapi-4-0-0-sources-  
jar/io/micronaut/openapi/view/RapidocConfig.java  
\* /opt/cola/permits/1340076157\_1654758619.2467897/0/micronaut-openapi-4-0-0-sources-  
jar/io/micronaut/openapi/annotation/transformers/DiscriminatorMappingRetentionPolicyAnnotationTransformer.java  
\* /opt/cola/permits/1340076157\_1654758619.2467897/0/micronaut-openapi-4-0-0-sources-  
jar/io/micronaut/openapi/introspections/ExampleConfiguration.java  
\* /opt/cola/permits/1340076157\_1654758619.2467897/0/micronaut-openapi-4-0-0-sources-  
jar/io/micronaut/openapi/view/Renderer.java  
\* /opt/cola/permits/1340076157\_1654758619.2467897/0/micronaut-openapi-4-0-0-sources-  
jar/io/micronaut/openapi/annotation/transformers/OAuthScopeRetentionPolicyAnnotationTransformer.java  
\* /opt/cola/permits/1340076157\_1654758619.2467897/0/micronaut-openapi-4-0-0-sources-  
jar/io/micronaut/openapi/visitor/OpenApiControllerVisitor.java  
\* /opt/cola/permits/1340076157\_1654758619.2467897/0/micronaut-openapi-4-0-0-sources-  
jar/io/micronaut/openapi/introspections/SecurityConfiguration.java

\* /opt/cola/permits/1340076157\_1654758619.2467897/0/micronaut-openapi-4-0-0-sources-jar/io/micronaut/openapi/annotation/transformers/SchemaRetentionPolicyAnnotationTransformer.java

\* /opt/cola/permits/1340076157\_1654758619.2467897/0/micronaut-openapi-4-0-0-sources-jar/io/micronaut/openapi/visitor/OpenApiApplicationVisitor.java

\* /opt/cola/permits/1340076157\_1654758619.2467897/0/micronaut-openapi-4-0-0-sources-jar/io/micronaut/openapi/visitor/OpenApiEndpointVisitor.java

\* /opt/cola/permits/1340076157\_1654758619.2467897/0/micronaut-openapi-4-0-0-sources-jar/io/micronaut/openapi/view/AbstractViewConfig.java

\* /opt/cola/permits/1340076157\_1654758619.2467897/0/micronaut-openapi-4-0-0-sources-jar/io/micronaut/openapi/annotation/transformers/ParametersRetentionPolicyAnnotationTransformer.java

\* /opt/cola/permits/1340076157\_1654758619.2467897/0/micronaut-openapi-4-0-0-sources-jar/io/micronaut/openapi/visitor/AbstractOpenApiEndpointVisitor.java

\* /opt/cola/permits/1340076157\_1654758619.2467897/0/micronaut-openapi-4-0-0-sources-jar/io/micronaut/openapi/annotation/transformers/CallbackRetentionPolicyAnnotationTransformer.java

\* /opt/cola/permits/1340076157\_1654758619.2467897/0/micronaut-openapi-4-0-0-sources-jar/io/micronaut/openapi/annotation/transformers/OAuthFlowRetentionPolicyAnnotationTransformer.java

\* /opt/cola/permits/1340076157\_1654758619.2467897/0/micronaut-openapi-4-0-0-sources-jar/io/micronaut/openapi/annotation/transformers/HiddenRetentionPolicyAnnotationTransformer.java

\* /opt/cola/permits/1340076157\_1654758619.2467897/0/micronaut-openapi-4-0-0-sources-jar/io/micronaut/openapi/introspections/HeaderConfiguration.java

\* /opt/cola/permits/1340076157\_1654758619.2467897/0/micronaut-openapi-4-0-0-sources-jar/io/micronaut/openapi/annotation/transformers/ArraySchemaRetentionPolicyAnnotationTransformer.java

\* /opt/cola/permits/1340076157\_1654758619.2467897/0/micronaut-openapi-4-0-0-sources-jar/io/micronaut/openapi/visitor/OpenApiIncludeVisitor.java

\* /opt/cola/permits/1340076157\_1654758619.2467897/0/micronaut-openapi-4-0-0-sources-jar/io/micronaut/openapi/annotation/transformers/TagRetentionPolicyAnnotationTransformer.java

\* /opt/cola/permits/1340076157\_1654758619.2467897/0/micronaut-openapi-4-0-0-sources-jar/io/micronaut/openapi/annotation/mappers/OpenAPISecurityAnnotationMapper.java

\* /opt/cola/permits/1340076157\_1654758619.2467897/0/micronaut-openapi-4-0-0-sources-jar/io/micronaut/openapi/annotation/transformers/ServerVariableRetentionPolicyAnnotationTransformer.java

\* /opt/cola/permits/1340076157\_1654758619.2467897/0/micronaut-openapi-4-0-0-sources-jar/io/micronaut/openapi/view/SwaggerUIConfig.java

\* /opt/cola/permits/1340076157\_1654758619.2467897/0/micronaut-openapi-4-0-0-sources-jar/io/micronaut/openapi/view/RapiPDFConfig.java

\* /opt/cola/permits/1340076157\_1654758619.2467897/0/micronaut-openapi-4-0-0-sources-jar/io/micronaut/openapi/annotation/transformers/ParameterRetentionPolicyAnnotationTransformer.java

\* /opt/cola/permits/1340076157\_1654758619.2467897/0/micronaut-openapi-4-0-0-sources-jar/io/micronaut/openapi/annotation/transformers/TagsRetentionPolicyAnnotationTransformer.java

\* /opt/cola/permits/1340076157\_1654758619.2467897/0/micronaut-openapi-4-0-0-sources-jar/io/micronaut/openapi/annotation/transformers/ApiResponsesRetentionPolicyAnnotationTransformer.java

\* /opt/cola/permits/1340076157\_1654758619.2467897/0/micronaut-openapi-4-0-0-sources-jar/io/micronaut/openapi/annotation/transformers/InfoRetentionPolicyAnnotationTransformer.java

\* /opt/cola/permits/1340076157\_1654758619.2467897/0/micronaut-openapi-4-0-0-sources-jar/io/micronaut/openapi/introspections/MediaConfiguration.java

\* /opt/cola/permits/1340076157\_1654758619.2467897/0/micronaut-openapi-4-0-0-sources-jar/io/micronaut/openapi/annotation/transformers/AbstractRetentionPolicyAnnotationTransformer.java

\* /opt/cola/permits/1340076157\_1654758619.2467897/0/micronaut-openapi-4-0-0-sources-jar/io/micronaut/openapi/introspections/LinksConfiguration.java

\* /opt/cola/permits/1340076157\_1654758619.2467897/0/micronaut-openapi-4-0-0-sources-jar/io/micronaut/openapi/introspections/ServerConfiguration.java  
\* /opt/cola/permits/1340076157\_1654758619.2467897/0/micronaut-openapi-4-0-0-sources-jar/io/micronaut/openapi/annotation/transformers/ExampleObjectMappingRetentionPolicyAnnotationTransformer.java  
\* /opt/cola/permits/1340076157\_1654758619.2467897/0/micronaut-openapi-4-0-0-sources-jar/io/micronaut/openapi/annotation/transformers/ContactRetentionPolicyAnnotationTransformer.java  
\* /opt/cola/permits/1340076157\_1654758619.2467897/0/micronaut-openapi-4-0-0-sources-jar/io/micronaut/openapi/annotation/transformers/SecurityRequirementsRetentionPolicyAnnotationTransformer.java  
\* /opt/cola/permits/1340076157\_1654758619.2467897/0/micronaut-openapi-4-0-0-sources-jar/io/micronaut/openapi/annotation/transformers/OAuthFlowsRetentionPolicyAnnotationTransformer.java  
\* /opt/cola/permits/1340076157\_1654758619.2467897/0/micronaut-openapi-4-0-0-sources-jar/io/micronaut/openapi/annotation/transformers/LinkRetentionPolicyAnnotationTransformer.java  
\* /opt/cola/permits/1340076157\_1654758619.2467897/0/micronaut-openapi-4-0-0-sources-jar/io/micronaut/openapi/annotation/transformers/SecuritySchemeRetentionPolicyAnnotationTransformer.java  
\* /opt/cola/permits/1340076157\_1654758619.2467897/0/micronaut-openapi-4-0-0-sources-jar/io/micronaut/openapi/annotation/transformers/SecuritySchemesRetentionPolicyAnnotationTransformer.java  
\* /opt/cola/permits/1340076157\_1654758619.2467897/0/micronaut-openapi-4-0-0-sources-jar/io/micronaut/openapi/annotation/transformers/ServerRetentionPolicyAnnotationTransformer.java  
\* /opt/cola/permits/1340076157\_1654758619.2467897/0/micronaut-openapi-4-0-0-sources-jar/io/micronaut/openapi/annotation/transformers/ApiResponseRetentionPolicyAnnotationTransformer.java  
\* /opt/cola/permits/1340076157\_1654758619.2467897/0/micronaut-openapi-4-0-0-sources-jar/io/micronaut/openapi/javadoc/JavadocParser.java  
\* /opt/cola/permits/1340076157\_1654758619.2467897/0/micronaut-openapi-4-0-0-sources-jar/io/micronaut/openapi/annotation/transformers/SecurityRequirementRetentionPolicyAnnotationTransformer.java  
\* /opt/cola/permits/1340076157\_1654758619.2467897/0/micronaut-openapi-4-0-0-sources-jar/io/micronaut/openapi/annotation/transformers/ExternalDocumentationRetentionPolicyAnnotationTransformer.java  
\* /opt/cola/permits/1340076157\_1654758619.2467897/0/micronaut-openapi-4-0-0-sources-jar/io/micronaut/openapi/annotation/OpenAPIInclude.java  
\* /opt/cola/permits/1340076157\_1654758619.2467897/0/micronaut-openapi-4-0-0-sources-jar/io/micronaut/openapi/introspections/CallbackConfiguration.java  
\* /opt/cola/permits/1340076157\_1654758619.2467897/0/micronaut-openapi-4-0-0-sources-jar/io/micronaut/openapi/view/OpenApiViewConfig.java  
\* /opt/cola/permits/1340076157\_1654758619.2467897/0/micronaut-openapi-4-0-0-sources-jar/io/micronaut/openapi/annotation/transformers/ExtensionRetentionPolicyAnnotationTransformer.java

## 1.328 jakarta-annotations-api 1.3.5

### 1.328.1 Available under license :

# Eclipse Public License - v 2.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

#### 1. DEFINITIONS

"Contribution" means:

a) in the case of the initial Contributor, the initial content  
Distributed under this Agreement, and

b) in the case of each subsequent Contributor:

- i) changes to the Program, and
- ii) additions to the Program;

where such changes and/or additions to the Program originate from and are Distributed by that particular Contributor. A Contribution "originates" from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include changes or additions to the Program that are not Modified Works.

"Contributor" means any person or entity that Distributes the Program.

"Licensed Patents" mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions Distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement or any Secondary License (as applicable), including Contributors.

"Derivative Works" shall mean any work, whether in Source Code or other form, that is based on (or derived from) the Program and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship.

"Modified Works" shall mean any work in Source Code or other form that results from an addition to, deletion from, or modification of the contents of the Program, including, for purposes of clarity any new file in Source Code form that contains any contents of the Program. Modified Works shall not include works that contain only declarations, interfaces, types, classes, structures, or files of the Program solely in each case in order to link to, bind by name, or subclass the Program or Modified Works thereof.

"Distribute" means the acts of a) distributing or b) making available in any manner that enables the transfer of a copy.

"Source Code" means the form of a Program preferred for making modifications, including but not limited to software source code, documentation source, and configuration files.



"Secondary License" means either the GNU General Public License, Version 2.0, or any later versions of that license, including any exceptions or additional permissions as identified by the initial Contributor.

## 2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, Distribute and sublicense the Contribution of such Contributor, if any, and such Derivative Works.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in Source Code or other form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to Distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

e) Notwithstanding the terms of any Secondary License, no Contributor makes additional grants to any Recipient (other than those set forth in this Agreement) as a result of such Recipient's receipt of the Program under the terms of a Secondary License

(if permitted under the terms of Section 3).

### 3. REQUIREMENTS

3.1 If a Contributor Distributes the Program in any form, then:

a) the Program must also be made available as Source Code, in accordance with section 3.2, and the Contributor must accompany the Program with a statement that the Source Code for the Program is available under this Agreement, and informs Recipients how to obtain it in a reasonable manner on or through a medium customarily used for software exchange; and

b) the Contributor may Distribute the Program under a license different than this Agreement, provided that such license:

i) effectively disclaims on behalf of all other Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;

ii) effectively excludes on behalf of all other Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;

iii) does not attempt to limit or alter the recipients' rights in the Source Code under section 3.2; and

iv) requires any subsequent distribution of the Program by any party to be under a license that satisfies the requirements of this section 3.

3.2 When the Program is Distributed as Source Code:

a) it must be made available under this Agreement, or if the Program (i) is combined with other material in a separate file or files made available under a Secondary License, and (ii) the initial Contributor attached to the Source Code the notice described in Exhibit A of this Agreement, then the Program may be made available under the terms of such Secondary Licenses, and

b) a copy of this Agreement must be included with each copy of the Program.

3.3 Contributors may not remove or alter any copyright, patent, trademark, attribution notices, disclaimers of warranty, or limitations of liability ("notices") contained within the Program from any copy of the Program which they Distribute, provided that Contributors may add

their own appropriate notices.

#### 4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

#### 5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors,

compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

## 6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

## 7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing

version number. The Program (including Contributions) may always be Distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to Distribute the Program (including its Contributions) under the new version.

Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved. Nothing in this Agreement is intended to be enforceable by any entity that is not a Contributor or Recipient. No third-party beneficiary rights are created under this Agreement.

#### Exhibit A - Form of Secondary Licenses Notice

"This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License, v. 2.0 are satisfied: {name license(s), version(s), and exceptions or additional permissions here}."

Simply including a copy of this Agreement, including this Exhibit A is not sufficient to license the Source Code under Secondary Licenses.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.

---

## The GNU General Public License (GPL) Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.  
51 Franklin Street, Fifth Floor  
Boston, MA 02110-1335  
USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

#### Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to

make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

## TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers

to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

- a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major



components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under

any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.  
Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software

Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1335 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type
`show w'. This is free software, and you are welcome to redistribute
it under certain conditions; type `show c' for details.
```

The hypothetical commands ``show w'` and ``show c'` should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than ``show w'` and ``show c'`; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

```
Yoyodyne, Inc., hereby disclaims all copyright interest in the
program `Gnomovision' (which makes passes at compilers) written by
James Hacker.
```

```
signature of Ty Coon, 1 April 1989
Ty Coon, President of Vice
```

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

---

```
## CLASSPATH EXCEPTION
```

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License version 2 cover the whole combination.

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked

independent module, the terms and conditions of the license of that module. An independent module is a module which is not derived from or based on this library. If you modify this library, you may extend this exception to your version of the library, but you are not obligated to do so. If you do not wish to do so, delete this exception statement from your version.

[subs="normal"]

....

Specification: {doctitle}

Version: {revnumber}

ifeval::["{revremark}" != ""]

Status: {revremark}

endif::[]

ifeval::["{revremark}" == ""]

Status: Final Release

endif::[]

Release: {revdate}

....

Copyright (c) 2019 Eclipse Foundation.

=== Eclipse Foundation Specification License

By using and/or copying this document, or the Eclipse Foundation document from which this statement is linked, you (the licensee) agree that you have read, understood, and will comply with the following terms and conditions:

Permission to copy, and distribute the contents of this document, or the Eclipse Foundation document from which this statement is linked, in any medium for any purpose and without fee or royalty is hereby granted, provided that you include the following on ALL copies of the document, or portions thereof, that you use:

- \* link or URL to the original Eclipse Foundation document.
- \* All existing copyright notices, or if one does not exist, a notice (hypertext is preferred, but a textual representation is permitted) of the form: "Copyright (c) [\$date-of-document] Eclipse Foundation, Inc. <<url to this license>>"

Inclusion of the full text of this NOTICE must be provided. We request that authorship attribution be provided in any software, documents, or other items or products that you create pursuant to the implementation of the contents of this document, or any portion thereof.

No right to create modifications or derivatives of Eclipse Foundation documents is granted pursuant to this license, except anyone may prepare and distribute derivative works and portions of this document in software that implements the specification, in supporting materials accompanying such software, and in documentation of such software, PROVIDED that all such works include the notice below. HOWEVER, the publication of derivative works of this document for use as a technical specification is expressly prohibited.

The notice is:

"Copyright (c) 2018 Eclipse Foundation. This software or document includes material copied from or derived from [title and URI of the Eclipse Foundation specification document]."

==== Disclaimers

THIS DOCUMENT IS PROVIDED "AS IS," AND THE COPYRIGHT HOLDERS AND THE ECLIPSE FOUNDATION MAKE NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, NON-INFRINGEMENT, OR TITLE; THAT THE CONTENTS OF THE DOCUMENT ARE SUITABLE FOR ANY PURPOSE; NOR THAT THE IMPLEMENTATION OF SUCH CONTENTS WILL NOT INFRINGE ANY THIRD PARTY PATENTS, COPYRIGHTS, TRADEMARKS OR OTHER RIGHTS.

THE COPYRIGHT HOLDERS AND THE ECLIPSE FOUNDATION WILL NOT BE LIABLE FOR ANY DIRECT, INDIRECT, SPECIAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF ANY USE OF THE DOCUMENT OR THE PERFORMANCE OR IMPLEMENTATION OF THE CONTENTS THEREOF.

The name and trademarks of the copyright holders or the Eclipse Foundation may NOT be used in advertising or publicity pertaining to this document or its contents without specific, written prior permission. Title to copyright in this document will at all times remain with copyright holders.

# Notices for Jakarta Annotations

This content is produced and maintained by the Jakarta Annotations project.

\* Project home: <https://projects.eclipse.org/projects/ee4j.ca>

## Trademarks

Jakarta Annotations is a trademark of the Eclipse Foundation.

## Declared Project Licenses

This program and the accompanying materials are made available under the terms of the Eclipse Public License v. 2.0 which is available at <http://www.eclipse.org/legal/epl-2.0>. This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License v. 2.0 are satisfied: GNU General Public License, version 2 with the GNU Classpath Exception which is available at <https://www.gnu.org/software/classpath/license.html>.

SPDX-License-Identifier: EPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0

## Source Code

The project maintains the following source code repositories:

\* <https://github.com/eclipse-ee4j/common-annotations-api>

## Third-party Content

## Cryptography

Content may contain encryption software. The country in which you are currently may have restrictions on the import, possession, and use, and/or re-export to another country, of encryption software. BEFORE using any encryption software, please check the country's laws, regulations and policies concerning the import, possession, or use, and re-export of encryption software, to see if this is permitted.

## 1.329 antlr 3.5.2

### 1.329.1 Available under license :

No license file was found, but licenses were detected in source scan.

/\*

\* [The "BSD license"]

\* Copyright (c) 2007-2008 Johannes Luber

\* Copyright (c) 2005-2007 Kunle Odutola

\* Copyright (c) 2011 Sam Harwell

\* Copyright (c) 2011 Terence Parr

\* All rights reserved.

\*

\* Redistribution and use in source and binary forms, with or without

\* modification, are permitted provided that the following conditions

\* are met:

\* 1. Redistributions of source code must retain the above copyright

\* notice, this list of conditions and the following disclaimer.

\* 2. Redistributions in binary form must reproduce the above copyright

\* notice, this list of conditions and the following disclaimer in the

- \* documentation and/or other materials provided with the distribution.
- \* 3. The name of the author may not be used to endorse or promote products
- \* derived from this software without specific prior written permission.
- \*
- \* THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR
- \* IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
- \* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.
- \* IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,
- \* INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT
- \* NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
- \* DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
- \* THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
- \* (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF
- \* THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
- \*/

```
@outputFile.imports() ::= <<
<@super.imports(>
```

```
<if(!TREE_PARSER)>
<! tree parser would already have imported !>
using Antlr.Runtime.Tree;
using RewriteRuleITokenStream = Antlr.Runtime.Tree.RewriteRuleTokenStream;
<endif>
>>
```

```
@genericParser.members() ::= <<
<@super.members(>
<parserMembers(>
>>
```

```
parserCtorBody() ::= <%
<super.parserCtorBody(><\n>
TreeAdaptor =
<if(actions.(actionScope).treeAdaptorInitializer)>
<actions.(actionScope).treeAdaptorInitializer>
<else>
new <actions.(actionScope).treeAdaptorType; null="CommonTreeAdaptor">()
<end>
;
%>
```

```
/** Add an adaptor property that knows how to build trees */
```

```
parserMembers() ::= <<
private <treeAdaptorType(> adaptor;

public <treeAdaptorType(> TreeAdaptor
{
```



```

get
{
  return adaptor;
}

set
{
  this.adaptor = value;
  <grammar.directDelegates:{g|<g:delegateName().TreeAdaptor = this.adaptor;}>
}
}
>>

treeAdaptorType() ::= <<
<actions.(actionScope).treeAdaptorType; null="ITreeAdaptor">
>>

ruleReturnBaseType() ::= <%
Ast<if(TREE_PARSER)>Tree<else>Parser<endif>RuleReturnScope\<<ASTLabelType>, <labelType>>
%>

/** Add a variable to track rule's return AST */
ruleDeclarations() ::= <<
<super.ruleDeclarations()>
<ASTLabelType> root_0 = default(<ASTLabelType>);<\n>
>>

ruleLabelDefs() ::= <<
<super.ruleLabelDefs()>
<[ruleDescriptor.tokenLabels,ruleDescriptor.wildcardTreeLabels,ruleDescriptor.wildcardTreeListLabels]
: {it|<ASTLabelType> <it.label.text>_tree = default(<ASTLabelType>);}; separator="\n">
<ruleDescriptor.tokenListLabels: {it|<ASTLabelType> <it.label.text>_tree = default(<ASTLabelType>);};
separator="\n">
<ruleDescriptor.allTokenRefsInAltsWithRewrites
: {it|RewriteRule<rewriteElementType>Stream stream_<it>=new
RewriteRule<rewriteElementType>Stream(adaptor,"token <it>");}; separator="\n">
<ruleDescriptor.allRuleRefsInAltsWithRewrites
: {it|RewriteRuleSubtreeStream stream_<it>=new RewriteRuleSubtreeStream(adaptor,"rule <it>");};
separator="\n">
>>

/** When doing auto AST construction, we must define some variables;
 * These should be turned off if doing rewrites. This must be a "mode"
 * as a rule could have both rewrite and AST within the same alternative
 * block.
 */
@alt.declarations() ::= <<
<if(autoAST)>

```

```

<if(outerAlt)>
<if(!rewriteMode)>
root_0 = (<ASTLabelType>)adaptor.Nil();
<endif>
<endif>
<endif>
>>

// Tracking Rule Elements

/** ID and track it for use in a rewrite rule */
tokenRefTrack(token,label,elementIndex,terminalOptions={}) ::= <<
<tokenRefBang(...)> <! Track implies no auto AST construction!>
<if(backtracking)>if (<actions.(actionScope).synpredgate>) <endif>stream_<token>.Add(<label>);<\n>
>>

/** ids+=ID and track it for use in a rewrite rule; adds to ids *and*
 * to the tracking list stream_ID for use in the rewrite.
 */
tokenRefTrackAndListLabel(token,label,elementIndex,terminalOptions={}) ::= <<
<tokenRefTrack(...)>
<listLabelElem(elem=label,elemType=labelType,...)>
>>

/** ^(ID ...) track for rewrite */
tokenRefRuleRootTrack(token,label,elementIndex,terminalOptions={}) ::= <<
<tokenRefBang(...)>
<if(backtracking)>if (<actions.(actionScope).synpredgate>) <endif>stream_<token>.Add(<label>);
>>

/** Match ^(label+=TOKEN ...) track for rewrite */
tokenRefRuleRootTrackAndListLabel(token,label,elementIndex,terminalOptions={}) ::= <<
<tokenRefRuleRootTrack(...)>
<listLabelElem(elem=label,elemType=labelType,...)>
>>

/** rule when output=AST and tracking for rewrite */
ruleRefTrack(rule,label,elementIndex,args,scope) ::= <<
<super.ruleRef(...)>
<if(backtracking)>if (<actions.(actionScope).synpredgate>) <endif>stream_<rule.name>.Add(<label>.Tree);
>>

/** x+=rule when output=AST and tracking for rewrite */
ruleRefTrackAndListLabel(rule,label,elementIndex,args,scope) ::= <<
<ruleRefTrack(...)>
<listLabelElem(elem={ <label>.Tree },elemType=ASTLabelType,...)>
>>

```

```

/** ^(rule ...) rewrite */
ruleRefRuleRootTrack(rule,label,elementIndex,args,scope) ::= <<
<ruleRefRuleRoot(...)>
<if(backtracking)>if (<actions.(actionScope).synpredgate>) <endif>stream_<rule>.Add(<label>.Tree);
>>

/** ^(x+=rule ...) rewrite */
ruleRefRuleRootTrackAndListLabel(rule,label,elementIndex,args,scope) ::= <<
<ruleRefRuleRootTrack(...)>
<listLabelElem(elem={<label>.Tree},elemType=ASTLabelType,...)>
>>

// R e w r i t e

rewriteCode(
alts, description,
referencedElementsDeep, // ALL referenced elements to right of ->
referencedTokenLabels,
referencedTokenListLabels,
referencedRuleLabels,
referencedRuleListLabels,
referencedWildcardLabels,
referencedWildcardListLabels,
rewriteBlockLevel, enclosingTreeLevel, treeLevel) ::= <<
<\n>{
// AST REWRITE
// elements: <referencedElementsDeep; separator=", ">
// token labels: <referencedTokenLabels; separator=", ">
// rule labels: <referencedRuleLabels; separator=", ">
// token list labels: <referencedTokenListLabels; separator=", ">
// rule list labels: <referencedRuleListLabels; separator=", ">
// wildcard labels: <[referencedWildcardLabels,referencedWildcardListLabels]; separator=", ">
<if(backtracking)>
if (<actions.(actionScope).synpredgate>) {
<endif>
<prevRuleRootRef().Tree = root_0;
<rewriteCodeLabels()>
root_0 = (<ASTLabelType>)adaptor.Nil();
<alts:rewriteAlt(); separator="else ">
<! if tree parser and rewrite=true !>
<if(TREE_PARSER&&rewriteMode)>
<prevRuleRootRef().Tree = (<ASTLabelType>)adaptor.RulePostProcessing(root_0);
if (<prevRuleRootRef().Tree != null)
input.ReplaceChildren(adaptor.GetParent(retval.Start), adaptor.GetChildIndex(retval.Start),
adaptor.GetChildIndex(_last), retval.Tree);
<endif>
<! if parser or tree-parser && rewrite!=true, we need to set result !>
<if(!TREE_PARSER||!rewriteMode)>

```

```

<prevRuleRootRef(>.Tree = root_0;
<endif>
<if(backtracking)>
}
<endif>
}

>>

rewriteCodeLabels() ::= <<
<referencedTokenLabels
  :{it|RewriteRule<rewriteElementType>Stream stream_<it>=new
RewriteRule<rewriteElementType>Stream(adaptor,"token <it>",<it>)};
  separator="\n"
>
<referencedTokenListLabels
  :{it|RewriteRule<rewriteElementType>Stream stream_<it>=new
RewriteRule<rewriteElementType>Stream(adaptor,"token <it> ", list_<it>)};
  separator="\n"
>
<referencedWildcardLabels
  :{it|RewriteRuleSubtreeStream stream_<it>=new RewriteRuleSubtreeStream(adaptor,"wildcard <it>",<it>)};
  separator="\n"
>
<referencedWildcardListLabels
  :{it|RewriteRuleSubtreeStream stream_<it>=new RewriteRuleSubtreeStream(adaptor,"wildcard <it> ",list_<it>)};
  separator="\n"
>
<referencedRuleLabels
  :{it|RewriteRuleSubtreeStream stream_<it>=new RewriteRuleSubtreeStream(adaptor,"rule
<it>",<it>!=null?<it>.Tree:null)};
  separator="\n"
>
<referencedRuleListLabels
  :{it|RewriteRuleSubtreeStream stream_<it>=new RewriteRuleSubtreeStream(adaptor,"token <it> ",list_<it>)};
  separator="\n"
>
>>

/** Generate code for an optional rewrite block; note it uses the deep ref'd element
 * list rather shallow like other blocks.
 */
rewriteOptionalBlock(
alt,rewriteBlockLevel,
referencedElementsDeep, // all nested refs
referencedElements, // elements in immediately block; no nested blocks
description) ::=
<<

```

```

// <fileName>:<description>
if (<referencedElementsDeep:{el | stream_<el>.HasNext}; separator="||">)
{
  <alt>
}
<referencedElementsDeep:{el | stream_<el>.Reset();<\n>}>
>>

```

```

rewriteClosureBlock(
  alt,rewriteBlockLevel,
  referencedElementsDeep, // all nested refs
  referencedElements, // elements in immediately block; no nested blocks
  description) ::=
<<
// <fileName>:<description>
while ( <referencedElements:{el | stream_<el>.HasNext}; separator="||"> )
{
  <alt>
}
<referencedElements:{el | stream_<el>.Reset();<\n>}>
>>

```

```

rewritePositiveClosureBlock(
  alt,rewriteBlockLevel,
  referencedElementsDeep, // all nested refs
  referencedElements, // elements in immediately block; no nested blocks
  description) ::=
<<
if (!(<referencedElements:{el | stream_<el>.HasNext}; separator="||">))
{
  throw new RewriteEarlyExitException();
}
while ( <referencedElements:{el | stream_<el>.HasNext}; separator="||"> )
{
  <alt>
}
<referencedElements:{el | stream_<el>.Reset();<\n>}>
>>

```

```

rewriteAlt(a) ::= <<
// <a.description>
<if(a.pred)>
if (<a.pred>)
{
  <a.alt>
}
<else>
{

```

```

<a.alt>
}
<endif>
>>

/** For empty rewrites: "r : ... -> ;" */
rewriteEmptyAlt() ::= "root_0 = null;"

rewriteTree(root,children,description,enclosingTreeLevel,treeLevel) ::= <<
// <fileName>:<description>
{
<ASTLabelType> root_<treeLevel> = (<ASTLabelType>)adaptor.Nil();
<root:rewriteElement()>
<children:rewriteElement()>
adaptor.AddChild(root_<enclosingTreeLevel>, root_<treeLevel>);
}<\n>
>>

rewriteElementList(elements) ::= "<elements:rewriteElement()>"

rewriteElement(e) ::= <%
<@pregen()>
DebugLocation(<e.line>, <e.pos>);<\n>
<e.el>
%>

/** Gen ID or ID[args] */
rewriteTokenRef(token,elementIndex,args,terminalOptions={}) ::= <<
adaptor.AddChild(root_<treeLevel>, <createRewriteNodeFromElement(...)>);<\n>
>>

/** Gen $label ... where defined via label=ID */
rewriteTokenLabelRef(label,elementIndex) ::= <<
adaptor.AddChild(root_<treeLevel>, stream_<label>.NextNode());<\n>
>>

/** Gen $label ... where defined via label+=ID */
rewriteTokenListLabelRef(label,elementIndex) ::= <<
adaptor.AddChild(root_<treeLevel>, stream_<label>.NextNode());<\n>
>>

/** Gen ^($label ...) */
rewriteTokenLabelRefRoot(label,elementIndex) ::= <<
root_<treeLevel> = (<ASTLabelType>)adaptor.BecomeRoot(stream_<label>.NextNode(), root_<treeLevel>);<\n>
>>

/** Gen ^($label ...) where label+=... */
rewriteTokenListLabelRefRoot ::= rewriteTokenLabelRefRoot

```

```

/** Gen ^(ID ...) or ^(ID[args] ...) */
rewriteTokenRefRoot(token,elementIndex,args,terminalOptions={}) ::= <<
root_<treeLevel> = (<ASTLabelType>)adaptor.BecomeRoot(<createRewriteNodeFromElement(...)>,
root_<treeLevel>);<\n>
>>

rewriteImaginaryTokenRef(args,token,elementIndex,terminalOptions={}) ::= <<
adaptor.AddChild(root_<treeLevel>, <createImaginaryNode(tokenType=token, ...)>);<\n>
>>

rewriteImaginaryTokenRefRoot(args,token,elementIndex,terminalOptions={}) ::= <<
root_<treeLevel> = (<ASTLabelType>)adaptor.BecomeRoot(<createImaginaryNode(tokenType=token, ...)>,
root_<treeLevel>);<\n>
>>

/** plain -> {foo} action */
rewriteAction(action) ::= <<
root_0 = <action>;<\n>
>>

/** What is the name of the previous value of this rule's root tree? This
* let's us refer to $rule to mean previous value. I am reusing the
* variable 'tree' sitting in retval struct to hold the value of root_0 right
* before I set it during rewrites. The assign will be to retval.tree.
*/
prevRuleRootRef() ::= "retval"

rewriteRuleRef(rule) ::= <<
adaptor.AddChild(root_<treeLevel>, stream_<rule>.NextTree());<\n>
>>

rewriteRuleRefRoot(rule) ::= <<
root_<treeLevel> = (<ASTLabelType>)adaptor.BecomeRoot(stream_<rule>.NextNode(), root_<treeLevel>);<\n>
>>

rewriteNodeAction(action) ::= <<
adaptor.AddChild(root_<treeLevel>, <action>);<\n>
>>

rewriteNodeActionRoot(action) ::= <<
root_<treeLevel> = (<ASTLabelType>)adaptor.BecomeRoot(<action>, root_<treeLevel>);<\n>
>>

/** Gen $ruleLabel ... where defined via ruleLabel=rule */
rewriteRuleLabelRef(label) ::= <<
adaptor.AddChild(root_<treeLevel>, stream_<label>.NextTree());<\n>
>>

```

```

/** Gen $ruleLabel ... where defined via ruleLabel+=rule */
rewriteRuleListLabelRef(label) ::= <<
adaptor.AddChild(root_<treeLevel>, stream_<label>.NextTree());<\n>
>>

/** Gen ^($ruleLabel ...) where ruleLabel=rule */
rewriteRuleLabelRefRoot(label) ::= <<
root_<treeLevel> = (<ASTLabelType>)adaptor.BecomeRoot(stream_<label>.NextNode(), root_<treeLevel>);<\n>
>>

/** Gen ^($ruleLabel ...) where ruleLabel+=rule */
rewriteRuleListLabelRefRoot(label) ::= <<
root_<treeLevel> = (<ASTLabelType>)adaptor.BecomeRoot(stream_<label>.NextNode(), root_<treeLevel>);<\n>
>>

rewriteWildcardLabelRef(label) ::= <<
adaptor.AddChild(root_<treeLevel>, stream_<label>.NextTree());<\n>
>>

createImaginaryNode(tokenType,args,terminalOptions={ }) ::= <%
<if(terminalOptions.node)>
<! new MethodNode(IDLabel, args) !>
new <terminalOptions.node>(<tokenType><if(args)>, <args; separator=", "><endif>)
<else>
(<ASTLabelType>)adaptor.Create(<tokenType>, <args; separator=", "><if(!args)>"<tokenType>"<endif>)
<endif>
%>

createRewriteNodeFromElement(token,args,terminalOptions={ }) ::= <%
<if(terminalOptions.node)>
new <terminalOptions.node>(stream_<token>.NextToken())<if(args)>, <args; separator=", "><endif>)
<else>
<if(args)> <! must create new node from old !>
adaptor.Create(<token>, <args; separator=", ">)
<else>
stream_<token>.NextNode()
<endif>
<endif>
%>

```

Found in path(s):

\* /opt/cola/permits/1274703855\_1645234694.1/0/antlr-3-5-2-sources-jar/org/antlr/codegen/templates/CSharp2/AST.stg

No license file was found, but licenses were detected in source scan.

[The "BSD license"]

All rights reserved.



Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The name of the author may not be used to endorse or promote products derived from this software without specific prior written permission.

Found in path(s):

```
* /opt/cola/permits/1274703855_1645234694.1/0/antlr-3-5-2-sources-jar/org/antlr/codegen/templates/Python3/Dbg.stg
* /opt/cola/permits/1274703855_1645234694.1/0/antlr-3-5-2-sources-jar/org/antlr/codegen/templates/Python/AST.stg
* /opt/cola/permits/1274703855_1645234694.1/0/antlr-3-5-2-sources-jar/org/antlr/codegen/templates/Python/Dbg.stg
* /opt/cola/permits/1274703855_1645234694.1/0/antlr-3-5-2-sources-jar/org/antlr/codegen/templates/Python3/AST.stg
* /opt/cola/permits/1274703855_1645234694.1/0/antlr-3-5-2-sources-jar/org/antlr/codegen/templates/Java/ASTParser.stg
* /opt/cola/permits/1274703855_1645234694.1/0/antlr-3-5-2-sources-jar/org/antlr/tool/serialize.g
* /opt/cola/permits/1274703855_1645234694.1/0/antlr-3-5-2-sources-jar/org/antlr/codegen/templates/ActionScript/ASTParser.stg
No license file was found, but licenses were detected in source scan.
```

/\*

[The "BSD license"]

Copyright (c) 2010 Matthew Lloyd

<http://linkedin.com/in/matthewl>

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The name of the author may not be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.

IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

\*/

```
scalaTypeInitMap ::= [
  "Int":"0",
  "Long":"0",
  "Float":"0.0f",
  "Double":"0.0",
  "Boolean":"false",
  "Byte":"0",
  "Short":"0",
  "Char":"0",
  default:"null" // anything other than an atomic type
]

/** The overall file structure of a recognizer; stores methods for rules
 * and cyclic DFAs plus support code.
 */
outputFile(LEXER,PARSER,TREE_PARSER, actionScope, actions,
  docComment, recognizer,
  name, tokens, tokenNames, rules, cyclicDFAs,
  bitsets, buildTemplate, buildAST, rewriteMode, profile,
  backtracking, synpreds, memoize, numRules,
  fileName, ANTLRVersion, generatedTimestamp, trace,
  scopes, superClass, literals) ::=
<<
// $ANTLR <ANTLRVersion> <fileName> <generatedTimestamp>
<actions.(actionScope).header>

<@imports>
import org antlr.runtime._
<if(TREE_PARSER)>
import org antlr.runtime.tree._
<endif>
<@end>

<docComment>
<recognizer>
>>

lexer(grammar, name, tokens, scopes, rules, numRules, filterMode, labelType="CommonToken",
  superClass="Lexer") ::= <<
object <grammar.recognizerName> {
```

```

<tokens:{it | val <it.name> = <it.type>}; separator="\n">

<cyclicDFAs:cyclicDFA()> <! dump tables for all DFA !>
}

class <grammar.recognizerName>(input: CharStream, state<grammar.delegators:{g|, <g.recognizerName>
<g:delegateName()>>: RecognizerSharedState) extends <@superClassName><superClass><@end>(input,
state<grammar.delegators:{g|, <g.recognizerName> <g:delegateName()>>}) {
  import <grammar.recognizerName>._
  <actions.lexer.members>

  // delegates
  <grammar.delegators:
    {g|<g.recognizerName> <g:delegateName()>}; separator="\n">
  // delegators
  <grammar.delegators:
    {g|<g.recognizerName> <g:delegateName()>}; separator="\n">
  <last(grammar.delegators):{g|public <g.recognizerName> gParent;}>

  <scopes:{it | <if(it.isDynamicGlobalScope)><globalAttributeScope()><endif>}>

  def this(input<grammar.delegators:{g|, <g.recognizerName> <g:delegateName()>>: CharStream) =
    this(input, new RecognizerSharedState()<grammar.delegators:{g|, <g:delegateName()>>})

  <if(memoize)>
  <if(grammar.grammarIsRoot)>
    state.ruleMemo = new Array[java.util.Map[_,_]](<numRules>+1)<\n> <! index from 1..n !>
  <endif>
  <endif>
  <grammar.directDelegates:
    {g|<g:delegateName()> = new <g.recognizerName>(input, state<trunc(g.delegators):{p|,
  <p:delegateName()>>, this); separator="\n">
  <grammar.delegators:
    {g|this.<g:delegateName()> = <g:delegateName()>}; separator="\n">
  <last(grammar.delegators):{g|gParent = <g:delegateName()>}>

  override def getGrammarFileName = "<fileName>"

  <if(filterMode)>
  <filteringNextToken()>
  <endif>
  <rules; separator="\n\n">

  <synpreds:{p | <lexerSynpred(p)>}>
  <cyclicDFAs:{dfa | private val dfa<dfa.decisionNumber> = new
  <grammar.recognizerName>.DFA<dfa.decisionNumber>(this); separator="\n">
  }
  >>

```

```

/** A override of Lexer.nextToken() that backtracks over mTokens() looking
 * for matches. No error can be generated upon error; just rewind, consume
 * a token and then try again. backtracking needs to be set as well.
 * Make rule memoization happen only at levels above 1 as we start mTokens
 * at backtracking==1.
 */
filteringNextToken() ::= <<
override def nextToken(): Token = {
  while (true) {
    if ( input.LA(1)==CharStream.EOF ) {
      var eof: Token = new CommonToken((CharStream)input,Token.EOF,
        Token.DEFAULT_CHANNEL,
        input.index(),input.index())
      eof.setLine(getLine())
      eof.setCharPositionInLine(getCharPositionInLine())
      return eof
    }
    state.token = null
state.channel = Token.DEFAULT_CHANNEL
    state.tokenStartCharIndex = input.index()
    state.tokenStartCharPositionInLine = input.getCharPositionInLine()
    state.tokenStartLine = input.getLine()
state.text = null
    try {
      val m = input.mark()
      state.backtracking=1 <! means we won't throw slow exception !>
      state.failed=false
      mTokens()
      state.backtracking=0
      <! mTokens backtracks with synpred at backtracking==2
        and we set the synpredgate to allow actions at level 1. !>
      if ( state.failed ) {
        input.rewind(m)
        input.consume() <! advance one char and try again !>
      }
      else {
        emit()
        return state.token
      }
    }
    catch {
      case re: RecognitionException =>
        // shouldn't happen in backtracking mode, but...
        reportError(re)
        recover(re)
    }
  }
}

```

```

}

override def memoize(input: IntStream,
  ruleIndex: Int,
  ruleStartIndex: Int) = {
if ( state.backtracking>1 ) super.memoize(input, ruleIndex, ruleStartIndex)
}

override def alreadyParsedRule(input: IntStream, ruleIndex: Int):Boolean {
if ( state.backtracking>1 ) return super.alreadyParsedRule(input, ruleIndex)
return false
}
>>

actionGate() ::= "state.backtracking==0"

filteringActionGate() ::= "state.backtracking==1"

/** How to generate a parser */
genericParser(grammar, name, scopes, tokens, tokenNames, rules, numRules,
  bitsets, inputStreamType, superClass,
  labelType, members, rewriteElementType,
  filterMode, ASTLabelType="Object") ::= <<
object <grammar.recognizerName> {
<if(grammar.grammarIsRoot)>
  val tokenNames = Array(
    "\<invalid>", "\<EOR>", "\<DOWN>", "\<UP>", <tokenNames; separator=", ">
  )<\n>
<endif>

  <tokens:{it | val <it.name> = <it.type>}; separator="\n">

  <cyclicDFAs:cyclicDFA()> <! dump tables for all DFA !>

  <bitsets:{it | <bitset(name={FOLLOW_<it.name>_in_<it.inName><it.tokenIndex>},
    words64=it.bits)>}>
}

class <grammar.recognizerName>(input: <inputStreamType>, state<grammar.delegators:{ g|, <g.recognizerName>
<g:delegateName()>}>: RecognizerSharedState) extends <@superClassName><superClass><@end>(input, state) {
  import <grammar.recognizerName>._
  // delegates
  <grammar.delegators:
    {g|public <g.recognizerName> <g:delegateName()>}; separator="\n">
  // delegators
  <grammar.delegators:
    {g|public <g.recognizerName> <g:delegateName()>}; separator="\n">
  <last(grammar.delegators):{ g|public <g.recognizerName> gParent;}>

```

```

<scopes:{it | <if(it.isDynamicGlobalScope)><globalAttributeScope()><endif>}>

<@members>
<! WARNING. bug in ST: this is cut-n-paste into Dbg.stg !>
def this(input<grammar.delegators:{g|, <g.recognizerName> <g.delegateName()>}>: <inputStreamType>) =
  this(input, new RecognizerSharedState()<grammar.delegators:{g|, <g.delegateName()>}>)

  <parserCtorBody()>
  <grammar.directDelegates:
    {g|<g.delegateName()> = new <g.recognizerName>(input, state<trunc(g.delegators):{p|,
<p.delegateName()>}>, this)}; separator="\n">
    <grammar.indirectDelegates:{g | <g.delegateName()> = <g.delegator.delegateName()>.<g.delegateName()>}>
separator="\n">
    <last(grammar.delegators):{g|gParent = <g.delegateName()>}>
  <@end>

  override def getTokenNames: Array[String] = tokenNames
  override def getGrammarFileName = "<fileName>"

<members>

<rules; separator="\n\n">

<! generate rule/method definitions for imported rules so they
appear to be defined in this recognizer. !>
// Delegated rules
<grammar.delegatedRules:{ruleDescriptor|
  @throws(classOf[RecognitionException])
  def <ruleDescriptor.name>(<ruleDescriptor.parameterScope:parameterScope()>): <returnType()> = \{
<if(ruleDescriptor.hasReturnValue)>return
<endif><ruleDescriptor.grammar:delegateName()>.<ruleDescriptor.name>(<ruleDescriptor.parameterScope.attributes:
{a|<a.name>}>; separator=", ">) \}; separator="\n">

  <synpreds:{p | <synpred(p)>}>

  <cyclicDFAs:{dfa | private val dfa<dfa.decisionNumber> = new
<grammar.recognizerName>.DFA<dfa.decisionNumber>(this)}; separator="\n">
  }
>>

parserCtorBody() ::= <<
<if(memoize)>
<if(grammar.grammarIsRoot)>
this.state.ruleMemo = new Array[java.util.Map[_,_]](<length(grammar.allImportedRules)>+1)<\n> <! index from
1..n !>
<endif>
<endif>

```

```

<grammar.delegators:
{g|this.<g.delegateName()> = <g.delegateName()>; separator="\n">
>>

parser(grammar, name, scopes, tokens, tokenNames, rules, numRules, bitsets,
  ASTLabelType="Object", superClass="Parser", labelType="Token",
  members={<actions.parser.members>}) ::= <<
<genericParser(inputStreamType="TokenStream", rewriteElementType="Token", ...)>
>>

/** How to generate a tree parser; same as parser except the input
 * stream is a different type.
 */
treeParser(grammar, name, scopes, tokens, tokenNames, globalAction, rules,
  numRules, bitsets, filterMode, labelType={<ASTLabelType>}, ASTLabelType="Object",
  superClass={<if(filterMode)><if(buildAST)>TreeRewriter<else>TreeFilter<endif><else>TreeParser<endif>},
  members={<actions.treeparser.members>}
  ) ::= <<
<genericParser(inputStreamType="TreeNodeStream", rewriteElementType="Node", ...)>
>>

/** A simpler version of a rule template that is specific to the imaginary
 * rules created for syntactic predicates. As they never have return values
 * nor parameters etc..., just give simplest possible method. Don't do
 * any of the normal memoization stuff in here either; it's a waste.
 * As predicates cannot be inlined into the invoking rule, they need to
 * be in a rule by themselves.
 */
synpredRule(ruleName, ruleDescriptor, block, description, nakedBlock) ::=
<<
// $ANTLR start <ruleName>
@throws(classOf[RecognitionException])
def <ruleName>_fragment(<ruleDescriptor.parameterScope:parameterScope()>): Unit = {
  <ruleLabelDefs()>
<if(trace)>
  traceIn("<ruleName>_fragment", <ruleDescriptor.index>)
  try {
    <block>
  }
  finally {
    traceOut("<ruleName>_fragment", <ruleDescriptor.index>);
  }
<else>
  <block>
<endif>
}
// $ANTLR end <ruleName>
>>

```

```

synpred(name) ::= <<
final def <name>(): Boolean = {
  state.backtracking+=1
  <@start(>
  val start = input.mark()
  try {
    <name>_fragment() // can never throw exception
  } catch {
    case re: RecognitionException =>
      System.err.println("impossible: "+re)
  }
  val success = !state.failed
  input.rewind(start)
  <@stop(>
  state.backtracking-=1
  state.failed=false
  success
}<\n>
>>

lexerSynpred(name) ::= <<
<synpred(name)>
>>

ruleMemoization(name) ::= <<
<if(memoize)>
if ( state.backtracking>0 && alreadyParsedRule(input, <ruleDescriptor.index> ) ) { return <ruleReturnValue(> }
<endif>
>>

/** How to test for failure and return from rule */
checkRuleBacktrackFailure() ::= <<
<if(backtracking)>if (state.failed) return <ruleReturnValue(><endif>
>>

/** This rule has failed, exit indicating failure during backtrack */
ruleBacktrackFailure() ::= <<
<if(backtracking)>if (state.backtracking>0) { state.failed=true; return <ruleReturnValue(>}<endif>
>>

/** How to generate code for a rule. This includes any return type
 * data aggregates required for multiple return values.
 */
rule(ruleName,ruleDescriptor,block,emptyRule,description,exceptions,finally,memoize) ::= <<
<ruleAttributeScope(scope=ruleDescriptor.ruleScope)>
<returnScope(scope=ruleDescriptor.returnScope)>

```



```

// $ANTLR start "<ruleName>"
// <fileName>:<description>
@throws(classOf[RecognitionException])
final def <ruleName>(<ruleDescriptor.parameterScope:parameterScope>): <returnType> = {
  <if(trace)>traceIn("<ruleName>", <ruleDescriptor.index>)<endif>
  <ruleScopeSetUp()>
  <ruleDeclarations()>
  <ruleLabelDefs()>
  <ruleDescriptor.actions.init>
  <@preamble()>
  try {
    <ruleMemoization(name=ruleName)>
    <block>
    <ruleCleanUp()>
    <(ruleDescriptor.actions.after):execAction()>
  }
  <if(exceptions)>
    <exceptions:{e|<catch(decl=e.decl,action=e.action)><\n>}>
  <else>
  <if(!emptyRule)>
  <if(actions.(actionScope).rulecatch)>
    <actions.(actionScope).rulecatch>
  <else>
    catch {
      case re: RecognitionException =>
        reportError(re)
        recover(input,re)
    }
  <@setErrorReturnValue()>
  }<\n>
  <endif>
  <endif>
  <endif>
  finally {
    <if(trace)>traceOut("<ruleName>", <ruleDescriptor.index>);<endif>
    <memoize()>
    <ruleScopeCleanUp()>
    <finally>
  }
  <@postamble()>
  return <ruleReturnValue()>
}
// $ANTLR end "<ruleName>"
>>

catch(decl,action) ::= <<
catch (<e.decl>) {
  <e.action>
}

```

>>

```
ruleDeclarations() ::= <<
<if(ruleDescriptor.hasMultipleReturnValues)>
val retval = new <returnType>()
retval.start = input.LT(1)<\n>
<else>
<ruleDescriptor.returnScope.attributes: { a |
var <a.name>: <a.type> = <if(a.initValue)><a.initValue><else><initValue(a.type)><endif>
}>
<endif>
<if(memoize)>
val <ruleDescriptor.name>_startIndex = input.index()
<endif>
>>
```

```
ruleScopeSetUp() ::= <<
<ruleDescriptor.useScopes: {it | <it>_stack.push(new <it>_scope()); separator="\n">
<ruleDescriptor.ruleScope: {it | <it.name>_stack.push(new <it.name>_scope()); separator="\n">
>>
```

```
ruleScopeCleanUp() ::= <<
<ruleDescriptor.useScopes: {it | <it>_stack.pop(); separator="\n">
<ruleDescriptor.ruleScope: {it | <it.name>_stack.pop(); separator="\n">
>>
```

```
ruleLabelDefs() ::= <<
<[ruleDescriptor.tokenLabels,ruleDescriptor.tokenListLabels,
ruleDescriptor.wildcardTreeLabels,ruleDescriptor.wildcardTreeListLabels]
: {it | var <it.label.text>: <labelType> = null}; separator="\n"
>
<[ruleDescriptor.tokenListLabels,ruleDescriptor.ruleListLabels,ruleDescriptor.wildcardTreeListLabels]
: {it | var list_<it.label.text>: java.util.List=null}; separator="\n"
>
<ruleDescriptor.ruleLabels:ruleLabelDef(); separator="\n">
<ruleDescriptor.ruleListLabels: {ll|var <ll.label.text>: RuleReturnScope = null}; separator="\n">
>>
```

```
lexerRuleLabelDefs() ::= <<
<[ruleDescriptor.tokenLabels,
ruleDescriptor.tokenListLabels,
ruleDescriptor.ruleLabels]
: {it | var <it.label.text>: <labelType>=null}; separator="\n"
>
<ruleDescriptor.charLabels: {it | int <it.label.text>;}; separator="\n">
<[ruleDescriptor.tokenListLabels,
ruleDescriptor.ruleListLabels]
```

```

: {it | var list_<it.label.text>: java.util.List=null}; separator="\n"
>
>>

ruleReturnValue() ::= <<
<if(!ruleDescriptor.isSynPred)>
<if(ruleDescriptor.hasReturnValue)>
<if(ruleDescriptor.hasSingleReturnValue)>
<ruleDescriptor.singleValueReturnName>
<else>
retval
<endif>
<endif>
<endif>
>>

ruleCleanup() ::= <<
<if(ruleDescriptor.hasMultipleReturnValues)>
<if(!TREE_PARSER)>
retval.stop = input.LT(-1)<\n>
<endif>
<endif>
>>

memoize() ::= <<
<if(memoize)>
<if(backtracking)>
if ( state.backtracking>0 ) { memoize(input, <ruleDescriptor.index>, <ruleDescriptor.name>_StartIndex) }
<endif>
<endif>
>>

/** How to generate a rule in the lexer; naked blocks are used for
 * fragment rules.
 */
lexerRule(ruleName,nakedBlock,ruleDescriptor,block,memoize) ::= <<
// $ANTLR start "<ruleName>"
@throws(classOf[RecognitionException])
final def m<ruleName>(<ruleDescriptor.parameterScope:parameterScope()): Unit = {
  <if(trace)>traceIn("<ruleName>", <ruleDescriptor.index>)<endif>
  <ruleScopeSetUp()>
  <ruleDeclarations()>
  try {
<if(nakedBlock)>
  <ruleMemoization(name=ruleName)>
  <lexerRuleLabelDefs()>
  <ruleDescriptor.actions.init>
  try <block><\n>

```

```

<else>
  var _type = <ruleName>
  var _channel = BaseRecognizer.DEFAULT_TOKEN_CHANNEL
  <ruleMemoization(name=ruleName)>
  <lexerRuleLabelDefs()>
  <ruleDescriptor.actions.init>
  try <block>
    <ruleCleanUp()>
    state.`type` = _type
    state.channel = _channel
    <(ruleDescriptor.actions.after):execAction()>
  <endif>
  }
  finally {
    <if(trace)>traceOut("<ruleName>", <ruleDescriptor.index>)<endif>
    <ruleScopeCleanUp()>
    <memoize()>
  }
}
// $ANTLR end "<ruleName>"
>>

```

```

/** How to generate code for the implicitly-defined lexer grammar rule
 * that chooses between lexer rules.
 */

```

```

tokensRule(ruleName,nakedBlock,args,block,ruleDescriptor) ::= <<
@throws(classOf[RecognitionException])
def mTokens(): Unit = {
  <block><\n>
}
>>

```

```

// S U B R U L E S

```

```

/** A (...) subrule with multiple alternatives */
block(alts,decls,decision,enclosingBlockLevel,blockLevel,decisionNumber,maxK,maxAlt,description) ::= <<
// <fileName>:<description>
var alt<decisionNumber> = <maxAlt>
<decls>
<@predecision()>
<decision>
<@postdecision()>
<@prebranch()>
alt<decisionNumber> match {
  <alts:{ a | <altSwitchCase(i,a)> }>
  case _ =>
}
<@postbranch()>

```

>>

*/\*\* A rule block with multiple alternatives \*/*

ruleBlock(alts,decls,decision,enclosingBlockLevel,blockLevel,decisionNumber,maxK,maxAlt,description) ::= <<

// <fileName>:<description>

var alt<decisionNumber> = <maxAlt>

<decls>

<@predecision()>

<decision>

<@postdecision()>

alt<decisionNumber> match {

<alts:{a | <altSwitchCase(i,a)>}>

case \_ =>

}

>>

ruleBlockSingleAlt(alts,decls,decision,enclosingBlockLevel,blockLevel,decisionNumber,description) ::= <<

// <fileName>:<description>

<decls>

<@prealt()>

<alts>

<@postalt()>

>>

*/\*\* A special case of a (...) subrule with a single alternative \*/*

blockSingleAlt(alts,decls,decision,enclosingBlockLevel,blockLevel,decisionNumber,description) ::= <<

// <fileName>:<description>

<decls>

<@prealt()>

<alts>

<@postalt()>

>>

*/\*\* A (..)+ block with 1 or more alternatives \*/*

positiveClosureBlock(alts,decls,decision,enclosingBlockLevel,blockLevel,decisionNumber,maxK,maxAlt,description) ::= <<

// <fileName>:<description>

var cnt<decisionNumber>: Int = 0

<decls>

<@preloop()>

var loop<decisionNumber>\_quitflag = false

while (!loop<decisionNumber>\_quitflag) {

var alt<decisionNumber>:Int = <maxAlt>

<@predecision()>

<decision>

<@postdecision()>

alt<decisionNumber> match {

<alts:{a | <altSwitchCase(i,a)>}>

```

case _ =>
  if ( cnt<decisionNumber> >= 1 ) loop<decisionNumber>_quitflag = true
  else {
    <ruleBacktrackFailure()>
    val eee = new EarlyExitException(<decisionNumber>, input)
    <@earlyExitException()>
    throw eee
  }
}
cnt<decisionNumber>+=1
}
<@postloop()>
>>

```

positiveClosureBlockSingleAlt ::= positiveClosureBlock

/\*\* A (..)\* block with 1 or more alternatives \*/

closureBlock(alts,decls,decision,enclosingBlockLevel,blockLevel,decisionNumber,maxK,maxAlt,description) ::=

<<

// <fileName>:<description>

<decls>

<@preloop()>

var loop<decisionNumber>\_quitflag = false

while (!loop<decisionNumber>\_quitflag) {

var alt<decisionNumber>:Int = <maxAlt>

<@predecision()>

<decision>

<@postdecision()>

alt<decisionNumber> match {

<alts:{a | <altSwitchCase(i,a)>}>

case \_ => loop<decisionNumber>\_quitflag = true

}

}

<@postloop()>

>>

closureBlockSingleAlt ::= closureBlock

/\*\* Optional blocks (x)? are translated to (x|) by before code generation

\* so we can just use the normal block template

\*/

optionalBlock ::= block

optionalBlockSingleAlt ::= block

/\*\* A case in a switch that jumps to an alternative given the alternative

\* number. A DFA predicts the alternative and then a simple switch

\* does the jump to the code that actually matches that alternative.

```

*/
altSwitchCase(altNum, alt) ::= <<
case <altNum> =>
  <@prealt()>
  <alt>
>>

/** An alternative is just a list of elements; at outermost level */
alt(elements,altNum,description,autoAST,outerAlt,treeLevel,rew) ::= <<
// <fileName>:<description>
{
<@declarations()>
<elements:element()>
<rew>
<@cleanup()>
}
>>

/** What to emit when there is no rewrite. For auto build
* mode, does nothing.
*/
noRewrite(rewriteBlockLevel, treeLevel) ::= ""

// E L E M E N T S

/** Dump the elements one per line */
element(e) ::= <<
<@prematch()>
<e.el><\n>
>>

/** match a token optionally with a label in front */
tokenRef(token,label,elementIndex,terminalOptions) ::= <<
<if(label)><label>=<endif>`match`(input,<token>,FOLLOW_<token>_in_<ruleName><elementIndex>)<if(label)>
.asInstanceOf[<labelType>]<endif>
<checkRuleBacktrackFailure()>
>>

/** ids+=ID */
tokenRefAndListLabel(token,label,elementIndex,terminalOptions) ::= <<
<tokenRef(...)>
<listLabel(elem=label,...)>
>>

listLabel(label,elem) ::= <<
if (list_<label>==null) list_<label>=new java.util.ArrayList()
list_<label>.add(<elem>)<\n>
>>

```

```

/** match a character */
charRef(char,label) ::= <<
<if(label)>
<label> = input.LA(1)<\n>
<endif>
`match`(<char>)
<checkRuleBacktrackFailure()>
>>

/** match a character range */
charRangeRef(a,b,label) ::= <<
<if(label)>
<label> = input.LA(1)<\n>
<endif>
matchRange(<a>,<b>); <checkRuleBacktrackFailure()>
>>

/** For now, sets are interval tests and must be tested inline */
matchSet(s,label,elementIndex,terminalOptions,postmatchCode="") ::= <<
<if(label)>
<if(LEXER)>
<label>= input.LA(1)<\n>
<else>
<label>=input.LT(1).asInstanceOf[<labelType>]<\n>
<endif>
<endif>
if ( <s> ) {
    input.consume()
    <postmatchCode>
<if(!LEXER)>
    state.errorRecovery=false<\n>
<endif>
    <if(backtracking)>state.failed=false<endif>
}
else {
    <ruleBacktrackFailure()>
    val mse = new MismatchedSetException(null,input)
    <@mismatchedSetException()>
<if(LEXER)>
    recover(mse)
    throw mse
<else>
    throw mse
    <! use following code to make it recover inline; remove throw mse;
    recoverFromMismatchedSet(input,mse,FOLLOW_set_in_<ruleName><elementIndex>)
    !>
<endif>

```



```
}<\n>
```

```
>>
```

```
matchRuleBlockSet ::= matchSet
```

```
matchSetAndListLabel(s,label,elementIndex,postmatchCode) ::= <<
```

```
<matchSet(...)>
```

```
<listLabel(elem=label,...)>
```

```
>>
```

```
/** Match a string literal */
```

```
lexerStringRef(string,label,elementIndex="0") ::= <<
```

```
<if(label)>
```

```
val <label>Start = getCharIndex()
```

```
`match`(<string>)
```

```
<checkRuleBacktrackFailure()>
```

```
val <label>StartLine<elementIndex> = getLine()
```

```
val <label>StartCharPos<elementIndex> = getCharPositionInLine()
```

```
<label> = new <labelType>(input, Token.INVALID_TOKEN_TYPE, Token.DEFAULT_CHANNEL, <label>Start,  
getCharIndex()-1)
```

```
<label>.setLine(<label>StartLine<elementIndex>)
```

```
<label>.setCharPositionInLine(<label>StartCharPos<elementIndex>)
```

```
<else>
```

```
`match`(<string>)
```

```
<checkRuleBacktrackFailure()><\n>
```

```
<endif>
```

```
>>
```

```
wildcard(token,label,elementIndex,terminalOptions) ::= <<
```

```
<if(label)>
```

```
<label>=input.LT(1).asInstanceOf[<labelType>]<\n>
```

```
<endif>
```

```
matchAny(input)
```

```
<checkRuleBacktrackFailure()>
```

```
>>
```

```
wildcardAndListLabel(token,label,elementIndex,terminalOptions) ::= <<
```

```
<wildcard(...)>
```

```
<listLabel(elem=label,...)>
```

```
>>
```

```
/** Match . wildcard in lexer */
```

```
wildcardChar(label, elementIndex) ::= <<
```

```
<if(label)>
```

```
<label> = input.LA(1)<\n>
```

```
<endif>
```

```
matchAny()
```

```
<checkRuleBacktrackFailure()>
```

>>

```
wildcardCharListLabel(label, elementIndex) ::= <<  
<wildcardChar(...)>  
<listLabel(elem=label,...)>  
>>
```

```
/** Match a rule reference by invoking it possibly with arguments  
 * and a return value or values. The 'rule' argument was the  
 * target rule name, but now is type Rule, whose toString is  
 * same: the rule name. Now though you can access full rule  
 * descriptor stuff.  
 */  
ruleRef(rule,label,elementIndex,args,scope) ::= <<  
pushFollow(FOLLOW_<rule.name>_in_<ruleName><elementIndex>)  
<if(label)><label>=<endif><if(scope)><scope.delegateName().<endif><rule.name>(<args; separator=", ">)<\n>  
state._fsp-=1  
<checkRuleBacktrackFailure()>  
>>
```

```
/** ids+=1 */  
ruleRefAndListLabel(rule,label,elementIndex,args,scope) ::= <<  
<ruleRef(...)>  
<listLabel(elem=label,...)>  
>>
```

```
/** A lexer rule reference.  
 *  
 * The 'rule' argument was the target rule name, but now  
 * is type Rule, whose toString is same: the rule name.  
 * Now though you can access full rule descriptor stuff.  
 */  
lexerRuleRef(rule,label,args,elementIndex,scope) ::= <<  
<if(label)>  
val <label>Start<elementIndex> = getCharIndex()  
val <label>StartLine<elementIndex> = getLine()  
val <label>StartCharPos<elementIndex> = getCharPositionInLine()  
<if(scope)><scope.delegateName().<endif>m<rule.name>(<args; separator=", ">)  
<checkRuleBacktrackFailure()>  
<label> = new <labelType>(input, Token.INVALID_TOKEN_TYPE, Token.DEFAULT_CHANNEL,  
<label>Start<elementIndex>, getCharIndex()-1)  
<label>.setLine(<label>StartLine<elementIndex>)  
<label>.setCharPositionInLine(<label>StartCharPos<elementIndex>)  
<else>  
<if(scope)><scope.delegateName().<endif>m<rule.name>(<args; separator=", ">)  
<checkRuleBacktrackFailure()>  
<endif>  
>>
```

```

/** i+=INT in lexer */
lexerRuleRefAndListLabel(rule,label,args,elementIndex,scope) ::= <<
<lexerRuleRef(...)>
<listLabel(elem=label,...)>
>>

/** EOF in the lexer */
lexerMatchEOF(label,elementIndex) ::= <<
<if(label)>
val <label>Start<elementIndex> = getCharIndex()
val <label>StartLine<elementIndex> = getLine()
val <label>StartCharPos<elementIndex> = getCharPositionInLine()
`match`(EOF)
<checkRuleBacktrackFailure()>
val <label> = new <labelType>(input, EOF, Token.DEFAULT_CHANNEL, <label>Start<elementIndex>,
getCharIndex()-1)
<label>.setLine(<label>StartLine<elementIndex>)
<label>.setCharPositionInLine(<label>StartCharPos<elementIndex>)
<else>
`match`(EOF)
<checkRuleBacktrackFailure()>
<endif>
>>

// used for left-recursive rules
recRuleDefArg()          ::= "int <recRuleArg()>"
recRuleArg()             ::= "_p"
recRuleAltPredicate(ruleName,opPrec) ::= "<recRuleArg()> \<= <opPrec>"
recRuleSetResultAction() ::= "root_0=$<ruleName>_primary.tree;"
recRuleSetReturnAction(src,name) ::= "$<name>=$<src>.<name>;"

/** match ^(root children) in tree parser */
tree(root, actionsAfterRoot, children, nullableChildList,
enclosingTreeLevel, treeLevel) ::= <<
<root:element()>
<actionsAfterRoot:element()>
<if(nullableChildList)>
if ( input.LA(1)==Token.DOWN ) {
`match`(input, Token.DOWN, null)
<checkRuleBacktrackFailure()>
<children:element()>
`match`(input, Token.UP, null)
<checkRuleBacktrackFailure()>
}
<else>
`match`(input, Token.DOWN, null)
<checkRuleBacktrackFailure()>

```

```

<children:element()>
`match`(input, Token.UP, null)
<checkRuleBacktrackFailure()>
<endif>
>>

/** Every predicate is used as a validating predicate (even when it is
 * also hoisted into a prediction expression).
 */
validateSemanticPredicate(pred,description) ::= <<
if ( !(<evalPredicate(...)> ) ) {
    <ruleBacktrackFailure()>
    throw new FailedPredicateException(input, "<ruleName>", "<description>")
}
>>

// F i x e d D F A (if-then-else)

dfaState(k,edges,eotPredictsAlt,description,stateNumber,semPredState) ::= <<
val LA<decisionNumber>_<stateNumber> = input.LA(<k>)<\n>
<edges; separator="\nelse ">
else {
<if(eotPredictsAlt)>
    alt<decisionNumber>=<eotPredictsAlt>
<else>
    <ruleBacktrackFailure()>
    val nvae = new NoViableAltException("<description>", <decisionNumber>, <stateNumber>, input)<\n>
    <@noViableAltException()>
    throw nvae<\n>
<endif>
}
>>

/** Same as a normal DFA state except that we don't examine lookahead
 * for the bypass alternative. It delays error detection but this
 * is faster, smaller, and more what people expect. For (X)? people
 * expect "if ( LA(1)==X ) match(X);" and that's it.
 */
dfaOptionalBlockState(k,edges,eotPredictsAlt,description,stateNumber,semPredState) ::= <<
val LA<decisionNumber>_<stateNumber> = input.LA(<k>)<\n>
<edges; separator="\nelse ">
>>

/** A DFA state that is actually the loopback decision of a closure
 * loop. If end-of-token (EOT) predicts any of the targets then it
 * should act like a default clause (i.e., no error can be generated).
 * This is used only in the lexer so that for ('a')* on the end of a rule
 * anything other than 'a' predicts exiting.

```

```

*/
dfaLoopbackState(k,edges,eotPredictsAlt,description,stateNumber,semPredState) ::= <<
val LA<decisionNumber>_<stateNumber> = input.LA(<k>)<\n>
<edges; separator="\nelse "><\n>
<if(eotPredictsAlt)>
<if(!edges)>
alt<decisionNumber>=<eotPredictsAlt> <! if no edges, don't gen ELSE !>
<else>
else {
    alt<decisionNumber>=<eotPredictsAlt>
}<\n>
<endif>
<endif>
>>

/** An accept state indicates a unique alternative has been predicted */
dfaAcceptState(alt) ::= "alt<decisionNumber>=<alt>"

/** A simple edge with an expression. If the expression is satisfied,
 * enter to the target state. To handle gated productions, we may
 * have to evaluate some predicates for this edge.
 */
dfaEdge(labelExpr, targetState, predicates) ::= <<
if ( (<labelExpr> <if(predicates)>&& (<predicates>)<endif>) {
    <targetState>
}
>>

// F i x e d D F A (switch case)

/** A DFA state where a SWITCH may be generated. The code generator
 * decides if this is possible: CodeGenerator.canGenerateSwitch().
 */
dfaStateSwitch(k,edges,eotPredictsAlt,description,stateNumber,semPredState) ::= <<
input.LA(<k>) match {
<edges; separator="\n">
case _ =>
<if(eotPredictsAlt)>
    alt<decisionNumber>=<eotPredictsAlt>
<else>
    <ruleBacktrackFailure()>
    val nvae = new NoViableAltException("<description>", <decisionNumber>, <stateNumber>, input)<\n>
    <@noViableAltException()>
    throw nvae<\n>
<endif>
}<\n>
>>

```

```

dfaOptionalBlockStateSwitch(k,edges,eotPredictsAlt,description,stateNumber,semPredState) ::= <<
input.LA(<k>) match {
    <edges; separator="\n">
    case _ =>
} <\n>
>>

```

```

dfaLoopbackStateSwitch(k, edges,eotPredictsAlt,description,stateNumber,semPredState) ::= <<
input.LA(<k>) match {
    <edges; separator="\n"><\n>
    case _ =>
    <if(eotPredictsAlt)>
        alt<decisionNumber>=<eotPredictsAlt>;
    <endif>
} <\n>
>>

```

```

dfaEdgeSwitch(labels, targetState) ::= <<
case <labels:{it | <it>}; separator=" | "> =>
{
    <targetState>
}
>>

```

// C y c l i c D F A

```

/** The code to initiate execution of a cyclic DFA; this is used
 * in the rule to predict an alt just like the fixed DFA case.
 * The <name> attribute is inherited via the parser, lexer, ...
 */

```

```

dfaDecision(decisionNumber,description) ::= <<
alt<decisionNumber> = dfa<decisionNumber>.predict(input)
>>

```

```

/* Dump DFA tables as run-length-encoded Strings of octal values.
 * Can't use hex as compiler translates them before compilation.
 * These strings are split into multiple, concatenated strings.
 * Java puts them back together at compile time thankfully.
 * Java cannot handle large static arrays, so we're stuck with this
 * encode/decode approach. See analysis and runtime DFA for
 * the encoding methods.
 */

```

```

cyclicDFA(dfa) ::= <<
val DFA<dfa.decisionNumber>_eotS =
    "<dfa.javaCompressedEOT; wrap="\n \>"
val DFA<dfa.decisionNumber>_eofS =
    "<dfa.javaCompressedEOF; wrap="\n \>"
val DFA<dfa.decisionNumber>_minS =

```

```

    <dfa.javaCompressedMin; wrap="\n \n ">
val DFA<dfa.decisionNumber>_maxS =
    <dfa.javaCompressedMax; wrap="\n \n ">
val DFA<dfa.decisionNumber>_acceptS =
    <dfa.javaCompressedAccept; wrap="\n \n ">
val DFA<dfa.decisionNumber>_specialS =
    <dfa.javaCompressedSpecial; wrap="\n \n ">}>
val DFA<dfa.decisionNumber>_transitionS: Array[String] = Array(
    <dfa.javaCompressedTransition: {s|<s; wrap="\n \n ">}; separator=",\n"
)

val DFA<dfa.decisionNumber>_eot: Array[Short] = DFA.unpackEncodedString(DFA<dfa.decisionNumber>_eotS)
val DFA<dfa.decisionNumber>_eof: Array[Short] = DFA.unpackEncodedString(DFA<dfa.decisionNumber>_eofS)
val DFA<dfa.decisionNumber>_min: Array[Char] =
    DFA.unpackEncodedStringToUnsignedChars(DFA<dfa.decisionNumber>_minS)
val DFA<dfa.decisionNumber>_max: Array[Char] =
    DFA.unpackEncodedStringToUnsignedChars(DFA<dfa.decisionNumber>_maxS)
val DFA<dfa.decisionNumber>_accept: Array[Short] =
    DFA.unpackEncodedString(DFA<dfa.decisionNumber>_acceptS)
val DFA<dfa.decisionNumber>_special: Array[Short] =
    DFA.unpackEncodedString(DFA<dfa.decisionNumber>_specialS)
val DFA<dfa.decisionNumber>_transition = new
    Array[Array[Short]](DFA<dfa.decisionNumber>_transitionS.length)

for (i <- DFA<dfa.decisionNumber>_transition.indices) {
    DFA<dfa.decisionNumber>_transition(i) =
        DFA.unpackEncodedString(DFA<dfa.decisionNumber>_transitionS(i))
}

class DFA<dfa.decisionNumber> extends DFA {

    def this(recognizer: BaseRecognizer) = {
        this()
        this.recognizer = recognizer
        this.decisionNumber = <dfa.decisionNumber>
        this.eot = DFA<dfa.decisionNumber>_eot
        this.eof = DFA<dfa.decisionNumber>_eof
        this.min = DFA<dfa.decisionNumber>_min
        this.max = DFA<dfa.decisionNumber>_max
        this.accept = DFA<dfa.decisionNumber>_accept
        this.special = DFA<dfa.decisionNumber>_special
        this.transition = DFA<dfa.decisionNumber>_transition
    }
    override def getDescription = "<dfa.description>"
    <@errorMethod()>
    <if(dfa.specialStateSTs)>
        @throws(classOf[NoViableAltException])
        override def specialStateTransition(s: Int, _input: IntStream):Int = {

```

```

<if(LEXER)>
val input = _input
<endif>
<if(PARSER)>
val input = _input.asInstanceOf[TokenStream]
<endif>
<if(TREE_PARSER)>
val input = _input.asInstanceOf[TreeNodeStream]
<endif>
val _s = s
s match {
  <dfa.specialStateSTs:{state |
case <i0> => <! compressed special state numbers 0..n-1 !>
  <state>} ; separator="\n">
  case _ =>
    }
<if(backtracking)>
  if (state.backtracking>0) {state.failed=true; return -1 }<\n>
<endif>
  val nvae = new NoViableAltException(getDescription(), <dfa.decisionNumber>, _s, input)
  error(nvae)
  throw nvae
}<\n>
<endif>
}<\n>
>>

```

```

/** A state in a cyclic DFA; it's a special state and part of a big switch on
 * state.
 */
cyclicDFAState(decisionNumber,stateNumber,edges,needErrorClause,semPredState) ::= <<
val LA<decisionNumber>_<stateNumber>: Int = input.LA(1)<\n>
<if(semPredState)> <! get next lookahead symbol to test edges, then rewind !>
val index<decisionNumber>_<stateNumber>: Int = input.index()
input.rewind()<\n>
<endif>
s = -1
<edges; separator="\nelse ">
<if(semPredState)> <! return input cursor to state before we rewound !>
input.seek(index<decisionNumber>_<stateNumber>)<\n>
<endif>
if ( s>=0 ) return s
>>

```

```

/** Just like a fixed DFA edge, test the lookahead and indicate what
 * state to jump to next if successful.
 */
cyclicDFAEdge(labelExpr, targetStateNumber, edgeNumber, predicates) ::= <<

```



```

if ( (<labelExpr> <if(predicates)>&& (<predicates><endif>) { s = <targetStateNumber>}<\n>
>>

/** An edge pointing at end-of-token; essentially matches any char;
 * always jump to the target.
 */
eotDFAEdge(targetStateNumber,edgeNumber, predicates) ::= <<
s = <targetStateNumber><\n>
>>

// D F A E X P R E S S I O N S

andPredicates(left,right) ::= "<left>&&<right>"

orPredicates(operands) ::= "<operands; separator=\\|\\>"

notPredicate(pred) ::= "!(<evalPredicate(pred,\\|\\>)"

evalPredicate(pred,description) ::= "<pred>"

evalSynPredicate(pred,description) ::= "<pred>()"

lookaheadTest(atom,k,atomAsInt) ::= "LA<decisionNumber>_<stateNumber>===<atom>"

/** Sometimes a lookahead test cannot assume that LA(k) is in a temp variable
 * somewhere. Must ask for the lookahead directly.
 */
isolatedLookaheadTest(atom,k,atomAsInt) ::= "input.LA(<k>)==<atom>"

lookaheadRangeTest(lower,upper,k,rangeNumber,lowerAsInt,upperAsInt) ::= <<
(LA<decisionNumber>_<stateNumber> >= <lower> && LA<decisionNumber>_<stateNumber> \<= <upper>)
>>

isolatedLookaheadRangeTest(lower,upper,k,rangeNumber,lowerAsInt,upperAsInt) ::= "(input.LA(<k>) >=<lower>
&& input.LA(<k>) \<= <upper>)"

setTest(ranges) ::= "<ranges; separator=\\|\\>"

// A T T R I B U T E S

globalAttributeScope(scope) ::= <<
<if(scope.attributes)>
class <scope.name>_scope {
  <scope.attributes:{it | var <it.name>: <it.type> = _}; separator="\n">
}
val <scope.name>_stack = new collection.mutable.Stack[<scope.name>_scope]<\n>
<endif>

```

```

>>

ruleAttributeScope(scope) ::= <<
<if(scope.attributes)>
class <scope.name>_scope {
  <scope.attributes:{it | var <it.name>: <it.type> = _}; separator="\n">
}
val <scope.name>_stack = new collection.mutable.Stack[<scope.name>_scope]<\n>
<endif>
>>

returnStructName(r) ::= "<r.name>_return"

returnType() ::= <<
<if(ruleDescriptor.hasMultipleReturnValues)>
<ruleDescriptor:returnStructName()>
<else>
<if(ruleDescriptor.hasSingleReturnValue)>
<ruleDescriptor.singleValueReturnType>
<else>
Unit
<endif>
<endif>
>>

/** Generate the Java type associated with a single or multiple return
 * values.
 */
ruleLabelType(referencedRule) ::= <<
<if(referencedRule.hasMultipleReturnValues)>
<referencedRule.name>_return
<else>
<if(referencedRule.hasSingleReturnValue)>
<referencedRule.singleValueReturnType>
<else>
Unit
<endif>
<endif>
>>

delegateName(d) ::= <<
<if(d.label)><d.label><else>g<d.name><endif>
>>

/** Using a type to init value map, try to init a type; if not in table
 * must be an object, default value is "null".
 */
initValue(typeName) ::= <<

```

```

<scalaTypeInitMap.(typeName)>
>>

/** Define a rule label including default value */
ruleLabelDef(label) ::= <<
var <label.label.text>: <ruleLabelType(referencedRule=label.referencedRule)> =
<initValue(typeName=ruleLabelType(referencedRule=label.referencedRule))><\n>
>>

/** Define a return struct for a rule if the code needs to access its
 * start/stop tokens, tree stuff, attributes, ... Leave a hole for
 * subgroups to stick in members.
 * TODO(matthewlloyd): make this static
 */
returnScope(scope) ::= <<
<if(ruleDescriptor.hasMultipleReturnValues)>
final class <ruleDescriptor:returnStructName()> extends
<if(TREE_PARSER)>Tree<else>Parser<endif>RuleReturnScope {
  <scope.attributes:{it | var <it.name>: <it.type> = _}; separator="\n">
  <@ruleReturnMembers()>
}
<endif>
>>

parameterScope(scope) ::= <<
<scope.attributes:{it | <it.name>: <it.type>}; separator=", ">
>>

parameterAttributeRef(attr) ::= "<attr.name>"
parameterSetAttributeRef(attr,expr) ::= "<attr.name> =<expr>"

scopeAttributeRef(scope,attr,index,negIndex) ::= <%
<if(negIndex)>
<scope>_stack(<scope>_stack.size-<negIndex>-1).<attr.name>
<else>
<if(index)>
<scope>_stack(<index>).<attr.name>
<else>
<scope>_stack.top.<attr.name>
<endif>
<endif>
%>

scopeSetAttributeRef(scope,attr,expr,index,negIndex) ::= <%
<if(negIndex)>
<scope>_stack(<scope>_stack.size-<negIndex>-1).<attr.name> = <expr>
<else>
<if(index)>

```

```

<scope>_stack(<index>).<attr.name> = <expr>
<else>
<scope>_stack.top.<attr.name> = <expr>
<endif>
<endif>
%>

/** $x is either global scope or x is rule with dynamic scope; refers
 * to stack itself not top of stack. This is useful for predicates
 * like { $function.size()>0 && $function::name.equals("foo") }?
 */
isolatedDynamicScopeRef(scope) ::= "<scope>_stack"

/** reference an attribute of rule; might only have single return value */
ruleLabelRef(referencedRule,scope,attr) ::= <%
<if(referencedRule.hasMultipleReturnValues)>
(if (<scope>!=null) <scope>.<attr.name> else <initValue(attr.type)>)
<else>
<scope>
<endif>
%>

returnAttributeRef(ruleDescriptor,attr) ::= <%
<if(ruleDescriptor.hasMultipleReturnValues)>
retval.<attr.name>
<else>
<attr.name>
<endif>
%>

returnSetAttributeRef(ruleDescriptor,attr,expr) ::= <%
<if(ruleDescriptor.hasMultipleReturnValues)>
retval.<attr.name>=<expr>
<else>
<attr.name>=<expr>
<endif>
%>

/** How to translate $tokenLabel */
tokenLabelRef(label) ::= "<label>"

/** ids+=ID {$ids} or e+=expr {$e} */
listLabelRef(label) ::= "list_<label>"

// not sure the next are the right approach

tokenLabelPropertyRef_text(scope,attr) ::= "(if (<scope>!=null) <scope>.getText() else null)"

```

```

tokenLabelPropertyRef_type(scope,attr) ::= "(if (<scope>!=null) <scope>.getType() else 0)"
tokenLabelPropertyRef_line(scope,attr) ::= "(if (<scope>!=null) <scope>.getLine() else 0)"
tokenLabelPropertyRef_pos(scope,attr) ::= "(if (<scope>!=null) <scope>.getCharPositionInLine() else 0)"
tokenLabelPropertyRef_channel(scope,attr) ::= "(if (<scope>!=null) <scope>.getChannel() else 0)"
tokenLabelPropertyRef_index(scope,attr) ::= "(if (<scope>!=null) <scope>.getTokenIndex() else 0)"
tokenLabelPropertyRef_tree(scope,attr) ::= "<scope>_tree"
tokenLabelPropertyRef_int(scope,attr) ::= "(if (<scope>!=null) Integer.valueOf(<scope>.getText()) else 0)"

ruleLabelPropertyRef_start(scope,attr) ::= "(if (<scope>!=null) <scope>.start.asInstanceOf[<labelType>] else null)"
ruleLabelPropertyRef_stop(scope,attr) ::= "(if (<scope>!=null) <scope>.stop.asInstanceOf[<labelType>] else null)"
ruleLabelPropertyRef_tree(scope,attr) ::= "(if (<scope>!=null) <scope>.tree.asInstanceOf[<ASTLabelType>] else
null)"
ruleLabelPropertyRef_text(scope,attr) ::= <<
<if(TREE_PARSER)>
(if (<scope>!=null) (input.getTokenStream().toString(
input.getTreeAdaptor().getTokenStartIndex(<scope>.start),
input.getTreeAdaptor().getTokenStopIndex(<scope>.start))) else null)
<else>
(if (<scope>!=null) input.toString(<scope>.start,<scope>.stop) else null)
<endif>
>>

ruleLabelPropertyRef_st(scope,attr) ::= "(if (<scope>!=null) <scope>.st else null)"

/** Isolated $RULE ref ok in lexer as it's a Token */
lexerRuleLabel(label) ::= "<label>"

lexerRuleLabelPropertyRef_type(scope,attr) ::=
"(if (<scope>!=null) <scope>.getType() else 0)"
lexerRuleLabelPropertyRef_line(scope,attr) ::=
"(if (<scope>!=null) <scope>.getLine() else 0)"
lexerRuleLabelPropertyRef_pos(scope,attr) ::=
"(if (<scope>!=null) <scope>.getCharPositionInLine() else -1)"
lexerRuleLabelPropertyRef_channel(scope,attr) ::=
"(if (<scope>!=null) <scope>.getChannel() else 0)"
lexerRuleLabelPropertyRef_index(scope,attr) ::=
"(if (<scope>!=null) <scope>.getTokenIndex() else 0)"
lexerRuleLabelPropertyRef_text(scope,attr) ::=
"(if (<scope>!=null) <scope>.getText() else null)"
lexerRuleLabelPropertyRef_int(scope,attr) ::=
"(if (<scope>!=null) Integer.valueOf(<scope>.getText()) else 0)"

// Somebody may ref $template or $tree or $stop within a rule:
rulePropertyRef_start(scope,attr) ::= "(retval.start.asInstanceOf[<labelType>])"
rulePropertyRef_stop(scope,attr) ::= "(retval.stop.asInstanceOf[<labelType>])"
rulePropertyRef_tree(scope,attr) ::= "(retval.tree.asInstanceOf[<ASTLabelType>])"
rulePropertyRef_text(scope,attr) ::= <<
<if(TREE_PARSER)>

```

```

input.getTokenStream().toString(
  input.getTreeAdaptor().getTokenStartIndex(retval.start),
  input.getTreeAdaptor().getTokenStopIndex(retval.start))
<else>
input.toString(retval.start,input.LT(-1))
<endif>
>>
rulePropertyRef_st(scope,attr) ::= "retval.st"

lexerRulePropertyRef_text(scope,attr) ::= "getText()"
lexerRulePropertyRef_type(scope,attr) ::= "_type"
lexerRulePropertyRef_line(scope,attr) ::= "state.tokenStartLine"
lexerRulePropertyRef_pos(scope,attr) ::= "state.tokenStartCharPositionInLine"
lexerRulePropertyRef_index(scope,attr) ::= "-1" // undefined token index in lexer
lexerRulePropertyRef_channel(scope,attr) ::= "_channel"
lexerRulePropertyRef_start(scope,attr) ::= "state.tokenStartCharIndex"
lexerRulePropertyRef_stop(scope,attr) ::= "(getCharIndex()-1)"
lexerRulePropertyRef_int(scope,attr) ::= "Integer.valueOf(<scope>.getText())"

// setting $st and $tree is allowed in local rule. everything else
// is flagged as error
ruleSetPropertyRef_tree(scope,attr,expr) ::= "retval.tree =<expr>"
ruleSetPropertyRef_st(scope,attr,expr) ::= "retval.st =<expr>"

/** How to execute an action (only when not backtracking) */
execAction(action) ::= <<
<if(backtracking)>
if ( <actions.(actionScope).synpredgate> ) {
  <action>
}
<else>
<action>
<endif>
>>

/** How to always execute an action even when backtracking */
execForcedAction(action) ::= "<action>"

// M I S C (properties, etc...)

bitset(name, words64) ::= <<
val <name> = new BitSet(Array[Long](<words64:{it | <it>L};separator=","))<\n>
>>

codeFileExtension() ::= ".scala"

true_value() ::= "true"
false_value() ::= "false"

```

Found in path(s):

```
* /opt/cola/permits/1274703855_1645234694.1/0/antlr-3-5-2-sources-  
jar/org/antlr/codegen/templates/Scala/Scala.stg
```

No license file was found, but licenses were detected in source scan.

```
/*
```

```
[The "BSD license"]
```

```
Copyright (c) 2005-2006 Terence Parr
```

```
All rights reserved.
```

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The name of the author may not be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

```
*/
```

```
@outputFile.imports() ::= <<
```

```
<@super.imports(>
```

```
<if(!TREE_PARSER)><! tree parser would already have imported !>
```

```
import org.antlr.runtime.tree.*;<\n>
```

```
<endif>
```

```
>>
```

```
@genericParser.members() ::= <<
```

```
<@super.members(>
```

```
<parserMembers(>
```

```
>>
```

```
/** Add an adaptor property that knows how to build trees */
```

```
parserMembers() ::= <<
```

```

protected var adaptor:TreeAdaptor = new CommonTreeAdaptor();<\n>
override public function set treeAdaptor(adaptor:TreeAdaptor):void {
    this.adaptor = adaptor;
    <grammar.directDelegates:{g|<g.delegateName()>.treeAdaptor = this.adaptor;}>
}
override public function get treeAdaptor():TreeAdaptor {
    return adaptor;
}
>>

@returnScope.ruleReturnMembers() ::= <<
<ASTLabelType> tree;
public function get tree():Object { return tree; }
>>

/** Add a variable to track rule's return AST */
ruleDeclarations() ::= <<
<super.ruleDeclarations()>
var root_0:<ASTLabelType> = null;<\n>
>>

ruleLabelDefs() ::= <<
<super.ruleLabelDefs()>
<[ruleDescriptor.tokenLabels,ruleDescriptor.wildcardTreeLabels,
ruleDescriptor.wildcardTreeListLabels]:{it |var <it.label.text>_tree:<ASTLabelType>=null;}; separator="\n">
<ruleDescriptor.tokenListLabels:{it |var <it.label.text>_tree:<ASTLabelType>=null;}; separator="\n">
<ruleDescriptor.allTokenRefsInAltsWithRewrites
: {it |var stream_<it>:RewriteRule<rewriteElementType>Stream=new
RewriteRule<rewriteElementType>Stream(adaptor,"token <it>");}; separator="\n">
<ruleDescriptor.allRuleRefsInAltsWithRewrites
: {it |var stream_<it>:RewriteRuleSubtreeStream=new RewriteRuleSubtreeStream(adaptor,"rule <it>");};
separator="\n">
>>

/** When doing auto AST construction, we must define some variables;
* These should be turned off if doing rewrites. This must be a "mode"
* as a rule could have both rewrite and AST within the same alternative
* block.
*/
@alt.declarations() ::= <<
<if(autoAST)>
<if(outerAlt)>
<if(!rewriteMode)>
root_0 = <ASTLabelType>(adaptor.nil());<\n>
<endif>
<endif>
<endif>
>>

```



## // Tracking Rule Elements

/\*\* ID and track it for use in a rewrite rule \*/

```
tokenRefTrack(token,label,elementIndex,terminalOptions) ::= <<  
<tokenRefBang(...)> <! Track implies no auto AST construction!>  
<if(backtracking)>if ( <actions.(actionScope).synpredgate> ) <endif>stream_<token>.add(<label>);<\n>  
>>
```

/\*\* ids+=ID and track it for use in a rewrite rule; adds to ids \*and\*

\* to the tracking list stream\_ID for use in the rewrite.

\*/

```
tokenRefTrackAndListLabel(token,label,elementIndex,terminalOptions) ::= <<  
<tokenRefTrack(...)>  
<listLabel(elem=label,...)>  
>>
```

/\*\* ^(ID ...) track for rewrite \*/

```
tokenRefRuleRootTrack(token,label,elementIndex,terminalOptions) ::= <<  
<tokenRefBang(...)>  
<if(backtracking)>if ( <actions.(actionScope).synpredgate> ) <endif>stream_<token>.add(<label>);<\n>  
>>
```

/\*\* Match ^(label+=TOKEN ...) track for rewrite \*/

```
tokenRefRuleRootTrackAndListLabel(token,label,elementIndex,terminalOptions) ::= <<  
<tokenRefRuleRootTrack(...)>  
<listLabel(elem=label,...)>  
>>
```

/\*\* rule when output=AST and tracking for rewrite \*/

```
ruleRefTrack(rule,label,elementIndex,args,scope) ::= <<  
<super.ruleRef(...)>  
<if(backtracking)>if ( <actions.(actionScope).synpredgate> ) <endif>stream_<rule.name>.add(<label>.tree);  
>>
```

/\*\* x+=rule when output=AST and tracking for rewrite \*/

```
ruleRefTrackAndListLabel(rule,label,elementIndex,args,scope) ::= <<  
<ruleRefTrack(...)>  
<listLabel(label, {<label>.tree})>  
>>
```

/\*\* ^(rule ...) rewrite \*/

```
ruleRefRuleRootTrack(rule,label,elementIndex,args,scope) ::= <<  
<ruleRefRuleRoot(...)>  
<if(backtracking)>if ( <actions.(actionScope).synpredgate> ) <endif>stream_<rule>.add(<label>.tree);  
>>
```

/\*\* ^(x+=rule ...) rewrite \*/

```

ruleRefRuleRootTrackAndListLabel(rule,label,elementIndex,args,scope) ::= <<
<ruleRefRuleRootTrack(...)>
<listLabel(label, {<label>.tree})>
>>

// R e w r i t e

rewriteCode(
alts, description,
referencedElementsDeep, // ALL referenced elements to right of ->
referencedTokenLabels,
referencedTokenListLabels,
referencedRuleLabels,
referencedRuleListLabels,
referencedWildcardLabels,
referencedWildcardListLabels,
rewriteBlockLevel, enclosingTreeLevel, treeLevel) ::=
<<

// AST REWRITE
// elements: <referencedElementsDeep; separator=", ">
// token labels: <referencedTokenLabels; separator=", ">
// rule labels: <referencedRuleLabels; separator=", ">
// token list labels: <referencedTokenListLabels; separator=", ">
// rule list labels: <referencedRuleListLabels; separator=", ">
// wildcard labels: <[referencedWildcardLabels,referencedWildcardListLabels]; separator=", ">
<if(backtracking)>
if ( <actions.(actionScope).synpredgate> ) {<\n>
<endif>
<prevRuleRootRef(>).tree = root_0;
<rewriteCodeLabels(>
root_0 = <ASTLabelType>(adaptor.nil());
<alts:rewriteAlt(); separator="else ">
<! if tree parser and rewrite=true !>
<if(TREE_PARSER)>
<if(rewriteMode)>
<prevRuleRootRef(>).tree = <ASTLabelType>(adaptor.rulePostProcessing(root_0));
input.replaceChildren(adaptor.getParent(retval.start),
adaptor.getChildIndex(retval.start),
adaptor.getChildIndex(_last),
retval.tree);
<endif>
<endif>
<! if parser or tree-parser && rewrite!=true, we need to set result !>
<if(!TREE_PARSER)>
<prevRuleRootRef(>).tree = root_0;
<else>
<if(!rewriteMode)>

```

```

<prevRuleRootRef(>.tree = root_0;
<endif>
<endif>
<if(backtracking)>
}
<endif>
>>

rewriteCodeLabels() ::= <<
<referencedTokenLabels
  :{it |var stream_<it>:RewriteRule<rewriteElementType>Stream=new
RewriteRule<rewriteElementType>Stream(adaptor,"token <it>",<it>)};
  separator="\n"
>
<referencedTokenListLabels
  :{it |var stream_<it>:RewriteRule<rewriteElementType>Stream=new
RewriteRule<rewriteElementType>Stream(adaptor,"token <it> ", list_<it>)};
  separator="\n"
>
<referencedWildcardLabels
  :{it |var stream_<it>:RewriteRuleSubtreeStream=new RewriteRuleSubtreeStream(adaptor,"wildcard
<it>",<it>)};
  separator="\n"
>
<referencedWildcardListLabels
  :{it |var stream_<it>:RewriteRuleSubtreeStream=new RewriteRuleSubtreeStream(adaptor,"wildcard
<it> ",list_<it>)};
  separator="\n"
>
<referencedRuleLabels
  :{it |var stream_<it>:RewriteRuleSubtreeStream=new RewriteRuleSubtreeStream(adaptor,"rule
<it>",<it>!=null?<it>.tree:null)};
  separator="\n"
>
<referencedRuleListLabels
  :{it |var stream_<it>:RewriteRuleSubtreeStream=new RewriteRuleSubtreeStream(adaptor,"token
<it> ",list_<it>)};
  separator="\n"
>
>>

/** Generate code for an optional rewrite block; note it uses the deep ref'd element
 * list rather shallow like other blocks.
 */
rewriteOptionalBlock(
alt,rewriteBlockLevel,
referencedElementsDeep, // all nested refs
referencedElements, // elements in immediately block; no nested blocks

```

```

description) ::=
<<
// <fileName>:<description>
if ( <referencedElementsDeep:{el | stream_<el>.hasNext}; separator="||"> ) {
  <alt>
}
<referencedElementsDeep:{el | stream_<el>.reset();<\n>}>
>>

```

```

rewriteClosureBlock(
alt,rewriteBlockLevel,
referencedElementsDeep, // all nested refs
referencedElements, // elements in immediately block; no nested blocks
description) ::=
<<
// <fileName>:<description>
while ( <referencedElements:{el | stream_<el>.hasNext}; separator="||"> ) {
  <alt>
}
<referencedElements:{el | stream_<el>.reset();<\n>}>
>>

```

```

rewritePositiveClosureBlock(
alt,rewriteBlockLevel,
referencedElementsDeep, // all nested refs
referencedElements, // elements in immediately block; no nested blocks
description) ::=
<<
if ( !(<referencedElements:{el | stream_<el>.hasNext}; separator="||">) ) {
  throw new RewriteEarlyExitException();
}
while ( <referencedElements:{el | stream_<el>.hasNext}; separator="||"> ) {
  <alt>
}
<referencedElements:{el | stream_<el>.reset();<\n>}>
>>

```

```

rewriteAlt(a) ::= <<
// <a.description>
<if(a.pred)>
if (<a.pred>) {
  <a.alt>
}<\n>
<else>
{
  <a.alt>
}<\n>
<endif>

```

>>

```
/** For empty rewrites: "r : ... -> ;" */  
rewriteEmptyAlt() ::= "root_0 = null;"
```

```
rewriteTree(root,children,description,enclosingTreeLevel,treeLevel) ::= <<  
// <fileName>:<description>  
{  
var root_<treeLevel>:<ASTLabelType> = <ASTLabelType>(adaptor.nil());  
<root:rewriteElement()>  
<children:rewriteElement()>  
adaptor.addChild(root_<enclosingTreeLevel>, root_<treeLevel>);  
}<\n>  
>>
```

```
rewriteElementList(elements) ::= "<elements:rewriteElement()>"
```

```
rewriteElement(e) ::= <<  
<@pregen()>  
<e.el>  
>>
```

```
/** Gen ID or ID[args] */  
rewriteTokenRef(token,elementIndex,terminalOptions,args) ::= <<  
adaptor.addChild(root_<treeLevel>, <createRewriteNodeFromElement(...)>);<\n>  
>>
```

```
/** Gen $label ... where defined via label=ID */  
rewriteTokenLabelRef(label,elementIndex) ::= <<  
adaptor.addChild(root_<treeLevel>, stream_<label>.nextNode());<\n>  
>>
```

```
/** Gen $label ... where defined via label+=ID */  
rewriteTokenListLabelRef(label,elementIndex) ::= <<  
adaptor.addChild(root_<treeLevel>, stream_<label>.nextNode());<\n>  
>>
```

```
/** Gen ^($label ...) */  
rewriteTokenLabelRefRoot(label,elementIndex) ::= <<  
root_<treeLevel> = <ASTLabelType>(adaptor.becomeRoot(stream_<label>.nextNode(), root_<treeLevel>));<\n>  
>>
```

```
/** Gen ^($label ...) where label+=... */  
rewriteTokenListLabelRefRoot ::= rewriteTokenLabelRefRoot
```

```
/** Gen ^(ID ...) or ^(ID[args] ...) */  
rewriteTokenRefRoot(token,elementIndex,terminalOptions,args) ::= <<  
root_<treeLevel> = <ASTLabelType>(adaptor.becomeRoot(<createRewriteNodeFromElement(...)>,  

```

```

root_<treeLevel>));<\n>
>>

rewriteImaginaryTokenRef(args,token,terminalOptions,elementIndex) ::= <<
adaptor.addChild(root_<treeLevel>, <createImaginaryNode(token,terminalOptions,args)>);<\n>
>>

rewriteImaginaryTokenRefRoot(args,token,terminalOptions,elementIndex) ::= <<
root_<treeLevel> = <ASTLabelType>(adaptor.becomeRoot(<createImaginaryNode(token,terminalOptions,args)>,
root_<treeLevel>));<\n>
>>

/** plain -> {foo} action */
rewriteAction(action) ::= <<
root_0 = <action>;<\n>
>>

/** What is the name of the previous value of this rule's root tree? This
 * let's us refer to $rule to mean previous value. I am reusing the
 * variable 'tree' sitting in retval struct to hold the value of root_0 right
 * before I set it during rewrites. The assign will be to retval.tree.
 */
prevRuleRootRef() ::= "retval"

rewriteRuleRef(rule) ::= <<
adaptor.addChild(root_<treeLevel>, stream_<rule>.nextTree());<\n>
>>

rewriteRuleRefRoot(rule) ::= <<
root_<treeLevel> = <ASTLabelType>(adaptor.becomeRoot(stream_<rule>.nextNode(), root_<treeLevel>));<\n>
>>

rewriteNodeAction(action) ::= <<
adaptor.addChild(root_<treeLevel>, <action>);<\n>
>>

rewriteNodeActionRoot(action) ::= <<
root_<treeLevel> = <ASTLabelType>(adaptor.becomeRoot(<action>, root_<treeLevel>));<\n>
>>

/** Gen $ruleLabel ... where defined via ruleLabel=rule */
rewriteRuleLabelRef(label) ::= <<
adaptor.addChild(root_<treeLevel>, stream_<label>.nextTree());<\n>
>>

/** Gen $ruleLabel ... where defined via ruleLabel+=rule */
rewriteRuleListLabelRef(label) ::= <<
adaptor.addChild(root_<treeLevel>, stream_<label>.nextTree());<\n>

```

```

>>

/** Gen ^($ruleLabel ...) where ruleLabel=rule */
rewriteRuleLabelRefRoot(label) ::= <<
root_<treeLevel> = <ASTLabelType>(adaptor.becomeRoot(stream_<label>.nextNode(), root_<treeLevel>));<\n>
>>

/** Gen ^($ruleLabel ...) where ruleLabel+=rule */
rewriteRuleListLabelRefRoot(label) ::= <<
root_<treeLevel> = <ASTLabelType>(adaptor.becomeRoot(stream_<label>.nextNode(), root_<treeLevel>));<\n>
>>

rewriteWildcardLabelRef(label) ::= <<
adaptor.addChild(root_<treeLevel>, stream_<label>.nextTree());<\n>
>>

createImaginaryNode(tokenType,terminalOptions,args) ::= <<
<if(terminalOptions.node)>
<! new MethodNode(IDLabel, args) !>
new <terminalOptions.node>(tokenType)<if(args)>, <args; separator=", "><endif>
<else>
<ASTLabelType>(adaptor.create(tokenType, <args; separator=", "><if(!args)>"<tokenType>"<endif>))
<endif>
>>

createRewriteNodeFromElement(token,terminalOptions,args) ::= <<
<if(terminalOptions.node)>
new <terminalOptions.node>(stream_<token>.nextToken()<if(args)>, <args; separator=", "><endif>)
<else>
<if(args)> <! must create new node from old !>
adaptor.create(token, <args; separator=", ">)
<else>
stream_<token>.nextNode()
<endif>
<endif>
>>

Found in path(s):
* /opt/cola/permits/1274703855_1645234694.1/0/antlr-3-5-2-sources-
jar/org/antlr/codegen/templates/ActionScript/AST.stg
No license file was found, but licenses were detected in source scan.

/*
[The "BSD license"]
Copyright (c) 2010 Terence Parr
All rights reserved.

```

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The name of the author may not be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

\*/

/\*\* How to generate rules derived from left-recursive rules.

- \* These rely on `recRuleDefArg()`, `recRuleAltPredicate()`,
- \* `recRuleArg()`, `recRuleSetResultAction()`, `recRuleSetReturnAction()`
- \* templates in main language.stg

\*/

group LeftRecursiveRules;

`recRuleName(ruleName) ::= "<ruleName>_"`

`recPrimaryName(ruleName) ::= "<ruleName>_primary"`

`recRuleStart(ruleName, minPrec, userRetvals, userRetvalAssignments) ::= <<`

`<ruleName><if(userRetvals)> returns [<userRetvals>]<endif>`

`: <recRuleName(...)>[<minPrec>]`

`<if(userRetvals)>`

`{`

`<userRetvalAssignments; separator="\n">`

`}`

`<endif>`

`;`

`>>`

`recRule(ruleName, precArgDef, argName, alts, setResultAction, buildAST,`

`userRetvals, userRetvalAssignments) ::= <<`

`<recRuleName(...)>[<precArgDef>]<if(userRetvals)> returns [<userRetvals>]<endif>`

`: <recPrimaryName(...)>`



```

<if(buildAST)>
{
  <setResultAction>
}
<endif>
<if(userRetvals)>
{
  <userRetvalAssignments; separator="\n">
}
<endif>
( options {backtrack=false;}
: ( options {backtrack=false;}
: <alts; separator="\n | ">
)
)*
;
>>

recPrimaryRule(ruleName, alts, userRetvals) ::= <<
<recPrimaryName(...)><if(userRetvals)> returns [<userRetvals>]<endif>
options {backtrack=true;}
: <alts; separator="\n | ">
;
>>

recRuleAlt(alt, pred) ::= "{<pred>}?=> <alt>"

recRuleRef(ruleName, arg) ::= "<recRuleName(...)>[<arg>]"

```

Found in path(s):

\* /opt/cola/permits/1274703855\_1645234694.1/0/antlr-3-5-2-sources-jar/org/antlr/codegen/templates/LeftRecursiveRules.stg

No license file was found, but licenses were detected in source scan.

```

/*
* [The "BSD license"]
* Copyright (c) 2005-2008 Terence Parr
* All rights reserved.
*
* Conversion to C#:
* Copyright (c) 2008-2009 Sam Harwell, Pixel Mine, Inc.
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
* 1. Redistributions of source code must retain the above copyright
* notice, this list of conditions and the following disclaimer.

```

```

* 2. Redistributions in binary form must reproduce the above copyright
* notice, this list of conditions and the following disclaimer in the
* documentation and/or other materials provided with the distribution.
* 3. The name of the author may not be used to endorse or promote products
* derived from this software without specific prior written permission.
*
* THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR
* IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.
* IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,
* INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT
* NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
* DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
* THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
* (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF
* THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

```

```

*/
/** Template overrides to add debugging to normal Java output;
* If ASTs are built, then you'll also get ASTDbg.stg loaded.
*/

```

```

@outputFile.imports() ::= <<
<@super.imports(>
using Antlr.Runtime.Debug;
using IOException = System.IO.IOException;
>>

```

```

@genericParser.members() ::= <<
<if(grammar.grammarIsRoot)>
public static readonly string[] ruleNames =
    new string[]
    {
        "invalidRule", <grammar.allImportedRules:{rST | "<rST.name>"}; wrap="\n ", separator=", ">
    };<\n>
<endif>
<if(grammar.grammarIsRoot)><! grammar imports other grammar(s) !>
int ruleLevel = 0;
public virtual int RuleLevel { get { return ruleLevel; } }
public virtual void IncRuleLevel() { ruleLevel++; }
public virtual void DecRuleLevel() { ruleLevel--; }
<if(profile)>
<ctorForProfilingRootGrammar(>
<else>
<ctorForRootGrammar(>
<endif>
<ctorForPredefinedListener(>
<else><! imported grammar !>
public int RuleLevel { get { return <grammar.delegators:{g| <g.delegateName(>>}.RuleLevel; } }

```

```

public void IncRuleLevel() { <grammar.delegators:{g| <g:delegateName()>>}.IncRuleLevel(); }
public void DecRuleLevel() { <grammar.delegators:{g| <g:delegateName()>>}.DecRuleLevel(); }
<ctorForDelegateGrammar()>
<endif>
<if(profile)>
public override bool AlreadyParsedRule( IIntStream input, int ruleIndex )
{
int stopIndex = GetRuleMemoization(ruleIndex, input.Index);
((Profiler)dbg).ExamineRuleMemoization(input, ruleIndex, stopIndex,
<grammar.composite.rootGrammar.recognizerName>.ruleNames[ruleIndex]);
return base.AlreadyParsedRule(input, ruleIndex);
}<\n>
public override void Memoize( IIntStream input, int ruleIndex, int ruleStartIndex )
{
((Profiler)dbg).Memoize(input, ruleIndex, ruleStartIndex,
<grammar.composite.rootGrammar.recognizerName>.ruleNames[ruleIndex]);
base.Memoize(input, ruleIndex, ruleStartIndex);
}<\n>
<endif>
protected virtual bool EvalPredicate( bool result, string predicate )
{
dbg.SemanticPredicate( result, predicate );
return result;
}<\n>
>>

```

```

ctorForRootGrammar() ::= <<
<! bug: can't use <@super.members()> cut-n-paste instead !>
<! Same except we add port number and profile stuff if root grammar !>
<actions.(actionScope).ctorModifier; null="public"> <name>( <inputStreamType> input )
: this( input, DebugEventSocketProxy.DefaultDebuggerPort, new RecognizerSharedState() )
{
}
<actions.(actionScope).ctorModifier; null="public"> <name>( <inputStreamType> input, int port,
RecognizerSharedState state )
: base( input, state )
{
<createListenerAndHandshake()>
<grammar.directDelegates:{g|<g:delegateName()> = new <g.recognizerName>( input, dbg, this.state,
this<grammar.delegators:{g|, <g:delegateName()>> }> );}; separator="\n">
<parserCtorBody()>
<@finally()>
}<\n>
>>

```

```

ctorForProfilingRootGrammar() ::= <<
<! bug: can't use <@super.members()> cut-n-paste instead !>
<actions.(actionScope).ctorModifier; null="public"> <name>( <inputStreamType> input )

```

```

: this( input, new Profiler(null), new RecognizerSharedState() )
{
}
<actions.(actionScope).ctorModifier; null="public"> <name>( <InputStreamType> input, IDebugEventListener dbg,
RecognizerSharedState state )
: base( input, dbg, state )
{
Profiler p = (Profiler)dbg;
p.setParser(this);
<grammar.directDelegates:
{ g|<g.delegateName()> = new <g.recognizerName>( input, dbg, this.state, this<grammar.delegates:{ g|,
<g.delegateName()>>> );}; separator="\n">
<parserCtorBody()>
<@finally()>
}
}<\n>
>>

```

```

/** Basically we don't want to set any dbg listeners are root will have it. */
ctorForDelegateGrammar() ::= <<
<actions.(actionScope).ctorModifier; null="public"> <name>( <InputStreamType> input, IDebugEventListener dbg,
RecognizerSharedState state<grammar.delegates:{ g|, <g.recognizerName> <g.delegateName()>>> )
: base( input, dbg, state )
{
<grammar.directDelegates:
{ g|<g.delegateName()> = new <g.recognizerName>( input, this, this.state<grammar.delegates:{ g|,
<g.delegateName()>>> );}; separator="\n">
<parserCtorBody()>
}<\n>
}<\n>
>>

```

```

ctorForPredefinedListener() ::= <<
<actions.(actionScope).ctorModifier; null="public"> <name>( <InputStreamType> input, IDebugEventListener dbg
)
<@superClassRef>: base( input, dbg, new RecognizerSharedState() )<@end>
{
<if(profile)>
Profiler p = (Profiler)dbg;
p.setParser(this);
<endif>
<grammar.directDelegates:{ g|<g.delegateName()> = new <g.recognizerName>(input, dbg, this.state,
this<grammar.delegates:{ g|, <g.delegateName()>>> );}; separator="\n">
<parserCtorBody()>
<@finally()>
}<\n>
}<\n>
>>

```

```

createListenerAndHandshake() ::= <<

```

```

<if(TREE_PARSER)>
DebugEventSocketProxy proxy = new DebugEventSocketProxy( this, port, input.TreeAdaptor );<\n>
<else>
DebugEventSocketProxy proxy = new DebugEventSocketProxy( this, port, null );<\n>
<endif>
DebugListener = proxy;
try
{
proxy.Handshake();
}
catch ( IOException ioe )
{
ReportError( ioe );
}
>>

@genericParser.superClassName() ::= "Debug<@super.superClassName()>"

/*
* Much of the following rules were merged into CSharp3.stg.
*/

@rule.preamble() ::= <<
if (RuleLevel == 0)
DebugListener.Commence();
IncRuleLevel();
>>
//@rule.preamble() ::= <<
//try
//{
// dbg.EnterRule( GrammarFileName, "<ruleName>" );
// if ( RuleLevel == 0 )
// {
// dbg.Commence();
// }
// IncRuleLevel();
// dbg.Location( <ruleDescriptor.tree.line>, <ruleDescriptor.tree.charPositionInLine> );<\n>
//>>

@rule.postamble() ::= <<
DecRuleLevel();
if (RuleLevel == 0)
DebugListener.Terminate();
>>
//@rule.postamble() ::= <<
//dbg.Location(<ruleDescriptor.EORNode.line>, <ruleDescriptor.EORNode.charPositionInLine>);<\n>
//}
//finally

```

```

//{{
// dbg.ExitRule( GrammarFileName, "<ruleName>" );
// DecRuleLevel();
// if ( RuleLevel == 0 )
// {
//   dbg.Terminate();
// }
//}<\n>
//>>

//@insertSynpreds.start() ::= "dbg.BeginBacktrack( state.backtracking );"
//@insertSynpreds.stop() ::= "dbg.EndBacktrack( state.backtracking, success );"

// Common debug event triggers used by region overrides below

//enterSubRule() ::= <<
//try
//{{
// dbg.EnterSubRule( <decisionNumber> );<\n>
//>>

//exitSubRule() ::= <<
//}
//finally
//{{
// dbg.ExitSubRule( <decisionNumber> );
//}<\n>
//>>

//enterDecision() ::= <<
//try
//{{
// dbg.EnterDecision( <decisionNumber> );<\n>
//>>

//exitDecision() ::= <<
//}
//finally
//{{
// dbg.ExitDecision( <decisionNumber> );
//}<\n>
//>>

//enterAlt(n) ::= "dbg.EnterAlt( <n> );<\n>"

// Region overrides that tell various constructs to add debugging triggers

//@block.predecision() ::= "<enterSubRule()><enterDecision()>"

```

```

//@block.postdecision() ::= "<exitDecision(>"

//@block.postbranch() ::= "<exitSubRule(>"

//@ruleBlock.predecision() ::= "<enterDecision(>"

//@ruleBlock.postdecision() ::= "<exitDecision(>"

//@ruleBlockSingleAlt.prealt() ::= "<enterAlt(n=\"1\")>"

//@blockSingleAlt.prealt() ::= "<enterAlt(n=\"1\")>"

//@positiveClosureBlock.preloop() ::= "<enterSubRule(>"

//@positiveClosureBlock.postloop() ::= "<exitSubRule(>"

//@positiveClosureBlock.predecision() ::= "<enterDecision(>"

//@positiveClosureBlock.postdecision() ::= "<exitDecision(>"

//@positiveClosureBlock.earlyExitException() ::=
// "dbg.RecognitionException( eee<decisionNumber> );<n>"

//@closureBlock.preloop() ::= "<enterSubRule(>"

//@closureBlock.postloop() ::= "<exitSubRule(>"

//@closureBlock.predecision() ::= "<enterDecision(>"

//@closureBlock.postdecision() ::= "<exitDecision(>"

//@altSwitchCase.prealt() ::= "<enterAlt(n=i)>"

//@element.prematch() ::=
// "dbg.Location( <it.line>, <it.pos> );"

//@matchSet.mismatchedSetException() ::=
// "dbg.RecognitionException( mse );"

//@dfaState.noViableAltException() ::= "dbg.RecognitionException( nvae );"

//@dfaStateSwitch.noViableAltException() ::= "dbg.RecognitionException( nvae );"

//dfaDecision(decisionNumber,description) ::= <<
//try
//{
// isCyclicDecision = true;

```

```

// <super.dfaDecision(...)>
//}
//catch ( NoViableAltException nvae )
//{
// dbg.RecognitionException( nvae );
// throw nvae;
//}
//>>

//@cyclicDFA.errorMethod() ::= <<
//public override void Error( NoViableAltException nvae )
//{
// ((DebugParser)recognizer).dbg.RecognitionException( nvae );
//}
//>>

```

```

/** Force predicate validation to trigger an event */
evalPredicate(pred,description) ::= <<
EvalPredicate(<pred>, "<description>")
>>

```

Found in path(s):

```

* /opt/cola/permits/1274703855_1645234694.1/0/antlr-3-5-2-sources-
jar/org/antlr/codegen/templates/CSharp3/Dbg.stg

```

No license file was found, but licenses were detected in source scan.

/\*

[The "BSD license"]

Copyright (c) 2005-2006 Terence Parr

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The name of the author may not be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,



DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

\*/

/\*\* Template subgroup to add template rewrite output

\* If debugging, then you'll also get STDbg.stg loaded.

\*/

```
@outputFile.imports() ::= <<
```

```
<@super.imports(>
```

```
import org.stringtemplate.v4.*;
```

```
import java.util.HashMap;
```

```
>>
```

/\*\* Add this to each rule's return value struct \*/

```
@returnScope.ruleReturnMembers() ::= <<
```

```
/* ST returnScope.ruleReturnMembers -- empty */
```

```
>>
```

/\*\* Add this to each rule's return value struct \*/

```
@returnScope.ruleReturn.memvars() ::= <<
```

```
ST *st;
```

```
>>
```

/\*\* Add this to each rule's return value struct \*/

```
@returnScope.ruleReturn.properties() ::= <<
```

```
@property (retain) ST *st;
```

```
>>
```

/\*\* Add this to each rule's return value struct \*/

```
@returnScope.ruleReturn.methodsDecl() ::= <<
```

```
- (ST *)getTemplate;
```

```
- (NSString *)toString;
```

```
>>
```

/\*\* Add this to each rule's return value struct \*/

```
@returnScope.ruleReturn.synthesize() ::= <<
```

```
@synthesize st;
```

```
>>
```

/\*\* Add this to each rule's return value struct \*/

```
@returnScope.ruleReturn.methods() ::= <<
```

```
- (ST *)getTemplate { return st; }
```

```
- (NSString *)toString { return st==nil?nil:[st render]; }
```

```
>>
```

```
@genericParser.members() ::= <<
```

```

<@super.members(>
STGroup *templateLib = [STGroup newSTGroup];

- (void)setTemplateLib:(STGroup *)aTemplateLib
{
    self.templateLib = aTemplateLib;
}

- (STGroup *)getTemplateLib
{
    return templateLib;
}
>>

@genericParserHeaderFile.memVars() ::= <<
<@super.memVars(>
/* ST genericParserHeaderFile.memVars -- empty now */
STGroup *templateLib; /* ST -- really a part of STAttrMap */
>>

@genericParserHeaderFile.properties() ::= <<
<@super.properties(>
/* ST genericParser.properties */
@property (retain, getter=getTemplateLib, setter=setTemplateLib:) STGroup *templateLib;
>>

@genericParserHeaderFile.methodsDecl() ::= <<
<@super.methodsDecl(>
/* ST genericParser.methodsDecl */
- init;
- (STGroup *) getTemplateLib;
- (void) setTemplateLib:(STGroup *)aTemplateLib;
@end
>>

@genericParser.synthesize() ::= <<
<@super.synthesize(>
/* ST genericParserImplementation.synthesize */
@synthesize templateLib;
>>

@genericParser.methods() ::= <<
<@super.methods(>
/* ST genericParser.methods */

- (STGroup *)getTemplateLib
{
    return templateLib;
}

```

```

}

- (void) setTemplateLib:(STGroup *)aTemplateLib
{
    templateLib = aTemplateLib;
}

>>

@genericParser.members() ::= <<
<@super.members(>
STGroup *templateLib = [STGroup newSTGroup];

- (STGroup *) getTemplateLib
{
    return templateLib;
}

- (void) setTemplateLib:(STGroup *) templateLib
{
    this.templateLib = templateLib;
}

/** x+=rule when output=template */
ruleRefAndListLabel(rule,label,elementIndex,args,scope) ::= <<
<ruleRef(rule,label,elementIndex,args,scope)>
<listLabel(label, { [<label> getTemplate]; })>
>>

rewriteTemplate(alts) ::= <<

// TEMPLATE REWRITE
<if(backtracking)>
if ( <actions.(actionScope).synpredgate> ) {
    <alts:rewriteTemplateAlt(); separator="else ">
    <if(rewriteMode)><replaceTextInLine()><endif>
}
<else>
<alts:rewriteTemplateAlt(); separator="else ">
<if(rewriteMode)><replaceTextInLine()><endif>
<endif>
>>

replaceTextInLine() ::= <<
<if(TREE_PARSER)>
[[((TokenRewriteStream)input getTokenStream)]
replaceFromIndex:[[input getTreeAdaptor] getTokenStartIndex:retval.start]
ToIndex:[[input getTreeAdaptor] getTokenStopIndex:retval.start]

```

```

    Text:[retval.st render]];
<else>
    [((TokenRewriteStream)input)
    replaceFromIndex:[((Token)retval.start) getTokenIndex]
    ToIndex:[input LT:-1] getTokenIndex]
    Text:[retval.st render]];
<endif>
>>

```

```

rewriteTemplateAlt(alt) ::= <<
// <alt.description>
<if(alt.pred)>
if (<alt.pred>) {
    retval.st = <alt.alt>;
}<\n>
<else>
{
    retval.st = <alt.alt>;
}<\n>
<endif>
>>

```

```

rewriteEmptyTemplate(alts) ::= <<
nil;
>>

```

```

/** Invoke a template with a set of attribute name/value pairs.
 * Set the value of the rule's template *after* having set
 * the attributes because the rule's template might be used as
 * an attribute to build a bigger template; you get a self-embedded
 * template.
 */
rewriteExternalTemplate(name,args) ::= <%
<if(args)><args:{ a | []}><endif>
[templateLib getInstanceOf:@"<name>"]
<if(args)><args:{ a | add:@"<a.name>" value:<a.value>}]><endif>;
%>

```

```

/** expr is a string expression that says what template to load */
rewriteIndirectTemplate(expr,args) ::= <%
<if(args)><args:{ a | []}><endif>
[templateLib getInstanceOf:<expr>];
<if(args)><args:{ a | add:@"<a.name>" value:<a.value>}]><endif>;
%>

```

```

/** Invoke an inline template with a set of attribute name/value pairs */
rewriteInlineTemplate(args, template) ::= <%
<if(args)><args:{ a | []}><endif>

```

```

[ST newST:templateLib template:"<template>"]
<if(args)><args:{a | add:@ "<a.name>" <a.value>}]><endif>;
%>

/** plain -> {foo} action */
rewriteAction(action) ::= <<
<action>
>>

/** An action has %st.attrName=expr; or % {st}.attrName=expr; */
actionSetAttribute(st,attrName,expr) ::= <<
[(<st>) setAttribute:@ "<attrName>" value:<expr>];
>>

/** Translate %{stringExpr} */
actionStringConstructor(stringExpr) ::= <<
[ST newST:templateLib template:<stringExpr>];
>>

```

Found in path(s):

```

* /opt/cola/permits/1274703855_1645234694.1/0/antlr-3-5-2-sources-
jar/org/antlr/codegen/templates/ObjC/ST4ObjC.stg

```

No license file was found, but licenses were detected in source scan.

```

/*
* [The "BSD license"]
* Copyright (c) 2011 Terence Parr
* All rights reserved.
*
* Conversion to C#:
* Copyright (c) 2011 Sam Harwell, Tunnel Vision Laboratories, LLC.
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
* 1. Redistributions of source code must retain the above copyright
* notice, this list of conditions and the following disclaimer.
* 2. Redistributions in binary form must reproduce the above copyright
* notice, this list of conditions and the following disclaimer in the
* documentation and/or other materials provided with the distribution.
* 3. The name of the author may not be used to endorse or promote products
* derived from this software without specific prior written permission.
*
* THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR
* IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.
* IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,

```

\* INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT  
 \* NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,  
 \* DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY  
 \* THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT  
 \* (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF  
 \* THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.  
 \*/

```
dfa(decisionRanks,states,edges,rankdir,startState,useBox) ::= <<
digraph NFA {
<if(rankdir)>rankdir=<rankdir>;<endif>
<decisionRanks; separator="\n">
<states; separator="\n">
<edges; separator="\n">
}
>>
```

```
nfa(decisionRanks,states,edges,rankdir,startState) ::= <<
digraph NFA {
rankdir=LR;
<decisionRanks; separator="\n">
<states; separator="\n">
<edges; separator="\n">
}
>>
```

```
decision-rank(states) ::= <<
{rank=same; rankdir=TB; <states; separator=" "; ">}
>>
```

```
edge(src,target,label,arrowhead) ::= <<
<src> -> <target> [fontsize=11, fontname="Courier", arrowsize=.7, label = "<label>"<if(arrowhead)>, arrowhead =
<arrowhead><endif>];
>>
```

```
action-edge(src,target,label,arrowhead) ::= <<
<src> -> <target> [fontsize=11, fontname="Courier", arrowsize=.7, label = "<label>"<if(arrowhead)>, arrowhead =
<arrowhead><endif>];
>>
```

```
epsilon-edge(src,target,label,arrowhead) ::= <<
<src> -> <target> [fontname="Times-Italic", label = "e"];
>>
```

```
state(name,useBox) ::= <<
node [fontsize=11, shape = <if(useBox)>box<else>circle, fixedsize=true, width=.4<endif>]; <name>
>>
```

```
stopstate(name,useBox) ::= <<
node [fontsize=11, shape = <if(useBox)>polygon,sides=4,peripheries=2<else>doublecircle, fixedsize=true,
width=.6<endif>]; <name>
>>
```

Found in path(s):

```
* /opt/cola/permits/1274703855_1645234694.1/0/antlr-3-5-2-sources-jar/org/antlr/tool/templates/dot/dot.stg
No license file was found, but licenses were detected in source scan.
```

```
/*
* [The "BSD license"]
* Copyright (c) 2012 Terence Parr
* Copyright (c) 2012 Sam Harwell
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
* 1. Redistributions of source code must retain the above copyright
* notice, this list of conditions and the following disclaimer.
* 2. Redistributions in binary form must reproduce the above copyright
* notice, this list of conditions and the following disclaimer in the
* documentation and/or other materials provided with the distribution.
* 3. The name of the author may not be used to endorse or promote products
* derived from this software without specific prior written permission.
*
* THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR
* IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.
* IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,
* INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT
* NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
* DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
* THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
* (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF
* THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
*/
```

Found in path(s):

```
* /opt/cola/permits/1274703855_1645234694.1/0/antlr-3-5-2-sources-jar/org/antlr/tool/ToolSTGroupFile.java
No license file was found, but licenses were detected in source scan.
```

```
/*
[The "BSD license"]
Copyright (c) 2005-2009 Jim Idle, Temporal Wave LLC
http://www.temporal-wave.com
http://www.linkedin.com/in/jimidle
*/
```

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The name of the author may not be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

\*/

/\*\* Templates for building ASTs during tree parsing.

\*

\* Deal with many combinations. Dimensions are:

\* Auto build or rewrite

\* no label, label, list label (label/no-label handled together)

\* child, root

\* token, set, rule, wildcard

\*

\* Each combination has its own template except that label/no label

\* is combined into tokenRef, ruleRef, ...

\*/

/\*\* Add a variable to track last element matched \*/

```
ruleDeclarations() ::= <<
```

```
<super.ruleDeclarations()>
```

```
<ASTLabelType> _last;<\n>
```

```
<ASTLabelType> _first_0;<\n>
```

```
>>
```

/\*\* Add a variable to track last element matched \*/

```
ruleInitializations() ::= <<
```

```
<super.ruleInitializations()>
```

```
_last = NULL;<\n>
```

```
_first_0 = NULL;<\n>
```



```

>>

/** What to emit when there is no rewrite rule. For auto build
 * mode, does nothing.
 */
noRewrite(rewriteBlockLevel, treeLevel) ::= <<
<if(backtracking)>if ( BACKTRACKING ==0 ) {<endif>
<if(rewriteMode)>
retval.tree = (<ASTLabelType>)_first_0;
if ( ADAPTOR->getParent(ADAPTOR, retval.tree) != NULL && ADAPTOR->isNilNode(ADAPTOR,
ADAPTOR->getParent(ADAPTOR, retval.tree) ) )
{
    retval.tree = (<ASTLabelType>)ADAPTOR->getParent(ADAPTOR, retval.tree);
}
<endif>
<if(backtracking)>}<endif>
>>

/** match ^(root children) in tree parser; override here to
 * add tree construction actions.
 */
tree(root, actionsAfterRoot, children, nullableChildList,
    enclosingTreeLevel, treeLevel) ::= <<
_last = (<ASTLabelType>)LT(1);
{
<ASTLabelType> _save_last_<treeLevel>;
<ASTLabelType> _first_<treeLevel>;
<if(!rewriteMode)>
<ASTLabelType> root_<treeLevel>;
<endif>
_save_last_<treeLevel> = _last;
_first_<treeLevel> = NULL;
<if(!rewriteMode)>
root_<treeLevel> = (<ASTLabelType>)(ADAPTOR->nilNode(ADAPTOR));
<endif>
<root:element()>
<if(rewriteMode)>
<if(backtracking)>if ( BACKTRACKING ==0 ) {<endif>
<if(root.el.rule)>
if ( _first_<enclosingTreeLevel> == NULL ) _first_<enclosingTreeLevel> = <root.el.label>.tree;
<else>
if ( _first_<enclosingTreeLevel> == NULL ) _first_<enclosingTreeLevel> = <root.el.label>;
<endif>
<if(backtracking)>}<endif>
<endif>
<actionsAfterRoot:element()>
<if(nullableChildList)>
if ( LA(1)==ANTLR3_TOKEN_DOWN ) {

```

```

    MATCHT(ANTLR3_TOKEN_DOWN, NULL);
    <children:element()>
    MATCHT(ANTLR3_TOKEN_UP, NULL);
}
<else>
MATCHT(ANTLR3_TOKEN_DOWN, NULL);
<children:element()>
MATCHT(ANTLR3_TOKEN_UP, NULL);
<endif>
<if(!rewriteMode)>
ADAPTOR->addChild(ADAPTOR, root_<enclosingTreeLevel>, root_<treeLevel>);
<endif>
_last = _save_last_<treeLevel>;
}<\n>
>>

// TOKEN AST STUFF

/** ID! and output=AST (same as plain tokenRef) 'cept add
 * setting of _last
 */
tokenRefBang(token,label,elementIndex,terminalOptions) ::= <<
_last = (<ASTLabelType>)LT(1);
<super.tokenRef(...)>
>>

/** ID auto construct */
tokenRef(token,label,elementIndex,terminalOptions) ::= <<
_last = (<ASTLabelType>)LT(1);
<super.tokenRef(...)>
<if(!rewriteMode)>
<if(backtracking)>if ( BACKTRACKING ==0 ) {<endif>
<if(terminalOptions.node)>
<label>_tree = <terminalOptions.node>New(<label>);
<else>
<label>_tree = (<ASTLabelType>)ADAPTOR->dupNode(ADAPTOR, <label>);
<endif>
ADAPTOR->addChild(ADAPTOR, root_<treeLevel>, <label>_tree);
<if(backtracking)>}<endif>
<else>
<if(backtracking)>if ( BACKTRACKING ==0 ) {<endif>
if ( _first_<treeLevel> == NULL ) _first_<treeLevel> = <label>;
<if(backtracking)>}<endif>
<endif>
>>

/** label+=TOKEN auto construct */
tokenRefAndListLabel(token,label,elementIndex,terminalOptions) ::= <<

```

```

<tokenRef(...)>
<listLabel(elem=label,...)>
>>

/** ^(ID ...) auto construct */
tokenRefRuleRoot(token,label,elementIndex,terminalOptions) ::= <<
  _last = (<ASTLabelType>)LT(1);
  <super.tokenRef(...)>
  <if(!rewriteMode)>
  <if(backtracking)>if ( BACKTRACKING == 0 ) {<endif>
  <if(terminalOptions.node)>
  <label>_tree = <terminalOptions.node>New(<label>);
  <else>
  <label>_tree = (<ASTLabelType>)ADAPTOR->dupNode(ADAPTOR, <label>);
  <endif><\n>
  root_<treeLevel> = (<ASTLabelType>)ADAPTOR->becomeRoot(ADAPTOR, <label>_tree, root_<treeLevel>);
  <if(backtracking)>}<endif>
  <endif>
>>

/** Match ^(label+=TOKEN ...) auto construct */
tokenRefRuleRootAndListLabel(token,label,elementIndex,terminalOptions) ::= <<
  <tokenRefRuleRoot(...)>
  <listLabel(elem=label,...)>
>>

/** Match . wildcard and auto dup the node/subtree */
wildcard(token,label,elementIndex,terminalOptions) ::= <<
  _last = (<ASTLabelType>)LT(1);
  <super.wildcard(...)>
  <if(!rewriteMode)>
  <if(backtracking)>if ( <actions.(actionScope).synpredgate> ) {<endif>
  <label>_tree = (<ASTLabelType>)ADAPTOR->dupTree(ADAPTOR, <label>);
  ADAPTOR->addChild(ADAPTOR, root_<treeLevel>, <label>_tree);
  <if(backtracking)>}<endif>
  <else> <! rewrite mode !>
  <if(backtracking)>if ( <actions.(actionScope).synpredgate> )<endif>
  if ( _first_<treeLevel>==null ) _first_<treeLevel> = <label>;
  <endif>
>>

// SET AST

matchSet(s,label,terminalOptions,elementIndex,postmatchCode) ::= <<
  _last = (<ASTLabelType>)LT(1);
  <super.matchSet(postmatchCode={
  <if(!rewriteMode)>
  <if(backtracking)>if ( BACKTRACKING == 0 ) {<endif>

```

```

<if(terminalOptions.node)>
<label>_tree = <terminalOptions.node>New(<label>);
<else>
<label>_tree = (<ASTLabelType>)ADAPTOR->dupNode(ADAPTOR, <label>);
<endif><\n>
ADAPTOR->addChild(ADAPTOR, root_<treeLevel>, <label>_tree);
<if(backtracking)>\}<endif>
<endif>
}
,...>
>>

matchRuleBlockSet(s,label,terminalOptions,elementIndex,postmatchCode,treeLevel="0") ::= <<
<matchSet(...)>
<noRewrite()> <! set return tree !>
>>

matchSetBang(s,label,terminalOptions,elementIndex,postmatchCode) ::= <<
_last = (<ASTLabelType>)LT(1);
<super.matchSet(...)>
>>

matchSetRuleRoot(s,label,terminalOptions,elementIndex,debug) ::= <<
<super.matchSet(postmatchCode={
<if(!rewriteMode)>
<if(backtracking)>if ( <actions.(actionScope).synpredgate> )<endif>
<if(terminalOptions.node)>
<label>_tree = <terminalOptions.node>New(<label>);
<else>
<label>_tree = (<ASTLabelType>)ADAPTOR->dupNode(ADAPTOR, <label>);
<endif>
root_<treeLevel> = (<ASTLabelType>)ADAPTOR->becomeRoot(ADAPTOR, <label>_tree, root_<treeLevel>);
<if(backtracking)>\}<endif>
<endif>
}, ...
)>
>>

// RULE REF AST

/** rule auto construct */
ruleRef(rule,label,elementIndex,args,scope) ::= <<
_last = (<ASTLabelType>)LT(1);
<super.ruleRef(...)>
<if(backtracking)>if ( <actions.(actionScope).synpredgate> )
{
<endif>
<if(!rewriteMode)>

```

```

ADAPTOR->addChild(ADAPTOR, root_<treeLevel>, <label>.tree);
<else>
if ( _first_<treeLevel> == NULL ) _first_<treeLevel> = <label>.tree;
<endif>
<if(backtracking)>}<endif>
>>

/** x+=rule auto construct */
ruleRefAndListLabel(rule,label,elementIndex,args,scope) ::= <<
<ruleRef(...)>
<super.listLabelAST(elem=label,...)>
>>

/** ^(rule ...) auto construct */
ruleRefRuleRoot(rule,label,elementIndex,args,scope) ::= <<
_last = (<ASTLabelType>)LT(1);
<super.ruleRef(...)>
<if(!rewriteMode)>
<if(backtracking)>if ( ( <actions.(actionScope).synpredgate> ) ) <endif>root_<treeLevel> =
(<ASTLabelType>)(ADAPTOR->becomeRoot(ADAPTOR, <label>.tree, root_<treeLevel>));
<endif>
>>

/** ^(x+=rule ...) auto construct */
ruleRefRuleRootAndListLabel(rule,label,elementIndex,args,scope) ::= <<
<ruleRefRuleRoot(...)>
<super.listLabelAST(elem=label,...)>
>>

/** rule when output=AST and tracking for rewrite */
ruleRefTrack(rule,label,elementIndex,args,scope) ::= <<
_last = (<ASTLabelType>)LT(1);
<super.ruleRefTrack(...)>
>>

/** x+=rule when output=AST and tracking for rewrite */
ruleRefTrackAndListLabel(rule,label,elementIndex,args,scope) ::= <<
_last = (<ASTLabelType>)LT(1);
<super.ruleRefTrackAndListLabel(...)>
>>
/** ^(rule ...) rewrite */
ruleRefRuleRootTrack(rule,label,elementIndex,args,scope) ::= <<
_last = (<ASTLabelType>)LT(1);
<super.ruleRefRootTrack(...)>
>>

/** ^(x+=rule ...) rewrite */
ruleRefRuleRootTrackAndListLabel(rule,label,elementIndex,args,scope) ::= <<

```

```

_last = (<ASTLabelType>)LT(1);
<super.ruleRefRuleRootTrackAndListLabel(...)>
>>

/** Streams for token refs are tree nodes now; override to
 * change nextToken to nextNode.
 */
createRewriteNodeFromElement(token,terminalOptions,scope) ::= <<
<if(terminalOptions.node)>
<terminalOptions.node>New(stream_<token>->nextNode(stream_<token>))
<else>
stream_<token>->nextNode(stream_<token>)
<endif>
>>

ruleCleanup() ::= <<
<super.ruleCleanup(...)>
<if(backtracking)>
if ( <actions.(actionScope).synpredgate> ) {<\n>
<endif>
<if(!ruleDescriptor.isSynPred)>
retval.stop = LT(-1);<\n>
<endif>
retval.tree = (<ASTLabelType>)ADAPTOR->rulePostProcessing(ADAPTOR, root_0);
<if(backtracking)>
}
<endif>
<ruleDescriptor.allTokenRefsInAltsWithRewrites
: {if (stream_<it> != NULL) stream_<it>->free(stream_<it>);}; separator="\n">
<ruleDescriptor.allRuleRefsInAltsWithRewrites
: {if (stream_<it> != NULL) stream_<it>->free(stream_<it>);}; separator="\n">
>>

```

Found in path(s):

```

* /opt/cola/permits/1274703855_1645234694.1/0/antlr-3-5-2-sources-
jar/org/antlr/codegen/templates/C/ASTTreeParser.stg

```

No license file was found, but licenses were detected in source scan.

```

/*

```

```

[The "BSD license"]

```

```

Copyright (c) 2005-2009 Jim Idle, Temporal Wave LLC

```

```

http://www.temporal-wave.com

```

```

http://www.linkedin.com/in/jimidle

```

All rights reserved.

Redistribution and use in source and binary forms, with or without

modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The name of the author may not be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

\*/

/\*\* Templates for building ASTs during normal parsing.

\*

\* Deal with many combinations. Dimensions are:

\* Auto build or rewrite

\* no label, label, list label (label/no-label handled together)

\* child, root

\* token, set, rule, wildcard

\*

\* The situation is not too bad as rewrite (->) usage makes ^ and !

\* invalid. There is no huge explosion of combinations.

\*/

```
@rule.setErrorReturnValue() ::= <<
```

```
retval.tree = (<ASTLabelType>)(ADAPTOR->errorNode(ADAPTOR, INPUT, retval.start, LT(-1), EXCEPTION));
```

```
>>
```

```
// TOKEN AST STUFF
```

```
/** ID and output=AST */
```

```
tokenRef(token,label,elementIndex,terminalOptions) ::= <<
```

```
<super.tokenRef(...)>
```

```
<if(backtracking)>if ( <actions.(actionScope).synpredgate> ) {<endif>
```

```
<label>_tree = (<ASTLabelType>)(ADAPTOR->create(ADAPTOR, <label>));
```

```
ADAPTOR->addChild(ADAPTOR, root_0, <label>_tree);
```

```
<if(backtracking)>}<endif>
```

```
>>
```

```

/** ID! and output=AST (same as plain tokenRef) */
tokenRefBang(token,label,elementIndex,terminalOptions) ::= "<super.tokenRef(...)>"

/** ID^ and output=AST */
tokenRefRuleRoot(token,label,elementIndex,terminalOptions) ::= <<
<super.tokenRef(...)>
<if(backtracking)>if ( <actions.(actionScope).synpredgate> ) {<endif>
<label>_tree = <createNodeFromToken(...)>;
root_0 = (<ASTLabelType>)(ADAPTOR->becomeRoot(ADAPTOR, <label>_tree, root_0));
<if(backtracking)>}<endif>
>>

/** ids+=ID! and output=AST */
tokenRefBangAndListLabel(token,label,elementIndex,terminalOptions) ::= <<
<tokenRefBang(...)>
<listLabel(elem=label,...)>
>>

/** label+=TOKEN when output=AST but not rewrite alt */
tokenRefAndListLabel(token,label,elementIndex,terminalOptions) ::= <<
<tokenRef(...)>
<listLabel(elem=label,...)>
>>

/** Match label+=TOKEN^ when output=AST but not rewrite alt */
tokenRefRuleRootAndListLabel(token,label,terminalOptions,elementIndex) ::= <<
<tokenRefRuleRoot(...)>
<listLabel(elem=label,...)>
>>

// SET AST

// the match set stuff is interesting in that it uses an argument list
// to pass code to the default matchSet; another possible way to alter
// inherited code. I don't use the region stuff because I need to pass
// different chunks depending on the operator. I don't like making
// the template name have the operator as the number of templates gets
// large but this is the most flexible--this is as opposed to having
// the code generator call matchSet then add root code or ruleroot code
// plus list label plus ... The combinations might require complicated
// rather than just added on code. Investigate that refactoring when
// I have more time.

matchSet(s,label,terminalOptions,elementIndex,postmatchCode) ::= <<
<super.matchSet(postmatchCode={<if(backtracking)>if ( <actions.(actionScope).synpredgate> )

```



```

<endif>ADAPTOR->addChild(ADAPTOR, root_0, <createNodeFromToken(...)>);},...>
>>

matchRuleBlockSet(s,label,terminalOptions,elementIndex,postmatchCode,treeLevel="0") ::= <<
<matchSet(...)>
>>

matchSetBang(s,label,elementIndex,terminalOptions,postmatchCode) ::= "<super.matchSet(...)>"

// note there is no matchSetTrack because -> rewrites force sets to be
// plain old blocks of alts: (A|B|...|C)

matchSetRuleRoot(s,label,terminalOptions,elementIndex,debug) ::= <<
<if(label)>
<label>=(<labelType>)LT(1);<\n>
<endif>
<super.matchSet(postmatchCode={<if(backtracking)>if ( <actions.(actionScope).synpredgate> ) <endif>root_0 =
(<ASTLabelType>)(ADAPTOR->becomeRoot(ADAPTOR, <createNodeFromToken(...)>, root_0));},...)>
>>

// RULE REF AST

/** rule when output=AST */
ruleRef(rule,label,elementIndex,args,scope) ::= <<
<super.ruleRef(...)>
<if(backtracking)>if ( <actions.(actionScope).synpredgate> ) <endif>ADAPTOR->addChild(ADAPTOR, root_0,
<label>.tree);
>>

/** rule! is same as normal rule ref */
ruleRefBang(rule,label,elementIndex,args,scope) ::= "<super.ruleRef(...)>"

/** rule^ */
ruleRefRuleRoot(rule,label,elementIndex,args,scope) ::= <<
<super.ruleRef(...)>
<if(backtracking)>if ( <actions.(actionScope).synpredgate> ) <endif>root_0 = (<ASTLabelType>)(ADAPTOR-
>becomeRoot(ADAPTOR, <label>.tree, root_0));
>>

/** x+=rule when output=AST */
ruleRefAndListLabel(rule,label,elementIndex,args,scope) ::= <<
<ruleRef(...)>
<listLabelAST(...)>
>>

/** x+=rule! when output=AST is a rule ref with list addition */
ruleRefBangAndListLabel(rule,label,elementIndex,args,scope) ::= <<
<ruleRefBang(...)>

```

```

<listLabelAST(...)>
>>

/** x+=rule^ */
ruleRefRuleRootAndListLabel(rule,label,elementIndex,args,scope) ::= <<
<ruleRefRuleRoot(...)>
<listLabelAST(...)>
>>

// WILDCARD AST

wildcard(token,label,elementIndex,terminalOptions) ::= <<
<super.wildcard(...)>
<if(backtracking)>if ( <actions.(actionScope).synpredgate> ) {<endif>
<label>_tree = (<ASTLabelType>)(ADAPTOR->create(ADAPTOR, <label>));
ADAPTOR->addChild(ADAPTOR, root_0, <label>_tree);
<if(backtracking)>}<endif>
>>

wildcardBang(token,label,elementIndex,terminalOptions) ::= "<super.wildcard(...)>"

wildcardRuleRoot(label,elementIndex) ::= <<
<super.wildcard(...)>
<if(backtracking)>if ( <actions.(actionScope).synpredgate> ) {<endif>
<label>_tree = (<ASTLabelType>)(ADAPTOR->create(ADAPTOR, <label>));
root_0 = (<ASTLabelType>)(ADAPTOR->becomeRoot(ADAPTOR, <label>_tree, root_0));
<if(backtracking)>}<endif>
>>

createNodeFromToken(label,terminalOptions) ::= <<
<if(terminalOptions.node)>
<terminalOptions.node>New(<label>) <! new MethodNode(IDLabel) !>
<else>
(<ASTLabelType>)(ADAPTOR->create(ADAPTOR, <label>))
<endif>
>>

ruleCleanup() ::= <<
<super.ruleCleanup()>
<if(backtracking)>
if ( <actions.(actionScope).synpredgate> )
{<\n>
<endif>
<if(!ruleDescriptor.isSynPred)>
retval.stop = LT(-1);<\n>
<endif>
retval.tree = (<ASTLabelType>)(ADAPTOR->rulePostProcessing(ADAPTOR, root_0));
ADAPTOR->setTokenBoundaries(ADAPTOR, retval.tree, retval.start, retval.stop);

```

```

<ruleDescriptor.allTokenRefsInAltsWithRewrites
: {it | if (stream_<it> != NULL) stream_<it>->free(stream_<it>);}; separator="\n">
<ruleDescriptor.allRuleRefsInAltsWithRewrites
: {it | if (stream_<it> != NULL) stream_<it>->free(stream_<it>);}; separator="\n">
<if(backtracking)>
} <\n>
<endif>
>>

```

Found in path(s):

```

* /opt/cola/permits/1274703855_1645234694.1/0/antlr-3-5-2-sources-
jar/org/antlr/codegen/templates/C/ASTParser.stg

```

No license file was found, but licenses were detected in source scan.

```

/*

```

```

[The "BSD license"]

```

```

Copyright (c) 2006 Kay Roepke

```

```

All rights reserved.

```

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The name of the author may not be used to endorse or promote products derived from this software without specific prior written permission.

```

THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR
IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.
IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,
INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT
NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF
THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

```

```

*/

```

```

/*

```

```

New style messages. This file contains the actual layout of the messages emitted by ANTLR.

```

```

The text itself is coming out of the languages/*stg files, according to the chosen locale.

```

```

This file contains the default format ANTLR uses.

```

```

*/

```

```

group antlr;

```

```
location(file, line, column) ::= "<file>:<line>:<column>:"
```

```
message(id, text) ::= "<id> <text>"
```

```
report(location, message, type) ::= "<type>(<message.id>): <location> <message.text>"
```

```
wantsSingleLineMessage() ::= "false"
```

Found in path(s):

```
* /opt/cola/permits/1274703855_1645234694.1/0/antlr-3-5-2-sources-  
jar/org/antlr/tool/templates/messages/formats/antlr.stg
```

No license file was found, but licenses were detected in source scan.

```
/*
```

```
[The "BSD license"]
```

```
Copyright (c) 2006 Kay Roepke 2010 Alan Condit
```

```
All rights reserved.
```

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The name of the author may not be used to endorse or promote products derived from this software without specific prior written permission.

```
THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR  
IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES  
OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.  
IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,  
INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT  
NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,  
DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY  
THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT  
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF  
THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
```

```
*/
```

```
/** Template overrides to add debugging to AST stuff. Dynamic inheritance
```

```
* hierarchy is set up as ASTDbg : AST : Dbg : Java by code generator.
```

```
*/
```

```
parserMembers() ::= <<
```

```
DebugTreeAdaptor *adaptor = [DebugTreeAdaptor newTreeAdaptor:(id)dbg Adaptor:[CommonTreeAdaptor  
newTreeAdaptor]];
```

```

// fix this
- (void) setTreeAdaptor:(id<TreeAdaptor>)anAdaptor
{
    adaptor = [DebugTreeAdaptor newTreeAdaptor:dbg Adaptor:anAdaptor];
<if(grammar.grammarIsRoot)>
    adaptor = [DebugTreeAdaptor newTreeAdaptor:adaptor withDBG:dbg];
<else>
    adaptor = (DebugTreeAdaptor *)adaptor; // delegator sends dbg adaptor
<endif><\n>
    <grammar.directDelegates:{g[<g.delegateName()> setTreeAdaptor:adaptor];}>
}

- (id<TreeAdaptor>)getTreeAdaptor
{
    return adaptor;
}<\n>
>>

parserCtorBody() ::= <<
<super.parserCtorBody()>
>>

createListenerAndHandshake() ::= <<
DebugEventSocketProxy proxy =
    [DebugEventSocketProxy newDebugEventSocketProxy:self, port, <if(TREE_PARSER)>[input
getTreeAdaptor]<else>adaptor<endif>];
[self setDebugListener:proxy];
[self set<inputStreamType>:[Debug<inputStreamType> newDebug<inputStreamType>:input with:proxy]];
try {
    [proxy handshake];
}
@catch (IOException *ioe) {
    [self reportError:ioe];
}
>>

@ctorForRootGrammar.finally() ::= <<
CommonTreeAdaptor *adap = [CommonTreeAdaptor newTreeAdaptor];
[self setTreeAdaptor:adap];
[proxy setTreeAdaptor:adap];
>>

@ctorForProfilingRootGrammar.finally() ::= <<
CommonTreeAdaptor *adap = [CommonTreeAdaptor newTreeAdaptor];
[self setTreeAdaptor:adap];
[proxy setTreeAdaptor:adap];
>>

```

```
@ctorForPredefinedListener.superClassRef() ::= @"super(input, dbg);"
```

```
@ctorForPredefinedListener.finally() ::= <<  
<if(grammar.grammarIsRoot)> <! don't create new adaptor for delegates !>  
CommonTreeAdaptor *adap = [CommonTreeAdaptor newTreeAdaptor];  
[self setTreeAdaptor:adap];<\n>  
<endif>  
>>
```

```
@treeParserHeaderFile.superClassName ::= "DebugTreeParser"
```

```
@rewriteElement.pregen() ::= "[debugListener locationLine:<e.line> column:<e.pos>];"
```

Found in path(s):

```
* /opt/cola/permits/1274703855_1645234694.1/0/antlr-3-5-2-sources-  
jar/org/antlr/codegen/templates/ObjC/ASTDbg.stg
```

No license file was found, but licenses were detected in source scan.

```
/*
```

```
[The "BSD license"]
```

```
Copyright (c) 2006, 2007 Kay Roepke 2010 Alan Condit
```

```
All rights reserved.
```

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The name of the author may not be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

```
*/
```

```
@genericParserHeaderFile.memVars() ::= <<
```

```
/* AST parserHeaderFile.memVars */
```

```

NSInteger ruleLevel;
NSArray *ruleNames;
<@super.memVars()> /* AST super.memVars */
<parserMemVars()> /* AST parserMemVars */
>>

@genericParserHeaderFile.properties() ::= <<
/* AST parserHeaderFile.properties */
<@super.properties()> /* AST super.properties */
<parserProperties()> /* AST parserproperties */
>>

@genericParserHeaderFile.methodsDecl() ::= <<
/* AST parserHeaderFile.methodsDecl */
<@super.methodsDecl()> /* AST super.methodsDecl */
<parserMethodsDecl()> /* AST parsermethodsDecl */
>>

@genericParser.synthesize() ::= <<
/* AST genericParser.synthesize */
<@super.synthesize()>
<parserSynthesize()>
>>

@genericParser.methods() ::= <<
/* AST genericParser.methods */
<@super.methods()>
<parserMethods()>
>>

/* additional init code for tree support */
@genericParser.init() ::= <<
/* AST genericParser.init */
<@super.init()>
[self setTreeAdaptor:[[CommonTreeAdaptor newTreeAdaptor] retain]];
>>

@genericParser.dealloc() ::= <<
/* AST genericParser.dealloc */
[self setTreeAdaptor:nil];
<@super.dealloc()>
>>

/* Add an adaptor property that knows how to build trees */
parserMemVars() ::= <<
/* AST parserMemVars */
id<TreeAdaptor> treeAdaptor;
>>

```

```

/* Add an adaptor property that knows how to build trees */
parserProperties() ::= <<
/* AST parserProperties */
@property (retain, getter=getTreeAdaptor, setter=setTreeAdaptor:) id<TreeAdaptor> treeAdaptor;
>>

/** Declaration of additional tree support methods - go in interface of parserHeaderFile() */
parserMethodsDecl() ::= <<
/* AST parserMethodsDecl */
- (id<TreeAdaptor>) getTreeAdaptor;
- (void) setTreeAdaptor:(id<TreeAdaptor>)theTreeAdaptor;
>>

/* Add an adaptor property that knows how to build trees */
parserSynthesize() ::= <<
/* AST parserProperties */
@synthesize treeAdaptor;
>>

/** Definition of addition tree support methods - go in implementation of genericParser() */
parserMethods() ::= <<
/* AST parserMethods */
- (id<TreeAdaptor>) getTreeAdaptor
{
return treeAdaptor;
}

- (void) setTreeAdaptor:(id<TreeAdaptor>)aTreeAdaptor
{
if (aTreeAdaptor != treeAdaptor) {
treeAdaptor = aTreeAdaptor;
}
}
>>

/** addition memVars for returnscopes */
@returnScopeInterface.memVars() ::= <<
/* AST returnScopeInterface.memVars */
<recognizer.ASTLabelType; null="CommonTree"> *tree;
>>

/** the interface of returnScope properties */
@returnScopeInterface.properties() ::= <<
/* AST returnScopeInterface.properties */
@property (retain, getter=getTree, setter=setTree:) <recognizer.ASTLabelType; null="CommonTree"> *tree;
>>

```



```

/** the interface of returnScope methodsDecl */
@returnScopeInterface.methodsDecl() ::= <<
/* AST returnScopeInterface.methodsDecl */
- (<recognizer.ASTLabelType; null="CommonTree"> *)getTree;<\n>
- (void) setTree:(<recognizer.ASTLabelType; null="CommonTree"> *)aTree;<\n>
>>

```

```

/** the implementation of returnScope synthesize */
@returnScopeImplementation.synthesize() ::= <<
/* AST returnScope.synthesize */
@synthesize tree;
>>

```

```

/** the implementation of returnScope methods */
@returnScopeImplementation.methods() ::= <<
/* AST returnScope.methods */
- (<ASTLabelType> *)getTree
{
    return tree;
}

```

```

- (void) setTree:(<ASTLabelType> *)aTree
{
    if (tree != aTree) {
        if (tree != nil) [tree release];
        if (aTree != nil) [aTree retain];
        tree = aTree;
    }
}

```

```

- (void) dealloc
{
    self.tree = nil;
    [super dealloc];
}

```

```
>>
```

```

/** Add a variable to track rule's return AST */
ruleDeclarations() ::= <<
/* AST ruleDeclarations */
<super.ruleDeclarations()>
<ASTLabelType> *root_0 = nil;<\n>
>>

```

```

ruleLabelDefs() ::= <<
/* AST ruleLabelDefs */
<super.ruleLabelDefs()>

```

```

<[ruleDescriptor.tokenLabels,ruleDescriptor.wildcardTreeLabels,
ruleDescriptor.wildcardTreeListLabels]:{it | <ASTLabelType> *<it.label.text>_tree=nil;}; separator="\n">
<ruleDescriptor.tokenListLabels:{it | <ASTLabelType> *<it.label.text>_tree = nil;}; separator="\n">
<ruleDescriptor.allTokenRefsInAltsWithRewrites:{it | RewriteRuleTokenStream *stream_<it> =
[[RewriteRule<rewriteElementType>Stream newRewriteRule<rewriteElementType>Stream:treeAdaptor
description:@ "token <it>" retain];}; separator="\n">
<ruleDescriptor.allRuleRefsInAltsWithRewrites:{it | RewriteRuleSubtreeStream *stream_<it> =
[[RewriteRuleSubtreeStream newRewriteRuleSubtreeStream:treeAdaptor
description:@ "rule <it>" retain];}; separator="\n">
>>

```

```

ruleCleanUp() ::= <<
/* AST ruleCleanUp */
<super.ruleCleanUp()>
<[ruleDescriptor.allTokenRefsInAltsWithRewrites,ruleDescriptor.allRuleRefsInAltsWithRewrites]:{it |
[stream_<it> release];}; separator="\n">
<!
<if(ruleDescriptor.hasMultipleReturnValues)>
<if(backtracking)>if ( state.backtracking == 0 ) {<\n>
<endif>
[<prevRuleRootRef()> setTree:(<ASTLabelType> *)[treeAdaptor rulePostProcessing:root_0]];<\n>
[treeAdaptor setTokenBoundaries:[<prevRuleRootRef()> getTree]
From:[<prevRuleRootRef()> getStart]
To:[<prevRuleRootRef()> getStop]];<\n>
<if(backtracking)>}<\n>
<endif>
<endif>
[root_0 release];
!>
>>

```

```

rewriteCodeLabelsCleanUp() ::= <<
/* AST rewriteCodeLabelsCleanUp */
<referencedTokenLabels:{it | [stream_<it> release];}; separator="\n">
<referencedTokenListLabels:{it | [stream_<it> release];}; separator="\n">
<referencedRuleLabels:{it | [stream_<it> release];}; separator="\n">
<referencedRuleListLabels:{it | [stream_<it> release];}; separator="\n">
>>

```

```

/** When doing auto AST construction, we must define some variables;
* These should be turned off if doing rewrites. This must be a "mode"
* as a rule could have both rewrite and AST within the same alternative
* block.
*/
@alt.declarations() ::= <<
<if(autoAST)>
<if(outerAlt)>
<if(!rewriteMode)>

```

```

root_0 = (<ASTLabelType> *)[[[treeAdaptor class] newEmptyTree] retain];<\n>
<endif>
<endif>
<endif>
>>

// Tracking Rule Elements

/** ID and track it for use in a rewrite rule */
tokenRefTrack(token,label,elementIndex) ::= <<
<! <super.tokenRef(...)> !>
<tokenRefBang(...)> <! Track implies no auto AST construction!>
<if(backtracking)>
if ( <actions.(actionScope).synpredgate> ) <endif>
  [stream_<token> addElement:<label>];<\n>
>>

/** ids+=ID and track it for use in a rewrite rule; adds to ids *and*
 * to the tracking list stream_ID for use in the rewrite.
 */
tokenRefTrackAndListLabel(token,label,elementIndex) ::= <<
<tokenRefTrack(...)>
<listLabel(elem=label,...)>
>>

/** ^(ID ...) track for rewrite */
tokenRefRuleRootTrack(token,label,elementIndex) ::= <<
<! <super.tokenRef(...)> !>
<tokenRefBang(...)>
<if(backtracking)>
if ( !<actions.(actionScope).synpredgate> ) <endif>
  [stream_<token> addElement:<label>];<\n>
>>

/** Match ^(label+=TOKEN ...) track for rewrite */
tokenRefRuleRootTrackAndListLabel(token,label,elementIndex) ::= <<
<tokenRefRuleRootTrack(...)>
<listLabel(elem=label,...)>
>>

/** rule when output=AST and tracking for rewrite */
ruleRefTrack(rule,label,elementIndex,args,scope) ::= <<
<super.ruleRef(...)>
<if(backtracking)>if ( <actions.(actionScope).synpredgate> ) <endif>
[stream_<rule.name> addElement:[<label> getTree]];
>>

/** x+=rule when output=AST and tracking for rewrite */

```

```

ruleRefTrackAndListLabel(rule,label,elementIndex,args,scope) ::= <<
<ruleRefTrack(...)>
<listLabel(elem={ [<label> getTree ],...}>
>>

/** ^(rule ...) rewrite */
ruleRefRuleRootTrack(rule,label,elementIndex,args,scope) ::= <<
<! <super.ruleRefRuleRoot(...)> !>
<ruleRefRuleRoot(...)>
<if(backtracking)>if ( <actions.(actionScope).synpredgate> ) <endif>
  [stream_<rule.name> addElement:[<label> getTree]];<\n>
>>

/** ^(x+=rule ...) rewrite */
ruleRefRuleRootTrackAndListLabel(rule,label,elementIndex,args,scope) ::= <<
<ruleRefRuleRootTrack(...)>
<listLabel(elem={ [<label> getTree ],...}>
>>

// R e w r i t e

rewriteCode(
alts, description,
referencedElementsDeep, // ALL referenced elements to right of ->
referencedTokenLabels,
referencedTokenListLabels,
referencedRuleLabels,
referencedRuleListLabels,
referencedWildcardLabels,
referencedWildcardListLabels,
rewriteBlockLevel, enclosingTreeLevel, treeLevel) ::=
<<

// AST REWRITE
// elements: <referencedElementsDeep; separator=", ">
// token labels: <referencedTokenLabels; separator=", ">
// rule labels: <referencedRuleLabels; separator=", ">
// token list labels: <referencedTokenListLabels; separator=", ">
// rule list labels: <referencedRuleListLabels; separator=", ">
// wildcard labels: <[referencedWildcardLabels,referencedWildcardListLabels]; separator=", ">
<if(backtracking)>
if ( <actions.(actionScope).synpredgate> ) {<\n>
<endif>
<prevRuleRootRef().tree = root_0;<\n>
<rewriteCodeLabels()>
root_0 = (<ASTLabelType> *)[[[treeAdaptor class] newEmptyTree] retain];<\n>
<alts:rewriteAlt(); separator="else ">
<! if tree parser and rewrite=true !>

```

```

<if(TREE_PARSER)>
<if(rewriteMode)>
<prevRuleRootRef(>.tree = (<ASTLabelType>)[treeAdaptor rulePostProcessing:root_0];
[input replaceChildren:[treeAdaptor getParent:retval.start]
    From:[treeAdaptor getChildIndex:retval.start]
    To:[treeAdaptor getChildIndex:_last]
    With:retval.tree];
<endif>
<endif>
<! if parser or tree-parser && rewrite!=true, we need to set result !>
<if(!TREE_PARSER)>
<prevRuleRootRef(>.tree = root_0;<\n>
<else>
<if(!rewriteMode)>
<prevRuleRootRef(>.tree = root_0;<\n>
<endif>
<endif>
<if(backtracking)>
}
<endif>
>>

rewriteCodeLabels() ::= <<
<referencedTokenLabels
: {it | RewriteRule<rewriteElementType>Stream *stream_<it> =
[[RewriteRule<rewriteElementType>Stream newRewriteRule<rewriteElementType>Stream:treeAdaptor
description:@ "token <it>" element:<it>] retain];};
separator="\n"
>
<referencedTokenListLabels: {it | RewriteRule<rewriteElementType>Stream *stream_<it> =
[[RewriteRule<rewriteElementType>Stream newRewriteRule<rewriteElementType>Stream:treeAdaptor
description:@ "token <it>" elements:list_<it>] retain];};
separator="\n"
>
<referencedWildcardLabels: {it | RewriteRuleSubtreeStream stream_<it> =
[[RewriteRuleSubtreeStream newRewriteRuleSubtreeStream:treeAdaptor
description:"wildcard <it>" element:<it>] retain];};
separator="\n"
>
<referencedWildcardListLabels: {it | RewriteRuleSubtreeStream stream_<it> =
[[RewriteRuleSubtreeStream newRewriteRuleSubtreeStream:treeAdaptor
descriptor:"wildcard <it>" elements:list_<it>] retain];};
separator="\n"
>
<referencedRuleLabels: {it | RewriteRuleSubtreeStream *stream_<it> =
[[RewriteRuleSubtreeStream newRewriteRuleSubtreeStream:treeAdaptor
description:@ "token <it>" element:<it>!=nil?[<it> getTree]:nil] retain];};
separator="\n"

```

```

>
<referencedRuleListLabels:{it | RewriteRuleSubtreeStream *stream_<it> =
  [[RewriteRuleSubtreeStream newRewriteRuleSubtreeStream:treeAdaptor
    description:@"token <it>" elements:list_<it>] retain];};
  separator="\n"
>
>>

/** Generate code for an optional rewrite block; note it uses the deep ref'd element
 * list rather shallow like other blocks.
 */
rewriteOptionalBlock(
  alt,rewriteBlockLevel,
  referencedElementsDeep, // all nested refs
  referencedElements, // elements in immediately block; no nested blocks
  description) ::=
<<
// <fileName>:<description>
if ( <referencedElementsDeep:{el | [stream_<el> hasNext]}; separator="||"> ) {
  <alt>
}
<referencedElementsDeep:{el | [stream_<el> reset];<\n>}>
>>

rewriteClosureBlock(
  alt,rewriteBlockLevel,
  referencedElementsDeep, // all nested refs
  referencedElements, // elements in immediately block; no nested blocks
  description) ::=
<<
// <fileName>:<description>
while ( <referencedElements:{el | [stream_<el> hasNext]}; separator="||"> ) {
  <alt>
}
<referencedElements:{el | [stream_<el> reset];<\n>}>
>>

rewritePositiveClosureBlock(
  alt,rewriteBlockLevel,
  referencedElementsDeep, // all nested refs
  referencedElements, // elements in immediately block; no nested blocks
  description) ::=
<<
// <fileName>:<description>
{
if ( !( <referencedElements:{el | [stream_<el> hasNext]}; separator=" || "> ) ) {
  @throw [RewriteEarlyExitException newException];
}
}

```

```

while ( <referencedElements:{el | [stream_<el> hasNext]}; separator=" || "> ) {
  <alt>
}
<referencedElements:{el | [stream_<el> reset];<\n>}>
}
>>

rewriteAlt(a) ::= <<
// <a.description>
<if(a.pred)>
if (<a.pred>) {
  <a.alt>
}<\n>
<else>
{
  <a.alt>
}<\n>
<endif>
>>

/** For empty rewrites: "r : ... -> ;" */
rewriteEmptyAlt() ::= "root_0 = nil;"

rewriteTree(root,children,description,enclosingTreeLevel,treeLevel) ::= <<
// <fileName>:<description>
{
  <ASTLabelType> *root_<treeLevel> = (<ASTLabelType> *)[[[treeAdaptor class] newEmptyTree] retain];
  <root:rewriteElement()>
  <children:rewriteElement()>
  [treeAdaptor addChild:root_<treeLevel> toTree:root_<enclosingTreeLevel>];
}<\n>
>>

rewriteElementList(elements) ::= "<elements:rewriteElement()>"

rewriteElement(e) ::= <<
<@pregen()>
<e.el>
>>

/** Gen ID or ID[args] */
rewriteTokenRef(token,elementIndex,terminalOptions,args) ::= <<
// TODO: args: <args; separator=" , ">
[treeAdaptor addChild:<createRewriteNodeFromElement(...)> toTree:root_<treeLevel>];<\n>
>>

/** Gen $label ... where defined via label=ID */
rewriteTokenLabelRef(label,elementIndex) ::= <<

```

```

[treeAdaptor addChild:[stream_<label> nextNode] toTree:root_<treeLevel>];<\n>
>>

/** Gen $label ... where defined via label+=ID */
rewriteTokenListLabelRef(label,elementIndex) ::= <<
[treeAdaptor addChild:[stream_<label> nextNode] toTree:root_<treeLevel>];<\n>
>>

/** Gen ^($label ...) */
rewriteTokenLabelRefRoot(label,elementIndex) ::= <<
root_<treeLevel> = (<ASTLabelType> *)[treeAdaptor becomeRoot:[stream_<label> nextNode]
old:root_<treeLevel>];<\n>
>>

/** Gen ^($label ...) where label+=... */
rewriteTokenListLabelRefRoot ::= rewriteTokenLabelRefRoot

/** Gen ^(ID ...) or ^(ID[args] ...) */
rewriteTokenRefRoot(token,elementIndex,terminalOptions,args) ::= <<
root_<treeLevel> = (<ASTLabelType> *)[treeAdaptor becomeRoot:<createRewriteNodeFromElement(...)>
old:root_<treeLevel>];<\n>
>>

rewriteImaginaryTokenRef(args,token,terminalOptions,elementIndex) ::= <<
[treeAdaptor addChild:<createImaginaryNode(tokenType=token, ...)> toTree:root_<treeLevel>];<\n>
>>

rewriteImaginaryTokenRefRoot(args,token,terminalOptions,elementIndex) ::= <<
root_<treeLevel> = (<ASTLabelType> *)[treeAdaptor becomeRoot:<createImaginaryNode(tokenType=token, ...)>
old:root_<treeLevel>];<\n>
>>

/** plain -> {foo} action */
rewriteAction(action) ::= <<
root_0 = <action>;<\n>
>>

/** What is the name of the previous value of this rule's root tree? This
* let's us refer to $rule to mean previous value. I am reusing the
* variable 'tree' sitting in retval struct to hold the value of root_0 right
* before I set it during rewrites. The assign will be to retval.tree.
*/
prevRuleRootRef() ::= "retval"

rewriteRuleRef(rule) ::= <<
[treeAdaptor addChild:[stream_<rule> nextTree] toTree:root_<treeLevel>];<\n>
>>

```



```

rewriteRuleRefRoot(rule) ::= <<
root_<treeLevel> = (<ASTLabelType> *)[treeAdaptor becomeRoot:(id\<Tree>)[stream_<rule> nextNode]
old:root_<treeLevel>];<\n>
>>

rewriteNodeAction(action) ::= <<
[treeAdaptor addChild:<action> toTree:root_<treeLevel>];<\n>
>>

rewriteNodeActionRoot(action) ::= <<
root_<treeLevel> = (<ASTLabelType> *)[treeAdaptor becomeRoot:<action> old:root_<treeLevel>];<\n>
>>

/** Gen $ruleLabel ... where defined via ruleLabel=rule */
rewriteRuleLabelRef(label) ::= <<
[treeAdaptor addChild:[stream_<label> nextTree] toTree:root_<treeLevel>];<\n>
>>

/** Gen $ruleLabel ... where defined via ruleLabel+=rule */
rewriteRuleListLabelRef(label) ::= <<
[treeAdaptor addChild:[stream_<label> nextTree] toTree:root_<treeLevel>];<\n>
>>

/** Gen ^($ruleLabel ...) where ruleLabel=rule */
rewriteRuleLabelRefRoot(label) ::= <<
root_<treeLevel> = (<ASTLabelType> *)[treeAdaptor becomeRoot:[stream_<label> nextNode]
old:root_<treeLevel>];<\n>
>>

/** Gen ^($ruleLabel ...) where ruleLabel+=rule */
rewriteRuleListLabelRefRoot(label) ::= <<
root_<treeLevel> = (<ASTLabelType> *)[treeAdaptor becomeRoot:[stream_<label> nextNode]
old:root_<treeLevel>];<\n>
>>

rewriteWildcardLabelRef(label) ::= <<
[treeAdaptor addChild:[stream_<label> nextTree] toTree:root_<treeLevel>];<\n>
>>

createImaginaryNode(tokenType,terminalOptions,args) ::= <<
<if(terminalOptions.node)>
  [<terminalOptions.node> new<terminalOptions.node>:<tokenType> <if(args)>, <args; separator=", "><endif>]
<else>
  <if(args)>
    [[treeAdaptor createTree:<tokenType> <if(first(args))>FromToken:<first(args)><endif>
<if(first(rest(args)))>Text:<first(rest(args))><else>Text:@ "<tokenType>"<endif>] retain]
  <else>
    [[treeAdaptor createTree:<tokenType> Text:@ "<tokenType>"] retain]

```

```

    <endif>
<endif>
>>

createRewriteNodeFromElement(token,terminalOptions,args) ::= <<
<if(terminalOptions.node)>
    [<terminalOptions.node> new<terminalOptions.node>:[stream_<token> nextToken]<if(args)>, <args;
separator=", "><endif>]
<else>
    <if(args)> <! must create new node from old !>
        [[treeAdaptor createTree:<token> Text:<first(rest(args))> <args; separator=", ">] retain]
    <else>
        [stream_<token> nextNode]
    <endif>
<endif>
>>

```

Found in path(s):

\* /opt/cola/permits/1274703855\_1645234694.1/0/antlr-3-5-2-sources-jar/org/antlr/codegen/templates/ObjC/AST.stg

No license file was found, but licenses were detected in source scan.

```

/*
* [The "BSD license"]
* Copyright (c) 2011 Terence Parr
* All rights reserved.
*
* Conversion to C#:
* Copyright (c) 2011 Sam Harwell, Pixel Mine, Inc.
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
* 1. Redistributions of source code must retain the above copyright
* notice, this list of conditions and the following disclaimer.
* 2. Redistributions in binary form must reproduce the above copyright
* notice, this list of conditions and the following disclaimer in the
* documentation and/or other materials provided with the distribution.
* 3. The name of the author may not be used to endorse or promote products
* derived from this software without specific prior written permission.
*
* THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR
* IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.
* IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,
* INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT
* NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
* DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY

```

```
* THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
* (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF
* THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
*/
```

```
@outputFile.imports() ::= <<
```

```
<@super.imports(>
```

```
<if(!TREE_PARSER)>
```

```
<! tree parser would already have imported !>
```

```
using Antlr.Runtime.Tree;
```

```
using RewriteRuleITokenStream = Antlr.Runtime.Tree.RewriteRuleTokenStream;
```

```
<endif>
```

```
>>
```

```
@genericParser.members() ::= <<
```

```
<@super.members(>
```

```
<parserMembers(>
```

```
>>
```

```
parserCtorBody() ::= <<
```

```
<super.parserCtorBody(>
```

```
<treeAdaptorType(> treeAdaptor = default(<treeAdaptorType(>>);
```

```
CreateTreeAdaptor(ref treeAdaptor);
```

```
TreeAdaptor = treeAdaptor<if(!actions.(actionScope).treeAdaptorType)> ?? new CommonTreeAdaptor(<endif>;
```

```
>>
```

```
/** Add an adaptor property that knows how to build trees */
```

```
parserMembers() ::= <<
```

```
// Implement this function in your helper file to use a custom tree adaptor
```

```
partial void CreateTreeAdaptor(ref <treeAdaptorType(> adaptor);
```

```
private <treeAdaptorType(> adaptor;
```

```
public <treeAdaptorType(> TreeAdaptor
```

```
{
```

```
get
```

```
{
```

```
return adaptor;
```

```
}
```

```
set
```

```
{
```

```
this.adaptor = value;
```

```
<grammar.directDelegates:{g|<g:delegateName(>.TreeAdaptor = this.adaptor;}>
```

```
}
```

```
}
```

```
>>
```

```

treeAdaptorType() ::= <<
<actions.(actionScope).treeAdaptorType; null="ITreeAdaptor">
>>

ruleReturnBaseType() ::= <%
Ast<if(TREE_PARSER)>Tree<else>Parser<endif>RuleReturnScope\<<ASTLabelType>, <labelType>>
%>

/** Add a variable to track rule's return AST */
ruleDeclarations() ::= <<
<super.ruleDeclarations()>
<ASTLabelType> root_0 = default(<ASTLabelType>);<\n>
>>

ruleLabelDefs(ruleDescriptor, labelType, ASTLabelType, rewriteElementType) ::= <%
<super.ruleLabelDefs(...)>
<if(!ruleDescriptor.isSynPred)>
<[ruleDescriptor.tokenLabels,ruleDescriptor.wildcardTreeLabels,ruleDescriptor.wildcardTreeListLabels]
: {it|<\n><ASTLabelType> <it.label.text>_tree = default(<ASTLabelType>);}>
<ruleDescriptor.tokenListLabels: {it|<\n><ASTLabelType> <it.label.text>_tree = default(<ASTLabelType>);}>
<ruleDescriptor.allTokenRefsInAltsWithRewrites
: {it|<\n>RewriteRule<rewriteElementType>Stream stream_<it>=new
RewriteRule<rewriteElementType>Stream(adaptor,"token <it>");}>
<ruleDescriptor.allRuleRefsInAltsWithRewrites
: {it|<\n>RewriteRuleSubtreeStream stream_<it>=new RewriteRuleSubtreeStream(adaptor,"rule <it>");}>
<endif>
%>

/** When doing auto AST construction, we must define some variables;
 * These should be turned off if doing rewrites. This must be a "mode"
 * as a rule could have both rewrite and AST within the same alternative
 * block.
 */
@alt.declarations() ::= <<
<if(autoAST && outerAlt && !rewriteMode && !ruleDescriptor.isSynPred)>
root_0 = (<ASTLabelType>)adaptor.Nil();
<endif>
>>

// Tracking Rule Elements

/** ID and track it for use in a rewrite rule */
tokenRefTrack(token,label,elementIndex,terminalOptions={}) ::= <<
<tokenRefBang(...)> <! Track implies no auto AST construction!>
<if(backtracking)>if (<actions.(actionScope).synpredgate>) <endif>stream_<token>.Add(<label>);<\n>
>>

```

```

/** ids+=ID and track it for use in a rewrite rule; adds to ids *and*
 * to the tracking list stream_ID for use in the rewrite.
 */
tokenRefTrackAndListLabel(token,label,elementIndex,terminalOptions={}) ::= <<
<tokenRefTrack(...)>
<listLabelElem(elem=label,elemType=labelType,...)>
>>

/** ^(ID ...) track for rewrite */
tokenRefRuleRootTrack(token,label,elementIndex,terminalOptions={}) ::= <<
<tokenRefBang(...)>
<if(backtracking)>if (<actions.(actionScope).synpredgate>) <endif>stream_<token>.Add(<label>);
>>

/** Match ^(label+=TOKEN ...) track for rewrite */
tokenRefRuleRootTrackAndListLabel(token,label,elementIndex,terminalOptions={}) ::= <<
<tokenRefRuleRootTrack(...)>
<listLabelElem(elem=label,elemType=labelType,...)>
>>

/** rule when output=AST and tracking for rewrite */
ruleRefTrack(rule,label,elementIndex,args,scope) ::= <<
<super.ruleRef(...)>
<if(backtracking)>if (<actions.(actionScope).synpredgate>) <endif>stream_<rule.name>.Add(<label>.Tree);
>>

/** x+=rule when output=AST and tracking for rewrite */
ruleRefTrackAndListLabel(rule,label,elementIndex,args,scope) ::= <<
<ruleRefTrack(...)>
<listLabelElem(elem={<label>.Tree},elemType=ASTLabelType,...)>
>>

/** ^(rule ...) rewrite */
ruleRefRuleRootTrack(rule,label,elementIndex,args,scope) ::= <<
<ruleRefRuleRoot(...)>
<if(backtracking)>if (<actions.(actionScope).synpredgate>) <endif>stream_<rule>.Add(<label>.Tree);
>>

/** ^(x+=rule ...) rewrite */
ruleRefRuleRootTrackAndListLabel(rule,label,elementIndex,args,scope) ::= <<
<ruleRefRuleRootTrack(...)>
<listLabelElem(elem={<label>.Tree},elemType=ASTLabelType,...)>
>>

// R e w r i t e

rewriteCode(
  alts, description,

```

```

referencedElementsDeep, // ALL referenced elements to right of ->
referencedTokenLabels,
referencedTokenListLabels,
referencedRuleLabels,
referencedRuleListLabels,
referencedWildcardLabels,
referencedWildcardListLabels,
rewriteBlockLevel, enclosingTreeLevel, treeLevel) ::= <<
<\n>{
// AST REWRITE
// elements: <referencedElementsDeep; separator=", ">
// token labels: <referencedTokenLabels; separator=", ">
// rule labels: <referencedRuleLabels; separator=", ">
// token list labels: <referencedTokenListLabels; separator=", ">
// rule list labels: <referencedRuleListLabels; separator=", ">
// wildcard labels: <[referencedWildcardLabels,referencedWildcardListLabels]; separator=", ">
<if(backtracking)>
if (<actions.(actionScope).synpredgate>) {
<endif>
<prevRuleRootRef(>).Tree = root_0;
<rewriteCodeLabels(>
root_0 = (<ASTLabelType>)adaptor.Nil();
<alts:rewriteAlt(> separator="else ">
<! if tree parser and rewrite=true !>
<if(TREE_PARSER&&rewriteMode)>
<prevRuleRootRef(>).Tree = (<ASTLabelType>)adaptor.RulePostProcessing(root_0);
if (<prevRuleRootRef(>).Tree != null)
input.ReplaceChildren(adaptor.GetParent(retval.Start), adaptor.GetChildIndex(retval.Start),
adaptor.GetChildIndex(_last), retval.Tree);
<endif>
<! if parser or tree-parser && rewrite!=true, we need to set result !>
<if(!TREE_PARSER||!rewriteMode)>
<prevRuleRootRef(>).Tree = root_0;
<endif>
<if(backtracking)>
}
<endif>
}
>>

rewriteCodeLabels() ::= <<
<referencedTokenLabels
:{it|RewriteRule<rewriteElementType>Stream stream_<it>=new
RewriteRule<rewriteElementType>Stream(adaptor,"token <it>",<it>)};
separator="\n"
>
<referencedTokenListLabels

```

```

: {it|RewriteRule<rewriteElementType>Stream stream_<it>=new
RewriteRule<rewriteElementType>Stream(adaptor,"token <it>", list_<it>)};
separator="\n"
>
<referencedWildcardLabels
: {it|RewriteRuleSubtreeStream stream_<it>=new RewriteRuleSubtreeStream(adaptor,"wildcard <it>",<it>)};
separator="\n"
>
<referencedWildcardListLabels
: {it|RewriteRuleSubtreeStream stream_<it>=new RewriteRuleSubtreeStream(adaptor,"wildcard <it>",<it>)};
separator="\n"
>
<referencedRuleLabels
: {it|RewriteRuleSubtreeStream stream_<it>=new RewriteRuleSubtreeStream(adaptor,"rule
<it>",<it>!=null?<it>.Tree:null)};
separator="\n"
>
<referencedRuleListLabels
: {it|RewriteRuleSubtreeStream stream_<it>=new RewriteRuleSubtreeStream(adaptor,"token <it>",<it>)};
separator="\n"
>
>>

/** Generate code for an optional rewrite block; note it uses the deep ref'd element
 * list rather shallow like other blocks.
 */
rewriteOptionalBlock(
alt,rewriteBlockLevel,
referencedElementsDeep, // all nested refs
referencedElements, // elements in immediately block; no nested blocks
description) ::=
<<
// <fileName>:<description>
if (<referencedElementsDeep: {el | stream_<el>.HasNext}; separator="||">)
{
<alt>
}
<referencedElementsDeep: {el | stream_<el>.Reset();<n>}>
>>

rewriteClosureBlock(
alt,rewriteBlockLevel,
referencedElementsDeep, // all nested refs
referencedElements, // elements in immediately block; no nested blocks
description) ::=
<<
// <fileName>:<description>
while ( <referencedElements: {el | stream_<el>.HasNext}; separator="||"> )

```

```

{
  <alt>
}
<referencedElements:{el | stream_<el>.Reset();<\n>}>
>>

rewritePositiveClosureBlock(
  alt,rewriteBlockLevel,
  referencedElementsDeep, // all nested refs
  referencedElements, // elements in immediately block; no nested blocks
  description) ::=
<<
if (!(<referencedElements:{el | stream_<el>.HasNext}; separator="||">))
{
  throw new RewriteEarlyExitException();
}
while ( <referencedElements:{el | stream_<el>.HasNext}; separator="||"> )
{
  <alt>
}
<referencedElements:{el | stream_<el>.Reset();<\n>}>
>>

rewriteAlt(a) ::= <<
// <a.description>
<if(a.pred)>
if (<a.pred>)
{
  <a.alt>
}
<else>
{
  <a.alt>
}
<endif>
>>

/** For empty rewrites: "r : ... -> ;" */
rewriteEmptyAlt() ::= "root_0 = null;"

rewriteTree(root,children,description,enclosingTreeLevel,treeLevel) ::= <<
// <fileName>:<description>
{
  <ASTLabelType> root_<treeLevel> = (<ASTLabelType>)adaptor.Nil();
  <root:rewriteElement()>
  <children:rewriteElement()>
  adaptor.AddChild(root_<enclosingTreeLevel>, root_<treeLevel>);
}<\n>

```



>>

```
rewriteElementList(elements) ::= "<elements:rewriteElement(>"
```

```
rewriteElement(e) ::= <%  
<@pregen(>  
DebugLocation(<e.line>, <e.pos>);<\n>  
<e.el>  
>%>
```

```
/** Gen ID or ID[args] */  
rewriteTokenRef(token,elementIndex,args,terminalOptions={}) ::= <<  
adaptor.AddChild(root_<treeLevel>, <createRewriteNodeFromElement(...)>);<\n>  
>>
```

```
/** Gen $label ... where defined via label=ID */  
rewriteTokenLabelRef(label,elementIndex) ::= <<  
adaptor.AddChild(root_<treeLevel>, stream_<label>.NextNode());<\n>  
>>
```

```
/** Gen $label ... where defined via label+=ID */  
rewriteTokenListLabelRef(label,elementIndex) ::= <<  
adaptor.AddChild(root_<treeLevel>, stream_<label>.NextNode());<\n>  
>>
```

```
/** Gen ^($label ...) */  
rewriteTokenLabelRefRoot(label,elementIndex) ::= <<  
root_<treeLevel> = (<ASTLabelType>)adaptor.BecomeRoot(stream_<label>.NextNode(), root_<treeLevel>);<\n>  
>>
```

```
/** Gen ^($label ...) where label+=... */  
rewriteTokenListLabelRefRoot ::= rewriteTokenLabelRefRoot
```

```
/** Gen ^(ID ...) or ^(ID[args] ...) */  
rewriteTokenRefRoot(token,elementIndex,args,terminalOptions={}) ::= <<  
root_<treeLevel> = (<ASTLabelType>)adaptor.BecomeRoot(<createRewriteNodeFromElement(...)>,  
root_<treeLevel>);<\n>  
>>
```

```
rewriteImaginaryTokenRef(args,token,elementIndex,terminalOptions={}) ::= <<  
adaptor.AddChild(root_<treeLevel>, <createImaginaryNode(tokenType=token, ...)>);<\n>  
>>
```

```
rewriteImaginaryTokenRefRoot(args,token,elementIndex,terminalOptions={}) ::= <<  
root_<treeLevel> = (<ASTLabelType>)adaptor.BecomeRoot(<createImaginaryNode(tokenType=token, ...)>,  
root_<treeLevel>);<\n>  
>>
```

```

/** plain -> {foo} action */
rewriteAction(action) ::= <<
root_0 = <action>;<\n>
>>

/** What is the name of the previous value of this rule's root tree? This
 * let's us refer to $rule to mean previous value. I am reusing the
 * variable 'tree' sitting in retval struct to hold the value of root_0 right
 * before I set it during rewrites. The assign will be to retval.tree.
 */
prevRuleRootRef() ::= "retval"

rewriteRuleRef(rule) ::= <<
adaptor.AddChild(root_<treeLevel>, stream_<rule>.NextTree());<\n>
>>

rewriteRuleRefRoot(rule) ::= <<
root_<treeLevel> = (<ASTLabelType>)adaptor.BecomeRoot(stream_<rule>.NextNode(), root_<treeLevel>);<\n>
>>

rewriteNodeAction(action) ::= <<
adaptor.AddChild(root_<treeLevel>, <action>);<\n>
>>

rewriteNodeActionRoot(action) ::= <<
root_<treeLevel> = (<ASTLabelType>)adaptor.BecomeRoot(<action>, root_<treeLevel>);<\n>
>>

/** Gen $ruleLabel ... where defined via ruleLabel=rule */
rewriteRuleLabelRef(label) ::= <<
adaptor.AddChild(root_<treeLevel>, stream_<label>.NextTree());<\n>
>>

/** Gen $ruleLabel ... where defined via ruleLabel+=rule */
rewriteRuleListLabelRef(label) ::= <<
adaptor.AddChild(root_<treeLevel>, stream_<label>.NextTree());<\n>
>>

/** Gen ^($ruleLabel ...) where ruleLabel=rule */
rewriteRuleLabelRefRoot(label) ::= <<
root_<treeLevel> = (<ASTLabelType>)adaptor.BecomeRoot(stream_<label>.NextNode(), root_<treeLevel>);<\n>
>>

/** Gen ^($ruleLabel ...) where ruleLabel+=rule */
rewriteRuleListLabelRefRoot(label) ::= <<
root_<treeLevel> = (<ASTLabelType>)adaptor.BecomeRoot(stream_<label>.NextNode(), root_<treeLevel>);<\n>
>>

```

```

rewriteWildcardLabelRef(label) ::= <<
adaptor.AddChild(root_<treeLevel>, stream_<label>.NextTree());<\n>
>>

createImaginaryNode(tokenType,args,terminalOptions={ }) ::= <%
<if(terminalOptions.node)>
<! new MethodNode(IDLabel, args) !>
new <terminalOptions.node>(<tokenType><if(args)>, <args; separator=", "><endif>)
<else>
(<ASTLabelType>)adaptor.Create(<tokenType>, <args; separator=", "><if(!args)>"<tokenType>"<endif>)
<endif>
%>

createRewriteNodeFromElement(token,args,terminalOptions={ }) ::= <%
<if(terminalOptions.node)>
new <terminalOptions.node>(stream_<token>.NextToken()<if(args)>, <args; separator=", "><endif>)
<else>
<if(args)> <! must create new node from old !>
adaptor.Create(<token>, <args; separator=", ">)
<else>
stream_<token>.NextNode()
<endif>
<endif>
%>

```

Found in path(s):

```
* /opt/cola/permits/1274703855_1645234694.1/0/antlr-3-5-2-sources-
jar/org/antlr/codegen/templates/CSharp3/AST.stg
```

No license file was found, but licenses were detected in source scan.

```
/*
```

```
[The "BSD license"]
```

```
Copyright (c) 2005-2006 Terence Parr
```

```
All rights reserved.
```

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The name of the author may not be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES

OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.  
IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,  
INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT  
NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,  
DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY  
THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT  
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF  
THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

```
*/
```

```
/** Template subgroup to add template rewrite output
```

```
* If debugging, then you'll also get STDbg.stg loaded.
```

```
*/
```

```
@outputFile.imports() ::= <<
```

```
<@super.imports(>
```

```
import stringtemplate3
```

```
>>
```

```
/** Add this to each rule's return value struct */
```

```
@returnScope.ruleReturnInit() ::= <<
```

```
self.st = None
```

```
>>
```

```
@returnScope.ruleReturnMembers() ::= <<
```

```
def getTemplate(self):
```

```
    return self.st
```

```
def toString(self):
```

```
    if self.st is not None:
```

```
        return self.st.toString()
```

```
    return None
```

```
__str__ = toString
```

```
>>
```

```
@genericParser.init() ::= <<
```

```
<@super.init(>
```

```
self.templateLib = stringtemplate3.StringTemplateGroup(
```

```
    '<name>Templates', lexer='angle-bracket'
```

```
    )
```

```
>>
```

```
@genericParser.members() ::= <<
```

```
<@super.members(>
```

```
def setTemplateLib(self, templateLib):
```

```
    self.templateLib = templateLib
```

```

def getTemplateLib(self):
    return self.templateLib

>>

/** x+=rule when output=template */
ruleRefAndListLabel(rule,label,elementIndex,args,scope) ::= <<
<ruleRef(...)>
<listLabel(label, {<label>.st})>
>>

rewriteTemplate(alts) ::= <<
# TEMPLATE REWRITE
<if(backtracking)>
if <actions.(actionScope).synpredgate>:
    <first(alts):rewriteTemplateAltFirst()>
    <rest(alts):{it | el<rewriteTemplateAlt(it)>}>
    <if(rewriteMode)><replaceTextInLine()><endif>

<else>
<first(alts):rewriteTemplateAltFirst()>
<rest(alts):{it | el<rewriteTemplateAlt(it)>}>
<if(rewriteMode)><replaceTextInLine()><endif>
<endif>
>>

replaceTextInLine() ::= <<
<if(TREE_PARSER)>
self.input.getTokenStream().replace(
    self.input.getTreeAdaptor().getTokenStartIndex(retval.start),
    self.input.getTreeAdaptor().getTokenStopIndex(retval.start),
    retval.st
)
<else>
self.input.replace(
    retval.start.getTokenIndex(),
    self.input.LT(-1).getTokenIndex(),
    retval.st
)
<endif>
>>

rewriteTemplateAltFirst(alt) ::= <<
<if(alt.pred)>
if <alt.pred>:
    # <alt.description>
    retval.st = <alt.alt>
<\n>

```

```

<else>
# <alt.description>
retval.st = <alt.alt>
<\n>
<endif>
>>

rewriteTemplateAlt(alt) ::= <<
<if(alt.pred)>if <alt.pred>:
  # <alt.description>
  retval.st = <alt.alt>
<\n>
<else>se:
  # <alt.description>
  retval.st = <alt.alt>
<\n>
<endif>
>>

rewriteEmptyTemplate(alts) ::= <<
None
>>

/** Invoke a template with a set of attribute name/value pairs.
 * Set the value of the rule's template *after* having set
 * the attributes because the rule's template might be used as
 * an attribute to build a bigger template; you get a self-embedded
 * template.
 */
rewriteExternalTemplate(name,args) ::= <%
self.templateLib.getInstanceOf("<name>"<if(args)>, attributes={<args:{ a | "<a.name>": <a.value>}; separator=","
">"<endif>})
%>

/** expr is a string expression that says what template to load */
rewriteIndirectTemplate(expr,args) ::= <%
self.templateLib.getInstanceOf(<expr><if(args)>, attributes={<args:{ a | "<a.name>": <a.value>}; separator=","
">"<endif>})
%>

/** Invoke an inline template with a set of attribute name/value pairs */
rewriteInlineTemplate(args, template) ::= <%
stringtemplate3.StringTemplate("<template>", group=self.templateLib<if(args)>, attributes={<args:{ a |
"<a.name>": <a.value>}; separator="," ">"<endif>})
%>

/** plain -> {foo} action */
rewriteAction(action) ::= <<

```

```

<action>
>>

/** An action has %st.attrName=expr; or % {st}.attrName=expr; */
actionSetAttribute(st,attrName,expr) ::= <<
(<st>)[ "<attrName>" ] = <expr>
>>

/** Translate %{stringExpr} */
actionStringConstructor(stringExpr) ::= <<
stringtemplate3.StringTemplate(<stringExpr>, group=self.templateLib)
>>

```

Found in path(s):

```

* /opt/cola/permits/1274703855_1645234694.1/0/antlr-3-5-2-sources-jar/org/antlr/codegen/templates/Python/ST.stg
No license file was found, but licenses were detected in source scan.

```

```

/*
* [The "BSD license"]
* Copyright (c) 2007-2008 Johannes Luber
* Copyright (c) 2005-2007 Kunle Odutola
* Copyright (c) 2011 Sam Harwell
* Copyright (c) 2011 Terence Parr
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
* 1. Redistributions of source code must retain the above copyright
* notice, this list of conditions and the following disclaimer.
* 2. Redistributions in binary form must reproduce the above copyright
* notice, this list of conditions and the following disclaimer in the
* documentation and/or other materials provided with the distribution.
* 3. The name of the author may not be used to endorse or promote products
* derived from this software without specific prior written permission.
*
* THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR
* IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.
* IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,
* INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT
* NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
* DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
* THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
* (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF
* THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
*/
/** Template overrides to add debugging to normal Java output;

```

\* If ASTs are built, then you'll also get ASTDbg.stg loaded.

\*/

```
@outputFile.debugPreprocessor() ::= "#define ANTLR_DEBUG"

@outputFile.imports() ::= <<
<@super.imports()>
using Antlr.Runtime.Debug;
using IOException = System.IO.IOException;
>>

@genericParser.members() ::= <<
<if(grammar.grammarIsRoot)>
public static readonly string[] ruleNames =
    new string[]
    {
        "invalidRule", <grammar.allImportedRules:{rST | "<rST.name>"}; wrap="\n ", separator=", ">
    };<\n>
<endif>
<if(grammar.grammarIsRoot)><! grammar imports other grammar(s) !>
int ruleLevel = 0;
public virtual int RuleLevel { get { return ruleLevel; } }
public virtual void IncRuleLevel() { ruleLevel++; }
public virtual void DecRuleLevel() { ruleLevel--; }
<if(profile)>
<ctorForProfilingRootGrammar()>
<else>
<ctorForRootGrammar()>
<endif>
<ctorForPredefinedListener()>
<else><! imported grammar !>
public int RuleLevel { get { return <grammar.delegators:{g| <g.delegateName()>>}.RuleLevel; } }
public void IncRuleLevel() { <grammar.delegators:{g| <g.delegateName()>>}.IncRuleLevel(); }
public void DecRuleLevel() { <grammar.delegators:{g| <g.delegateName()>>}.DecRuleLevel(); }
<ctorForDelegateGrammar()>
<endif>
<if(profile)>
public override bool AlreadyParsedRule( IIntStream input, int ruleIndex )
{
    int stopIndex = GetRuleMemoization(ruleIndex, input.Index);
    ((Profiler)dbg).ExamineRuleMemoization(input, ruleIndex, stopIndex,
    <grammar.composite.rootGrammar.recognizerName>.ruleNames[ruleIndex]);
    return base.AlreadyParsedRule(input, ruleIndex);
}<\n>
public override void Memoize( IIntStream input, int ruleIndex, int ruleStartIndex )
{
    ((Profiler)dbg).Memoize(input, ruleIndex, ruleStartIndex,
    <grammar.composite.rootGrammar.recognizerName>.ruleNames[ruleIndex]);
}
```



```

base.Memoize(input, ruleIndex, ruleStartIndex);
}<\n>
<endif>
protected virtual bool EvalPredicate( bool result, string predicate )
{
    dbg.SemanticPredicate( result, predicate );
    return result;
}<\n>
>>

ctorForRootGrammar() ::= <<
<! bug: can't use <@super.members()> cut-n-paste instead !>
<! Same except we add port number and profile stuff if root grammar !>
<actions.(actionScope).ctorModifier; null="public"> <name>( <inputStreamType> input )
: this( input, DebugEventSocketProxy.DefaultDebuggerPort, new RecognizerSharedState() )
{
}
<actions.(actionScope).ctorModifier; null="public"> <name>( <inputStreamType> input, int port,
RecognizerSharedState state )
: base( input, state )
{
    <createListenerAndHandshake()>
    <grammar.directDelegates:{g|<g:delegateName()> = new <g.recognizerName>( input, dbg, this.state,
this<grammar.delegators:{g|, <g:delegateName()>}> );}; separator="\n">
    <parserCtorBody()>
    <@finally()>
}<\n>
>>

ctorForProfilingRootGrammar() ::= <<
<! bug: can't use <@super.members()> cut-n-paste instead !>
<actions.(actionScope).ctorModifier; null="public"> <name>( <inputStreamType> input )
: this( input, new Profiler(null), new RecognizerSharedState() )
{
}
<actions.(actionScope).ctorModifier; null="public"> <name>( <inputStreamType> input, IDebugEventListener dbg,
RecognizerSharedState state )
: base( input, dbg, state )
{
    Profiler p = (Profiler)dbg;
    p.setParser(this);
    <grammar.directDelegates:
    {g|<g:delegateName()> = new <g.recognizerName>( input, dbg, this.state, this<grammar.delegators:{g|,
<g:delegateName()>}> );}; separator="\n">
    <parserCtorBody()>
    <@finally()>
}
<\n>

```

>>

```
/** Basically we don't want to set any dbg listeners are root will have it. */
ctorForDelegateGrammar() ::= <<
<actions.(actionScope).ctorModifier; null="public"> <name>( <inputStreamType> input, IDebugEventListener dbg,
RecognizerSharedState state<grammar.delegators:{g|, <g.recognizerName> <g.delegateName()>}> )
: base( input, dbg, state )
{
<grammar.directDelegates:
{g|<g.delegateName()> = new <g.recognizerName>( input, this, this.state<grammar.delegators:{g|,
<g.delegateName()>}> );}; separator="\n">
<parserCtorBody()>
}<\n>
}>>
```

```
ctorForPredefinedListener() ::= <<
<actions.(actionScope).ctorModifier; null="public"> <name>( <inputStreamType> input, IDebugEventListener dbg
)
<@superClassRef>: base( input, dbg, new RecognizerSharedState() )<@end>
{
<if(profile)>
Profiler p = (Profiler)dbg;
p.setParser(this);
<endif>
<grammar.directDelegates:{g|<g.delegateName()> = new <g.recognizerName>(input, dbg, this.state,
this<grammar.delegators:{g|, <g.delegateName()>}>);}; separator="\n">
<parserCtorBody()>
<@finally()>
}<\n>
}>>
```

```
createListenerAndHandshake() ::= <<
<if(TREE_PARSER)>
DebugEventSocketProxy proxy = new DebugEventSocketProxy( this, port, input.TreeAdaptor );<\n>
<else>
DebugEventSocketProxy proxy = new DebugEventSocketProxy( this, port, null );<\n>
<endif>
DebugListener = proxy;
try
{
proxy.Handshake();
}
catch ( IOException ioe )
{
ReportError( ioe );
}
}>>
```

```

@genericParser.superClassName() ::= "Debug<@super.superClassName()>"

/*
* Many of the following rules were merged into CSharp2.stg.
*/

@rule.preamble() ::= <<
if (RuleLevel == 0)
    DebugListener.Commence();
IncRuleLevel();
>>
//@rule.preamble() ::= <<
//try
//{
// dbg.EnterRule( GrammarFileName, "<ruleName>" );
// if ( RuleLevel == 0 )
// {
//   dbg.Commence();
// }
// IncRuleLevel();
// dbg.Location( <ruleDescriptor.tree.line>, <ruleDescriptor.tree.charPositionInLine> );<\n>
//>>

@rule.postamble() ::= <<
DecRuleLevel();
if (RuleLevel == 0)
    DebugListener.Terminate();
>>
//@rule.postamble() ::= <<
//dbg.Location(<ruleDescriptor.EORNode.line>, <ruleDescriptor.EORNode.charPositionInLine>);<\n>
//}
//finally
//{
// dbg.ExitRule( GrammarFileName, "<ruleName>" );
// DecRuleLevel();
// if ( RuleLevel == 0 )
// {
//   dbg.Terminate();
// }
//}<\n>
//>>

//@insertSynpreds.start() ::= "dbg.BeginBacktrack( state.backtracking );"
//@insertSynpreds.stop() ::= "dbg.EndBacktrack( state.backtracking, success );"

// Common debug event triggers used by region overrides below

//enterSubRule() ::= <<

```

```

//try
//{
// dbg.EnterSubRule( <decisionNumber> );<\n>
//>>

//exitSubRule() ::= <<
//}
//finally
//{
// dbg.ExitSubRule( <decisionNumber> );
//}<\n>
//>>

//enterDecision() ::= <<
//try
//{
// dbg.EnterDecision( <decisionNumber> );<\n>
//>>

//exitDecision() ::= <<
//}
//finally
//{
// dbg.ExitDecision( <decisionNumber> );
//}<\n>
//>>

//enterAlt(n) ::= "dbg.EnterAlt( <n> );<\n>"

// Region overrides that tell various constructs to add debugging triggers

//@block.predecision() ::= "<enterSubRule()><enterDecision()>"

//@block.postdecision() ::= "<exitDecision()>"

//@block.postbranch() ::= "<exitSubRule()>"

//@ruleBlock.predecision() ::= "<enterDecision()>"

//@ruleBlock.postdecision() ::= "<exitDecision()>"

//@ruleBlockSingleAlt.prealt() ::= "<enterAlt(n=\"1\")>"

//@blockSingleAlt.prealt() ::= "<enterAlt(n=\"1\")>"

//@positiveClosureBlock.preloop() ::= "<enterSubRule()>"

//@positiveClosureBlock.postloop() ::= "<exitSubRule()>"

```

```

//@positiveClosureBlock.predecision() ::= "<enterDecision(>"

//@positiveClosureBlock.postdecision() ::= "<exitDecision(>"

//@positiveClosureBlock.earlyExitException() ::=
// "dbg.RecognitionException( eee<decisionNumber> );<\n>"

//@closureBlock.preloop() ::= "<enterSubRule(>"

//@closureBlock.postloop() ::= "<exitSubRule(>"

//@closureBlock.predecision() ::= "<enterDecision(>"

//@closureBlock.postdecision() ::= "<exitDecision(>"

//@altSwitchCase.prealt() ::= "<enterAlt(n=i)>"

//@element.prematch() ::=
// "dbg.Location( <it.line>, <it.pos> );"

//@matchSet.mismatchedSetException() ::=
// "dbg.RecognitionException( mse );"

//@dfaState.noViableAltException() ::= "dbg.RecognitionException( nvae );"

//@dfaStateSwitch.noViableAltException() ::= "dbg.RecognitionException( nvae );"

//dfaDecision(decisionNumber,description) ::= <<
//try
//{
// isCyclicDecision = true;
// <super.dfaDecision(...)>
//}
//catch ( NoViableAltException nvae )
//{
// dbg.RecognitionException( nvae );
// throw nvae;
//}
//>>

//@cyclicDFA.errorMethod() ::= <<
//public override void Error( NoViableAltException nvae )
//{
// ((DebugParser)recognizer).dbg.RecognitionException( nvae );
//}
//>>

```

```
/** Force predicate validation to trigger an event */  
evalPredicate(pred,description) ::= <<  
EvalPredicate(<pred>, "<description>")  
>>
```

Found in path(s):

```
* /opt/cola/permits/1274703855_1645234694.1/0/antlr-3-5-2-sources-  
jar/org/antlr/codegen/templates/CSharp2/Dbg.stg
```

No license file was found, but licenses were detected in source scan.

```
/*
```

```
[The "BSD license"]
```

```
Copyright (c) 2007 Kay Roepke 2010 Alan Condit
```

```
All rights reserved.
```

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The name of the author may not be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

```
*/
```

```
/** Templates for building ASTs during normal parsing.
```

```
*
```

```
* Deal with many combinations. Dimensions are:
```

```
* Auto build or rewrite
```

```
* no label, label, list label (label/no-label handled together)
```

```
* child, root
```

```
* token, set, rule, wildcard
```

```
*
```

```
* The situation is not too bad as rewrite (->) usage makes ^ and !
```

```
* invalid. There is no huge explosion of combinations.
```

```

*/
@rule.setErrorReturnValue() ::= <<
/* ASTParser rule.setErrorReturnValue */
retval.tree = (<ASTLabelType> *)[treeAdaptor errorNode:input From:retval.start To:[input LT:-1] Exception:re];
<! System.out.println("<ruleName> returns "+((CommonTree)retval.tree).toStringTree()); !>
>>

// TOKEN AST STUFF

/** ID and output=AST */
tokenRef(token, label, elementIndex, terminalOptions) ::= <<
/* ASTParser tokenRef */
<super.tokenRef(...)>
<if(backtracking)>if ( <actions.(actionScope).synpredgate> ) {<endif>
<label>_tree = <createNodeFromToken(...)>;
[treeAdaptor addChild:<label>_tree toTree:root_0];
<if(backtracking)>}<endif>
>>

/* ID! and output=AST (same as plain tokenRef) */
/* ASTParser tokenRefBang */
tokenRefBang(token,label,elementIndex,terminalOptions) ::= "<super.tokenRef(...)>"

/** ID^ and output=AST */
tokenRefRuleRoot(token,label,elementIndex,terminalOptions) ::= <<
<super.tokenRef(...)>
<if(backtracking)>if ( <actions.(actionScope).synpredgate> ) {<endif>
<label>_tree = <createNodeFromToken(...)>;
root_0 = (<ASTLabelType> *)[treeAdaptor becomeRoot:<label>_tree old:root_0];
<if(backtracking)>}<endif>
>>

/** ids+=ID! and output=AST */
tokenRefBangAndListLabel(token,label,elementIndex,terminalOptions) ::= <<
/* ASTParser tokenRefBangAndListLabel */
<tokenRefBang(...)>
<listLabel(elem=label,...)>
>>

/** label+=TOKEN when output=AST but not rewrite alt */
tokenRefAndListLabel(token,label,elementIndex,terminalOptions) ::= <<
/* ASTParser tokenRefAndListLabel */
<tokenRef(...)>
<listLabel(elem=label,...)>
>>

/** Match label+=TOKEN^ when output=AST but not rewrite alt */
tokenRefRuleRootAndListLabel(token,label,terminalOptions,elementIndex) ::= <<

```

```

/* ASTParser tokenRefRuleRootAndListLabel */
<tokenRefRuleRoot(...)>
<listLabel(elem=label,...)>
>>

// SET AST

// the match set stuff is interesting in that it uses an argument list
// to pass code to the default matchSet; another possible way to alter
// inherited code. I don't use the region stuff because I need to pass
// different chunks depending on the operator. I don't like making
// the template name have the operator as the number of templates gets
// large but this is the most flexible--this is as opposed to having
// the code generator call matchSet then add root code or ruleroot code
// plus list label plus ... The combinations might require complicated
// rather than just added on code. Investigate that refactoring when
// I have more time.

matchSet(s,label,terminalOptions,elementIndex,postmatchCode) ::= <%
/* ASTParser matchSet */
<super.matchSet(postmatchCode={<if(backtracking)>if ( <actions.(actionScope).synpredgate> )<endif>
 [treeAdaptor addChild:<createNodeFromToken(...)> toTree:root_0 ];}, ...)>
%>

matchRuleBlockSet(s,label,terminalOptions,elementIndex,postmatchCode,treeLevel="0") ::= <<
/* ASTParser matchRuleBlockSet */
<matchSet(...)>
>>

matchSetBang(s,label,elementIndex,terminalOptions, postmatchCode) ::= "<super.matchSet(...)>"

// note there is no matchSetTrack because -> rewrites force sets to be
// plain old blocks of alts: (A|B|...|C)

matchSetRuleRoot(s,label,terminalOptions,elementIndex,debug) ::= <<
/* ASTParser matchSetRuleRoot */
<if(label)>
<label>=(<labelType> *)[input LT:1]; /* matchSetRuleRoot */<\n>
<endif>
<super.matchSet(postmatchCode={<if(backtracking)>if ( <actions.(actionScope).synpredgate> )<endif>
root_0 = (<ASTLabelType> *)[treeAdaptor becomeRoot:<createNodeFromToken(...)> old:root_0];}, ...)>
>>

// RULE REF AST

/** rule when output=AST */
ruleRef(rule,label,elementIndex,args,scope) ::= <<
/* ASTParser ruleRef */

```



```

<super.ruleRef(...)>
<if(backtracking)>if ( <actions.(actionScope).synpredgate> )<endif>
[treeAdaptor addChild:[<label> getTree] toTree:root_0];
>>

/** rule! is same as normal rule ref */
ruleRefBang(rule,label,elementIndex,args,scope) ::= "<super.ruleRef(...)>"

/** rule^ */
ruleRefRuleRoot(rule,label,elementIndex,args,scope) ::= <<
/* ASTParser ruleRefRuleRoot */
<super.ruleRef(...)>
<if(backtracking)>if ( <actions.(actionScope).synpredgate> )<endif>
root_0 = (<ASTLabelType> *)[treeAdaptor becomeRoot:[<label> getTree] old:root_0];
>>

/** x+=rule when output=AST */
ruleRefAndListLabel(rule,label,elementIndex,args,scope) ::= <<
/* ASTParser ruleRefAndListLabel */
<ruleRef(...)>
<listLabel(elem = {[<label> getTree]},...)>
>>

/** x+=rule! when output=AST is a rule ref with list addition */
ruleRefBangAndListLabel(rule,label,elementIndex,args,scope) ::= <<
/* ASTParser ruleRefBangAndListLabel */
<ruleRefBang(...)>
<listLabel(elem = {[<label> getTree]},...)>
>>

/** x+=rule^ */
ruleRefRuleRootAndListLabel(rule,label,elementIndex,args,scope) ::= <<
/* ASTParser ruleRefRuleRootAndListLabel */
<ruleRefRuleRoot(...)>
<listLabel(elem = {[<label> getTree]},...)>
>>

// WILDCARD AST

wildcard(token,label,elementIndex,terminalOptions) ::= <<
/* ASTParser wildcard */
<super.wildcard(...)>
<if(backtracking)>if ( <actions.(actionScope).synpredgate> ) {<endif>
  [treeAdaptor addChild:[treeAdaptor create:<label>] retain] toTree:root_0];
<if(backtracking)>}<endif>
>>

wildcardBang(token,label,elementIndex,terminalOptions) ::= "<super.wildcard(...)>"

```

```

wildcardRuleRoot(token,label,elementIndex,terminalOptions) ::= <<
/* ASTParser wildcardRuleRoot */
<super.wildcard(...)>
<if(backtracking)>if ( <actions.(actionScope).synpredgate> ) {<endif>
  <label>_tree = [[treeAdaptor create:<label>] retain]
  root_0 = (<ASTLabelType> *)[treeAdaptor becomeRoot:<label>_tree old:root_0];
<if(backtracking)>}<endif>
>>

createNodeFromToken(label,terminalOptions) ::= <<
/* ASTParser createNodeFromToken */
<if(terminalOptions.node)>
[<terminalOptions.node> new<terminalOptions.node>:<label>] <! new MethodNode(IDLabel) !>
<else>
(<ASTLabelType> *)[treeAdaptor create:<label>] retain]
<endif>
>>

// straight from java cleanup ///
ruleCleanUp() ::= <<
/* ASTParser ruleCleanUp */
<super.ruleCleanUp()>
<if(backtracking)>if ( <actions.(actionScope).synpredgate> ) {<n><endif>
  retval.tree = (<ASTLabelType> *)[treeAdaptor rulePostProcessing:root_0];
  [treeAdaptor setTokenBoundaries:retval.tree From:retval.start To:retval.stopToken];
<if(backtracking)>}<endif>
>>

```

Found in path(s):

\* /opt/cola/permits/1274703855\_1645234694.1/0/antlr-3-5-2-sources-jar/org/antlr/codegen/templates/ObjC/ASTParser.stg

No license file was found, but licenses were detected in source scan.

/\*

[The "BSD license"]

Copyright (c) 2005-2006 Terence Parr

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The name of the author may not be used to endorse or promote products

derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

```
*/  
/** Template subgroup to add template rewrite output  
* If debugging, then you'll also get STDbg.stg loaded.  
*/
```

```
@returnScopeInterface.memVars() ::= <<  
<@super.memVars()>  
/* ST returnInterface.memVars */  
ST *st;  
>>
```

```
@returnScopeInterface.properties() ::= <<  
<@super.properties()>  
/* ST returnScope.properties */  
@property (retain, getter=getST, setter=setST:) ST *st;  
>>
```

```
@returnScopeInterface.methodsDecl() ::= <<  
<@super.methodsDecl()>  
/* ST AST returnScopeInterface.methodsDecl */  
- (id) getTemplate;  
- (NSString *) toString;  
- (NSString *) description;  
>>
```

```
@returnScopeInterface() ::= <<  
/* ST returnScopeInterface */  
@interface <returnScopeInterface.name> : ReturnScope {  
<returnScopeInterface.memVars()>  
}  
<returnScopeInterface.properties()>  
  
<returnScopeInterface.methods()>  
@end  
>>
```

```

@returnScopeImplementation.synthesize() ::= <<
<@super.synthesize()>
/* ST returnScope.synthesize */
@synthesize st;
>>

@returnScopeImplementation.methods() ::= <<
<@super.methods()>
/* ST returnScope.methods */
- (id) getTemplate { return st; }
- (NSString *) toString { return st==nil?nil:[st toString]; }
- (NSString *) description { [self toString]; }
>>

@returnScopeImplementation() ::= <<
@implementation <returnScopeImplementation.name>
<returnScopeImplementation.synthesize()>

<returnScopeImplementation.methods()>
@end
>>

/** Add this to each rule's return value struct */
@returnScope.ruleReturnMembers() ::= <<
<@super.ruleReturnMembers()>
/* ST returnScope.ruleReturnMembers -- empty */
>>

@genericParserHeaderFile.memVars() ::= <<
<@super.memVars()>
/* ST genericParserHeaderFile.memVars -- empty now */
STGroup *templateLib; /* ST -- really a part of STAttrMap */
>>

@genericParserHeaderFile.properties() ::= <<
<@super.properties()>
/* ST genericParser.properties */
@property (retain, getter=getTemplateLib, setter=setTemplateLib:) STGroup *templateLib;
>>

@genericParserHeaderFile.methodsDecl() ::= <<
<@super.methodsDecl()>
/* ST genericParser.methodsDecl */
- init;
- (STGroup *) getTemplateLib;
- (void) setTemplateLib:(STGroup *)aTemplateLib;
@end
>>

```

```

@genericParser.synthesize() ::= <<
<@super.synthesize()>
/* ST genericParserImplementation.synthesize */
@synthesize templateLib;
>>

@genericParser.methods() ::= <<
<@super.methods()>
/* ST genericParser.methods */

- (STGroup *)getTemplateLib
{
    return templateLib;
}

- (void) setTemplateLib:(STGroup *)aTemplateLib
{
    templateLib = aTemplateLib;
}

>>

@genericParser.members() ::= <<
<@super.members()>
STGroup *templateLib = [STGroup newSTGroup:@"<name>Templates"];

- (STGroup *) getTemplateLib
{
    return templateLib;
}

- (void) setTemplateLib:(STGroup *) templateLib
{
    this.templateLib = templateLib;
}

/** allows convenient multi-value initialization:
 * "new STAttrMap().put(...).put(...)"
 */
/* REPLACE THIS STATIC CLASS
static class STAttrMap extends HashMap {
- (STAttrMap *) setObject:(id)aValue forKey:(NS*)String attrName
{
    [super setObject:value forKey:attrName];
    return self;
}
- (STAttrMap *) setObjectWithInt:(NSInteger)value forKey:(NSString *)attrName

```

```

{
    [super setObject:[NSNumber numberWithInt:value] forKey:attrName];
    return self;
}
}
*/
>>

@STAttrMap() ::= <<
/* ----- ST start STAttrMap ----- */
<@STAttrMap.interface()>
<@STAttrMap.implementation()>
/* ----- ST end STAttrMap ----- */
>>

@STAttrMap.interface() ::= <<
/* ----- ST start STAttrMap.interface ----- */
@interface STAttrMap : HashMap {
/* <@STAttrMap.memVars()> */
    STGroup *templateLib;
}

/* <@STAttrMap.properties()> */
@property (retain, getter=getTemplateLib, setter=setTemplateLib:) STGroup *templateLib;
/* <@STAttrMap.methodsDecl()> */
- (id) init;
- (STAttrMap *) setObject:(id)value forKey:(NSString *)attrName;
- (STAttrMap *) setObjectWithInt:(NSInteger)value forKey:(NSString *)attrName;
- (void) setTemplateLib:(STGroup *)aTemplateLib;
- (STGroup *) getTemplateLib;
@end
/* ----- ST end STAttrMap.interface ----- */
>>

@STAttrMap.implementation() ::= <<
/* ----- ST start STAttrMap.implementation ----- */
/** allows convenient multi-value initialization:
 * "new STAttrMap().put(...).put(...)"
 */
@implementation STAttrMap
@synthesize templateLib;

<@STAttrMap.methods()>
@end
/* ----- ST end STAttrMap.implementation ----- */
>>

@STAttrMap.memVars() ::= <<

```

```

/* ----- ST start STAttrMap.memVars ----- */
    STGroup *templateLib;
/* ----- ST end STAttrMap.memVars ----- */
>>

@STAttrMap.properties() ::= <<
/* ----- ST start STAttrMap.properties ----- */
@property (retain, getter=getTemplateLib, setter=setTemplateLib:) STGroup *templateLib;
/* ----- ST end STAttrMap.properties ----- */
>>

@STAttrMap.methodsDecl() ::= <<
/* ----- ST start STAttrMap.methodsDecl ----- */
- (id) init;
- (STAttrMap *) setObject:(id)value forKey:(NSString *)attrName;
- (STAttrMap *) setObjectWithInt:(NSInteger)value forKey:(NSString *)attrName;
- (void) setTemplateLib:(STGroup *)aTemplateLib;
- (STGroup *) getTemplateLib;
/* ----- ST end STAttrMap.methodsDecl ----- */
>>

@STAttrMap.methods() ::= <<
/* ----- ST start STAttrMap.methods ----- */
- (id) init
{
    self = [super initWithLen:16];
    if ( self != nil ) {
        templateLib = [STGroup newSTGroup:"<name>Templates"];
    }
    return self;
}

- (STAttrMap *) setObject:(id)aValue forKey:(NSString *)aAttrName
{
    [super setObject:aValue forKey:aAttrName];
    return self;
}

- (STAttrMap *) setObjectWithInt:(NSInteger)aValue forKey:(NSString *)aAttrName
{
    [super setObject:[NSNumber numberWithInt:aValue] forKey:aAttrName];
    return self;
}

- (void) setTemplateLib:(STGroup *)aTemplateLib
{
    templateLib = aTemplateLib;
}

```

```

- (STGroup *)getTemplateLib
{
    return templateLib;
}
/* ----- ST end STAttrMap.methods ----- */
>>

/** x+=rule when output=template */
ruleRefAndListLabel(rule,label,elementIndex,args,scope) ::= <<
/* ST ruleRefAndListLable */
<ruleRef(...)>
<listLabel(elem=[label getTemplate,...]>
>>

rewriteTemplate(alts) ::= <<
/* ----- ST start rewriteTemplate ----- */
// TEMPLATE REWRITE
<if(backtracking)>
if ( <actions.(actionScope).synpredgate> ) {
    <alts:rewriteTemplateAlt(); separator="else ">
    <if(rewriteMode)><replaceTextInLine()><endif>
}
<else>
<alts:rewriteTemplateAlt(); separator="else ">
<if(rewriteMode)><replaceTextInLine()><endif>
<endif>
/* ----- ST end rewriteTemplate ----- */
>>

replaceTextInLine() ::= <<
/* ----- ST start replaceTextInLine ----- */
<if(TREE_PARSER)>
[[ (TokenRewriteStream *)input getTokenStream]
    replaceFromIndex: [[input getTreeAdaptor] getTokenStartIndex:retval.start]
        ToIndex: [[input getTreeAdaptor] getTokenStopIndex:retval.start]
        Text:retval.st];
<else>
[(TokenRewriteStream *)input]
    replaceFromIndex: [[(CommonToken *)retval.start] getTokenIndex]
        ToIndex: [[input LT:-1] getTokenIndex]
        Text:retval.st];
<endif>
/* ----- ST end replaceTextInLine ----- */
>>

rewriteTemplateAlt() ::= <<
/* ----- ST start rewriteTemplateAlt ----- */
/* ST <it.description> */

```



```

<if(it.pred)>
if (<it.pred>) {
    retval.st = <it.alt>;
}<\n>
<else>
{
    retval.st = <it.alt>;
}<\n>
<endif>
/* ----- ST end rewriteTemplateAlt ----- */
>>

rewriteEmptyTemplate(alts) ::= <<
nil;
>>

/** Invoke a template with a set of attribute name/value pairs.
 * Set the value of the rule's template *after* having set
 * the attributes because the rule's template might be used as
 * an attribute to build a bigger template; you get a self-embedded
 * template.
 */
rewriteExternalTemplate(name,args) ::= <<
/* ----- ST start rewriteExternalTemplate ----- */
[templateLib getInstanceOf:@"<name>"
<if(args)>[[STAttrMap newSTAttrMap] <args:{a | setObject:<a.value> forKey:@"<a.name>"}]><endif>]
/* ----- ST end rewriteExternalTemplate ----- */
>>

/** expr is a string expression that says what template to load */
rewriteIndirectTemplate(expr,args) ::= <<
/* ----- ST start rewriteIndirectTemplate ----- */
[templateLib getInstanceOf:<expr>
<if(args)> [[STAttrMap newSTAttrMap]<args:{a | setObject:<a.value> forKey:@"<a.name>"}]>]
<else>]<endif>
/* ----- ST end rewriteIndirectTemplate ----- */
>>

/** Invoke an inline template with a set of attribute name/value pairs */
rewriteInlineTemplate(args, template) ::= <<
/* ----- ST start rewriteInlineTemplate ----- */
STGroup *templateLib;
templateLib.templates = [STAttrMap newSTAttrMap];
<if(args)> [templateLib.templates <args:{a | setObject:<a.value> forKey:@"<a.name>"};><endif>
[ST newST:templateLib template:@"<template>"];
/* ----- ST end rewriteInlineTemplate ----- */
>>

```

```

/** plain -> {foo} action */
rewriteAction(action) ::= <<
/* ----- ST start rewriteAction ----- */
<action>
/* ----- ST end rewriteAction ----- */
>>

/** An action has %st.attrName=expr; or % {st}.attrName=expr; */
actionSetAttribute(st,attrName,expr) ::= <<
/* ----- ST start actionSetAttribute ----- */
[[ST attributes] setObject:<expr> forKey:@"<attrName>"];
<![<st> setAttribute:<expr> name:@"<attrName>"];!>
/* ----- ST end actionSetAttribute ----- */
>>

/** Translate %{stringExpr} */
actionStringConstructor(stringExpr) ::= <<
/* ----- ST start actionStringConstructor ----- */
[ST newSTWithTemplate:<stringExpr>]
/* ----- ST end actionStringConstructor ----- */
>>

```

Found in path(s):

\* /opt/cola/permits/1274703855\_1645234694.1/0/antlr-3-5-2-sources-jar/org/antlr/codegen/templates/ObjC/ST.stg

No license file was found, but licenses were detected in source scan.

/\*

[The "BSD license"]

Copyright (c) 2010 Terence Parr

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The name of the author may not be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,

DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

\*/

```
javaTypeInitMap ::= [
  "int":"0",
  "long":"0",
  "float":"0.0f",
  "double":"0.0",
  "boolean":"false",
  "byte":"0",
  "short":"0",
  "char":"0",
  default:"null" // anything other than an atomic type
]

// System.Boolean.ToString() returns "True" and "False", but the proper C# literals are "true" and "false"
// The Java version of Boolean returns "true" and "false", so they map to themselves here.
booleanLiteral ::= [
  "True":"true",
  "False":"false",
  "true":"true",
  "false":"false",
  default:"false"
]

/** The overall file structure of a recognizer; stores methods for rules
 * and cyclic DFAs plus support code.
 */
outputFile(LEXER,PARSER,TREE_PARSER, actionScope, actions,
  docComment, recognizer,
  name, tokens, tokenNames, rules, cyclicDFAs,
  bitsets, buildTemplate, buildAST, rewriteMode, profile,
  backtracking, synpreds, memoize, numRules,
  fileName, ANTLRVersion, generatedTimestamp, trace,
  scopes, superClass, literals) ::=
<<
// $ANTLR <ANTLRVersion> <fileName> <generatedTimestamp>
<actions.(actionScope).header>

<@imports>
import org antlr.runtime.*;
<if(TREE_PARSER)>
import org antlr.runtime.tree.*;
<endif>
import java.util.Stack;
```

```

import java.util.List;
import java.util.ArrayList;
<if(backtracking)>
import java.util.Map;
import java.util.HashMap;
<endif>
<@end>

<docComment>
@SuppressWarnings("all")
<recognizer>

>>

lexer(grammar, name, tokens, scopes, rules, numRules, filterMode, labelType="CommonToken",
    superClass="Lexer") ::= <<
public class <grammar.recognizerName> extends <@superClassName><superClass><@end> {
    <tokens:{it | public static final int <it.name>=<it.type>;}; separator="\n">
    <scopes:{it |<if(it.isDynamicGlobalScope)><globalAttributeScope(it)><endif>}>
    <actions.lexer.members>

    // delegates
    <grammar.delegates:
    {g|public <g.recognizerName> <g.delegateName()>;}; separator="\n">
    // delegators
    <grammar.delegators:
    {g|public <g.recognizerName> <g.delegateName()>;}; separator="\n">
    <last(grammar.delegators):{g|public <g.recognizerName> gParent;}>
    public <superClass>[] getDelegates() {
        return new <superClass>[] {<grammar.delegates: {g|<g.delegateName()>;}; separator = ", ">};
    }

    public <grammar.recognizerName>() {} <! needed by subclasses !>
    public <grammar.recognizerName>(CharStream input<grammar.delegators:{g|, <g.recognizerName>
    <g.delegateName()>>}) {
        this(input, new RecognizerSharedState()<grammar.delegators:{g|, <g.delegateName()>>});
    }
    public <grammar.recognizerName>(CharStream input, RecognizerSharedState state<grammar.delegators:{g|,
    <g.recognizerName> <g.delegateName()>>}) {
        super(input,state);
    }
    <if(memoize)>
    <if(grammar.grammarIsRoot)>
        state.ruleMemo = new HashMap[<numRules>+1];<\n><! index from 1..n !>
    <endif>
    <endif>

    <grammar.directDelegates:
    {g|<g.delegateName()> = new <g.recognizerName>(input, state<trunc(g.delegators):{p|, <p.delegateName()>>},
    this);}; separator="\n">

```

```

<grammar.delegators:
  { g|this.<g:delegateName()> = <g:delegateName()>; separator="\n">
  <last(grammar.delegators): { g|gParent = <g:delegateName()>; }>
}
@Override public String getGrammarFileName() { return "<fileName>"; }

<if(filterMode)>
  <filteringNextToken()>
<endif>
<rules; separator="\n\n">

<synpreds:{ p | <lexerSynpred(p)> }>

<cyclicDFAs:{ dfa | protected DFA<dfa.decisionNumber> dfa<dfa.decisionNumber> = new
DFA<dfa.decisionNumber>(this);}; separator="\n">
<cyclicDFAs:cyclicDFA(); separator="\n\n"><! dump tables for all DFA !>

}
>>

/** A override of Lexer.nextToken() that backtracks over mTokens() looking
 * for matches. No error can be generated upon error; just rewind, consume
 * a token and then try again. backtracking needs to be set as well.
 * Make rule memoization happen only at levels above 1 as we start mTokens
 * at backtracking==1.
 */
filteringNextToken() ::= <<
@Override
public Token nextToken() {
  while (true) {
    if ( input.LA(1)==CharStream.EOF ) {
      Token eof = new CommonToken(input,Token.EOF,
        Token.DEFAULT_CHANNEL,
        input.index(),input.index());
      eof.setLine(getLine());
      eof.setCharPositionInLine(getCharPositionInLine());
      return eof;
    }
    state.token = null;
    state.channel = Token.DEFAULT_CHANNEL;
    state.tokenStartCharIndex = input.index();
    state.tokenStartCharPositionInLine = input.getCharPositionInLine();
    state.tokenStartLine = input.getLine();
    state.text = null;
    try {
      int m = input.mark();
      state.backtracking=1; <! means we won't throw slow exception !>
      state.failed=false;

```

```

mTokens();
state.backtracking=0;
<! mTokens backtracks with synpred at backtracking==2
and we set the synpredgate to allow actions at level 1. !>
if ( state.failed ) {
    input.rewind(m);
    input.consume(); <! advance one char and try again !>
}
else {
    emit();
    return state.token;
}
}
catch (RecognitionException re) {
    // shouldn't happen in backtracking mode, but...
    reportError(re);
    recover(re);
}
}
}

@Override
public void memoize(IntStream input,
    int ruleIndex,
    int ruleStartIndex)
{
    if ( state.backtracking>1 ) super.memoize(input, ruleIndex, ruleStartIndex);
}

@Override
public boolean alreadyParsedRule(IntStream input, int ruleIndex) {
    if ( state.backtracking>1 ) return super.alreadyParsedRule(input, ruleIndex);
    return false;
}
>>

actionGate() ::= "state.backtracking==0"

filteringActionGate() ::= "state.backtracking==1"

/** How to generate a parser */
genericParser(grammar, name, scopes, tokens, tokenNames, rules, numRules,
    bitsets, inputStreamType, superClass,
    labelType, members, rewriteElementType,
    filterMode, ASTLabelType="Object") ::= <<
public class <grammar.recognizerName> extends <@superClassName><superClass><@end> {
<if(grammar.grammarIsRoot)>
    public static final String[] tokenNames = new String[] {

```

```

"\<invalid>", "\<EOR>", "\<DOWN>", "\<UP>", <tokenNames; separator=", ", wrap="\n\t">
};
<endif>
<tokens:{it |public static final int <it.name>=<it.type>;}; separator="\n">

// delegates
<grammar.delegates: {g|public <g.recognizerName> <g.delegateName()>;}; separator="\n">
public <superClass>[] getDelegates() {
return new <superClass>[] {<grammar.delegates: {g|<g.delegateName()>; separator = ", ">};
}

// delegators
<grammar.delegators:
{g|public <g.recognizerName> <g.delegateName()>;}; separator="\n">
<last(grammar.delegators):{g|public <g.recognizerName> gParent;}>

<scopes:{it |<if(it.isDynamicGlobalScope)><globalAttributeScope(it)><endif>}>

<@members>
<! WARNING. bug in ST: this is cut-n-paste into Dbg.stg !>
public <grammar.recognizerName><(inputStreamType> input<grammar.delegators:{g|, <g.recognizerName>
<g.delegateName()>}>)> {
this(input, new RecognizerSharedState()<grammar.delegators:{g|, <g.delegateName()>}>);
}
public <grammar.recognizerName><(inputStreamType> input, RecognizerSharedState
state<grammar.delegators:{g|, <g.recognizerName> <g.delegateName()>}>)> {
super(input, state);
<parserCtorBody()>
<grammar.directDelegates:
{g|<g.delegateName()> = new <g.recognizerName>(input, state<trunc(g.delegators):{p|, <p.delegateName()>}>),
this};}; separator="\n">
<grammar.indirectDelegates:{g | <g.delegateName()> = <g.delegator.delegateName()>.<g.delegateName()>;};
separator="\n">
<last(grammar.delegators):{g|gParent = <g.delegateName()>;}>
}
<@end>

@Override public String[] getTokenNames() { return
<grammar.composite.rootGrammar.recognizerName>.tokenNames; }
@Override public String getGrammarFileName() { return "<fileName>"; }

<members>

<rules; separator="\n\n">

<! generate rule/method definitions for imported rules so they
appear to be defined in this recognizer. !>
// Delegated rules

```

```

<grammar.delegatedRules:{ruleDescriptor|
  public <returnType(ruleDescriptor)> <ruleDescriptor.name><(ruleDescriptor.parameterScope:parameterScope())>
  throws <ruleDescriptor.throwsSpec; separator=", "> { <if(ruleDescriptor.hasReturnValue)>return
  <endif><ruleDescriptor.grammar:delegateName()>.<ruleDescriptor.name><(if(ruleDescriptor.parameterScope)><ru
  leDescriptor.parameterScope.attributes:{a|<a.name>; separator=", "><endif>); \}}; separator="\n">

  <synpreds:{p | <synpred(p)>}>

  <cyclicDFAs:{dfa | protected DFA<dfa.decisionNumber> dfa<dfa.decisionNumber> = new
  DFA<dfa.decisionNumber>(this);}; separator="\n">
  <cyclicDFAs:cyclicDFA(); separator="\n\n"><! dump tables for all DFA !>

  <bitsets:{it | <bitset(name={FOLLOW_<it.name>_in_<it.inName><it.tokenIndex>},
  words64=it.bits)>}; separator="\n">
  }
  >>

  parserCtorBody() ::= <<
  <if(memoize)>
  <if(grammar.grammarIsRoot)>
  this.state.ruleMemo = new HashMap[<length(grammar.allImportedRules)>+1];<\n><! index from 1..n !>
  <endif>
  <endif>
  <grammar.delegators:
  {g|this.<g:delegateName()> = <g:delegateName()>;}; separator="\n">
  >>

  parser(grammar, name, scopes, tokens, tokenNames, rules, numRules, bitsets,
    ASTLabelType="Object", superClass="Parser", labelType="Token",
    members={<actions.parser.members>}) ::= <<
  <genericParser(grammar, name, scopes, tokens, tokenNames, rules, numRules,
    bitsets, "TokenStream", superClass,
    labelType, members, "Token",
    false, ASTLabelType)>
  >>

  /** How to generate a tree parser; same as parser except the input
  * stream is a different type.
  */
  treeParser(grammar, name, scopes, tokens, tokenNames, globalAction, rules,
    numRules, bitsets, filterMode, labelType={<ASTLabelType>}, ASTLabelType="Object",
  superClass={<if(filterMode)><if(buildAST)>TreeRewriter<else>TreeFilter<endif><else>TreeParser<endif>},
  members={<actions.treeparser.members>}
  ) ::= <<
  <genericParser(grammar, name, scopes, tokens, tokenNames, rules, numRules,
    bitsets, "TreeNodeStream", superClass,
    labelType, members, "Node",
    filterMode, ASTLabelType)>

```



>>

```
/** A simpler version of a rule template that is specific to the imaginary
 * rules created for syntactic predicates. As they never have return values
 * nor parameters etc..., just give simplest possible method. Don't do
 * any of the normal memoization stuff in here either; it's a waste.
 * As predicates cannot be inlined into the invoking rule, they need to
 * be in a rule by themselves.
 */
```

```
synpredRule(ruleName, ruleDescriptor, block, description, nakedBlock) ::=
```

<<

```
// $ANTLR start <ruleName>
```

```
public final void <ruleName>_fragment(<ruleDescriptor.parameterScope:parameterScope(>) throws
```

```
<ruleDescriptor.throwsSpec:{x|<x>}; separator=", "> {
```

```
<ruleLabelDefs(>
```

```
<if(trace)>
```

```
traceIn("<ruleName>_fragment", <ruleDescriptor.index>);
```

```
try {
```

```
<block>
```

```
}
```

```
finally {
```

```
traceOut("<ruleName>_fragment", <ruleDescriptor.index>);
```

```
}
```

```
<else>
```

```
<block>
```

```
<endif>
```

```
}
```

```
// $ANTLR end <ruleName>
```

>>

```
synpred(name) ::= <<
```

```
public final boolean <name>() {
```

```
state.backtracking++;
```

```
<@start(>
```

```
int start = input.mark();
```

```
try {
```

```
<name>_fragment(); // can never throw exception
```

```
} catch (RecognitionException re) {
```

```
System.err.println("impossible: "+re);
```

```
}
```

```
boolean success = !state.failed;
```

```
input.rewind(start);
```

```
<@stop(>
```

```
state.backtracking--;
```

```
state.failed=false;
```

```
return success;
```

```
}<\n>
```

>>

```

lexerSynpred(name) ::= <<
<synpred(name)>
>>

ruleMemoization(name) ::= <<
<if(memoize)>
if ( state.backtracking>0 && alreadyParsedRule(input, <ruleDescriptor.index> ) ) {
<returnStatement((( <ruleReturnValue()> )))> }
<endif>
>>

/** How to test for failure and return from rule */
checkRuleBacktrackFailure() ::= <<
<if(backtracking)>if (state.failed) <returnStatement((( <ruleReturnValue()> )))><endif>
>>

/** This rule has failed, exit indicating failure during backtrack */
ruleBacktrackFailure() ::= <<
<if(backtracking)>if (state.backtracking>0) {state.failed=true;
<returnStatement((( <ruleReturnValue()> )))>}<endif>
>>

/** How to generate code for a rule. This includes any return type
 * data aggregates required for multiple return values.
 */
rule(ruleName,ruleDescriptor,block,emptyRule,description,exceptions,finally,memoize) ::= <<
<ruleAttributeScope(scope=ruleDescriptor.ruleScope)>
<returnScope(scope=ruleDescriptor.returnScope)>

// $ANTLR start "<ruleName>"
// <fileName>:<description>
<if(isPredefinedRewriteRule.(ruleName) && filterMode && buildAST)>
@Override
<endif>
public final <returnType(ruleDescriptor)> <ruleName>(<ruleDescriptor.parameterScope:parameterScope()>) throws
<ruleDescriptor.throwsSpec:{x|<x>}; separator=", "> {
<if(trace)>traceIn("<ruleName>", <ruleDescriptor.index>);<endif>
<ruleScopeSetUp()>
<ruleDeclarations()>
<ruleLabelDefs()>
<ruleDescriptor.actions.init>
<@preamble()>
try {
<ruleMemoization(name=ruleName)>
<block>
<ruleCleanUp()>
<(ruleDescriptor.actions.after):execAction()>

```

```

}
<if(exceptions)>
  <exceptions: {e|<catch(decl=e.decl,action=e.action)><\n> }>
<else>
<if(!emptyRule)>
<if(actions.(actionScope).rulecatch)>
  <actions.(actionScope).rulecatch>
<else>
  catch (RecognitionException re) {
    reportError(re);
    recover(input,re);
    <@setErrorReturnValue()>
  }
<endif>
<endif>
<endif>
  finally {
    // do for sure before leaving
    <if(trace)>traceOut("<ruleName>", <ruleDescriptor.index>);<endif>
    <memoize()>
    <ruleScopeCleanUp()>
    <finally>
  }
  <@postamble()>
  <returnStatement(({<ruleReturnValue()>}), false)>
}
// $ANTLR end "<ruleName>"
>>

returnStatement(returnValue, force=true) ::= <%
<if(!isEmptyString.(returnValue))>
  return <returnValue>;
<elseif(force)>
  return;
<endif>
%>

catch(decl,action) ::= <<
catch (<e.decl>) {
  <e.action>
}
>>

ruleDeclarations() ::= <<
<if(ruleDescriptor.hasMultipleReturnValues)>
<returnType(ruleDescriptor)> retval = new <returnType(ruleDescriptor)>();
retval.start = input.LT(1);
<elseif(ruleDescriptor.returnScope)>

```

```

<ruleDescriptor.returnScope.attributes:{ a |
<a.type> <a.name> = <if(a.initValue)><a.initValue><else><initValue(a.type)><endif>;
}>
<endif>
<if(memoize)>
int <ruleDescriptor.name>_startIndex = input.index();
<endif>
>>

ruleScopeSetUp() ::= <<
<ruleDescriptor.useScopes:{it |<it>_stack.push(new <it>_scope());}; separator="\n">
<ruleDescriptor.ruleScope:{it |<it.name>_stack.push(new <it.name>_scope());}; separator="\n">
>>

ruleScopeCleanUp() ::= <<
<ruleDescriptor.useScopes:{it |<it>_stack.pop();}; separator="\n">
<ruleDescriptor.ruleScope:{it |<it.name>_stack.pop();}; separator="\n">
>>

ruleLabelDefs() ::= <<
<[ruleDescriptor.tokenLabels,ruleDescriptor.tokenListLabels,
ruleDescriptor.wildcardTreeLabels,ruleDescriptor.wildcardTreeListLabels]
:{it |<labelType> <it.label.text>=null;}; separator="\n"
>
<[ruleDescriptor.tokenListLabels,ruleDescriptor.ruleListLabels,ruleDescriptor.wildcardTreeListLabels]
:{it |List<Object> list_<it.label.text>=null;}; separator="\n"
>
<ruleDescriptor.ruleLabels:ruleLabelDef(); separator="\n">
<ruleDescriptor.ruleListLabels:{ll|RuleReturnScope <ll.label.text> = null;}; separator="\n">
>>

lexerRuleLabelDefs() ::= <<
<[ruleDescriptor.tokenLabels,
ruleDescriptor.tokenListLabels,
ruleDescriptor.ruleLabels]
:{it |<labelType> <it.label.text>=null;}; separator="\n"
>
<ruleDescriptor.charLabels:{it |int <it.label.text>;}; separator="\n">
<[ruleDescriptor.tokenListLabels,
ruleDescriptor.ruleListLabels]
:{it |List<Object> list_<it.label.text>=null;}; separator="\n"
>
>>

ruleReturnValue() ::= <%
<if(!ruleDescriptor.isSynPred)>
<if(ruleDescriptor.hasReturnValue)>

```

```

<if(ruleDescriptor.hasSingleReturnValue)>
<ruleDescriptor.singleValueReturnName>
<else>
retval
<endif>
<endif>
<endif>
%>

ruleCleanup() ::= <<
<if(ruleDescriptor.hasMultipleReturnValues)>
<if(!TREE_PARSER)>
retval.stop = input.LT(-1);
<endif>
<endif>
>>

memoize() ::= <<
<if(memoize)>
<if(backtracking)>
if ( state.backtracking>0 ) { memoize(input, <ruleDescriptor.index>, <ruleDescriptor.name>_StartIndex); }
<endif>
<endif>
>>

/** How to generate a rule in the lexer; naked blocks are used for
 * fragment rules.
 */
lexerRule(ruleName,nakedBlock,ruleDescriptor,block,memoize) ::= <<
// $ANTLR start "<ruleName>"
public final void m<ruleName>(<ruleDescriptor.parameterScope:parameterScope()) throws RecognitionException
{
<if(trace)>traceIn("<ruleName>", <ruleDescriptor.index>);<endif>
<ruleScopeSetUp()>
<ruleDeclarations()>
try {
<if(nakedBlock)>
<ruleMemoization(name=ruleName)>
<lexerRuleLabelDefs()>
<ruleDescriptor.actions.init>
<block>
<else>
int _type = <ruleName>;
int _channel = DEFAULT_TOKEN_CHANNEL;
<ruleMemoization(name=ruleName)>
<lexerRuleLabelDefs()>
<ruleDescriptor.actions.init>
<block>

```

```

<ruleCleanUp()>
state.type = _type;
state.channel = _channel;
<(ruleDescriptor.actions.after):execAction()>
<endif>
}
finally {
// do for sure before leaving
<if(trace)>traceOut("<ruleName>", <ruleDescriptor.index>);<endif>
<ruleScopeCleanUp()>
<memoize()>
}
}
// $ANTLR end "<ruleName>"
>>

```

```

/** How to generate code for the implicitly-defined lexer grammar rule
 * that chooses between lexer rules.
 */

```

```

tokensRule(ruleName,nakedBlock,args,block,ruleDescriptor) ::= <<
@Override
public void mTokens() throws RecognitionException {
<block>
}
>>

```

// S U B R U L E S

```

/** A (...) subrule with multiple alternatives */

```

```

block(alts,decls,decision,enclosingBlockLevel,blockLevel,decisionNumber,maxK,maxAlt,description) ::= <<
// <fileName>:<description>
int alt<decisionNumber>=<maxAlt>;
<decls>
<@predecision()>
<decision>
<@postdecision()>
<@prebranch()>
switch (alt<decisionNumber>) {
<alts:{ a | <altSwitchCase(i,a)>}>
}
<@postbranch()>
>>

```

```

/** A rule block with multiple alternatives */

```

```

ruleBlock(alts,decls,decision,enclosingBlockLevel,blockLevel,decisionNumber,maxK,maxAlt,description) ::= <<
// <fileName>:<description>
int alt<decisionNumber>=<maxAlt>;
<decls>

```

```

<@predecision(>
<decision>
<@postdecision(>
switch (alt<decisionNumber>) {
  <alts:{a | <altSwitchCase(i,a)>}>
}
>>

ruleBlockSingleAlt(alts,decls,decision,enclosingBlockLevel,blockLevel,decisionNumber,description) ::= <<
// <fileName>:<description>
<decls>
<@prealt(>
<alts>
<@postalt(>
>>

/** A special case of a (...) subrule with a single alternative */
blockSingleAlt(alts,decls,decision,enclosingBlockLevel,blockLevel,decisionNumber,description) ::= <<
// <fileName>:<description>
<decls>
<@prealt(>
<alts>
<@postalt(>
>>

/** A (..)+ block with 1 or more alternatives */
positiveClosureBlock(alts,decls,decision,enclosingBlockLevel,blockLevel,decisionNumber,maxK,maxAlt,description) ::= <<
// <fileName>:<description>
int cnt<decisionNumber>=0;
<decls>
<@preloop(>
loop<decisionNumber>:
while (true) {
  int alt<decisionNumber>=<maxAlt>;
  <@predecision(>
  <decision>
  <@postdecision(>
  switch (alt<decisionNumber>) {
    <alts:{a | <altSwitchCase(i,a)>}>
  default :
    if ( cnt<decisionNumber> >= 1 ) break loop<decisionNumber>;
    <ruleBacktrackFailure(>
    EarlyExitException eee = new EarlyExitException(<decisionNumber>, input);
    <@earlyExitException(>
    throw eee;
  }
  cnt<decisionNumber>++;

```

```

}
<@postloop()>
>>

positiveClosureBlockSingleAlt ::= positiveClosureBlock

/** A (.)* block with 1 or more alternatives */
closureBlock(alts,decls,decision,enclosingBlockLevel,blockLevel,decisionNumber,maxK,maxAlt,description) ::=
<<
// <fileName>:<description>
<decls>
<@preloop()>
loop<decisionNumber>:
while (true) {
int alt<decisionNumber>=<maxAlt>;
<@predecision()>
<decision>
<@postdecision()>
switch (alt<decisionNumber>) {
<alts:{a | <altSwitchCase(i,a)>}>
default :
break loop<decisionNumber>;
}
}
<@postloop()>
>>

closureBlockSingleAlt ::= closureBlock

/** Optional blocks (x)? are translated to (x|) by before code generation
* so we can just use the normal block template
*/
optionalBlock ::= block

optionalBlockSingleAlt ::= block

/** A case in a switch that jumps to an alternative given the alternative
* number. A DFA predicts the alternative and then a simple switch
* does the jump to the code that actually matches that alternative.
*/
altSwitchCase(altNum,alt) ::= <<
case <altNum> :
<@prealt()>
<alt>
break;<\n>
>>

/** An alternative is just a list of elements; at outermost level */

```



```

alt(elements,altNum,description,autoAST,outerAlt,treeLevel,rew) ::= <<
// <fileName>:<description>
{
<@declarations()>
<elements:element()>
<rew>
<@cleanup()>
}
>>

/** What to emit when there is no rewrite. For auto build
* mode, does nothing.
*/
noRewrite(rewriteBlockLevel, treeLevel) ::= ""

// E L E M E N T S

/** Dump the elements one per line */
element(e) ::= <<
<@prematch()>
<e.el>
>>

/** match a token optionally with a label in front */
tokenRef(token,label,elementIndex,terminalOptions={}) ::= <<
<if(label)><label>=<labelType><endif>match(input,<token>,FOLLOW_<token>_in_<ruleName><elementIndex
>); <checkRuleBacktrackFailure()>
>>

/** ids+=ID */
tokenRefAndListLabel(token,label,elementIndex,terminalOptions={}) ::= <<
<tokenRef(token,label,elementIndex,terminalOptions)>
<listLabel(label, label)>
>>

listLabel(label,elem) ::= <<
if (list_<label>==null) list_<label>=new ArrayList<Object>();
list_<label>.add(<elem>);
>>

/** match a character */
charRef(char,label) ::= <<
<if(label)>
<label> = input.LA(1);
<endif>
match(<char>); <checkRuleBacktrackFailure()>
>>

```

```

/** match a character range */
charRangeRef(a,b,label) ::= <<
<if(label)>
<label> = input.LA(1);
<endif>
matchRange(<a>,<b>); <checkRuleBacktrackFailure()>
>>

/** For now, sets are interval tests and must be tested inline */
matchSet(s,label,elementIndex,postmatchCode="",terminalOptions={}) ::= <<
<if(label)>
<if(LEXER)>
<label>= input.LA(1);
<else>
<label>=<castToLabelType("input.LT(1)")>;
<endif>
<endif>
if ( <s> ) {
input.consume();
<postmatchCode>
<if(!LEXER)>
state.errorRecovery=false;
<endif>
<if(backtracking)>state.failed=false;<endif>
}
else {
<ruleBacktrackFailure()>
MismatchedSetException mse = new MismatchedSetException(null,input);
<@mismatchedSetException()>
<if(LEXER)>
recover(mse);
throw mse;
<else>
throw mse;
<! use following code to make it recover inline; remove throw mse;
recoverFromMismatchedSet(input,mse,FOLLOW_set_in_<ruleName><elementIndex>);
!>
<endif>
}
>>

matchRuleBlockSet ::= matchSet

matchSetAndListLabel(s,label,elementIndex,postmatchCode) ::= <<
<matchSet(...)>
<listLabel(label, label)>
>>

```

```

/** Match a string literal */
lexerStringRef(string,label,elementIndex="0") ::= <<
<if(label)>
int <label>Start = getCharIndex();
match(<string>); <checkRuleBacktrackFailure()>
int <label>StartLine<elementIndex> = getLine();
int <label>StartCharPos<elementIndex> = getCharPositionInLine();
<label> = new <labelType>(input, Token.INVALID_TOKEN_TYPE, Token.DEFAULT_CHANNEL, <label>Start,
getCharIndex()-1);
<label>.setLine(<label>StartLine<elementIndex>);
<label>.setCharPositionInLine(<label>StartCharPos<elementIndex>);
<else>
match(<string>); <checkRuleBacktrackFailure()>
<endif>
>>

wildcard(token,label,elementIndex,terminalOptions={ }) ::= <<
<if(label)>
<label>=<castToLabelType("input.LT(1)")>;
<endif>
matchAny(input); <checkRuleBacktrackFailure()>
>>

wildcardAndListLabel(token,label,elementIndex,terminalOptions={ }) ::= <<
<wildcard(...)>
<listLabel(label, label)>
>>

/** Match . wildcard in lexer */
wildcardChar(label, elementIndex) ::= <<
<if(label)>
<label> = input.LA(1);
<endif>
matchAny(); <checkRuleBacktrackFailure()>
>>

wildcardCharListLabel(label, elementIndex) ::= <<
<wildcardChar(label, elementIndex)>
<listLabel(label, label)>
>>

/** Match a rule reference by invoking it possibly with arguments
 * and a return value or values. The 'rule' argument was the
 * target rule name, but now is type Rule, whose toString is
 * same: the rule name. Now though you can access full rule
 * descriptor stuff.
 */
ruleRef(rule,label,elementIndex,args,scope) ::= <<

```

```

pushFollow(FOLLOW_<rule.name>_in_<ruleName><elementIndex>);
<if(label)><label>=<endif><if(scope)><scope:delegateName()>.<endif><rule.name><(<args; separator=", ">);
state._fsp--;
<checkRuleBacktrackFailure()>
>>

```

```

/** ids+=r */
ruleRefAndListLabel(rule,label,elementIndex,args,scope) ::= <<
<ruleRef(rule,label,elementIndex,args,scope)>
<listLabel(label, label)>
>>

```

```

/** A lexer rule reference.

```

```

*
* The 'rule' argument was the target rule name, but now
* is type Rule, whose toString is same: the rule name.
* Now though you can access full rule descriptor stuff.
*/

```

```

lexerRuleRef(rule,label,args,elementIndex,scope) ::= <<
<if(label)>
int <label>Start<elementIndex> = getCharIndex();
int <label>StartLine<elementIndex> = getLine();
int <label>StartCharPos<elementIndex> = getCharPositionInLine();
<if(scope)><scope:delegateName()>.<endif>m<rule.name><(<args; separator=", ">);
<checkRuleBacktrackFailure()>
<label> = new <labelType>(input, Token.INVALID_TOKEN_TYPE, Token.DEFAULT_CHANNEL,
<label>Start<elementIndex>, getCharIndex()-1);
<label>.setLine(<label>StartLine<elementIndex>);
<label>.setCharPositionInLine(<label>StartCharPos<elementIndex>);
<else>
<if(scope)><scope:delegateName()>.<endif>m<rule.name><(<args; separator=", ">);
<checkRuleBacktrackFailure()>
<endif>
>>

```

```

/** i+=INT in lexer */
lexerRuleRefAndListLabel(rule,label,args,elementIndex,scope) ::= <<
<lexerRuleRef(rule,label,args,elementIndex,scope)>
<listLabel(label, label)>
>>

```

```

/** EOF in the lexer */
lexerMatchEOF(label,elementIndex) ::= <<
<if(label)>
int <label>Start<elementIndex> = getCharIndex();
int <label>StartLine<elementIndex> = getLine();
int <label>StartCharPos<elementIndex> = getCharPositionInLine();
match(EOF); <checkRuleBacktrackFailure()>

```

```

<labelType> <label> = new <labelType>(input, EOF, Token.DEFAULT_CHANNEL, <label>Start<elementIndex>,
getCharIndex()-1);
<label>.setLine(<label>StartLine<elementIndex>);
<label>.setCharPositionInLine(<label>StartCharPos<elementIndex>);
<else>
match(EOF); <checkRuleBacktrackFailure()>
<endif>
>>

// used for left-recursive rules
recRuleDefArg()          ::= "int <recRuleArg()>"
recRuleArg()            ::= "_p"
recRuleAltPredicate(ruleName,opPrec) ::= "<recRuleArg()> |<= <opPrec>"
recRuleSetResultAction() ::= "root_0=$<ruleName>_primary.tree;"
recRuleSetReturnAction(src,name)    ::= "$<name>=$<src>.<name>;"

/** match ^(root children) in tree parser */
tree(root, actionsAfterRoot, children, nullableChildList,
enclosingTreeLevel, treeLevel) ::= <<
<root:element()>
<actionsAfterRoot:element()>
<if(nullableChildList)>
if ( input.LA(1)==Token.DOWN ) {
match(input, Token.DOWN, null); <checkRuleBacktrackFailure()>
<children:element()>
match(input, Token.UP, null); <checkRuleBacktrackFailure()>
}
<else>
match(input, Token.DOWN, null); <checkRuleBacktrackFailure()>
<children:element()>
match(input, Token.UP, null); <checkRuleBacktrackFailure()>
<endif>
>>

/** Every predicate is used as a validating predicate (even when it is
* also hoisted into a prediction expression).
*/
validateSemanticPredicate(pred,description) ::= <<
if ( !(<evalPredicate(pred,description)>) ) {
<ruleBacktrackFailure()>
throw new FailedPredicateException(input, "<ruleName>", "<description>");
}
>>

// F i x e d D F A (if-then-else)

dfaState(k,edges,eotPredictsAlt,description,stateNumber,semPredState) ::= <<
int LA<decisionNumber>_<stateNumber> = input.LA(<k>);

```

```

<edges; separator="\nelse ">
<if(!isTrue.(last(edges).labelExpr) && (!last(edges).predicates))>
else {
<if(eotPredictsAlt)>
alt<decisionNumber>=<eotPredictsAlt>;
<else>
<ruleBacktrackFailure()>
<(nvaExceptionWrapperMap.(k))({NoViableAltException nvae =
new NoViableAltException("<description>", <decisionNumber>, <stateNumber>, input);
<@noViableAltException()>
throw nvae;})>
<endif>
}
<endif>
>>

```

```

nvaExceptionWrapperMap ::= [
"1":"wrapNvaExceptionForK1",
"2":"wrapNvaExceptionForK2",
default:"wrapNvaExceptionForKN"
]

```

```

wrapNvaExceptionForK1(exceptionCode) ::= <<
<exceptionCode>
>>

```

```

wrapNvaExceptionForK2(exceptionCode) ::= <<
int nvaeMark = input.mark();
try {
input.consume();
<exceptionCode>
} finally {
input.rewind(nvaeMark);
}
>>

```

```

wrapNvaExceptionForKN(exceptionCode) ::= <<
int nvaeMark = input.mark();
try {
for (int nvaeConsume = 0; nvaeConsume < <k> - 1; nvaeConsume++) {
input.consume();
}
<exceptionCode>
} finally {
input.rewind(nvaeMark);
}
>>

```

```

/** Same as a normal DFA state except that we don't examine lookahead
 * for the bypass alternative. It delays error detection but this
 * is faster, smaller, and more what people expect. For (X)? people
 * expect "if ( LA(1)==X ) match(X);" and that's it.
 */
dfaOptionalBlockState(k,edges,eotPredictsAlt,description,stateNumber,semPredState) ::= <<
int LA<decisionNumber>_<stateNumber> = input.LA(<k>);
<edges; separator="\nelse ">
>>

```

```

/** A DFA state that is actually the loopback decision of a closure
 * loop. If end-of-token (EOT) predicts any of the targets then it
 * should act like a default clause (i.e., no error can be generated).
 * This is used only in the lexer so that for ('a')* on the end of a rule
 * anything other than 'a' predicts exiting.
 */
dfaLoopbackState(k,edges,eotPredictsAlt,description,stateNumber,semPredState) ::= <<
int LA<decisionNumber>_<stateNumber> = input.LA(<k>);
<edges; separator="\nelse ">
<if(eotPredictsAlt)>
<if(!edges)>
alt<decisionNumber>=<eotPredictsAlt>; <! if no edges, don't gen ELSE !>
<else>
else {
alt<decisionNumber>=<eotPredictsAlt>;
}
<endif>
<endif>
>>

```

```

/** An accept state indicates a unique alternative has been predicted */
dfaAcceptState(alt) ::= "alt<decisionNumber>=<alt>;"

```

```

/** A simple edge with an expression. If the expression is satisfied,
 * enter to the target state. To handle gated productions, we may
 * have to evaluate some predicates for this edge.
 */
dfaEdge(labelExpr, targetState, predicates) ::= <<
if ( (<labelExpr> <if(predicates)>&& (<predicates>)<endif> ) {
<targetState>
}
>>

```

```

// F i x e d D F A (switch case)

```

```

/** A DFA state where a SWITCH may be generated. The code generator
 * decides if this is possible: CodeGenerator.canGenerateSwitch().
 */

```

```

dfaStateSwitch(k,edges,eotPredictsAlt,description,stateNumber,semPredState) ::= <<
switch ( input.LA(<k>) ) {
<edges; separator="\n">
default:
<if(eotPredictsAlt)>
alt<decisionNumber>=<eotPredictsAlt>;
<else>
<ruleBacktrackFailure()>
<(nvaExceptionWrapperMap.(k))({NoViableAltException nvae =
new NoViableAltException("<description>", <decisionNumber>, <stateNumber>, input);
<@noViableAltException()>
throw nvae;})>
<endif>
}
>>

```

```

dfaOptionalBlockStateSwitch(k,edges,eotPredictsAlt,description,stateNumber,semPredState) ::= <<
switch ( input.LA(<k>) ) {
<edges; separator="\n">
}
>>

```

```

dfaLoopbackStateSwitch(k, edges,eotPredictsAlt,description,stateNumber,semPredState) ::= <<
switch ( input.LA(<k>) ) {
<edges; separator="\n">
<if(eotPredictsAlt)>
default:
alt<decisionNumber>=<eotPredictsAlt>;
break;
<endif>
}
>>

```

```

dfaEdgeSwitch(labels, targetState) ::= <<
<labels:{it |case <it>:}; separator="\n">
{
<targetState>
}
break;
>>

```

```
// C y c l i c D F A
```

```

/** The code to initiate execution of a cyclic DFA; this is used
* in the rule to predict an alt just like the fixed DFA case.
* The <name> attribute is inherited via the parser, lexer, ...
*/
dfaDecision(decisionNumber,description) ::= <<

```



```

alt<decisionNumber> = dfa<decisionNumber>.predict(input);
>>

/* Dump DFA tables as run-length-encoded Strings of octal values.
 * Can't use hex as compiler translates them before compilation.
 * These strings are split into multiple, concatenated strings.
 * Java puts them back together at compile time thankfully.
 * Java cannot handle large static arrays, so we're stuck with this
 * encode/decode approach. See analysis and runtime DFA for
 * the encoding methods.
 */
cyclicDFA(dfa) ::= <<
static final String DFA<dfa.decisionNumber>_eotS =
"<dfa.javaCompressedEOT; wrap="\n\t">";
static final String DFA<dfa.decisionNumber>_eofS =
"<dfa.javaCompressedEOF; wrap="\n\t">";
static final String DFA<dfa.decisionNumber>_minS =
"<dfa.javaCompressedMin; wrap="\n\t">";
static final String DFA<dfa.decisionNumber>_maxS =
"<dfa.javaCompressedMax; wrap="\n\t">";
static final String DFA<dfa.decisionNumber>_acceptS =
"<dfa.javaCompressedAccept; wrap="\n\t">";
static final String DFA<dfa.decisionNumber>_specialS =
"<dfa.javaCompressedSpecial; wrap="\n\t">";
static final String[] DFA<dfa.decisionNumber>_transitionS = {
<dfa.javaCompressedTransition:{s|<s; wrap="\n\t">}; separator=",\n">
};

static final short[] DFA<dfa.decisionNumber>_eot =
DFA.unpackEncodedString(DFA<dfa.decisionNumber>_eotS);
static final short[] DFA<dfa.decisionNumber>_eof =
DFA.unpackEncodedString(DFA<dfa.decisionNumber>_eofS);
static final char[] DFA<dfa.decisionNumber>_min =
DFA.unpackEncodedStringToUnsignedChars(DFA<dfa.decisionNumber>_minS);
static final char[] DFA<dfa.decisionNumber>_max =
DFA.unpackEncodedStringToUnsignedChars(DFA<dfa.decisionNumber>_maxS);
static final short[] DFA<dfa.decisionNumber>_accept =
DFA.unpackEncodedString(DFA<dfa.decisionNumber>_acceptS);
static final short[] DFA<dfa.decisionNumber>_special =
DFA.unpackEncodedString(DFA<dfa.decisionNumber>_specialS);
static final short[][] DFA<dfa.decisionNumber>_transition;

static {
int numStates = DFA<dfa.decisionNumber>_transitionS.length;
DFA<dfa.decisionNumber>_transition = new short[numStates][];
for (int i=0; i<numStates; i++) {
DFA<dfa.decisionNumber>_transition[i] = DFA.unpackEncodedString(DFA<dfa.decisionNumber>_transitionS[i]);
}
}

```

```

}

protected class DFA<dfa.decisionNumber> extends DFA {

public DFA<dfa.decisionNumber>(BaseRecognizer recognizer) {
    this.recognizer = recognizer;
    this.decisionNumber = <dfa.decisionNumber>;
    this.eot = DFA<dfa.decisionNumber>_eot;
    this.eof = DFA<dfa.decisionNumber>_eof;
    this.min = DFA<dfa.decisionNumber>_min;
    this.max = DFA<dfa.decisionNumber>_max;
    this.accept = DFA<dfa.decisionNumber>_accept;
    this.special = DFA<dfa.decisionNumber>_special;
    this.transition = DFA<dfa.decisionNumber>_transition;
}

@Override
public String getDescription() {
    return "<dfa.description>";
}

<@errorMethod()>
<if(dfa.specialStateSTs)>
@Override
public int specialStateTransition(int s, IntStream _input) throws NoViableAltException {
    <if(LEXER)>
        IntStream input = _input;
    <endif>
    <if(PARSER)>
        TokenStream input = (TokenStream)_input;
    <endif>
    <if(TREE_PARSER)>
        TreeNodeStream input = (TreeNodeStream)_input;
    <endif>
    int _s = s;
    switch ( s ) {
    <dfa.specialStateSTs:{ state |
    case <i0> : <! compressed special state numbers 0..n-1 !>
    <state>}; separator="\n">
    }
    <if(backtracking)>
        if (state.backtracking>0) {state.failed=true; return -1;}
    <endif>
    NoViableAltException nvae =
        new NoViableAltException(getDescription(), <dfa.decisionNumber>, _s, input);
    error(nvae);
    throw nvae;
    }
    <endif>
}
}

```

```

>>

/** A state in a cyclic DFA; it's a special state and part of a big switch on
 * state.
 */
cyclicDFAState(decisionNumber,stateNumber,edges,needErrorClause,semPredState) ::= <<
int LA<decisionNumber>_<stateNumber> = input.LA(1);
<if(semPredState)> <! get next lookahead symbol to test edges, then rewind !>
int index<decisionNumber>_<stateNumber> = input.index();
input.rewind();
<endif>
s = -1;
<edges; separator="\nelse ">
<if(semPredState)> <! return input cursor to state before we rewound !>
input.seek(index<decisionNumber>_<stateNumber>);
<endif>
if ( s>=0 ) return s;
break;
>>

/** Just like a fixed DFA edge, test the lookahead and indicate what
 * state to jump to next if successful.
 */
cyclicDFAEdge(labelExpr, targetStateNumber, edgeNumber, predicates) ::= <<
if ( (<labelExpr> <if(predicates)>&& (<predicates>)<endif>) { s = <targetStateNumber>;}
>>

/** An edge pointing at end-of-token; essentially matches any char;
 * always jump to the target.
 */
eotDFAEdge(targetStateNumber,edgeNumber, predicates) ::= <<
s = <targetStateNumber>;
>>

// D F A E X P R E S S I O N S

andPredicates(left,right) ::= "<left>&&<right>"

orPredicates(operands) ::= "<operands; separator=\"||\">"

notPredicate(pred) ::= "!(<evalPredicate(pred,{}>)"

evalPredicate(pred,description) ::= "<pred>"

evalSynPredicate(pred,description) ::= "<pred>()"

lookaheadTest(atom,k,atomAsInt) ::= "LA<decisionNumber>_<stateNumber>===<atom>"

```

```

/** Sometimes a lookahead test cannot assume that LA(k) is in a temp variable
 * somewhere. Must ask for the lookahead directly.
 */
isolatedLookaheadTest(atom,k,atomAsInt) ::= "input.LA(<k>)==<atom>"

lookaheadRangeTest(lower,upper,k,rangeNumber,lowerAsInt,upperAsInt) ::= <%
(LA<decisionNumber>_<stateNumber> >= <lower> && LA<decisionNumber>_<stateNumber> \<= <upper>)
%>

isolatedLookaheadRangeTest(lower,upper,k,rangeNumber,lowerAsInt,upperAsInt) ::= "(input.LA(<k>) >= <lower>
&& input.LA(<k>) \<= <upper>)"

setTest(ranges) ::= <<
<ranges; separator="|">
>>

// A T T R I B U T E S

globalAttributeScope(scope) ::= <<
<if(scope.attributes)>
protected static class <scope.name>_scope {
  <scope.attributes:{it |<it.decl>;}; separator="\n">
}
protected Stack\<<scope.name>_scope> <scope.name>_stack = new Stack\<<scope.name>_scope>();
<endif>
>>

ruleAttributeScope(scope) ::= <<
<if(scope)>
<if(scope.attributes)>
protected static class <scope.name>_scope {
  <scope.attributes:{it |<it.decl>;}; separator="\n">
}
protected Stack\<<scope.name>_scope> <scope.name>_stack = new Stack\<<scope.name>_scope>();
<endif>
<endif>
>>

returnStructName(r) ::= "<r.name>_return"

returnType(ruleDescriptor) ::= <%
<if(ruleDescriptor.hasMultipleReturnValues)>
<ruleDescriptor.grammar.recognizerName>.<ruleDescriptor:returnStructName()>
<elseif(ruleDescriptor.hasSingleReturnValue)>
<ruleDescriptor.singleValueReturnType>
<else>
void

```

```

<endif>
%>

/** Generate the Java type associated with a single or multiple return
 * values.
 */
ruleLabelType(referencedRule) ::= <%
<if(referencedRule.hasMultipleReturnValues)>
<returnScopeBaseType()>
<elseif(referencedRule.hasSingleReturnValue)>
<referencedRule.singleValueReturnType>
<else>
void
<endif>
%>

delegateName(d) ::= <<
<if(d.label)><d.label><else>g<d.name><endif>
>>

/** Using a type to init value map, try to init a type; if not in table
 * must be an object, default value is "null".
 */
initValue(typeName) ::= <<
<javaTypeInitMap.(typeName)>
>>

/** Define a rule label including default value */
ruleLabelDef(label) ::= <%
<ruleLabelType(referencedRule=label.referencedRule)> <label.label.text> =
<initValue(typeName=ruleLabelType(referencedRule=label.referencedRule))>;
%>

/** Define a return struct for a rule if the code needs to access its
 * start/stop tokens, tree stuff, attributes, ... Leave a hole for
 * subgroups to stick in members.
 */
returnScope(scope) ::= <<
<if(ruleDescriptor.hasMultipleReturnValues)>
public static class <ruleDescriptor:returnStructName()> extends <returnScopeBaseType()> {
<if(scope)><scope.attributes:{it |public <it.decl>;}; separator="\n"><endif>
<@ruleReturnMembers()>
};
<endif>
>>

returnScopeBaseType() ::= <%
<if(TREE_PARSER)>Tree<else>Parser<endif>RuleReturnScope

```

```
%>
```

```
parameterScope(scope) ::= <<  
<scope.attributes:{it |<it.decl>}; separator=", ">  
>>
```

```
parameterAttributeRef(attr) ::= "<attr.name>"  
parameterSetAttributeRef(attr,expr) ::= "<attr.name> =<expr>";
```

```
scopeAttributeRef(scope,attr,index,negIndex) ::= <%  
<if(negIndex)>  
<scope>_stack.elementAt(<scope>_stack.size()-<negIndex>-1).<attr.name>  
<else>  
<if(index)>  
<scope>_stack.elementAt(<index>).<attr.name>  
<else>  
<scope>_stack.peek().<attr.name>  
<endif>  
<endif>  
>%
```

```
scopeSetAttributeRef(scope,attr,expr,index,negIndex) ::= <%  
<if(negIndex)>  
<scope>_stack.elementAt(<scope>_stack.size()-<negIndex>-1).<attr.name> =<expr>;  
<else>  
<if(index)>  
<scope>_stack.elementAt(<index>).<attr.name> =<expr>;  
<else>  
<scope>_stack.peek().<attr.name> =<expr>;  
<endif>  
<endif>  
>%
```

```
/** $x is either global scope or x is rule with dynamic scope; refers  
 * to stack itself not top of stack. This is useful for predicates  
 * like {$function.size()>0 && $function::name.equals("foo")}?  
 */
```

```
isolatedDynamicScopeRef(scope) ::= "<scope>_stack"
```

```
/** reference an attribute of rule; might only have single return value */
```

```
ruleLabelRef(referencedRule,scope,attr) ::= <%  
<if(referencedRule.hasMultipleReturnValues)>  
(<scope>!=null?(<<return Type(referencedRule)>><scope>).<attr.name>:<initValue(attr.type)>)  
<else>  
<scope>  
<endif>  
>%
```

```

returnAttributeRef(ruleDescriptor,attr) ::= <%
<if(ruleDescriptor.hasMultipleReturnValues)>
retval.<attr.name>
<else>
<attr.name>
<endif>
%>

returnSetAttributeRef(ruleDescriptor,attr,expr) ::= <%
<if(ruleDescriptor.hasMultipleReturnValues)>
retval.<attr.name> =<expr>;
<else>
<attr.name> =<expr>;
<endif>
%>

/** How to translate $tokenLabel */
tokenLabelRef(label) ::= "<label>"

/** ids+=ID {$ids} or e+=expr {$e} */
listLabelRef(label) ::= "list_<label>"

// not sure the next are the right approach

tokenLabelPropertyRef_text(scope,attr) ::= "<scope>!=null?<scope>.getText():null"
tokenLabelPropertyRef_type(scope,attr) ::= "<scope>!=null?<scope>.getType():0"
tokenLabelPropertyRef_line(scope,attr) ::= "<scope>!=null?<scope>.getLine():0"
tokenLabelPropertyRef_pos(scope,attr) ::= "<scope>!=null?<scope>.getCharPositionInLine():0"
tokenLabelPropertyRef_channel(scope,attr) ::= "<scope>!=null?<scope>.getChannel():0"
tokenLabelPropertyRef_index(scope,attr) ::= "<scope>!=null?<scope>.getTokenIndex():0"
tokenLabelPropertyRef_tree(scope,attr) ::= "<scope>_tree"
tokenLabelPropertyRef_int(scope,attr) ::= "<scope>!=null?Integer.valueOf(<scope>.getText()):0"

ruleLabelPropertyRef_start(scope,attr) ::= "<scope>!=null?(<castToLabelType({<scope>.start})>):null"
ruleLabelPropertyRef_stop(scope,attr) ::= "<scope>!=null?(<castToLabelType({<scope>.stop})>):null"
ruleLabelPropertyRef_tree(scope,attr) ::= "<scope>!=null?(<ASTLabelType><scope>.getTree()):null"
ruleLabelPropertyRef_text(scope,attr) ::= <%
<if(TREE_PARSER)>
(<scope>!=null?(input.getTokenStream().toString(
input.getTreeAdaptor().getTokenStartIndex(<scope>.start),
input.getTreeAdaptor().getTokenStopIndex(<scope>.start))):null)
<else>
(<scope>!=null?input.toString(<scope>.start,<scope>.stop):null)
<endif>
%>

ruleLabelPropertyRef_st(scope,attr) ::= "<scope>!=null?((StringTemplate)<scope>.getTemplate()):null"

```

```

/** Isolated $RULE ref ok in lexer as it's a Token */
lexerRuleLabel(label) ::= "<label>"

lexerRuleLabelPropertyRef_type(scope,attr) ::=
"(<scope>!=null?<scope>.getType():0)"
lexerRuleLabelPropertyRef_line(scope,attr) ::=
"(<scope>!=null?<scope>.getLine():0)"
lexerRuleLabelPropertyRef_pos(scope,attr) ::=
"(<scope>!=null?<scope>.getCharPositionInLine():-1)"
lexerRuleLabelPropertyRef_channel(scope,attr) ::=
"(<scope>!=null?<scope>.getChannel():0)"
lexerRuleLabelPropertyRef_index(scope,attr) ::=
"(<scope>!=null?<scope>.getTokenIndex():0)"
lexerRuleLabelPropertyRef_text(scope,attr) ::=
"(<scope>!=null?<scope>.getText():null)"
lexerRuleLabelPropertyRef_int(scope,attr) ::=
"(<scope>!=null?Integer.valueOf(<scope>.getText()):0)"

// Somebody may ref $template or $tree or $stop within a rule:
rulePropertyRef_start(scope,attr) ::= "(<castToLabelType(\"retval.start\")>)"
rulePropertyRef_stop(scope,attr) ::= "(<castToLabelType(\"retval.stop\")>)"
rulePropertyRef_tree(scope,attr) ::= "retval.tree"
rulePropertyRef_text(scope,attr) ::= <%
<if(TREE_PARSER)>
input.getTokenStream().toString(
input.getTreeAdaptor().getTokenStartIndex(retval.start),
input.getTreeAdaptor().getTokenStopIndex(retval.start))
<else>
input.toString(retval.start,input.LT(-1))
<endif>
%>
rulePropertyRef_st(scope,attr) ::= "retval.st"

lexerRulePropertyRef_text(scope,attr) ::= "getText()"
lexerRulePropertyRef_type(scope,attr) ::= "_type"
lexerRulePropertyRef_line(scope,attr) ::= "state.tokenStartLine"
lexerRulePropertyRef_pos(scope,attr) ::= "state.tokenStartCharPositionInLine"
lexerRulePropertyRef_index(scope,attr) ::= "-1" // undefined token index in lexer
lexerRulePropertyRef_channel(scope,attr) ::= "_channel"
lexerRulePropertyRef_start(scope,attr) ::= "state.tokenStartCharIndex"
lexerRulePropertyRef_stop(scope,attr) ::= "(getCharIndex()-1)"
lexerRulePropertyRef_int(scope,attr) ::= "Integer.valueOf(<scope>.getText())"

// setting $st and $tree is allowed in local rule. everything else
// is flagged as error
ruleSetPropertyRef_tree(scope,attr,expr) ::= "retval.tree =<expr>;"
ruleSetPropertyRef_st(scope,attr,expr) ::= "retval.st =<expr>;"

```



```

/** How to execute an action (only when not backtracking) */
execAction(action) ::= <%
<if(backtracking)>
if ( <actions.(actionScope).synpredgate> ) {
  <action>
}
<else>
<action>
<endif>
%>

/** How to always execute an action even when backtracking */
execForcedAction(action) ::= "<action>"

// M I S C (properties, etc...)

bitset(name, words64) ::= <<
public static final BitSet <name> = new BitSet(new long[] { <words64:{it |<it>L};separator=",">});
>>

codeFileExtension() ::= ".java"

true_value() ::= "true"
false_value() ::= "false"

isEmptyString ::= [
  "" : true,
  default : false
]

isTrue ::= [
  "true" : true,
  default : false
]

isDefaultLabelType ::= [
  "Token" : true,
  default : false
]

isPredefinedRewriteRule ::= [
  "topdown" : true,
  "bottomup" : true,
  default : false
]

castToLabelType(value) ::= <%

```

```
<if(!isDefaultLabelType.(labelType))>
(<labelType>)
<endif>
<value>
%>
```

Found in path(s):

\* /opt/cola/permits/1274703855\_1645234694.1/0/antlr-3-5-2-sources-jar/org/antlr/codegen/templates/Java/Java.stg  
No license file was found, but licenses were detected in source scan.

```
/*
 * [The "BSD license"]
 * Copyright (c) 2011 Terence Parr
 * All rights reserved.
 *
 * Conversion to C#:
 * Copyright (c) 2011 Sam Harwell, Pixel Mine, Inc.
 * All rights reserved.
 *
 * Redistribution and use in source and binary forms, with or without
 * modification, are permitted provided that the following conditions
 * are met:
 * 1. Redistributions of source code must retain the above copyright
 * notice, this list of conditions and the following disclaimer.
 * 2. Redistributions in binary form must reproduce the above copyright
 * notice, this list of conditions and the following disclaimer in the
 * documentation and/or other materials provided with the distribution.
 * 3. The name of the author may not be used to endorse or promote products
 * derived from this software without specific prior written permission.
 *
 * THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR
 * IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
 * OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.
 * IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,
 * INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT
 * NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
 * DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
 * THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
 * (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF
 * THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
 */
```

```
csharpVisibilityMap ::= [
  "private": "private",
  "protected": "protected",
  "public": "public",
  "fragment": "private",
  default: "private"
```

```

]

/** The overall file structure of a recognizer; stores methods for rules
 * and cyclic DFAs plus support code.
 */
outputFile( LEXER,PARSER,TREE_PARSER, actionScope, actions,
  docComment, recognizer,
  name, tokens, tokenNames, rules, cyclicDFAs,
  bitsets, buildTemplate, buildAST, rewriteMode, profile,
  backtracking, synpreds, memoize, numRules,
  fileName, ANTLRVersion, generatedTimestamp, trace,
  scopes, superClass, literals) ::=

<<
//-----
//\<auto-generated>
// This code was generated by a tool.
// ANTLR Version: <ANTLRVersion>
//
// Changes to this file may cause incorrect behavior and will be lost if
// the code is regenerated.
//\</auto-generated>
//-----

// $ANTLR <ANTLRVersion> <fileName> <generatedTimestamp>

// The variable 'variable' is assigned but its value is never used.
#pragma warning disable 219
// Unreachable code detected.
#pragma warning disable 162
// Missing XML comment for publicly visible type or member 'Type_or_Member'
#pragma warning disable 1591
// CLS compliance checking will not be performed on 'type' because it is not visible from outside this assembly.
#pragma warning disable 3019

<actions.(actionScope).header>

<@imports>
using System.Collections.Generic;
using Antlr.Runtime;
using Antlr.Runtime.Misc;
<if(TREE_PARSER)>
using Antlr.Runtime.Tree;
using RewriteRuleITokenStream = Antlr.Runtime.Tree.RewriteRuleTokenStream;
<endif>
<@end>
<if(actions.(actionScope).namespace)>
namespace <actions.(actionScope).namespace>
{

```

```

<endif>
<docComment>
<recognizer>
<if(actions.(actionScope).namespace)>

} // namespace <actions.(actionScope).namespace>
<endif>
>>

lexerInputStreamType() ::= <<
<actions.(actionScope).inputStreamType; null="ICharStream">
>>

lexer(grammar, name, tokens, scopes, rules, numRules, filterMode, labelType="CommonToken",
superClass={ <if(actions.(actionScope).superClass)><actions.(actionScope).superClass><else>Antlr.Runtime.Lexer
<endif>},
rewriteElementType={}, ASTLabelType={}) ::= <<
[System.CodeDom.Compiler.GeneratedCode("ANTLR", "<ANTLRVersion>")]
[System.CLSCompliant(false)]
<parserModifier(grammar=grammar, actions=actions)> partial class <grammar.recognizerName> :
<@superClassName><superClass><@end>
{
<tokens: {it|public const int <it.name; format="id">=<it.type>;}; separator="\n">
<scopes: {it|<if(it.isDynamicGlobalScope)><globalAttributeScope(scope=it)><endif>}>
<actions.lexer.members>

// delegates
<grammar.delegates:
{g|private <g.recognizerName> <g.delegateName()>;}; separator="\n">
// delegators
<grammar.delegators:
{g|private <g.recognizerName> <g.delegateName()>;}; separator="\n">
<last(grammar.delegators): {g|private <g.recognizerName> gParent;}>

<actions.(actionScope).ctorModifier; null="public"> <grammar.recognizerName>()<! needed by subclasses !>
{
OnCreated();
}

<actions.(actionScope).ctorModifier; null="public"> <grammar.recognizerName>(<lexerInputStreamType()>
input<grammar.delegators: {g|, <g.recognizerName> <g.delegateName()>}> )
: this(input, new RecognizerSharedState()<grammar.delegators: {g|, <g.delegateName()>}>)
{
}

<actions.(actionScope).ctorModifier; null="public"> <grammar.recognizerName>(<lexerInputStreamType()> input,
RecognizerSharedState state<grammar.delegators: {g|, <g.recognizerName> <g.delegateName()>}>)
: base(input, state)

```

```

{
<if(memoize)>
<if(grammar.grammarIsRoot)>
    state.ruleMemo = new System.Collections.Generic.Dictionary<int, int>[<numRules>+1];<\n><! index from 1..n !>
<endif>
<endif>
    <grammar.directDelegates:
        {g|<g:delegateName()> = new <g.recognizerName>(input, this.state<trunc(g.delegates):{p|,
<p:delegateName()>}>, this);}; separator="\n">
    <grammar.delegates:
        {g|this.<g:delegateName()> = <g:delegateName()>}; separator="\n">
    <last(grammar.delegates):{g|gParent = <g:delegateName()>}>

    OnCreated();
}
public override string GrammarFileName { get { return "<fileName>"; } }

<if(grammar.hasDelegates)>
public override <lexerInputStreamType()> CharStream
{
    get
    {
        return base.CharStream;
    }
    set
    {
        base.CharStream = value;
        <grammar.directDelegates:
            {g|<g:delegateName()> = new <g.recognizerName>(input, state<trunc(g.delegates):{p|, <p:delegateName()>}>,
this);}; separator="\n">
        <grammar.delegates:
            {g|this.<g:delegateName()> = <g:delegateName()>}; separator="\n">
        <last(grammar.delegates):{g|gParent = <g:delegateName()>}>
    }
}

<if(grammar.delegates)>
public override void SetState(RecognizerSharedState state)
{
    base.SetState(state);
    <grammar.delegates:{g|<g:delegateName()>.SetState(state);}; separator="\n">
}
<endif>

<endif>
<if(filterMode)>
    <filteringNextToken()>
<endif>

```

```

partial void OnCreated();
partial void EnterRule(string ruleName, int ruleIndex);
partial void LeaveRule(string ruleName, int ruleIndex);

<rules; separator="\n">

<insertLexerSynpreds(synpreds)>

#region DFA
<cyclicDFAs:{ dfa | DFA<dfa.decisionNumber> dfa<dfa.decisionNumber>; }; separator="\n">

protected override void InitDFAs()
{
    base.InitDFAs();
    <cyclicDFAs:{ dfa | dfa<dfa.decisionNumber> = new DFA<dfa.decisionNumber>(this<if(dfa.specialStateSTs)>,
SpecialStateTransition<dfa.decisionNumber><endif>); }; separator="\n">
}

<cyclicDFAs:cyclicDFA()><! dump tables for all DFA !>
#endregion

}
>>

/** A override of Lexer.nextToken() that backtracks over mTokens() looking
 * for matches. No error can be generated upon error; just rewind, consume
 * a token and then try again. backtracking needs to be set as well.
 * Make rule memoization happen only at levels above 1 as we start mTokens
 * at backtracking==1.
 */
filteringNextToken() ::= <<
public override IToken NextToken()
{
    while (true)
    {
        if (input.LA(1) == CharStreamConstants.EndOfFile)
        {
            IToken eof = new CommonToken((ICharStream)input, CharStreamConstants.EndOfFile, TokenChannels.Default,
input.Index, input.Index);
            eof.Line = Line;
            eof.CharPositionInLine = CharPositionInLine;
            return eof;
        }
        state.token = null;
        state.channel = TokenChannels.Default;
        state.tokenStartCharIndex = input.Index;

```

```

state.tokenStartCharPositionInLine = input.CharPositionInLine;
state.tokenStartLine = input.Line;
state.text = null;
try
{
int m = input.Mark();
state.backtracking=1;<! means we won't throw slow exception !>
state.failed=false;
mTokens();
state.backtracking=0;
<! mTokens backtracks with synpred at backtracking==2
and we set the synpredgate to allow actions at level 1. !>
if (state.failed)
{
input.Rewind(m);
input.Consume();<! advance one char and try again !>
}
else
{
Emit();
return state.token;
}
}
catch (RecognitionException re)
{
// shouldn't happen in backtracking mode, but...
ReportError(re);
Recover(re);
}
}

public override void Memoize(IIntStream input, int ruleIndex, int ruleStartIndex)
{
if (state.backtracking > 1)
base.Memoize(input, ruleIndex, ruleStartIndex);
}

public override bool AlreadyParsedRule(IIntStream input, int ruleIndex)
{
if (state.backtracking > 1)
return base.AlreadyParsedRule(input, ruleIndex);

return false;
}
>>

actionGate() ::= "state.backtracking == 0"

```

```

filteringActionGate() ::= "state.backtracking == 1"

/** How to generate a parser */
genericParser(grammar, name, scopes, tokens, tokenNames, rules, numRules,
    bitsets, inputStreamType, superClass,
    labelType, members, rewriteElementType,
    filterMode, ASTLabelType="object") ::= <<
[System.CodeDom.Compiler.GeneratedCode("ANTLR", "<ANTLRVersion>")]
[System.CLSCompliant(false)]
<parserModifier(grammar=grammar, actions=actions)> partial class <grammar.recognizerName> :
<@superClassName><superClass><@end>
{
<if(grammar.grammarIsRoot)>
internal static readonly string[] tokenNames = new string[] {
    "\<invalid>", "\<EOR>", "\<DOWN>", "\<UP>", <tokenNames; separator=", ">
};
<endif>
<tokens:{it|public const int <it.name; format="id">=<it.type>;}; separator="\n">

<if(grammar.delegates)>
// delegates
<grammar.delegates:
    {g|private <g.recognizerName> <g.delegateName(>);}; separator="\n">
<endif>
<if(grammar.delegators)>
// delegators
<grammar.delegators:
    {g|private <g.recognizerName> <g.delegateName(>);}; separator="\n">
<last(grammar.delegators):{g|private <g.recognizerName> gParent;}>
<endif>

<if(grammar.delegates)>
public override void SetState(RecognizerSharedState state)
{
    base.SetState(state);
    <grammar.delegates:{g|<g.delegateName(>.SetState(state);}; separator="\n">
}

<if(TREE_PARSER)>
public override void SetTreeNodeStream(ITreeNodeStream input)
{
    base.SetTreeNodeStream(input);
    <grammar.delegates:{g|<g.delegateName(>.SetTreeNodeStream(input);}; separator="\n">
}
<endif>
<endif>

```



```

<scopes: { it | <if(it.isDynamicGlobalScope)><globalAttributeScope(scope=it)><endif> } >
<@members()>

public override string[] TokenNames { get { return
<grammar.composite.rootGrammar.recognizerName>.tokenNames; } }
public override string GrammarFileName { get { return "<fileName>"; } }

<members>

partial void OnCreated();
partial void EnterRule(string ruleName, int ruleIndex);
partial void LeaveRule(string ruleName, int ruleIndex);

#region Rules
<rules; separator="\n">
#endregion Rules

<if(grammar.delegatedRules)>
<! generate rule/method definitions for imported rules so they
appear to be defined in this recognizer. !>
#region Delegated rules
<grammar.delegatedRules: { ruleDescriptor |
<ruleModifier(grammar=grammar,ruleDescriptor=ruleDescriptor)> <return Type(ruleDescriptor)>
<ruleDescriptor.name; format="id">(<ruleDescriptor.parameterScope:parameterScope()><!throws
RecognitionException !> { <if(ruleDescriptor.hasReturnValue)>return
<endif><ruleDescriptor.grammar:delegateName()>.<ruleDescriptor.name;
format="id">(<if(ruleDescriptor.parameterScope)><ruleDescriptor.parameterScope.attributes: { a | a.name;
format="id"> }; separator=", "><endif>); \} } }; separator="\n">
#endregion Delegated rules
<endif>

<insertSynpreds(synpreds)>

<if(cyclicDFAs)>
#region DFA
<cyclicDFAs: { dfa | private DFA<dfa.decisionNumber> dfa<dfa.decisionNumber>; }; separator="\n">

protected override void InitDFAs()
{
base.InitDFAs();
<cyclicDFAs: { dfa | dfa<dfa.decisionNumber> = new DFA<dfa.decisionNumber>( this<if(dfa.specialStateSTs)>,
SpecialStateTransition<dfa.decisionNumber><endif> ); }; separator="\n">
}

<cyclicDFAs:cyclicDFA()><! dump tables for all DFA !>
#endregion DFA
<endif>

```

```

<if(bitsets)>
#region Follow sets
private static class Follow
{
<bitsets: {it|<bitset(name={_<it.name>_in_<it.inName><it.tokenIndex>}, words64=it.bits)>}; separator="\n">
}
#endregion Follow sets
<endif>
}
>>

@genericParser.members() ::= <<
<! WARNING. bug in ST: this is cut-n-paste into Dbg.stg !>
<actions.(actionScope).ctorModifier; null="public"> <grammar.recognizerName>(<inputStreamType>
input<grammar.delegators: {g|, <g.recognizerName> <g.delegateName()>}>)
: this(input, new RecognizerSharedState()<grammar.delegators: {g|, <g.delegateName()>}>)
{
}
<actions.(actionScope).ctorModifier; null="public"> <grammar.recognizerName>(<inputStreamType> input,
RecognizerSharedState state<grammar.delegators: {g|, <g.recognizerName> <g.delegateName()>}>)
: base(input, state)
{
<if(grammar.directDelegates)>
<grammar.directDelegates:
{g|<g.delegateName()> = new <g.recognizerName>(input, state<trunc(g.delegators): {p|, <p.delegateName()>}>,
this);}; separator="\n">
<endif>
<if(grammar.indirectDelegates)>
<grammar.indirectDelegates: {g | <g.delegateName()> = <g.delegator.delegateName()>.<g.delegateName()>};
separator="\n">
<endif>
<if(grammar.delegators)>
<last(grammar.delegators): {g|gParent = <g.delegateName()>};>
<endif>
<parserCtorBody()>
OnCreated();
}
>>

// imported grammars are 'public' (can't be internal because their return scope classes must be accessible)
parserModifier(grammar, actions) ::= <<
<if(grammar.grammarIsRoot)><actions.(actionScope).modifier; null="public"><else>public<endif>
>>

parserCtorBody() ::= <<
<if(memoize)>
<if(grammar.grammarIsRoot)>
this.state.ruleMemo = new System.Collections.Generic.Dictionary<int,

```

```

int>[<length(grammar.allImportedRules)>+1];<\n><! index from 1..n !>
<endif>
<endif>
<grammar.delegators:
{g[this.<g.delegateName()> = <g.delegateName()>]; separator="\n">
>>

parser(grammar, name, scopes, tokens, tokenNames, rules, numRules, bitsets,
    ASTLabelType="object",
superClass={ <if(actions.(actionScope).superClass)><actions.(actionScope).superClass><else>Antlr.Runtime.Parser
<endif>}, labelType="IToken",
    members={ <actions.parser.members>}) ::= <<
<genericParser(inputStreamType="ITokenStream", rewriteElementType="IToken", filterMode=false, ...)>
>>

/** How to generate a tree parser; same as parser except the input
 * stream is a different type.
 */
treeParser(grammar, name, scopes, tokens, tokenNames, globalAction, rules,
    numRules, bitsets, filterMode, labelType={ <ASTLabelType>}, ASTLabelType="object",
superClass={ <if(actions.(actionScope).superClass)><actions.(actionScope).superClass><else>Antlr.Runtime.Tree.<
if(filterMode)><if(buildAST)>TreeRewriter<else>TreeFilter<endif><else>TreeParser<endif><endif>},
    members={ <actions.treeparser.members>}) ::= <<
<genericParser(inputStreamType="ITreeNodeStream", rewriteElementType="Node", ...)>
>>

/** A simpler version of a rule template that is specific to the imaginary
 * rules created for syntactic predicates. As they never have return values
 * nor parameters etc..., just give simplest possible method. Don't do
 * any of the normal memoization stuff in here either; it's a waste.
 * As predicates cannot be inlined into the invoking rule, they need to
 * be in a rule by themselves.
 */
synpredRule(ruleName, ruleDescriptor, block, description, nakedBlock) ::=
<<

partial void EnterRule_<ruleName>_fragment();
partial void LeaveRule_<ruleName>_fragment();

// $ANTLR start <ruleName>
<ruleModifier(grammar=grammar,ruleDescriptor=ruleDescriptor)> void
<ruleName>_fragment(<ruleDescriptor.parameterScope:parameterScope()>)
{
    <ruleLabelDefs(...)>
    EnterRule_<ruleName>_fragment();
    EnterRule("<ruleName>_fragment", <ruleDescriptor.index>);
    TraceIn("<ruleName>_fragment", <ruleDescriptor.index>);
    try

```

```

{
  <block>
}
finally
{
  TraceOut("<ruleName>_fragment", <ruleDescriptor.index>);
  LeaveRule("<ruleName>_fragment", <ruleDescriptor.index>);
  LeaveRule_<ruleName>_fragment();
}
}
// $ANTLR end <ruleName>
>>

```

```

insertLexerSynpreds(synpreds) ::= <<
<insertSynpreds(synpreds)>
>>

```

```

insertSynpreds(synpreds) ::= <<
<if(synpreds)>
#region Synpreds
private bool EvaluatePredicate(System.Action fragment)
{
  bool success = false;
  state.backtracking++;
  <@start()>
  try { DebugBeginBacktrack(state.backtracking);
  int start = input.Mark();
  try
  {
    fragment();
  }
  catch ( RecognitionException re )
  {
    System.Console.Error.WriteLine("impossible: "+re);
  }
  success = !state.failed;
  input.Rewind(start);
  } finally { DebugEndBacktrack(state.backtracking, success); }
  <@stop()>
  state.backtracking--;
  state.failed=false;
  return success;
}
#endregion Synpreds
<endif>
>>

```

```

ruleMemoization(name) ::= <<

```

```

<if(memoize)>
if (state.backtracking > 0 && AlreadyParsedRule(input, <ruleDescriptor.index>)) { <returnFromRule()> }
<endif>
>>

/** How to test for failure and return from rule */
checkRuleBacktrackFailure() ::= <<
<if(backtracking)>if (state.failed) <returnFromRule()><endif>
>>

/** This rule has failed, exit indicating failure during backtrack */
ruleBacktrackFailure() ::= <<
<if(backtracking)>if (state.backtracking>0) { state.failed=true; <returnFromRule()> }<endif>
>>

ruleWrapperMap ::= [
"bottomup":{<ruleWrapperBottomup()>},
"topdown":{<ruleWrapperTopdown()>},
default:""
]

ruleWrapperBottomup() ::= <<
<if(TREE_PARSER && filterMode)>
protected override <if(buildAST)>IAstRuleReturnScope<else>void<endif> Bottomup() { <if(buildAST)>return
<endif>bottomup(); }
<endif>
>>

ruleWrapperTopdown() ::= <<
<if(TREE_PARSER && filterMode)>
protected override <if(buildAST)>IAstRuleReturnScope<else>void<endif> Topdown() { <if(buildAST)>return
<endif>topdown(); }
<endif>
>>

/** How to generate code for a rule. This includes any return type
* data aggregates required for multiple return values.
*/
rule(ruleName,ruleDescriptor,block,emptyRule,description,exceptions,finally,memoize) ::= <<
<ruleAttributeScope(scope=ruleDescriptor.ruleScope)>
<returnScope(ruleDescriptor.returnScope)>
partial void EnterRule_<ruleName>();
partial void LeaveRule_<ruleName>();
<ruleWrapperMap.(ruleName)>
// $ANTLR start "<ruleName>"
// <fileName>:<description>
[GrammarRule("<ruleName>")]
<ruleModifier(grammar=grammar,ruleDescriptor=ruleDescriptor)> <returnType(ruleDescriptor)> <ruleName>;

```

```

format="id">(<ruleDescriptor.parameterScope:parameterScope(>)
{
  EnterRule_<ruleName>();
  EnterRule("<ruleName>", <ruleDescriptor.index>);
  TraceIn("<ruleName>", <ruleDescriptor.index>);
  <ruleScopeSetUp(>
  <ruleDeclarations(>
  <ruleLabelDefs(...)>
  <ruleDescriptor.actions.init>
  try { DebugEnterRule(GrammarFileName, "<ruleName>");
  DebugLocation(<ruleDescriptor.tree.line>, <ruleDescriptor.EORNode.charPositionInLine>);
  <@preamble(>
  try
  {
    <ruleMemoization(name=ruleName)>
    <block>
    <ruleCleanUp(>
    <(ruleDescriptor.actions.after):execAction(>
    }
  <if(exceptions)>
  <exceptions: {e|<catch(decl=e.decl,action=e.action)><\n>}>
  <else>
  <if(!emptyRule)>
  <if(actions.(actionScope).rulecatch)>
  <actions.(actionScope).rulecatch>
  <else>
  catch (RecognitionException re)
  {
    ReportError(re);
    Recover(input,re);
    <@setErrorReturnValue(>
  }
  <endif>
  <endif>
  <endif>
  finally
  {
    TraceOut("<ruleName>", <ruleDescriptor.index>);
    LeaveRule("<ruleName>", <ruleDescriptor.index>);
    LeaveRule_<ruleName>();
    <memoize(>
    <ruleScopeCleanUp(>
    <finally>
  }
  DebugLocation(<ruleDescriptor.EORNode.line>, <ruleDescriptor.EORNode.charPositionInLine>);
  } finally { DebugExitRule(GrammarFileName, "<ruleName>"); }
  <@postamble(>
  <returnFromRule(><\n>

```

```

}
// $ANTLR end "<ruleName>"
>>

// imported grammars need to have internal rules
ruleModifier(grammar,ruleDescriptor) ::= <<
<if(grammar.grammarIsRoot)><csharpVisibilityMap.(ruleDescriptor.modifier);
null="private"><else>internal<endif>
>>

// imported grammars need to have public return scopes
returnScopeModifier(grammar,ruleDescriptor) ::= <<
<if(grammar.grammarIsRoot)><csharpVisibilityMap.(ruleDescriptor.modifier);
null="private"><else>public<endif>
>>

catch(decl,action) ::= <<
catch (<e.decl>)
{
<e.action>
}
>>

ruleDeclarations() ::= <<
<if(ruleDescriptor.hasMultipleReturnValues)>
<returnType(ruleDescriptor)> retval = new
<returnType(ruleDescriptor)><(if(ruleDescriptor.returnScope.attributes)>this<endif>);
retval.Start = (<labelType>)input.LT(1);
<elseif(ruleDescriptor.returnScope)>
<ruleDescriptor.returnScope.attributes: { a |
<a.type> <a.name; format="id"> = <if(a.initValue)><a.initValue><else><initValue(a.type)><endif>;
}>
<endif>
<if(memoize)>
int <ruleDescriptor.name>_startIndex = input.Index;
<endif>
>>

ruleScopeSetUp() ::= <<
<ruleDescriptor.useScopes: { it|<it>_stack.Push(new <it>_scope(this));<it>_scopeInit(<it>_stack.Peek());};
separator="\n">
<ruleDescriptor.ruleScope: { it|<it.name>_stack.Push(new
<it.name>_scope(this));<it.name>_scopeInit(<it.name>_stack.Peek());}; separator="\n">
>>

ruleScopeCleanup() ::= <<
<ruleDescriptor.useScopes: { it|<it>_scopeAfter(<it>_stack.Peek());<it>_stack.Pop();}; separator="\n">
<ruleDescriptor.ruleScope: { it|<it.name>_scopeAfter(<it.name>_stack.Peek());<it.name>_stack.Pop();};

```

```

separator="\n">
>>

ruleLabelDefs(ruleDescriptor, labelType, ASTLabelType, rewriteElementType) ::= <<
<[ruleDescriptor.tokenLabels,ruleDescriptor.tokenListLabels,ruleDescriptor.wildcardTreeLabels,ruleDescriptor.wildcardTreeListLabels]
: {it|<labelType> <it.label.text> = default(<labelType>);}; separator="\n"
>
<ruleDescriptor.tokenListLabels
: {it|List<<labelType>> list_<it.label.text> = null;}; separator="\n"
>
<[ruleDescriptor.ruleListLabels,ruleDescriptor.wildcardTreeListLabels]
: {it|List<<ASTLabelType>> list_<it.label.text> = null;}; separator="\n"
>
<ruleDescriptor.ruleLabels:ruleLabelDef(); separator="\n">
<ruleDescriptor.ruleListLabels:ruleLabelDef(); separator="\n">
>>

lexerRuleLabelDefs() ::= <<
<[ruleDescriptor.tokenLabels,
ruleDescriptor.tokenListLabels,
ruleDescriptor.ruleLabels]
: {it|<labelType> <it.label.text> = default(<labelType>);}; separator="\n"
>
<[ruleDescriptor.charListLabels,
ruleDescriptor.charLabels]
: {it|int <it.label.text> = 0;}; separator="\n"
>
<[ruleDescriptor.tokenListLabels,
ruleDescriptor.ruleListLabels]
: {it|List<<labelType>> list_<it.label.text> = null;}; separator="\n"
>
<ruleDescriptor.charListLabels: {it|List<int> list_<it.label.text> = null;}; separator="\n"
>
>>

returnFromRule() ::= <%
return
<if(!ruleDescriptor.isSynPred)>
<if(ruleDescriptor.hasReturnValue)>
<if(ruleDescriptor.hasSingleReturnValue)>
<! This comment is a hack to make sure the following
single space appears in the output. !> <ruleDescriptor.singleValueReturnName>
<else>
<!!> retval
<endif>
<endif>
<endif>
<endif>

```



```

;
%>

ruleCleanUp() ::= <<
<if(ruleDescriptor.hasMultipleReturnValues)>
<if(!TREE_PARSER)>
retval.Stop = (<labelType>)input.LT(-1);
<endif>
<endif>
>>

memoize() ::= <<
<if(memoize)>
<if(backtracking)>
if (state.backtracking > 0) { Memoize(input, <ruleDescriptor.index>, <ruleDescriptor.name>_StartIndex); }
<endif>
<endif>
>>

/** How to generate a rule in the lexer; naked blocks are used for
 * fragment rules.
 */
lexerRule(ruleName,nakedBlock,ruleDescriptor,block,memoize) ::= <<

partial void EnterRule_<ruleName>();
partial void LeaveRule_<ruleName>();

// $ANTLR start "<ruleName>"
[GrammarRule("<ruleName>")]
<ruleModifier(grammar=grammar,ruleDescriptor=ruleDescriptor)> void
m<ruleName>(<ruleDescriptor.parameterScope:parameterScope(>>)
{
  EnterRule_<ruleName>();
  EnterRule("<ruleName>", <ruleDescriptor.index>);
  TraceIn("<ruleName>", <ruleDescriptor.index>);
  <ruleScopeSetUp()>
  <ruleDeclarations()>
  try
  {
    <if(nakedBlock)>
    <ruleMemoization(name=ruleName)>
    <lexerRuleLabelDefs()>
    <ruleDescriptor.actions.init>
    <block>
    <else>
    int _type = <ruleName>;
    int _channel = DefaultTokenChannel;
    <ruleMemoization(name=ruleName)>

```

```

<lexerRuleLabelDefs()>
<ruleDescriptor.actions.init>
<block>
<ruleCleanUp()>
state.type = _type;
state.channel = _channel;
<(ruleDescriptor.actions.after):execAction()>
<endif>
}
finally
{
TraceOut("<ruleName>", <ruleDescriptor.index>);
LeaveRule("<ruleName>", <ruleDescriptor.index>);
LeaveRule_<ruleName>();
<ruleScopeCleanUp()>
<memoize()>
}
}
// $ANTLR end "<ruleName>"
>>

```

```

/** How to generate code for the implicitly-defined lexer grammar rule
 * that chooses between lexer rules.
 */

```

```
tokensRule(ruleName,nakedBlock,args,block,ruleDescriptor) ::= <<
```

```

public override void mTokens()
{
<block><\n>
}
>>

```

```
// S U B R U L E S
```

```
/** A (...) subrule with multiple alternatives */
```

```
block(alts,decls,decision,enclosingBlockLevel,blockLevel,decisionNumber,maxK,maxAlt,description) ::= <<
```

```
// <fileName>:<description>
```

```
int alt<decisionNumber>=<maxAlt>;
```

```
<decls>
```

```
<@predecision()>
```

```
try { DebugEnterSubRule(<decisionNumber>);
```

```
try { DebugEnterDecision(<decisionNumber>, false<!<decision.dfa.hasSynPred>!>);
```

```
<decision>
```

```
} finally { DebugExitDecision(<decisionNumber>); }
```

```
<@postdecision()>
```

```
<@prebranch()>
```

```
switch (alt<decisionNumber>)
```

```
{
```

```

<alts:{a|<altSwitchCase(i,a)>}>
}
} finally { DebugExitSubRule(<decisionNumber>); }
<@postbranch()>
>>

/** A rule block with multiple alternatives */
ruleBlock(alts,decls,decision,enclosingBlockLevel,blockLevel,decisionNumber,maxK,maxAlt,description) ::= <<
// <fileName>:<description>
int alt<decisionNumber>=<maxAlt>;
<decls>
<@predecision()>
try { DebugEnterDecision(<decisionNumber>, false<!<decision.dfa.hasSynPred!>);
<decision>
} finally { DebugExitDecision(<decisionNumber>); }
<@postdecision()>
switch (alt<decisionNumber>)
{
<alts:{a|<altSwitchCase(i,a)>}>
}
>>

ruleBlockSingleAlt(alts,decls,decision,enclosingBlockLevel,blockLevel,decisionNumber,description) ::= <<
// <fileName>:<description>
<decls>
<@prealt()>
DebugEnterAlt(1);
<alts>
<@postalt()>
>>

/** A special case of a (...) subrule with a single alternative */
blockSingleAlt(alts,decls,decision,enclosingBlockLevel,blockLevel,decisionNumber,description) ::= <<
// <fileName>:<description>
<decls>
<@prealt()>
DebugEnterAlt(1);
<alts>
<@postalt()>
>>

/** A (..)+ block with 1 or more alternatives */
positiveClosureBlock(alts,decls,decision,enclosingBlockLevel,blockLevel,decisionNumber,maxK,maxAlt,description) ::= <<
// <fileName>:<description>
int cnt<decisionNumber>=0;
<decls>
<@preloop()>

```

```

try { DebugEnterSubRule(<decisionNumber>);
while (true)
{
int alt<decisionNumber>=<maxAlt>;
<@predecision()>
try { DebugEnterDecision(<decisionNumber>, false<!<decision.dfa.hasSynPred>!>);
<decision>
} finally { DebugExitDecision(<decisionNumber>); }
<@postdecision()>
switch (alt<decisionNumber>)
{
<alts:{a|<altSwitchCase(i,a)>}>
default:
if (cnt<decisionNumber> >= 1)
goto loop<decisionNumber>;

<ruleBacktrackFailure()>
EarlyExitException eee<decisionNumber> = new EarlyExitException( <decisionNumber>, input );
DebugRecognitionException(eee<decisionNumber>);
<@earlyExitException()>
throw eee<decisionNumber>;
}
cnt<decisionNumber>++;
}
loop<decisionNumber>:
;

} finally { DebugExitSubRule(<decisionNumber>); }
<@postloop()>
>>

positiveClosureBlockSingleAlt ::= positiveClosureBlock

/** A (..)* block with 1 or more alternatives */
closureBlock(alts,decls,decision,enclosingBlockLevel,blockLevel,decisionNumber,maxK,maxAlt,description) ::=
<<
// <fileName>:<description>
<decls>
<@preloop()>
try { DebugEnterSubRule(<decisionNumber>);
while (true)
{
int alt<decisionNumber>=<maxAlt>;
<@predecision()>
try { DebugEnterDecision(<decisionNumber>, false<!<decision.dfa.hasSynPred>!>);
<decision>
} finally { DebugExitDecision(<decisionNumber>); }
<@postdecision()>

```

```

switch ( alt<decisionNumber> )
{
<alts:{a|altSwitchCase(i,a)}>
default:
  goto loop<decisionNumber>;
}
}

loop<decisionNumber>:
;

} finally { DebugExitSubRule(<decisionNumber>); }
<@postloop()>
>>

closureBlockSingleAlt ::= closureBlock

/** Optional blocks (x)? are translated to (x|) by before code generation
 * so we can just use the normal block template
 */
optionalBlock ::= block

optionalBlockSingleAlt ::= block

/** A case in a switch that jumps to an alternative given the alternative
 * number. A DFA predicts the alternative and then a simple switch
 * does the jump to the code that actually matches that alternative.
 */
altSwitchCase(altNum,alt) ::= <<
case <altNum>:
  <@prealt()>
  DebugEnterAlt(<altNum>);
  <alt>
  break;<\n>
>>

/** An alternative is just a list of elements; at outermost level */
alt(elements,altNum,description,autoAST,outerAlt,treeLevel,rew) ::= <<
// <fileName>:<description>
{
  <@declarations()>
  <elements:element()>
  <rew>
  <@cleanup()>
}
>>

/** What to emit when there is no rewrite. For auto build

```

```

* mode, does nothing.
*/
noRewrite(rewriteBlockLevel, treeLevel) ::= ""

// E L E M E N T S

/** Dump the elements one per line */
element(it) ::= <%
<@prematch(>
DebugLocation(<it.line>, <it.pos>);<\n>
<it.el><\n>
%>

/** match a token optionally with a label in front */
tokenRef(token,label,elementIndex,terminalOptions={}) ::= <<
<if(label)><label>=(<labelType>)<endif>Match(input,<token>,Follow._<token>_in_<ruleName><elementIndex>);
<checkRuleBacktrackFailure(>
>>

/** ids+=ID */
tokenRefAndListLabel(token,label,elementIndex,terminalOptions={}) ::= <<
<tokenRef(...)>
<listLabelElem(elem=label,elemType=labelType,...)>
>>

listLabel(label,elem) ::= <<
#error The listLabel template should not be used with this target.<\n>
>>

listLabelElem(label,elem,elemType) ::= <<
if (list_<label>==null) list_<label>=new List<<elemType; null={<labelType>}>>();
list_<label>.Add(<elem>);<\n>
>>

/** match a character */
charRef(char,label) ::= <<
<if(label)>
<label> = input.LA(1);<\n>
<endif>
Match(<char>); <checkRuleBacktrackFailure(>
>>

/** match a character range */
charRangeRef(a,b,label) ::= <<
<if(label)>
<label> = input.LA(1);<\n>
<endif>
MatchRange(<a>,<b>); <checkRuleBacktrackFailure(>

```

```

>>

/** For now, sets are interval tests and must be tested inline */
matchSet(s,label,elementIndex,postmatchCode="",terminalOptions={}) ::= <<
<if(label)>
<matchSetLabel()>
<endif>
if (<s>)
{
input.Consume();
<postmatchCode>
<if(!LEXER)>state.errorRecovery=false;<endif><if(backtracking)>state.failed=false;<endif>
}
else
{
<ruleBacktrackFailure()>
MismatchedSetException mse = new MismatchedSetException(null,input);
DebugRecognitionException(mse);
<@mismatchedSetException()>
<if(LEXER)>
Recover(mse);
throw mse;
<else>
throw mse;
<! use following code to make it recover inline; remove throw mse;
recoverFromMismatchedSet(input,mse,Follow._set_in_<ruleName><elementIndex>);
!>
<endif>
}<\n>
>>

```

```

matchSetUnchecked(s,label,elementIndex,postmatchCode=false) ::= <%
<if(label)>
<matchSetLabel()><\n>
<endif>
input.Consume();<\n>
<if(postmatchCode)>
<postmatchCode><\n>
<endif>
<if(!LEXER)>state.errorRecovery=false;<endif><if(backtracking)>state.failed=false;<endif>
%>

```

```

matchSetLabel() ::= <%
<if(LEXER)>
<label>= input.LA(1);
<else>
<label>=(<labelType>)input.LT(1);
<endif>

```

```
%>
```

```
matchRuleBlockSet ::= matchSet
```

```
matchSetAndListLabel(s,label,elementIndex,postmatchCode) ::= <<  
<matchSet(...)>  
<listLabelElem(elem=label,elemType=labelType,...)>  
>>
```

```
/** Match a string literal */
```

```
lexerStringRef(string,label,elementIndex) ::= <%  
<if(label)>  
int <label>Start = CharIndex;<\n>  
Match(<string>); <checkRuleBacktrackFailure()><\n>  
int <label>StartLine<elementIndex> = Line;<\n>  
int <label>StartCharPos<elementIndex> = CharPositionInLine;<\n>  
<label> = new <labelType>(input, TokenType.Invalid, TokenChannels.Default, <label>Start, CharIndex-1);<\n>  
<label>.Line = <label>StartLine<elementIndex>;<\n>  
<label>.CharPositionInLine = <label>StartCharPos<elementIndex>;  
<else>  
Match(<string>); <checkRuleBacktrackFailure()><\n>  
<endif>  
>>
```

```
wildcard(token,label,elementIndex,terminalOptions={ }) ::= <<  
<if(label)>  
<label>=(<labelType>)input.LT(1);<\n>  
<endif>  
MatchAny(input); <checkRuleBacktrackFailure()>  
>>
```

```
wildcardAndListLabel(token,label,elementIndex,terminalOptions={ }) ::= <<  
<wildcard(...)>  
<listLabelElem(elem=label,elemType=labelType,...)>  
>>
```

```
/** Match . wildcard in lexer */
```

```
wildcardChar(label, elementIndex) ::= <<  
<if(label)>  
<label> = input.LA(1);<\n>  
<endif>  
MatchAny(); <checkRuleBacktrackFailure()>  
>>
```

```
wildcardCharListLabel(label, elementIndex) ::= <<  
<wildcardChar(...)>  
<listLabelElem(elem=label,elemType=labelType,...)>  
>>
```



```

/** Match a rule reference by invoking it possibly with arguments
 * and a return value or values. The 'rule' argument was the
 * target rule name, but now is type Rule, whose toString is
 * same: the rule name. Now though you can access full rule
 * descriptor stuff.
 */
ruleRef(rule,label,elementIndex,args,scope) ::= <<
PushFollow(Follow._<rule.name>_in_<ruleName><elementIndex>);
<if(label)><label>=<endif><if(scope)><scope.delegateName()>.<endif><rule.name; format="id">(<args;
separator=", ">);
PopFollow();
<checkRuleBacktrackFailure()>
>>

/** ids+=r */
ruleRefAndListLabel(rule,label,elementIndex,args,scope) ::= <<
<ruleRef(...)>
<listLabelElem(elem=label,elemType={ <ASTLabelType>},...)>
>>

/** A lexer rule reference.
 *
 * The 'rule' argument was the target rule name, but now
 * is type Rule, whose toString is same: the rule name.
 * Now though you can access full rule descriptor stuff.
 */
lexerRuleRef(rule,label,args,elementIndex,scope) ::= <%
<if(label)>
int <label>Start<elementIndex> = CharIndex;<\n>
int <label>StartLine<elementIndex> = Line;<\n>
int <label>StartCharPos<elementIndex> = CharPositionInLine;<\n>
<if(scope)><scope.delegateName()>.<endif>m<rule.name>(<args; separator=", ">);
<checkRuleBacktrackFailure()><\n>
<label> = new <labelType>(input, TokenType.Invalid, TokenChannels.Default, <label>Start<elementIndex>,
CharIndex-1);<\n>
<label>.Line = <label>StartLine<elementIndex>;<\n>
<label>.CharPositionInLine = <label>StartCharPos<elementIndex>;
<else>
<if(scope)><scope.delegateName()>.<endif>m<rule.name>(<args; separator=", ">);
<checkRuleBacktrackFailure()>
<endif>
%>

/** i+=INT in lexer */
lexerRuleRefAndListLabel(rule,label,args,elementIndex,scope) ::= <<
<lexerRuleRef(...)>
<listLabelElem(elem=label,elemType=labelType,...)>

```

```

>>

/** EOF in the lexer */
lexerMatchEOF(label,elementIndex) ::= <%
<if(label)>
int <label>Start<elementIndex> = CharIndex;<\n>
int <label>StartLine<elementIndex> = Line;<\n>
int <label>StartCharPos<elementIndex> = CharPositionInLine;<\n>
Match(EOF); <checkRuleBacktrackFailure()><\n>
<labelType> <label> = new <labelType>(input, EOF, TokenChannels.Default, <label>Start<elementIndex>,
CharIndex-1);<\n>
<label>.Line = <label>StartLine<elementIndex>;<\n>
<label>.CharPositionInLine = <label>StartCharPos<elementIndex>;
<else>
Match(EOF); <checkRuleBacktrackFailure()>
<endif>
%>

// used for left-recursive rules
recRuleDefArg()          ::= "int <recRuleArg()>"
recRuleArg()             ::= "_p"
recRuleAltPredicate(ruleName,opPrec) ::= "<recRuleArg()> \<= <opPrec>"
recRuleSetResultAction() ::= "root_0=$<ruleName>_primary.tree;"

/** match ^(root children) in tree parser */
tree(root, actionsAfterRoot, children, nullableChildList,
enclosingTreeLevel, treeLevel) ::= <<
<root:element()>
<actionsAfterRoot:element()>
<if(nullableChildList)>
if (input.LA(1) == TokenType.Down)
{
Match(input, TokenType.Down, null); <checkRuleBacktrackFailure()>
<children:element()>
Match(input, TokenType.Up, null); <checkRuleBacktrackFailure()>
}
<else>
Match(input, TokenType.Down, null); <checkRuleBacktrackFailure()>
<children:element()>
Match(input, TokenType.Up, null); <checkRuleBacktrackFailure()>
<endif>
>>

/** Every predicate is used as a validating predicate (even when it is
* also hoisted into a prediction expression).
*/
validateSemanticPredicate(pred,description) ::= <<
if (!<evalPredicate(...)>)

```

```

{
<ruleBacktrackFailure()>
throw new FailedPredicateException(input, "<ruleName>", "<description>");
}
>>

// F i x e d D F A (if-then-else)

dfaState(k,edges,eotPredictsAlt,description,stateNumber,semPredState) ::= <<
int LA<decisionNumber>_<k> = input.LA(<k>);<\n>
<edges; separator="\nelse ">
else
{
<if(eotPredictsAlt)>
alt<decisionNumber> = <eotPredictsAlt>;
<else>
<ruleBacktrackFailure()>
NoViableAltException nvae = new NoViableAltException("<description>", <decisionNumber>, <stateNumber>,
input, <k>);
DebugRecognitionException(nvae);
<@noViableAltException()>
throw nvae;
<endif>
}
>>

/** Same as a normal DFA state except that we don't examine lookahead
 * for the bypass alternative. It delays error detection but this
 * is faster, smaller, and more what people expect. For (X)? people
 * expect "if ( LA(1)==X ) match(X);" and that's it.
 */
dfaOptionalBlockState(k,edges,eotPredictsAlt,description,stateNumber,semPredState) ::= <<
int LA<decisionNumber>_<k> = input.LA(<k>);<\n>
<edges; separator="\nelse ">
>>

/** A DFA state that is actually the loopback decision of a closure
 * loop. If end-of-token (EOT) predicts any of the targets then it
 * should act like a default clause (i.e., no error can be generated).
 * This is used only in the lexer so that for ('a')* on the end of a rule
 * anything other than 'a' predicts exiting.
 */
dfaLoopbackState(k,edges,eotPredictsAlt,description,stateNumber,semPredState) ::= <<
int LA<decisionNumber>_<k> = input.LA(<k>);<\n>
<edges; separator="\nelse "><\n>
<if(eotPredictsAlt)>
<if(!edges)>
alt<decisionNumber> = <eotPredictsAlt>;<! if no edges, don't gen ELSE !>

```

```

<else>
else
{
  alt<decisionNumber> = <eotPredictsAlt>;
}<\n>
<endif>
<endif>
>>

/** An accept state indicates a unique alternative has been predicted */
dfaAcceptState(alt) ::= "alt<decisionNumber> = <alt>";

/** A simple edge with an expression. If the expression is satisfied,
 * enter to the target state. To handle gated productions, we may
 * have to evaluate some predicates for this edge.
 */
dfaEdge(labelExpr, targetState, predicates) ::= <<
if ((<labelExpr><if(predicates)> && (<predicates><endif>))
{
  <targetState>
}
>>

// F i x e d D F A (switch case)

/** A DFA state where a SWITCH may be generated. The code generator
 * decides if this is possible: CodeGenerator.canGenerateSwitch().
 */
dfaStateSwitch(k,edges,eotPredictsAlt,description,stateNumber,semPredState) ::= <<
switch (input.LA(<k>))
{
  <edges; separator="\n">
default:
  <if(eotPredictsAlt)>
  alt<decisionNumber>=<eotPredictsAlt>;
  break;<\n>
  <else>
  {
    <ruleBacktrackFailure()>
    NoViableAltException nvae = new NoViableAltException("<description>", <decisionNumber>, <stateNumber>,
input, <k>);
    DebugRecognitionException(nvae);
    <@noViableAltException()>
    throw nvae;
  }
  <endif>
}<\n>
>>

```

```

dfaOptionalBlockStateSwitch(k,edges,eotPredictsAlt,description,stateNumber,semPredState) ::= <<
switch (input.LA(<k>))
{
<edges; separator="\n">
}<\n>
>>

```

```

dfaLoopbackStateSwitch(k, edges,eotPredictsAlt,description,stateNumber,semPredState) ::= <<
switch (input.LA(<k>))
{
<edges; separator="\n">
<if(eotPredictsAlt)>
default:
alt<decisionNumber>=<eotPredictsAlt>;
break;<\n>
<endif>
}<\n>
>>

```

```

dfaEdgeSwitch(labels, targetState) ::= <<
<labels: {it|case <it>:}; separator="\n">
{
<targetState>
}
break;
>>

```

// C y c l i c D F A

```

/** The code to initiate execution of a cyclic DFA; this is used
 * in the rule to predict an alt just like the fixed DFA case.
 * The <name> attribute is inherited via the parser, lexer, ...
 */

```

```

dfaDecision(decisionNumber,description) ::= <<
try
{
alt<decisionNumber> = dfa<decisionNumber>.Predict(input);
}
catch (NoViableAltException nvae)
{
DebugRecognitionException(nvae);
throw;
}
>>

```

```

/* Dump DFA tables as run-length-encoded Strings of octal values.
 * Can't use hex as compiler translates them before compilation.

```

- \* These strings are split into multiple, concatenated strings.
- \* Java puts them back together at compile time thankfully.
- \* Java cannot handle large static arrays, so we're stuck with this
- \* encode/decode approach. See analysis and runtime DFA for
- \* the encoding methods.

\*/

cyclicDFA(dfa) ::= <<

```
private class DFA<dfa.decisionNumber> : DFA
{
private const string DFA<dfa.decisionNumber>_eotS =
"<dfa.javaCompressedEOT; wrap="\n\t\t">";
private const string DFA<dfa.decisionNumber>_eofS =
"<dfa.javaCompressedEOF; wrap="\n\t\t">";
private const string DFA<dfa.decisionNumber>_minS =
"<dfa.javaCompressedMin; wrap="\n\t\t">";
private const string DFA<dfa.decisionNumber>_maxS =
"<dfa.javaCompressedMax; wrap="\n\t\t">";
private const string DFA<dfa.decisionNumber>_acceptS =
"<dfa.javaCompressedAccept; wrap="\n\t\t">";
private const string DFA<dfa.decisionNumber>_specialS =
"<dfa.javaCompressedSpecial; wrap="\n\t\t">}>";
private static readonly string[] DFA<dfa.decisionNumber>_transitionS =
{
<dfa.javaCompressedTransition: {s|<s; wrap="\n">}; separator=",\n">
};

private static readonly short[] DFA<dfa.decisionNumber>_eot =
DFA.UnpackEncodedString(DFA<dfa.decisionNumber>_eotS);
private static readonly short[] DFA<dfa.decisionNumber>_eof =
DFA.UnpackEncodedString(DFA<dfa.decisionNumber>_eofS);
private static readonly char[] DFA<dfa.decisionNumber>_min =
DFA.UnpackEncodedStringToUnsignedChars(DFA<dfa.decisionNumber>_minS);
private static readonly char[] DFA<dfa.decisionNumber>_max =
DFA.UnpackEncodedStringToUnsignedChars(DFA<dfa.decisionNumber>_maxS);
private static readonly short[] DFA<dfa.decisionNumber>_accept =
DFA.UnpackEncodedString(DFA<dfa.decisionNumber>_acceptS);
private static readonly short[] DFA<dfa.decisionNumber>_special =
DFA.UnpackEncodedString(DFA<dfa.decisionNumber>_specialS);
private static readonly short[][] DFA<dfa.decisionNumber>_transition;

static DFA<dfa.decisionNumber>()
{
int numStates = DFA<dfa.decisionNumber>_transitionS.Length;
DFA<dfa.decisionNumber>_transition = new short[numStates][];
for ( int i=0; i < numStates; i++ )
{
DFA<dfa.decisionNumber>_transition[i] =
DFA.UnpackEncodedString(DFA<dfa.decisionNumber>_transitionS[i]);
```

```

}
}

public DFA<dfa.decisionNumber>( BaseRecognizer recognizer<if(dfa.specialStateSTs)>,
SpecialStateTransitionHandler specialStateTransition<endif> )
<if(dfa.specialStateSTs)>
    : base(specialStateTransition)
<endif>
{
    this.recognizer = recognizer;
    this.decisionNumber = <dfa.decisionNumber>;
    this.eot = DFA<dfa.decisionNumber>_eot;
    this.eof = DFA<dfa.decisionNumber>_eof;
    this.min = DFA<dfa.decisionNumber>_min;
    this.max = DFA<dfa.decisionNumber>_max;
    this.accept = DFA<dfa.decisionNumber>_accept;
    this.special = DFA<dfa.decisionNumber>_special;
    this.transition = DFA<dfa.decisionNumber>_transition;
}

public override string Description { get { return "<dfa.description>"; } }

public override void Error(NoViableAltException nvae)
{
    DebugRecognitionException(nvae);
}
}<\n>
<if(dfa.specialStateSTs)>
private int SpecialStateTransition<dfa.decisionNumber>(DFA dfa, int s, IIntStream _input)<! throws
NoViableAltException!>
{
    <if(LEXER)>
    IIntStream input = _input;
    <endif>
    <if(PARSER)>
    ITokenStream input = (ITokenStream)_input;
    <endif>
    <if(TREE_PARSER)>
    ITreeNodeStream input = (ITreeNodeStream)_input;
    <endif>
    int _s = s;
    s = -1;
    <! pull these outside the switch cases to save space on locals !>
    int LA<dfa.decisionNumber>_1 = input.LA(1);
    int index<dfa.decisionNumber>_1 = input.Index;
    switch (_s)
    {
        <dfa.specialStateSTs: {state |case <i0>:<! compressed special state numbers 0..n-1 !>

```

```

<state>}; separator="\n">

default:
  break;
}

if (s >= 0)
  return s;

<if(backtracking)>
  if (state.backtracking > 0) {state.failed=true; return -1;}
<endif>
  NoViableAltException nvae = new NoViableAltException(dfa.Description, <dfa.decisionNumber>, _s, input);
  dfa.Error(nvae);
  throw nvae;
}
<endif>
>>

/** A state in a cyclic DFA; it's a special state and part of a big switch on
 * state.
 */
cyclicDFAState(decisionNumber,stateNumber,edges,needErrorClause,semPredState) ::= <<
{
<if(semPredState)>
  <! get next lookahead symbol to test edges, then rewind !>
  input.Rewind();
<endif>
  <edges; separator="\nelse ">
<if(semPredState)>
  <! return input cursor to state before we rewound !>
  input.Seek(index<decisionNumber>_1);
<endif>
  break;
}
>>

/** Just like a fixed DFA edge, test the lookahead and indicate what
 * state to jump to next if successful.
 */
cyclicDFAEdge(labelExpr, targetStateNumber, edgeNumber, predicates) ::= <<
if ((<labelExpr>)<if(predicates)> && (<predicates>)<endif>) {s = <targetStateNumber>;}<\n>
>>

/** An edge pointing at end-of-token; essentially matches any char;
 * always jump to the target.
 */
eotDFAEdge(targetStateNumber,edgeNumber, predicates) ::= <<

```



```
s = <targetStateNumber>;<\n>
```

```
>>
```

## // D F A E X P R E S S I O N S

```
andPredicates(left,right) ::= "<left>&&<right>"
```

```
orPredicates(operands) ::= "<operands; separator=\\|\\>"
```

```
notPredicate(pred) ::= "!(<evalPredicate(...)>)"
```

```
evalPredicate(pred,description) ::= "<pred>"
```

```
evalSynPredicate(pred,description) ::= "EvaluatePredicate(<pred>_fragment)"
```

```
lookaheadTest(atom,k,atomAsInt) ::= "LA<decisionNumber>_<k>===<atom>"
```

```
/** Sometimes a lookahead test cannot assume that LA(k) is in a temp variable
```

```
* somewhere. Must ask for the lookahead directly.
```

```
*/
```

```
isolatedLookaheadTest(atom,k,atomAsInt) ::= "input.LA(<k>)==<atom>"
```

```
lookaheadRangeTest(lower,upper,k,rangeNumber,lowerAsInt,upperAsInt) ::= <%
```

```
(LA<decisionNumber>_<k><ge()><lower> && LA<decisionNumber>_<k><le()><upper>)
```

```
%>
```

```
isolatedLookaheadRangeTest(lower,upper,k,rangeNumber,lowerAsInt,upperAsInt) ::=
```

```
"(input.LA(<k><ge()><lower> && input.LA(<k><le()><upper>)"
```

```
le() ::= "\<="
```

```
ge() ::= ">="
```

```
setTest(ranges) ::= <<
```

```
<ranges; separator=\\|\\>
```

```
>>
```

## // A T T R I B U T E S

```
attributeScope(scope) ::= <<
```

```
<if(scope)>
```

```
<if(scope.attributes)>
```

```
protected sealed partial class <scope.name>_scope
```

```
{
```

```
<scope.attributes:{it|public <it.decl>;}; separator="\n">
```

```
public <scope.name>_scope(<grammar.recognizerName> grammar) { OnCreated(grammar); }
```

```
partial void OnCreated(<grammar.recognizerName> grammar);
```

```

}
<if(scope.actions.scopeinit)>
protected void <scope.name>_scopeInit( <scope.name>_scope scope )
{
<scope.actions.scopeinit>
}
<else>
partial void <scope.name>_scopeInit( <scope.name>_scope scope );
<endif>
<if(scope.actions.scopeafter)>
protected void <scope.name>_scopeAfter( <scope.name>_scope scope )
{
<scope.actions.scopeafter>
}
<else>
partial void <scope.name>_scopeAfter( <scope.name>_scope scope );
<endif>
protected readonly ListStack<<scope.name>_scope> <scope.name>_stack = new
ListStack<<scope.name>_scope>();
<endif>
<endif>
>>

globalAttributeScope(scope) ::= <<
<attributeScope(...)>
>>

ruleAttributeScope(scope) ::= <<
<attributeScope(...)>
>>

returnStructName(it) ::= "<it.name>_return"

returnType(ruleDescriptor) ::= <%
<if(ruleDescriptor.returnScope.attributes && ruleDescriptor.hasMultipleReturnValues)>
<ruleDescriptor.grammar.recognizerName>.<ruleDescriptor:returnStructName()>
<elseif(ruleDescriptor.hasMultipleReturnValues)>
<ruleReturnBaseType()>
<elseif(ruleDescriptor.hasSingleReturnValue)>
<ruleDescriptor.singleValueReturnType>
<else>
void
<endif>
%>

/** Generate the C# type associated with a single or multiple return
* values.
*/

```

```

ruleLabelType(referencedRule) ::= <%
<if(referencedRule.hasMultipleReturnValues)>
<ruleReturnBaseType()>
<elseif(referencedRule.hasSingleReturnValue)>
<referencedRule.singleValueReturnType>
<else>
void
<endif>
%>

delegateName(it) ::= <<
<if(it.label)><it.label><else>g<it.name><endif>
>>

/** Using a type to init value map, try to init a type; if not in table
* must be an object, default value is "null".
*/
initValue(typeName) ::= <<
default(<typeName>)
>>

/** Define a rule label including default value */
ruleLabelDef(label) ::= <%
<ruleLabelType(label.referencedRule)> <label.label.text> = <initValue(ruleLabelType(label.referencedRule))>;
%>

/** Define a return struct for a rule if the code needs to access its
* start/stop tokens, tree stuff, attributes, ... Leave a hole for
* subgroups to stick in members.
*/
returnScope(scope) ::= <<
<if(scope.attributes && ruleDescriptor.hasMultipleReturnValues)>
<returnScopeModifier(grammar=grammar,ruleDescriptor=ruleDescriptor)> sealed partial class
<ruleDescriptor:returnStructName()> : <ruleReturnBaseType()><@ruleReturnInterfaces()>
{
<scope.attributes: {it|public <it.decl>;}; separator="\n">
<@ruleReturnMembers()>
}
<endif>
>>

ruleReturnBaseType() ::= <%
<if(TREE_PARSER)>Tree<else>Parser<endif>RuleReturnScope<<labelType>>
%>

@returnScope.ruleReturnMembers() ::= <<
public <ruleDescriptor:returnStructName()><(<grammar.recognizerName> grammar) { OnCreated(grammar);}
partial void OnCreated(<grammar.recognizerName> grammar);

```

>>

```
parameterScope(scope) ::= <<  
<scope.attributes:{it|<it.decl>}; separator=", ">  
>>
```

```
parameterAttributeRef(attr) ::= <<  
<attr.name; format="id">  
>>
```

```
parameterSetAttributeRef(attr,expr) ::= <<  
<attr.name; format="id"> =<expr>;  
>>
```

```
scopeAttributeRef(scope,attr,index,negIndex) ::= <%  
<if(negIndex)>  
<scope>_stack[<scope>_stack.Count - <negIndex> - 1].<attr.name; format="id">  
<else>  
<if(index)>  
<scope>_stack[<index>].<attr.name; format="id">  
<else>  
<scope>_stack.Peek().<attr.name; format="id">  
<endif>  
<endif>  
>%
```

```
scopeSetAttributeRef(scope,attr,expr,index,negIndex) ::= <%  
<if(negIndex)>  
<scope>_stack[<scope>_stack.Count - <negIndex> - 1].<attr.name; format="id"> = <expr>;  
<else>  
<if(index)>  
<scope>_stack[<index>].<attr.name; format="id"> = <expr>;  
<else>  
<scope>_stack.Peek().<attr.name; format="id"> = <expr>;  
<endif>  
<endif>  
>%
```

```
/** $x is either global scope or x is rule with dynamic scope; refers  
 * to stack itself not top of stack. This is useful for predicates  
 * like {$function.Count>0 && $function::name.Equals("foo")}?  
 */
```

```
isolatedDynamicScopeRef(scope) ::= "<scope>_stack"
```

```
/** reference an attribute of rule; might only have single return value */
```

```
ruleLabelRef(referencedRule,scope,attr) ::= <%  
<if(referencedRule.hasMultipleReturnValues)>  
(<scope>!=null?(<<return Type(referencedRule)>><scope>).<attr.name; format="id">:<init Value(attr.type)>)
```

```

<else>
<scope>
<endif>
%>

returnAttributeRef(ruleDescriptor,attr) ::= <%
<if(ruleDescriptor.hasMultipleReturnValues)>
retval.<attr.name; format="id">
<else>
<attr.name; format="id">
<endif>
%>

returnSetAttributeRef(ruleDescriptor,attr,expr) ::= <%
<if(ruleDescriptor.hasMultipleReturnValues)>
retval.<attr.name; format="id"> =<expr>;
<else>
<attr.name; format="id"> =<expr>;
<endif>
%>

/** How to translate $tokenLabel */
tokenLabelRef(label) ::= "<label>"

/** ids+=ID {$ids} or e+=expr {$e} */
listLabelRef(label) ::= "list_<label>"

// not sure the next are the right approach

tokenLabelPropertyRef_text(scope,attr) ::= "<scope>!=null?<scope>.Text:default(string)"
tokenLabelPropertyRef_type(scope,attr) ::= "<scope>!=null?<scope>.Type:0)"
tokenLabelPropertyRef_line(scope,attr) ::= "<scope>!=null?<scope>.Line:0)"
tokenLabelPropertyRef_pos(scope,attr) ::= "<scope>!=null?<scope>.CharPositionInLine:0)"
tokenLabelPropertyRef_channel(scope,attr) ::= "<scope>!=null?<scope>.Channel:0)"
tokenLabelPropertyRef_index(scope,attr) ::= "<scope>!=null?<scope>.TokenIndex:0)"
tokenLabelPropertyRef_tree(scope,attr) ::= "<scope>_tree"
tokenLabelPropertyRef_int(scope,attr) ::= "<scope>!=null?int.Parse(<scope>.Text):0)"

ruleLabelPropertyRef_start(scope,attr) ::= "<scope>!=null?((<labelType><scope>.Start):default(<labelType>))"
ruleLabelPropertyRef_stop(scope,attr) ::= "<scope>!=null?((<labelType><scope>.Stop):default(<labelType>))"
ruleLabelPropertyRef_tree(scope,attr) ::=
"<scope>!=null?((<ASTLabelType><scope>.Tree):default(<ASTLabelType>))"
ruleLabelPropertyRef_text(scope,attr) ::= <%
<if(TREE_PARSER)>
<scope>!=null?(input.TokenStream.ToString(
input.TreeAdaptor.GetTokenStartIndex(<scope>.Start),
input.TreeAdaptor.GetTokenStopIndex(<scope>.Start))):default(string)

```

```

<else>
(<scope>!=null?input.ToString(<scope>.Start,<scope>.Stop):default(string))
<endif>
%>

ruleLabelPropertyRef_st(scope,attr) ::= "<scope>!=null?<scope>.Template:null)"

/** Isolated $RULE ref ok in lexer as it's a Token */
lexerRuleLabel(label) ::= "<label>"

lexerRuleLabelPropertyRef_type(scope,attr) ::=
"(<scope>!=null?<scope>.Type:0)"

lexerRuleLabelPropertyRef_line(scope,attr) ::=
"(<scope>!=null?<scope>.Line:0)"

lexerRuleLabelPropertyRef_pos(scope,attr) ::=
"(<scope>!=null?<scope>.CharPositionInLine:-1)"

lexerRuleLabelPropertyRef_channel(scope,attr) ::=
"(<scope>!=null?<scope>.Channel:0)"

lexerRuleLabelPropertyRef_index(scope,attr) ::=
"(<scope>!=null?<scope>.TokenIndex:0)"

lexerRuleLabelPropertyRef_text(scope,attr) ::=
"(<scope>!=null?<scope>.Text:default(string))"

lexerRuleLabelPropertyRef_int(scope,attr) ::=
"(<scope>!=null?int.Parse(<scope>.Text):0)"

// Somebody may ref $template or $tree or $stop within a rule:
rulePropertyRef_start(scope,attr) ::= "retval.Start"
rulePropertyRef_stop(scope,attr) ::= "retval.Stop"
rulePropertyRef_tree(scope,attr) ::= "retval.Tree"
rulePropertyRef_text(scope,attr) ::= <%
<if(TREE_PARSER)>
input.TokenStream.ToString(
input.TreeAdaptor.GetTokenStartIndex(retval.Start),
input.TreeAdaptor.GetTokenStopIndex(retval.Start))
<else>
input.ToString(retval.Start,input.LT(-1))
<endif>
%>
rulePropertyRef_st(scope,attr) ::= "retval.Template"

lexerRulePropertyRef_text(scope,attr) ::= "Text"
lexerRulePropertyRef_type(scope,attr) ::= "_type"

```

```
lexerRulePropertyRef_line(scope,attr) ::= "state.tokenStartLine"  
lexerRulePropertyRef_pos(scope,attr) ::= "state.tokenStartCharPositionInLine"  
lexerRulePropertyRef_index(scope,attr) ::= "-1" // undefined token index in lexer  
lexerRulePropertyRef_channel(scope,attr) ::= "_channel"  
lexerRulePropertyRef_start(scope,attr) ::= "state.tokenStartCharIndex"  
lexerRulePropertyRef_stop(scope,attr) ::= "(CharIndex-1)"  
lexerRulePropertyRef_int(scope,attr) ::= "int.Parse(<scope>.Text)"
```

```
// setting $st and $tree is allowed in local rule. everything else  
// is flagged as error  
ruleSetPropertyRef_tree(scope,attr,expr) ::= "retval.Tree = <expr>";  
ruleSetPropertyRef_st(scope,attr,expr) ::= "retval.Template =<expr>;"
```

```
/** How to execute an action (only when not backtracking) */
```

```
execAction(action) ::= <%  
<if(backtracking)>  
if (<actions.(actionScope).synpredgate>)<\n>  
{<\n>  
<@indentedAction()><\n>  
}  
<else>  
<action>  
<endif>  
>%
```

```
@execAction.indentedAction() ::= <<  
<action>  
>>
```

```
/** How to always execute an action even when backtracking */
```

```
execForcedAction(action) ::= "<action>"
```

```
// M I S C (properties, etc...)
```

```
bitset(name, words64) ::= <<  
public static readonly BitSet <name> = new BitSet(new ulong[] { <words64: {it|<it>UL}; separator="," >});  
>>
```

```
codeFileExtension() ::= ".cs"
```

```
true_value() ::= "true"  
false_value() ::= "false"
```

```
Found in path(s):
```

```
* /opt/cola/permits/1274703855_1645234694.1/0/antlr-3-5-2-sources-  
jar/org/antlr/codegen/templates/CSharp3/CSharp3.stg
```

```
No license file was found, but licenses were detected in source scan.
```

/\*

[The "BSD license"]

Copyright (c) 2005-2012 Terence Parr

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The name of the author may not be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

\*/

/\*\* Templates for building ASTs during normal parsing.

\*

\* Deal with many combinations. Dimensions are:

\* Auto build or rewrite

\* no label, label, list label (label/no-label handled together)

\* child, root

\* token, set, rule, wildcard

\*

\* The situation is not too bad as rewrite (->) usage makes ^ and !

\* invalid. There is no huge explosion of combinations.

\*/

```
finishedBacktracking(block) ::= <<
```

```
<if(!ruleDescriptor.isSynPred)>
```

```
<if(backtracking)>
```

```
if <actions.(actionScope).synpredgate>:
```

```
  <block>
```

```
<else>
```

```
<block>
```

```
<endif>
```



```

<endif>
>>

@ruleBody.setErrorReturnValue() ::= <<
retval.tree = self._adaptor.errorNode(self.input, retval.start, self.input.LT(-1), re)
>>

// TOKEN AST STUFF

/** ID and output=AST */
tokenRef(token,label,elementIndex,terminalOptions={ }) ::= <<
<super.tokenRef(...)>
<finishedBacktracking({
<label>_tree = <createNodeFromToken(...)>
self._adaptor.addChild(root_0, <label>_tree)
})>
>>

/** ID! and output=AST (same as plain tokenRef) */
tokenRefBang(token,label,elementIndex,terminalOptions={ }) ::= "<super.tokenRef(...)>"

/** ID^ and output=AST */
tokenRefRuleRoot(token,label,elementIndex,terminalOptions={ }) ::= <<
<super.tokenRef(...)>
<finishedBacktracking({
<label>_tree = <createNodeFromToken(...)>
root_0 = self._adaptor.becomeRoot(<label>_tree, root_0)
})>
>>

/** ids+=ID! and output=AST */
tokenRefBangAndListLabel(token,label,elementIndex,terminalOptions={ }) ::= <<
<tokenRefBang(...)>
<listLabel(elem=label,...)>
>>

/** label+=TOKEN when output=AST but not rewrite alt */
tokenRefAndListLabel(token,label,elementIndex,terminalOptions={ }) ::= <<
<tokenRef(...)>
<listLabel(elem=label,...)>
>>

/** Match label+=TOKEN^ when output=AST but not rewrite alt */
tokenRefRuleRootAndListLabel(token,label,elementIndex,terminalOptions={ }) ::= <<
<tokenRefRuleRoot(...)>
<listLabel(elem=label,...)>
>>

```

```

// SET AST

// the match set stuff is interesting in that it uses an argument list
// to pass code to the default matchSet; another possible way to alter
// inherited code. I don't use the region stuff because I need to pass
// different chunks depending on the operator. I don't like making
// the template name have the operator as the number of templates gets
// large but this is the most flexible--this is as opposed to having
// the code generator call matchSet then add root code or ruleroot code
// plus list label plus ... The combinations might require complicated
// rather than just added on code. Investigate that refactoring when
// I have more time.

matchSet(s,label,elementIndex,postmatchCode,terminalOptions={}) ::= <%
<super.matchSet(postmatchCode={<finishedBacktracking({self._adaptor.addChild(root_0,
<createNodeFromToken(...)>})>}, ...)>
%>

matchRuleBlockSet(s,label,elementIndex,postmatchCode,treeLevel="0",terminalOptions={}) ::= <<
<matchSet(...)>
>>

matchSetBang(s,label,elementIndex,postmatchCode,terminalOptions={}) ::= "<super.matchSet(...)>"

// note there is no matchSetTrack because -> rewrites force sets to be
// plain old blocks of alts: (A|B|...|C)

matchSetRuleRoot(s,label,elementIndex,debug,terminalOptions={}) ::= <<
<if(label)>
<label> = self.input.LT(1)<\n>
<endif>
<super.matchSet(postmatchCode={<finishedBacktracking({root_0 =
self._adaptor.becomeRoot(<createNodeFromToken(...)>, root_0)})>}, ...)>
>>

// RULE REF AST

/** rule when output=AST */
ruleRef(rule,label,elementIndex,args,scope) ::= <<
<super.ruleRef(...)>
<finishedBacktracking({self._adaptor.addChild(root_0, <label>.tree)})>
>>

/** rule! is same as normal rule ref */
ruleRefBang(rule,label,elementIndex,args,scope) ::= "<super.ruleRef(...)>"

/** rule^ */
ruleRefRuleRoot(rule,label,elementIndex,args,scope) ::= <<

```

```

<super.ruleRef(...)>
<finishedBacktracking({root_0 = self._adaptor.becomeRoot(<label>.tree, root_0)})>
>>

/** x+=rule when output=AST */
ruleRefAndListLabel(rule,label,elementIndex,args,scope) ::= <<
<ruleRef(...)>
<listLabel(label, {<label>.tree})>
>>

/** x+=rule! when output=AST is a rule ref with list addition */
ruleRefBangAndListLabel(rule,label,elementIndex,args,scope) ::= <<
<ruleRefBang(...)>
<listLabel(label, {<label>.tree})>
>>

/** x+=rule^ */
ruleRefRuleRootAndListLabel(rule,label,elementIndex,args,scope) ::= <<
<ruleRefRuleRoot(...)>
<listLabel(label, {<label>.tree})>
>>

// WILDCARD AST

wildcard(token,label,elementIndex,terminalOptions={ }) ::= <<
<super.wildcard(...)>
<finishedBacktracking({
<label>_tree = self._adaptor.createWithPayload(<label>)
self._adaptor.addChild(root_0, <label>_tree)
})>
>>

wildcardBang(label,elementIndex) ::= "<super.wildcard(...)>"

wildcardRuleRoot(token,label,elementIndex,terminalOptions={ }) ::= <<
<super.wildcard(...)>
<finishedBacktracking({
<label>_tree = self._adaptor.createWithPayload(<label>)
root_0 = self._adaptor.becomeRoot(<label>_tree, root_0)
})>
>>

createNodeFromToken(label,terminalOptions={ }) ::= <%
<if(terminalOptions.node)>
<terminalOptions.node>(<label>) <! new MethodNode(IDLabel) !>
<else>
self._adaptor.createWithPayload(<label>)
<endif>

```

```
%>
```

```
ruleCleanUp() ::= <<  
<super.ruleCleanUp(>  
<finishedBacktracking({  
retval.tree = self._adaptor.rulePostProcessing(root_0)  
self._adaptor.setTokenBoundaries(retval.tree, retval.start, retval.stop)  
})>  
>>
```

Found in path(s):

```
* /opt/cola/permits/1274703855_1645234694.1/0/antlr-3-5-2-sources-  
jar/org/antlr/codegen/templates/Python3/ASTParser.stg  
No license file was found, but licenses were detected in source scan.
```

```
/*
```

```
[The "BSD license"]  
Copyright (c) 2005-2009 Jim Idle, Temporal Wave LLC  
http://www.temporal-wave.com  
http://www.linkedin.com/in/jimidle
```

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The name of the author may not be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

```
*/
```

```
/** Template overrides to add debugging to AST stuff. Dynamic inheritance
```

```
* hierarchy is set up as ASTDbg : AST : Dbg : Java by code generator.
```

```

*/
parserMembers() ::= <<
protected DebugTreeAdaptor adaptor =
    new DebugTreeAdaptor(null,new CommonTreeAdaptor());
public void setTreeAdaptor(TreeAdaptor adaptor) {
    this.adaptor = new DebugTreeAdaptor(dbg,adaptor);
}
public TreeAdaptor getTreeAdaptor() {
    return adaptor;
}<\n>
>>

```

```

parserCtorBody() ::= <<
>>

```

```

createListenerAndHandshake() ::= <<
<super.createListenerAndHandshake(>
>>

```

```

ctorForPredefinedListener() ::= <<
>>

```

```

@rewriteElement.pregen() ::= ""

```

Found in path(s):

\* /opt/cola/permits/1274703855\_1645234694.1/0/antlr-3-5-2-sources-jar/org/antlr/codegen/templates/C/ASTDbg.stg

No license file was found, but licenses were detected in source scan.

/\*

[The "BSD license"]

Copyright (c) 2006 Kay Roepke 2010 Alan Condit

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The name of the author may not be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.

IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

\*/

Found in path(s):

\* /opt/cola/permits/1274703855\_1645234694.1/0/antlr-3-5-2-sources-jar/org/antlr/codegen/templates/ObjC/Dbg.stg

No license file was found, but licenses were detected in source scan.

/\*

[The "BSD license"]

Copyright (c) 2006, 2007 Kay Roepke 2010 Alan Condit

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The name of the author may not be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

\*/

/\*

\* Template group file for the Objective C code generator.

\* Heavily based on Java.stg

\*

\* Written by Kay Roepke <kroepke(at)classdump.org>

\* Modified by Alan Condit <acondit(at)ipns.com>

\*

\* This file is part of ANTLR and subject to the same license as ANTLR itself.

\*/

```
objcTypeInitMap ::= [  
  "int"      : "0",      // Integers  start out being 0  
  "long"     : "0",      // Longs    start out being 0  
  "float"    : "0.0",    // Floats  start out being 0  
  "double"   : "0.0",    // Doubles start out being 0  
  "BOOL"     : "NO",     // Booleans start out being Antlr ObjC for false  
  "byte"     : "0",      // Bytes   start out being 0  
  "short"    : "0",      // Shorts  start out being 0  
  "char"     : "0",      // Chars   start out being 0  
  "id"       : "nil",    // ids     start out being nil  
  default    : "nil"     // anything other than an atomic type  
]
```

// System.Boolean.ToString() returns "True" and "False", but the proper C# literals are "true" and "false"

// The Java version of Boolean returns "true" and "false", so they map to themselves here.

```
booleanLiteral ::= [  
  "True": "true",  
  "False": "false",  
  "true": "YES",  
  "false": "NO",  
  default: "NO"  
]
```

```
className() ::= "<name><!<if(LEXER)>Lexer<else><if(TREE_PARSER)>Tree<endif>Parser<endif>!>"
```

```
leadIn(type) ::=
```

```
<<
```

```
/** \file
```

```
* This <type> file was generated by $ANTLR version <ANTLRVersion>
```

```
*
```

```
* - From the grammar source file : <fileName>
```

```
* - On : <generatedTimestamp>
```

```
<if(LEXER)>
```

```
* - for the lexer : <name>Lexer
```

```
<endif>
```

```
<if(PARSER)>
```

```
* - for the parser : <name>Parser
```

```
<endif>
```

```
<if(TREE_PARSER)>
```

```
* - for the tree parser : <name>TreeParser
```

```
<endif>
```

```
*
```

```
* Editing it, at least manually, is not wise.
```

```
*
```

```
* ObjC language generator and runtime by Alan Condit, acondit@hereisanat\[ipns\]dotgoeshere\[com\].
```

```

*
*
>>

/** The overall file structure of a recognizer; stores methods for rules
 * and cyclic DFAs plus support code.
 */
outputFile( LEXER,
            PARSEr,
            TREE_PARSER,
            actionScope,
            actions,
            docComment,
            recognizer,
            name,
            tokens,
            tokenNames,
            rules,
            cyclicDFAs,
            bitsets,
            buildTemplate,
            buildAST,
            rewriteMode,
            profile,
            backtracking,
            synpreds,
            memoize,
            numRules,
            fileName,
            ANTLRVersion,
            generatedTimestamp,
            trace,
            scopes,
            superClass,
            literals
            ) ::=

<<
<leadIn("OBJC source")>
*/
// $ANTLR <ANTLRVersion> <fileName> <generatedTimestamp>

<! <if(actions.(actionScope).header)>
/* =====
 * This is what the grammar programmer asked us to put at the top of every file.
 */
<actions.(actionScope).header>
/* End of Header action.
 * =====

```



```

*/
<endif> !>

/* -----
* Include the ANTLR3 generated header file.
*/
#import "<name><!<if(LEXER)>Lexer<else><if(TREE_PARSER)>Tree<endif>Parser<endif>!>.h"
<actions.(actionScope).postinclude>
/* ----- */

<docComment>

<if(literals)>
/** String literals used by <name> that we must do things like MATCHS() with.
* C will normally just lay down 8 bit characters, and you can use L"xxx" to
* get wchar_t, but wchar_t is 16 bits on Windows, which is not UTF32 and so
* we perform this little trick of defining the literals as arrays of UINT32
* and passing in the address of these.
*/
<literals:{it | static ANTLR3_UCHAR lit_<i>[] = <it>;}; separator="\n">

<endif>

/* ===== */
/* ===== */
* Start of recognizer
*/
<recognizer>
>>
headerFileExtension() ::= ".h"

headerFile( LEXER,
            PARSER,
            TREE_PARSER,
            actionScope,
            actions,
            docComment,
            recognizer,
            name,
            tokens,
            tokenNames,
            rules,
            cyclicDFAs,
            bitsets,
            buildTemplate,
            buildAST,
            rewriteMode,
            profile,

```

```

        backtracking,
        synpreds,
        memoize,
        numRules,
        fileName,
        ANTLRVersion,
        generatedTimestamp,
        trace,
        scopes,
        superClass,
        literals
    ) ::=
<<
// $ANTLR <ANTLRVersion> <fileName> <generatedTimestamp>

<@imports>
<actions.(actionScope).preincludes>
/* =====
* Standard antlr OBJC runtime definitions
*/
#import \<Cocoa/Cocoa.h>
#import \<ANTLR/ANTLR.h>
/* End of standard antlr3 runtime definitions
* =====
*/
<actions.(actionScope).includes>
<@end>

<if(LEXER)>
<lexerHeaderFile(...)>
<endif>
<if(PARSER)>
<parserHeaderFile(...)>
<endif>
<if(TREE_PARSER)>
<treeParserHeaderFile(...)>
<endif>
<docComment>
>>

lexerHeaderFile( LEXER,
    PARSER,
    TREE_PARSER,
    actionScope,
    actions,
    docComment,
    recognizer,
    name,

```

```

    tokens,
    tokenNames,
    rules,
    cyclicDFAs,
    bitsets,
    buildTemplate,
    profile,
    backtracking,
    synpreds,
    memoize,
    numRules,
    fileName,
    ANTLRVersion,
    generatedTimestamp,
    trace,
    scopes,
    superClass="Lexer"
) ::=
<<

<if(actions.(actionScope).header)>
/* =====
* This is what the grammar programmer asked us to put at the top of every file.
*/
<actions.(actionScope).header>
/* End of Header action.
* =====
*/
<endif>

/* Start cyclicDFAInterface */
<cyclicDFAs:cyclicDFAInterface(>

#pragma mark Rule return scopes Interface start
<rules:{rule |
<rule.ruleDescriptor:{ruleDescriptor | <returnScopeInterface(scope=ruleDescriptor.returnScope)>>>}>
#pragma mark Rule return scopes Interface end
#pragma mark Tokens
#ifndef TOKENLISTAlreadyDefined
#define TOKENLISTAlreadyDefined 1
#ifdef EOF
#undef EOF
#endif
<tokens:{it | #define <it.name> <it.type>}; separator="\n">
#endif
/* interface lexer class */
@interface <className(> <@superClassName>: <superClass><@end> { // line 283
<cyclicDFAs:{dfa | DFA<dfa.decisionNumber> *dfa<dfa.decisionNumber>;}; separator="\n">

```

```

<synpreds:{pred | SEL <pred>Selector;}; separator="\n">
/* ObjC start of actions.lexer.memVars */
<actions.lexer.memVars>
/* ObjC end of actions.lexer.memVars */
}
+ (void) initialize;
+ (<className()> *)new<className()>WithCharStream:(id<CharStream>)anInput;
/* ObjC start actions.lexer.methodsDecl */
<actions.lexer.methodsDecl>
/* ObjC end actions.lexer.methodsDecl */
<rules:{rule |
- (<rule.ruleDescriptor:{ruleDescriptor|<returnType()>>})
<if(!rule.ruleDescriptor.isSynPred)>m<rule.ruleName><else><rule.ruleName>_fragment<endif>
<if(rule.ruleDescriptor.parameterScope)><rule.ruleDescriptor.parameterScope:parameterScope()><endif>; };
separator="\n"><\n>
@end /* end of <className()> interface */<\n>
>>

```

```

headerReturnScope(ruleDescriptor) ::= "<returnScopeInterface(...)>"
headerReturnType(ruleDescriptor) ::= <<
<if(LEXER)>
<if(!r.ruleDescriptor.isSynPred)>
void
<else>
<ruleDescriptor:returnType()>
<endif>
<else>
<ruleDescriptor:returnType()>
<endif>
>>

```

```
// Produce the lexer output
```

```

lexer( grammar,
      name,
      tokens,
      scopes,
      rules,
      numRules,
      filterMode,
      labelType="CommonToken",
      superClass="Lexer"
    ) ::= <<
<cyclicDFAs:cyclicDFA()>

```

```
/** As per Terence: No returns for lexer rules! */
```

```
<!
```

```
#pragma mark Rule return scopes start
```

```

<rules:{rule | <rule.ruleDescriptor:{ruleDescriptor |
<returnScopeImplementation(scope=ruleDescriptor.returnScope)>>>

```

```

}>
#pragma mark Rule return scopes end
!>
@implementation <grammar.recognizerName> // line 330

+ (void) initialize
{
    [BaseRecognizer setGrammarFileName:@"<fileName>"];
}

+ (NSString *) tokenNameForType:(NSInteger)aTokenType
{
    return [[self getTokenNames] objectAtIndex:aTokenType];
}

+ (<grammar.recognizerName> *)new<grammar.recognizerName>WithCharStream:(id<CharStream>)anInput
{
    return [[<grammar.recognizerName> alloc] initWithCharStream:anInput];
}

- (id) initWithCharStream:(id<CharStream>)anInput
{
    self = [super initWithCharStream:anInput State:[RecognizerSharedState
newRecognizerSharedStateWithRuleLen:<numRules>+1]];
    if ( self != nil ) {
<if(memoize)>
        if ( state.ruleMemo == nil ) {
            state.ruleMemo = [[RuleStack newRuleStackWithSize:<numRules>+1] retain];
        }
        if ( [state.ruleMemo count] == 0 ) {
            // initialize the memoization cache - the indices are 1-based in the runtime code!
            <! [state.ruleMemo addObject:[NSNull null]]; /* dummy entry to ensure 1-basedness. */ !>
            for (NSInteger i = 0; i < <numRules>; i++) {
                [state.ruleMemo addObject:[HashRule newHashRuleWithLen:17]];
            }
        }
    }
<endif>
    <synpreds: {pred | <lexerSynpred(name=pred)>};separator="\n">
    <cyclicDFAs: {dfa | dfa<dfa.decisionNumber> = [DFA<dfa.decisionNumber>
newDFA<dfa.decisionNumber>WithRecognizer:self];}; separator="\n">
    <actions.lexer.init>
    }
    return self;
}

- (void) dealloc
{
    <cyclicDFAs: {dfa | [dfa<dfa.decisionNumber> release];}; separator="\n">

```

```

<actions.lexer.dealloc>
    [super dealloc];
}

/* ObjC Start of actions.lexer.methods */
<actions.lexer.methods>
/* ObjC end of actions.lexer.methods */
/* ObjC start methods() */
<@methods()>
/* ObjC end methods() */

<if(actions.lexer.reset)>
- (void) reset
{
    <actions.lexer.reset>
    [super reset];
}
<endif>

<if(filterMode)>
<filteringNextToken()>
<endif>
/* Start of Rules */
<rules; separator="\n">

@end /* end of <grammar.recognizerName> implementation line 397 */
>>

/** A override of Lexer.nextToken() that backtracks over mTokens() looking
 * for matches. No error can be generated upon error; just rewind, consume
 * a token and then try again. backtracking needs to be set as well.
 * Make rule memoization happen only at levels above 1 as we start mTokens
 * at backtracking==1.
 */
filteringNextToken() ::= <<
- (id<Token>) nextToken
{
    while (YES) {
        if ( [input LA:1] == CharStreamEOF ) {
            return [<labelType> eofToken];
        }
        state.token = nil;
        state.channel = TokenChannelDefault;
        state.tokenStartCharIndex = input.index;
        state.tokenStartCharPositionInLine = input.charPositionInLine;
        state.tokenStartLine = input.line;
        state.text = nil;
        @try {

```

```

    NSInteger m = [input mark];
    state.backtracking = 1; /* means we won't throw slow exception */
    state.failed = NO;
    [self mTokens];
    state.backtracking = 0;
    /* mTokens backtracks with synpred at backtracking==2
       and we set the synpredgate to allow actions at level 1. */
    if ( state.failed ) {
        [input rewind:m];
        [input consume]; /* advance one char and try again */
    } else {
        [self emit];
        return state.token;
    }
}
}
@catch (RecognitionException *re) {
    // shouldn't happen in backtracking mode, but...
    [self reportError:re];
    [self recover:re];
}
}
}

- (void)memoize:(id<IntStream>)anInput
  RuleIndex:(NSInteger)ruleIndex
  StartIndex:(NSInteger)ruleStartIndex
{
    if ( state.backtracking > 1 ) [super memoize:anInput RuleIndex:ruleIndex StartIndex:ruleStartIndex];
}

- (BOOL)alreadyParsedRule:(id<IntStream>)anInput RuleIndex:(NSInteger)ruleIndex
{
    if ( state.backtracking > 1 ) return [super alreadyParsedRule:anInput RuleIndex:ruleIndex];
    return NO;
}
>>

actionGate() ::= "state.backtracking == 0"

filteringActionGate() ::= "state.backtracking == 1"

parserHeaderFile( LEXER,
    PARSER,
    TREE_PARSER,
    actionScope,
    actions,
    docComment,
    recognizer,

```

```

name,
tokens,
tokenNames,
rules,
cyclicDFAs,
bitsets,
buildTemplate,
profile,
backtracking,
synpreds,
memoize,
numRules,
fileName,
ANTLRVersion,
generatedTimestamp,
trace,
scopes,
literals,
superClass="Parser"
) ::= <<
/* parserHeaderFile */
<genericParserHeaderFile(inputStreamType="id\<TokenStream>",...)>
>>

```

```

treeParserHeaderFile( LEXER,
    PARSEr,
    TREE_PARSER,
    actionScope,
    actions,
    docComment,
    recognizer,
    name,
    tokens,
    tokenNames,
    rules,
    cyclicDFAs,
    bitsets,
    buildTemplate,
    profile,
    backtracking,
    synpreds,
    memoize,
    numRules,
    fileName,
    ANTLRVersion,
    generatedTimestamp,
    trace,
    scopes,

```



```

        literals,
        superClass="TreeParser"
    ) ::= <<
/* treeParserHeaderFile */
<genericParserHeaderFile(inputStreamType="id\<TreeNodeStream>",...)>
>>

```

```

genericParserHeaderFile( LEXER,
    PARSEr,
    TREE_PARSER,
    actionScope,
    actions,
    docComment,
    recognizer,
    name,
    tokens,
    tokenNames,
    rules,
    cyclicDFAs,
    bitsets,
    buildTemplate,
    profile,
    backtracking,
    synpreds,
    memoize,
    numRules,
    fileName,
    ANTLRVersion,
    generatedTimestamp,
    trace,
    scopes,
    superClass,
    literals,
    inputStreamType
) ::=

```

```
<<
```

```
<if(actions.(actionScope).header)>
```

```
/* =====
```

```
* This is what the grammar programmer asked us to put at the top of every file.
```

```
*/
```

```
<actions.(actionScope).header>
```

```
/* End of Header action.
```

```
* =====
```

```
*/
```

```
<endif>
```

```
#ifndef ANTLR3TokenTypeAlreadyDefined
```

```
#define ANTLR3TokenTypeAlreadyDefined
```

```

typedef enum {
    ANTLR_EOF = -1,
    INVALID,
    EOR,
    DOWN,
    UP,
    MIN
} ANTLR3TokenType;
#endif

<cyclicDFAs:cyclicDFAInterface()>
#pragma mark Tokens
#ifndef TOKENLISTAlreadyDefined
#define TOKENLISTAlreadyDefined 1
#endif EOF
#undef EOF
#endif
<tokens:{it | #define <it.name> <it.type>}; separator="\n">
#endif
#pragma mark Dynamic Global Scopes globalAttributeScopeInterface
<scopes:{it | <if(it.isDynamicGlobalScope)><globalAttributeScopeInterface(scope=it)><endif>>>
#pragma mark Dynamic Rule Scopes ruleAttributeScopeInterface
<rules:{rule |
<rule.ruleDescriptor:{ ruleDescriptor | <ruleAttributeScopeInterface(scope=ruleDescriptor.ruleScope)>>>>
#pragma mark Rule Return Scopes returnScopeInterface
<rules:{rule |<rule.ruleDescriptor:{ ruleDescriptor |
<returnScopeInterface(scope=ruleDescriptor.returnScope)>>>>

/* Interface grammar class */
@interface <className()> <@superClassName> : <superClass><@end> { /* line 572 */
#pragma mark Dynamic Rule Scopes ruleAttributeScopeDecl
<rules:{rule | <rule.ruleDescriptor.ruleScope:ruleAttributeScopeDecl(scope=rule.ruleDescriptor.ruleScope)>>>
#pragma mark Dynamic Global Rule Scopes globalAttributeScopeMemVar
<scopes:{it | <if(it.isDynamicGlobalScope)><globalAttributeScopeMemVar(scope=it)><endif>>><\n>
/* ObjC start of actions.(actionScope).memVars */
<actions.(actionScope).memVars>
/* ObjC end of actions.(actionScope).memVars */
/* ObjC start of memVars */
<@memVars()>
/* ObjC end of memVars */

<cyclicDFAs:{ dfa | DFA<dfa.decisionNumber> *dfa<dfa.decisionNumber>;}; separator="\n">
<synpreds:{ pred | SEL <pred>Selector;}; separator="\n">
}

/* ObjC start of actions.(actionScope).properties */
<actions.(actionScope).properties>
/* ObjC end of actions.(actionScope).properties */

```

```

/* ObjC start of properties */
<@properties()>
/* ObjC end of properties */

+ (void) initialize;
+ (<className()> *) new<className()>:(<inputStreamType>)aStream;
/* ObjC start of actions.(actionScope).methodsDecl */
<actions.(actionScope).methodsDecl>
/* ObjC end of actions.(actionScope).methodsDecl */

/* ObjC start of methodsDecl */
<@methodsDecl()>
/* ObjC end of methodsDecl */

<rules:{rule |
-
(<rule.ruleDescriptor:{ruleDescriptor|<returnType()>})><if(!rule.ruleDescriptor.isSynPred)><rule.ruleName><else
><rule.ruleName>_fragment<endif><if(rule.ruleDescriptor.parameterScope)><rule.ruleDescriptor.parameterScope:
parameterScope()><endif>; }; separator="\n"><\n>

@end /* end of <className()> interface */<\n>
>>

parser( grammar,
    name,
    scopes,
    tokens,
    tokenNames,
    rules,
    numRules,
    bitsets,
    ASTLabelType="CommonTree",
    superClass="Parser",
    labelType="CommonToken",
    members={<actions.parser.members>}
) ::= <<
<genericParser(inputStreamType="id\<TokenStream>", rewriteElementType="Token", ...)>
>>

/** How to generate a tree parser; same as parser except the input
 * stream is a different type.
 */
treeParser( grammar,
    name,
    scopes,
    tokens,
    tokenNames,
    globalAction,

```

```

rules,
numRules,
bitsets,
filterMode,
labelType={<ASTLabelType>},
ASTLabelType="CommonTree",
superClass={<if(filterMode)><if(buildAST)>TreeRewriter<else>TreeFilter<endif><else>TreeParser<endif>},
members={<actions.treeparser.members>}
) ::= <<
<genericParser(inputStreamType="id<TreeNodeStream>", rewriteElementType="Node", ...)>
>>

/** How to generate a parser */
genericParser( grammar,
    name,
    scopes,
    tokens,
    tokenNames,
    rules,
    numRules,
    cyclicDFAs,    // parser init -- initializes the DFAs
    bitsets,
    labelType,
    ASTLabelType,
    superClass,
    members,
    filterMode,
    rewriteElementType,
    inputStreamType
) ::= <<
<cyclicDFAs:cyclicDFA(>

#pragma mark Bitsets
<bitsets:{it | <bitset(name={FOLLOW_<it.name>_in_<it.inName><it.tokenIndex>}, words64=it.bits)>}>>

#pragma mark Dynamic Global globalAttributeScopeImplementation
<scopes:{it | <if(it.isDynamicGlobalScope)><globalAttributeScopeImplementation(scope=it)><endif>}>>

#pragma mark Dynamic Rule Scopes ruleAttributeScopeImplementation
<rules:{rule |
<rule.ruleDescriptor:{ ruleDescriptor | <ruleAttributeScopeImplementation(scope=ruleDescriptor.ruleScope)>}>}>>

#pragma mark Rule Return Scopes returnScopeImplementation
<rules:{rule | <rule.ruleDescriptor:{ ruleDescriptor |
<returnScopeImplementation(scope=ruleDescriptor.returnScope)>}>}>>

@implementation <grammar.recognizerName> // line 637

```

```

/* ObjC start of ruleAttributeScope */
#pragma mark Dynamic Rule Scopes ruleAttributeScope
<rules:{ rule | <rule.ruleDescriptor.ruleScope:ruleAttributeScope()>>}>
/* ObjC end of ruleAttributeScope */
#pragma mark global Attribute Scopes globalAttributeScope
/* ObjC start globalAttributeScope */
<scopes:{ it | <if(it.isDynamicGlobalScope)><globalAttributeScope()><endif>>}>
/* ObjC end globalAttributeScope */
/* ObjC start actions.(actionScope).synthesize */
<actions.(actionScope).synthesize>
/* ObjC start synthesize() */
<@synthesize()>

+ (void) initialize
{
    #pragma mark Bitsets
    <bitsets:{ it | <bitsetInit(name={ FOLLOW_<it.name>_in_<it.inName><it.tokenIndex>}, words64=it.bits)>>}>
    [BaseRecognizer setTokenNames:[[AMutableArray arrayWithObjects:@"\<invalid>", @"\<EOR>",
    @"\<DOWN>", @"\<UP>", <tokenNames:{ it | @<it>}; separator=", ", wrap="\n ">, nil] retain]];
    [BaseRecognizer setGrammarFileName:@"<fileName>"];
    <synpreds:{ pred | <synpred(pred)>>}>
}

+ (<grammar.recognizerName> *)new<grammar.recognizerName>:(<inputStreamType>)aStream
{
    <if(PARSER)>
        return [[<grammar.recognizerName> alloc] initWithTokenStream:aStream];
    <else><! TREE_PARSER !>
        return [[<grammar.recognizerName> alloc] initWithStream:aStream];
    <endif>
}

<if(PARSER)>
- (id) initWithTokenStream:(<inputStreamType>)aStream
{
    self = [super initWithTokenStream:aStream State:[[RecognizerSharedState
newRecognizerSharedStateWithRuleLen:<numRules>+1] retain]];
    if ( self != nil ) {
    <else><! TREE_PARSER !>
- (id) initWithStream:(<inputStreamType>)aStream
{
    self = [super initWithStream:aStream State:[[RecognizerSharedState
newRecognizerSharedStateWithRuleLen:<numRules>+1] retain]];
    if ( self != nil ) {
    <endif>
        <! <parserCtorBody()> !>
        <cyclicDFAs:{ dfa | dfa<dfa.decisionNumber> = [DFA<dfa.decisionNumber>
newDFA<dfa.decisionNumber>WithRecognizer:self];}; separator="\n">

```

```

<scopes:{it | <if(it.isDynamicGlobalScope)><globalAttributeScopeInit(scope=it)><endif>}>
<rules:{rule | <rule.ruleDescriptor.ruleScope:ruleAttributeScopeInit(>}>
/* start of actions-actionScope-init */
<actions.(actionScope).init>
/* start of init */
<@init(>
}
return self;
}

```

- (void) dealloc

```

{
<cyclicDFAs:{dfa | [dfa<dfa.decisionNumber> release];}; separator="\n">
<scopes:{it | <if(it.isDynamicGlobalScope)><globalAttributeScopeDealloc(scope=it)><endif>}>
<actions.(actionScope).dealloc>
<@dealloc(>
[super dealloc];
}

```

/\* ObjC start actions.(actionScope).methods \*/

```
<actions.(actionScope).methods>
```

/\* ObjC end actions.(actionScope).methods \*/

/\* ObjC start methods() \*/

```
<@methods(>
```

/\* ObjC end methods() \*/

/\* ObjC start rules \*/

```
<rules; separator="\n">
```

/\* ObjC end rules \*/

@end /\* end of <grammar.recognizerName> implementation line 692 \*/<\n>

>>

parserCtorBody() ::= <<

```
<if(memoize)> /* parserCtorBody */
```

```
<if(grammar.grammarIsRoot)>
```

```
state.ruleMemo = [[RuleStack newRuleStack:<numRules>+1] retain];<\n> <! index from 1..n !>
```

```
<endif>
```

```
<endif>
```

```
<grammar.delegators:
```

```
{g|this.<g:delegateName(> = <g:delegateName(>;}; separator="\n">
```

>>

/\*\* A simpler version of a rule template that is specific to the imaginary

\* rules created for syntactic predicates. As they never have return values

\* nor parameters etc..., just give simplest possible method. Don't do

\* any of the normal memoization stuff in here either; it's a waste.

\* As predicates cannot be inlined into the invoking rule, they need to

\* be in a rule by themselves.

```

*/
synpredRule(ruleName, ruleDescriptor, block, description, nakedBlock) ::=
<<
// $ANTLR start <ruleName>_fragment
- (void) <ruleName>_fragment
{
  <ruleLabelDefs()>
  <if(trace)>
    [self traceIn:@"<ruleName>_fragment" Index:<ruleDescriptor.index>];
  @try {
    <block>
  }
  @finally {
    [self traceOut:@"<ruleName>_fragment" Index:<ruleDescriptor.index>];
  }
<else>
  <block>
<endif>
} // $ANTLR end <ruleName>_fragment
>>

synpred(name) ::= <<
SEL <name>Selector = @selector(<name>_fragment);
<! // $ANTLR start <name>
- (BOOL) <name>
{
  state.backtracking++;
  <@start()>
  NSInteger start = [input mark];
  @try {
    [self <name>_fragment]; // can never throw exception
  }
  @catch (RecognitionException *re) {
    NSLog(@"impossible: %@\n", re.name);
  }
  BOOL success = (state.failed == NO);
  [input rewind:start];
  <@stop()>
  state.backtracking--;
  state.failed=NO;
  return success;
} // $ANTLR end <name> <\n !>
>>

lexerSynpred(name) ::= <<
<synpred(name)>
>>

```

```

ruleMemoization(name) ::= <<
<if(memoize)>
if ( state.backtracking > 0 && [self alreadyParsedRule:input RuleIndex:<ruleDescriptor.index>] ) { return
<ruleReturnValue>; }
<endif>
>>

/** How to test for failure and return from rule */
checkRuleBacktrackFailure() ::= <<
<if (backtracking)>if ( state.failed ) return <ruleReturnValue>;<endif>
>>

/** This rule has failed, exit indicating failure during backtrack */
ruleBacktrackFailure() ::= <<
<if(backtracking)>if ( state.backtracking > 0 ) { state.failed = YES; return <ruleReturnValue>; }<\n><endif>
>>

/** How to generate code for a rule.
* The return type aggregates are declared in the header file (headerFile template)
*/
rule(ruleName,ruleDescriptor,block,emptyRule,description,exceptions,finally,memoize) ::= <<

/*
* $ANTLR start <ruleName>
* <fileName>:<description>
*/
- (<returnType>) <ruleName><ruleDescriptor.parameterScope:parameterScope>
{
<if(trace)>[self traceIn:\@"<ruleName>" Index:<ruleDescriptor.index>];<endif>
<if(trace)>NSLog(@"enter <ruleName> %@ failed=%@ backtracking=%d", [input LT:1],
(state.failed==YES)?@"YES":@"NO", state.backtracking);<endif>
<ruleScopeSetUp>
<ruleDeclarations>
<ruleDescriptor.actions.init>
<@preamble>
@try {
<ruleMemoization(name=ruleName)>
<ruleLabelDefs>
<block>
<ruleCleanUp>
<(ruleDescriptor.actions.after):execAction>
}
<if(exceptions)>
<exceptions:{e|<catch(decl=e.decl,action=e.action)><\n>}>
<else><if(!emptyRule)><if(actions.(actionScope).rulecatch)>
<actions.(actionScope).rulecatch>
<else>
@catch (RecognitionException *re) {

```



```

    [self reportError:re];
    [self recover:input Exception:re];
    <@setErrorReturnValue()>
  }<\n>
<endif><endif><endif>
  @finally {
    <if(trace)>[self traceOut:@"<ruleName>" Index:<ruleDescriptor.index>];<endif>
    <memoize()>
    <ruleScopeCleanUp()>
    <finally>
  }
  <@postamble()>
  return <ruleReturnValue()>;
}
/* $ANTLR end <ruleName> */
>>

finalCode(finalBlock) ::= <<
{
  <finalBlock>
}
>>

catch(decl,action) ::= <<
@catch (<e.decl>) {
  <e.action>
}
>>

ruleDeclarations() ::= <<
/* ruleDeclarations */
<if(ruleDescriptor.hasMultipleReturnValues)>
<returnType()> retval = [<ruleDescriptor:returnStructName()> new<ruleDescriptor:returnStructName()>];
[retval setStart:[input LT:1]];<\n>
<else>
<ruleDescriptor.returnScope.attributes:{ a |
<a.type> <a.name> = <if(a.initValue)><a.initValue><else><initValue(a.type)><endif>;
}>
<endif>
<if(memoize)>
NSInteger <ruleDescriptor.name>_startIndex = input.index;
<endif>
>>

ruleScopeSetUp() ::= <<
/* ruleScopeSetUp */
<ruleDescriptor.useScopes:{ it | [<it>_stack push:[<it>_Scope new<it>_Scope]];}>
<ruleDescriptor.ruleScope:{ it | [<it.name>_stack push:[<it.name>_Scope new<it.name>_Scope]];}>

```

>>

```
ruleScopeCleanUp() ::= <<
/* ruleScopeCleanUp */
<ruleDescriptor.useScopes:{it | [<it>_stack pop];}; separator="\n">
<ruleDescriptor.ruleScope:{it | [<it.name>_stack pop];}; separator="\n">
>>
```

```
ruleLabelDefs() ::= <%
/* ruleLabelDefs entry */<"\n">
<[ruleDescriptor.tokenLabels, ruleDescriptor.tokenListLabels,
ruleDescriptor.wildcardTreeLabels,ruleDescriptor.wildcardTreeListLabels]
: {it | <labelType> *<it.label.text> = nil;}; separator="\n"><"\n">
<[ruleDescriptor.tokenListLabels,ruleDescriptor.ruleListLabels,ruleDescriptor.wildcardTreeListLabels]
: {it | AMutableArray *list_<it.label.text> = nil;}; separator="\n"><"\n">
<ruleDescriptor.ruleLabels:ruleLabelDef(); separator="\n"><"\n">
<ruleDescriptor.ruleListLabels:{||ParserRuleReturnScope *<ll.label.text> = nil;}; separator="\n"><"\n">
%>
```

```
lexerRuleLabelDefs() ::= <<
<[ruleDescriptor.tokenLabels,
ruleDescriptor.tokenListLabels,
ruleDescriptor.ruleLabels]
: {it | <labelType> *<it.label.text>=nil;}; separator="\n"
>
<ruleDescriptor.charLabels:{it |NSInteger <it.label.text>;}; separator="\n">
<[ruleDescriptor.tokenListLabels,
ruleDescriptor.ruleListLabels]:{it |AMutableArray *list_<it.label.text>=nil; }; separator="\n">
>>
```

```
ruleReturnValue() ::= <%
<if(!ruleDescriptor.isSynPred)>
<if(ruleDescriptor.hasReturnValue)>
<if(ruleDescriptor.hasSingleReturnValue)>
<ruleDescriptor.singleValueReturnName>
<else>
retval
<endif>
<endif>
<endif>
%>
```

```
ruleCleanUp() ::= <<
/* token+rule list labels */
<[ruleDescriptor.tokenListLabels,ruleDescriptor.ruleListLabels]:{it ||[list_<it.label.text> release];}; separator="\n">
<if(ruleDescriptor.hasMultipleReturnValues)>
<if(!TREE_PARSER)>
[retval setStop:[input LT:-1]];<\n>
```

```

<endif><endif>
>>

memoize() ::= <<
<if(memoize)>
<if(backtracking)>
if (state.backtracking > 0) [self memoize:input RuleIndex:<ruleDescriptor.index>
StartIndex:<ruleDescriptor.name>_StartIndex];
<endif><endif>
>>

/** How to generate a rule in the lexer; naked blocks are used for
 * fragment rules.
 */
lexerRule(ruleName, nakedBlock, ruleDescriptor, block, memoize) ::= <<
// $ANTLR start "<ruleName>"
- (void)
m<ruleName><if(ruleDescriptor.parameterScope)><ruleDescriptor.parameterScope:parameterScope(scope=it)><en
dif>
{
//<if(trace)>[self traceIn:\@"<ruleName>" Index:<ruleDescriptor.index>];<endif>
<if(trace)>NSLog(@"enter <ruleName> %C line=%d:%d failed=%@ backtracking=%d",
[input LA:1],
self.line,
self.charPositionInLine,
(state.failed==YES) ? @"YES" : @"NO",
state.backtracking);
<endif>
<ruleScopeSetUp()>
<ruleDeclarations()>
@try {
<if(nakedBlock)>
<ruleMemoization(name=ruleName)>
<lexerRuleLabelDefs()>
<ruleDescriptor.actions.init>
<block><\n>
<else>
NSInteger _type = <ruleName>;
NSInteger _channel = TokenChannelDefault;
<ruleMemoization(name=ruleName)>
<lexerRuleLabelDefs()>
<ruleDescriptor.actions.init>
<block>
<ruleCleanUp()>
state.type = _type;
state.channel = _channel;
<(ruleDescriptor.actions.after):execAction()>
<endif>

```

```

    }
    @finally {
        //<if(trace)>[self traceOut:[NSString stringWithFormat:@"<ruleName> %d\n",
<ruleDescriptor.index>]];<endif>
        <if(trace)>NSLog(@"exit <ruleName> %C line=%d:%d failed=%@ backtracking=%d",
            [input LA:1], self.line, self.charPositionInLine,
            (state.failed==YES) ? @"YES" : @"NO", state.backtracking);<endif>
        <ruleScopeCleanUp()>
        <memoize()>
    }
    return;
}
/* $ANTLR end "<ruleName>" */
>>

/** How to generate code for the implicitly-defined lexer grammar rule
 * that chooses between lexer rules.
 */
tokensRule(ruleName,nakedBlock,args,block,ruleDescriptor) ::= <<
- (void) mTokens
{
    <block><\n>
}
>>

// S U B R U L E S

/** A (...) subrule with multiple alternatives */
block(alts,decls,decision,enclosingBlockLevel,blockLevel,decisionNumber,maxK,maxAlt,description) ::= <<
// <fileName>:<description> // block
NSInteger alt<decisionNumber>=<maxAlt>;
<decls>
<@predecision()>
<decision>
<@postdecision()>
<@prebranch()>
switch (alt<decisionNumber>) {
    <alts:{ a | <altSwitchCase(i, a)>}>
}
<@postbranch()>
>>

/** A rule block with multiple alternatives */
ruleBlock(alts,decls,decision,enclosingBlockLevel,blockLevel,decisionNumber,maxK,maxAlt,description) ::= <<
// <fileName>:<description> //ruleblock
NSInteger alt<decisionNumber>=<maxAlt>;
<decls>
<@predecision()>

```

```

<decision>
<@postdecision()>
switch (alt<decisionNumber>) {
  <alts:{a | <altSwitchCase(i, a)>}>
}
>>

ruleBlockSingleAlt(alts,decls,decision,enclosingBlockLevel,blockLevel,decisionNumber,description) ::= <<
// <fileName>:<description> // ruleBlockSingleAlt
<decls>
<@prealt()>
<alts>
<@postalt()>
>>

/** A special case of a (...) subrule with a single alternative */
blockSingleAlt(alts,decls,decision,enclosingBlockLevel,blockLevel,decisionNumber,description) ::= <<
// <fileName>:<description> // blockSingleAlt
<decls>
<@prealt()>
<alts>
<@postalt()>
>>

/** A (..)+ block with 1 or more alternatives */
positiveClosureBlock(alts,decls,decision,enclosingBlockLevel,blockLevel,decisionNumber,maxK,maxAlt,description) ::= <<
// <fileName>:<description> // positiveClosureBlock
NSInteger cnt<decisionNumber> = 0;
<decls>
<@preloop()>
do {
  NSInteger alt<decisionNumber> = <maxAlt>;
  <@predecision()>
  <decision>
  <@postdecision()>
  switch (alt<decisionNumber>) {
    <alts:{a | <altSwitchCase(i, a)>}>
    default :
      if ( cnt<decisionNumber> >= 1 )
        goto loop<decisionNumber>;
      <ruleBacktrackFailure()>
      EarlyExitException *eee =
        [EarlyExitException newException:input decisionNumber:<decisionNumber>];
      <@earlyExitException()>
      @throw eee;
  }
  cnt<decisionNumber>++;
}

```

```

} while (YES);
loop<decisionNumber>;
<@postloop()>
>>

```

positiveClosureBlockSingleAlt ::= positiveClosureBlock

/\*\* A (..)\* block with 0 or more alternatives \*/

closureBlock(alts,decls,decision,enclosingBlockLevel,blockLevel,decisionNumber,maxK,maxAlt,description) ::=

```

<<
<decls>
<@preloop()>
do {
  NSInteger alt<decisionNumber>=<maxAlt>;
  <@predecision()>
  <decision>
  <@postdecision()>
  switch (alt<decisionNumber>) {
    <alts:{ a | <altSwitchCase(i, a)>}>
    default :
      goto loop<decisionNumber>;
  }
} while (YES);
loop<decisionNumber>;
<@postloop()>
>>

```

closureBlockSingleAlt ::= closureBlock

/\*\* Optional blocks (x)? are translated to (x|) by before code generation

\* so we can just use the normal block template

\*/

optionalBlock ::= block

optionalBlockSingleAlt ::= block

/\*\* A case in a switch that jumps to an alternative given the alternative

\* number. A DFA predicts the alternative and then a simple switch

\* does the jump to the code that actually matches that alternative.

\*/

altSwitchCase(altNum, alt) ::= <<

case <altNum> ;

<@prealt()>

<alt>

break;<\n>

>>

/\*\* An alternative is just a list of elements; at outermost level \*/

```

alt(elements,altNum,description,autoAST,outerAlt,treeLevel,rew) ::= <<
// <fileName>:<description> // alt
{
<@declarations()>
<elements:element()>
<rew>
<@cleanup()>
}
>>

/** What to emit when there is no rewrite. For auto build
* mode, does nothing.
*/
noRewrite(rewriteBlockLevel, treeLevel) ::= ""

// E L E M E N T S

/** Dump the elements one per line */
element(e) ::= << <@prematch()><\n><e.el><\n> >>

/** match a token optionally with a label in front */
tokenRef(token,label,elementIndex,terminalOptions) ::= <<
<if(label)><label>=<(<labelType> *)<endif>[self match:input TokenType:<token>
Follow:FOLLOW_<token>_in_<ruleName><elementIndex>]; <checkRuleBacktrackFailure()>
>>

/** ids+=ID */
tokenRefAndListLabel(token,label,elementIndex,terminalOptions) ::= <<
<tokenRef(...)>
<listLabel(elem=label,...)>
>>

listLabel(label,elem) ::= <<
if (list_<label> == nil) list_<label> = [[AMutableArray arrayWithCapacity:5] retain];
[list_<label> addObject:<elem>];<\n>
>>

/** match a character */
charRef(char,label) ::= <<
<if(label)>NSInteger <label> = [input LA:1];<\n><endif>
[self matchChar:<char>]; <checkRuleBacktrackFailure()><\n>
>>

/** match a character range */
charRangeRef(a,b,label) ::= <<
<if(label)><label> = [input LA:1];<\n><endif>
[self matchRangeFromChar:<a> to:<b>]; <checkRuleBacktrackFailure()>
>>

```

```

/** For now, sets are interval tests and must be tested inline */
matchSet(s,label,elementIndex,terminalOptions,postmatchCode="") ::= <<
<if(label)>
<if(LEXER)>
<label> = [input LA:1];<\n>
<else>
<label> = (<labelType> *)[input LT:1]; /* matchSet */<\n>
<endif><endif>
if (<s>) {
    [input consume];
    <postmatchCode>
<if(!LEXER)>
    [state setIsErrorRecovery:NO];
<endif>
    <if(backtracking)>state.failed = NO;<\n><endif>
} else {
    <ruleBacktrackFailure()>
    MismatchedSetException *mse = [MismatchedSetException newException:nil stream:input];
    <@mismatchedSetException()>
<if(LEXER)>
<if(label)>
    mse.c = <label>;
<endif>
    [self recover:mse];
    @throw mse;
<else>
    @throw mse;
    <! use following code to make it recover inline; remove throw mse;
    [self recoverFromMismatchedSet:input exception:mse follow:FOLLOW_set_in_<ruleName><elementIndex>]; !>
<endif>
}<\n>
>>

```

```

matchRuleBlockSet ::= matchSet

```

```

matchSetAndListLabel(s,label,elementIndex,postmatchCode) ::= <<
<matchSet(...)>
<listLabel(elem=label,...)>
>>

```

```

/** Match a string literal */
lexerStringRef(string,label,elementIndex="0") ::= <<
<if(label)>
NSInteger <label>Start = input.index;
[self matchString:<string>]; <checkRuleBacktrackFailure()>
NSInteger StartLine<elementIndex> = self.line;
NSInteger <label>StartCharPos<elementIndex> = self.charPositionInLine;

```



```

<label> = [[<labelType> newToken:input Type:TokenTypeInvalid Channel:TokenChannelDefault
Start:<label>Start Stop:input.index] retain];
[self setLine:<label>StartLine<elementIndex>];
[self setCharPositionInLine:<label>StartCharPos<elementIndex>];
<else>
[self matchString:<string>]; <checkRuleBacktrackFailure()><\n>
<endif>
>>

```

```

wildcard(token,label,elementIndex,terminalOptions) ::= <<
<if(label)>
<label> = (<labelType> *)[input LT:1];<\n>
<endif>
[self matchAny:input]; <checkRuleBacktrackFailure()>
>>

```

```

wildcardAndListLabel(token,label,elementIndex,terminalOptions) ::= <<
<wildcard(...)>
<listLabel(elem=label,...)>
>>

```

```

/** Match . wildcard in lexer */
wildcardChar(label, elementIndex) ::= <<
<if(label)>
NSInteger <label> = [input LA:1];<\n>
<endif>
[self matchAny]; <checkRuleBacktrackFailure()><\n>
>>

```

```

wildcardCharListLabel(label, elementIndex) ::= <<
<wildcardChar(...)>
<listLabel(elem=label,...)>
>>

```

```

/** Match a rule reference by invoking it possibly with arguments
 * and a return value or values. The 'rule' argument was the
 * target rule name, but now is type Rule, whose toString is
 * same: the rule name. Now though you can access full rule
 * descriptor stuff.
 */
ruleRef(rule,label,elementIndex,args,scope) ::= <<
/* ruleRef */
[self pushFollow:FOLLOW_<rule.name>_in_<ruleName><elementIndex>];
<if(label)><label> = <endif>[self <if(scope)><scope:delegateName()>.<endif><rule.name><if(args)>:<first(args)>
<rest(args):{ a | arg<i>:<rest(args)>}; separator=" "><endif>];<\n>
[self popFollow];
<checkRuleBacktrackFailure()><\n>
>>

```

```

/** ids+=r */
ruleRefAndListLabel(rule,label,elementIndex,args,scope) ::= <<
<ruleRef(...)>
<listLabel(elem=label,...)>
>>

/** A lexer rule reference.
*
* The 'rule' argument was the target rule name, but now
* is type Rule, whose toString is same: the rule name.
* Now though you can access full rule descriptor stuff.
*/
lexerRuleRef(rule,label,args,elementIndex,scope) ::= <<
<if(label)>
NSInteger <label>Start<elementIndex> = input.index;
[self m<rule.name><if(args)>:<args; separator=":"><endif>]; <checkRuleBacktrackFailure()><\n>
<label> = [[<labelType> newToken:input Type:TokenTypeInvalid Channel:TokenChannelDefault
Start:<label>Start<elementIndex> Stop:input.index-1] retain];
<label>.line = self.line;
<else>
[self <if(scope)><scope:delegateName()>.<endif>m<rule.name><if(args)>:<args; separator=":"><endif>];
<checkRuleBacktrackFailure()><\n>
<endif>
>>

/** i+=INT in lexer */
lexerRuleRefAndListLabel(rule,label,args,elementIndex,scope) ::= <<
<lexerRuleRef(...)>
<listLabel(elem=label,...)>
>>

/** EOF in the lexer */
lexerMatchEOF(label,elementIndex) ::= <<
<if(label)>
NSInteger <label>Start<elementIndex> = input.index;
[self matchChar:CharStreamEOF]; <checkRuleBacktrackFailure()><\n>
<labelType> <label> = [[<labelType> newToken:input Type:TokenTypeEOF Channel:TokenChannelDefault
Start:<label>Start<elementIndex> Stop:input.index-1] retain];
<label>.line = self.line;
<else>
[self matchChar:CharStreamEOF]; <checkRuleBacktrackFailure()><\n>
<endif>
>>

// used for left-recursive rules
recRuleDefArg()          ::= "int <recRuleArg()>"
recRuleArg()            ::= "_p"

```

```

recRuleAltPredicate(ruleName,opPrec) ::= "<recRuleArg()> |<= <opPrec>"
recRuleSetResultAction()          ::= "root_0=$<ruleName>_primary.tree;"
recRuleSetReturnAction(src,name)   ::= "$<name>=$<src>.<name>;"

/** match ^(root children) in tree parser */
tree(root, actionsAfterRoot, children, nullableChildList, enclosingTreeLevel, treeLevel) ::= <<
<root:element()>
<actionsAfterRoot:element()>
<if(nullableChildList)>
if ( [input LA:1] == DOWN ) {
  [self match:input TokenType:DOWN Follow:nil]; <checkRuleBacktrackFailure()>
  <children:element()>
  [self match:input TokenType:UP Follow:nil]; <checkRuleBacktrackFailure()>
}
<else>
  [self match:input TokenType:DOWN Follow:nil]; <checkRuleBacktrackFailure()>
  <children:element()>
  [self match:input TokenType:UP Follow:nil]; <checkRuleBacktrackFailure()>
<endif>
>>

/** Every predicate is used as a validating predicate (even when it is
 * also hoisted into a prediction expression).
 */
validateSemanticPredicate(pred,description) ::= <<
if ( !(<evalPredicate(...)>) ) {
  <ruleBacktrackFailure()>
  @throw [FailedPredicateException newException:@ "<ruleName>" predicate:@ "<description>" stream:input];
}
>>

// F i x e d D F A (if-then-else)

dfaState(k,edges,eotPredictsAlt,description,stateNumber,semPredState) ::= <<
NSInteger LA<decisionNumber>_<stateNumber> = [input LA:<k>];<n>
<edges; separator="\nelse ">
else {
<if(eotPredictsAlt)>
  alt<decisionNumber> = <eotPredictsAlt>;
<else>
  <ruleBacktrackFailure()>
  NoViableAltException *nvae = [NoViableAltException newException:<decisionNumber> state:<stateNumber>
stream:input];
  nvae.c = LA<decisionNumber>_<stateNumber>;
  <@noViableAltException()>
  @throw nvae;<n>
<endif>
}

```

```

>>

/** Same as a normal DFA state except that we don't examine lookahead
 * for the bypass alternative. It delays error detection but this
 * is faster, smaller, and more what people expect. For (X)? people
 * expect "if ( LA(1)==X ) match(X);" and that's it.
 */
dfaOptionalBlockState(k,edges,eotPredictsAlt,description,stateNumber,semPredState) ::= <<
NSInteger LA<decisionNumber>_<stateNumber> = [input LA:<k>];<n>
<edges; separator="\nelse ">
>>

```

```

/** A DFA state that is actually the loopback decision of a closure
 * loop. If end-of-token (EOT) predicts any of the targets then it
 * should act like a default clause (i.e., no error can be generated).
 * This is used only in the lexer so that for ('a)* on the end of a rule
 * anything other than 'a' predicts exiting.
 */
dfaLoopbackState(k,edges,eotPredictsAlt,description,stateNumber,semPredState) ::= <<
NSInteger LA<decisionNumber>_<stateNumber> = [input LA:<k>];
<edges; separator="\nelse "><n>
<if(eotPredictsAlt)>
<if(!edges)>
alt<decisionNumber>=<eotPredictsAlt>; <! if no edges, don't gen ELSE !>
<else>
else {
    alt<decisionNumber> = <eotPredictsAlt>;
}<n>
<endif><endif>
>>

```

```

/** An accept state indicates a unique alternative has been predicted */
dfaAcceptState(alt) ::= "alt<decisionNumber>=<alt>";

```

```

/** A simple edge with an expression. If the expression is satisfied,
 * enter to the target state. To handle gated productions, we may
 * have to evaluate some predicates for this edge.
 */
dfaEdge(labelExpr, targetState, predicates) ::= <<
if ( (<labelExpr> <if(predicates)>&& (<predicates>)<endif> ) {
    <targetState>
}
>>

```

```

// F i x e d D F A (switch case)

```

```

/** A DFA state where a SWITCH may be generated. The code generator
 * decides if this is possible: CodeGenerator.canGenerateSwitch().

```

```

*/
dfaStateSwitch(k,edges,eotPredictsAlt,description,stateNumber,semPredState) ::= <<
unichar charLA<decisionNumber> = [input LA:<k>];
switch (charLA<decisionNumber>) {
  <edges; separator="\n"><\n>
default: ;
<if(eotPredictsAlt)>
  alt<decisionNumber> = <eotPredictsAlt>;
<else>
  <ruleBacktrackFailure()>
  NoViableAltException *nvae = [NoViableAltException newException:<decisionNumber> state:<stateNumber>
stream:input];
  nvae.c = charLA<decisionNumber>;
  <@noViableAltException()>
  @throw nvae;<\n>
<endif>
}<\n>
>>

```

```

dfaOptionalBlockStateSwitch(k,edges,eotPredictsAlt,description,stateNumber,semPredState) ::= <<
switch ([input LA:<k>]) { // dfaOptionalBlockStateSwitch
  <edges; separator="\n"><\n>
}<\n>
>>

```

```

dfaLoopbackStateSwitch(k, edges,eotPredictsAlt,description,stateNumber,semPredState) ::= <<
switch ([input LA:<k>]) { // dfaLoopbackStateSwitch
  <edges; separator="\n"><\n>
<if(eotPredictsAlt)>
default:
  alt<decisionNumber> = <eotPredictsAlt>;
  break;<\n>
<endif>
}<\n>
>>

```

```

dfaEdgeSwitch(labels, targetState) ::= <<
<labels:{it | case <it>: ;}; separator="\n">
{
  <targetState>
}
break;
>>

```

// C y c l i c D F A

/\*\* The code to initiate execution of a cyclic DFA; this is used

\* in the rule to predict an alt just like the fixed DFA case.

```

* The <name> attribute is inherited via the parser, lexer, ...
*/
dfaDecision(decisionNumber,description) ::= <<
alt<decisionNumber> = [dfa<decisionNumber> predict:input];
>>

/** Used in headerFile */
cyclicDFAInterface(dfa) ::= <<
#pragma mark Cyclic DFA interface start DFA<dfa.decisionNumber>
@interface DFA<dfa.decisionNumber> : DFA {
}
+ (DFA<dfa.decisionNumber> *) newDFA<dfa.decisionNumber>WithRecognizer:(BaseRecognizer
*)theRecognizer;
- initWithRecognizer:(BaseRecognizer *)recognizer;
@end /* end of DFA<dfa.decisionNumber> interface */<\n>
#pragma mark Cyclic DFA interface end DFA<dfa.decisionNumber><\n>
>>

/** Used in lexer/parser implementation files */
/* Dump DFA tables as run-length-encoded Strings of octal values.
* Can't use hex as compiler translates them before compilation.
* These strings are split into multiple, concatenated strings.
* Java puts them back together at compile time thankfully.
* Java cannot handle large static arrays, so we're stuck with this
* encode/decode approach. See analysis and runtime DFA for
* the encoding methods.
*/
cyclicDFA(dfa) ::= <<
#pragma mark Cyclic DFA implementation start DFA<dfa.decisionNumber>

@implementation DFA<dfa.decisionNumber>
const static NSInteger dfa<dfa.decisionNumber>_eot[<dfa.numberofStates>] =
    {<dfa.eot; wrap="\n    ", separator=",", null="-1">};
const static NSInteger dfa<dfa.decisionNumber>_eof[<dfa.numberofStates>] =
    {<dfa.eof; wrap="\n    ", separator=",", null="-1">};
const static unichar dfa<dfa.decisionNumber>_min[<dfa.numberofStates>] =
    {<dfa.min; wrap="\n    ", separator=",", null="-1">};
const static unichar dfa<dfa.decisionNumber>_max[<dfa.numberofStates>] =
    {<dfa.max; wrap="\n    ", separator=",", null="-1">};
const static NSInteger dfa<dfa.decisionNumber>_accept[<dfa.numberofStates>] =
    {<dfa.accept; wrap="\n    ", separator=",", null="-1">};
const static NSInteger dfa<dfa.decisionNumber>_special[<dfa.numberofStates>] =
    {<dfa.special; wrap="\n    ", separator=",", null="-1">};

/** Used when there is no transition table entry for a particular state */
#define dfa<dfa.decisionNumber>_T_empty    nil

<dfa.edgeTransitionClassMap.keys: { table |

```

```

const static NSInteger dfa<dfa.decisionNumber>_T<i0>[] =
{
    <table; separator=", ", wrap="\n ", null="-1">
\};
}; null="">

const static NSInteger *dfa<dfa.decisionNumber>_transition[] =
{
    <dfa.transitionEdgeTables:{ whichTable|dfa<dfa.decisionNumber>_T<whichTable>}; separator=", ", wrap="\n",
null="nil">
};

+ (DFA<dfa.decisionNumber> *) newDFA<dfa.decisionNumber>WithRecognizer:(BaseRecognizer *)aRecognizer
{
    return [[[DFA<dfa.decisionNumber> alloc] initWithRecognizer:aRecognizer] retain];
}

- (id) initWithRecognizer:(BaseRecognizer *) theRecognizer
{
    self = [super initWithRecognizer:theRecognizer];
    if ( self != nil ) {
        decisionNumber = <dfa.decisionNumber>;
        eot = dfa<dfa.decisionNumber>_eot;
        eof = dfa<dfa.decisionNumber>_eof;
        min = dfa<dfa.decisionNumber>_min;
        max = dfa<dfa.decisionNumber>_max;
        accept = dfa<dfa.decisionNumber>_accept;
        special = dfa<dfa.decisionNumber>_special;
        transition = dfa<dfa.decisionNumber>_transition;
    }
    return self;
}

<if(dfa.specialStateSTs)>
/* start dfa.specialStateSTs */
- (NSInteger) specialStateTransition:(NSInteger)s Stream:(id<IntStream>)anInput
{
    <if(LEXER)>
        id<IntStream> input = anInput;<\n>
    <endif>
    <if(PARSER)>
        id<TokenStream> input = (id<TokenStream>)anInput;<\n>
    <endif>
    <if(TREE_PARSER)>
        id<TreeNodeStream> input = (id<TreeNodeStream>)anInput;<\n>
    <endif>
    switch (s) {
        <dfa.specialStateSTs:{ state |

```

```

        case <i0> : ;<! compressed special state numbers 0..n-1 !>
            <state>}; separator="\n">
    }
<if(backtracking)>
    if ( [recognizer getBacktrackingLevel] > 0 ) { [recognizer setFailed:YES]; return -1; }<\n>
<endif>
    NoViableAltException *nvae = [NoViableAltException newException:<dfa.decisionNumber> state:s
stream:recognizer.input];
    // nvae.c = s;
    /* [self error:nvae]; */ <! for debugger - do later !>
    @throw nvae;
}<\n>
/* end dfa.specialStateSTs */
<endif>

- (void) dealloc
{
    //free(transition);
    [super dealloc];
}

- (NSString *) description
{
    return @"<dfa.description>";
}

<@errorMethod()>

@end /* end DFA<dfa.decisionNumber> implementation */<\n>
#pragma mark Cyclic DFA implementation end DFA<dfa.decisionNumber>
<\n>
>>
/** A state in a cyclic DFA; it's a special state and part of a big switch on
 * state.
 */
cyclicDFASState(decisionNumber, stateNumber, edges, needErrorClause, semPredState) ::= <<
/* cyclicDFASState */
NSInteger LA<decisionNumber>_<stateNumber> = [input LA:1];<\n>
<if(semPredState)> <! get next lookahead symbol to test edges, then rewind !>
NSInteger index<decisionNumber>_<stateNumber> = input.index;
[input rewind];<\n>
<endif>
s = -1;
<edges; separator="\nelse ">
<if(semPredState)> <! return input cursor to state before we rewound !>
[input seek:index<decisionNumber>_<stateNumber>];<\n>
<endif>
if ( s >= 0 )

```



```

    return s;
break;
>>

/** Just like a fixed DFA edge, test the lookahead and indicate what
 * state to jump to next if successful.
 */
cyclicDFAEdge(labelExpr, targetStateNumber, edgeNumber, predicates) ::= <<
/* cyclicDFAEdge */
if (<labelExpr><if(predicates)> && (<predicates><endif>) { s = <targetStateNumber>;}<\n>
>>

/** An edge pointing at end-of-token; essentially matches any char;
 * always jump to the target.
 */
eotDFAEdge(targetStateNumber,edgeNumber, predicates) ::= <<
s = <targetStateNumber>;<\n> /* eotDFAEdge */
>>

// D F A E X P R E S S I O N S

andPredicates(left,right) ::= "<left>&&<right>"

orPredicates(operands) ::= "<operands; separator=\\|\\>"

notPredicate(pred) ::= "!(<evalPredicate(pred, {})>)"

evalPredicate(pred,description) ::= "<pred>"

/*
 * evalSynPredicate(pred,description) ::= "<pred>()"
 *
 * synpreds are broken in cyclic DFA special states
 * Damn! For now, work around with using the selectors directly, and by providing a trampoline evalSynPred
method in
 * DFA
 */
/* evalSynPredicate(pred,description) ::= "[self evaluateSyntacticPredicate:<pred>Selector stream:input]" */
evalSynPredicate(pred,description) ::= "[self evaluateSyntacticPredicate:@selector(<pred>_fragment)]"
/* evalSynPredicate(pred,description) ::= "[recognizer <pred>]" */

lookaheadTest(atom,k,atomAsInt) ::= "LA<decisionNumber>_<stateNumber>===<atom>"

/** Sometimes a lookahead test cannot assume that LA(k) is in a temp variable
 * somewhere. Must ask for the lookahead directly.
 */
isolatedLookaheadTest(atom,k,atomAsInt) ::= "[input LA:<k>] == <atom>"

```

```

lookaheadRangeTest(lower,upper,k,rangeNumber,lowerAsInt,upperAsInt) ::= <%
(LA<decisionNumber>_<stateNumber> >= <lower> && LA<decisionNumber>_<stateNumber> \<= <upper>)
%>

isolatedLookaheadRangeTest(lower,upper,k,rangeNumber,lowerAsInt,upperAsInt) ::= "([input LA:<k>] >=
<lower>) && ([input LA:<k>] \<= <upper>))"

setTest(ranges) ::= <%
<ranges; separator="|">
%>

// A T T R I B U T E S

memVars(scope) ::= <% <scope.attributes:{a|<a.type> <a.name>;<\n>}; separator="\n"> %>

properties(scope) ::= <%
<scope.attributes:{a|@property (assign, getter=get<a.name>, setter=set<a.name>:) <a.type> <a.name>;<\n>};
separator="\n">
%>

methodsDecl(scope) ::= <%
<scope.attributes:{a|- (<a.type>)get<a.name>;<\n>- (void)set<a.name>:(<a.type>)aVal;<\n>}; separator="\n">
%>

synthesize(scope) ::= <% <scope.attributes:{a|@synthesize <a.name>;}; separator="\n"> %>

methods(scope) ::= <%
<scope.attributes:{a|
- (<a.type>)get<a.name> { return( <a.name> );\}\<\n>
- (void)set<a.name>:(<a.type>)aVal { <a.name> = aVal;\}\<\n>}; separator="\n">
%>

globalAttributeScopeInterface(scope) ::= <%
/* globalAttributeScopeInterface */<\n>
@interface <scope.name>_Scope : SymbolsScope {<\n>
<if(scope.attributes)>
<memVars(scope)>
<endif>
}<\n>
<if(scope.attributes)>
/* start of globalAttributeScopeInterface properties */<\n>
<properties(scope)>
/* end globalAttributeScopeInterface properties */<\n>
<endif>

+ (<scope.name>_Scope *)new<scope.name>_Scope;<\n>
- (id) init;<\n>
<if(scope.attributes)>

```

```

/* start of globalAttributeScopeInterface methodsDecl */<\n>
<methodsDecl(scope)>
/* End of globalAttributeScopeInterface methodsDecl */<\n>
<endif>
@end /* end of <scope.name>_Scope interface */<\n>
%>

globalAttributeScopeMemVar(scope) ::= <%
/* globalAttributeScopeMemVar */<\n>
SymbolStack *<scope.name>_stack;<\n>
<scope.name>_Scope *<scope.name>_scope;<\n>
%>

globalAttributeScopeImplementation(scope) ::= <%
@implementation <scope.name>_Scope /* globalAttributeScopeImplementation */<\n>
<if(scope.attributes)>
/* start of synthesize -- OBJC-Line 1750 */<\n>
<synthesize(scope)><\n>
<endif>
<\n>
+ (<scope.name>_Scope *)new<scope.name>_Scope<\n>
{<\n>
    return [[<scope.name>_Scope alloc] init];<\n>
}<\n>
<\n>
- (id) init<\n>
{<\n>
    self = [super init];<\n>
    return self;<\n>
}<\n>
<\n>
<if(scope.attributes)>
/* start of iterate get and set functions */<\n>
<methods(scope)><\n>
/* End of iterate get and set functions */<\n>
<endif>
@end /* end of <scope.name>_Scope implementation */<\n><\n>
%>

globalAttributeScopeInit(scope) ::= <<
/* globalAttributeScopeInit */<\n>
<scope.name>_scope = [<scope.name>_Scope new<scope.name>_Scope];<\n>
<scope.name>_stack = [SymbolStack newSymbolStackWithLen:30];<\n>
>>

globalAttributeScopeDealloc(scope) ::= <% [<scope.name>_stack release];<\n> %>

globalAttributeScope(scope) ::= <%

```

```

<if(scope.name)>
static <scope.name>_stack;<\n>
<endif>
%>

ruleAttributeScopeMemVar(scope) ::= <%
/* ObjC ruleAttributeScopeMemVar */<\n>
<if(scope.attributes)>
<scope.name>_Scope *<scope.name>_scope; /* ObjC ruleAttributeScopeMemVar */<\n>
<endif>
%>

ruleAttributeScopeInterface(scope) ::= <%
<if(scope.attributes)>
/* start of ruleAttributeScopeInterface */<\n>
@interface <scope.name>_Scope : SymbolsScope {<\n>
    <memVars(scope)><\n>
}<\n>
<\n>
/* start property declarations */<\n>
<properties(scope)><\n>
/* start method declarations */<\n>
+ (<scope.name>_Scope *)new<scope.name>_Scope;<\n>
- (id) init;<\n>
<methodsDecl(scope)><\n>
@end /* end of ruleAttributeScopeInterface */<\n><\n>
<endif>
%>

ruleAttributeScopeImplementation(scope) ::= <%
<if(scope.attributes)>
@implementation <scope.name>_Scope /* start of ruleAttributeScopeImplementation */<\n>
<synthesize(scope)><\n>
<\n>
+ (<scope.name>_Scope *)new<scope.name>_Scope<\n>
{<\n>
    return [[<scope.name>_Scope alloc] init];<\n>
}<\n>
<\n>
- (id) init<\n>
{<\n>
    self = [super init];<\n>
    return self;<\n>
}<\n>
<\n>
/* start of <scope.name>_Scope get and set functions */<\n>
<methods(scope)><\n>
/* End of <scope.name>_Scope get and set functions */<\n>

```

```

@end /* end of ruleAttributeScopeImplementation */<\n><\n>
<endif>
%>

ruleAttributeScopeInit(scope) ::= <%
/* ruleAttributeScopeInit */<\n>
<scope.name>_scope = [<scope.name>_Scope new<scope.name>_Scope];<\n>
<scope.name>_stack = [SymbolStack newSymbolStackWithLen:30];<\n>
%>

ruleAttributeScopeDealloc(scope) ::= <% [<scope.name>_Scope release];<\n> %>

ruleAttributeScope(scope) ::= <%
<if(scope.attributes)>
/* ruleAttributeScope */<\n>
static SymbolStack *<scope.name>_stack;<\n>
static <scope.name>_Scope *<scope.name>_scope;
<endif>
%>

ruleAttributeScopeDecl(scope) ::= <%
/* ruleAttributeScopeDecl */<\n>
<if(scope.attributes)>
<scope.name>_Scope *<scope.name>_scope;<\n>
<endif>
%>

returnStructName(r) ::= "<className()>_<r.name>_return"

returnType() ::= <%
<if(!ruleDescriptor.isSynPred)>
<if(ruleDescriptor.hasMultipleReturnValues)>
<ruleDescriptor:returnStructName()> *
<else>
<if(ruleDescriptor.hasSingleReturnValue)>
<ruleDescriptor.singleValueReturnType>
<else>
void
<endif>
<endif>
<else>
void
<endif>
%>

/** Generate the Objective-C type associated with a single or multiple return
 * values.
 */

```

```

ruleLabelType(referencedRule) ::= <%
<if(referencedRule.hasMultipleReturnValues)>
<className()>_<referencedRule.name>_return *<else>
<if(referencedRule.hasSingleReturnValue)><referencedRule.singleValueType><else>
void<endif>
<endif>
%>

delegateName(d) ::= <% <if(d.label)><d.label><else>g<d.name><endif> %>

/** Using a type to init value map, try to init a type; if not in table
* must be an object, default value is "null".
*/
initValue(typeName) ::= <% <objcTypeInitMap.(typeName)> %>

/** Define a rule label including default value */
ruleLabelDef(label) ::= <%
<ruleLabelType(referencedRule=label.referencedRule)> <label.label.text> =
<initValue(typeName=ruleLabelType(referencedRule=label.referencedRule))>;<\n>
%>

/** Define a return struct for a rule if the code needs to access its
* start/stop tokens, tree stuff, attributes, ... Leave a hole for
* subgroups to stick in members.
*/
returnScopeInterface(scope) ::= <<
<if(ruleDescriptor.hasMultipleReturnValues)>
/* returnScopeInterface <ruleDescriptor:returnStructName()> */
@interface <ruleDescriptor:returnStructName()> :
<if(TREE_PARSER)>Tree<else>Parser<endif>RuleReturnScope { /* returnScopeInterface line 1838 */
<@memVars()> /* ObjC start of memVars() */<\n>
<if(scope.attributes)>
<memVars(scope)><\n>
<endif>
}
/* start property declarations */
<@properties()><\n>
<if(scope.attributes)>
<properties(scope)><\n>
<endif>
/* start of method declarations */<\n>
+ (<ruleDescriptor:returnStructName()> *)new<ruleDescriptor:returnStructName()>;
/* this is start of set and get methods */
<@methodsDecl()> /* methodsDecl */<\n>
<if(scope.attributes)>
/* start of iterated get and set functions */<\n>
<methodsDecl(scope)><\n>
<endif>

```

```
@end /* end of returnScopeInterface interface */<\n>
```

```
<endif>
```

```
>>
```

```
returnScopeImplementation(scope) ::= <%
```

```
<if(ruleDescriptor.hasMultipleReturnValues)>
```

```
@implementation <ruleDescriptor:returnStructName()> /* returnScopeImplementation */<\n>
```

```
<@synthesize()> /* start of synthesize -- OBJC-Line 1837 */<\n>
```

```
<if(scope.attributes)>
```

```
    <synthesize(scope)><\n>
```

```
<endif>
```

```
+ (<ruleDescriptor:returnStructName()> *)new<ruleDescriptor:returnStructName()><\n>
```

```
{<\n>
```

```
    return [[[<ruleDescriptor:returnStructName()> alloc] init] retain];<\n>
```

```
}<\n>
```

```
<\n>
```

```
- (id) init<\n>
```

```
{<\n>
```

```
    self = [super init];<\n>
```

```
    return self;<\n>
```

```
}<\n>
```

```
<\n>
```

```
<@methods()><\n>
```

```
<if(scope.attributes)>
```

```
/* start of iterate get and set functions */<\n>
```

```
<methods(scope)><\n>
```

```
/* End of iterate get and set functions */<\n>
```

```
<endif>
```

```
<actions.(actionScope).ruleReturnMethods>
```

```
<@ruleReturnMembers()><\n>
```

```
@end /* end of returnScope implementation */<\n><\n>
```

```
<endif>
```

```
%>
```

```
parameterScope(scope) ::= <<
```

```
<! <scope.attributes:{ it | :(<it.type><it.name>}; separator=" "> !>
```

```
<first(scope.attributes){ a | :(<a.type><a.name>}> <rest(scope.attributes){ a | arg<i>:(<a.type><a.name> };
```

```
separator=" ">
```

```
>>
```

```
parameterAttributeRef(attr) ::= "<attr.name>"
```

```
parameterSetAttributeRef(attr,expr) ::= "<attr.name> = <expr>";
```

```
/** Note that the scopeAttributeRef does not have access to the
```

```
* grammar name directly
```

```
*/
```

```
scopeAttributeRef(scope,attr,index,negIndex) ::= <%
```

```
<if(negIndex)>
```

```

(((<scope>_Scope *)[<scope>_stack objectAtIndex:[<scope>_stack size]-<negIndex>-1])).<attr.name>
<else>
<if(index)>
(((<scope>_Scope *)[<scope>_stack objectAtIndex:<index>])).<attr.name>
<else>
(((<scope>_Scope *)[<scope>_stack peek])).<attr.name>
<endif>
<endif>
%>

scopeSetAttributeRef(scope,attr,expr,index,negIndex) ::= <%
/* scopeSetAttributeRef */
<if(negIndex)>
(((<scope>_Scope *)[<scope>_stack objectAtIndex:([<scope>_stack size]-<negIndex>-1])).<attr.name> = <expr>;
<else>
<if(index)>
(((<scope>_Scope *)[<scope>_stack objectAtIndex:<index>])).<attr.name> = <expr>;
<else>
(((<scope>_Scope *)[<scope>_stack peek])).<attr.name> = <expr>;
<endif>
<endif>
%>

scopeAttributeRefStack() ::= <<
/* scopeAttributeRefStack */
<if(negIndex)>
(((<scope>_Scope *)[<scope>_stack objectAtIndex:[<scope>_stack count]-<negIndex>-1])).<attr.name> = <expr>;
<else>
<if(index)>
(((<scope>_Scope *)[<scope>_stack objectAtIndex:<index>])).<attr.name> = <expr>;
<else>
(((<scope>_Scope *)[<scope>_stack peek])).<attr.name> = <expr>;
<endif>
<endif>
>>

/** $x is either global scope or x is rule with dynamic scope; refers
 * to stack itself not top of stack. This is useful for predicates
 * like {$function.size()>0 && $function::name.equals("foo")}?
 */
isolatedDynamicScopeRef(scope) ::= "<scope>_stack"

/** reference an attribute of rule; might only have single return value */
ruleLabelRef(referencedRule,scope,attr) ::= <<
<if(referencedRule.hasMultipleReturnValues)>
(<scope>!=nil?<scope>.<attr.name>:<initValue(attr.type)>)
<else>
<scope>

```



```

<endif>
>>

returnAttributeRef(ruleDescriptor,attr) ::= <%
<if(ruleDescriptor.hasMultipleReturnValues)>
retval.<attr.name> /* added to returnAttributeRef */<\n>
<else>
<attr.name><\n>
<endif>
%>

returnSetAttributeRef(ruleDescriptor,attr,expr) ::= <%
<if(ruleDescriptor.hasMultipleReturnValues)>
retval.<attr.name> = <expr>; /* added to returnSetAttributeRef */<\n>
<else>
<attr.name> = <expr>;<\n>
<endif>
%>

/** How to translate $tokenLabel */
tokenLabelRef(label) ::= "<label>"

/** ids+=ID {$ids} or e+=expr {$e} */
listLabelRef(label) ::= "list_<label>"

/* not sure the next are the right approach; and they are evaluated early; */
/* they cannot see TREE_PARSER or PARSER attributes for example. :( */

tokenLabelPropertyRef_text(scope,attr) ::= "(<scope>!=nil?<scope>.text:nil)"
tokenLabelPropertyRef_type(scope,attr) ::= "(<scope>!=nil?<scope>.type:0)"
tokenLabelPropertyRef_line(scope,attr) ::= "(<scope>!=nil?<scope>.line:0)"
tokenLabelPropertyRef_pos(scope,attr) ::= "(<scope>!=nil?<scope>.charPositionInLine:0)"
tokenLabelPropertyRef_channel(scope,attr) ::= "(<scope>!=nil?<scope>.channel:0)"
tokenLabelPropertyRef_index(scope,attr) ::= "(<scope>!=nil?[<scope> getTokenIndex]:0)"
tokenLabelPropertyRef_tree(scope,attr) ::= "<scope>_tree"
tokenLabelPropertyRef_int(scope,attr) ::= "(<scope>!=nil?[<scope>.text integerValue]:0)"

ruleLabelPropertyRef_start(scope,attr) ::= "(<scope>!=nil?((<labelType> *)<scope>.start):nil)"
ruleLabelPropertyRef_stop(scope,attr) ::= "(<scope>!=nil?((<labelType> *)<scope>.stopToken):nil)"
ruleLabelPropertyRef_tree(scope,attr) ::= "(<scope>!=nil?((<ASTLabelType> *)<scope>.tree):nil)"
ruleLabelPropertyRef_text(scope,attr) ::= <%
<if(TREE_PARSER)>
(<scope>!=nil?[[input getTokenStream] toStringFromStart:[input getTreeAdaptor] getTokenStartIndex:[<scope>
getStart]]
ToEnd:[input getTreeAdaptor] getTokenStopIndex:[<scope> getStart]]]:0)
<else>
(<scope>!=nil?([input toStringFromToken:[<scope> getStart] ToToken:[<scope> getStop]]):0)

```

```

<endif>
%>
ruleLabelPropertyRef_st(scope,attr) ::= "<scope>!=nil?[<scope> st]:nil"

/** Isolated $RULE ref ok in lexer as it's a Token */
lexerRuleLabel(label) ::= "<label>"

lexerRuleLabelPropertyRef_type(scope,attr) ::= "<scope>!=nil?<scope>.type:0)"
lexerRuleLabelPropertyRef_line(scope,attr) ::= "<scope>!=nil?<scope>.line:0)"
lexerRuleLabelPropertyRef_pos(scope,attr) ::= "<scope>!=nil?<scope>.charPositionInLine:-1)"
lexerRuleLabelPropertyRef_channel(scope,attr) ::= "<scope>!=nil?<scope>.channel:0)"
lexerRuleLabelPropertyRef_index(scope,attr) ::= "<scope>!=nil?[<scope> getTokenIndex]:0)"
lexerRuleLabelPropertyRef_text(scope,attr) ::= "<scope>!=nil?<scope>.text:nil)"
lexerRuleLabelPropertyRef_int(scope,attr) ::= "<scope>!=nil?[<scope>.text integerValue]:0)"

// Somebody may ref $template or $tree or $stop within a rule:
rulePropertyRef_start(scope,attr) ::= "((<labelType> *)retval.start)"
rulePropertyRef_stop(scope,attr) ::= "((<labelType> *)retval.stopToken)"
rulePropertyRef_tree(scope,attr) ::= "((<ASTLabelType> *)retval.tree)"
rulePropertyRef_text(scope,attr) ::= <<
<if(TREE_PARSER)>
[[input getTokenStream] toStringFromStart:[[input getTreeAdaptor]
getTokenStartIndex:retval.start.token.startIndex]
ToEnd:[[input getTreeAdaptor] getTokenStopIndex:retval.start.token.stopIndex]]
<else>
[input toStringFromToken:retval.start ToToken:[input LT:-1]]
<endif>
>>
rulePropertyRef_st(scope,attr) ::= "retval.st"

/** hideous: find a way to cut down on the number of templates to support read/write access */
/** TODO: also, which ones are valid to write to? ask Ter */
lexerRuleSetPropertyRef_text(scope,attr,expr) ::= "state.text = <expr>;"
lexerRuleSetPropertyRef_type(scope,attr,expr) ::= "_type"
lexerRuleSetPropertyRef_line(scope,attr,expr) ::= "state.tokenStartLine"
lexerRuleSetPropertyRef_pos(scope,attr,expr) ::= "state.tokenStartCharPositionInLine"
lexerRuleSetPropertyRef_index(scope,attr,expr) ::= "-1" /* undefined token index in lexer */
lexerRuleSetPropertyRef_channel(scope,attr,expr) ::= "state.channel=<expr>;"
lexerRuleSetPropertyRef_start(scope,attr,expr) ::= "state.tokenStartCharIndex"
lexerRuleSetPropertyRef_stop(scope,attr,expr) ::= "(input.index-1)"

lexerRulePropertyRef_text(scope,attr) ::= "self.text"
lexerRulePropertyRef_type(scope,attr) ::= "state.type"
lexerRulePropertyRef_line(scope,attr) ::= "state.tokenStartLine"
lexerRulePropertyRef_pos(scope,attr) ::= "state.tokenStartCharPositionInLine"
lexerRulePropertyRef_index(scope,attr) ::= "-1" // undefined token index in lexer
lexerRulePropertyRef_channel(scope,attr) ::= "_channel"

```

```

lexerRulePropertyRef_start(scope,attr) ::= "state.tokenStartCharIndex"
lexerRulePropertyRef_stop(scope,attr) ::= "(input.index-1)"
lexerRulePropertyRef_int(scope,attr) ::= "[<scope>.text integerValue]"

// setting $st and $tree is allowed in local rule. everything else
// is flagged as error
ruleSetPropertyRef_tree(scope,attr,expr) ::= "retval.start =<expr>";
ruleSetPropertyRef_st(scope,attr,expr) ::= "retval.st =<expr>"; /* "<\n>#error StringTemplates are
unsupported<\n>" */

/** How to execute an action */
execAction(action) ::= <<
<if(backtracking)>
if ( <actions.(actionScope).synpredgate> ) {
    <action>
}
<else>
<action>
<endif>
>>

/** How to always execute an action even when backtracking */
execForcedAction(action) ::= "<action>"

// M I S C (properties, etc...)

bitset(name, words64) ::= <<
static ANTLRBitSet *<name>;
static const unsigned long long <name>_data[] = { <words64:{it | <it>LL};separator=", ">};<\n>
>>

bitsetInit(name, words64) ::= <<
<name> = [[ANTLRBitSet newBitSetWithBits:(const unsigned long long *)<name>_data
Count:(NSUInteger)<length(words64)>] retain];<\n>
>>

codeFileExtension() ::= ".m"

true_value() ::= "YES"
false_value() ::= "NO"

Found in path(s):
* /opt/cola/permits/1274703855_1645234694.1/0/antlr-3-5-2-sources-
jar/org/antlr/codegen/templates/ObjC/ObjC.stg
No license file was found, but licenses were detected in source scan.

/*

```

[The "BSD license"]

Copyright (c) 2005-2006 Terence Parr

Copyright (c) 2007-2008 Ronald Blaschke

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The name of the author may not be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

\*/

group Perl5;

/\*\* The overall file structure of a recognizer; stores methods for rules  
\* and cyclic DFAs plus support code.

\*/

```
outputFile(LEXER,PARSER,TREE_PARSER, actionScope, actions,  
           docComment, recognizer,  
           name, tokens, tokenNames, rules, cyclicDFAs,  
           bitsets, buildTemplate, buildAST, rewriteMode, profile,  
           backtracking, synpreds, memoize, numRules,  
           fileName, ANTLRVersion, generatedTimestamp, trace,  
           scopes, superClass, literals) ::=
```

<<

```
# $ANTLR <ANTLRVersion> <fileName> <generatedTimestamp>
```

```
<actions.(actionScope).header>
```

```
<@imports>
```

```
<if(TREE_PARSER)>
```

```
<endif>
```

```
<if(backtracking)>
```

```

<endif>
<@end>

<docComment>
<recognizer>
>>

lexer(grammar, name, tokens, scopes, rules, numRules, labelType="Token",
    filterMode, superClass="ANTLR::Runtime::Lexer") ::= <<
package <name>;

use Carp;
use English qw( -no_match_vars );
use Readonly;
use Switch;

use ANTLR::Runtime::BaseRecognizer;
use ANTLR::Runtime::DFA;
use ANTLR::Runtime::NoViableAltException;

use Moose;

extends 'ANTLR::Runtime::Lexer';

Readonly my $HIDDEN => ANTLR::Runtime::BaseRecognizer->HIDDEN;
sub HIDDEN { $HIDDEN }

use constant {
    <tokens:{ <it.name> => <it.type>, }; separator="\n">
};
<scopes:{<if(it.isDynamicGlobalScope)><globalAttributeScope(scope=it)><endif>}>
<actions.lexer.members>

sub BUILD {
    my ($self, $arg_ref) = @_ ;

    $self->init_dfas();
}

sub get_grammar_file_name {
    return "<fileName>";
}

<if(filterMode)>
<filteringNextToken()>
<endif>
<rules; separator="\n\n">

```

```

<synpreds:{p | <lexerSynpred(p)>>

<cyclicDFAs:{dfa | has 'dfa<dfa.decisionNumber>';}; separator="\n">

sub init_dfas {
  my ($self) = @_ ;

  <cyclicDFAs:{dfa |
  $self->dfa<dfa.decisionNumber>(<name>::DFA<dfa.decisionNumber>->new({ recognizer => $self }));
  }; separator="\n">

  return;
}

<cyclicDFAs:cyclicDFA(> <! dump tables for all DFA !>

no Moose;
__PACKAGE__->meta->make_immutable();
1;

>>

perlTypeInitMap ::= [
  "$":"undef",
  "@":"()",
  "%":"()",
  default:"undef"
]

/** A override of Lexer.nextToken() that backtracks over mTokens() looking
 * for matches. No error can be generated upon error; just rewind, consume
 * a token and then try again. backtracking needs to be set as well.
 * Make rule memoization happen only at levels above 1 as we start mTokens
 * at backtracking==1.
 */
filteringNextToken() ::= <<
public Token nextToken() {
  while (true) {
    if ( input.LA(1)==CharStream.EOF ) {
      return Token.EOF_TOKEN;
    }
    token = null;
channel = Token.DEFAULT_CHANNEL;
    tokenStartCharIndex = input.index();
    tokenStartCharPositionInLine = input.getCharPositionInLine();
    tokenStartLine = input.getLine();
text = null;
    try {

```

```

int m = input.mark();
backtracking=1; <! means we won't throw slow exception !>
failed=false;
mTokens();
backtracking=0;
<! mTokens backtracks with synpred at backtracking==2
and we set the synpredgate to allow actions at level 1. !>
if ( failed ) {
    input.rewind(m);
    input.consume(); <! advance one char and try again !>
}
else {
    emit();
    return token;
}
}
catch (RecognitionException re) {
    // shouldn't happen in backtracking mode, but...
    reportError(re);
    recover(re);
}
}
}

public void memoize(IntStream input,
    int ruleIndex,
    int ruleStartIndex)
{
if ( backtracking>1 ) super.memoize(input, ruleIndex, ruleStartIndex);
}

public boolean alreadyParsedRule(IntStream input, int ruleIndex) {
if ( backtracking>1 ) return super.alreadyParsedRule(input, ruleIndex);
return false;
}
>>

actionGate() ::= "$self->state->backtracking==0"

filteringActionGate() ::= "backtracking==1"

/** How to generate a parser */
genericParser(grammar, name, scopes, tokens, tokenNames, rules, numRules,
    bitsets, inputStreamType, superClass, filterMode,
    ASTLabelType="Object", labelType, members) ::= <<
package <name>;

use English qw( -no_match_vars );

```

```

use Readonly;
use Switch;
use Carp;
use ANTLR::Runtime::BitSet;

use Moose;

extends '<@superClassName><superClass><@end>';

Readonly my $token_names => [
    "\<invalid>", "\<EOR>", "\<DOWN>", "\<UP>", <tokenNames; separator=", ">
];

use constant {
    <tokens:{ <it.name> => <it.type>, }; separator="\n">
};

<bitsets:bitset(name={ FOLLOW_<it.name>_in_<it.inName><it.tokenIndex>},
    words64=it.bits)>

<scopes:{<if(it.isDynamicGlobalScope)><globalAttributeScope(scope=it)><endif>}>
<@members>
<! WARNING. bug in ST: this is cut-n-paste into Dbg.stg !>

sub BUILD {
    my ($self, $arg_ref) = @_;

    <if(backtracking)>
        $self->state->rule_memo({});<\n>
    <endif>
}
<@end>

sub get_token_names {
    return $token_names;
}

sub get_grammar_file_name {
    return "<fileName>";
}

<members>

<rules; separator="\n\n">

<synpreds:{p | <synpred(p)>}>

<cyclicDFAs:{ dfa | dfa<dfa.decisionNumber> = __PACKAGE__::DFA<dfa.decisionNumber>->new($self);};

```



```

separator="\n">
<cyclicDFAs:cyclicDFA()> <! dump tables for all DFA !>

no Moose;
__PACKAGE__->meta->make_immutable();
1;
__END__
>>

parser(grammar, name, scopes, tokens, tokenNames, rules, numRules, bitsets, ASTLabelType,
superClass="ANTLR::Runtime::Parser", labelType="ANTLR::Runtime::Token",
members={<actions.parser.members>}) ::= <<
<genericParser(inputStreamType="ANTLR::Runtime::TokenStream", ...)>
>>

/** How to generate a tree parser; same as parser except the input
 * stream is a different type.
 */
treeParser(grammar, name, scopes, tokens, tokenNames, globalAction, rules, numRules, bitsets,
labelType={<ASTLabelType>}, ASTLabelType="Object", superClass="ANTLR::Runtime::TreeParser",
members={<actions.treeparser.members>}, filterMode) ::= <<
<genericParser(inputStreamType="TreeNodeStream", ...)>
>>

/** A simpler version of a rule template that is specific to the imaginary
 * rules created for syntactic predicates. As they never have return values
 * nor parameters etc..., just give simplest possible method. Don't do
 * any of the normal memoization stuff in here either; it's a waste.
 * As predicates cannot be inlined into the invoking rule, they need to
 * be in a rule by themselves.
 */
synpredRule(ruleName, ruleDescriptor, block, description, nakedBlock) ::=
<<
# $ANTLR start <ruleName>
sub <ruleName>_fragment {
# <ruleDescriptor.parameterScope:parameterScope(scope=it)>

<if(trace)>
$Self->traceIn("<ruleName>_fragment", <ruleDescriptor.index>);
eval {
    <block>
};
$Self->traceOut("<ruleName>_fragment", <ruleDescriptor.index>);
if ($EVAL_ERROR) {
    croak $EVAL_ERROR;
}
<else>
    <block>

```

```

<endif>
}
# $ANTLR end <ruleName>
>>

```

```

synpred(name) ::= <<
public final boolean <name>() {
    backtracking++;
    <@start()>
    int start = input.mark();
    try {
        <name>_fragment(); // can never throw exception
    } catch (RecognitionException re) {
        System.err.println("impossible: "+re);
    }
    boolean success = !failed;
    input.rewind(start);
    <@stop()>
    backtracking--;
    failed=false;
    return success;
}<\n>
>>

```

```

lexerSynpred(name) ::= <<
<synpred(name)>
>>

```

```

ruleMemoization(name) ::= <<
<if(memoize)>
if ( backtracking>0 && alreadyParsedRule(input, <ruleDescriptor.index> ) ) { return <ruleReturnValue()>; }
<endif>
>>

```

*/\*\* How to test for failure and return from rule \*/*

```

checkRuleBacktrackFailure() ::= <<
<if(backtracking)>
if ($self->state->failed) {
    return <ruleReturnValue()>;
}
<endif>
>>

```

*/\*\* This rule has failed, exit indicating failure during backtrack \*/*

```

ruleBacktrackFailure() ::= <<
<if(backtracking)>if (backtracking>0) { failed=true; return <ruleReturnValue()>;}<endif>
>>

```

```

/** How to generate code for a rule. This includes any return type
 * data aggregates required for multiple return values.
 */
rule(ruleName,ruleDescriptor,block,emptyRule,description,exceptions,finally,memoize) ::= <<
<ruleAttributeScope(scope=ruleDescriptor.ruleScope)>
<returnScope(scope=ruleDescriptor.returnScope)>

# $ANTLR start <ruleName>
# <fileName>:<description>
sub <ruleName>() {
  my ($self, <ruleDescriptor.parameterScope:parameterScope(scope=it)>) = @_;
  <if(trace)>$self->traceIn("<ruleName>", <ruleDescriptor.index>);<endif>
  <ruleScopeSetUp()>
  <ruleDeclarations()>
  <ruleLabelDefs()>
  <ruleDescriptor.actions.init>
  <@preamble()>
  eval {
    <ruleMemoization(name=ruleName)>
    <block>
    <ruleCleanUp()>
    <(ruleDescriptor.actions.after):execAction()>
  };
  <if(exceptions)>
    <exceptions:{e|<catch(decl=e.decl,action=e.action)><\n}>>
  <else>
  <if(!emptyRule)>
  <if(actions.(actionScope).rulecatch)>
    <actions.(actionScope).rulecatch>
  <else>
    my $exception = $EVAL_ERROR;
    if (ref $exception && $exception->isa('ANTLR::Runtime::RecognitionException')) {
      $self->report_error($exception);
      $self->recover($self->input, $exception);
      $exception = undef;
    }<\n>
  <endif>
  <endif>
  <endif>
  <if(trace)>$self->traceOut("<ruleName>", <ruleDescriptor.index>);<endif>
  <memoize()>
  <ruleScopeCleanUp()>
  <finally>
  if ($exception) {
    croak $exception;
    # $exception->rethrow();
  }
  <@postamble()>

```

```

    return <ruleReturnValue(>;
}
# $ANTLR end <ruleName>
>>

catch(decl,action) ::= <<
catch (<e.decl>) {
    <e.action>
}
>>

ruleDeclarations() ::= <<
<if(ruleDescriptor.hasMultipleReturnValues)>
my $retval = <returnType(>->new();
$retval->set_start($self->input->LT(1));<\n>
<else>
<ruleDescriptor.returnScope.attributes:{ a |
my $<a.name> = <if(a.initValue)><a.initValue><else><initValue(a.type)><endif>;
}>
<endif>
<if(memoize)>
my $<ruleDescriptor.name>_start_index = $self->input->index();
<endif>
>>

ruleScopeSetUp() ::= <<
<ruleDescriptor.useScopes:{<it>_stack.push(new <it>_scope());}; separator="\n">
<ruleDescriptor.ruleScope:{<it.name>_stack.push(new <it.name>_scope());}; separator="\n">
>>

ruleScopeCleanUp() ::= <<
<ruleDescriptor.useScopes:{<it>_stack.pop();}; separator="\n">
<ruleDescriptor.ruleScope:{<it.name>_stack.pop();}; separator="\n">
>>

ruleLabelDefs() ::= <<
<[ruleDescriptor.tokenLabels,ruleDescriptor.tokenListLabels]
: {my $<it.label.text> = undef;}; separator="\n"
>
<[ruleDescriptor.tokenListLabels,ruleDescriptor.ruleListLabels]
: {List list_<it.label.text>=null;}; separator="\n"
>
<ruleDescriptor.ruleLabels:ruleLabelDef(label=it); separator="\n">
<ruleDescriptor.ruleListLabels:{ll|RuleReturnScope <ll.label.text> = null;}; separator="\n">
>>

lexerRuleLabelDefs() ::= <<
<[ruleDescriptor.tokenLabels,

```

```

ruleDescriptor.tokenListLabels,
ruleDescriptor.ruleLabels]
: { <labelType> <it.label.text>=null; }; separator="\n"
>
<ruleDescriptor.charLabels: { my $<it.label.text>; }; separator="\n">
<[ruleDescriptor.tokenListLabels,
ruleDescriptor.ruleListLabels,
ruleDescriptor.ruleListLabels]
: { List list_<it.label.text>=null; }; separator="\n"
>
>>

ruleReturnValue() ::= <<
<if(!ruleDescriptor.isSynPred)>
<if(ruleDescriptor.hasReturnValue)>
<if(ruleDescriptor.hasSingleReturnValue)>
$<ruleDescriptor.singleValueReturnName>
<else>
$retval
<endif>
<endif>
<endif>
>>

ruleCleanUp() ::= <<
<if(ruleDescriptor.hasMultipleReturnValues)>
<if(!TREE_PARSER)>
$retval->set_stop($self->input->LT(-1));<\n>
<endif>
<endif>
>>

memoize() ::= <<
<if(memoize)>
<if(backtracking)>
if ( backtracking>0 ) { memoize(input, <ruleDescriptor.index>, <ruleDescriptor.name>_startIndex); }
<endif>
<endif>
>>

/** How to generate a rule in the lexer; naked blocks are used for
 * fragment rules.
 */
lexerRule(ruleName,nakedBlock,ruleDescriptor,block,memoize) ::= <<
# $ANTLR start <ruleName>
sub m_<ruleName> {
# <ruleDescriptor.parameterScope:parameterScope(scope=it)>
my ($self) = @_;
```

```

<if(trace)>traceIn("<ruleName>", <ruleDescriptor.index>);<endif>
<ruleDeclarations()>
eval {
<if(nakedBlock)>
  <ruleMemoization(name=ruleName)>
  <lexerRuleLabelDefs()>
  <ruleDescriptor.actions.init>
  <block><\n>
<else>
  my $_type = <ruleName>;
  my $_channel = $self->DEFAULT_TOKEN_CHANNEL;
  <ruleMemoization(name=ruleName)>
  <lexerRuleLabelDefs()>
  <ruleDescriptor.actions.init>
  <block>
  <ruleCleanUp()>
  $self->state->type($_type);
  $self->state->channel($_channel);
  <(ruleDescriptor.actions.after):execAction()>
<endif>
};
<if(trace)>traceOut("<ruleName>", <ruleDescriptor.index>);<endif>
<memoize()>

if ($EVAL_ERROR) {
  croak $EVAL_ERROR;
}
}
# $ANTLR end <ruleName>
>>

/** How to generate code for the implicitly-defined lexer grammar rule
 * that chooses between lexer rules.
 */
tokensRule(ruleName,nakedBlock,args,block,ruleDescriptor) ::= <<
sub m_tokens {
  my ($self) = @_;
  <block><\n>
}
>>

// S U B R U L E S

/** A (...) subrule with multiple alternatives */
block(alts,decls,decision,enclosingBlockLevel,blockLevel,decisionNumber,maxK,maxAlt,description) ::= <<
# <fileName>:<description>
my $alt<decisionNumber> = <maxAlt>;
<decls>

```

```

<@predecision(>
<decision>
<@postdecision(>
<@prebranch(>
switch ($alt<decisionNumber>) {
  <alts:altSwitchCase(>
}
<@postbranch(>
>>

/** A rule block with multiple alternatives */
ruleBlock(alts,decls,decision,enclosingBlockLevel,blockLevel,decisionNumber,maxK,maxAlt,description) ::= <<
# <fileName>:<description>
my $alt<decisionNumber> = <maxAlt>;
<decls>
<@predecision(>
<decision>
<@postdecision(>
switch ($alt<decisionNumber>) {
  <alts:altSwitchCase(>
}
>>

ruleBlockSingleAlt(alts,decls,decision,enclosingBlockLevel,blockLevel,decisionNumber,description) ::= <<
# <fileName>:<description>
<decls>
<@prealt(>
<alts>
<@postalt(>
>>

/** A special case of a (...) subrule with a single alternative */
blockSingleAlt(alts,decls,decision,enclosingBlockLevel,blockLevel,decisionNumber,description) ::= <<
# <fileName>:<description>
<decls>
<@prealt(>
<alts>
<@postalt(>
>>

/** A (..)+ block with 1 or more alternatives */
positiveClosureBlock(alts,decls,decision,enclosingBlockLevel,blockLevel,decisionNumber,maxK,maxAlt,description) ::= <<
# <fileName>:<description>
my $cnt<decisionNumber> = 0;
<decls>
<@preloop(>
LOOP<decisionNumber>:

```

```

while (1) {
  my $alt<decisionNumber> = <maxAlt>;
  <@predecision()>
  <decision>
  <@postdecision()>
  switch ($alt<decisionNumber>) {
    <alts:altSwitchCase()>
  }
  else {
    if ( $cnt<decisionNumber> >= 1 ) { last LOOP<decisionNumber> }
    <ruleBacktrackFailure()>
    my $eee =
      ANTLR::Runtime::EarlyExitException->new(<decisionNumber>, $self->input);
    <@earlyExitException()>
    croak $eee;
  }
}
++$cnt<decisionNumber>;
}
<@postloop()>
>>

```

positiveClosureBlockSingleAlt ::= positiveClosureBlock

*/\*\* A (..)\* block with 1 or more alternatives \*/*

closureBlock(alts,decls,decision,enclosingBlockLevel,blockLevel,decisionNumber,maxK,maxAlt,description) ::=

<<

# <fileName>:<description>

<decls>

<@preloop()>

LOOP<decisionNumber>:

```

while (1) {
  my $alt<decisionNumber> = <maxAlt>;
  <@predecision()>
  <decision>
  <@postdecision()>
  switch ($alt<decisionNumber>) {
    <alts:altSwitchCase()>
  }
  else { last LOOP<decisionNumber> }
}
}
<@postloop()>
>>

```

closureBlockSingleAlt ::= closureBlock

*/\*\* Optional blocks (x)? are translated to (x|) by before code generation*

*\* so we can just use the normal block template*

*\*/*



```
optionalBlock ::= block
```

```
optionalBlockSingleAlt ::= block
```

```
/** A case in a switch that jumps to an alternative given the alternative  
 * number. A DFA predicts the alternative and then a simple switch  
 * does the jump to the code that actually matches that alternative.  
 */
```

```
altSwitchCase() ::= <<  
case <i> {  
  <@prealt(>  
  <it>  
}<\n>  
>>
```

```
/** An alternative is just a list of elements; at outermost level */  
alt(elements,altNum,description,autoAST,outerAlt,treeLevel,rew) ::= <<  
# <fileName>:<description>  
{  
<@declarations(>  
<elements:element(>  
<rew>  
<@cleanup(>  
}  
>>
```

```
/** What to emit when there is no rewrite. For auto build  
 * mode, does nothing.  
 */  
noRewrite(rewriteBlockLevel, treeLevel) ::= ""
```

```
// E L E M E N T S
```

```
/** Dump the elements one per line */  
element() ::= <<  
<@prematch(>  
<it.el><\n>  
>>
```

```
/** match a token optionally with a label in front */  
tokenRef(token,label,elementIndex,terminalOptions) ::= <<  
<if(label)>$<label> =<endif>$self->match($self->input, <token>,  
$FOLLOW_<token>_in_<ruleName><elementIndex>);  
<checkRuleBacktrackFailure(>  
>>
```

```
/** ids+=ID */  
tokenRefAndListLabel(token,label,elementIndex,terminalOptions) ::= <<
```

```

<tokenRef(...)>
<listLabel(elem=label,...)>
>>

listLabel(label,elem) ::= <<
if (list_<label>==null) list_<label>=new ArrayList();
list_<label>.add(<elem>);<\n>
>>

/** match a character */
charRef(char,label) ::= <<
<if(label)>
<label> = $self->input->LA(1);<\n>
<endif>
$self->match(<char>); <checkRuleBacktrackFailure()>
>>

/** match a character range */
charRangeRef(a,b,label) ::= <<
<if(label)>
<label> = $self->input->LA(1);<\n>
<endif>
$self->match_range(<a>,<b>); <checkRuleBacktrackFailure()>
>>

/** For now, sets are interval tests and must be tested inline */
matchSet(s,label,elementIndex,postmatchCode="") ::= <<
<if(label)>
<if(LEXER)>
<label>= $self->input->LA(1);<\n>
<else>
<label>=(<labelType>)input.LT(1);<\n>
<endif>
<endif>
if ( <s> ) {
    $self->input->consume();
    <postmatchCode>
<if(!LEXER)>
    $self->state->error_recovery(0);
<endif>
    <if(backtracking)>failed=false;<endif>
}
else {
    <ruleBacktrackFailure()>
    my $mse =
        ANTLR::Runtime::MismatchedSetException->new(undef, $self->input);
    <@mismatchedSetException()>
<if(LEXER)>

```

```

    $self->recover($mse);
    $mse->throw();
<else>
    $mse->throw();
    <! use following code to make it recover inline; remove throw mse;
    $self->recoverFromMismatchedSet($self->input, $mse, $FOLLOW_set_in_<ruleName><elementIndex>);
    !>
<endif>
}<\n>
>>

```

```

matchRuleBlockSet ::= matchSet

```

```

matchSetAndListLabel(s,label,elementIndex,postmatchCode) ::= <<
<matchSet(...)>
<listLabel(elem=label,...)>
>>

```

```

/** Match a string literal */
lexerStringRef(string,label,elementIndex) ::= <<
<if(label)>
int <label>Start = getCharIndex();
$self->match(<string>); <checkRuleBacktrackFailure()>
<labelType> <label> = new CommonToken(input, Token.INVALID_TOKEN_TYPE,
Token.DEFAULT_CHANNEL, <label>Start, getCharIndex()-1);
<else>
$self->match(<string>); <checkRuleBacktrackFailure()><\n>
<endif>
>>

```

```

wildcard(label,elementIndex) ::= <<
<if(label)>
<label>=(<labelType>)input.LT(1);<\n>
<endif>
matchAny(input); <checkRuleBacktrackFailure()>
>>

```

```

wildcardAndListLabel(label,elementIndex) ::= <<
<wildcard(...)>
<listLabel(elem=label,...)>
>>

```

```

/** Match . wildcard in lexer */
wildcardChar(label, elementIndex) ::= <<
<if(label)>
<label> = $self->input->LA(1);<\n>
<endif>
matchAny(); <checkRuleBacktrackFailure()>

```

>>

```
wildcardCharListLabel(label, elementIndex) ::= <<  
<wildcardChar(...)>  
<listLabel(elem=label,...)>  
>>
```

```
/** Match a rule reference by invoking it possibly with arguments  
 * and a return value or values.  
 */  
ruleRef(rule,label,elementIndex,args,scope) ::= <<  
$self->push_follow($FOLLOW_<rule.name>_in_<ruleName><elementIndex>);  
<if(label)>  
$<label> = $self-><rule.name>(<args; separator=", ">);<\n>  
<else>  
$self-><rule.name>(<args; separator=", ">);<\n>  
<endif>  
$self->state->_fsp($self->state->_fsp - 1);  
<checkRuleBacktrackFailure()>  
>>
```

```
/** ids+=r */  
ruleRefAndListLabel(rule,label,elementIndex,args,scope) ::= <<  
<ruleRef(...)>  
<listLabel(elem=label,...)>  
>>
```

```
/** A lexer rule reference.  
 *  
 * The 'rule' argument was the target rule name, but now  
 * is type Rule, whose toString is same: the rule name.  
 * Now though you can access full rule descriptor stuff.  
 */  
lexerRuleRef(rule,label,args,elementIndex,scope) ::= <<  
<if(label)>  
int <label>Start<elementIndex> = getCharIndex();  
$self->m_<rule>(<args; separator=", ">); <checkRuleBacktrackFailure()>  
<label> = new CommonToken(input, Token.INVALID_TOKEN_TYPE, Token.DEFAULT_CHANNEL,  
<label>Start<elementIndex>, getCharIndex()-1);  
<else>  
$self->m_<rule.name>(<args; separator=", ">); <checkRuleBacktrackFailure()>  
<endif>  
>>
```

```
/** i+=INT in lexer */  
lexerRuleRefAndListLabel(rule,label,args,elementIndex,scope) ::= <<  
<lexerRuleRef(...)>  
<listLabel(elem=label,...)>
```

```

>>

/** EOF in the lexer */
lexerMatchEOF(label,elementIndex) ::= <<
<if(label)>
int <label>Start<elementIndex> = getCharIndex();
match(EOF); <checkRuleBacktrackFailure()>
<labelType> <label> = new CommonToken(input, EOF, Token.DEFAULT_CHANNEL,
<label>Start<elementIndex>, getCharIndex()-1);
<else>
match(EOF); <checkRuleBacktrackFailure()>
<endif>
>>

/** match ^(root children) in tree parser */
tree(root, actionsAfterRoot, children, nullableChildList,
enclosingTreeLevel, treeLevel) ::= <<
<root:element()>
<actionsAfterRoot:element()>
<if(nullableChildList)>
if ( input.LA(1)==Token.DOWN ) {
match(input, Token.DOWN, null); <checkRuleBacktrackFailure()>
<children:element()>
match(input, Token.UP, null); <checkRuleBacktrackFailure()>
}
<else>
match(input, Token.DOWN, null); <checkRuleBacktrackFailure()>
<children:element()>
match(input, Token.UP, null); <checkRuleBacktrackFailure()>
<endif>
>>

/** Every predicate is used as a validating predicate (even when it is
* also hoisted into a prediction expression).
*/
validateSemanticPredicate(pred,description) ::= <<
if ( !(<evalPredicate(...)> ) ) {
<ruleBacktrackFailure()>
throw new FailedPredicateException(input, "<ruleName>", "<description>");
}
>>

// F i x e d D F A (if-then-else)

dfaState(k,edges,eotPredictsAlt,description,stateNumber,semPredState) ::= <<
my $LA<decisionNumber>_<stateNumber> = $self->input->LA(<k>);<\n>
<edges; separator="\nls">
else {

```

```

<if(eotPredictsAlt)>
  $alt<decisionNumber> = <eotPredictsAlt>;
<else>
  <ruleBacktrackFailure()>
  my $nvae =
    ANTLR::Runtime::NoViableAltException->new({
      grammar_decision_description => "<description>",
      decision_number => <decisionNumber>,
      state_number => <stateNumber>,
      input => $self->input,
    });<\n>
  <@noViableAltException()>
  croak $nvae;<\n>
<endif>
}
>>

/** Same as a normal DFA state except that we don't examine lookahead
 * for the bypass alternative. It delays error detection but this
 * is faster, smaller, and more what people expect. For (X)? people
 * expect "if ( LA(1)==X ) match(X);" and that's it.
 */
dfaOptionalBlockState(k,edges,eotPredictsAlt,description,stateNumber,semPredState) ::= <<
my $LA<decisionNumber>_<stateNumber> = $self->input->LA(<k>);<\n>
<edges; separator="\nls">
>>

/** A DFA state that is actually the loopback decision of a closure
 * loop. If end-of-token (EOT) predicts any of the targets then it
 * should act like a default clause (i.e., no error can be generated).
 * This is used only in the lexer so that for ('a')* on the end of a rule
 * anything other than 'a' predicts exiting.
 */
dfaLoopbackState(k,edges,eotPredictsAlt,description,stateNumber,semPredState) ::= <<
my $LA<decisionNumber>_<stateNumber> = $self->input->LA(<k>);<\n>
<edges; separator="\nls"><\n>
<if(eotPredictsAlt)>
<if(!edges)>
$alt<decisionNumber> = <eotPredictsAlt>; <! if no edges, don't gen ELSE !>
<else>
else {
  $alt<decisionNumber> = <eotPredictsAlt>;
}<\n>
<endif>
<endif>
>>

/** An accept state indicates a unique alternative has been predicted */

```

```

dfaAcceptState(alt) ::= "$alt<decisionNumber> = <alt>";

/** A simple edge with an expression. If the expression is satisfied,
 * enter to the target state. To handle gated productions, we may
 * have to evaluate some predicates for this edge.
 */
dfaEdge(labelExpr, targetState, predicates) ::= <<
if ( (<labelExpr>) <if(predicates)>&& (<predicates>)<endif> ) {
    <targetState>
}
>>

// F i x e d D F A (switch case)

/** A DFA state where a SWITCH may be generated. The code generator
 * decides if this is possible: CodeGenerator.canGenerateSwitch().
 */
dfaStateSwitch(k,edges,eotPredictsAlt,description,stateNumber,semPredState) ::= <<
switch ( $self->input->LA(<k>) ) {
    <edges; separator="\n">
    else {
        <if(eotPredictsAlt)>
            $alt<decisionNumber> = <eotPredictsAlt>;
        <else>
            <ruleBacktrackFailure()>
            my $nvae =
                ANTLR::Runtime::NoViableAltException->new({
                    grammar_decision_description => "<description>",
                    decision_number => <decisionNumber>,
                    state_number => <stateNumber>,
                    input => $self->input,
                });<\n>
            <@noViableAltException()>
            croak $nvae;<\n>
        <endif>
    }
}<\n>
>>

dfaOptionalBlockStateSwitch(k,edges,eotPredictsAlt,description,stateNumber,semPredState) ::= <<
switch ( $self->input->LA(<k>) ) {
    <edges; separator="\n">
}<\n>
>>

dfaLoopbackStateSwitch(k, edges,eotPredictsAlt,description,stateNumber,semPredState) ::= <<
switch ( $self->input->LA(<k>) ) {
    <edges; separator="\n"><\n>
}
>>

```

```

<if(eotPredictsAlt)>
else { $alt<decisionNumber> = <eotPredictsAlt> }<\n>
<endif>
}<\n>
>>

dfaEdgeSwitch(labels, targetState) ::= <<
case [<labels: { <it> }; separator=", ">] { <targetState> }
>>

// C y c l i c D F A

/** The code to initiate execution of a cyclic DFA; this is used
 * in the rule to predict an alt just like the fixed DFA case.
 * The <name> attribute is inherited via the parser, lexer, ...
 */
dfaDecision(decisionNumber,description) ::= <<
$alt<decisionNumber> = $self->dfa<decisionNumber>->predict($self->input);
>>

/* Dump DFA tables as run-length-encoded Strings of octal values.
 * Can't use hex as compiler translates them before compilation.
 * These strings are split into multiple, concatenated strings.
 * Java puts them back together at compile time thankfully.
 * Java cannot handle large static arrays, so we're stuck with this
 * encode/decode approach. See analysis and runtime DFA for
 * the encoding methods.
 */
cyclicDFA(dfa) ::= <<
Readonly my $DFA<dfa.decisionNumber>_eot => ANTLR::Runtime::DFA->unpack_rle([
<dfa.javaCompressedEOT; separator=", "> ]);
Readonly my $DFA<dfa.decisionNumber>_eof => ANTLR::Runtime::DFA->unpack_rle([
<dfa.javaCompressedEOF; separator=", "> ]);
Readonly my $DFA<dfa.decisionNumber>_min => ANTLR::Runtime::DFA->unpack_rle([
<dfa.javaCompressedMin; separator=", "> ]);
Readonly my $DFA<dfa.decisionNumber>_max => ANTLR::Runtime::DFA->unpack_rle([
<dfa.javaCompressedMax; separator=", "> ]);
Readonly my $DFA<dfa.decisionNumber>_accept => ANTLR::Runtime::DFA->unpack_rle([
<dfa.javaCompressedAccept; separator=", "> ]);
Readonly my $DFA<dfa.decisionNumber>_special => ANTLR::Runtime::DFA->unpack_rle([
<dfa.javaCompressedSpecial; separator=", "> ]);
Readonly my $DFA<dfa.decisionNumber>_transition => [
<dfa.javaCompressedTransition: {s|ANTLR::Runtime::DFA->unpack_rle([ <s; separator=", "> ])}; separator=", "> ];

{
package <name>::DFA<dfa.decisionNumber>;
use ANTLR::Runtime::Class;

```



```

use strict;
use warnings;

extends 'ANTLR::Runtime::DFA';

sub BUILD {
    my $self = shift;
    my $param_ref = __PACKAGE__->unpack_params(@_, {
        spec => [
            {
                name => 'recognizer',
                isa => 'ANTLR::Runtime::BaseRecognizer'
            },
        ]
    });

    $self->recognizer($param_ref->{recognizer});
    $self->decision_number(<dfa.decisionNumber>);
    $self->eot($DFA<dfa.decisionNumber>_eot);
    $self->eof($DFA<dfa.decisionNumber>_eof);
    $self->min($DFA<dfa.decisionNumber>_min);
    $self->max($DFA<dfa.decisionNumber>_max);
    $self->accept($DFA<dfa.decisionNumber>_accept);
    $self->special($DFA<dfa.decisionNumber>_special);
    $self->transition($DFA<dfa.decisionNumber>_transition);
}

sub get_description {
    return "<dfa.description>";
}

<@errorMethod()>

<if(dfa.specialStateSTs)>
sub special_state_transition {
    my ($self, $param_ref) = unpack_params(@_, {
        spec => [
            {
                name => 's',
                type => SCALAR,
            },
            {
                name => 'input',
                isa => 'ANTLR::Runtime::IntStream',
            }
        ]
    });
    my $s = $param_ref->{s};

```

```

my $input = $param_ref->{input};

switch ($s) {
  <dfa.specialStateSTs:{state |
  case <i0> \{ <! compressed special state numbers 0..n-1 !>
    <state>}; separator="\n">
  }
}

<if(backtracking)>
  if ($self->state->backtracking > 0) {
    $self->state->failed = 1;
    return -1;
  }<\n>
<endif>

my $nvae =
  ANTLR::Runtime::NoViableAltException->new({
    grammar_decision_description => $self->get_description(),
    decision_number => <dfa.decisionNumber>,
    state_number => $s,
    input => $input,
  });<\n>
  $self->error($nvae);
  $nvae->throw();
}<\n>
<endif>
}<\n>
>>

/** A state in a cyclic DFA; it's a special state and part of a big switch on
 * state.
 */
cyclicDFAState(decisionNumber,stateNumber,edges,needErrorClause,semPredState) ::= <<
my $input = $self->input;
my $LA<decisionNumber>_<stateNumber> = $input->LA(1);<\n>
<if(semPredState)> <! get next lookahead symbol to test edges, then rewind !>
my $index<decisionNumber>_<stateNumber> = $input->index();
$input->rewind();<\n>
<endif>
s = -1;
<edges; separator="\nels">
<if(semPredState)> <! return input cursor to state before we rewound !>
input.seek(index<decisionNumber>_<stateNumber>);<\n>
<endif>
if ( s>=0 ) return s;
break;
>>

```

```

/** Just like a fixed DFA edge, test the lookahead and indicate what
 * state to jump to next if successful.
 */
cyclicDFAEdge(labelExpr, targetStateNumber, edgeNumber, predicates) ::= <<
if ( (<labelExpr> <if(predicates)>&& (<predicates><endif>) {s = <targetStateNumber>;}<n>
>>

/** An edge pointing at end-of-token; essentially matches any char;
 * always jump to the target.
 */
eotDFAEdge(targetStateNumber,edgeNumber, predicates) ::= <<
s = <targetStateNumber>;<n>
>>

// D F A E X P R E S S I O N S

andPredicates(left,right) ::= "(<left> && <right>)"

orPredicates(operands) ::= "(<operands; separator=\\|\\>)"

notPredicate(pred) ::= "!(<evalPredicate(...)>)"

evalPredicate(pred,description) ::= "<pred>"

evalSynPredicate(pred,description) ::= "<pred>()"

lookaheadTest(atom,k,atomAsInt) ::= "$LA<decisionNumber>_<stateNumber> eq <atom>"

/** Sometimes a lookahead test cannot assume that LA(k) is in a temp variable
 * somewhere. Must ask for the lookahead directly.
 */
isolatedLookaheadTest(atom,k,atomAsInt) ::= "$self->input->LA(<k>) eq <atom>"

lookaheadRangeTest(lower,upper,k,rangeNumber,lowerAsInt,upperAsInt) ::= <<
($LA<decisionNumber>_<stateNumber> ge <lower> && $LA<decisionNumber>_<stateNumber> le <upper>)
>>

isolatedLookaheadRangeTest(lower,upper,k,rangeNumber,lowerAsInt,upperAsInt) ::= "($self->input->LA(<k>) ge
<lower> && $self->input->LA(<k>) le <upper>)"

setTest(ranges) ::= "<ranges; separator=\\|\\>"

// A T T R I B U T E S

globalAttributeScope(scope) ::= <<
<if(scope.attributes)>

```

```

protected static class <scope.name>_scope {
    <scope.attributes:{<it.decl>;}; separator="\n">
}
protected Stack <scope.name>_stack = new Stack();<\n>
<endif>
>>

ruleAttributeScope(scope) ::= <<
<if(scope.attributes)>
protected static class <scope.name>_scope {
    <scope.attributes:{<it.decl>;}; separator="\n">
}
protected Stack <scope.name>_stack = new Stack();<\n>
<endif>
>>

returnType() ::= <<
<if(ruleDescriptor.hasMultipleReturnValues)>
<ruleDescriptor.name>_return
<else>
<if(ruleDescriptor.hasSingleReturnValue)>
<ruleDescriptor.singleValueReturnType>
<else>
void
<endif>
<endif>
>>

/** Generate the Java type associated with a single or multiple return
 * values.
 */
ruleLabelType(referencedRule) ::= <<
<if(referencedRule.hasMultipleReturnValues)>
<referencedRule.name>_return
<else>
<if(referencedRule.hasSingleReturnValue)>
<referencedRule.singleValueReturnType>
<else>
void
<endif>
<endif>
>>

/** Using a type to init value map, try to init a type; if not in table
 * must be an object, default value is "undef".
 */
initValue(typeName) ::= <<
<if(typeName)>

```

```

<perlTypeInitMap.(typeName)>
<else>
undef
<endif>
>>

/** Define a rule label including default value */
ruleLabelDef(label) ::= <<
my $<label.label.text> = <initValue(typeName=ruleLabelType(referencedRule=label.referencedRule))>;<\n>
>>

/** Define a return struct for a rule if the code needs to access its
 * start/stop tokens, tree stuff, attributes, ... Leave a hole for
 * subgroups to stick in members.
 */
returnScope(scope) ::= <<
<if(ruleDescriptor.hasMultipleReturnValues)>
{
package <returnType()>;
use ANTLR::Runtime::Class;

extends 'ANTLR::Runtime::<if(TREE_PARSER)>Tree<else>Parser<endif>RuleReturnScope';

<scope.attributes:{public <it.decl>;}; separator="\n">
<@ruleReturnMembers()>
}
<endif>
>>

parameterScope(scope) ::= <<
<scope.attributes:{<$<it.name>}; separator=", ">
>>

parameterAttributeRef(attr) ::= "<$<attr.name>"
parameterSetAttributeRef(attr,expr) ::= "<$<attr.name> =<expr>";

scopeAttributeRef(scope,attr,index,negIndex) ::= <<
<if(negIndex)>
((<scope>_scope)<scope>_stack.elementAt(<scope>_stack.size()-<negIndex>-1)).<attr.name>
<else>
<if(index)>
((<scope>_scope)<scope>_stack.elementAt(<index>)).<attr.name>
<else>
((<scope>_scope)<scope>_stack.peek()).<attr.name>
<endif>
<endif>
>>

```

```

scopeSetAttributeRef(scope,attr,expr,index,negIndex) ::= <<
<if(negIndex)>
((<scope>_scope)<scope>_stack.elementAt(<scope>_stack.size()-<negIndex>-1)).<attr.name> =<expr>;
<else>
<if(index)>
((<scope>_scope)<scope>_stack.elementAt(<index>)).<attr.name> =<expr>;
<else>
((<scope>_scope)<scope>_stack.peek()).<attr.name> =<expr>;
<endif>
<endif>
>>

```

```

/** $x is either global scope or x is rule with dynamic scope; refers
 * to stack itself not top of stack. This is useful for predicates
 * like {$function.size()>0 && $function::name.equals("foo")}?
 */
isolatedDynamicScopeRef(scope) ::= "<scope>_stack"

```

```

/** reference an attribute of rule; might only have single return value */
ruleLabelRef(referencedRule,scope,attr) ::= <<
<if(referencedRule.hasMultipleReturnValues)>
$<scope>.<attr.name>
<else>
$<scope>
<endif>
>>

```

```

returnAttributeRef(ruleDescriptor,attr) ::= <<
<if(ruleDescriptor.hasMultipleReturnValues)>
retval.<attr.name>
<else>
$<attr.name>
<endif>
>>

```

```

returnSetAttributeRef(ruleDescriptor,attr,expr) ::= <<
<if(ruleDescriptor.hasMultipleReturnValues)>
retval.<attr.name> =<expr>;
<else>
$<attr.name> =<expr>;
<endif>
>>

```

```

/** How to translate $tokenLabel */
tokenLabelRef(label) ::= "$<label>"

```

```

/** ids+=ID {$ids} or e+=expr {$e} */
listLabelRef(label) ::= "list_<label>"

```

```

// not sure the next are the right approach

tokenLabelPropertyRef_text(scope,attr) ::= "$<scope>->get_text()"
tokenLabelPropertyRef_type(scope,attr) ::= "<scope>.getType()"
tokenLabelPropertyRef_line(scope,attr) ::= "<scope>.getLine()"
tokenLabelPropertyRef_pos(scope,attr) ::= "<scope>.getCharPositionInLine()"
tokenLabelPropertyRef_channel(scope,attr) ::= "<scope>.getChannel()"
tokenLabelPropertyRef_index(scope,attr) ::= "<scope>.getTokenIndex()"
tokenLabelPropertyRef_tree(scope,attr) ::= "<scope>_tree"

ruleLabelPropertyRef_start(scope,attr) ::= "((<labelType>)<scope>.start)"
ruleLabelPropertyRef_stop(scope,attr) ::= "((<labelType>)<scope>.stop)"
ruleLabelPropertyRef_tree(scope,attr) ::= "((<ASTLabelType>)<scope>.tree)"
ruleLabelPropertyRef_text(scope,attr) ::= <<
<if(TREE_PARSER)>
input.getTokenStream().toString(
  input.getTreeAdaptor().getTokenStartIndex(<scope>.start),
  input.getTreeAdaptor().getTokenStopIndex(<scope>.start))
<else>
substr($self->input, $<scope>->start, $<scope>->stop)
<endif>
>>

ruleLabelPropertyRef_st(scope,attr) ::= "<scope>.st"

/** Isolated $RULE ref ok in lexer as it's a Token */
lexerRuleLabel(label) ::= "$<label>"

lexerRuleLabelPropertyRef_type(scope,attr) ::= "<scope>.getType()"
lexerRuleLabelPropertyRef_line(scope,attr) ::= "<scope>.getLine()"
lexerRuleLabelPropertyRef_pos(scope,attr) ::= "<scope>.getCharPositionInLine()"
lexerRuleLabelPropertyRef_channel(scope,attr) ::= "<scope>.getChannel()"
lexerRuleLabelPropertyRef_index(scope,attr) ::= "<scope>.getTokenIndex()"
lexerRuleLabelPropertyRef_text(scope,attr) ::= "<scope>.getText()"

// Somebody may ref $template or $tree or $stop within a rule:
rulePropertyRef_start(scope,attr) ::= "((<labelType>)retval.start)"
rulePropertyRef_stop(scope,attr) ::= "((<labelType>)retval.stop)"
rulePropertyRef_tree(scope,attr) ::= "((<ASTLabelType>)retval.tree)"
rulePropertyRef_text(scope,attr) ::= <<
<if(TREE_PARSER)>
input.getTokenStream().toString(
  input.getTreeAdaptor().getTokenStartIndex(retval.start),
  input.getTreeAdaptor().getTokenStopIndex(retval.start))
<else>
input.toString(retval.start,input.LT(-1))

```

```

<endif>
>>
rulePropertyRef_st(scope,attr) ::= "retval.st"

lexerRulePropertyRef_text(scope,attr) ::= "getText()"
lexerRulePropertyRef_type(scope,attr) ::= "$_type"
lexerRulePropertyRef_line(scope,attr) ::= "tokenStartLine"
lexerRulePropertyRef_pos(scope,attr) ::= "tokenStartCharPositionInLine"
lexerRulePropertyRef_index(scope,attr) ::= "-1" // undefined token index in lexer
lexerRulePropertyRef_channel(scope,attr) ::= "$_channel"
lexerRulePropertyRef_start(scope,attr) ::= "tokenStartCharIndex"
lexerRulePropertyRef_stop(scope,attr) ::= "(getCharIndex()-1)"
lexerRulePropertyRef_self(scope,attr) ::= "$self"

// setting $st and $tree is allowed in local rule. everything else
// is flagged as error
ruleSetPropertyRef_tree(scope,attr,expr) ::= "retval.tree =<expr>";
ruleSetPropertyRef_st(scope,attr,expr) ::= "retval.st =<expr>";

/** How to execute an action */
execAction(action) ::= <<
<if(backtracking)>
<if(actions.(actionScope).synpredgate)>
if ( <actions.(actionScope).synpredgate> ) {
  <action>
}
<else>
if ( backtracking==0 ) {
  <action>
}
<endif>
<else>
<action>
<endif>
>>

// M I S C (properties, etc...)

bitset(name, words64) ::= <<
Readonly my $<name> => ANTLR::Runtime::BitSet->new({ words64 => [ <words64:{'<it>'};separator=", "> ]
});<\n>
>>

codeFileExtension() ::= ".pm"

true() ::= "1"
false() ::= "0"

```



Found in path(s):

\* /opt/cola/permits/1274703855\_1645234694.1/0/antlr-3-5-2-sources-jar/org/antlr/codegen/templates/Perl5/Perl5.stg

No license file was found, but licenses were detected in source scan.

/\*

[The "BSD license"]

Copyright (c) 2005-2006 Terence Parr

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The name of the author may not be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

\*/

/\*\* Templates for building ASTs during tree parsing.

\*

\* Deal with many combinations. Dimensions are:

\* Auto build or rewrite

\* no label, label, list label (label/no-label handled together)

\* child, root

\* token, set, rule, wildcard

\*

\* Each combination has its own template except that label/no label

\* is combined into tokenRef, ruleRef, ...

\*/

/\*\* Add a variable to track last element matched \*/

ruleDeclarations() ::= <<

```

<super.ruleDeclarations()>
<if(!ruleDescriptor.isSynPred)>
<ASTLabelType> _first_0 = null;
<ASTLabelType> _last = null;<\n>
<endif>
>>

/** What to emit when there is no rewrite rule. For auto build
 * mode, does nothing.
 */
noRewrite(rewriteBlockLevel=false, treeLevel=false) ::= <<
<if(!ruleDescriptor.isSynPred)>
<if(backtracking)>if ( <actions.(actionScope).synpredgate> ) {<endif>
<if(rewriteMode)>
retval.tree = _first_0;
if ( adaptor.getParent(retval.tree)!=null && adaptor.isNil( adaptor.getParent(retval.tree) ) )
retval.tree = (<ASTLabelType>)adaptor.getParent(retval.tree);
<endif>
<if(backtracking)>}<endif>
<endif>
>>

/** match ^(root children) in tree parser; override here to
 * add tree construction actions.
 */
tree(root, actionsAfterRoot, children, nullableChildList,
enclosingTreeLevel, treeLevel) ::= <<
<if(!ruleDescriptor.isSynPred)>
_last = (<ASTLabelType>)input.LT(1);
{
<ASTLabelType> _save_last_<treeLevel> = _last;
<ASTLabelType> _first_<treeLevel> = null;
<if(!rewriteMode)>
<ASTLabelType> root_<treeLevel> = (<ASTLabelType>)adaptor.nil();
<endif>
<root:element()>
<if(rewriteMode)>
<if(backtracking)>if ( <actions.(actionScope).synpredgate> )<endif>
<if(root.el.rule)>
if ( _first_<enclosingTreeLevel>==null ) _first_<enclosingTreeLevel> =
(<ASTLabelType>)<root.el.label>.getTree();
<elseif(root.el.label)>
if ( _first_<enclosingTreeLevel>==null ) _first_<enclosingTreeLevel> = <root.el.label>;
<endif>
<endif>
<actionsAfterRoot:element()>
<if(nullableChildList)>
if ( input.LA(1)==Token.DOWN ) {

```

```

match(input, Token.DOWN, null); <checkRuleBacktrackFailure()>
<children:element()>
match(input, Token.UP, null); <checkRuleBacktrackFailure()>
}
<else>
match(input, Token.DOWN, null); <checkRuleBacktrackFailure()>
<children:element()>
match(input, Token.UP, null); <checkRuleBacktrackFailure()>
<endif>
<if(!rewriteMode)>
adaptor.addChild(root_<enclosingTreeLevel>, root_<treeLevel>);
<endif>
_last = _save_last_<treeLevel>;
}<\n>
<else>
<super.tree(...)>
<endif>
>>

```

```
// TOKEN AST STUFF
```

```

/** ID! and output=AST (same as plain tokenRef) 'cept add
 * setting of _last
 */
tokenRefBang(token,label,elementIndex,terminalOptions={ }) ::= <<
<if(!ruleDescriptor.isSynPred)>
_last = (<ASTLabelType>)input.LT(1);
<super.tokenRef(...)>
<else>
<super.tokenRefBang(...)>
<endif>
>>

```

```

/** ID auto construct */
tokenRef(token,label,elementIndex,terminalOptions={ }) ::= <<
<if(!ruleDescriptor.isSynPred)>
_last = (<ASTLabelType>)input.LT(1);
<super.tokenRef(...)>
<if(!rewriteMode)>
<if(backtracking)>if ( <actions.(actionScope).synpredgate> ) {<endif>
<if(terminalOptions.node)>
<label>_tree = new <terminalOptions.node>(<label>);
<else>
<label>_tree = (<ASTLabelType>)adaptor.dupNode(<label>);
<endif><\n>
adaptor.addChild(root_<treeLevel>, <label>_tree);
<if(backtracking)>}<endif>
<else> <! rewrite mode !>

```

```

<if(backtracking)>if ( <actions.(actionScope).synpredgate> )<endif>
if ( _first_<treeLevel>==null ) _first_<treeLevel> = <label>;
<endif>
<else>
<super.tokenRef(...)>
<endif>
>>

/** label+=TOKEN auto construct */
tokenRefAndListLabel(token,label,elementIndex,terminalOptions={}) ::= <<
<if(!ruleDescriptor.isSynPred)>
<tokenRef(...)>
<listLabel(elem=label,...)>
<else>
<super.tokenRefAndListLabel(...)>
<endif>
>>

/** ^(ID ...) auto construct */
tokenRefRuleRoot(token,label,elementIndex,terminalOptions={}) ::= <<
<if(!ruleDescriptor.isSynPred)>
_last = (<ASTLabelType>)input.LT(1);
<super.tokenRef(...)>
<if(!rewriteMode)>
<if(backtracking)>if ( <actions.(actionScope).synpredgate> ) {<endif>
<if(terminalOptions.node)>
<label>_tree = new <terminalOptions.node>(<label>);
<else>
<label>_tree = (<ASTLabelType>)adaptor.dupNode(<label>);
<endif><\n>
root_<treeLevel> = (<ASTLabelType>)adaptor.becomeRoot(<label>_tree, root_<treeLevel>);
<if(backtracking)>}<endif>
<endif>
<else>
<super.tokenRefRuleRoot(...)>
<endif>
>>

/** Match ^(label+=TOKEN ...) auto construct */
tokenRefRuleRootAndListLabel(token,label,elementIndex,terminalOptions={}) ::= <<
<if(!ruleDescriptor.isSynPred)>
<tokenRefRuleRoot(...)>
<listLabel(elem=label,...)>
<else>
<super.tokenRefRuleRootAndListLabel(...)>
<endif>
>>

```

```

/** Match . wildcard and auto dup the node/subtree */
wildcard(token,label,elementIndex,terminalOptions={}) ::= <<
<if(!ruleDescriptor.isSynPred)>
_last = (<ASTLabelType>)input.LT(1);
<super.wildcard(...)>
<if(!rewriteMode)>
<if(backtracking)>if ( <actions.(actionScope).synpredgate> ) {<endif>
<label>_tree = (<ASTLabelType>)adaptor.dupTree(<label>);
adaptor.addChild(root_<treeLevel>, <label>_tree);
<if(backtracking)>}<endif>
<else> <! rewrite mode !>
<if(backtracking)>if ( <actions.(actionScope).synpredgate> )<endif>
if ( _first_<treeLevel>==null ) _first_<treeLevel> = <label>;
<endif>
<else>
<super.wildcard(...)>
<endif>
>>

// SET AST

matchSet(s,label,elementIndex,postmatchCode,terminalOptions={}) ::= <<
<if(!ruleDescriptor.isSynPred)>
_last = (<ASTLabelType>)input.LT(1);
<super.matchSet(postmatchCode={
<if(!rewriteMode)>
<if(backtracking)>if ( <actions.(actionScope).synpredgate> ) {<endif>
<if(terminalOptions.node)>
<label>_tree = new <terminalOptions.node>(<label>);
<else>
<label>_tree = (<ASTLabelType>)adaptor.dupNode(<label>);
<endif><\n>
adaptor.addChild(root_<treeLevel>, <label>_tree);
<if(backtracking)>}\}<endif>
<endif>
}, ...
)>
<else>
<super.matchSet(...)>
<endif>
>>

matchRuleBlockSet(s,label,elementIndex,postmatchCode,treeLevel="0",terminalOptions={}) ::= <<
<if(!ruleDescriptor.isSynPred)>
<matchSet(...)>
<noRewrite(...)> <! set return tree !>
<else>
<super.matchRuleBlockSet(...)>

```

```

<endif>
>>

matchSetBang(s,label,elementIndex,postmatchCode,terminalOptions={ }) ::= <<
<if(!ruleDescriptor.isSynPred)>
_last = (<ASTLabelType>)input.LT(1);
<super.matchSet(...)>
<else>
<super.matchSetBang(...)>
<endif>
>>

matchSetRuleRoot(s,label,elementIndex,debug,terminalOptions={ }) ::= <<
<if(!ruleDescriptor.isSynPred)>
<super.matchSet(postmatchCode={
<if(!rewriteMode)>
<if(backtracking)>if ( <actions.(actionScope).synpredgate> ) {<endif>
<if(terminalOptions.node)>
<label>_tree = new <terminalOptions.node>(<label>);
<else>
<label>_tree = (<ASTLabelType>)adaptor.dupNode(<label>);
<endif><\n>
root_<treeLevel> = (<ASTLabelType>)adaptor.becomeRoot(<label>_tree, root_<treeLevel>);
<if(backtracking)>}\}<endif>
<endif>
}, ...
)>
<else>
<super.matchSetRuleRoot(...)>
<endif>
>>

// RULE REF AST

/** rule auto construct */
ruleRef(rule,label,elementIndex,args,scope) ::= <<
<if(!ruleDescriptor.isSynPred)>
_last = (<ASTLabelType>)input.LT(1);
<super.ruleRef(...)>
<if(backtracking)>if ( <actions.(actionScope).synpredgate> ) <endif>
<if(!rewriteMode)>
adaptor.addChild(root_<treeLevel>, <label>.getTree());
<else> <! rewrite mode !>
if ( _first_<treeLevel>==null ) _first_<treeLevel> = (<ASTLabelType>)<label>.getTree();
<endif>
<else>
<super.ruleRef(...)>
<endif>

```

```

>>

/** x+=rule auto construct */
ruleRefAndListLabel(rule,label,elementIndex,args,scope) ::= <<
<if(!ruleDescriptor.isSynPred)>
<ruleRef(...)>
<listLabel(label, {<label>.getTree()})>
<else>
<super.ruleRefAndListLabel(...)>
<endif>
>>

/** ^(rule ...) auto construct */
ruleRefRuleRoot(rule,label,elementIndex,args,scope) ::= <<
<if(!ruleDescriptor.isSynPred)>
_last = (<ASTLabelType>)input.LT(1);
<super.ruleRef(...)>
<if(!rewriteMode)>
<if(backtracking)>if ( <actions.(actionScope).synpredgate> ) <endif>root_<treeLevel> =
(<ASTLabelType>)adaptor.becomeRoot(<label>.getTree(), root_<treeLevel>);
<endif>
<else>
<super.ruleRefRuleRoot(...)>
<endif>
>>

/** ^(x+=rule ...) auto construct */
ruleRefRuleRootAndListLabel(rule,label,elementIndex,args,scope) ::= <<
<if(!ruleDescriptor.isSynPred)>
<ruleRefRuleRoot(...)>
<listLabel(label, {<label>.getTree()})>
<else>
<super.ruleRefRuleRootAndListLabel(...)>
<endif>
>>

/** rule when output=AST and tracking for rewrite */
ruleRefTrack(rule,label,elementIndex,args,scope) ::= <<
_last = (<ASTLabelType>)input.LT(1);
<super.ruleRefTrack(...)>
>>

/** x+=rule when output=AST and tracking for rewrite */
ruleRefTrackAndListLabel(rule,label,elementIndex,args,scope) ::= <<
<if(!ruleDescriptor.isSynPred)>
_last = (<ASTLabelType>)input.LT(1);
<super.ruleRefTrackAndListLabel(...)>
<else>

```

```

<super.ruleRefTrackAndListLabel(...)>
<endif>
>>

/** ^(rule ...) rewrite */
ruleRefRuleRootTrack(rule,label,elementIndex,args,scope) ::= <<
<if(!ruleDescriptor.isSynPred)>
_last = (<ASTLabelType>)input.LT(1);
<super.ruleRefRootTrack(...)>
<else>
<super.ruleRefRootTrack(...)>
<endif>
>>

/** ^(x+=rule ...) rewrite */
ruleRefRuleRootTrackAndListLabel(rule,label,elementIndex,args,scope) ::= <<
<if(!ruleDescriptor.isSynPred)>
_last = (<ASTLabelType>)input.LT(1);
<super.ruleRefRuleRootTrackAndListLabel(...)>
<else>
<super.ruleRefRuleRootTrackAndListLabel(...)>
<endif>
>>

/** Streams for token refs are tree nodes now; override to
 * change nextToken to nextNode.
 */
createRewriteNodeFromElement(token,args,terminalOptions={ }) ::= <<
<if(terminalOptions.node)>
new <terminalOptions.node>(stream_<token>.nextNode())
<else>
stream_<token>.nextNode()
<endif>
>>

ruleCleanUp() ::= <<
<super.ruleCleanUp()>
<if(!ruleDescriptor.isSynPred)>
<if(!rewriteMode)>
<if(backtracking)>if ( <actions.(actionScope).synpredgate> ) {<\n><endif>
retval.tree = (<ASTLabelType>)adaptor.rulePostProcessing(root_0);
<if(backtracking)>}<endif>
<endif>
<endif>
>>

```

Found in path(s):

\* /opt/cola/permits/1274703855\_1645234694.1/0/antlr-3-5-2-sources-



jar/org/antlr/codegen/templates/Java/ASTTreeParser.stg

No license file was found, but licenses were detected in source scan.

/\*

[The "BSD license"]

Copyright (c) 2010 Terence Parr

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The name of the author may not be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

\*/

```
asTypeInitMap ::= [
```

```
  "int": "0",
```

```
  "uint": "0",
```

```
  "Number": "0.0",
```

```
  "Boolean": "false",
```

```
  default: "null" // anything other than an atomic type
```

```
]
```

```
/** The overall file structure of a recognizer; stores methods for rules
```

```
* and cyclic DFAs plus support code.
```

```
*/
```

```
outputFile(LEXER,PARSER,TREE_PARSER, actionScope, actions,
```

```
  docComment, recognizer,
```

```
  name, tokens, tokenNames, rules, cyclicDFAs,
```

```
  bitsets, buildTemplate, buildAST, rewriteMode, profile,
```

```
  backtracking, synpreds, memoize, numRules,
```

```
  fileName, ANTLRVersion, generatedTimestamp, trace,
```

```

    scopes, superClass, literals) ::=
<<
// $ANTLR <ANTLRVersion> <fileName> <generatedTimestamp>
package<if(actions.(actionScope).package)> <actions.(actionScope).package><endif> {
    <actions.(actionScope).header>
    <@imports>
import org.antlr.runtime.*;
<if(TREE_PARSER)>
    import org.antlr.runtime.tree.*;
<endif>
    <@end>

    <docComment>
    <recognizer>
}
>>

lexer(grammar, name, tokens, scopes, rules, numRules, filterMode, labelType="Token",
    superClass="Lexer") ::= <<
public class <grammar.recognizerName> extends
<if(actions.(actionScope).superClass)><actions.(actionScope).superClass><else><@superClassName><superClass>
<@end><endif> {
    <tokens:{it |public static const <it.name>:int=<it.type>;}; separator="\n">
    <scopes:{it |<if(it.isDynamicGlobalScope)><globalAttributeScope(it)><endif>>
    <actions.lexer.members>

    // delegates
    <grammar.delegates:
        {g|public var <g.delegateName():><g.recognizerName>;}; separator="\n">
    // delegators
    <grammar.delegators:
        {g|public var <g.delegateName():><g.recognizerName>;}; separator="\n">
    <last(grammar.delegators):{g|public var gParent:<g.recognizerName>;}>

    public function <grammar.recognizerName>(<grammar.delegators:{g|<g.delegateName():><g.recognizerName>,
}>input:CharStream = null, state:RecognizerSharedState = null) {
        super(input, state);
        <cyclicDFAs:cyclicDFACTor()>
    <if(memoize)>
    <if(grammar.grammarIsRoot)>
        this.state.ruleMemo = new Array(<numRules>+1);<\n><! index from 1..n !>
    <endif>
    <endif>

    <grammar.directDelegates:
        {g|<g.delegateName()> = new <g.recognizerName>(<trunc(g.delegators):{p|<p.delegateName()>, }>this,
input, this.state);}; separator="\n">
    <grammar.delegators:
        {g|this.<g.delegateName()> = <g.delegateName()>;}; separator="\n">

```

```

    <last(grammar.delegators):{g|gParent = <g:delegateName(>};}>
  }
  public override function get grammarFileName():String { return "<fileName>"; }

<if(filterMode)>
  <filteringNextToken(>
<endif>
  <rules; separator="\n\n">

  <synpreds:{p | <lexerSynpred(p)>}>

  <cyclicDFAs:cyclicDFA(> <! dump tables for all DFA !>

}
>>

/** A override of Lexer.nextToken() that backtracks over mTokens() looking
 * for matches. No error can be generated upon error; just rewind, consume
 * a token and then try again. backtracking needs to be set as well.
 * Make rule memoization happen only at levels above 1 as we start mTokens
 * at backtracking==1.
 */
filteringNextToken() ::= <<
public override function nextToken():Token {
  while (true) {
    if ( input.LA(1)==CharStreamConstants.EOF ) {
      return TokenConstants.EOF_TOKEN;
    }
    this.state.token = null;
    this.state.channel = TokenConstants.DEFAULT_CHANNEL;
    this.state.tokenStartCharIndex = input.index;
    this.state.tokenStartCharPositionInLine = input.charPositionInLine;
    this.state.tokenStartLine = input.line;
    this.state.text = null;
    try {
      var m:int = input.mark();
      this.state.backtracking=1; <! means we won't throw slow exception !>
      this.state.failed=false;
      mTokens();
      this.state.backtracking=0;
      <! mTokens backtracks with synpred at backtracking==2
        and we set the synpredgate to allow actions at level 1. !>
      if ( this.state.failed ) {
        input.rewindTo(m);
        input.consume(); <! advance one char and try again !>
      }
    }
    else {
      emit();
    }
  }
}

```

```

        return this.state.token;
    }
}
catch (re:RecognitionException) {
    // shouldn't happen in backtracking mode, but...
    reportError(re);
    recover(re);
}
}
// Not reached - For ActionScript compiler
throw new Error();
}

public override function memoize(input:IntStream,
    ruleIndex:int,
    ruleStartIndex:int):void
{
    if ( this.state.backtracking>1 ) super.memoize(input, ruleIndex, ruleStartIndex);
}

public override function alreadyParsedRule(input:IntStream, ruleIndex:int):Boolean {
    if ( this.state.backtracking>1 ) return super.alreadyParsedRule(input, ruleIndex);
    return false;
}
>>

actionGate() ::= "this.state.backtracking==0"

filteringActionGate() ::= "this.state.backtracking==1"

/** How to generate a parser */
genericParser(grammar, name, scopes, tokens, tokenNames, rules, numRules,
    bitsets, inputStreamType, superClass,
    labelType, members, rewriteElementType,
    filterMode, ASTLabelType="Object") ::= <<
public class <grammar.recognizerName> extends
<if(actions.(actionScope).superClass)><actions.(actionScope).superClass><else><@superClassName><superClass>
<<@end><endif> {
<if(grammar.grammarIsRoot)>
    public static const tokenNames:Array = [
        "\<invalid>", "\<EOR>", "\<DOWN>", "\<UP>", <tokenNames; separator=", ">
    ];<n>
<endif>
    <tokens:{it |public static const <it.name>:int=<it.type>;}; separator="\n">

    // delegates
    <grammar.delegates: {g|public var <g.delegateName():><g.recognizerName>;}; separator="\n">
    // delegators

```

```

<grammar.delegators:
  { g|public var <g.delegateName():<g.recognizerName>;}; separator="\n">
<last(grammar.delegators):{ g|public var gParent:<g.recognizerName>;}>

<scopes:{ it |<if(it.isDynamicGlobalScope)><globalAttributeScope(it)><endif>>
<@members>
<! WARNING. bug in ST: this is cut-n-paste into Dbg.stg !>
  public function <grammar.recognizerName>(<grammar.delegators:{ g|<g.delegateName():<g.recognizerName>,
}>input:<inputStreamType>, state:RecognizerSharedState = null) {
  super(input, state);
  <cyclicDFAs:cyclicDFACTOR()>
  <parserCtorBody()>
  <grammar.directDelegates:
    { g|<g.delegateName() = new <g.recognizerName>(<trunc(g.delegators):{ p|<p.delegateName()>, }>this,
input, this.state);}; separator="\n">
    <grammar.indirectDelegates:{ g | <g.delegateName() = <g.delegator.delegateName()>.<g.delegateName()>;};
separator="\n">
    <last(grammar.delegators):{ g|gParent = <g.delegateName()>;}>
  }
  <@end>

  public override function get tokenNames():Array { return
<grammar.composite.rootGrammar.recognizerName>.tokenNames; }
  public override function get grammarFileName():String { return "<fileName>"; }

  <members>

  <rules; separator="\n\n">

  <! generate rule/method definitions for imported rules so they
  appear to be defined in this recognizer. !>
  // Delegated rules
  <grammar.delegatedRules:{ ruleDescriptor|
    public function <ruleDescriptor.name>(<ruleDescriptor.parameterScope:parameterScope()>):<returnType()> {
  <if(ruleDescriptor.hasReturnValue)>return
  <endif><ruleDescriptor.grammar:delegateName()>.<ruleDescriptor.name>(<ruleDescriptor.parameterScope.attributes:
{ a|<a.name>; separator=", ">; \} }); separator="\n">

  <synpreds:{ p | <synpred(p)>>

  <cyclicDFAs:cyclicDFA()> <! dump tables for all DFA !>

  <bitsets:{ it | <bitset(name={ FOLLOW_<it.name>_in_<it.inName><it.tokenIndex>},
words64=it.bits)>>
  }
  >>

  parserCtorBody() ::= <<

```

```

<if(memoize)>
<if(grammar.grammarIsRoot)>
this.state.ruleMemo = new Array(<length(grammar.allImportedRules)>+1);<\n> <! index from 1..n !>
<endif>
<endif>
<grammar.delegators:
{g|this.<g:delegateName()> = <g:delegateName()>;}; separator="\n">
>>

parser(grammar, name, scopes, tokens, tokenNames, rules, numRules, bitsets, ASTLabelType="Object",
superClass="Parser", labelType="Token", members={<actions.parser.members>}) ::= <<
<genericParser(grammar, name, scopes, tokens, tokenNames, rules, numRules,
    bitsets, "TokenStream", superClass,
    labelType, members, "Token",
    false, ASTLabelType)>
>>

/** How to generate a tree parser; same as parser except the input
 * stream is a different type.
 */
treeParser(grammar, name, scopes, tokens, tokenNames, globalAction, rules,
    numRules, bitsets, filterMode, labelType={<ASTLabelType>}, ASTLabelType="Object",
    superClass="TreeParser", members={<actions.treeparser.members>}) ::= <<
<genericParser(grammar, name, scopes, tokens, tokenNames, rules, numRules,
    bitsets, "TreeNodeStream", superClass,
    labelType, members, "Node",
    filterMode, ASTLabelType)>
>>

/** A simpler version of a rule template that is specific to the imaginary
 * rules created for syntactic predicates. As they never have return values
 * nor parameters etc..., just give simplest possible method. Don't do
 * any of the normal memoization stuff in here either; it's a waste.
 * As predicates cannot be inlined into the invoking rule, they need to
 * be in a rule by themselves.
 */
synpredRule(ruleName, ruleDescriptor, block, description, nakedBlock) ::=
<<
// $ANTLR start <ruleName>
public final function <ruleName>_fragment(<ruleDescriptor.parameterScope:parameterScope()>):void {
    <ruleLabelDefs()>
<if(trace)>
    traceIn("<ruleName>_fragment", <ruleDescriptor.index>);
    try {
        <block>
    }
    finally {
        traceOut("<ruleName>_fragment", <ruleDescriptor.index>);

```

```

    }
<else>
    <block>
<endif>
}
// $ANTLR end <ruleName>
>>

synpred(name) ::= <<
public final function <name>():Boolean {
    this.state.backtracking++;
    <@start()>
    var start:int = input.mark();
    try {
        <name>_fragment(); // can never throw exception
    } catch (re:RecognitionException) {
        trace("impossible: "+re);
    }
    var success:Boolean = !this.state.failed;
    input.rewindTo(start);
    <@stop()>
    this.state.backtracking--;
    this.state.failed=false;
    return success;
}<\n>
>>

lexerSynpred(name) ::= <<
<synpred(name)>
>>

ruleMemoization(name) ::= <<
<if(memoize)>
if ( this.state.backtracking>0 && alreadyParsedRule(input, <ruleDescriptor.index> ) ) { return <ruleReturnValue()>;
}
<endif>
>>

/** How to test for failure and return from rule */
checkRuleBacktrackFailure() ::= <<
<if(backtracking)>if (this.state.failed) return <ruleReturnValue()>;<endif>
>>

/** This rule has failed, exit indicating failure during backtrack */
ruleBacktrackFailure() ::= <<
<if(backtracking)>if (this.state.backtracking>0) {this.state.failed=true; return <ruleReturnValue()>;}<endif>
>>

```

```

/** How to generate code for a rule. This includes any return type
 * data aggregates required for multiple return values.
 */
rule(ruleName,ruleDescriptor,block,emptyRule,description,exceptions,finally,memoize) ::= <<
<ruleAttributeScope(scope=ruleDescriptor.ruleScope)>
// $ANTLR start <ruleName>
// <fileName>:<description>
public final function <ruleName>(<ruleDescriptor.parameterScope:parameterScope()>:<returnType()> {
  <if(trace)>traceIn("<ruleName>", <ruleDescriptor.index>);<endif>
  <ruleScopeSetUp()>
  <ruleDeclarations()>
  <ruleLabelDefs()>
  <ruleDescriptor.actions.init>
  <@preamble()>
  try {
    <ruleMemoization(name=ruleName)>
    <block>
    <ruleCleanUp()>
    <(ruleDescriptor.actions.after):execAction()>
  }
  <if(exceptions)>
    <exceptions:{e|<catch(decl=e.decl,action=e.action)><n>}>
  <else>
  <if(!emptyRule)>
  <if(actions.(actionScope).rulecatch)>
    <actions.(actionScope).rulecatch>
  <else>
    catch (re:RecognitionException) {
      reportError(re);
      recoverStream(input,re);
      <@setErrorReturnValue()>
    }<n>
  <endif>
  <endif>
  <endif>
  finally {
    <if(trace)>traceOut("<ruleName>", <ruleDescriptor.index>);<endif>
    <memoize()>
    <ruleScopeCleanUp()>
    <finally>
  }
  <@postamble()>
  return <ruleReturnValue()>;
}
// $ANTLR end <ruleName>
>>

catch(decl,action) ::= <<

```



```

catch (<e.decl>) {
    <e.action>
}
>>

ruleDeclarations() ::= <<
<if(ruleDescriptor.hasMultipleReturnValues)>
var retval:<returnType()> = new <returnType()>();
retval.start = input.LT(1);<\n>
<else>
<ruleDescriptor.returnScope.attributes: { a |
var <a.name>:<a.type> = <if(a.initValue)><a.initValue><else><initValue(a.type)><endif>;
}>
<endif>
<if(memoize)>
var <ruleDescriptor.name>_startIndex:int = input.index;
<endif>
>>

ruleScopeSetUp() ::= <<
<ruleDescriptor.useScopes: {it |<it>_stack.push(new Object());}; separator="\n">
<ruleDescriptor.ruleScope: {it |<it.name>_stack.push(new Object());}; separator="\n">
>>

ruleScopeCleanup() ::= <<
<ruleDescriptor.useScopes: {it |<it>_stack.pop();}; separator="\n">
<ruleDescriptor.ruleScope: {it |<it.name>_stack.pop();}; separator="\n">
>>

ruleLabelDefs() ::= <<
<[ruleDescriptor.tokenLabels,ruleDescriptor.tokenListLabels,
ruleDescriptor.wildcardTreeLabels,ruleDescriptor.wildcardTreeListLabels]
: {it |var <it.label.text>:<labelType>=null;}; separator="\n"
>
<[ruleDescriptor.tokenListLabels,ruleDescriptor.ruleListLabels,ruleDescriptor.wildcardTreeListLabels]
: {it |var list_<it.label.text>:Array=null;}; separator="\n"
>
<ruleDescriptor.ruleLabels:ruleLabelDef(); separator="\n">
<ruleDescriptor.ruleListLabels: {ll|var <ll.label.text>:RuleReturnScope = null;}; separator="\n">
>>

lexerRuleLabelDefs() ::= <<
<[ruleDescriptor.tokenLabels,
ruleDescriptor.tokenListLabels,
ruleDescriptor.ruleLabels]
: {it |var <it.label.text>:<labelType>=null;}; separator="\n"
>
<ruleDescriptor.charLabels: {it |var <it.label.text>:int;}; separator="\n">

```

```

<[ruleDescriptor.tokenListLabels,
ruleDescriptor.ruleListLabels]
: {it | var list_<it.label.text>:Array=null;}; separator="\n"
>
>>

```

```

ruleReturnValue() ::= <%
<if(!ruleDescriptor.isSynPred)>
<if(ruleDescriptor.hasReturnValue)>
<if(ruleDescriptor.hasSingleReturnValue)>
<ruleDescriptor.singleValueReturnName>
<else>
retval
<endif>
<endif>
<endif>
%>

```

```

ruleCleanup() ::= <<
<if(ruleDescriptor.hasMultipleReturnValues)>
<if(!TREE_PARSER)>
retval.stop = input.LT(-1);<\n>
<endif>
<endif>
>>

```

```

memoize() ::= <<
<if(memoize)>
<if(backtracking)>
if ( this.state.backtracking>0 ) { memoize(input, <ruleDescriptor.index>, <ruleDescriptor.name>_startIndex); }
<endif>
<endif>
>>

```

```

/** How to generate a rule in the lexer; naked blocks are used for
* fragment rules.
*/

```

```

lexerRule(ruleName,nakedBlock,ruleDescriptor,block,memoize) ::= <<
// $ANTLR start <ruleName>
public final function m<ruleName>(<ruleDescriptor.parameterScope:parameterScope()>):void {
<if(trace)>traceIn("<ruleName>", <ruleDescriptor.index>);<endif>
<ruleScopeSetUp()>
<ruleDeclarations()>
try {
<if(nakedBlock)>
<ruleMemoization(name=ruleName)>
<lexerRuleLabelDefs()>
<ruleDescriptor.actions.init>

```

```

    <block><\n>
<else>
    var _type:int = <ruleName>;
    var _channel:int = DEFAULT_TOKEN_CHANNEL;
    <ruleMemoization(name=ruleName)>
    <lexerRuleLabelDefs()>
    <ruleDescriptor.actions.init>
    <block>
    <ruleCleanUp()>
    this.state.type = _type;
    this.state.channel = _channel;
    <(ruleDescriptor.actions.after):execAction()>
<endif>
}
finally {
    <if(trace)>traceOut("<ruleName>", <ruleDescriptor.index>);<endif>
    <ruleScopeCleanUp()>
    <memoize()>
}
}
// $ANTLR end <ruleName>
>>

```

```

/** How to generate code for the implicitly-defined lexer grammar rule
 * that chooses between lexer rules.
 */
tokensRule(ruleName,nakedBlock,args,block,ruleDescriptor) ::= <<
public override function mTokens():void {
    <block><\n>
}
>>

```

// S U B R U L E S

```

/** A (...) subrule with multiple alternatives */
block(alts,decls,decision,enclosingBlockLevel,blockLevel,decisionNumber,maxK,maxAlt,description) ::= <<
// <fileName>:<description>
var alt<decisionNumber>:int=<maxAlt>;
<decls>
<@predecision()>
<decision>
<@postdecision()>
<@prebranch()>
switch (alt<decisionNumber>) {
    <alts:{a | <altSwitchCase(i, a)>}>
}
<@postbranch()>
>>

```

```

/** A rule block with multiple alternatives */
ruleBlock(alts,decls,decision,enclosingBlockLevel,blockLevel,decisionNumber,maxK,maxAlt,description) ::= <<
// <fileName>:<description>
var alt<decisionNumber>:int=<maxAlt>;
<decls>
<@predecision()>
<decision>
<@postdecision()>
switch (alt<decisionNumber>) {
  <alts:{ a | <altSwitchCase(i, a)>}>
}
>>

ruleBlockSingleAlt(alts,decls,decision,enclosingBlockLevel,blockLevel,decisionNumber,description) ::= <<
// <fileName>:<description>
<decls>
<@prealt()>
<alts>
<@postalt()>
>>

/** A special case of a (...) subrule with a single alternative */
blockSingleAlt(alts,decls,decision,enclosingBlockLevel,blockLevel,decisionNumber,description) ::= <<
// <fileName>:<description>
<decls>
<@prealt()>
<alts>
<@postalt()>
>>

/** A (..)+ block with 1 or more alternatives */
positiveClosureBlock(alts,decls,decision,enclosingBlockLevel,blockLevel,decisionNumber,maxK,maxAlt,description) ::= <<
// <fileName>:<description>
var cnt<decisionNumber>:int=0;
<decls>
<@preloop()>
loop<decisionNumber>:
do {
  var alt<decisionNumber>:int=<maxAlt>;
  <@predecision()>
  <decision>
  <@postdecision()>
  switch (alt<decisionNumber>) {
  <alts:{ a | <altSwitchCase(i, a)>}>
  default :
    if ( cnt<decisionNumber> >= 1 ) break loop<decisionNumber>;
}
}
}

```

```

    <ruleBacktrackFailure()>
        throw new EarlyExitException(<decisionNumber>, input);
        <! Need to add support for earlyExitException debug hook !>
    }
    cnt<decisionNumber>++;
} while (true);
<@postloop()>
>>

```

```

positiveClosureBlockSingleAlt ::= positiveClosureBlock

```

```

/** A (..)* block with 1 or more alternatives */

```

```

closureBlock(alts,decls,decision,enclosingBlockLevel,blockLevel,decisionNumber,maxK,maxAlt,description) ::=
<<
// <fileName>:<description>
<decls>
<@preloop()>
loop<decisionNumber>:
do {
    var alt<decisionNumber>:int=<maxAlt>;
    <@predecision()>
    <decision>
    <@postdecision()>
    switch (alt<decisionNumber>) {
<alts:{a | <altSwitchCase(i, a)>}>
    default :
        break loop<decisionNumber>;
    }
} while (true);
<@postloop()>
>>

```

```

closureBlockSingleAlt ::= closureBlock

```

```

/** Optional blocks (x)? are translated to (x|) by before code generation

```

```

* so we can just use the normal block template

```

```

*/

```

```

optionalBlock ::= block

```

```

optionalBlockSingleAlt ::= block

```

```

/** A case in a switch that jumps to an alternative given the alternative

```

```

* number. A DFA predicts the alternative and then a simple switch

```

```

* does the jump to the code that actually matches that alternative.

```

```

*/

```

```

altSwitchCase(altNum, alt) ::= <<

```

```

case <altNum> :

```

```

    <@prealt()>

```

```

    <alt>
    break;<\n>
>>

/** An alternative is just a list of elements; at outermost level */
alt(elements,altNum,description,autoAST,outerAlt,treeLevel,rew) ::= <<
// <fileName>:<description>
{
<@declarations()>
<elements:element()>
<rew>
<@cleanup()>
}
>>

/** What to emit when there is no rewrite. For auto build
 * mode, does nothing.
 */
noRewrite(rewriteBlockLevel, treeLevel) ::= ""

// E L E M E N T S

/** Dump the elements one per line */
element(e) ::= <<
<@prematch()>
<e.el><\n>
>>

/** match a token optionally with a label in front */
tokenRef(token,label,elementIndex,terminalOptions) ::= <<
<if(label)><label>=<labelType><(<endif>matchStream(input,<token>,FOLLOW_<token>_in_<ruleName><element
Index>)<if(label)><endif>; <checkRuleBacktrackFailure()>
>>

/** ids+=ID */
tokenRefAndListLabel(token,label,elementIndex,terminalOptions) ::= <<
<tokenRef(token,label,elementIndex,terminalOptions)>
<listLabel(label, label)>
>>

listLabel(label,elem) ::= <<
if (list_<label>==null) list_<label>=new Array();
list_<label>.push(<elem>);<\n>
>>

/** match a character */
charRef(char,label) ::= <<
<if(label)>

```

```

<label> = input.LA(1);<\n>
<endif>
match(<char>); <checkRuleBacktrackFailure()>
>>

/** match a character range */
charRangeRef(a,b,label) ::= <<
<if(label)>
<label> = input.LA(1);<\n>
<endif>
matchRange(<a>,<b>); <checkRuleBacktrackFailure()>
>>

/** For now, sets are interval tests and must be tested inline */
matchSet(s,label,elementIndex,terminalOptions,postmatchCode="") ::= <<
<if(label)>
<if(LEXER)>
<label>= input.LA(1);<\n>
<else>
<label>=<labelType>(input.LT(1));<\n>
<endif>
<endif>
if ( <s> ) {
    input.consume();
    <postmatchCode>
<if(!LEXER)>
    this.state.errorRecovery=false;
<endif>
    <if(backtracking)>this.state.failed=false;<endif>
}
else {
    <ruleBacktrackFailure()>
    <@mismatchedSetException()>
<if(LEXER)>
    throw recover(new MismatchedSetException(null,input));<\n>
<else>
    throw new MismatchedSetException(null,input);
    <! use following code to make it recover inline; remove throw mse;
    recoverFromMismatchedSet(input,mse,FOLLOW_set_in_<ruleName><elementIndex>);
    !>
<endif>
}<\n>
>>

matchRuleBlockSet ::= matchSet

matchSetAndListLabel(s,label,elementIndex,postmatchCode) ::= <<
<matchSet(...)>

```

```

<listLabel(label, label)>
>>

/** Match a string literal */
lexerStringRef(string,label,elementIndex="0") ::= <<
<if(label)>
var <label>Start:int = charIndex;
matchString(<string>); <checkRuleBacktrackFailure()>
var <label>StartLine<elementIndex>:int = line;
var <label>StartCharPos<elementIndex>:int = charPositionInLine;
<label> = CommonToken.createFromStream(input, TokenConstants.INVALID_TOKEN_TYPE,
TokenConstants.DEFAULT_CHANNEL, <label>Start, charIndex-1);
<label>.line = <label>StartLine<elementIndex>;
<label>.charPositionInLine = <label>StartCharPos<elementIndex>;
<else>
matchString(<string>); <checkRuleBacktrackFailure()><\n>
<endif>
>>

wildcard(token,label,elementIndex,terminalOptions) ::= <<
<if(label)>
<label>=<labelType>(input.LT(1));<\n>
<endif>
matchAny(input); <checkRuleBacktrackFailure()>
>>

wildcardAndListLabel(token,label,elementIndex,terminalOptions) ::= <<
<wildcard(...)>
<listLabel(label, label)>
>>

/** Match . wildcard in lexer */
wildcardChar(label, elementIndex) ::= <<
<if(label)>
<label> = input.LA(1);<\n>
<endif>
matchAny(); <checkRuleBacktrackFailure()>
>>

wildcardCharListLabel(label, elementIndex) ::= <<
<wildcardChar(label, elementIndex)>
<listLabel(label, label)>
>>

/** Match a rule reference by invoking it possibly with arguments
 * and a return value or values. The 'rule' argument was the
 * target rule name, but now is type Rule, whose toString is
 * same: the rule name. Now though you can access full rule

```



```

* descriptor stuff.
*
* GMS: Note: do not use post-decrement operator! ASC produces bad code for exceptions in this case.
* See: https://bugs.adobe.com/jira/browse/ASC-3625
*/
ruleRef(rule,label,elementIndex,args,scope) ::= <<
pushFollow(FOLLOW_<rule.name>_in_<ruleName><elementIndex>);
<if(label)><label>=<endif><if(scope)><scope:delegateName()>.<endif><rule.name>(<args; separator=", ">);<\n>
state._fsp = state._fsp - 1;
<checkRuleBacktrackFailure()>
>>

/** ids+=r */
ruleRefAndListLabel(rule,label,elementIndex,args,scope) ::= <<
<ruleRef(rule,label,elementIndex,args,scope)>
<listLabel(label, label)>
>>

/** A lexer rule reference.
*
* The 'rule' argument was the target rule name, but now
* is type Rule, whose toString is same: the rule name.
* Now though you can access full rule descriptor stuff.
*/
lexerRuleRef(rule,label,args,elementIndex,scope) ::= <<
<if(label)>
var <label>Start<elementIndex>:int = charIndex;
var <label>StartLine<elementIndex>:int = line;
var <label>StartCharPos<elementIndex>:int = charPositionInLine;
<if(scope)><scope:delegateName()>.<endif>m<rule.name>(<args; separator=", ">);
<checkRuleBacktrackFailure()>
<label> = CommonToken.createFromStream(input, TokenConstants.INVALID_TOKEN_TYPE,
TokenConstants.DEFAULT_CHANNEL, <label>Start<elementIndex>, charIndex-1);
<label>.line = <label>StartLine<elementIndex>;
<label>.charPositionInLine = <label>StartCharPos<elementIndex>;
<else>
<if(scope)><scope:delegateName()>.<endif>m<rule.name>(<args; separator=", ">);
<checkRuleBacktrackFailure()>
<endif>
>>

/** i+=INT in lexer */
lexerRuleRefAndListLabel(rule,label,args,elementIndex,scope) ::= <<
<lexerRuleRef(rule,label,args,elementIndex,scope)>
<listLabel(label, label)>
>>

```

```

/** EOF in the lexer */
lexerMatchEOF(label,elementIndex) ::= <<
<if(label)>
var <label>Start<elementIndex>:int = charIndex;
var <label>StartLine<elementIndex>:int = line;
var <label>StartCharPos<elementIndex>:int = charPositionInLine;
match(EOF); <checkRuleBacktrackFailure()>
var <label>:<labelType> = CommonToken.createFromStream(input, EOF,
TokenConstants.DEFAULT_CHANNEL, <label>Start<elementIndex>, charIndex-1);
<label>.line = <label>StartLine<elementIndex>;
<label>.charPositionInLine = <label>StartCharPos<elementIndex>;
<else>
match(EOF); <checkRuleBacktrackFailure()>
<endif>
>>

// used for left-recursive rules
recRuleDefArg()          ::= "var <recRuleArg()>:int"
recRuleArg()             ::= "_p"
recRuleAltPredicate(ruleName,opPrec) ::= "<recRuleArg()> \<= <opPrec>"
recRuleSetResultAction() ::= "root_0=$<ruleName>_primary.tree;"
recRuleSetReturnAction(src,name)    ::= "$<name>=$<src>.<name>;"

/** match ^(root children) in tree parser */
tree(root, actionsAfterRoot, children, nullableChildList,
enclosingTreeLevel, treeLevel) ::= <<
<root:element()>
<actionsAfterRoot:element()>
<if(nullableChildList)>
if ( input.LA(1)==TokenConstants.DOWN ) {
matchStream(input, TokenConstants.DOWN, null); <checkRuleBacktrackFailure()>
<children:element()>
matchStream(input, TokenConstants.UP, null); <checkRuleBacktrackFailure()>
}
<else>
matchStream(input, TokenConstants.DOWN, null); <checkRuleBacktrackFailure()>
<children:element()>
matchStream(input, TokenConstants.UP, null); <checkRuleBacktrackFailure()>
<endif>
>>

/** Every predicate is used as a validating predicate (even when it is
* also hoisted into a prediction expression).
*/
validateSemanticPredicate(pred,description) ::= <<
if ( !(<evalPredicate(pred,description)>) ) {
<ruleBacktrackFailure()>
throw new FailedPredicateException(input, "<ruleName>", "<description>");
}
}

```

```

}
>>

// F i x e d D F A (if-then-else)

dfaState(k,edges,eotPredictsAlt,description,stateNumber,semPredState) ::= <<
var LA<decisionNumber>_<stateNumber>:int = input.LA(<k>);<\n>
<edges; separator="\nelse ">
else {
<if(eotPredictsAlt)>
  alt<decisionNumber>=<eotPredictsAlt>;
<else>
  <ruleBacktrackFailure()>
  throw new NoViableAltException("<description>", <decisionNumber>, <stateNumber>, input);<\n>
  <! Need to add hook for noViableAltException() !>
<endif>
}
>>

/** Same as a normal DFA state except that we don't examine lookahead
 * for the bypass alternative. It delays error detection but this
 * is faster, smaller, and more what people expect. For (X)? people
 * expect "if ( LA(1)==X ) match(X);" and that's it.
 */
dfaOptionalBlockState(k,edges,eotPredictsAlt,description,stateNumber,semPredState) ::= <<
var LA<decisionNumber>_<stateNumber>:int = input.LA(<k>);<\n>
<edges; separator="\nelse ">
>>

/** A DFA state that is actually the loopback decision of a closure
 * loop. If end-of-token (EOT) predicts any of the targets then it
 * should act like a default clause (i.e., no error can be generated).
 * This is used only in the lexer so that for ('a')* on the end of a rule
 * anything other than 'a' predicts exiting.
 */
dfaLoopbackState(k,edges,eotPredictsAlt,description,stateNumber,semPredState) ::= <<
var LA<decisionNumber>_<stateNumber>:int = input.LA(<k>);<\n>
<edges; separator="\nelse "><\n>
<if(eotPredictsAlt)>
<if(!edges)>
alt<decisionNumber>=<eotPredictsAlt>; <! if no edges, don't gen ELSE !>
<else>
else {
  alt<decisionNumber>=<eotPredictsAlt>;
}<\n>
<endif>
<endif>
>>

```

```

/** An accept state indicates a unique alternative has been predicted */
dfaAcceptState(alt) ::= "alt<decisionNumber>=<alt>";

/** A simple edge with an expression. If the expression is satisfied,
 * enter to the target state. To handle gated productions, we may
 * have to evaluate some predicates for this edge.
 */
dfaEdge(labelExpr, targetState, predicates) ::= <<
if ( ( <labelExpr> <if(predicates)>&& (<predicates>)<endif> ) {
    <targetState>
}
>>

// F i x e d D F A (switch case)

/** A DFA state where a SWITCH may be generated. The code generator
 * decides if this is possible: CodeGenerator.canGenerateSwitch().
 */
dfaStateSwitch(k,edges,eotPredictsAlt,description,stateNumber,semPredState) ::= <<
switch ( input.LA(<k>) ) {
<edges; separator="\n">
default:
<if(eotPredictsAlt)>
    alt<decisionNumber>=<eotPredictsAlt>;
<else>
    <ruleBacktrackFailure()>
    throw new NoViableAltException("<description>", <decisionNumber>, <stateNumber>, input);<\n>
    <! Need to add hook for noViableAltException !>
<endif>
}<\n>
>>

dfaOptionalBlockStateSwitch(k,edges,eotPredictsAlt,description,stateNumber,semPredState) ::= <<
switch ( input.LA(<k>) ) {
    <edges; separator="\n">
}<\n>
>>

dfaLoopbackStateSwitch(k, edges,eotPredictsAlt,description,stateNumber,semPredState) ::= <<
switch ( input.LA(<k>) ) {
<edges; separator="\n"><\n>
<if(eotPredictsAlt)>
default:
    alt<decisionNumber>=<eotPredictsAlt>;
    break;<\n>
<endif>
}<\n>

```

```

>>

dfaEdgeSwitch(labels, targetState) ::= <<
<labels:{it |case <it>:}; separator="\n">
{
  <targetState>
}
break;
>>

// C y c l i c D F A

/** The code to initiate execution of a cyclic DFA; this is used
 * in the rule to predict an alt just like the fixed DFA case.
 * The <name> attribute is inherited via the parser, lexer, ...
 */
dfaDecision(decisionNumber,description) ::= <<
alt<decisionNumber> = dfa<decisionNumber>.predict(input);
>>

cyclicDFActor(dfa) ::= <<

dfa<dfa.decisionNumber> = new DFA(this, <dfa.decisionNumber>,
  "<dfa.description>",
  DFA<dfa.decisionNumber>_eot, DFA<dfa.decisionNumber>_eof, DFA<dfa.decisionNumber>_min,
  DFA<dfa.decisionNumber>_max, DFA<dfa.decisionNumber>_accept, DFA<dfa.decisionNumber>_special,
  DFA<dfa.decisionNumber>_transition<if(dfa.specialStateSTs)>,
  DFA<dfa.decisionNumber>_specialStateTransition<endif>);

>>

/* Dump DFA tables as run-length-encoded Strings of octal values.
 * Can't use hex as compiler translates them before compilation.
 * These strings are split into multiple, concatenated strings.
 * Java puts them back together at compile time thankfully.
 * Java cannot handle large static arrays, so we're stuck with this
 * encode/decode approach. See analysis and runtime DFA for
 * the encoding methods.
 */
cyclicDFA(dfa) ::= <<

private const DFA<dfa.decisionNumber>_eot:Array =
  DFA.unpackEncodedString("<dfa.javaCompressedEOT; wrap=\""+\n  \>");
private const DFA<dfa.decisionNumber>_eof:Array =
  DFA.unpackEncodedString("<dfa.javaCompressedEOF; wrap=\""+\n  \>");
private const DFA<dfa.decisionNumber>_min:Array =
  DFA.unpackEncodedString("<dfa.javaCompressedMin; wrap=\""+\n  \>", true);
private const DFA<dfa.decisionNumber>_max:Array =
  DFA.unpackEncodedString("<dfa.javaCompressedMax; wrap=\""+\n  \>", true);

```

```

private const DFA<dfa.decisionNumber>_accept:Array =
    DFA.unpackEncodedString("<dfa.javaCompressedAccept; wrap=\"\"+\n  \>");
private const DFA<dfa.decisionNumber>_special:Array =
    DFA.unpackEncodedString("<dfa.javaCompressedSpecial; wrap=\"\"+\n  \>");
private const DFA<dfa.decisionNumber>_transition:Array = [
    <dfa.javaCompressedTransition: {s|DFA.unpackEncodedString("<s; wrap=\"\"+\n\>"); separator=",\n">
];
<if(dfa.specialStateSTs)>
    private function DFA<dfa.decisionNumber>_specialStateTransition(dfa:DFA, s:int, _input:InputStream):int {
        <if(LEXER)>
            var input:InputStream = _input;
        <endif>
        <if(PARSER)>
            var input:TokenStream = TokenStream(_input);
        <endif>
        <if(TREE_PARSER)>
            var input:TreeNodeStream = TreeNodeStream(_input);
        <endif>
        var _s:int = s;
        switch ( s ) {
            <dfa.specialStateSTs:{state |
                case <i0> : <! compressed special state numbers 0..n-1 !>
                    <state>}; separator="\n">
        }
    <if(backtracking)>
        if (this.state.backtracking>0) {this.state.failed=true; return -1;}<\n>
    <endif>
        throw dfa.error(new NoViableAltException(dfa.description, <dfa.decisionNumber>, _s, input));
    }<\n>
    <endif>

protected var dfa<dfa.decisionNumber>:DFA; // initialized in constructor

>>

/** A state in a cyclic DFA; it's a special state and part of a big switch on
 * state.
 */
cyclicDFAState(decisionNumber,stateNumber,edges,needErrorClause,semPredState) ::= <<
var LA<decisionNumber>_<stateNumber>:int = input.LA(1);<\n>
<if(semPredState)> <! get next lookahead symbol to test edges, then rewind !>
var index<decisionNumber>_<stateNumber>:int = input.index;
input.rewind();<\n>
<endif>
s = -1;
<edges; separator="\nelse ">
<if(semPredState)> <! return input cursor to state before we rewound !>
input.seek(index<decisionNumber>_<stateNumber>);<\n>

```

```

<endif>
if ( s>=0 ) return s;
break;
>>

/** Just like a fixed DFA edge, test the lookahead and indicate what
 * state to jump to next if successful.
 */
cyclicDFAEdge(labelExpr, targetStateNumber, edgeNumber, predicates) ::= <<
if ( (<labelExpr> <if(predicates)>&& (<predicates>)<endif>) { s = <targetStateNumber>;}<\n>
>>

/** An edge pointing at end-of-token; essentially matches any char;
 * always jump to the target.
 */
eotDFAEdge(targetStateNumber,edgeNumber, predicates) ::= <<
s = <targetStateNumber>;<\n>
>>

// D F A E X P R E S S I O N S

andPredicates(left,right) ::= "(<left>&&<right>)"

orPredicates(operands) ::= "(<operands; separator=\\|\\>)"

notPredicate(pred) ::= "!(<evalPredicate(pred,{}>)"

evalPredicate(pred,description) ::= "(<pred>)"

evalSynPredicate(pred,description) ::= "<pred>()"

lookaheadTest(atom,k,atomAsInt) ::= "LA<decisionNumber>_<stateNumber>==<atomAsInt>"

/** Sometimes a lookahead test cannot assume that LA(k) is in a temp variable
 * somewhere. Must ask for the lookahead directly.
 */
isolatedLookaheadTest(atom,k,atomAsInt) ::= "input.LA(<k>)==<atomAsInt>"

lookaheadRangeTest(lower,upper,k,rangeNumber,lowerAsInt,upperAsInt) ::= <%
(LA<decisionNumber>_<stateNumber> >= <lowerAsInt> && LA<decisionNumber>_<stateNumber> \<=
<upperAsInt>)
%>

isolatedLookaheadRangeTest(lower,upper,k,rangeNumber,lowerAsInt,upperAsInt) ::= "(input.LA(<k>) >=
<lowerAsInt> && input.LA(<k>) \<= <upperAsInt>)"

setTest(ranges) ::= <<

```

```

<ranges; separator="||">
>>

// A T T R I B U T E S

globalAttributeScope(scope) ::= <<
<if(scope.attributes)>
protected var <scope.name>_stack:Array = new Array();<\n>
<endif>
>>

ruleAttributeScope(scope) ::= <<
<if(scope.attributes)>
protected var <scope.name>_stack:Array = new Array();<\n>
<endif>
>>

returnStructName() ::= "<if(TREE_PARSER)>Tree<else>Parser<endif>RuleReturnScope"

returnType() ::= <<
<if(ruleDescriptor.hasMultipleReturnValues)>
<returnStructName()>
<else>
<if(ruleDescriptor.hasSingleReturnValue)>
<ruleDescriptor.singleValueReturnType>
<else>
void
<endif>
<endif>
>>

/** Generate the Java type associated with a single or multiple return
 * values.
 */
ruleLabelType(referencedRule) ::= <<
<if(referencedRule.hasMultipleReturnValues)>
<returnStructName()>
<else>
<if(referencedRule.hasSingleReturnValue)>
<referencedRule.singleValueReturnType>
<else>
void
<endif>
<endif>
>>

delegateName(d) ::= <<
<if(d.label)><d.label><else>g<d.name><endif>

```



```

>>

/** Using a type to init value map, try to init a type; if not in table
 * must be an object, default value is "null".
 */
initValue(typeName) ::= <<
<asTypeInitMap.(typeName)>
>>

/** Define a rule label including default value */
ruleLabelDef(label) ::= <<
var <label.label.text>:<ruleLabelType(referencedRule=label.referencedRule)> =
<initValue(typeName=ruleLabelType(referencedRule=label.referencedRule))>;<\n>
>>

/** Define a return struct for a rule if the code needs to access its
 * start/stop tokens, tree stuff, attributes, ... Leave a hole for
 * subgroups to stick in members.
 */
returnScope(scope) ::= <<
<if(ruleDescriptor.hasMultipleReturnValues)>
public static class <returnType()> extends <if(TREE_PARSER)>Tree<else>Parser<endif>RuleReturnScope {
  <scope.attributes:{it |public <it.decl>;}; separator="\n">
  <@ruleReturnMembers()>
};
<endif>
>>

parameterScope(scope) ::= <<
<scope.attributes:{it |<it.name>:<it.type>}; separator="," >
>>

parameterAttributeRef(attr) ::= "<attr.name>"
parameterSetAttributeRef(attr,expr) ::= "<attr.name> =<expr>";

scopeAttributeRef(scope,attr,index,negIndex) ::= <<
<if(negIndex)>
<scope>_stack[<scope>_stack.length-<negIndex>-1].<attr.name>
<else>
<if(index)>
<scope>_stack[<index>].<attr.name>
<else>
<scope>_stack[<scope>_stack.length-1].<attr.name>
<endif>
<endif>
>>

scopeSetAttributeRef(scope,attr,expr,index,negIndex) ::= <<

```

```

<if(negIndex)>
<scope>_stack[<scope>_stack.length-<negIndex>-1].<attr.name> =<expr>;
<else>
<if(index)>
<scope>_stack[<index>].<attr.name> =<expr>;
<else>
<scope>_stack[<scope>_stack.length-1].<attr.name> =<expr>;
<endif>
<endif>
>>

```

```

/** $x is either global scope or x is rule with dynamic scope; refers
 * to stack itself not top of stack. This is useful for predicates
 * like {$function.size()>0 && $function::name.equals("foo")}?
 */
isolatedDynamicScopeRef(scope) ::= "<scope>_stack"

```

```

/** reference an attribute of rule; might only have single return value */
ruleLabelRef(referencedRule,scope,attr) ::= <<
<if(referencedRule.hasMultipleReturnValues)>
(<scope>!=null?<scope>.values.<attr.name>:<initValue(attr.type)>)
<else>
<scope>
<endif>
>>

```

```

returnAttributeRef(ruleDescriptor,attr) ::= <<
<if(ruleDescriptor.hasMultipleReturnValues)>
retval.values.<attr.name>
<else>
<attr.name>
<endif>
>>

```

```

returnSetAttributeRef(ruleDescriptor,attr,expr) ::= <<
<if(ruleDescriptor.hasMultipleReturnValues)>
retval.values.<attr.name> =<expr>;
<else>
<attr.name> =<expr>;
<endif>
>>

```

```

/** How to translate $tokenLabel */
tokenLabelRef(label) ::= "<label>"

```

```

/** ids+=ID {$ids} or e+=expr {$e} */
listLabelRef(label) ::= "list_<label>"

```

```

// not sure the next are the right approach

tokenLabelPropertyRef_text(scope,attr) ::= "<scope>!=null?<scope>.text:null)"
tokenLabelPropertyRef_type(scope,attr) ::= "<scope>!=null?<scope>.type:0)"
tokenLabelPropertyRef_line(scope,attr) ::= "<scope>!=null?<scope>.line:0)"
tokenLabelPropertyRef_pos(scope,attr) ::= "<scope>!=null?<scope>.charPositionInLine:0)"
tokenLabelPropertyRef_channel(scope,attr) ::= "<scope>!=null?<scope>.channel:0)"
tokenLabelPropertyRef_index(scope,attr) ::= "<scope>!=null?<scope>.tokenIndex:0)"
tokenLabelPropertyRef_tree(scope,attr) ::= "<scope>_tree"
tokenLabelPropertyRef_int(scope,attr) ::= "<scope>!=null?int(<scope>.text):0)"

ruleLabelPropertyRef_start(scope,attr) ::= "<scope>!=null?<labelType>(<scope>.start):null)"
ruleLabelPropertyRef_stop(scope,attr) ::= "<scope>!=null?<labelType>(<scope>.stop):null)"
ruleLabelPropertyRef_tree(scope,attr) ::= "<scope>!=null?<ASTLabelType>(<scope>.tree):null)"
ruleLabelPropertyRef_text(scope,attr) ::= <<
<if(TREE_PARSER)>
(<scope>!=null?(input.tokenStream.toStringWithRange(
input.treeAdaptor.getTokenStartIndex(<scope>.start),
input.treeAdaptor.getTokenStopIndex(<scope>.start))):null)
<else>
(<scope>!=null?input.toStringWithTokenRange(<scope>.start,<scope>.stop):null)
<endif>
>>

ruleLabelPropertyRef_st(scope,attr) ::= "<scope>!=null?<scope>.st:null)"

/** Isolated $RULE ref ok in lexer as it's a Token */
lexerRuleLabel(label) ::= "<label>"

lexerRuleLabelPropertyRef_type(scope,attr) ::=
"<scope>!=null?<scope>.type:0)"
lexerRuleLabelPropertyRef_line(scope,attr) ::=
"<scope>!=null?<scope>.lien:0)"
lexerRuleLabelPropertyRef_pos(scope,attr) ::=
"<scope>!=null?<scope>.charPositionInLine:0)"
lexerRuleLabelPropertyRef_channel(scope,attr) ::=
"<scope>!=null?<scope>.channel:0)"
lexerRuleLabelPropertyRef_index(scope,attr) ::=
"<scope>!=null?<scope>.tokenIndex:0)"
lexerRuleLabelPropertyRef_text(scope,attr) ::=
"<scope>!=null?<scope>.text:null)"
lexerRuleLabelPropertyRef_int(scope,attr) ::=
"<scope>!=null?int(<scope>.text):0)"

// Somebody may ref $template or $tree or $stop within a rule:
rulePropertyRef_start(scope,attr) ::= "<labelType>(retval.start)"
rulePropertyRef_stop(scope,attr) ::= "<labelType>(retval.stop)"

```

```

rulePropertyRef_tree(scope,attr) ::= "<ASTLabelType>(retval.tree)"
rulePropertyRef_text(scope,attr) ::= <<
<if(TREE_PARSER)>
input.tokenStream.toStringWithRange(
input.treeAdaptor.getTokenStartIndex(retval.start),
input.treeAdaptor.getTokenStopIndex(retval.start))
<else>
input.toStringWithTokenRange(retval.start,input.LT(-1))
<endif>
>>
rulePropertyRef_st(scope,attr) ::= "retval.st"

lexerRulePropertyRef_text(scope,attr) ::= "text"
lexerRulePropertyRef_type(scope,attr) ::= "_type"
lexerRulePropertyRef_line(scope,attr) ::= "state.tokenStartLine"
lexerRulePropertyRef_pos(scope,attr) ::= "state.tokenStartCharPositionInLine"
lexerRulePropertyRef_index(scope,attr) ::= "-1" // undefined token index in lexer
lexerRulePropertyRef_channel(scope,attr) ::= "_channel"
lexerRulePropertyRef_start(scope,attr) ::= "state.tokenStartCharIndex"
lexerRulePropertyRef_stop(scope,attr) ::= "(charIndex-1)"
lexerRulePropertyRef_int(scope,attr) ::= "int(<scope>.text)"

// setting $st and $tree is allowed in local rule. everything else
// is flagged as error
ruleSetPropertyRef_tree(scope,attr,expr) ::= "retval.tree =<expr>";
ruleSetPropertyRef_st(scope,attr,expr) ::= "retval.st =<expr>";

/** How to execute an action (only when not backtracking) */
execAction(action) ::= <<
<if(backtracking)>
if ( <actions.(actionScope).synpredgate> ) {
<action>
}
<else>
<action>
<endif>
>>

/** How to always execute an action even when backtracking */
execForcedAction(action) ::= "<action>"

// M I S C (properties, etc...)

bitset(name, words64) ::= <<
public static const <name>:BitSet = new BitSet([<words64:{it |<it>};separator=", ">]);<n>
>>

codeFileExtension() ::= ".as"

```

```
true_value() ::= "true"
false_value() ::= "false"
```

Found in path(s):

```
* /opt/cola/permits/1274703855_1645234694.1/0/antlr-3-5-2-sources-
jar/org/antlr/codegen/templates/ActionScript/ActionScript.stg
```

No license file was found, but licenses were detected in source scan.

```
/*
```

```
[The "BSD license"]
```

```
Copyright (c) 2005-2006 Terence Parr
```

```
All rights reserved.
```

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The name of the author may not be used to endorse or promote products derived from this software without specific prior written permission.

```
THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR
IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.
IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,
INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT
NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF
THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
```

```
*/
```

```
/** The API version of the runtime that recognizers generated by this runtime
```

```
* need.
```

```
*/
```

```
apiVersion() ::= "1"
```

```
// System.Boolean.ToString() returns "True" and "False", but the proper C# literals are "true" and "false"
```

```
// The Java version of Boolean returns "true" and "false", so they map to themselves here.
```

```
booleanLiteral ::= [
```

```
    "True": "true",
```

```
    "False": "false",
```

```
    "true": "true",
```

```

        "false": "false",
        default: "false"
    ]

/** The overall file structure of a recognizer; stores methods for rules
 * and cyclic DFAs plus support code.
 */
outputFile(LEXER,PARSER,TREE_PARSER, actionScope, actions,
           docComment, recognizer,
           name, tokens, tokenNames, rules, cyclicDFAs,
           bitsets, buildTemplate, buildAST, rewriteMode, profile,
           backtracking, synpreds, memoize, numRules,
           fileName, ANTLRVersion, generatedTimestamp, trace,
           scopes, superClass, literals) ::=

<<
# $ANTLR <ANTLRVersion> <fileName> <generatedTimestamp>

<@imports>
import sys
from antlr3 import *
<if(TREE_PARSER)>
from antlr3.tree import *<\n>
<endif>
from antlr3.compat import set, frozenset
<@end>

<actions.(actionScope).header>

<! <docComment> !>

# for convenience in actions
HIDDEN = BaseRecognizer.HIDDEN

# token types
<tokens:{it | <it.name>=<it.type>} ; separator="\n">

<recognizer>

<if(actions.(actionScope).main)>
<actions.(actionScope).main>
<else>
def main(argv, stdin=sys.stdin, stdout=sys.stdout, stderr=sys.stderr):
<if(LEXER)>
    from antlr3.main import LexerMain
    main = LexerMain(<recognizer.name>)<\n>
<endif>
<if(PARSER)>
    from antlr3.main import ParserMain

```

```

    main = ParserMain("<recognizer.grammar.name>Lexer", <recognizer.name>)<\n>
<endif>
<if(TREE_PARSER)>
    from antlr3.main import WalkerMain
    main = WalkerMain(<recognizer.name>)<\n>
<endif>
    main.stdin = stdin
    main.stdout = stdout
    main.stderr = stderr
    main.execute(argv)<\n>
<endif>

<actions.(actionScope).footer>

if __name__ == '__main__':
    main(sys.argv)

>>

lexer(grammar, name, tokens, scopes, rules, numRules, filterMode,
    labelType="CommonToken", superClass="Lexer") ::= <<
<grammar.directDelegates:
{g|from <g.recognizerName> import <g.recognizerName>; separator="\n">

class <grammar.recognizerName>(<@superClassName><superClass><@end>):
    <scopes: {it|<if(it.isDynamicGlobalScope)><globalAttributeScope(scope=it)><endif> }>

    grammarFileName = "<fileName>"
    api_version = <apiVersion()>

    def __init__(self<grammar.delegates: {g|, <g:delegateName()>}>, input=None, state=None):
        if state is None:
            state = RecognizerSharedState()
            super(<grammar.recognizerName>, self).__init__(input, state)

<if(memoize)>
<if(grammar.grammarIsRoot)>
    self._state.ruleMemo = {}
<endif>
<endif>

    <grammar.directDelegates:
    {g|self.<g:delegateName()> = <g.recognizerName>(<trunc(g.delegates): {p|<p:delegateName()>, }>self, input,
state); separator="\n">
    <grammar.directDelegates:
    {g|<g.delegates: {h|self.<h:delegateName()> = self.<g:delegateName()>.<h:delegateName()>}};
separator="\n">}; separator="\n">
    <grammar.delegates:

```

```

    {g|self.<g:delegateName()> = <g:delegateName()>}; separator="\n">
<last(grammar.delegators):
{g|self.gParent = <g:delegateName()>}; separator="\n">
self.delegates = [<grammar.delegates: {g|self.<g:delegateName()>}; separator = ", ">]

<cyclicDFAs:{ dfa | <cyclicDFAInit(dfa)>}; separator="\n">

<actions.lexer.init>

<actions.lexer.members>

<if(filterMode)>
  <filteringNextToken()>
<endif>
  <rules; separator="\n\n">

  <synpreds:{p | <lexerSynpred(p)>}>

  <cyclicDFAs:cyclicDFA()> <! dump tables for all DFA !>

>>

/** A override of Lexer.nextToken() that backtracks over mTokens() looking
 * for matches. No error can be generated upon error; just rewind, consume
 * a token and then try again. backtracking needs to be set as well.
 * Make rule memoization happen only at levels above 1 as we start mTokens
 * at backtracking==1.
 */
filteringNextToken() ::= <<
def nextToken(self):
  while True:
    if self.input.LA(1) == EOF:
      return self.makeEOFToken()

    self._state.token = None
    self._state.channel = DEFAULT_CHANNEL
    self._state.tokenStartCharIndex = self.input.index()
    self._state.tokenStartCharPositionInLine = self.input.charPositionInLine
    self._state.tokenStartLine = self.input.line
    self._state._text = None
    try:
      m = self.input.mark()
      try:
        # means we won't throw slow exception
        self._state.backtracking = 1

```



```

    try:
        self.mTokens()
    finally:
        self._state.backtracking = 0

except BacktrackingFailed:
    # mTokens backtracks with synpred at backtracking==2
    # and we set the synpredgate to allow actions at level 1.
    self.input.rewind(m)
    self.input.consume() # advance one char and try again

else:
    self.emit()
    return self._state.token

except RecognitionException, re:
    # shouldn't happen in backtracking mode, but...
    self.reportError(re)
    self.recover(re)

def memoize(self, input, ruleIndex, ruleStartIndex, success):
    if self._state.backtracking > 1:
        # is Lexer always superclass?
        super(<grammar.recognizerName>, self).memoize(input, ruleIndex, ruleStartIndex, success)

def alreadyParsedRule(self, input, ruleIndex):
    if self._state.backtracking > 1:
        return super(<grammar.recognizerName>, self).alreadyParsedRule(input, ruleIndex)
    return False

>>

actionGate() ::= "self._state.backtracking == 0"

filteringActionGate() ::= "self._state.backtracking == 1"

/** How to generate a parser */

genericParser(grammar, name, scopes, tokens, tokenNames, rules, numRules,
    bitsets, inputStreamType, superClass, labelType, members,
    rewriteElementType, filterMode, init, ASTLabelType="Object") ::= <<
<if(grammar.grammarIsRoot)>
# token names
tokenNames = [
    "\<invalid>", "\<EOR>", "\<DOWN>", "\<UP>",

```

```

    <tokenNames; wrap, separator=", ">
]<\n>
<else>
from <grammar.composite.rootGrammar.recognizerName> import tokenNames<\n>
<endif>
<scopes:{it|<if(it.isDynamicGlobalScope)><globalAttributeScopeClass(scope=it)><endif>}>

<grammar.directDelegates:
{g|from <g.recognizerName> import <g.recognizerName>; separator="\n">

<rules:{it|<ruleAttributeScopeClass(scope=it.ruleDescriptor.ruleScope)>}>

class <grammar.recognizerName>(<@superClassName><superClass><@end>):
    grammarFileName = "<fileName>"
    api_version = <apiVersion()>
    tokenNames = tokenNames

    def __init__(self<grammar.delegators:{g|, <g:delegateName()>>, input, state=None, *args, **kwargs):
        if state is None:
            state = RecognizerSharedState()

        <@args()>
        super(<grammar.recognizerName>, self).__init__(input, state, *args, **kwargs)

<if(memoize)>
<if(grammar.grammarIsRoot)>
    self._state.ruleMemo = {}
<endif>
<endif>

    <cyclicDFAs:{dfa | <cyclicDFAInit(dfa)>}; separator="\n">

    <scopes:{it | <if(it.isDynamicGlobalScope)><globalAttributeScopeStack(scope=it)><endif>}>
<rules:{it | <ruleAttributeScopeStack(scope=it.ruleDescriptor.ruleScope)>}>

    <init>

    <grammar.delegators:
    {g|self.<g:delegateName()> = <g:delegateName()>; separator="\n">
    <grammar.directDelegates:
    {g|self.<g:delegateName()> = <g.recognizerName>(<trunc(g.delegators):{p|<p:delegateName()>, }>self, input,
state)); separator="\n">
    <grammar.directDelegates:
    {g|<g.delegates:{h|self.<h:delegateName()> = self.<g:delegateName()>.<h:delegateName()>};
separator="\n">}; separator="\n">
    <last(grammar.delegators):
    {g|self.gParent = self.<g:delegateName()>; separator="\n">
    self.delegates = [<grammar.delegates: {g|self.<g:delegateName()>}; separator = ", ">]

```

```

<@init><@end>

<@members><@end>

<members>

<rules; separator="\n\n">

<! generate rule/method definitions for imported rules so they
  appear to be defined in this recognizer. !>
<grammar.delegatedRules:{ruleDescriptor| <delegateRule(ruleDescriptor)> }; separator="\n">

<synpreds:{p | <synpred(p)>}>

<cyclicDFAs:cyclicDFA()> <! dump tables for all DFA !>

<bitsets:{it | FOLLOW_<it.name>_in_<it.inName><it.tokenIndex> = frozenset([<it.tokenTypes:{it |
<it>};separator=", ">])<\n>}>

>>

delegateRule(ruleDescriptor) ::= <<
def <ruleDescriptor.name>(self, <ruleDescriptor.parameterScope:parameterScope()>):
<\> <if(ruleDescriptor.hasReturnValue)>return
<endif><self.<ruleDescriptor.grammar:delegateName()>.<ruleDescriptor.name><(if(ruleDescriptor.parameterScope)
><ruleDescriptor.parameterScope.attributes:{a|<a.name>}; separator=", "><endif>)

>>

parser(grammar, name, scopes, tokens, tokenNames, rules, numRules, bitsets,
  ASTLabelType="Object", superClass="Parser", labelType="Token",
  members={<actions.parser.members>},
  init={<actions.parser.init>}
) ::= <<
<genericParser(grammar, name, scopes, tokens, tokenNames, rules, numRules,
  bitsets, "TokenStream", superClass,
  labelType, members, "Token",
  false, init, ASTLabelType)>

>>

/** How to generate a tree parser; same as parser except the input
 * stream is a different type.
 */
treeParser(grammar, name, scopes, tokens, tokenNames, globalAction, rules,
  numRules, bitsets, filterMode, labelType={<ASTLabelType>}, ASTLabelType="Object",

```

```

superClass={<if(filterMode)><if(buildAST)>TreeRewriter<else>TreeFilter<endif><else>TreeParser<endif>},
members={<actions.treeparser.members>},
init={<actions.treeparser.init>}
) ::= <<
<genericParser(grammar, name, scopes, tokens, tokenNames, rules, numRules,
    bitsets, "TreeNodeStream", superClass,
    labelType, members, "Node",
    filterMode, init, ASTLabelType)>
>>

```

```

/** A simpler version of a rule template that is specific to the imaginary
 * rules created for syntactic predicates. As they never have return values
 * nor parameters etc..., just give simplest possible method. Don't do
 * any of the normal memoization stuff in here either; it's a waste.
 * As predicates cannot be inlined into the invoking rule, they need to
 * be in a rule by themselves.
 */
synpredRule(ruleName, ruleDescriptor, block, description, nakedBlock) ::=
<<
# $ANTLR start "<ruleName>"
def <ruleName>_fragment(self, <ruleDescriptor.parameterScope:parameterScope()):
    <ruleLabelDefs()>
<if(trace)>
    self.traceIn("<ruleName>_fragment", <ruleDescriptor.index>)
    try:
        <block>

    finally:
        self.traceOut("<ruleName>_fragment", <ruleDescriptor.index>)

<else>
    <block>
<endif>
# $ANTLR end "<ruleName>"

>>

```

```

synpred(name) ::= <<
def <name>(self):
    self._state.backtracking += 1
    <@start()>
    start = self.input.mark()
    try:
        self.<name>_fragment()
    except BacktrackingFailed:
        success = False
    else:

```

```

        success = True
        self.input.rewind(start)
    <@stop()>
    self._state.backtracking -= 1
    return success

>>

lexerSynpred(name) ::= <<
<synpred(name)>
>>

ruleMemoization(name) ::= <<
<if(memoize)>
if self._state.backtracking > 0 and self.alreadyParsedRule(self.input, <ruleDescriptor.index>):
    # for cached failed rules, alreadyParsedRule will raise an exception
    success = True
    return <ruleReturnValue()>

<endif>
>>

/** This rule has failed, exit indicating failure during backtrack */
ruleBacktrackFailure() ::= <<
<if(backtracking)>
if self._state.backtracking > 0:
    raise BacktrackingFailed

<endif>
>>

/** How to generate code for a rule. This includes any return type
 * data aggregates required for multiple return values.
 */
rule(ruleName,ruleDescriptor,block,emptyRule,description,exceptions,finally,memoize) ::= <<
<returnScope(scope=ruleDescriptor.returnScope)>

# $ANTLR start "<ruleName>"
# <fileName>:<description>
<ruleDescriptor.actions.decorate>
def <ruleName>(self, <ruleDescriptor.parameterScope:parameterScope()):
<if(trace)>
    self.traceIn("<ruleName>", <ruleDescriptor.index>)<\n>
<endif>
    <ruleScopeSetUp()>
    <ruleDeclarations()>
    <ruleLabelDefs()>

```

```

<ruleDescriptor.actions.init>
<@preamble()>
<@body><ruleBody()><@end>
<@postamble()>
return <ruleReturnValue()>

# $ANTLR end "<ruleName>"
>>

ruleBody() ::= <<
<if(memoize)>
<if(backtracking)>
success = False<\n>
<endif>
<endif>
try:
    try:
        <ruleMemoization(name=ruleName)>
        <block>
        <ruleCleanUp()>
        <(ruleDescriptor.actions.after):execAction()>

<if(memoize)>
<if(backtracking)>
    success = True<\n>
<endif>
<endif>
<if(exceptions)>
    <exceptions:{e|<catch(decl=e.decl,action=e.action)><\n>}>
<else>
<if(!emptyRule)>
<if(actions.(actionScope).rulecatch)>
    <actions.(actionScope).rulecatch>
<else>
    except RecognitionException, re:
        self.reportError(re)
        self.recover(self.input, re)
        <@setErrorReturnValue()>

<endif>
<else>
    finally:
        pass

<endif>
<endif>
finally:
<if(trace)>

```

```

    self.traceOut("<ruleName>", <ruleDescriptor.index>)\n\n
<endif>
    <memoize()>
    <ruleScopeCleanUp()>
    <finally>
    pass
>>

catch(decl,action) ::= <<
except <e.decl>:
    <e.action>

>>

ruleDeclarations() ::= <<
<if(ruleDescriptor.hasMultipleReturnValues)>
retval = self.<ruleDescriptor.name>_return()
retval.start = self.input.LT(1)\n\n
<elseif(ruleDescriptor.returnScope)>
<ruleDescriptor.returnScope.attributes: { a |
<a.name> = <if(a.initValue)><a.initValue><else>None<endif>
}>
<endif>
<if(memoize)>
<ruleDescriptor.name>_startIndex = self.input.index()
<endif>
>>

ruleScopeSetUp() ::= <<
<ruleDescriptor.useScopes: { it | self.<it>_stack.append(<it>_scope()); separator="\n">
<ruleDescriptor.ruleScope: { it | self.<it.name>_stack.append(<it.name>_scope()); separator="\n">
>>

ruleScopeCleanUp() ::= <<
<ruleDescriptor.useScopes: { it | self.<it>_stack.pop(); separator="\n">
<ruleDescriptor.ruleScope: { it | self.<it.name>_stack.pop(); separator="\n">
>>

ruleLabelDefs() ::= <<
<[ruleDescriptor.tokenLabels,ruleDescriptor.tokenListLabels,
ruleDescriptor.wildcardTreeLabels,ruleDescriptor.wildcardTreeListLabels]
: { it | <it.label.text> = None }; separator="\n"
>
<[ruleDescriptor.tokenListLabels,ruleDescriptor.ruleListLabels,
ruleDescriptor.wildcardTreeListLabels]
: { it | list_<it.label.text> = None }; separator="\n"
>
<ruleDescriptor.ruleLabels:ruleLabelDef(); separator="\n">

```

```
<ruleDescriptor.ruleListLabels:{it | <it.label.text> = None }; separator="\n">
```

```
>>
```

```
lexerRuleLabelDefs() ::= <<
```

```
<[ruleDescriptor.tokenLabels,  
ruleDescriptor.tokenListLabels,  
ruleDescriptor.ruleLabels]
```

```
:{it | <it.label.text> = None }; separator="\n"
```

```
>
```

```
<ruleDescriptor.charLabels:{it | <it.label.text> = None }; separator="\n">
```

```
<[ruleDescriptor.tokenListLabels,  
ruleDescriptor.ruleListLabels]
```

```
:{it | list_<it.label.text> = None }; separator="\n"
```

```
>
```

```
>>
```

```
ruleReturnValue() ::= <%
```

```
<if(!ruleDescriptor.isSynPred)>
```

```
<if(ruleDescriptor.hasReturnValue)>
```

```
<if(ruleDescriptor.hasSingleReturnValue)>
```

```
<ruleDescriptor.singleValueReturnName>
```

```
<else>
```

```
retval
```

```
<endif>
```

```
<endif>
```

```
<endif>
```

```
%>
```

```
ruleCleanUp() ::= <<
```

```
<if(ruleDescriptor.hasMultipleReturnValues)>
```

```
<if(!TREE_PARSER)>
```

```
retval.stop = self.input.LT(-1)<\n>
```

```
<endif>
```

```
<endif>
```

```
>>
```

```
memoize() ::= <<
```

```
<if(memoize)>
```

```
<if(backtracking)>
```

```
if self._state.backtracking > 0:
```

```
self.memoize(self.input, <ruleDescriptor.index>, <ruleDescriptor.name>_startIndex, success)
```

```
<endif>
```

```
<endif>
```

```
>>
```

```
/** How to generate a rule in the lexer; naked blocks are used for
```

```
* fragment rules.
```



```

*/
lexerRule(ruleName,nakedBlock,ruleDescriptor,block,memoize) ::= <<
# $ANTLR start "<ruleName>"
def m<ruleName>(self, <ruleDescriptor.parameterScope:parameterScope>):
<if(trace)>
  self.traceIn("<ruleName>", <ruleDescriptor.index>)<\n>
<endif>
  <ruleScopeSetUp()>
  <ruleDeclarations()>
<if(memoize)>
<if(backtracking)>
  success = False<\n>
<endif>
<endif>
  try:
<if(nakedBlock)>
    <ruleMemoization(name=ruleName)>
    <lexerRuleLabelDefs()>
    <ruleDescriptor.actions.init>
    <block><\n>
<else>
  _type = <ruleName>
  _channel = DEFAULT_CHANNEL

  <ruleMemoization(name=ruleName)>
  <lexerRuleLabelDefs()>
  <ruleDescriptor.actions.init>
  <block>
  <ruleCleanUp()>
  self._state.type = _type
  self._state.channel = _channel
  <(ruleDescriptor.actions.after):execAction()>
<endif>
<if(memoize)>
<if(backtracking)>
  success = True<\n>
<endif>
<endif>

  finally:
<if(trace)>
  self.traceOut("<ruleName>", <ruleDescriptor.index>)<\n>
<endif>
  <ruleScopeCleanUp()>
  <memoize()>
  pass

# $ANTLR end "<ruleName>"

```

```
>>
```

```
/** How to generate code for the implicitly-defined lexer grammar rule  
* that chooses between lexer rules.
```

```
*/
```

```
tokensRule(ruleName,nakedBlock,args,block,ruleDescriptor) ::= <<
```

```
def mTokens(self):
```

```
  <block><\n>
```

```
>>
```

```
// S U B R U L E S
```

```
/** A (...) subrule with multiple alternatives */
```

```
block(alts,decls,decision,enclosingBlockLevel,blockLevel,decisionNumber,maxK,maxAlt,description) ::= <<
```

```
# <fileName>:<description>
```

```
alt<decisionNumber> = <maxAlt>
```

```
<decls>
```

```
<@body><blockBody()><@end>
```

```
>>
```

```
blockBody() ::= <<
```

```
<@predecision()>
```

```
<@decision><decision><@end>
```

```
<@postdecision()>
```

```
<@prebranch()>
```

```
<alts:{ a | <altSwitchCase(i, a)> }; separator="\nel">
```

```
<@postbranch()>
```

```
>>
```

```
/** A rule block with multiple alternatives */
```

```
ruleBlock(alts,decls,decision,enclosingBlockLevel,blockLevel,decisionNumber,maxK,maxAlt,description) ::= <<
```

```
# <fileName>:<description>
```

```
alt<decisionNumber> = <maxAlt>
```

```
<decls>
```

```
<@predecision()>
```

```
<@decision><decision><@end>
```

```
<@postdecision()>
```

```
<alts:{ a | <altSwitchCase(i, a)> }; separator="\nel">
```

```
>>
```

```
ruleBlockSingleAlt(alts,decls,decision,enclosingBlockLevel,blockLevel,decisionNumber,description) ::= <<
```

```
# <fileName>:<description>
```

```
<decls>
```

```
<@prealt()>
```

```

<alts>
<@postalt()>
>>

/** A special case of a (...) subrule with a single alternative */
blockSingleAlt(alts,decls,decision,enclosingBlockLevel,blockLevel,decisionNumber,description) ::= <<
# <fileName>:<description>
<decls>
<@prealt()>
<alts>
<@postalt()>
>>

/** A (..)+ block with 1 or more alternatives */
positiveClosureBlock(alts,decls,decision,enclosingBlockLevel,blockLevel,decisionNumber,maxK,maxAlt,descriptio
n) ::= <<
# <fileName>:<description>
cnt<decisionNumber> = 0
<decls>
<@preloop()>
<@loopBody>
<positiveClosureBlockLoop()>
<@end>
<@postloop()>
>>

positiveClosureBlockLoop() ::= <<
while True: #loop<decisionNumber>
  alt<decisionNumber> = <maxAlt>
  <@predecision()>
  <@decisionBody><decision><@end>
  <@postdecision()>
  <alts:{a | <altSwitchCase(i, a)>}; separator="\nel">
  else:
    if cnt<decisionNumber> >= 1:
      break #loop<decisionNumber>

  <ruleBacktrackFailure()>
  eee = EarlyExitException(<decisionNumber>, self.input)
  <@earlyExitException()>
  raise eee

  cnt<decisionNumber> += 1
>>

positiveClosureBlockSingleAlt ::= positiveClosureBlock

/** A (..)* block with 1 or more alternatives */

```

```

closureBlock(alts,decls,decision,enclosingBlockLevel,blockLevel,decisionNumber,maxK,maxAlt,description) ::=
<<
# <fileName>:<description>
<decls>
<@preloop()>
<@loopBody>
<closureBlockLoop()>
<@end>
<@postloop()>
>>

```

```

closureBlockLoop() ::= <<
while True: #loop<decisionNumber>
  alt<decisionNumber> = <maxAlt>
  <@predecision()>
  <@decisionBody><decision><@end>
  <@postdecision()>
  <alts: {a | <altSwitchCase(i, a)>} ; separator="\nel">
  else:
    break #loop<decisionNumber>
>>

```

```

closureBlockSingleAlt ::= closureBlock

```

```

/** Optional blocks (x)? are translated to (x|) by before code generation
 * so we can just use the normal block template
 */
optionalBlock ::= block

```

```

optionalBlockSingleAlt ::= block

```

```

/** A case in a switch that jumps to an alternative given the alternative
 * number. A DFA predicts the alternative and then a simple switch
 * does the jump to the code that actually matches that alternative.
 */

```

```

altSwitchCase(altNum,alt) ::= <<
if alt<decisionNumber> == <altNum>:
  <@prealt()>
  <alt>
>>

```

```

/** An alternative is just a list of elements; at outermost level */
alt(elements,altNum,description,autoAST,outerAlt,treeLevel,rew) ::= <<
# <fileName>:<description>
pass <! so empty alternatives are a valid block !>
<@declarations()>
<elements:element()>
<rew>

```

```

<@cleanup(>
>>

/** What to emit when there is no rewrite. For auto build
 * mode, does nothing.
 */
noRewrite(rewriteBlockLevel, treeLevel) ::= ""

// E L E M E N T S

/** Dump the elements one per line */
element(e) ::= <<
<@prematch(>
<e.el><\n>
>>

/** match a token optionally with a label in front */
tokenRef(token,label,elementIndex,terminalOptions={}) ::= <<
<if(label)><label> = <endif>self.match(self.input, <token>,
self.FOLLOW_<token>_in_<ruleName><elementIndex>)
>>

/** ids+=ID */
tokenRefAndListLabel(token,label,elementIndex,terminalOptions={}) ::= <<
<tokenRef(token,label,elementIndex,terminalOptions)>
<listLabel(label, label)>
>>

listLabel(label, elem) ::= <<
if list_<label> is None:
    list_<label> = []
list_<label>.append(<elem>)<\n>
>>

/** match a character */
charRef(char,label) ::= <<
<if(label)>
<label> = self.input.LA(1)<\n>
<endif>
self.match(<char>)
>>

/** match a character range */
charRangeRef(a,b,label) ::= <<
<if(label)>
<label> = self.input.LA(1)<\n>
<endif>
self.matchRange(<a>, <b>)

```

```

>>

/** For now, sets are interval tests and must be tested inline */
matchSet(s,label,elementIndex,postmatchCode="",terminalOptions={}) ::= <<
<if(label)>
<label> = self.input.LT(1)<\n>
<endif>
if <s>:
    self.input.consume()
    <postmatchCode>
<if(!LEXER)>
    self._state.errorRecovery = False<\n>
<endif>

else:
    <ruleBacktrackFailure()>
    mse = MismatchedSetException(None, self.input)
    <@mismatchedSetException()>
<if(LEXER)>
    self.recover(mse)
    raise mse
<else>
    raise mse
<! use following code to make it recover inline; remove throw mse;
self.recoverFromMismatchedSet(
    self.input, mse, self.FOLLOW_set_in_<ruleName><elementIndex>
)
!>
<endif>
<\n>
>>

matchRuleBlockSet ::= matchSet

matchSetAndListLabel(s,label,elementIndex,postmatchCode) ::= <<
<matchSet(...)>
<listLabel(label, label)>
>>

/** Match a string literal */
lexerStringRef(string,label,elementIndex="0") ::= <<
<if(label)>
<label>Start = self.getCharIndex()
self.match(<string>)
<label>StartLine<elementIndex> = self.getLine()
<label>StartCharPos<elementIndex> = self.getCharPositionInLine()
<label> = <labelType>(input=self.input, type=INVALID_TOKEN_TYPE, channel=DEFAULT_CHANNEL,
start=<label>Start, stop=self.getCharIndex()-1)

```

```

<label>.setLine(<label>StartLine<elementIndex>)
<label>.setCharPositionInLine(<label>StartCharPos<elementIndex>)
<else>
self.match(<string>)
<endif>
>>

wildcard(token,label,elementIndex,terminalOptions={}) ::= <<
<if(label)>
<label> = self.input.LT(1)<\n>
<endif>
self.matchAny(self.input)
>>

wildcardAndListLabel(token,label,elementIndex,terminalOptions={}) ::= <<
<wildcard(...)>
<listLabel(label,label)>
>>

/** Match . wildcard in lexer */
wildcardChar(label, elementIndex) ::= <<
<if(label)>
<label> = self.input.LA(1)<\n>
<endif>
self.matchAny()
>>

wildcardCharListLabel(label, elementIndex) ::= <<
<wildcardChar(label, elementIndex)>
<listLabel(label, label)>
>>

/** Match a rule reference by invoking it possibly with arguments
 * and a return value or values. The 'rule' argument was the
 * target rule name, but now is type Rule, whose toString is
 * same: the rule name. Now though you can access full rule
 * descriptor stuff.
 */
ruleRef(rule,label,elementIndex,args,scope) ::= <<
self._state.following.append(self.FOLLOW_<rule.name>_in_<ruleName><elementIndex>)
<if(label)><label> = <endif>self.<if(scope)><scope.delegateName()>.<endif><rule.name>(<args; separator=",
">)<\n>
self._state.following.pop()
>>

/** ids+=rule */
ruleRefAndListLabel(rule,label,elementIndex,args,scope) ::= <<
<ruleRef(rule,label,elementIndex,args,scope)>

```

```

<listLabel(label, label)>
>>

/** A lexer rule reference
 * The 'rule' argument was the target rule name, but now
 * is type Rule, whose toString is same: the rule name.
 * Now though you can access full rule descriptor stuff.
 */
lexerRuleRef(rule,label,args,elementIndex,scope) ::= <<
<if(label)>
<label>Start<elementIndex> = self.getCharIndex()
self.<if(scope)><scope.delegateName().<endif>m<rule.name><(args; separator=", ">
<label>StartLine<elementIndex> = self.getLine()
<label>StartCharPos<elementIndex> = self.getCharPositionInLine()
<label> = <labelType>(
  input=self.input,
  type=INVALID_TOKEN_TYPE,
  channel=DEFAULT_CHANNEL,
  start=<label>Start<elementIndex>,
  stop=self.getCharIndex()-1)
<label>.setLine(<label>StartLine<elementIndex>)
<label>.setCharPositionInLine(<label>StartCharPos<elementIndex>)
<else>
self.<if(scope)><scope.delegateName().<endif>m<rule.name><(args; separator=", ">
<endif>
>>

/** i+=INT in lexer */
lexerRuleRefAndListLabel(rule,label,args,elementIndex,scope) ::= <<
<lexerRuleRef(rule,label,args,elementIndex,scope)>
<listLabel(label, label)>
>>

/** EOF in the lexer */
lexerMatchEOF(label,elementIndex) ::= <<
<if(label)>
<label>Start<elementIndex> = self.getCharIndex()
<label>StartLine<elementIndex> = self.getLine()
<label>StartCharPos<elementIndex> = self.getCharPositionInLine()
self.match(EOF)
<label> = <labelType>(input=self.input, type=EOF, channel=DEFAULT_CHANNEL,
start=<label>Start<elementIndex>, stop=self.getCharIndex()-1)
<label>.setLine(<label>StartLine<elementIndex>)
<label>.setCharPositionInLine(<label>StartCharPos<elementIndex>)
<else>
self.match(EOF)
<endif>
>>

```



```

// used for left-recursive rules
recRuleDefArg()          ::= "<recRuleArg()>"
recRuleArg()             ::= "_p"
recRuleAltPredicate(ruleName, opPrec) ::= "<recRuleArg()> |<= <opPrec>"
recRuleSetResultAction() ::= "root_0 = $<ruleName>_primary.tree"
recRuleSetReturnAction(src, name)    ::= "$<name> = $<src>.<name>"

/** match ^(root children) in tree parser */
tree(root, actionsAfterRoot, children, nullableChildList,
    enclosingTreeLevel, treeLevel) ::= <<
<root:element()>
<actionsAfterRoot:element()>
<if(nullableChildList)>
if self.input.LA(1) == DOWN:
    self.match(self.input, DOWN, None)
    <children:element()>
    self.match(self.input, UP, None)

<else>
self.match(self.input, DOWN, None)
<children:element()>
self.match(self.input, UP, None)
<endif>
>>

/** Every predicate is used as a validating predicate (even when it is
 * also hoisted into a prediction expression).
 */
validateSemanticPredicate(pred,description) ::= <<
if not (<evalPredicate(pred, description)>):
    <ruleBacktrackFailure()>
    raise FailedPredicateException(self.input, "<ruleName>", "<description>")

>>

// F i x e d D F A (if-then-else)

dfaState(k,edges,eotPredictsAlt,description,stateNumber,semPredState) ::= <<
LA<decisionNumber>_<stateNumber> = self.input.LA(<k>)<\n>
<edges; separator="\n" >
else:
<if(eotPredictsAlt)>
    alt<decisionNumber> = <eotPredictsAlt>
<else>
    <ruleBacktrackFailure()>
    nvae = NoViableAltException("<description>", <decisionNumber>, <stateNumber>, self.input)<\n>
    <@noViableAltException()>

```

```

    raise nvae<\n>
<endif>
>>

/** Same as a normal DFA state except that we don't examine lookahead
 * for the bypass alternative. It delays error detection but this
 * is faster, smaller, and more what people expect. For (X)? people
 * expect "if ( LA(1)==X ) match(X);" and that's it.
 */
dfaOptionalBlockState(k,edges,eotPredictsAlt,description,stateNumber,semPredState) ::= <<
LA<decisionNumber>_<stateNumber> = self.input.LA(<k>)<\n>
<edges; separator="\n" >
>>

/** A DFA state that is actually the loopback decision of a closure
 * loop. If end-of-token (EOT) predicts any of the targets then it
 * should act like a default clause (i.e., no error can be generated).
 * This is used only in the lexer so that for ('a')* on the end of a rule
 * anything other than 'a' predicts exiting.
 */
dfaLoopbackState(k,edges,eotPredictsAlt,description,stateNumber,semPredState) ::= <<
LA<decisionNumber>_<stateNumber> = self.input.LA(<k>)<\n>
<edges; separator="\n" ><\n>
<if(eotPredictsAlt)>
<if(!edges)>
alt<decisionNumber> = <eotPredictsAlt> <! if no edges, don't gen ELSE !>
<else>
else:
    alt<decisionNumber> = <eotPredictsAlt>
<\n>
<endif>
<endif>
>>

/** An accept state indicates a unique alternative has been predicted */
dfaAcceptState(alt) ::= "alt<decisionNumber> = <alt>"

/** A simple edge with an expression. If the expression is satisfied,
 * enter to the target state. To handle gated productions, we may
 * have to evaluate some predicates for this edge.
 */
dfaEdge(labelExpr, targetState, predicates) ::= <<
if (<labelExpr>) <if(predicates)>and (<predicates>)<endif>:
    <targetState>
>>

// F i x e d D F A (switch case)

```

```

/** A DFA state where a SWITCH may be generated. The code generator
 * decides if this is possible: CodeGenerator.canGenerateSwitch().
 */
dfaStateSwitch(k,edges,eotPredictsAlt,description,stateNumber,semPredState) ::= <<
<!
  FIXME: this is one of the few occasion, where I miss a switch statement
  in Python. ATM this is implemented as a list of if .. elif ..
  This may be replaced by faster a dictionary lookup, when I find a solution
  for the cases when an edge is not a plain dfaAcceptState.
!>
LA<decisionNumber> = self.input.LA(<k>)
<edges; separator="\n" >
else:
<if(eotPredictsAlt)>
  alt<decisionNumber> = <eotPredictsAlt>
<else>
  <ruleBacktrackFailure()>
  nvae = NoViableAltException("<description>", <decisionNumber>, <stateNumber>, self.input)<\n>
  <@noViableAltException()>
  raise nvae<\n>
<endif>

>>

dfaOptionalBlockStateSwitch(k,edges,eotPredictsAlt,description,stateNumber,semPredState) ::= <<
LA<decisionNumber> = self.input.LA(<k>)
<edges; separator="\n" >
>>

dfaLoopbackStateSwitch(k, edges,eotPredictsAlt,description,stateNumber,semPredState) ::= <<
LA<decisionNumber> = self.input.LA(<k>)
<edges; separator="\n" >
<if(eotPredictsAlt)>
else:
  alt<decisionNumber> = <eotPredictsAlt>
<endif>
>>

dfaEdgeSwitch(labels, targetState) ::= <<
if <labels:{it | LA<decisionNumber> == <it>} ; separator=" or ">:
  <targetState>
>>

// C y c l i c D F A

/** The code to initiate execution of a cyclic DFA; this is used
 * in the rule to predict an alt just like the fixed DFA case.
 * The <name> attribute is inherited via the parser, lexer, ...

```

```

*/
dfaDecision(decisionNumber,description) ::= <<
alt<decisionNumber> = self.dfa<decisionNumber>.predict(self.input)
>>

/* Dump DFA tables as run-length-encoded Strings of octal values.
* Can't use hex as compiler translates them before compilation.
* These strings are split into multiple, concatenated strings.
* Java puts them back together at compile time thankfully.
* Java cannot handle large static arrays, so we're stuck with this
* encode/decode approach. See analysis and runtime DFA for
* the encoding methods.
*/
cyclicDFA(dfa) ::= <<
# lookup tables for DFA #<dfa.decisionNumber>

DFA<dfa.decisionNumber>_eot = DFA.unpack(
  u"<dfa.javaCompressedEOT; wrap=""\n  u"">"
)

DFA<dfa.decisionNumber>_eof = DFA.unpack(
  u"<dfa.javaCompressedEOF; wrap=""\n  u"">"
)

DFA<dfa.decisionNumber>_min = DFA.unpack(
  u"<dfa.javaCompressedMin; wrap=""\n  u"">"
)

DFA<dfa.decisionNumber>_max = DFA.unpack(
  u"<dfa.javaCompressedMax; wrap=""\n  u"">"
)

DFA<dfa.decisionNumber>_accept = DFA.unpack(
  u"<dfa.javaCompressedAccept; wrap=""\n  u"">"
)

DFA<dfa.decisionNumber>_special = DFA.unpack(
  u"<dfa.javaCompressedSpecial; wrap=""\n  u"">"
)

DFA<dfa.decisionNumber>_transition = [
  <dfa.javaCompressedTransition:{s|DFA.unpack(u"<s; wrap=""\nu"">)}; separator=",\n">
]

# class definition for DFA #<dfa.decisionNumber>

class DFA<dfa.decisionNumber>(DFA):

```

```

pass

<@errorMethod()>

<if(dfa.specialStateSTs)>
def specialStateTransition(self_, s, input):
    # convince pylint that my self_ magic is ok ;
    # pylint: disable-msg=E0213

    # pretend we are a member of the recognizer
    # thus semantic predicates can be evaluated
    self = self_.recognizer

    _s = s

    <dfa.specialStateSTs:{state | if s == <i0>: <! compressed special state numbers 0..n-1 !>
<state>} ; separator="\n! ">

<if(backtracking)>
    if self._state.backtracking > 0:
        raise BacktrackingFailed

<endif>
    nvae = NoViableAltException(self_.getDescription(), <dfa.decisionNumber>, _s, input)
    self_.error(nvae)
    raise nvae<\n>
<endif>

>>

cyclicDFAInit(dfa) ::= <<
self.dfa<dfa.decisionNumber> = self.DFA<dfa.decisionNumber>(
    self, <dfa.decisionNumber>,
    eot = self.DFA<dfa.decisionNumber>_eot,
    eof = self.DFA<dfa.decisionNumber>_eof,
    min = self.DFA<dfa.decisionNumber>_min,
    max = self.DFA<dfa.decisionNumber>_max,
    accept = self.DFA<dfa.decisionNumber>_accept,
    special = self.DFA<dfa.decisionNumber>_special,
    transition = self.DFA<dfa.decisionNumber>_transition
)<\n>
>>

/** A state in a cyclic DFA; it's a special state and part of a big switch on
 * state.
 */
cyclicDFAState(decisionNumber,stateNumber,edges,needErrorClause,semPredState) ::= <<
LA<decisionNumber>_<stateNumber> = input.LA(1)<\n>

```

```

<if(semPredState)> <! get next lookahead symbol to test edges, then rewind !>
index<decisionNumber>_<stateNumber> = input.index()
input.rewind()<\n>
<endif>
s = -1
<edges; separator="\n!">
<if(semPredState)> <! return input cursor to state before we rewound !>
input.seek(index<decisionNumber>_<stateNumber>)<\n>
<endif>
if s >= 0:
    return s
>>

/** Just like a fixed DFA edge, test the lookahead and indicate what
 * state to jump to next if successful.
 */
cyclicDFAEdge(labelExpr, targetStateNumber, edgeNumber, predicates) ::= <<
if (<labelExpr><if(predicates)> and (<predicates>)<endif>:
    s = <targetStateNumber><\n>
>>

/** An edge pointing at end-of-token; essentially matches any char;
 * always jump to the target.
 */
eotDFAEdge(targetStateNumber,edgeNumber, predicates) ::= <<
se:
    s = <targetStateNumber><\n>
>>

// D F A E X P R E S S I O N S

andPredicates(left,right) ::= "((<left>) and (<right>))"

orPredicates(operands) ::= "<operands; separator=\" or \">"

notPredicate(pred) ::= "not (<evalPredicate(pred, {})>)"

evalPredicate(pred,description) ::= "<pred>"

evalSynPredicate(pred,description) ::= "self.<pred>()"

lookaheadTest(atom,k,atomAsInt) ::= "LA<decisionNumber>_<stateNumber> == <atom>"

/** Sometimes a lookahead test cannot assume that LA(k) is in a temp variable
 * somewhere. Must ask for the lookahead directly.
 */
isolatedLookaheadTest(atom,k,atomAsInt) ::= "self.input.LA(<k>) == <atom>"

```

```
lookaheadRangeTest(lower,upper,k,rangeNumber,lowerAsInt,upperAsInt) ::= <%
(<lower> \<= LA<decisionNumber>_<stateNumber> \<= <upper>)
%>
```

```
isolatedLookaheadRangeTest(lower,upper,k,rangeNumber,lowerAsInt,upperAsInt) ::= "(<lower> \<=
self.input.LA(<k>) \<= <upper>)"
```

```
setTest(ranges) ::= "<ranges; separator=\\\" or \\\">"
```

```
// A T T R I B U T E S
```

```
globalAttributeScopeClass(scope) ::= <<
```

```
<if(scope)>
```

```
<if(scope.attributes)>
```

```
class <scope.name>_scope(object):
```

```
    def __init__(self):
```

```
        <scope.attributes:{it | self.<it.decl> = None}; separator="\n">
```

```
<endif>
```

```
<endif>
```

```
>>
```

```
globalAttributeScopeStack(scope) ::= <<
```

```
<if(scope)>
```

```
<if(scope.attributes)>
```

```
self.<scope.name>_stack = []<\n>
```

```
<endif>
```

```
<endif>
```

```
>>
```

```
ruleAttributeScopeClass(scope) ::= <<
```

```
<if(scope)>
```

```
<if(scope.attributes)>
```

```
class <scope.name>_scope(object):
```

```
    def __init__(self):
```

```
        <scope.attributes:{it | self.<it.decl> = None}; separator="\n">
```

```
<endif>
```

```
<endif>
```

```
>>
```

```
ruleAttributeScopeStack(scope) ::= <<
```

```
<if(scope)>
```

```
<if(scope.attributes)>
```

```
self.<scope.name>_stack = []<\n>
```

```
<endif>
```

```
<endif>
```

```

>>

delegateName(d) ::= <<
<if(d.label)><d.label><else>g<d.name><endif>
>>

/** Define a rule label including default value */
ruleLabelDef(label) ::= <<
<label.label.text> = None
>>

returnStructName(r) ::= "<r.name>_return"

/** Define a return struct for a rule if the code needs to access its
 * start/stop tokens, tree stuff, attributes, ... Leave a hole for
 * subgroups to stick in members.
 */
returnScope(scope) ::= <<
<if(ruleDescriptor.hasMultipleReturnValues)>
class <ruleDescriptor:returnStructName()><(if(TREE_PARSER)>Tree<else>Parser<endif>RuleReturnScope):
  def __init__(self):
    super(<grammar.recognizerName>.<ruleDescriptor:returnStructName()>, self).__init__()

    <if(scope)><scope.attributes:{it | self.<it.decl> = None}; separator="\n"><endif>
    <@ruleReturnInit()>

    <@ruleReturnMembers()>

<endif>
>>

parameterScope(scope) ::= <<
<if(scope)><scope.attributes:{it | <it.decl>}; separator=", "><endif>
>>

parameterAttributeRef(attr) ::= "<attr.name>"
parameterSetAttributeRef(attr,expr) ::= "<attr.name> = <expr>"

scopeAttributeRef(scope,attr,index,negIndex) ::= <%
<if(negIndex)>
self.<scope>_stack[-<negIndex>].<attr.name>
<else>
<if(index)>
self.<scope>_stack[<index>].<attr.name>
<else>
self.<scope>_stack[-1].<attr.name>
<endif>
<endif>

```



```

<endif>
%>

/* not applying patch because of bug in action parser!

<if(negIndex)>
((len(self.<scope>_stack) - <negIndex> - 1) >= 0 and [self.<scope>_stack[-<negIndex>].<attr.name>] or [None])[0]
<else>
<if(index)>
((<index> \< len(self.<scope>_stack)) and [self.<scope>_stack[<index>].<attr.name>] or [None])[0]
<else>
((len(self.<scope>_stack) > 0) and [self.<scope>_stack[-1].<attr.name>] or [None])[0]
<endif>
<endif>

*/

scopeSetAttributeRef(scope,attr,expr,index,negIndex) ::= <%
<if(negIndex)>
<!FIXME: this seems not to be used by ActionTranslator...!>
self.<scope>_stack[-<negIndex>].<attr.name> = <expr>
<else>
<if(index)>
<!FIXME: this seems not to be used by ActionTranslator...!>
self.<scope>_stack[<index>].<attr.name> = <expr>
<else>
self.<scope>_stack[-1].<attr.name> = <expr>
<endif>
<endif>
%>

/** $x is either global scope or x is rule with dynamic scope; refers
* to stack itself not top of stack. This is useful for predicates
* like {function.size()>0 && function::name.equals("foo")}?
*/
isolatedDynamicScopeRef(scope) ::= "self.<scope>_stack"

/** reference an attribute of rule; might only have single return value */
ruleLabelRef(referencedRule,scope,attr) ::= <%
<if(referencedRule.hasMultipleReturnValues)>
((<scope> is not None) and [<scope>.<attr.name>] or [None])[0]
<else>
<scope>
<endif>
%>

returnAttributeRef(ruleDescriptor,attr) ::= <%
<if(ruleDescriptor.hasMultipleReturnValues)>

```

```

retval.<attr.name>
<else>
<attr.name>
<endif>
%>

returnSetAttributeRef(ruleDescriptor,attr,expr) ::= <%
<if(ruleDescriptor.hasMultipleReturnValues)>
retval.<attr.name> = <expr>
<else>
<attr.name> = <expr>
<endif>
%>

/** How to translate $tokenLabel */
tokenLabelRef(label) ::= "<label>"

/** ids+=ID {$ids} or e+=expr {$e} */
listLabelRef(label) ::= "list_<label>"

// not sure the next are the right approach; and they are evaluated early;
// they cannot see TREE_PARSER or PARSER attributes for example. :(

tokenLabelPropertyRef_text(scope,attr) ::= "<scope>.text"
tokenLabelPropertyRef_type(scope,attr) ::= "<scope>.type"
tokenLabelPropertyRef_line(scope,attr) ::= "<scope>.line"
tokenLabelPropertyRef_pos(scope,attr) ::= "<scope>.charPositionInLine"
tokenLabelPropertyRef_channel(scope,attr) ::= "<scope>.channel"
tokenLabelPropertyRef_index(scope,attr) ::= "<scope>.index"
tokenLabelPropertyRef_tree(scope,attr) ::= "<scope>_tree"

ruleLabelPropertyRef_start(scope,attr) ::= "<scope>.start"
ruleLabelPropertyRef_stop(scope,attr) ::= "<scope>.stop"
ruleLabelPropertyRef_tree(scope,attr) ::= "<scope>.tree"
ruleLabelPropertyRef_text(scope,attr) ::= <%
<if(TREE_PARSER)>
((<scope> is not None) and [self.input.getTokenStream().toString(
  self.input.getTreeAdaptor().getTokenStartIndex(<scope>.start),
  self.input.getTreeAdaptor().getTokenStopIndex(<scope>.start)
)] or [None])[0]
<else>
((<scope> is not None) and [self.input.toString(<scope>.start,<scope>.stop)] or [None])[0]
<endif>
%>
ruleLabelPropertyRef_st(scope,attr) ::= "((<scope> is not None) and [<scope>.st] or [None])[0]"

/** Isolated $RULE ref ok in lexer as it's a Token */

```

```

lexerRuleLabel(label) ::= "<label>"

lexerRuleLabelPropertyRef_type(scope,attr) ::= "((<scope> is not None) and [<scope>.type] or [0])[0]"
lexerRuleLabelPropertyRef_line(scope,attr) ::= "((<scope> is not None) and [<scope>.line] or [0])[0]"
lexerRuleLabelPropertyRef_pos(scope,attr) ::= "((<scope> is not None) and [<scope>.charPositionInLine] or [0])[0]"
lexerRuleLabelPropertyRef_channel(scope,attr) ::= "((<scope> is not None) and [<scope>.channel] or [0])[0]"
lexerRuleLabelPropertyRef_index(scope,attr) ::= "((<scope> is not None) and [<scope>.index] or [0])[0]"
lexerRuleLabelPropertyRef_text(scope,attr) ::= "((<scope> is not None) and [<scope>.text] or [None])[0]"
lexerRuleLabelPropertyRef_int(scope,attr) ::= "((<scope> is not None) and [int(<scope>.text)] or [0])[0]"

// Somebody may ref $template or $tree or $stop within a rule:
rulePropertyRef_start(scope,attr) ::= "retval.start"
rulePropertyRef_stop(scope,attr) ::= "retval.stop" //mmm... or input.LT(-1)??
rulePropertyRef_tree(scope,attr) ::= "retval.tree"
rulePropertyRef_text(scope,attr) ::= "self.input.toString(retval.start, self.input.LT(-1))"
rulePropertyRef_st(scope,attr) ::= "retval.st"

lexerRulePropertyRef_text(scope,attr) ::= "self.text"
lexerRulePropertyRef_type(scope,attr) ::= "_type"
lexerRulePropertyRef_line(scope,attr) ::= "self._state.tokenStartLine"
lexerRulePropertyRef_pos(scope,attr) ::= "self._state.tokenStartCharPositionInLine"
lexerRulePropertyRef_index(scope,attr) ::= "-1" // undefined token index in lexer
lexerRulePropertyRef_channel(scope,attr) ::= "_channel"
lexerRulePropertyRef_start(scope,attr) ::= "self._state.tokenStartCharIndex"
lexerRulePropertyRef_stop(scope,attr) ::= "(self.getCharIndex()-1)"
lexerRulePropertyRef_int(scope,attr) ::= "int(<scope>.text)"

// setting $st and $tree is allowed in local rule. everything else
// is flagged as error
ruleSetPropertyRef_tree(scope,attr,expr) ::= "retval.tree =<expr>"
ruleSetPropertyRef_st(scope,attr,expr) ::= "retval.st =<expr>"

/** How to execute an action (only when not backtracking) */
execAction(action) ::= <<
<if(backtracking)>
<if(actions.(actionScope).synpredgate)>
if <actions.(actionScope).synpredgate>:
    pass
    <action>

<else>
if <actions.(actionScope).synpredgate>:
    pass
    <action>

<endif>

```

```

<else>
#action start
<action>
#action end
<endif>
>>

/** How to always execute an action even when backtracking */
execForcedAction(action) ::= "<action>"

// M I S C (properties, etc...)

codeFileExtension() ::= ".py"

true_value() ::= "True"
false_value() ::= "False"

Found in path(s):
* /opt/cola/permits/1274703855_1645234694.1/0/antlr-3-5-2-sources-
jar/org/antlr/codegen/templates/Python/Python.stg
No license file was found, but licenses were detected in source scan.

/*
[The "BSD license"]
Copyright (c) 2005-2012 Terence Parr
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:

1. Redistributions of source code must retain the above copyright
   notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright
   notice, this list of conditions and the following disclaimer in the
   documentation and/or other materials provided with the distribution.
3. The name of the author may not be used to endorse or promote products
   derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR
IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.
IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,
INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT
NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF

```

THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

\*/

/\*\* Template overrides to add debugging to AST stuff. Dynamic inheritance

\* hierarchy is set up as ASTDbg : AST : Dbg : Python by code generator.

\*/

group ASTDbg;

astAccessor() ::= <<

def setTreeAdaptor(self, adaptor):

<if(grammar.grammarIsRoot)>

self.\_adaptor = DebugTreeAdaptor(self.dbg, adaptor)

<else>

self.\_adaptor = adaptor # delegator sends dbg adaptor

<endif>

<grammar.directDelegates:{g|<g.delegateName()>.setTreeAdaptor(self.\_adaptor)}>

def getTreeAdaptor(self):

return self.\_adaptor

adaptor = property(getTreeAdaptor, setTreeAdaptor)<\n>

>>

createListenerAndHandshake() ::= <<

proxy = DebugEventSocketProxy(self,

adaptor=<if(TREE\_PARSER)>self.input.getTreeAdaptor(<else>self.\_adaptor<endif>,

debug=debug\_socket, port=port)

self.setDebugListener(proxy)

self.adaptor.setDebugListener(proxy)

self.input.setDebugListener(proxy)

#self.set<inputStreamType>(Debug<inputStreamType>(self.input, proxy))

proxy.handshake()

>>

@rewriteElement.pregen() ::= "self.\_dbg.location(<e.line>, <e.pos>)"

Found in path(s):

\* /opt/cola/permits/1274703855\_1645234694.1/0/antlr-3-5-2-sources-jar/org/antlr/codegen/templates/Python3/ASTDbg.stg

No license file was found, but licenses were detected in source scan.

/\* [The "BSD license"]

Copyright (c) 2008 Erik van Bilzen

Copyright (c) 2007-2008 Johannes Luber

Copyright (c) 2005-2007 Kunle Odutola

Copyright (c) 2005-2006 Terence Parr

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The name of the author may not be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

\*/

group Delphi;

```
csharpTypeInitMap ::= [  
  "int": "0",  
  "uint": "0",  
  "long": "0",  
  "ulong": "0",  
  "float": "0.0",  
  "double": "0.0",  
  "bool": "False",  
  "byte": "0",  
  "sbyte": "0",  
  "short": "0",  
  "ushort": "0",  
  "char": "#0",  
  "string": "",  
  "String": "",  
  default: "nil" // anything other than an atomic type  
]  
  
/** The overall file structure of a recognizer; stores methods for rules  
 * and cyclic DFAs plus support code.  
 * LEXER (Boolean): should we generate lexer code?  
 * PARSER (Boolean): should we generate parser code?  
 * TREE_PARSER (Boolean): should we generate tree parser code?  
 * actionScope (String): 'lexer', 'parser', 'tree_parser' or custom scope
```

- \* actions (HashMap):
- \* docComment (String): document comment
- \* recognizer (Object): recognizer class generator
- \* name (String): name of grammar
- \* tokens (HashMap<name: String, type: Integer>):
- \* tokenNames:
- \* rules:
- \* cyclicDFAs:
- \* bitsets:
- \* buildTemplate (Boolean): should we generate a string template?
- \* buildAST (Boolean): should we generate an AST?
- \* rewriteMode (Boolean): are we rewriteing nodes?
- \* profile (Boolean):
- \* backtracking (Boolean): backtracking mode?
- \* synpreds (): syntactic predicates
- \* memoize (Boolean): should we memoize?
- \* numRules (Integer): number of rules
- \* fileName (String): fully qualified name of original .g file
- \* ANTLRVersion (String): ANTLR version in Major.Minor.Build format
- \* generatedTimestamp (String): date/time when the file is generated
- \* trace (Boolean): should we trace input/output?
- \* scopes:
- \* superClass (String): name of base class, or empty string
- \* literals:
- \*/

```
outputFile(LEXER,PARSER,TREE_PARSER, actionScope, actions,
           docComment, recognizer,
           name, tokens, tokenNames, rules, cyclicDFAs,
           bitsets, buildTemplate, buildAST, rewriteMode, profile,
           backtracking, synpreds, memoize, numRules,
           fileName, ANTLRVersion, generatedTimestamp, trace,
           scopes, superClass, literals) ::=
```

```
<<
```

```
unit <name>;
```

```
{ $HINTS OFF }
```

```
// $ANTLR <ANTLRVersion> <fileName> <generatedTimestamp>
```

```
<actions.(actionScope).header>
```

```
interface
```

```
<@imports>
```

```
uses<\n>
```

```
<@end>
```

```
<actions.(actionScope).usesInterface>
```

```
<if(TREE_PARSER)>
```

```

Antlr.Runtime.Tree,<\n>
<endif>
Antlr.Runtime,
Antlr.Runtime.Collections,
Antlr.Runtime.Tools;

<docComment>
<recognizer>
>>

/** Generates source code for the lexer class
 * grammar (Grammar object)
 */
lexer(grammar, name, tokens, scopes, rules, numRules, labelType="Token",
    filterMode, superClass="Lexer") ::= <<
type
I<grammar.recognizerName> = interface(I<@superClassName><superClass><@end>)
end;

T<grammar.recognizerName> = class(T<@superClassName><superClass><@end>,
I<grammar.recognizerName>)
strict private
    FCnt: array [0..<grammar.numberOfDecisions>] of Byte;
    FLA: array [0..<grammar.numberOfDecisions>, 0..255] of Integer;
    FException: ERecognitionException;
    procedure InitializeCyclicDFAs;
<cyclicDFAs:cyclicDFADeclaration()>
public
    const
        <tokens:{<it.name> = <it.type>;}; separator="\n">
        <scopes:{<if(it.isDynamicGlobalScope)><globalAttributeScope(scope=it)><endif>}>
strict private
    <actions.(actionScope).memberDeclarations>
public
    // delegates
    <grammar.delegates: {g|<g:delegateName(): I<superClass>; {<g.recognizerName>}}; separator="\n">
public
    // delegators
    <grammar.delegators: {g|<g:delegateName(): Pointer; {<g.recognizerName>}}; separator="\n">
    <last(grammar.delegators):{g|gParent: Pointer; {<g.recognizerName>}}>
protected
    { IBaseRecognizer }
    function GetGrammarFileName: String; override;
<if(filterMode)>
    function AlreadyParsedRule(const Input: IIntStream;
        const RuleIndex: Integer): Boolean; override;
    procedure Memoize(const Input: IIntStream; const RuleIndex,
        RuleStartIndex: Integer); override;

```



```

protected
  { ILexer }
  function NextToken: IToken; override;<\n>
<endif>
protected
  { ILexer }
  procedure DoTokens; override;
public
  constructor Create; overload;
  constructor Create(const AInput: ICharStream<grammar.delegators:{g}; const A<g:delegateName():
IBaseRecognizer{<g.recognizerName>}>); overload;
  constructor Create(const AInput: ICharStream; const AState: IRecognizerSharedState<grammar.delegators:{g};
const A<g:delegateName(): IBaseRecognizer{<g.recognizerName>}>); overload;

  <rules: {r | <if(!r.ruleDescriptor.isSynPred)><lexerRuleDeclaration(r)><endif>>
  <synpreds:{p | <lexerSynpredDeclaration(p)>}; separator="\n">
end;

implementation

uses
  <grammar.delegators: {g|<g.recognizerName>,}; separator="\n">
  <grammar.delegators: {g|<g.recognizerName>,}; separator="\n">
  <actions.(actionScope).usesImplementation>
  SysUtils,
  StrUtils,
  Math;

{ T<grammar.recognizerName> }

constructor T<grammar.recognizerName>.Create;
begin
  InitializeCyclicDFAs;
end;

constructor T<grammar.recognizerName>.Create(const AInput: ICharStream<grammar.delegators:{g}; const
A<g:delegateName(): IBaseRecognizer{<g.recognizerName>}>);
begin
  Create(AInput, nil<grammar.delegators:{g}, A<g:delegateName()>>);
end;

constructor T<grammar.recognizerName>.Create(const AInput: ICharStream; const AState:
IRecognizerSharedState<grammar.delegators:{g}; const A<g:delegateName():
IBaseRecognizer{<g.recognizerName>}>);
begin
  inherited Create(AInput, AState);
  InitializeCyclicDFAs; { TODO: Necessary in Delphi??? Not removed yet. }
  <if(memoize)>

```

```

<if(grammar.grammarIsRoot)>
State.RuleMemoCount := <numRules>+1;<\n> <! index from 1..n !>
<endif>
<endif>
<grammar.directDelegates:
  {g<g.delegateName()> := T<g.recognizerName>.Create(AInput, State<trunc(g.delegators):{p|
<p.delegateName()>}, Self);}; separator="\n">
<grammar.delegators:
  {g<g.delegateName()> := Pointer(A<g.delegateName()>);}; separator="\n">
<last(grammar.delegators):{g|gParent := Pointer(A<g.delegateName()>);}>
<actions.(actionScope).memberInitializations>
end;
<actions.(actionScope).memberImplementations>
function T<grammar.recognizerName>.GetGrammarFileName: String;
begin
  Result := '<fileName>';
end;

<if(filterMode)>
<filteringNextToken()
<endif>

<rules; separator="\n\n">
<synpreds:{p | <lexerSynpred(p)>}>

procedure T<grammar.recognizerName>.InitializeCyclicDFAs;
begin
  <cyclicDFAs:{ dfa | FDFA<dfa.decisionNumber> :=
TDFFA<dfa.decisionNumber>.Create(Self<@debugAddition()>);}; separator="\n">
  <cyclicDFAs:{ dfa | <if(dfa.specialStateSTs)>FDFA<dfa.decisionNumber>.SpecialStateTransitionHandler :=
DFA<dfa.decisionNumber>_SpecialStateTransition;<endif>}; separator="\n">
end;

<cyclicDFAs:cyclicDFA()> <! dump tables for all DFA !>
end.>>

lexerRuleDeclaration(rule) ::= <<
procedure m<rule.ruleName>>(<rule.ruleDescriptor.parameterScope:parameterScope(scope=rule)>);<\n>
>>

/** A override of Lexer.nextToken() that backtracks over mTokens() looking
 * for matches. No error can be generated upon error; just rewind, consume
 * a token and then try again. backtracking needs to be set as well.
 *
 * Make rule memoization happen only at levels above 1 as we start mTokens
 * at backtracking==1.
 */
filteringNextToken() ::= <<

```

```

function T<grammar.recognizerName>.NextToken: IToken;
var
  M: Integer;
begin
  while (True) do
  begin
    if (Input.LA(1) = Integer(cscEOF)) then
      Exit(TToken.EOF_TOKEN);

    State.Token := nil;
    State.Channel := TToken.DEFAULT_CHANNEL;
    State.TokenStartCharIndex := Input.Index;
    State.TokenStartCharPositionInLine := Input.CharPositionInLine;
    State.TokenStartLine := Input.Line;
    State.Text := "";
  try
    M := Input.Mark();
    State.Backtracking := 1; <! means we won't throw slow exception !>
    State.Failed := False;
    mTokens();
    State.Backtracking := 0;
  <!
    mTokens backtracks with synpred at backtracking==2
      and we set the synpredgate to allow actions at level 1.
  !>
    if (State.Failed) then
    begin
      Input.Rewind(M);
      Input.Consume; <! // advance one char and try again !>
    end
    else
    begin
      Emit;
      Exit(State.Token);
    end;
  except
    on RE: ERecognitionException do
    begin
      // shouldn't happen in backtracking mode, but...
      ReportError(RE);
      Recover(RE);
    end;
  end;
end;
end;
end;

function T<grammar.recognizerName>.AlreadyParsedRule(const Input: IIntStream;
const RuleIndex: Integer): Boolean;

```

```

begin
  if (State.Backtracking > 1) then
    Result := inherited AlreadyParsedRule(Input, RuleIndex)
  else
    Result := False;
  end;

procedure T<grammar.recognizerName>.Memoize(const Input: IIntStream; const RuleIndex,
  RuleStartIndex: Integer);
begin
  if (State.Backtracking > 1) then
    inherited Memoize(Input, RuleIndex, RuleStartIndex);
  end;

>>

filteringActionGate() ::= "(State.Backtracking = 1)"

/** How to generate a parser */
genericParser(grammar, name, scopes, tokens, tokenNames, rules, numRules,
  bitsets, inputStreamType, superClass, filterMode,
  ASTLabelType="ANTLRInterface", labelType, members, rewriteElementType) ::= <<
type
  <rules: {r | <genericParserRuleReturnType(rule=r, ruleDescriptor=r.ruleDescriptor)>>>
  I<grammar.recognizerName> = interface(I<@superClassName><superClass><@end>)
  <rules: {r | <genericParserRuleInterface(rule=r, ruleDescriptor=r.ruleDescriptor)>>>
  end;

  T<grammar.recognizerName> = class(T<@superClassName><superClass><@end>,
  I<grammar.recognizerName>)
  <if(grammar.grammarIsRoot)>
  public
  const
    TOKEN_NAMES: array [0..<length(tokenNames)>+3] of String = (
      '\<invalid>',
      '\<EOR>',
      '\<DOWN>',
      '\<UP>',
      <tokenNames; separator="\n">);<\n>
  <endif>
  public
  const
    <tokens: {<it.name> = <it.type>;}; separator="\n">
  public
  // delegates
    <grammar.delegates: {g|<g.delegateName():> I<superClass>; {<g.recognizerName>}}; separator="\n">
  public
  // delegators

```

```

<grammar.delegators: {g|<g.delegateName(): Pointer; {<g.recognizerName>}}; separator="\n">
<last(grammar.delegators):{g|gParent: Pointer; {<g.recognizerName>}}>

<scopes:{<if(it.isDynamicGlobalScope)><globalAttributeScopeDeclaration(scope=it)><endif>}>
<@members>
  <! WARNING. bug in ST: this is cut-n-paste into Dbg.stg !>
  public
    constructor Create(const AInput: <inputStreamType><grammar.delegators:{g|; const A<g.delegateName():
IBaseRecognizer{<g.recognizerName>}}>); overload;
    constructor Create(const AInput: <inputStreamType>; const AState:
IRecognizerSharedState<grammar.delegators:{g|; const A<g.delegateName():
IBaseRecognizer{<g.recognizerName>}}>); overload;
  <@end>
  protected
    { IBaseRecognizer }
    function GetTokenNames: TStringArray; override;
    function GetGrammarFileName: String; override;
  strict private
    <actions.(actionScope).memberDeclarations>
    <rules: {r | <genericParserRuleDeclaration(rule=r, ruleDescriptor=r.ruleDescriptor)>}>

  <! generate rule/method definitions for imported rules so they
  appear to be defined in this recognizer. !>
  // Delegated rules
  <grammar.delegatedRules:{ruleDescriptor| <delegatedRuleDeclaration(ruleDescriptor)>}>

  <synpreds:{p | <synpredDeclaration(p)>}; separator="\n">
  <cyclicDFAs:cyclicDFADeclaration()>
  strict private
    FException: ERecognitionException;
    FLA: array [0..<grammar.numberofDecisions>, 0..255] of Integer;
    FCnt: array [0..<grammar.numberofDecisions>] of Byte;
    procedure InitializeCyclicDFAs;
  <if(bitsets)>
  public
    class var
      <bitsets.bitsetDecl(name={FOLLOW_<it.name>_in_<it.inName><it.tokenIndex>})>
  public
    class procedure InitializeBitsets; static;<\n>
  <endif>
  end;

  implementation

  uses
    <grammar.delegates: {g|<g.recognizerName>,}; separator="\n">
    <grammar.delegates: {g|<g.recognizerName>,}; separator="\n">
    <actions.(actionScope).usesImplementation>

```

SysUtils,  
StrUtils,  
Math;

{ T<grammar.recognizerName> }

constructor T<grammar.recognizerName>.Create(const AInput: <inputStreamType><grammar.delegators:{g|; const A<g:delegateName(): IBaseRecognizer{<g.recognizerName>}>>);

begin

Create(AInput, TRecognizerSharedState.Create<grammar.delegators:{g|, A<g:delegateName()>>);

end;

constructor T<grammar.recognizerName>.Create(const AInput: <inputStreamType>;

const AState: IRecognizerSharedState<grammar.delegators:{g|; const A<g:delegateName()>);

IBaseRecognizer{<g.recognizerName>}>);

begin

inherited Create(AInput, AState);

<@membersConstructor>

<@end>

<parserCtorBody()>

<grammar.directDelegates:{g|<g:delegateName()> := T<g.recognizerName>.Create(Input, State<trunc(g.delegators):{p|, <p:delegateName()>}>, Self);}; separator="\n">

<grammar.indirectDelegates:{g | <g:delegateName()> := <g.delegator:delegateName()>.<g:delegateName()>;}; separator="\n">

<last(grammar.delegators):{g|gParent := Pointer(A<g:delegateName()>);}>

<rules: {r | <ruleAttributeScopeInit(scope=r.ruleDescriptor.ruleScope)>}>

<scopes:{<if(it.isDynamicGlobalScope)><globalAttributeScope(scope=it)><endif>}>

<actions.(actionScope).memberInitializations>

end;

<actions.(actionScope).memberImplementations>

<grammar.delegatedRules:{ruleDescriptor| <delegatedRuleImplementation(ruleDescriptor)>}; separator="\n">

procedure T<grammar.recognizerName>.InitializeCyclicDFAs;

begin

<cyclicDFAs:{dfa | FDFA<dfa.decisionNumber> := TDFA<dfa.decisionNumber>.Create(Self);}; separator="\n">

<cyclicDFAs:{dfa | <if(dfa.specialStateSTs)>FDFA<dfa.decisionNumber>.SpecialStateTransitionHandler := DFA<dfa.decisionNumber>\_SpecialStateTransition;<endif>}; separator="\n">

end;

<if(bitsets)>

class procedure T<grammar.recognizerName>.InitializeBitsets;

begin

<bitsets:bitset(name={FOLLOW\_<it.name>\_in\_<it.inName><it.tokenIndex>}, words64=it.bits)>

end;

<endif>

<@membersImplementation>

<@end>

```

function T<grammar.recognizerName>.GetTokenNames: TStringArray;
var
  I: Integer;
begin
  SetLength(Result,Length(T<grammar.composite.rootGrammar.recognizerName>.TOKEN_NAMES));
  for I := 0 to Length(T<grammar.composite.rootGrammar.recognizerName>.TOKEN_NAMES) - 1 do
    Result[I] := T<grammar.composite.rootGrammar.recognizerName>.TOKEN_NAMES[I];
  end;
end;

```

```

function T<grammar.recognizerName>.GetGrammarFileName: String;
begin
  Result := '<fileName>';
end;

```

```

<rules; separator="\n\n">
<synpreds:{p | <synpred(p)>}>

```

```

<cyclicDFAs:cyclicDFA(> <! dump tables for all DFA !>
<if(bitsets)>
initialization
  T<grammar.recognizerName>.InitializeBitsets;<\n>
<endif>
end.>>

```

```

delegatedRuleDeclaration(ruleDescriptor) ::= <<
<if(ruleDescriptor.hasMultipleReturnValues)>
function <ruleDescriptor.name>(<ruleDescriptor.parameterScope:parameterScope(scope=it)>):
I<returnType()>;<\n>
<else>
<if(ruleDescriptor.hasSingleReturnValue)>
function <ruleDescriptor.name>(<ruleDescriptor.parameterScope:parameterScope(scope=it)>):
<returnType()>;<\n>
<else>
procedure <ruleDescriptor.name>(<ruleDescriptor.parameterScope:parameterScope(scope=it)>);<\n>
<endif>
<endif>
>>

```

```

delegatedRuleImplementation(ruleDescriptor) ::= <<
<if(ruleDescriptor.hasMultipleReturnValues)>
function
  T<grammar.recognizerName>.<ruleDescriptor.name>(<ruleDescriptor.parameterScope:parameterScope(scope=it)>):
  I<returnType()>;<\n>
<else>
<if(ruleDescriptor.hasSingleReturnValue)>
function
  T<grammar.recognizerName>.<ruleDescriptor.name>(<ruleDescriptor.parameterScope:parameterScope(scope=it)>

```

```

): <returnType(>);<\n>
<else>
procedure
T<grammar.recognizerName>.<ruleDescriptor.name>(<ruleDescriptor.parameterScope:parameterScope(scope=it)>
);<\n>
<endif>
<endif>
begin
<if(ruleDescriptor.hasReturnValue)>Result :=<endif>
T<ruleDescriptor.grammar.recognizerName>(<ruleDescriptor.grammar:delegateName(>.Implementor).<ruleDescri
ptor.name>(<ruleDescriptor.parameterScope.attributes:{a|<a.name>}; separator=", ">);
end;

>>

parserCtorBody() ::= <<
InitializeCyclicDFAs;
<if(memoize)>
<if(grammar.grammarIsRoot)>
State.RuleMemoCount := <length(grammar.allImportedRules)>+1;<\n> <! index from 1..n !>
<endif>
<endif>
<grammar.delegators: {g|<g:delegateName(> := Pointer(A<g:delegateName(>);); separator="\n">
>>

parser(grammar, name, scopes, tokens, tokenNames, rules, numRules, bitsets, ASTLabelType, superClass="Parser",
labelType="Token", members={<actions.parser.members>}) ::= <<
<genericParser(inputStreamType="ITokenStream", rewriteElementType="Token", ...)>
>>

/** How to generate a tree parser; same as parser except the input
 * stream is a different type.
 */
treeParser(grammar, name, scopes, tokens, tokenNames, globalAction, rules, numRules, bitsets,
labelType={<ASTLabelType>}, ASTLabelType="object", superClass="TreeParser",
members={<actions.treeparser.members>}, filterMode) ::= <<
<genericParser(inputStreamType="ITreeNodeStream", rewriteElementType="Node", ...)>
>>

/** A simpler version of a rule template that is specific to the imaginary
 * rules created for syntactic predicates. As they never have return values
 * nor parameters etc..., just give simplest possible method. Don't do
 * any of the normal memoization stuff in here either; it's a waste.
 * As predicates cannot be inlined into the invoking rule, they need to
 * be in a rule by themselves.
 */
synpredRule(ruleName, ruleDescriptor, block, description, nakedBlock) ::=
<<

```



```

// $ANTLR start "<ruleName>"
procedure
T<grammar.recognizerName>.<ruleName>_fragment(<ruleDescriptor.parameterScope:parameterScope(scope=it)>)
;
var
Alt: array [0..<grammar.numberOfDecisions>] of Integer;
<ruleLabelDefVars()>
begin
<ruleLabelDefs()>
<if(trace)>
TraceIn('<ruleName>_fragment', <ruleDescriptor.index>);
try
<block>
finally
TraceOut('<ruleName>_fragment', <ruleDescriptor.index>);
end;
<else>
<block>
<endif>
end;
// $ANTLR end "<ruleName>"
>>

```

```

synpredDecls(name) ::= <<
SynPredPointer <name>;<\n>
>>

```

```

synpred(name) ::= <<

```

```

function T<grammar.recognizerName>.<name>: Boolean;
var
Start: Integer;
Success: Boolean;
begin
State.Backtracking := State.Backtracking + 1;
<@start()>
Start := Input.Mark;
try
<name>_fragment(); // can never throw exception
except
on RE: ERecognitionException do
WriteLn('Impossible: ' + RE.ToString);
end;
Success := not State.Failed;
Input.Rewind(Start);
<@stop()>
State.Backtracking := State.Backtracking - 1;
State.Failed := False;

```

```

Result := Success;
end;<\n>
>>

lexerSynpred(name) ::= <<
<synpred(name)>
>>

lexerSynpredDeclaration(name) ::= <<
function <name>: Boolean;
procedure <name>_fragment;
>>

synpredDeclaration(name) ::= <<
function <name>: Boolean;
procedure <name>_fragment;
>>

ruleMemoization(name) ::= <<
<if(memoize)>
if ((State.Backtracking > 0) and AlreadyParsedRule(Input, <ruleDescriptor.index>)) then
Exit(<ruleReturnValue(>);
<endif>
>>

/** How to test for failure and return from rule */
checkRuleBacktrackFailure() ::= <<
<if(backtracking)><\n>if (State.Failed) then Exit(<ruleReturnValue(>);<\n><endif>
>>

/** This rule has failed, exit indicating failure during backtrack */
ruleBacktrackFailure() ::= <<
<if(backtracking)>if (State.Backtracking > 0) then
begin
State.Failed := True;
Exit(<ruleReturnValue(>);
end;<endif>
>>

genericParserRuleDeclaration(rule, ruleDescriptor) ::= <<
<if(ruleDescriptor.isSynPred)>
<else>
<ruleAttributeScopeDeclaration(scope=ruleDescriptor.ruleScope)>
<returnScopeDeclaration(scope=ruleDescriptor.returnScope)>
public
<if(ruleDescriptor.hasMultipleReturnValues)>
function <rule.ruleName>: I<returnType(>);<\n>
<else>

```

```

<if(ruleDescriptor.hasSingleReturnValue)>
function <rule.ruleName>: <returnType()>;<\n>
<else>
procedure <rule.ruleName>;<\n>
<endif>
<endif>
<endif>
>>

```

```

genericParserRuleInterface(rule, ruleDescriptor) ::= <<
<if(ruleDescriptor.isSynPred)>
<else>
<if(ruleDescriptor.hasMultipleReturnValues)>
function <rule.ruleName>: I<returnType()>;<\n>
<else>
<if(ruleDescriptor.hasSingleReturnValue)>
function <rule.ruleName>: <returnType()>;<\n>
<else>
procedure <rule.ruleName>;<\n>
<endif>
<endif>
<endif>
>>

```

```

genericParserRuleReturnType(rule, ruleDescriptor) ::= <<
<if(ruleDescriptor.hasMultipleReturnValues)>
<if(ruleDescriptor.isSynPred)>
<else>
I<returnType()> = interface(I<if(TREE_PARSER)>Tree<else>Parser<endif>RuleReturnScope)
end;<\n>
<endif>
<endif>
>>

```

```

/** How to generate code for a rule. This includes any return type
 * data aggregates required for multiple return values.
 */

```

```

rule(ruleName,ruleDescriptor,block,emptyRule,description,exceptions,finally,memoize) ::= <<
<ruleAttributeScope(scope=ruleDescriptor.ruleScope)>
<returnScope(scope=ruleDescriptor.returnScope)>

```

```

// $ANTLR start "<ruleName>"
(* <fileName>:<description> *)
<if(ruleDescriptor.hasMultipleReturnValues)>
function T<grammar.recognizerName>.<ruleName>(<ruleDescriptor.parameterScope:parameterScope(scope=it)>):
I<returnType()>;
<else>
<if(ruleDescriptor.hasSingleReturnValue)>

```

```

function T<grammar.recognizerName>.<ruleName>(<ruleDescriptor.parameterScope:parameterScope(scope=it)>):
<returnType()>;
<else>
procedure
T<grammar.recognizerName>.<ruleName>(<ruleDescriptor.parameterScope:parameterScope(scope=it)>);
<endif>
<endif>

var
<ruleDescriptor.actions.vars>
Locals: TLocalStorage;
<if(ruleDescriptor.hasMultipleReturnValues)>
RetVal: I<returnType()>;<\n>
<else>
<if(ruleDescriptor.hasSingleReturnValue)>
RetVal: <returnType()>;<\n>
<else>
<endif>
<endif>
Alt: array [0..<grammar.numberOfDecisions>] of Integer;
<ruleDeclarationVars()>
<ruleLabelDefVars()>
begin
Locals.Initialize;
try
<if(trace)>TraceIn('<ruleName>', <ruleDescriptor.index>);<endif>
<ruleScopeSetUp()>
<ruleDeclarations()>
<ruleLabelDefs()>
<ruleDescriptor.actions.init>
<@preamble()>
try
try
<ruleMemoization(name=ruleName)>
<block>
<ruleCleanUp()>
<(ruleDescriptor.actions.after):execAction()>
<if(exceptions)>
<exceptions: { e|<catch(decl=e.decl,action=e.action)><\n>} >
<else>
<if(!emptyRule)>
<if(actions.(actionScope).rulecatch)>
<actions.(actionScope).rulecatch>
<else>
except
on RE: ERecognitionException do
begin
ReportError(RE);

```

```

        Recover(Input,RE);
        <@setErrorReturnValue()>
    end;<\n>
<endif>
<endif>
<endif>
    end;
    finally
        <if(trace)>TraceOut("<ruleName>", <ruleDescriptor.index>);<endif>
        <memoize()>
        <ruleScopeCleanUp()>
        <finally>
    end;
    <@postamble()>
    finally
        Locals.Finalize;
    end;
    Exit(<ruleReturnValue()>);
end;
// $ANTLR end "<ruleName>"
>>

catch(decl,action) ::= <<
catch (<e.decl>)
{
    <e.action>
}
>>

ruleDeclarations() ::= <<
<if(ruleDescriptor.hasMultipleReturnValues)>
RetVal := T<returnType()>.Create;
RetVal.Start := Input.LT(1);<\n>
<else>
<ruleDescriptor.returnScope.attributes:{ a |
<a.name> := <if(a.initValue)><a.initValue><else><initValue(a.type)><endif>;
}>
<endif>
<if(memoize)>
<ruleDescriptor.name>_startIndex := Input.Index();
<endif>
>>

ruleDeclarationVars() ::= <<
<if(ruleDescriptor.hasMultipleReturnValues)>
<else>
<ruleDescriptor.returnScope.attributes:{ a |
<a.name>: <a.type>;

```

```

}>
<endif>
<if(memoize)>
<ruleDescriptor.name>_startIndex: Integer;
<endif>
>>

ruleScopeSetUp() ::= <<
<ruleDescriptor.useScopes: {<it>Stack.Push(T<it>Scope.Create);}; separator="\n">
<ruleDescriptor.ruleScope: {<it.name>Stack.Push(T<it.name>Scope.Create);}; separator="\n">
>>

ruleScopeCleanUp() ::= <<
<ruleDescriptor.useScopes: {<it>Stack.Pop();}; separator="\n">
<ruleDescriptor.ruleScope: {<it.name>Stack.Pop();}; separator="\n">
>>

ruleLabelDefs() ::= <<
<[ruleDescriptor.tokenLabels,ruleDescriptor.tokenListLabels]: {<it.label.text> := nil;}; separator="\n">
<[ruleDescriptor.tokenListLabels,ruleDescriptor.ruleListLabels]: {list_<it.label.text> := nil;}; separator="\n">
<ruleDescriptor.ruleLabels:ruleLabelDef(label=it); separator="\n">
<ruleDescriptor.ruleListLabels: {ll<ll.label.text> := nil;}; separator="\n">
>>

ruleLabelDefVars() ::= <<
<[ruleDescriptor.tokenLabels,ruleDescriptor.tokenListLabels]: {<it.label.text>: I<labelType>;}; separator="\n">
<[ruleDescriptor.tokenListLabels,ruleDescriptor.ruleListLabels]: {list_<it.label.text>: IList<IANTLRInterface>;};
separator="\n">
<ruleDescriptor.ruleLabels:ruleLabelDefVar(label=it); separator="\n">
<ruleDescriptor.ruleListLabels: {ll<ll.label.text>: <ruleLabelType(referencedRule=ll.referencedRule)>;};
separator="\n">
>>

lexerRuleLabelDefs() ::= <<
<[ruleDescriptor.tokenLabels,
ruleDescriptor.tokenListLabels,
ruleDescriptor.ruleLabels]
: {<it.label.text> := nil;}; separator="\n"
>
<ruleDescriptor.charLabels: {int <it.label.text>;}; separator="\n">
<[ruleDescriptor.tokenListLabels,
ruleDescriptor.ruleListLabels,
ruleDescriptor.ruleListLabels]
: {List_<it.label.text> := nil;}; separator="\n"
>
>>

lexerRuleLabelDefDeclarations() ::= <<

```

```

<[ruleDescriptor.tokenLabels,
ruleDescriptor.tokenListLabels,
ruleDescriptor.ruleLabels]
: {<it.label.text>: I<labelType>;}; separator="\n"
>
<ruleDescriptor.charLabels: {int <it.label.text>;}; separator="\n">
<[ruleDescriptor.tokenListLabels,
ruleDescriptor.ruleListLabels,
ruleDescriptor.ruleListLabels]
: {List_<it.label.text>: IList;}; separator="\n"
>
>>

ruleReturnValue() ::= <<
<if(!ruleDescriptor.isSynPred)>
<if(ruleDescriptor.hasReturnValue)>
<if(ruleDescriptor.hasSingleReturnValue)>
<ruleDescriptor.singleValueReturnName>
<else>
RetVal
<endif>
<else>
<! nil !>
<endif>
<endif>
>>

ruleCleanUp() ::= <<
<if(ruleDescriptor.hasMultipleReturnValues)>
<if(!TREE_PARSER)>
RetVal.Stop := Input.LT(-1);
<endif>
<endif>
>>

memoize() ::= <<
<if(memoize)>
<if(backtracking)>
if (State.Backtracking > 0) then
Memoize(Input, <ruleDescriptor.index>, <ruleDescriptor.name>_StartIndex);
<endif>
<endif>
>>

/** How to generate a rule in the lexer; naked blocks are used for
 * fragment rules.
 */
lexerRule(ruleName,nakedBlock,ruleDescriptor,block,memoize) ::= <<

```

```

// $ANTLR start "<ruleName>"
<ruleDescriptor.parameterScope>
procedure
T<grammar.recognizerName>.m<ruleName>(<ruleDescriptor.parameterScope:parameterScope(scope=it)>);
var
<ruleDescriptor.actions.vars>
Locals: TLocalStorage;
TokenType, Channel: Integer;
Alt: array [0..<grammar.numberOfDecisions>] of Integer;
<lexerRuleLabelDefDeclarations()>
begin
Locals.Initialize;
try
<ruleAttributeScope(scope=ruleDescriptor.ruleScope)>
<if(trace)>TraceIn("<ruleName>", <ruleDescriptor.index>);<endif>
<ruleScopeSetUp()>
<ruleDeclarations()>
try
<if(nakedBlock)>
<ruleMemoization(name=ruleName)>
<lexerRuleLabelDefs()>
<ruleDescriptor.actions.init>
<block><\n>
<else>
TokenType := <ruleName>;
Channel := DEFAULT_TOKEN_CHANNEL;
<ruleMemoization(name=ruleName)>
<lexerRuleLabelDefs()>
<ruleDescriptor.actions.init>
<block>
<ruleCleanUp()>
State.TokenType := TokenType;
State.Channel := Channel;
<(ruleDescriptor.actions.after):execAction()>
<endif>
finally
<if(trace)>TraceOut("<ruleName>", <ruleDescriptor.index>);<endif>
<ruleScopeCleanUp()>
<memoize()>
end;
finally
Locals.Finalize;
end;
end;
// $ANTLR end "<ruleName>"
>>

```

/\*\* How to generate code for the implicitly-defined lexer grammar rule



```

* that chooses between lexer rules.
*/
tokensRule(ruleName,nakedBlock,args,block,ruleDescriptor) ::= <<
procedure T<grammar.recognizerName>.mTokens;
var
  Alt: array [0..<grammar.numberOfDecisions>] of Integer;
begin
  <block>
end;

procedure T<grammar.recognizerName>.DoTokens;
begin
  mTokens;
end;
>>

// S U B R U L E S

/** A (...) subrule with multiple alternatives */
block(alts,decls,decision,enclosingBlockLevel,blockLevel,decisionNumber,maxK,maxAlt,description) ::= <<
(* <fileName>:<description> *)
Alt[<decisionNumber>] := <maxAlt>;
<decls>
<@predecision()>
<decision>
<@postdecision()>
<@prebranch()>
case Alt[<decisionNumber>] of
  <alts:altSwitchCase()>
end;
<@postbranch()>
>>

/** A rule block with multiple alternatives */
ruleBlock(alts,decls,decision,enclosingBlockLevel,blockLevel,decisionNumber,maxK,maxAlt,description) ::= <<
(* <fileName>:<description> *)
Alt[<decisionNumber>] := <maxAlt>;
<decls>
<@predecision()>
<decision>
<@postdecision()>
case Alt[<decisionNumber>] of
  <alts:altSwitchCase()>
end;
>>

ruleBlockSingleAlt(alts,decls,decision,enclosingBlockLevel,blockLevel,decisionNumber,description) ::= <<
(* <fileName>:<description> *)

```

```

<decls>
<@prealt()>
<alts>
<@postalt()>
>>

/** A special case of a (...) subrule with a single alternative */
blockSingleAlt(alts,decls,decision,enclosingBlockLevel,blockLevel,decisionNumber,description) ::= <<
(* <fileName>:<description> *)
<decls>
<@prealt()>
<alts>
<@postalt()>
>>

/** A (..)+ block with 1 or more alternatives */
positiveClosureBlock(alts,decls,decision,enclosingBlockLevel,blockLevel,decisionNumber,maxK,maxAlt,description) ::= <<
(* <fileName>:<description> *)
FCnt[<decisionNumber>] := 0;
<decls>
<@preloop()>
while (True) do
begin
Alt[<decisionNumber>] := <maxAlt>;
<@predecision()>
<decision>
<@postdecision()>
case Alt[<decisionNumber>] of
<alts:altSwitchCase()>
else
begin
if (FCnt[<decisionNumber>] >= 1) then
Break;
<ruleBacktrackFailure()>
raise EEarlyExitException.Create(<decisionNumber>, Input);
<@earlyExitException()>
end;
end;
Inc(FCnt[<decisionNumber>]);
end;
<@postloop()>
>>

positiveClosureBlockSingleAlt ::= positiveClosureBlock

/** A (..)* block with 1 or more alternatives */
closureBlock(alts,decls,decision,enclosingBlockLevel,blockLevel,decisionNumber,maxK,maxAlt,description) ::=

```

```

<<
(* <fileName>:<description> *)
<decls>
<@preloop()>
while (True) do
begin
  Alt[<decisionNumber>] := <maxAlt>;
  <@predecision()>
  <decision>
  <@postdecision()>
  case Alt[<decisionNumber>] of
    <alts:altSwitchCase()>
  else
    Break;
  end;
end;
<@postloop()>
>>

closureBlockSingleAlt ::= closureBlock

/** Optional blocks (x)? are translated to (x|) by before code generation
 * so we can just use the normal block template
 */
optionalBlock ::= block

optionalBlockSingleAlt ::= block

/** A case in a switch that jumps to an alternative given the alternative
 * number. A DFA predicts the alternative and then a simple switch
 * does the jump to the code that actually matches that alternative.
 */
altSwitchCase() ::= <<
<i>:
  <@prealt()>
  <it><\n>
>>

/** An alternative is just a list of elements; at outermost level */
alt(elements,altNum,description,autoAST,outerAlt,treeLevel,rew) ::= <<
(* <fileName>:<description> *)
begin
  <@declarations()>
  <elements:element()>
  <rew>
  <@cleanup()>
end;
>>

```

```

/** What to emit when there is no rewrite. For auto build
 * mode, does nothing.
 */
noRewrite(rewriteBlockLevel, treeLevel) ::= ""

// E L E M E N T S

/** Dump the elements one per line */
element() ::= <<
<@prematch(>
<it.el>
>>

/** match a token optionally with a label in front */
tokenRef(token,label,elementIndex,terminalOptions) ::= <<
<if(label)><label> := <endif>Match(Input, <token>,
FOLLOW_<token>_in_<ruleName><elementIndex><if(label)> as
I<labelType><endif>;<\n><checkRuleBacktrackFailure(>
>>

/** ids+=ID */
tokenRefAndListLabel(token,label,elementIndex,terminalOptions) ::= <<
<tokenRef(...)>
<listLabel(elem=label,...)>
>>

listLabel(label,elem) ::= <<
if (list_<label> = nil) then list_<label> := TList\<IANTLRInterface>.Create;
list_<label>.Add(<elem>);<\n>
>>

/** match a character */
charRef(char,label) ::= <<
<if(label)>
<label> := Input.LA(1);<\n>
<endif>
Match(<char>); <checkRuleBacktrackFailure(>
>>

/** match a character range */
charRangeRef(a,b,label) ::= <<
<if(label)>
<label> := Input.LA(1);<\n>
<endif>
MatchRange(<a>, <b>); <checkRuleBacktrackFailure(>
>>

```

```

/** For now, sets are interval tests and must be tested inline */
matchSet(s,label,elementIndex,postmatchCode="") ::= <<
<if(label)>
<if(LEXER)>
<label> := Input.LA(1);<\n>
<else>
<label> := Input.LT(1) as I<labelType>;<\n>
<endif>
<endif>
if (<s>) then
begin
Input.Consume;
<postmatchCode>
<if(!LEXER)>
State.ErrorRecovery := False;<endif>
<if(backtracking)>State.Failed := False;<endif>
end
else
begin
<ruleBacktrackFailure()>
FException := EMismatchedSetException.Create(nil, Input);
<@mismatchedSetException()>
<if(LEXER)>
Recover(FException);
raise FException;<\n>
<else>
raise FException;
<! use following code to make it recover inline; remove throw mse;
RecoverFromMismatchedSet(input,mse,FOLLOW_set_in_<ruleName><elementIndex>);
!>
<endif>
end;<\n>
>>

matchRuleBlockSet ::= matchSet

matchSetAndListLabel(s,label,elementIndex,postmatchCode) ::= <<
<matchSet(...)>
<listLabel(elem=label,...)>
>>

/** Match a string literal */
lexerStringRef(string,label,elementIndex) ::= <<
<if(label)>
Locals.AsInteger['<label>Start'] := CharIndex;
Match(<string>); <checkRuleBacktrackFailure()>
<label> := TCommonToken.Create(Input, TToken.INVALID_TOKEN_TYPE, TToken.DEFAULT_CHANNEL,
Locals.AsInteger['<label>Start'], CharIndex-1);

```

```

<else>
Match(<string>); <checkRuleBacktrackFailure()>
<endif>
>>

wildcard(label,elementIndex) ::= <<
<if(label)>
<label> := Input.LT(1) as I<labelType>;<\n>
<endif>
MatchAny(input); <checkRuleBacktrackFailure()>
>>

wildcardAndListLabel(label,elementIndex) ::= <<
<wildcard(...)>
<listLabel(elem=label,...)>
>>

/** Match . wildcard in lexer */
wildcardChar(label, elementIndex) ::= <<
<if(label)>
<label> := Input.LA(1);<\n>
<endif>
MatchAny(); <checkRuleBacktrackFailure()>
>>

wildcardCharListLabel(label, elementIndex) ::= <<
<wildcardChar(...)>
<listLabel(elem=label,...)>
>>

/** Match a rule reference by invoking it possibly with arguments
 * and a return value or values. The 'rule' argument was the
 * target rule name, but now is type Rule, whose toString is
 * same: the rule name. Now though you can access full rule
 * descriptor stuff.
 */
ruleRef(rule,label,elementIndex,args,scope) ::= <<
PushFollow(FOLLOW_<rule.name>_in_<ruleName><elementIndex>);
<if(label)>
<label> := <if(scope)><scope:delegateName()>.<endif><rule.name><args; separator=",">;<\n>
<else>
<if(scope)>T<scope.recognizerName>(IANTLRObject(<scope:delegateName()>).Implementor).<endif><rule.name>
><args; separator=",">;<\n>
<endif>
State.FollowingStackPointer := State.FollowingStackPointer - 1;
<checkRuleBacktrackFailure()>
>>

```

```

/** ids+=r */
ruleRefAndListLabel(rule,label,elementIndex,args,scope) ::= <<
<ruleRef(...)>
<listLabel(elem=label,...)>
>>

/** A lexer rule reference.
*
* The 'rule' argument was the target rule name, but now
* is type Rule, whose toString is same: the rule name.
* Now though you can access full rule descriptor stuff.
*/
lexerRuleRef(rule,label,args,elementIndex,scope) ::= <<
<if(label)>
Locals.AsInteger['<label>Start<elementIndex>'] := CharIndex;
<if(scope)><scope:delegateName().<endif>m<rule.name>(<args; separator=", ">);
<checkRuleBacktrackFailure()>
<label> := TCommonToken.Create(Input, TToken.INVALID_TOKEN_TYPE, TToken.DEFAULT_CHANNEL,
Locals.AsInteger['<label>Start<elementIndex>'], CharIndex - 1);
<else>
<if(scope)><scope:delegateName().Implementor as T<scope.recognizerName>.<endif>m<rule.name>(<args;
separator=", ">); <checkRuleBacktrackFailure()>
<endif>
>>

/** i+=INT in lexer */
lexerRuleRefAndListLabel(rule,label,args,elementIndex,scope) ::= <<
<lexerRuleRef(...)>
<listLabel(elem=label,...)>
>>

/** EOF in the lexer */
lexerMatchEOF(label,elementIndex) ::= <<
<if(label)>
Locals.AsInteger['<label>Start<elementIndex>'] := CharIndex;
Match(EOF); <checkRuleBacktrackFailure()>
Locals['<label>'] := TCommonToken.Create(Input, EOF, TToken.DEFAULT_CHANNEL,
Locals.AsInteger['<label>Start<elementIndex>'], CharIndex-1);
<else>
Match(EOF); <checkRuleBacktrackFailure()>
<endif>
>>

/** match ^(root children) in tree parser */
tree(root, actionsAfterRoot, children, nullableChildList,
enclosingTreeLevel, treeLevel) ::= <<
<root:element()>
<actionsAfterRoot:element()>

```

```

<if(nullableChildList)>
if (Input.LA(1) = TToken.DOWN) then
begin
Match(Input, TToken.DOWN, nil); <checkRuleBacktrackFailure()>
<children:element()>
Match(Input, TToken.UP, nil); <checkRuleBacktrackFailure()>
end;
<else>
Match(Input, TToken.DOWN, nil); <checkRuleBacktrackFailure()>
<children:element()>
Match(Input, TToken.UP, nil);<\n><checkRuleBacktrackFailure()>
<endif>
>>

/** Every predicate is used as a validating predicate (even when it is
 * also hoisted into a prediction expression).
 */
validateSemanticPredicate(pred,description) ::= <<
if (not (<evalPredicate(...)>)) then
begin
<ruleBacktrackFailure()>
raise EFailedPredicateException.Create(Input, '<ruleName>', '<description>');
end;<\n>
>>

// F i x e d D F A (if-then-else)

dfaState(k,edges,eotPredictsAlt,description,stateNumber,semPredState) ::= <<
FLA[<decisionNumber>,<stateNumber>] := Input.LA(<k>);<\n>
<edges; separator="\nelse ">
else
begin
<if(eotPredictsAlt)>
Alt[<decisionNumber>] := <eotPredictsAlt>;<\n>
<else>
<ruleBacktrackFailure()>
raise ENoViableAltException.Create('<description>', <decisionNumber>, <stateNumber>, Input);<\n>
<endif>
end;
>>

/** Same as a normal DFA state except that we don't examine lookahead
 * for the bypass alternative. It delays error detection but this
 * is faster, smaller, and more what people expect. For (X)? people
 * expect "if ( LA(1)==X ) match(X);" and that's it.
 */
dfaOptionalBlockState(k,edges,eotPredictsAlt,description,stateNumber,semPredState) ::= <<
FLA[<decisionNumber>,<stateNumber>] := Input.LA(<k>);<\n>

```



```

<edges; separator="\nelse ">;
>>

/** A DFA state that is actually the loopback decision of a closure
 * loop. If end-of-token (EOT) predicts any of the targets then it
 * should act like a default clause (i.e., no error can be generated).
 * This is used only in the lexer so that for ('a')* on the end of a rule
 * anything other than 'a' predicts exiting.
 */
dfaLoopbackState(k,edges,eotPredictsAlt,description,stateNumber,semPredState) ::= <<
FLA[<decisionNumber>,<stateNumber>] := Input.LA(<k>);
<edges; separator="\nelse ">;<\n>
<if(eotPredictsAlt)>
<if(!edges)>
Alt[<decisionNumber>] := <eotPredictsAlt>; <! if no edges, don't gen ELSE !>
<else>
else
begin
Alt[<decisionNumber>] := <eotPredictsAlt>;
end;<\n>
<endif>
<endif>
>>

/** An accept state indicates a unique alternative has been predicted */
dfaAcceptState(alt) ::= "Alt[<decisionNumber>] := <alt>;"

/** A simple edge with an expression. If the expression is satisfied,
 * enter to the target state. To handle gated productions, we may
 * have to evaluate some predicates for this edge.
 */
dfaEdge(labelExpr, targetState, predicates) ::= <<
if ((<labelExpr>)<if(predicates)> and (<predicates>)<endif>) then
begin
<targetState>
end <! no ; here !>
>>

// F i x e d D F A (switch case)

/** A DFA state where a SWITCH may be generated. The code generator
 * decides if this is possible: CodeGenerator.canGenerateSwitch().
 */
dfaStateSwitch(k,edges,eotPredictsAlt,description,stateNumber,semPredState) ::= <<
case Input.LA(<k>) of
<edges; separator="\n">
else
begin

```

```

<if(eotPredictsAlt)>
  Alt[<decisionNumber>] := <eotPredictsAlt>;
<else>
  <ruleBacktrackFailure()>
  <@noViableAltException()>
  raise ENoViableAltException.Create('<description>', <decisionNumber>, <stateNumber>, Input);<\n>
<endif>
end;
end;<\n>
>>

```

```

dfaOptionalBlockStateSwitch(k,edges,eotPredictsAlt,description,stateNumber,semPredState) ::= <<
case Input.LA(<k>) of
  <edges; separator="\n">
end;<\n>
>>

```

```

dfaLoopbackStateSwitch(k, edges,eotPredictsAlt,description,stateNumber,semPredState) ::= <<
case Input.LA(<k>) of
  <edges; separator="\n"><\n>
<if(eotPredictsAlt)>
else
  Alt[<decisionNumber>] := <eotPredictsAlt>;<\n>
<endif>
end;<\n>
>>

```

```

dfaEdgeSwitch(labels, targetState) ::= <<
<labels:{<it>}; separator=",\n">:
begin
  <targetState>
end;
>>

```

// C y c l i c D F A

```

/** The code to initiate execution of a cyclic DFA; this is used
 * in the rule to predict an alt just like the fixed DFA case.
 * The <name> attribute is inherited via the parser, lexer, ...
 */
dfaDecision(decisionNumber,description) ::= <<
Alt[<decisionNumber>] := FDFA<decisionNumber>.Predict(Input);
>>

```

```

/* Dump DFA tables.
*/
cyclicDFADeclaration(dfa) ::= <<
strict protected

```

```

type
  TDFA<dfa.decisionNumber> = class(TDFA)
  protected
    { IDFA }
    function Description: String; override;
  public
    constructor Create(const ARecognizer: IBaseRecognizer);
  end;
var
  FDFA<dfa.decisionNumber>: IDFA;
<if(dfa.specialStateSTs)>
strict protected
function DFA<dfa.decisionNumber>_SpecialStateTransition(const DFA: IDFA; S: Integer;
  const AInput: IIntStream): Integer;<endif>
>>

cyclicDFA(dfa) ::= <<
{ T<grammar.recognizerName>.TDFA<dfa.decisionNumber> }

constructor T<grammar.recognizerName>.TDFA<dfa.decisionNumber>.Create(const ARecognizer:
IBaseRecognizer);
const
DFA<dfa.decisionNumber>_EOT = '<dfa.javaCompressedEOT; wrap="'+\n  "'>';
DFA<dfa.decisionNumber>_EOF = '<dfa.javaCompressedEOF; wrap="'+\n  "'>';
DFA<dfa.decisionNumber>_MIN = '<dfa.javaCompressedMin; wrap="'+\n  "'>';
DFA<dfa.decisionNumber>_MAX = '<dfa.javaCompressedMax; wrap="'+\n  "'>';
DFA<dfa.decisionNumber>_ACCEPT = '<dfa.javaCompressedAccept; wrap="'+\n  "'>';
DFA<dfa.decisionNumber>_SPECIAL = '<dfa.javaCompressedSpecial; wrap="'+\n  "'>';
DFA<dfa.decisionNumber>_TRANSITION: array [0..<length(dfa.javaCompressedTransition)>-1] of String = (
  <dfa.javaCompressedTransition: {s|<s; wrap="'+\n"'>'}; separator=",\n">);
begin
  inherited Create;
  Recognizer := ARecognizer;
  DecisionNumber := <dfa.decisionNumber>;
  EOT := TDFA.UnpackEncodedString(DFA<dfa.decisionNumber>_EOT);
  EOF := TDFA.UnpackEncodedString(DFA<dfa.decisionNumber>_EOF);
  Min := TDFA.UnpackEncodedStringToUnsignedChars(DFA<dfa.decisionNumber>_MIN);
  Max := TDFA.UnpackEncodedStringToUnsignedChars(DFA<dfa.decisionNumber>_MAX);
  Accept := TDFA.UnpackEncodedString(DFA<dfa.decisionNumber>_ACCEPT);
  Special := TDFA.UnpackEncodedString(DFA<dfa.decisionNumber>_SPECIAL);
  Transition := TDFA.UnpackEncodedStringArray(DFA<dfa.decisionNumber>_TRANSITION);
end;

function T<grammar.recognizerName>.TDFA<dfa.decisionNumber>.Description: String;
begin
  Result := '<dfa.description>';
end;<\n>
<if(dfa.specialStateSTs)>

```

```

function T<grammar.recognizerName>.DFA<dfa.decisionNumber>_SpecialStateTransition(const DFA: IDFA; S:
Integer;
const AInput: IIntStream): Integer;
var
Locals: TLocalStorage;
<if(LEXER)>
Input: IIntStream;
<endif>
<if(PARSER)>
Input: ITokenStream;
<endif>
<if(TREE_PARSER)>
Input: ITreeNodeStream;
<endif>
_S: Integer;
NVAE: ENoViableAltException;
begin
Result := -1;
Locals.Initialize;
try
<if(LEXER)>
Input := AInput;
<endif>
<if(PARSER)>
Input := AInput as ITokenStream;
<endif>
<if(TREE_PARSER)>
Input := AInput as ITreeNodeStream;
<endif>
_S := S;
case S of
<dfa.specialStateSTs:{state | <i0>: begin<! compressed special state numbers 0..n-1 !>
<state> <\n> end;}; separator="\n">
end;
<if(backtracking)>
if (State.Backtracking > 0) then
begin
State.Failed := True;
Exit(-1);
end;<\n>
<endif>
NVAE := ENoViableAltException.Create(DFA.Description, <dfa.decisionNumber>, _S, Input);
DFA.Error(NVAE);
raise NVAE;
finally
Locals.Finalize;
end;
end;<\n>

```

```

<endif>
>>

/** A state in a cyclic DFA; it's a special state and part of a big switch on
 * state.
 */
cyclicDFAState(decisionNumber,stateNumber,edges,needErrorClause,semPredState) ::= <<
FLA[<decisionNumber>,<stateNumber>] := Input.LA(1);<\n>
<if(semPredState)> <! get next lookahead symbol to test edges, then rewind !>
Locals.AsInteger['index<decisionNumber>_<stateNumber>'] := Input.Index;
Input.Rewind;<\n>
<endif>
S := -1;
<edges; separator="\nelse ">;
<if(semPredState)> <! return input cursor to state before we rewound !>
Input.Seek(Locals.AsInteger['index<decisionNumber>_<stateNumber>']);<\n>
<endif>
if (S >= 0) then
  Exit(S);
>>

/** Just like a fixed DFA edge, test the lookahead and indicate what
 * state to jump to next if successful.
 */
cyclicDFAEdge(labelExpr, targetStateNumber, edgeNumber, predicates) ::= <<
if ((<labelExpr>)<if(predicates)> and (<predicates>)<endif>) then
  S := <targetStateNumber>
>>

/** An edge pointing at end-of-token; essentially matches any char;
 * always jump to the target.
 */
eotDFAEdge(targetStateNumber,edgeNumber, predicates) ::= <<
S := <targetStateNumber>;<\n>
>>

// D F A E X P R E S S I O N S

andPredicates(left,right) ::= "(<left> and <right>)"

orPredicates(operands) ::= "(<operands:{o|<o>} separator=\" or \">)"

notPredicate(pred) ::= "!(<evalPredicate(...)>)"

evalPredicate(pred,description) ::= "(<pred>)"

evalSynPredicate(pred,description) ::= "<pred>()"

```

```

lookaheadTest(atom,k,atomAsInt) ::= "FLA[<decisionNumber>,<stateNumber>] = <atomAsInt>"

/** Sometimes a lookahead test cannot assume that LA(k) is in a temp variable
 * somewhere. Must ask for the lookahead directly.
 */
isolatedLookaheadTest(atom,k,atomAsInt) ::= "Input.LA(<k>) = <atomAsInt>"

lookaheadRangeTest(lower,upper,k,rangeNumber,lowerAsInt,upperAsInt) ::= <<
((FLA[<decisionNumber>,<stateNumber>] \>= <lowerAsInt>) and (FLA[<decisionNumber>,<stateNumber>] \<=
<upperAsInt>))
>>

isolatedLookaheadRangeTest(lower,upper,k,rangeNumber,lowerAsInt,upperAsInt) ::= "(Input.LA(<k>) \>=
<lowerAsInt>) and (Input.LA(<k>) \<= <upperAsInt>)"

setTest(ranges) ::= "<ranges; separator=\\\" or (\\\">"

// A T T R I B U T E S

globalAttributeScope(scope) ::= <<
<scope.name>Stack := TStackList\<I<scope.name>Scope\>.Create;<\n>
<endif>
>>

globalAttributeScopeDeclaration(scope) ::= <<
<if(scope.attributes)>
strict protected
type
  I<scope.name>Scope = interface(IANTLRObject)
  end;
  T<scope.name>Scope = class(TANTLRObject, I<scope.name>Scope)
  protected
    <scope.attributes:{<it.name>: <it.type>;}; separator="\\n">
  end;
strict protected
  <scope.name>Stack: IStackList\<I<scope.name>Scope\>;
<endif>
>>

ruleAttributeScopeDeclaration(scope) ::= <<
<if(scope.attributes)>
strict protected
type
  I<scope.name>Scope = interface(IANTLRObject)
  end;
  T<scope.name>Scope = class(TANTLRObject, I<scope.name>Scope)
  protected

```

```

    <scope.attributes:{<it.name>: <it.type>;}; separator="\n">
    end;
strict protected
    <scope.name>Stack: IStackList\<I<scope.name>Scope\>;
<endif>
>>

ruleAttributeScope(scope) ::= <<
<! protected Stack <scope.name>Stack = new Stack();<\n !>
>>

ruleAttributeScopeInit(scope) ::= <<
<if(scope)>
<scope.name>Stack := TStackList\<I<scope.name>Scope\>.Create;<\n>
<endif>
>>

returnStructName() ::= "<it.name>_return"

returnType() ::= <<
<if(ruleDescriptor.hasMultipleReturnValues)>
<ruleDescriptor:returnStructName()>
<! I<if(TREE_PARSER)>Tree<else>Parser<endif>RuleReturnScope !>
<else>
<if(ruleDescriptor.hasSingleReturnValue)>
<ruleDescriptor.singleValueReturnType>
<else>
<! Pointer/void !>
<endif>
<endif>
>>

/** Generate the C# type associated with a single or multiple return
 * values.
 */
ruleLabelType(referencedRule) ::= <<
<if(referencedRule.hasMultipleReturnValues)>
I<referencedRule.name>_return
<else>
<if(referencedRule.hasSingleReturnValue)>
<referencedRule.singleValueReturnType>
<else>
void
<endif>
<endif>
>>

delegateName() ::= <<

```

```

<if(it.label)><it.label><else>g<it.name><endif>
>>

/** Using a type to init value map, try to init a type; if not in table
 * must be an object, default value is "null".
 */
initValue(typeName) ::= <<
<csharpTypeInitMap.(typeName)>
>>

/** Define a rule label including default value */
ruleLabelDef(label) ::= <<
<label.label.text> := <initValue(typeName=ruleLabelType(referencedRule=label.referencedRule))>;<\n>
>>

ruleLabelDefVar(label) ::= <<
<label.label.text>: <ruleLabelType(referencedRule=label.referencedRule)>;
>>

/** Define a return struct for a rule if the code needs to access its
 * start/stop tokens, tree stuff, attributes, ... Leave a hole for
 * subgroups to stick in members.
 */
returnScope(scope) ::= <<
<if(ruleDescriptor.hasMultipleReturnValues)>
{ T<ruleDescriptor:returnStructName()> }

<scope.attributes:{public <it.decl>;}; separator="\n">
<@ruleReturnMembers()>
<endif>
>>

returnScopeDeclaration(scope) ::= <<
<if(ruleDescriptor.hasMultipleReturnValues)>
public
type
  T<ruleDescriptor:returnStructName()> =
class(T<if(TREE_PARSER)>Tree<else>Parser<endif>RuleReturnScope, I<ruleDescriptor:returnStructName()>)
  <scope.attributes:{public <it.decl>;}; separator="\n">
  <@ruleReturnMembers()>
  end;
<endif>
>>

parameterScope(scope) ::= <<
<scope.attributes:{<it.decl>;}; separator=", ">
>>

```



```

parameterAttributeRef(attr) ::= "<attr.name>"
parameterSetAttributeRef(attr,expr) ::= "<attr.name> := <expr>";

scopeAttributeRef(scope,attr,index,negIndex) ::= <<
<if(negIndex)>
(<scope>Stack[<scope>Stack.Count-<negIndex>-1] as T<scope>Scope).<attr.name>
<else>
<if(index)>
(<scope>Stack[<index>] as T<scope>Scope).<attr.name>
((<scope>_scope)<scope>_stack[<index>]).<attr.name>
<else>
(<scope>Stack.Peek.Implementor as T<scope>Scope).<attr.name>
<endif>
<endif>
>>

scopeSetAttributeRef(scope,attr,expr,index,negIndex) ::= <<
<if(negIndex)>
(<scope>Stack[<scope>Stack.Count-<negIndex>-1] as T<scope>Scope).<attr.name> := <expr>;<\n>
<else>
<if(index)>
(<scope>Stack[<index>] as T<scope>Scope).<attr.name> := <expr>;<\n>
<else>
(<scope>Stack.Peek.Implementor as T<scope>Scope).<attr.name> := <expr>;<\n>
<endif>
<endif>
>>

/** $x is either global scope or x is rule with dynamic scope; refers
 * to stack itself not top of stack. This is useful for predicates
 * like {$function.size()>0 && $function::name.equals("foo")}?
 */
isolatedDynamicScopeRef(scope) ::= "<scope>Stack"

/** reference an attribute of rule; might only have single return value */
ruleLabelRef(referencedRule,scope,attr) ::= <<
<if(referencedRule.hasMultipleReturnValues)>
(IfThen(Assigned(<scope>),Def(<scope>).<attr.name>,<initValue(attr.type)>))
<else>
<scope>
<endif>
>>

returnAttributeRef(ruleDescriptor,attr) ::= <<
<if(ruleDescriptor.hasMultipleReturnValues)>
RetVal.<attr.name>
<else>
<attr.name>

```

```

<endif>
>>

returnSetAttributeRef(ruleDescriptor,attr,expr) ::= <<
<if(ruleDescriptor.hasMultipleReturnValues)>
RetVal.<attr.name> := <expr>;
<else>
<attr.name> := <expr>;
<endif>
>>

/** How to translate $tokenLabel */
tokenLabelRef(label) ::= "<label>"

/** ids+=ID {$ids} or e+=expr {$e} */
listLabelRef(label) ::= "list_<label>"

// not sure the next are the right approach

tokenLabelPropertyRef_text(scope,attr) ::= "(Def(<scope>).Text)"
tokenLabelPropertyRef_type(scope,attr) ::= "(Def(<scope>).TokenType)"
tokenLabelPropertyRef_line(scope,attr) ::= "(Def(<scope>).Line)"
tokenLabelPropertyRef_pos(scope,attr) ::= "(Def(<scope>).CharPositionInLine)"
tokenLabelPropertyRef_channel(scope,attr) ::= "(Def(<scope>).Channel)"
tokenLabelPropertyRef_index(scope,attr) ::= "(Def(<scope>).TokenIndex)"
tokenLabelPropertyRef_tree(scope,attr) ::= "<scope>_tree"
tokenLabelPropertyRef_int(scope,attr) ::= "(StrToIntDef(Def(<scope>).Text,0))"

ruleLabelPropertyRef_start(scope,attr) ::= "(IfThen(Assigned(<scope>), Def(<scope>).Start, nil) as I<labelType>)"
ruleLabelPropertyRef_stop(scope,attr) ::= "(Def(<scope>).Stop as I<labelType>)"
ruleLabelPropertyRef_tree(scope,attr) ::= "(Def(Def(<scope>).Tree as I<ASTLabelType>))"
ruleLabelPropertyRef_text(scope,attr) ::= <<
<if(TREE_PARSER)>
IfThen(Assigned(<scope>), Input.TokenStream.ToString(
    Input.TreeAdaptor.GetTokenStartIndex(Def(<scope>).Start),
    Input.TreeAdaptor.GetTokenStopIndex(Def(<scope>).Start)), ")
<else>
IfThen(Assigned(<scope>), Input.ToString(
    (Def(<scope>).Start) as IToken,(Def(<scope>).Stop) as IToken, ")
<endif>
>>
ruleLabelPropertyRef_st(scope,attr) ::= "((<scope> != null) ? <scope>.ST : null)"

/** Isolated $RULE ref ok in lexer as it's a Token */
lexerRuleLabel(label) ::= "<label>"

lexerRuleLabelPropertyRef_type(scope,attr) ::= "(Def(<scope>).TokenType)"

```

```

lexerRuleLabelPropertyRef_line(scope,attr) ::= "(Def(<scope>).Line)"
lexerRuleLabelPropertyRef_pos(scope,attr) ::= "(IfThen(Assigned(<scope>),Def(<scope>).CharPositionInLine,-1))"
lexerRuleLabelPropertyRef_channel(scope,attr) ::= "(Def(<scope>).Channel)"
lexerRuleLabelPropertyRef_index(scope,attr) ::= "(Def(<scope>).TokenIndex)"
lexerRuleLabelPropertyRef_text(scope,attr) ::= "(Def(<scope>).Text)"
lexerRuleLabelPropertyRef_int(scope,attr) ::= "(StrToIntDef(Def(<scope>).Text,0))"

// Somebody may ref $template or $tree or $stop within a rule:
rulePropertyRef_start(scope,attr) ::= "(RetVal.Start as I<labelType>)"
rulePropertyRef_stop(scope,attr) ::= "(RetVal.Stop as I<labelType>)"
rulePropertyRef_tree(scope,attr) ::= "(RetVal.Tree as I<ASTLabelType>)"
rulePropertyRef_text(scope,attr) ::= <<
<if(TREE_PARSER)>
Input.TokenStream.ToString(
  Input.TreeAdaptor.GetTokenStartIndex(RetVal.Start),
  Input.TreeAdaptor.GetTokenStopIndex(RetVal.Start))
<else>
Input.ToString(RetVal.Start as IToken,Input.LT(-1))
<endif>
>>
rulePropertyRef_st(scope,attr) ::= "RetVal.ST"

lexerRulePropertyRef_text(scope,attr) ::= "Text"
lexerRulePropertyRef_type(scope,attr) ::= "TokenType"
lexerRulePropertyRef_line(scope,attr) ::= "State.TokenStartLine"
lexerRulePropertyRef_pos(scope,attr) ::= "State.TokenStartCharPositionInLine"
lexerRulePropertyRef_index(scope,attr) ::= "-1" // undefined token index in lexer
lexerRulePropertyRef_channel(scope,attr) ::= "Channel"
lexerRulePropertyRef_start(scope,attr) ::= "State.TokenStartCharIndex"
lexerRulePropertyRef_stop(scope,attr) ::= "(CharIndex-1)"
lexerRulePropertyRef_int(scope,attr) ::= "StrToInt(<scope>.Text)"

// setting $st and $tree is allowed in local rule. everything else
// is flagged as error
ruleSetPropertyRef_tree(scope,attr,expr) ::= "RetVal.Tree := <expr>;"
ruleSetPropertyRef_st(scope,attr,expr) ::= "RetVal.ST := <expr>;"

/** How to execute an action (only when not backtracking) */
execAction(action) ::= <<
<if(backtracking)>
<if(actions.(actionScope).synpredgate)>
if (<actions.(actionScope).synpredgate>) then
begin
  <action>
end;
<else>
if (State.Backtracking = 0) then

```

```

begin
  <action>
end;<\n>
<endif>
<else>
<action>
<endif>
>>

/** How to always execute an action even when backtracking */
execForcedAction(action) ::= "<action>"

// M I S C (properties, etc...)

bitset(name, words64) ::= <<
<name> := TBitSet.Create([<words64: {<it>};separator=",">]);<\n>
>>

bitsetDecl(name) ::= <<
<name>: IBitSet;<\n>
>>

codeFileExtension() ::= ".pas"

true() ::= "True"
false() ::= "False"

Found in path(s):
* /opt/cola/permits/1274703855_1645234694.1/0/antlr-3-5-2-sources-
jar/org/antlr/codegen/templates/Delphi/Delphi.stg
No license file was found, but licenses were detected in source scan.

/*
* [The "BSD license"]
* Copyright (c) 2005-2008 Terence Parr
* All rights reserved.
*
* Conversion to C#:
* Copyright (c) 2008-2009 Sam Harwell, Pixel Mine, Inc.
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
* 1. Redistributions of source code must retain the above copyright
* notice, this list of conditions and the following disclaimer.
* 2. Redistributions in binary form must reproduce the above copyright

```

```

* notice, this list of conditions and the following disclaimer in the
* documentation and/or other materials provided with the distribution.
* 3. The name of the author may not be used to endorse or promote products
* derived from this software without specific prior written permission.
*
* THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR
* IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.
* IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,
* INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT
* NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
* DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
* THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
* (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF
* THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
*/

```

```

/** Template overrides to add debugging to AST stuff. Dynamic inheritance
* hierarchy is set up as ASTDbg : AST : Dbg : Java by code generator.
*/

```

```

parserMembers() ::= <<
// Implement this function in your helper file to use a custom tree adaptor
partial void InitializeTreeAdaptor();
protected DebugTreeAdaptor adaptor;

public ITreeAdaptor TreeAdaptor
{
    get
    {
        return adaptor;
    }
    set
    {
<if(grammar.grammarIsRoot)>
        this.adaptor = new DebugTreeAdaptor(dbg,adaptor);
<else>
        this.adaptor = (DebugTreeAdaptor)adaptor; // delegator sends dbg adaptor
<endif><\n>
        <grammar.directDelegates:{g|<g:delegateName()>.TreeAdaptor = this.adaptor;}>
    }
}<\n>
>>

parserCtorBody() ::= <<
<super.parserCtorBody()>
>>

```

```

createListenerAndHandshake() ::= <<
DebugEventSocketProxy proxy = new DebugEventSocketProxy( this, port,
<if(TREE_PARSER)>input.TreeAdaptor<else>adaptor<endif> );
DebugListener = proxy;
<inputStreamType> = new Debug<inputStreamType>( input, proxy );
try
{
    proxy.Handshake();
}
catch ( IOException ioe )
{
    ReportError( ioe );
}
>>

```

```

@ctorForRootGrammar.finally() ::= <<
ITreeAdaptor adap = new CommonTreeAdaptor();
TreeAdaptor = adap;
proxy.TreeAdaptor = adap;
>>

```

```

@ctorForProfilingRootGrammar.finally() ::= <<
ITreeAdaptor adap = new CommonTreeAdaptor();
TreeAdaptor = adap;
>>

```

```

@ctorForPredefinedListener.superClassRef() ::= " : base( input, dbg )"

```

```

@ctorForPredefinedListener.finally() ::= <<
<if(grammar.grammarIsRoot)><! don't create new adaptor for delegates !>
ITreeAdaptor adap = new CommonTreeAdaptor();
TreeAdaptor = adap;<\n>
<endif>
>>

```

```

//@rewriteElement.pregen() ::= "dbg.Location( <e.line>, <e.pos> );"

```

Found in path(s):

```

* /opt/cola/permits/1274703855_1645234694.1/0/antlr-3-5-2-sources-
jar/org/antlr/codegen/templates/CSharp3/ASTDbg.stg

```

No license file was found, but licenses were detected in source scan.

```

/*

```

```

* [The "BSD license"]
* Copyright (c) 2007-2008 Johannes Luber
* Copyright (c) 2005-2007 Kunle Odutola
* Copyright (c) 2011 Sam Harwell
* Copyright (c) 2011 Terence Parr

```

```

* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
* 1. Redistributions of source code must retain the above copyright
* notice, this list of conditions and the following disclaimer.
* 2. Redistributions in binary form must reproduce the above copyright
* notice, this list of conditions and the following disclaimer in the
* documentation and/or other materials provided with the distribution.
* 3. The name of the author may not be used to endorse or promote products
* derived from this software without specific prior written permission.
*
* THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR
* IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.
* IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,
* INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT
* NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
* DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
* THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
* (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF
* THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
*/

```

```

/** Templates for building ASTs during normal parsing.

```

```

*
* Deal with many combinations. Dimensions are:
* Auto build or rewrite
* no label, label, list label (label/no-label handled together)
* child, root
* token, set, rule, wildcard
*
* The situation is not too bad as rewrite (->) usage makes ^ and !
* invalid. There is no huge explosion of combinations.
*/

```

```

@rule.setErrorReturnValue() ::= <<
retval.Tree = (<ASTLabelType>)adaptor.ErrorNode(input, retval.Start, input.LT(-1), re);
<! System.out.WriteLine("<ruleName> returns "+((CommonTree)retval.tree).toStringTree()); !>
>>

```

```

// TOKEN AST STUFF

```

```

/** ID and output=AST */
tokenRef(token,label,elementIndex,terminalOptions={}) ::= <<
<super.tokenRef(...)>
<if(backtracking)>if (state.backtracking == 0) {<endif>

```

```

<label>_tree = <createNodeFromToken(...)>;
adaptor.AddChild(root_0, <label>_tree);
<if(backtracking)><endif>
>>

/** ID! and output=AST (same as plain tokenRef) */
tokenRefBang(token,label,elementIndex) ::= "<super.tokenRef(...)>"

/** ID^ and output=AST */
tokenRefRuleRoot(token,label,elementIndex,terminalOptions={ }) ::= <<
<super.tokenRef(...)>
<if(backtracking)>if (<actions.(actionScope).synpredgate>) {<endif>
<label>_tree = <createNodeFromToken(...)>;
root_0 = (<ASTLabelType>)adaptor.BecomeRoot(<label>_tree, root_0);
<if(backtracking)><endif>
>>

/** ids+=ID! and output=AST */
tokenRefBangAndListLabel(token,label,elementIndex,terminalOptions={ }) ::= <<
<tokenRefBang(...)>
<listLabelElem(elem=label,elemType=labelType,...)>
>>

/** label+=TOKEN when output=AST but not rewrite alt */
tokenRefAndListLabel(token,label,elementIndex,terminalOptions={ }) ::= <<
<tokenRef(...)>
<listLabelElem(elem=label,elemType=labelType,...)>
>>

/** Match label+=TOKEN^ when output=AST but not rewrite alt */
tokenRefRuleRootAndListLabel(token,label,elementIndex,terminalOptions={ }) ::= <<
<tokenRefRuleRoot(...)>
<listLabelElem(elem=label,elemType=labelType,...)>
>>

// SET AST

// the match set stuff is interesting in that it uses an argument list
// to pass code to the default matchSet; another possible way to alter
// inherited code. I don't use the region stuff because I need to pass
// different chunks depending on the operator. I don't like making
// the template name have the operator as the number of templates gets
// large but this is the most flexible--this is as opposed to having
// the code generator call matchSet then add root code or ruleroot code
// plus list label plus ... The combinations might require complicated
// rather than just added on code. Investigate that refactoring when
// I have more time.

```



```

matchSet(s,label,elementIndex,postmatchCode,terminalOptions={ }) ::= <<
<super.matchSet(postmatchCode={ <if(backtracking)>if (<actions.(actionScope).synpredgate>)
<endif>adaptor.AddChild(root_0, <createNodeFromToken(...)>);, ...>
>>

matchRuleBlockSet(s,label,elementIndex,postmatchCode,treeLevel="0",terminalOptions={ }) ::= <<
<matchSet(...)>
>>

matchSetBang(s,label,elementIndex,postmatchCode,terminalOptions={ }) ::= "<super.matchSet(...)>"

// note there is no matchSetTrack because -> rewrites force sets to be
// plain old blocks of alts: (A|B|...|C)

matchSetRuleRoot(s,label,elementIndex,debug,terminalOptions={ }) ::= <<
<if(label)>
<label>=(<labelType>)input.LT(1);
<endif>
<super.matchSet(postmatchCode={ <if(backtracking)>if (<actions.(actionScope).synpredgate>) <endif>root_0 =
(<ASTLabelType>)adaptor.BecomeRoot(<createNodeFromToken(...)>, root_0);, ...>
>>

// RULE REF AST

/** rule when output=AST */
ruleRef(rule,label,elementIndex,args,scope) ::= <<
<super.ruleRef(...)>
<if(backtracking)>if (<actions.(actionScope).synpredgate>) <endif>adaptor.AddChild(root_0, <label>.Tree);
>>

/** rule! is same as normal rule ref */
ruleRefBang(rule,label,elementIndex,args,scope) ::= "<super.ruleRef(...)>"

/** rule^ */
ruleRefRuleRoot(rule,label,elementIndex,args,scope) ::= <<
<super.ruleRef(...)>
<if(backtracking)>if (<actions.(actionScope).synpredgate>) <endif>root_0 =
(<ASTLabelType>)adaptor.BecomeRoot(<label>.Tree, root_0);
>>

/** x+=rule when output=AST */
ruleRefAndListLabel(rule,label,elementIndex,args,scope) ::= <<
<ruleRef(...)>
<listLabelElem(elem={ <label>.Tree },elemType=ASTLabelType,...)>
>>

/** x+=rule! when output=AST is a rule ref with list addition */
ruleRefBangAndListLabel(rule,label,elementIndex,args,scope) ::= <<

```

```

<ruleRefBang(...)>
<listLabelElem(elem={ <label>.Tree },elemType=ASTLabelType,...)>
>>

/** x+=rule^ */
ruleRefRuleRootAndListLabel(rule,label,elementIndex,args,scope) ::= <<
<ruleRefRuleRoot(...)>
<listLabelElem(elem={ <label>.Tree },elemType=ASTLabelType,...)>
>>

// WILDCARD AST

wildcard(token,label,elementIndex,terminalOptions={ }) ::= <<
<super.wildcard(...)>
<if(backtracking)>if (<actions.(actionScope).synpredgate>) {<endif>
<label>_tree = (<ASTLabelType>)adaptor.Create(<label>);
adaptor.AddChild(root_0, <label>_tree);
<if(backtracking)>}<endif>
>>

wildcardBang(label,elementIndex) ::= "<super.wildcard(token=[],...)>"

wildcardRuleRoot(token,label,elementIndex,terminalOptions={ }) ::= <<
<super.wildcard(...)>
<if(backtracking)>if (<actions.(actionScope).synpredgate>) {<endif>
<label>_tree = (<ASTLabelType>)adaptor.Create(<label>);
root_0 = (<ASTLabelType>)adaptor.BecomeRoot(<label>_tree, root_0);
<if(backtracking)>}<endif>
>>

createNodeFromToken(label,terminalOptions={ }) ::= <%
<if(terminalOptions.node)>
new
<terminalOptions.node><if(terminalOptions.type)><terminalOptions.type>,<endif><label><if(terminalOptions.tex
t)>,<terminalOptions.text; format="string"><endif>
<else>
(<ASTLabelType>)adaptor.Create(<if(terminalOptions.type)><terminalOptions.type>,<endif><label><if(terminalO
ptions.text)>,<terminalOptions.text; format="string"><endif>
<endif>
%>

ruleCleanup() ::= <<
<super.ruleCleanup()>
<if(backtracking)>if (<actions.(actionScope).synpredgate>) {<endif>
retval.Tree = (<ASTLabelType>)adaptor.RulePostProcessing(root_0);
adaptor.SetTokenBoundaries(retval.Tree, retval.Start, retval.Stop);
<if(backtracking)>}<endif>
>>

```

Found in path(s):

```
* /opt/cola/permits/1274703855_1645234694.1/0/antlr-3-5-2-sources-  
jar/org/antlr/codegen/templates/CSharp2/ASTParser.stg
```

No license file was found, but licenses were detected in source scan.

```
/*
```

```
[The "BSD license"]
```

```
Copyright (c) 2005-2006 Terence Parr
```

```
All rights reserved.
```

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The name of the author may not be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

```
*/
```

```
/** Templates for building ASTs during normal parsing.
```

```
*
```

```
* Deal with many combinations. Dimensions are:
```

```
* Auto build or rewrite
```

```
* no label, label, list label (label/no-label handled together)
```

```
* child, root
```

```
* token, set, rule, wildcard
```

```
*
```

```
* The situation is not too bad as rewrite (->) usage makes ^ and !
```

```
* invalid. There is no huge explosion of combinations.
```

```
*/
```

```
finishedBacktracking(block) ::= <<
```

```
<if(!ruleDescriptor.isSynPred)>
```

```

<if(backtracking)>
if <actions.(actionScope).synpredgate>:
  <block>
<else>
<block>
<endif>
<endif>
>>

@ruleBody.setErrorReturnValue() ::= <<
retval.tree = self._adaptor.errorNode(self.input, retval.start, self.input.LT(-1), re)
>>

// TOKEN AST STUFF

/** ID and output=AST */
tokenRef(token,label,elementIndex,terminalOptions={}) ::= <<
<super.tokenRef(...)>
<finishedBacktracking({
<label>_tree = <createNodeFromToken(...)>
self._adaptor.addChild(root_0, <label>_tree)
})>
>>

/** ID! and output=AST (same as plain tokenRef) */
tokenRefBang(token,label,elementIndex,terminalOptions={}) ::= "<super.tokenRef(...)>"

/** ID^ and output=AST */
tokenRefRuleRoot(token,label,elementIndex,terminalOptions={}) ::= <<
<super.tokenRef(...)>
<finishedBacktracking({
<label>_tree = <createNodeFromToken(...)>
root_0 = self._adaptor.becomeRoot(<label>_tree, root_0)
})>
>>

/** ids+=ID! and output=AST */
tokenRefBangAndListLabel(token,label,elementIndex,terminalOptions={}) ::= <<
<tokenRefBang(...)>
<listLabel(elem=label,...)>
>>

/** label+=TOKEN when output=AST but not rewrite alt */
tokenRefAndListLabel(token,label,elementIndex,terminalOptions={}) ::= <<
<tokenRef(...)>
<listLabel(elem=label,...)>
>>

```

```

/** Match label+=TOKEN^ when output=AST but not rewrite alt */
tokenRefRuleRootAndListLabel(token,label,elementIndex,terminalOptions={}) ::= <<
<tokenRefRuleRoot(...)>
<listLabel(elem=label,...)>
>>

// SET AST

// the match set stuff is interesting in that it uses an argument list
// to pass code to the default matchSet; another possible way to alter
// inherited code. I don't use the region stuff because I need to pass
// different chunks depending on the operator. I don't like making
// the template name have the operator as the number of templates gets
// large but this is the most flexible--this is as opposed to having
// the code generator call matchSet then add root code or ruleroot code
// plus list label plus ... The combinations might require complicated
// rather than just added on code. Investigate that refactoring when
// I have more time.

matchSet(s,label,elementIndex,postmatchCode,terminalOptions={}) ::= <%
<super.matchSet(postmatchCode={ <finishedBacktracking({ self._adaptor.addChild(root_0,
<createNodeFromToken(...)>})>}, ...)>
%>

matchRuleBlockSet(s,label,elementIndex,postmatchCode,treeLevel="0",terminalOptions={}) ::= <<
<matchSet(...)>
>>

matchSetBang(s,label,elementIndex,postmatchCode,terminalOptions={}) ::= "<super.matchSet(...)>"

// note there is no matchSetTrack because -> rewrites force sets to be
// plain old blocks of alts: (A|B|...|C)

matchSetRuleRoot(s,label,elementIndex,debug,terminalOptions={}) ::= <<
<if(label)>
<label> = self.input.LT(1)<\n>
<endif>
<super.matchSet(postmatchCode={ <finishedBacktracking({ root_0 =
self._adaptor.becomeRoot(<createNodeFromToken(...)>, root_0)})>}, ...)>
>>

// RULE REF AST

/** rule when output=AST */
ruleRef(rule,label,elementIndex,args,scope) ::= <<
<super.ruleRef(...)>
<finishedBacktracking({ self._adaptor.addChild(root_0, <label>.tree)})>
>>

```

```

/** rule! is same as normal rule ref */
ruleRefBang(rule,label,elementIndex,args,scope) ::= "<super.ruleRef(...)>"

/** rule^ */
ruleRefRuleRoot(rule,label,elementIndex,args,scope) ::= <<
<super.ruleRef(...)>
<finishedBacktracking({root_0 = self._adaptor.becomeRoot(<label>.tree, root_0)})>
>>

/** x+=rule when output=AST */
ruleRefAndListLabel(rule,label,elementIndex,args,scope) ::= <<
<ruleRef(...)>
<listLabel(label, {<label>.tree})>
>>

/** x+=rule! when output=AST is a rule ref with list addition */
ruleRefBangAndListLabel(rule,label,elementIndex,args,scope) ::= <<
<ruleRefBang(...)>
<listLabel(label, {<label>.tree})>
>>

/** x+=rule^ */
ruleRefRuleRootAndListLabel(rule,label,elementIndex,args,scope) ::= <<
<ruleRefRuleRoot(...)>
<listLabel(label, {<label>.tree})>
>>

// WILDCARD AST

wildcard(token,label,elementIndex,terminalOptions={ }) ::= <<
<super.wildcard(...)>
<finishedBacktracking({
<label>_tree = self._adaptor.createWithPayload(<label>)
self._adaptor.addChild(root_0, <label>_tree)
})>
>>

wildcardBang(label,elementIndex) ::= "<super.wildcard(...)>"

wildcardRuleRoot(token,label,elementIndex,terminalOptions={ }) ::= <<
<super.wildcard(...)>
<finishedBacktracking({
<label>_tree = self._adaptor.createWithPayload(<label>)
root_0 = self._adaptor.becomeRoot(<label>_tree, root_0)
})>
>>

```

```

createNodeFromToken(label,terminalOptions={ }) ::= <%
<if(terminalOptions.node)>
<terminalOptions.node><label> <! new MethodNode(IDLabel) !>
<else>
self._adaptor.createWithPayload(<label>)
<endif>
%>

ruleCleanUp() ::= <<
<super.ruleCleanUp()>
<finishedBacktracking({
retval.tree = self._adaptor.rulePostProcessing(root_0)
self._adaptor.setTokenBoundaries(retval.tree, retval.start, retval.stop)
})>
>>

```

Found in path(s):

```
* /opt/cola/permits/1274703855_1645234694.1/0/antlr-3-5-2-sources-
jar/org/antlr/codegen/templates/Python/ASTParser.stg
```

No license file was found, but licenses were detected in source scan.

```
/*
```

```
[The "BSD license"]
```

```
Copyright (c) 2008 Erik van Bilzen
```

```
Copyright (c) 2007-2008 Johannes Luber
```

```
Copyright (c) 2005-2007 Kunle Odutola
```

```
Copyright (c) 2005 Terence Parr
```

```
All rights reserved.
```

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The name of the author may not be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT

(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

\*/

group AST;

@outputFile.imports() ::= <<

<@super.imports()><if(!TREE\_PARSER)><! tree parser would already have imported !>

Antlr.Runtime.Tree,<\n><endif>

>>

@genericParser.members() ::= <<

<@super.members()>

<parserMembers()>

>>

@genericParser.membersConstructor() ::= <<

<@super.membersConstructor()>

<parserMembersConstructor()>

>>

@genericParser.membersImplementation() ::= <<

<@super.membersImplementation()>

<parserMembersImplementation()>

>>

/\*\* Add an adaptor property that knows how to build trees \*/

parserMembers() ::= <<

strict protected

FAdaptor: ITreeAdaptor;

procedure SetAdaptor(const Value: ITreeAdaptor);

property Adaptor: ITreeAdaptor read FAdaptor;

public

property TreeAdaptor: ITreeAdaptor read FAdaptor write SetAdaptor;

>>

parserMembersConstructor() ::= <<

FAdaptor := TCommonTreeAdaptor.Create;

>>

parserMembersImplementation() ::= <<

procedure T<grammar.recognizerName>.SetAdaptor(const Value: ITreeAdaptor);

begin

FAdaptor := Value;

<grammar.directDelegates: {g|<g:delegateName()>.TreeAdaptor := FAdaptor;}>

end;

>>



```

@returnScope.ruleReturnMembers() ::= <<
function T<grammar.recognizerName>.T<ruleDescriptor:returnStructName()>.GetTree: IANTLRInterface;
begin
    Result := FTree;
end;

```

```

procedure T<grammar.recognizerName>.T<ruleDescriptor:returnStructName()>.SetTree(const Value:
IANTLRInterface);
begin
    FTree := Value as I<ASTLabelType>;
end;
>>

```

```

@returnScopeDeclaration.ruleReturnMembers() ::= <<
strict private
    FTree: I<ASTLabelType>;
protected
    { IRuleReturnScope }
    function GetTree: IANTLRInterface; override;
    procedure SetTree(const Value: IANTLRInterface); override;
>>

```

```

/** Add a variable to track rule's return AST */
ruleDeclarations() ::= <<
<super.ruleDeclarations()>
Root[0] := nil;<\n>
>>

```

```

ruleDeclarationVars() ::= <<
<super.ruleDeclarationVars()>
Root: array [0..63] of I<ASTLabelType>;
>>

```

```

ruleLabelDefs() ::= <<
<super.ruleLabelDefs()>
<ruleDescriptor.tokenLabels:{<it.label.text>_tree := nil;}; separator="\n">
<ruleDescriptor.tokenListLabels:{<it.label.text>_tree := nil;}; separator="\n">
<ruleDescriptor.allTokenRefsInAltsWithRewrites:{Locals['Stream_<it>'] :=
TRewriteRule<rewriteElementType>Stream.Create(Adaptor,'token <it>');}; separator="\n">
<ruleDescriptor.allRuleRefsInAltsWithRewrites:{Locals['Stream_<it>'] :=
TRewriteRuleSubtreeStream.Create(Adaptor,'rule <it>');}; separator="\n">
>>

```

```

ruleLabelDefVars() ::= <<
<super.ruleLabelDefVars()>
<ruleDescriptor.tokenLabels:{<it.label.text>_tree: I<ASTLabelType>;}; separator="\n">
<ruleDescriptor.tokenListLabels:{<it.label.text>_tree: I<ASTLabelType>;}; separator="\n">
>>

```

```

/** When doing auto AST construction, we must define some variables;
 * These should be turned off if doing rewrites. This must be a "mode"
 * as a rule could have both rewrite and AST within the same alternative
 * block.
 */
@alt.declarations() ::= <<
<if(autoAST)>
<if(outerAlt)>
<if(!rewriteMode)>
Root[0] := Adaptor.GetNilNode as I<ASTLabelType>;
<endif>
<endif>
<endif>
>>

// Tracking Rule Elements

/** ID and track it for use in a rewrite rule */
tokenRefTrack(token,label,elementIndex,terminalOptions) ::= <<
<tokenRefBang(...)> <! Track implies no auto AST construction!>
<if(backtracking)>if (State.Backtracking = 0) then <endif>(Locals['Stream_<token>'] as
IRewriteRuleElementStream).Add(<label>);<\n>
>>

/** ids+=ID and track it for use in a rewrite rule; adds to ids *and*
 * to the tracking list stream_ID for use in the rewrite.
 */
tokenRefTrackAndListLabel(token,label,elementIndex,terminalOptions) ::= <<
<tokenRefTrack(...)>
<listLabel(elem=label,...)>
>>

/** ^(ID ...) track for rewrite */
tokenRefRuleRootTrack(token,label,elementIndex,terminalOptions) ::= <<
<tokenRefBang(...)>
<if(backtracking)>if (State.Backtracking = 0) then <endif>(Locals['Stream_<token>'] as
IRewriteRuleElementStream).Add(<label>);<\n>
>>

/** Match ^(label+=TOKEN ...) track for rewrite */
tokenRefRuleRootTrackAndListLabel(token,label,elementIndex,terminalOptions) ::= <<
<tokenRefRuleRootTrack(...)>
<listLabel(elem=label,...)>
>>

wildcardTrack(label,elementIndex) ::= <<
<super.wildcard(...)>
>>

```

```

/** rule when output=AST and tracking for rewrite */
ruleRefTrack(rule,label,elementIndex,args,scope) ::= <<
<super.ruleRef(...)>
<if(backtracking)>if (State.Backtracking = 0) then <endif>(Locals['Stream_<rule.name>'] as
IRewriteRuleElementStream).Add(<label>.Tree);<\n>
>>

```

```

/** x+=rule when output=AST and tracking for rewrite */
ruleRefTrackAndListLabel(rule,label,elementIndex,args,scope) ::= <<
<ruleRefTrack(...)>
<listLabel(elem=label+".Tree",...)>
>>

```

```

/** ^(rule ...) rewrite */
ruleRefRuleRootTrack(rule,label,elementIndex,args,scope) ::= <<
<ruleRefRuleRoot(...)>
<if(backtracking)>if (State.Backtracking = 0) then <endif>(Locals['Stream_<rule>'] as
IRewriteRuleElementStream).Add(<label>.Tree);
>>

```

```

/** ^(x+=rule ...) rewrite */
ruleRefRuleRootTrackAndListLabel(rule,label,elementIndex,args,scope) ::= <<
<ruleRefRuleRootTrack(...)>
<listLabel(elem=label+".Tree",...)>
>>

```

// R e w r i t e

```

rewriteCode(
alts, description,
referencedElementsDeep, // ALL referenced elements to right of ->
referencedTokenLabels,
referencedTokenListLabels,
referencedRuleLabels,
referencedRuleListLabels,
referencedWildcardLabels,
referencedWildcardListLabels,
rewriteBlockLevel, enclosingTreeLevel, treeLevel) ::=
<<

```

```

// AST REWRITE
// elements: <referencedElementsDeep; separator=", ">
// token labels: <referencedTokenLabels; separator=", ">
// rule labels: <referencedRuleLabels; separator=", ">
// token list labels: <referencedTokenListLabels; separator=", ">
// rule list labels: <referencedRuleListLabels; separator=", ">
<if(backtracking)>

```

```

if (State.Backtracking = 0) then
begin<\n>
<endif>
<prevRuleRootRef(>.Tree := Root[0];
<rewriteCodeLabels(>
Root[0] := Adaptor.GetNilNode as I<ASTLabelType>;
<alts:rewriteAlt(> separator="else ">
<! if tree parser and rewrite=true !>
<if(TREE_PARSER)>
<if(rewriteMode)>
<prevRuleRootRef(>.Tree = (<ASTLabelType>)adaptor.rulePostProcessing(root[0]);
input.ReplaceChildren(adaptor.GetParent(retval.Start),
                    adaptor.GetChildIndex(retval.Start),
                    adaptor.GetChildIndex(_last),
                    retval.Tree);
<endif>
<endif>
<! if parser or rewrite!=true, we need to set result !>
<if(!TREE_PARSER)>
<prevRuleRootRef(>.Tree := Root[0];<\n>
<endif>
<if(!rewriteMode)>
<prevRuleRootRef(>.Tree := Root[0];<\n>
<endif>
<if(backtracking)>
end;
<endif>
>>

rewriteCodeLabels() ::= <<
<referencedTokenLabels
: {Locals['Stream_<it>'] := TRewriteRule<rewriteElementType>Stream.Create(Adaptor, 'token <it>', <it>);};
separator="\n"
>
<referencedTokenListLabels
: {Locals['Stream_<it>'] := TRewriteRule<rewriteElementType>Stream.Create(Adaptor, 'token <it>', list_<it>);};
separator="\n"
>
<referencedRuleLabels: {
if Assigned(<it>) then
Locals['Stream_<it>'] := TRewriteRuleSubtreeStream.Create(Adaptor, 'token <it>', <it>.Tree)
else
Locals['Stream_<it>'] := TRewriteRuleSubtreeStream.Create(Adaptor, 'token <it>', nil);}; separator="\n">
<referencedRuleListLabels
: {Locals['Stream_<it>'] := TRewriteRuleSubtreeStream.Create(Adaptor, 'token <it>', list_<it>);};
separator="\n"
>
>>

```

```

/** Generate code for an optional rewrite block; note it uses the deep ref'd element
 * list rather shallow like other blocks.
 */
rewriteOptionalBlock(
  alt,rewriteBlockLevel,
  referencedElementsDeep, // all nested refs
  referencedElements,    // elements in immediately block; no nested blocks
  description) ::=
<<
(* <fileName>:<description> *)
if (<referencedElementsDeep:{el | (Locals['Stream_<el>'] as IRewriteRuleElementStream).HasNext}; separator="
or ">) then
begin
  <alt>
end;
<referencedElementsDeep:{el | (Locals['Stream_<el>'] as IRewriteRuleElementStream).Reset;<\n>}>
>>

rewriteClosureBlock(
  alt,rewriteBlockLevel,
  referencedElementsDeep, // all nested refs
  referencedElements,    // elements in immediately block; no nested blocks
  description) ::=
<<
(* <fileName>:<description> *)
while (<referencedElements:{el | (Locals['Stream_<el>'] as IRewriteRuleElementStream).HasNext}; separator=" or
">) do
begin
  <alt>
end;
<referencedElements:{el | (Locals['Stream_<el>'] as IRewriteRuleElementStream).Reset();<\n>}>
>>

rewritePositiveClosureBlock(
  alt,rewriteBlockLevel,
  referencedElementsDeep, // all nested refs
  referencedElements,    // elements in immediately block; no nested blocks
  description) ::=
<<
if (not (<referencedElements:{el | (Locals['Stream_<el>'] as IRewriteRuleElementStream).HasNext}; separator=" or
">)) then
  raise ERewriteEarlyExitException.Create("");

while (<referencedElements:{el | (Locals['Stream_<el>'] as IRewriteRuleElementStream).HasNext}; separator=" or
">) do
begin
  <alt>

```

```

end;
<referencedElements:{el | (Locals['Stream_<el>'] as IRewriteRuleElementStream).Reset();<\n>}>
>>

rewriteAlt(a) ::= <<
(* <a.description> *)
<if(a.pred)>
if (<a.pred>) then
begin
<a.alt>
end<\n>
<else>
begin
<a.alt>
end;<\n>
<endif>
>>

/** For empty rewrites: "r : ... -> ;" */
rewriteEmptyAlt() ::= "Root[0] = null;"

rewriteTree(root,children,description,enclosingTreeLevel,treeLevel) ::= <<
(* <fileName>:<description> *)
begin
Root[<treeLevel>] := Adaptor.GetNilNode as I<ASTLabelType>;
<root:rewriteElement()>
<children:rewriteElement()>
Adaptor.AddChild(Root[<enclosingTreeLevel>], Root[<treeLevel>]);
end;<\n>
>>

rewriteElementList(elements) ::= "<elements:rewriteElement()>"

rewriteElement(e) ::= <<
<@pregen()>
<e.el>
>>

/** Gen ID or ID[args] */
rewriteTokenRef(token,elementIndex,terminalOptions,args) ::= <<
Adaptor.AddChild(Root[<treeLevel>], <createRewriteNodeFromElement(...)>);<\n>
>>

/** Gen $label ... where defined via label=ID */
rewriteTokenLabelRef(label,elementIndex) ::= <<
Adaptor.AddChild(Root[<treeLevel>], (Locals['Stream_<label>'] as
IRewriteRuleElementStream).NextNode());<\n>
>>

```

```

/** Gen $label ... where defined via label+=ID */
rewriteTokenListLabelRef(label,elementIndex) ::= <<
Adaptor.AddChild(Root[<treeLevel>], (Locals['Stream_<label>'] as IRewriteRuleElementStream).NextNode);<\n>
>>

/** Gen ^($label ...) */
rewriteTokenLabelRefRoot(label,elementIndex) ::= <<
Root[<treeLevel>] := Adaptor.BecomeRoot((Locals['Stream_<label>'] as
IRewriteRuleElementStream).NextNode(), Root[<treeLevel>]) as I<ASTLabelType>;<\n>
>>

/** Gen ^($label ...) where label+=... */
rewriteTokenListLabelRefRoot ::= rewriteTokenLabelRefRoot

/** Gen ^(ID ...) or ^(ID[args] ...) */
rewriteTokenRefRoot(token,elementIndex,terminalOptions,args) ::= <<
Root[<treeLevel>] := Adaptor.BecomeRoot(<createRewriteNodeFromElement(...)>, Root[<treeLevel>]) as
I<ASTLabelType>;<\n>
>>

rewriteImaginaryTokenRef(args,token,terminalOptions,elementIndex) ::= <<
Adaptor.AddChild(Root[<treeLevel>], <createImaginaryNode(tokenType=token, ...)>;<\n>
>>

rewriteImaginaryTokenRefRoot(args,token,terminalOptions,elementIndex) ::= <<
Root[<treeLevel>] := Adaptor.BecomeRoot(<createImaginaryNode(tokenType=token, ...)>, Root[<treeLevel>]) as
I<ASTLabelType>;<\n>
>>

/** plain -> {foo} action */
rewriteAction(action) ::= <<
Root[0] = <action>;<\n>
>>

/** What is the name of the previous value of this rule's root tree? This
* let's us refer to $rule to mean previous value. I am reusing the
* variable 'tree' sitting in retval struct to hold the value of Root[0] right
* before I set it during rewrites. The assign will be to retval.Tree.
*/
prevRuleRootRef() ::= "RetVal"

rewriteRuleRef(rule) ::= <<
Adaptor.AddChild(Root[<treeLevel>], (Locals['Stream_<rule>'] as IRewriteRuleElementStream).NextTree());<\n>
>>

rewriteRuleRefRoot(rule) ::= <<
Root[<treeLevel>] := Adaptor.BecomeRoot((Locals['Stream_<rule>'] as IRewriteRuleElementStream).NextNode,

```

```

Root[<treeLevel>]) as I<ASTLabelType>;<\n>
>>

rewriteNodeAction(action) ::= <<
Adaptor.AddChild(Root[<treeLevel>], <action>);<\n>
>>

rewriteNodeActionRoot(action) ::= <<
Root[<treeLevel>] := Adaptor.BecomeRoot(<action>, Root[<treeLevel>]) as I<ASTLabelType>;<\n>
>>

/** Gen $ruleLabel ... where defined via ruleLabel=rule */
rewriteRuleLabelRef(label) ::= <<
Adaptor.AddChild(Root[<treeLevel>], (Locals['Stream_<label>'] as IRewriteRuleElementStream).NextTree());<\n>
>>

/** Gen $ruleLabel ... where defined via ruleLabel+=rule */
rewriteRuleListLabelRef(label) ::= <<
Adaptor.AddChild(Root[<treeLevel>], (Locals['Stream_<label>'] as IRewriteRuleElementStream).NextTree());<\n>
>>

/** Gen ^($ruleLabel ...) where ruleLabel=rule */
rewriteRuleLabelRefRoot(label) ::= <<
Root[<treeLevel>] := Adaptor.BecomeRoot((Locals['Stream_<label>'] as IRewriteRuleElementStream).NextNode,
Root[<treeLevel>]) as I<ASTLabelType>;<\n>
>>

/** Gen ^($ruleLabel ...) where ruleLabel+=rule */
rewriteRuleListLabelRefRoot(label) ::= <<
Root[<treeLevel>] := Adaptor.BecomeRoot((Locals['Stream_<label>'] as IRewriteRuleElementStream).NextNode,
Root[<treeLevel>]) as I<ASTLabelType>;<\n>
>>

createImaginaryNode(tokenType,terminalOptions,args) ::= <<
<if(terminalOptions.node)>
<! new MethodNode(IDLabel, args) !>
T<terminalOptions.node>.Create(<tokenType><if(args)>, <args; separator=", "><endif>)
<else>
Adaptor.CreateNode(<tokenType>, <args; separator=", "><if(!args)>'<tokenType>'<endif>) as I<ASTLabelType>
<endif>
>>

createRewriteNodeFromElement(token,terminalOptions,args) ::= <<
<if(terminalOptions.node)>
T<terminalOptions.node>.Create((Locals['Stream_<token>'] as IRewriteRuleElementStream).NextToken<if(args)>,
<args; separator=", "><endif>)
<else>
<if(args)> <! must create new node from old !>

```



```
Adaptor.Create(<token>, <args; separator=", ">)  
<else>  
(Locals['Stream_<token>'] as IRewriteRuleElementStream).NextNode  
<endif>  
<endif>  
>>
```

Found in path(s):

```
* /opt/cola/permits/1274703855_1645234694.1/0/antlr-3-5-2-sources-  
jar/org/antlr/codegen/templates/Delphi/AST.stg
```

No license file was found, but licenses were detected in source scan.

```
/*
```

```
[The "BSD license"]
```

```
Copyright (c) 2005-2006 Terence Parr
```

```
All rights reserved.
```

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The name of the author may not be used to endorse or promote products derived from this software without specific prior written permission.

```
THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR  
IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES  
OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.  
IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,  
INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT  
NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,  
DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY  
THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT  
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF  
THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
```

```
*/
```

```
/** Template overrides to add debugging to normal Java output;
```

```
* If ASTs are built, then you'll also get ASTDbg.stg loaded.
```

```
*/
```

```
@outputFile.imports() ::= <<
```

```
<@super.imports(>
```

```
import org.antlr.runtime.debug.*;
```

```
import java.io.IOException;
```

```
>>
```

```

@genericParser.members() ::= <<
<if(grammar.grammarIsRoot)>
public static final String[] ruleNames = new String[] {
    "invalidRule", <grammar.allImportedRules:{rST | "<rST.name>"}; wrap="\n\t", separator=", ">
};<\n>
<endif>
public static final boolean[] decisionCanBacktrack = new boolean[] {
    false, // invalid decision
    <grammar.decisions:{d | <d.dfa.hasSynPred; null="false">}; wrap="\n ", separator=", ">
};<\n>
<if(grammar.grammarIsRoot)> <! grammar imports other grammar(s) !>
public int ruleLevel = 0;
public int getRuleLevel() { return ruleLevel; }
public void incRuleLevel() { ruleLevel++; }
public void decRuleLevel() { ruleLevel--; }
<if(profile)>
    <ctorForProfilingRootGrammar()>
<else>
    <ctorForRootGrammar()>
<endif>
    <ctorForPredefinedListener()>
<else><! imported grammar !>
public int getRuleLevel() { return <grammar.delegators:{g| <g.delegateName()>}>.getRuleLevel(); }
public void incRuleLevel() { <grammar.delegators:{g| <g.delegateName()>}>.incRuleLevel(); }
public void decRuleLevel() { <grammar.delegators:{g| <g.delegateName()>}>.decRuleLevel(); }
    <ctorForDelegateGrammar()>
<endif>
<if(profile)>
public boolean alreadyParsedRule(IntStream input, int ruleIndex) {
    int stopIndex = getRuleMemoization(ruleIndex, input.index());
    ((Profiler)dbg).examineRuleMemoization(input, ruleIndex, stopIndex,
    <grammar.composite.rootGrammar.recognizerName>.ruleNames[ruleIndex]);
    return super.alreadyParsedRule(input, ruleIndex);
}

@Override
public void memoize(IntStream input,
    int ruleIndex,
    int ruleStartIndex)
{
    ((Profiler)dbg).memoize(input, ruleIndex, ruleStartIndex,
    <grammar.composite.rootGrammar.recognizerName>.ruleNames[ruleIndex]);
    super.memoize(input, ruleIndex, ruleStartIndex);
}<\n>
<endif>
protected boolean evalPredicate(boolean result, String predicate) {
    dbg.semanticPredicate(result, predicate);
    return result;
}

```

```

    }<\n>
>>

ctorForRootGrammar() ::= <<
<! bug: can't use <@super.members()> cut-n-paste instead !>
<! Same except we add port number and profile stuff if root grammar !>
public <name>(<inputStreamType> input) {
    this(input, DebugEventSocketProxy.DEFAULT_DEBUGGER_PORT, new RecognizerSharedState());
}
public <name>(<inputStreamType> input, int port, RecognizerSharedState state) {
    super(input, state);
    <parserCtorBody()>
    <createListenerAndHandshake()>
    <grammar.directDelegates: {g|<g.delegateName()> = new <g.recognizerName>(input, dbg, this.state,
this<grammar.delegates: {g|, <g.delegateName()>}>);}; separator="\n">
    <@finally()>
}<\n>
>>

ctorForProfilingRootGrammar() ::= <<
<! bug: can't use <@super.members()> cut-n-paste instead !>
public <name>(<inputStreamType> input) {
    this(input, new Profiler(null), new RecognizerSharedState());
}
public <name>(<inputStreamType> input, DebugEventListener dbg, RecognizerSharedState state) {
    super(input, dbg, state);
    Profiler p = (Profiler)dbg;
    p.setParser(this);
    <parserCtorBody()>
    <grammar.directDelegates:
    {g|<g.delegateName()> = new <g.recognizerName>(input, dbg, this.state, this<grammar.delegates: {g|,
<g.delegateName()>}>);}; separator="\n">
    <@finally()>
}
<\n>
>>

/** Basically we don't want to set any dbg listeners are root will have it. */
ctorForDelegateGrammar() ::= <<
public <name>(<inputStreamType> input, DebugEventListener dbg, RecognizerSharedState
state<grammar.delegates: {g|, <g.recognizerName> <g.delegateName()>}>) {
    super(input, dbg, state);
    <parserCtorBody()>
    <grammar.directDelegates:
    {g|<g.delegateName()> = new <g.recognizerName>(input, this, this.state<grammar.delegates: {g|,
<g.delegateName()>}>);}; separator="\n">
}<\n>
>>

```

```

ctorForPredefinedListener() ::= <<
public <name>(<inputStreamType> input, DebugEventListener dbg) {
  <@superClassRef>super(input, dbg, new RecognizerSharedState());<@end>
<if(profile)>
  Profiler p = (Profiler)dbg;
  p.setParser(this);
<endif>
  <parserCtorBody()>
  <grammar.directDelegates:{g|<g:delegateName()> = new <g.recognizerName>(input, dbg, this.state,
this<grammar.delegators:{g|, <g:delegateName()>}>); separator="\n">
  <@finally()>
}<\n>
>>

```

```

createListenerAndHandshake() ::= <<
<if(TREE_PARSER)>
DebugEventSocketProxy proxy =
  new DebugEventSocketProxy(this, port, input.getTreeAdaptor());<\n>
<else>
DebugEventSocketProxy proxy =
  new DebugEventSocketProxy(this, port, null);<\n>
<endif>
setDebugListener(proxy);
try {
  proxy.handshake();
}
catch (IOException ioe) {
  reportError(ioe);
}
>>

```

```

@genericParser.superClassName() ::= "Debug<@super.superClassName()>"

```

```

@rule.preamble() ::= <<
try { dbg.enterRule(getGrammarFileName(), "<ruleName>");
if ( getRuleLevel()==0 ) {dbg.commence();}
incRuleLevel();
dbg.location(<ruleDescriptor.tree.line>, <ruleDescriptor.tree.charPositionInLine>);<\n>
>>

```

```

@rule.postamble() ::= <<
dbg.location(<ruleDescriptor.EORNode.line>, <ruleDescriptor.EORNode.charPositionInLine>);<\n>
}
finally {
  dbg.exitRule(getGrammarFileName(), "<ruleName>");
  decRuleLevel();
  if ( getRuleLevel()==0 ) {dbg.terminate();}
}

```

```

}<\n>
>>

@synpred.start() ::= "dbg.beginBacktrack(state.backtracking);"

@synpred.stop() ::= "dbg.endBacktrack(state.backtracking, success);"

// Common debug event triggers used by region overrides below

enterSubRule() ::=
"try { dbg.enterSubRule(<decisionNumber>);<\n>"

exitSubRule() ::=
"} finally { dbg.exitSubRule(<decisionNumber>);}<\n>"

enterDecision() ::=
"try { dbg.enterDecision(<decisionNumber>, decisionCanBacktrack[<decisionNumber>]);<\n>"

exitDecision() ::=
"} finally { dbg.exitDecision(<decisionNumber>);}<\n>"

enterAlt(n) ::= "dbg.enterAlt(<n>);<\n>"

// Region overrides that tell various constructs to add debugging triggers

@block.predecision() ::= "<enterSubRule()><enterDecision()>"

@block.postdecision() ::= "<exitDecision()>"

@block.postbranch() ::= "<exitSubRule()>"

@ruleBlock.predecision() ::= "<enterDecision()>"

@ruleBlock.postdecision() ::= "<exitDecision()>"

@ruleBlockSingleAlt.prealt() ::= "<enterAlt(n=\"1\")>"

@blockSingleAlt.prealt() ::= "<enterAlt(n=\"1\")>"

@positiveClosureBlock.preloop() ::= "<enterSubRule()>"

@positiveClosureBlock.postloop() ::= "<exitSubRule()>"

@positiveClosureBlock.predecision() ::= "<enterDecision()>"

@positiveClosureBlock.postdecision() ::= "<exitDecision()>"

@positiveClosureBlock.earlyExitException() ::=

```

```

"dbg.recognitionException(eee);<\n>"

@closureBlock.preloop() ::= "<enterSubRule(>"

@closureBlock.postloop() ::= "<exitSubRule(>"

@closureBlock.predecision() ::= "<enterDecision(>"

@closureBlock.postdecision() ::= "<exitDecision(>"

@altSwitchCase.preal() ::= "<enterAlt(altNum)>" // altNum is arg of altSwitchCase

@element.prematch() ::=
"dbg.location(<e.line>,<e.pos>);" // e is arg of element

@matchSet.mismatchedSetException() ::=
"dbg.recognitionException(mse);"

@dfaState.noViableAltException() ::= "dbg.recognitionException(nvae);"

@dfaStateSwitch.noViableAltException() ::= "dbg.recognitionException(nvae);"

dfaDecision(decisionNumber,description) ::= <<
try {
isCyclicDecision = true;
<super.dfaDecision(...)>
}
catch (NoViableAltException nvae) {
dbg.recognitionException(nvae);
throw nvae;
}
>>

@cyclicDFA.errorMethod() ::= <<
public void error(NoViableAltException nvae) {
dbg.recognitionException(nvae);
}
>>

/** Force predicate validation to trigger an event */
evalPredicate(pred,description) ::= <<
evalPredicate(<pred>,<description>")
>>

```

Found in path(s):

\* /opt/cola/permits/1274703855\_1645234694.1/0/antlr-3-5-2-sources-jar/org/antlr/codegen/templates/Java/Dbg.stg

No license file was found, but licenses were detected in source scan.

/\*

[The "BSD license"]

Copyright (c) 2008 Erik van Bilzen

Copyright (c) 2007-2008 Johannes Luber

Copyright (c) 2005-2007 Kunle Odutola

Copyright (c) 2005-2006 Terence Parr

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The name of the author may not be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

\*/

/\*\* Templates for building ASTs during normal parsing.

\*

\* Deal with many combinations. Dimensions are:

\* Auto build or rewrite

\* no label, label, list label (label/no-label handled together)

\* child, root

\* token, set, rule, wildcard

\*

\* The situation is not too bad as rewrite (->) usage makes ^ and !

\* invalid. There is no huge explosion of combinations.

\*/

group ASTParser;

@rule.setErrorReturnValue() ::= <<

RetVal.Tree := Adaptor.ErrorNode(Input, RetVal.Start as IToken,  
Input.LT(-1), RE) as I<ASTLabelType>;

>>

```

// TOKEN AST STUFF

/** ID and output=AST */
tokenRef(token,label,elementIndex,terminalOptions) ::= <<
<super.tokenRef(...)>
<if(backtracking)>
if (State.Backtracking = 0) then
begin<\n>
<endif>
<label>_tree := <createNodeFromToken(...)>;
Adaptor.AddChild(Root[0], <label>_tree);
<if(backtracking)>
end;
<endif>
>>

/** ID! and output=AST (same as plain tokenRef) */
tokenRefBang(token,label,elementIndex) ::= "<super.tokenRef(...)>"

/** ID^ and output=AST */
tokenRefRuleRoot(token,label,elementIndex,terminalOptions) ::= <<
<super.tokenRef(...)>
<if(backtracking)>
if (State.Backtracking = 0) then
begin
<endif>
<label>_tree := <createNodeFromToken(...)>;
Root[0] := Adaptor.BecomeRoot(<label>_tree, Root[0]) as I<ASTLabelType>;
<if(backtracking)>
end;
<endif>
>>

/** ids+=ID! and output=AST */
tokenRefBangAndListLabel(token,label,elementIndex,terminalOptions) ::= <<
<tokenRefBang(...)>
<listLabel(elem=label,...)>
>>

/** label+=TOKEN when output=AST but not rewrite alt */
tokenRefAndListLabel(token,label,elementIndex,terminalOptions) ::= <<
<tokenRef(...)>
<listLabel(elem=label,...)>
>>

/** Match label+=TOKEN^ when output=AST but not rewrite alt */
tokenRefRuleRootAndListLabel(token,label,terminalOptions,elementIndex) ::= <<

```



```

<tokenRefRuleRoot(...)>
<listLabel(elem=label,...)>
>>

// SET AST

// the match set stuff is interesting in that it uses an argument list
// to pass code to the default matchSet; another possible way to alter
// inherited code. I don't use the region stuff because I need to pass
// different chunks depending on the operator. I don't like making
// the template name have the operator as the number of templates gets
// large but this is the most flexible--this is as opposed to having
// the code generator call matchSet then add root code or ruleroot code
// plus list label plus ... The combinations might require complicated
// rather than just added on code. Investigate that refactoring when
// I have more time.

matchSet(s,label,terminalOptions,elementIndex,postmatchCode) ::= <<
<super.matchSet(..., postmatchCode={ <if(backtracking)>if (State.Backtracking = 0) then
<endif>Adaptor.AddChild(Root[0], <createNodeFromToken(...)>);}>
>>

matchRuleBlockSet(s,label,terminalOptions,elementIndex,postmatchCode,treeLevel="0") ::= <<
<matchSet(...)>
>>

matchSetBang(s,label,elementIndex,postmatchCode) ::= "<super.matchSet(...)>"

// note there is no matchSetTrack because -> rewrites force sets to be
// plain old blocks of alts: (A|B|...|C)

matchSetRuleRoot(s,label,terminalOptions,elementIndex,debug) ::= <<
<if(label)>
<label> := Input.LT(1) as I<labelType>;<\n>
<endif>
<super.matchSet(..., postmatchCode={ <if(backtracking)>if (State.Backtracking = 0) then <endif>Root[0] :=
Adaptor.BecomeRoot(<createNodeFromToken(...)>, Root[0]) as I<ASTLabelType>;}>
>>

// RULE REF AST

/** rule when output=AST */
ruleRef(rule,label,elementIndex,args,scope) ::= <<
<super.ruleRef(...)>
<if(backtracking)>if (State.Backtracking = 0) then <endif>Adaptor.AddChild(Root[0], <label>.Tree);
>>

/** rule! is same as normal rule ref */

```

```

ruleRefBang(rule,label,elementIndex,args,scope) ::= "<super.ruleRef(...)>"

/** rule^ */
ruleRefRuleRoot(rule,label,elementIndex,args,scope) ::= <<
<super.ruleRef(...)>
<if(backtracking)>if (State.Backtracking = 0) then <endif>Root[0] := Adaptor.BecomeRoot(<label>.Tree, Root[0])
as I<ASTLabelType>;
>>

/** x+=rule when output=AST */
ruleRefAndListLabel(rule,label,elementIndex,args,scope) ::= <<
<ruleRef(...)>
<listLabel(elem=label+".Tree",...)>
>>

/** x+=rule! when output=AST is a rule ref with list addition */
ruleRefBangAndListLabel(rule,label,elementIndex,args,scope) ::= <<
<ruleRefBang(...)>
<listLabel(elem=label+".Tree",...)>
>>

/** x+=rule^ */
ruleRefRuleRootAndListLabel(rule,label,elementIndex,args,scope) ::= <<
<ruleRefRuleRoot(...)>
<listLabel(elem=label+".Tree",...)>
>>

// WILDCARD AST

wildcard(label,elementIndex) ::= <<
<super.wildcard(...)>
<if(backtracking)>
if (State.Backtracking = 0) then
begin
<endif>
<label>_tree := Adaptor.CreateNode(<label>) as I<ASTLabelType>;
Adaptor.AddChild(Root[0], <label>_tree);
<if(backtracking)>
end;
<endif>
>>

wildcardBang(label,elementIndex) ::= "<super.wildcard(...)>"

wildcardRuleRoot(label,elementIndex) ::= <<
<super.wildcard(...)>
<if(backtracking)>
if (State.Backtracking = 0) then

```

```

begin
<endif>
<label>_tree := Adaptor.CreateNode(<label>) as I<ASTLabelType>;
Root[0] := Adaptor.BecomeRoot(<label>_tree, Root[0]) as I<ASTLabelType>;
<if(backtracking)>
end;
<endif>
>>

createNodeFromToken(label,terminalOptions) ::= <<
<if(terminalOptions.node)>
T<terminalOptions.node>.Create(<label>) <! new MethodNode(IDLabel) !>
<else>
Adaptor.CreateNode(<label>) as I<ASTLabelType>
<endif>
>>

ruleCleanUp() ::= <<
<super.ruleCleanUp()>
<if(backtracking)>
if (State.Backtracking = 0) then
begin<\n>
<endif>
RetVal.Tree := Adaptor.RulePostProcessing(Root[0]) as I<ASTLabelType>;
<if(!TREE_PARSER)>
Adaptor.SetTokenBoundaries(RetVal.Tree, RetVal.Start as IToken, RetVal.Stop as IToken);
<endif>
<if(backtracking)>
<\n>end;
<endif>
>>

```

Found in path(s):

\* /opt/cola/permits/1274703855\_1645234694.1/0/antlr-3-5-2-sources-jar/org/antlr/codegen/templates/Delphi/ASTParser.stg

No license file was found, but licenses were detected in source scan.

/\*

[The "BSD license"]

Copyright (c) 2005-2009 Jim Idle, Temporal Wave LLC

<http://www.temporal-wave.com>

<http://www.linkedin.com/in/jimidle>

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The name of the author may not be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

```

*/
/** Template overrides to add debugging to normal C output;
 * If ASTs are built, then you'll also get ASTDbg.stg loaded.
 */
@genericParser.members() ::= <<
<if(grammar.grammarIsRoot)>
const char *
ruleNames[] =
{
  "invalidRule", <grammar.allImportedRules:{rST | "<rST.name>"}; wrap="\n ", separator=", ">
};<\n>
<endif>
<if(grammar.grammarIsRoot)> <! grammar imports other grammar(s) !>
static ANTLR3_UINT32 ruleLevel = 0;
static ANTLR3_UINT32 getRuleLevel()
{
  return ruleLevel;
}
static void incRuleLevel()
{
  ruleLevel++;
}
static void decRuleLevel()
{
  ruleLevel--;
}
<else> <! imported grammar !>
static ANTLR3_UINT32
getRuleLevel()
{

```

```

    return <grammar.delegators:{g| <g:delegateName(>>->getRuleLevel();
}
static void incRuleLevel()
{
    <grammar.delegators:{g| <g:delegateName(>>->incRuleLevel();
}
static void
decRuleLevel()
{
    <grammar.delegators:{g| <g:delegateName(>>}.decRuleLevel();
}
<endif>
<if(profile)>
// Profiling not yet implemented for C target
//
<endif>
<if(grammar.grammarIsRoot)>
<ctorForPredefinedListener(>
<else>
<ctorForDelegateGrammar(>
<endif>

static ANTLR3_BOOLEAN
evalPredicate(p<name> ctx, ANTLR3_BOOLEAN result, const char * predicate)
{
    DBG->semanticPredicate(DBG, result, predicate);
    return result;
}<\n>
>>

@genericParser.debugStuff() ::= <<
<if(grammar.grammarIsRoot)>
<createListenerAndHandshake(>
<endif>
>>

ctorForProfilingRootGrammar() ::= <<
>>

/** Basically we don't want to set any dbg listeners as root will have it. */
ctorForDelegateGrammar() ::= <<

>>

ctorForPredefinedListener() ::= <<

>>

```

```

createListenerAndHandshake() ::= <<
{
// DEBUG MODE code
//
pANTLR3_DEBUG_EVENT_LISTENER proxy;
proxy = antlr3DebugListenerNew();
proxy->grammarFileName = INPUT->tokenSource->strFactory->newStr8(INPUT->tokenSource->strFactory,
(pANTLR3_UINT8)ctx->getGrammarFileName());

<if(TREE_PARSER)>
proxy->adaptor = ADAPTOR;
<endif>
PARSER->setDebugListener(PARSER, proxy);

// Try to connect to the debugger (waits forever for a connection)
//
proxy->handshake(proxy);

// End DEBUG MODE code
//
}
>>

```

```

@rule.preamble() ::= <<
if ( getRuleLevel()==0 )
{
DBG->commence(DBG);
}
DBG->enterRule(DBG, getGrammarFileName(), (const char *)"<ruleName>");
incRuleLevel();
DBG->location(DBG, <ruleDescriptor.tree.line>, <ruleDescriptor.tree.column>);<\n>
>>

```

```

@rule.postamble() ::= <<
DBG->location(DBG, <ruleDescriptor.EORNode.line>, <ruleDescriptor.EORNode.column>);<\n>
DBG->exitRule(DBG, getGrammarFileName(), (const char *)"<ruleName>");
decRuleLevel();
if ( getRuleLevel()==0 )
{
DBG->terminate(DBG);
}
<\n>
>>

```

```

@checkRuleBacktrackFailure.debugClean() ::= <<
DBG->exitRule(DBG, getGrammarFileName(), (const char *)"<ruleName>");
decRuleLevel();

```

```

>>

@synpred.start() ::= "DBG->beginBacktrack(DBG, BACKTRACKING);"

@synpred.stop() ::= "DBG->endBacktrack(DBG, BACKTRACKING, success);"

// Common debug event triggers used by region overrides below

enterSubRule() ::=
  "DBG->enterSubRule(DBG, <decisionNumber>);<\n>"

exitSubRule() ::=
  "DBG->exitSubRule(DBG, <decisionNumber>);<\n>"

enterDecision() ::=
  "DBG->enterDecision(DBG, <decisionNumber>);<\n>"

exitDecision() ::=
  "DBG->exitDecision(DBG, <decisionNumber>);<\n>"

enterAlt(n) ::= "DBG->enterAlt(DBG, <n>);<\n>"

// Region overrides that tell various constructs to add debugging triggers

@block.predecision() ::= "<enterSubRule()><enterDecision()>"

@block.postdecision() ::= "<exitDecision()>"

@block.postbranch() ::= "<exitSubRule()>"

@ruleBlock.predecision() ::= "<enterDecision()>"

@ruleBlock.postdecision() ::= "<exitDecision()>"

@ruleBlockSingleAlt.prealt() ::= "<enterAlt(n=\"1\")>"

@blockSingleAlt.prealt() ::= "<enterAlt(n=\"1\")>"

@positiveClosureBlock.preloop() ::= "<enterSubRule()>"

@positiveClosureBlock.postloop() ::= "<exitSubRule()>"

@positiveClosureBlock.predecision() ::= "<enterDecision()>"

@positiveClosureBlock.postdecision() ::= "<exitDecision()>"

@positiveClosureBlock.earlyExitException() ::=
  "DBG->recognitionException(DBG, EXCEPTION);<\n>"

```

```

@closureBlock.preloop() ::= "<enterSubRule(>"

@closureBlock.postloop() ::= "<exitSubRule(>"

@closureBlock.predecision() ::= "<enterDecision(>"

@closureBlock.postdecision() ::= "<exitDecision(>"

@altSwitchCase.preal() ::= "<enterAlt(altNum)>"

@element.prematch() ::=
  "DBG->location(DBG, <e.line>, <e.pos>);" // e is arg of element

@matchSet.mismatchedSetException() ::=
  "DBG->recognitionException(DBG, EXCEPTION);"

@newNVException.noViableAltException() ::= "DBG->recognitionException(DBG, EXCEPTION);"

dfaDecision(decisionNumber,description) ::= <<
alt<decisionNumber> = cdfa<decisionNumber>.predict(ctx, RECOGNIZER, ISTREAM,
&cdfa<decisionNumber>);
if (HASEXCEPTION())
{
  DBG->recognitionException(DBG, EXCEPTION);
  goto rule<ruleDescriptor.name>Ex;
}
<checkRuleBacktrackFailure(>
>>

@cyclicDFA.errorMethod() ::= <<
//static void
//dfaError(p<name> ctx)
//{
//  DBG->recognitionException(DBG, EXCEPTION);
//}
>>

/** Force predicate validation to trigger an event */
evalPredicate(pred,description) ::= <<
evalPredicate(ctx, <pred>, (const char *)"<description>")
>>

Found in path(s):
* /opt/cola/permits/1274703855_1645234694.1/0/antlr-3-5-2-sources-jar/org/antlr/codegen/templates/C/Dbg.stg
No license file was found, but licenses were detected in source scan.

/*

```



[The "BSD license"]

Copyright (c) 2007 Kay Roepke 2010 Alan Condit

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The name of the author may not be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

\*/

/\*\* Templates for building ASTs during tree parsing.

\*

\* Deal with many combinations. Dimensions are:

\* Auto build or rewrite

\* no label, label, list label (label/no-label handled together)

\* child, root

\* token, set, rule, wildcard

\*

\* Each combination has its own template except that label/no label

\* is combined into tokenRef, ruleRef, ...

\*/

/\* addition memVars for returnscopes \*/

@returnScopeInterface.memVars() ::= <<

/\* ASTTreeParser returnScopeInterface.memVars \*/

<recognizer.ASTLabelType; null="CommonTree"> \*tree;

>>

/\*\* the interface of returnScope methodsDecl \*/

@returnScopeInterface.methodsDecl() ::= <<

/\* ASTTreeParser returnScopeInterface.methodsDecl \*/

```

- (<recognizer.ASTLabelType; null="CommonTree"> *)getTree;
- (void) setTree:(<recognizer.ASTLabelType; null="CommonTree"> *)aTree;<\n>
>>

/** the implementation of returnScope methods */
@returnScope.methods() ::= <<
/* ASTTreeParser returnScope.methods */
- (<ASTLabelType> *)getTree
{
    return tree;
}

- (void) setTree:(<ASTLabelType> *)aTree
{
    if (tree != aTree) {
        if (tree != nil) [tree release];
        if (aTree != nil) [aTree retain];
        tree = aTree;
    }
}

- (void) dealloc
{
    [self setTree:nil];
    [super dealloc];
}

@synthesize tree;
>>

@returnScopeProperties() ::= <<
@property (retain) <recognizer.ASTLabelType; null="CommonTree"> *tree;
>>

/** Add a variable to track last element matched */
ruleDeclarations() ::= <<
/* ASTTreeParser ruleDeclarations */
<super.ruleDeclarations()>
<ASTLabelType> *_first_0 = nil;
<ASTLabelType> *_last = nil;<\n>
>>

/** What to emit when there is no rewrite rule. For auto build
 * mode, does nothing.
 */
noRewrite(rewriteBlockLevel, treeLevel) ::= <<
/* ASTTreeParser noRewrite */
<if(backtracking)>if ( <actions.(actionScope).synpredgate> ) {<endif>

```

```

<if(rewriteMode)>
retval.tree = (<ASTLabelType> *)_first_0;
if ( [treeAdaptor getParent:retval.tree] != nil && [treeAdaptor isNil:[treeAdaptor getParent:retval.tree]] ) )
    retval.tree = (<ASTLabelType> *)[treeAdaptor getParent:retval.tree];
<endif>
<if(backtracking)></if>
>>

/** match ^(root children) in tree parser; override here to
 * add tree construction actions.
 */
tree(root, actionsAfterRoot, children, nullableChildList,
    enclosingTreeLevel, treeLevel) ::= <<
/* ASTTreeParser tree */
_last = (<ASTLabelType> *)[input LT:1];
{
<ASTLabelType> *_save_last_<treeLevel> = _last;
<ASTLabelType> *_first_<treeLevel> = nil;
<if(!rewriteMode)>
<ASTLabelType> *root_<treeLevel> = [[[treeAdaptor class] newEmptyTree] retain];
<endif>
<root:element()>
<if(rewriteMode)>
<if(backtracking)>if ( <actions.(actionScope).synpredgate> )<endif>
<if(root.el.rule)>
if ( _first_<enclosingTreeLevel>==nil ) _first_<enclosingTreeLevel> = <root.el.label>.tree;
<else>
if ( _first_<enclosingTreeLevel>==nil ) _first_<enclosingTreeLevel> = <root.el.label>;
<endif>
<endif>
<actionsAfterRoot:element()>
<if(nullableChildList)>
if ( [input LA:1] == TokenTypeDOWN ) {
    [self match:input TokenType:TokenTypeDOWN Follow:nil]; <checkRuleBacktrackFailure()>
    <children:element()>
    [self match:input TokenType:TokenTypeUP Follow:nil]; <checkRuleBacktrackFailure()>
}
<else>
[self match:input TokenType:TokenTypeDOWN Follow:nil]; <checkRuleBacktrackFailure()>
<children:element()>
[self match:input TokenType:TokenTypeUP Follow:nil]; <checkRuleBacktrackFailure()>
<endif>
<if(!rewriteMode)>
[treeAdaptor addChild:root_<treeLevel> toTree:root_<enclosingTreeLevel>];
<endif>
_last = _save_last_<treeLevel>;
}<\n>
>>

```

```

// TOKEN AST STUFF

/** ID! and output=AST (same as plain tokenRef) 'cept add
 * setting of _last
 */
tokenRefBang(token,label,elementIndex,terminalOptions) ::= <<
/* ASTTreeParser tokenRefBang */
_last = (<ASTLabelType> *)[input LT:1];
<super.tokenRef(...)>
>>

/** ID auto construct */
tokenRef(token,label,elementIndex,terminalOptions) ::= <<
/* ASTTreeParser tokenRef */
_last = (<ASTLabelType> *)[input LT:1];
<super.tokenRef(...)>
<if(!rewriteMode)>
<if(backtracking)>if ( <actions.(actionScope).synpredgate> ) {<endif>
<if(terminalOptions.node)>
  <label>_tree = [<terminalOptions.node> new<terminalOptions.node>:<label>];
<else>
  <label>_tree = (<ASTLabelType> *)[treeAdaptor dupNode:<label>];
<endif><<n>
  [treeAdaptor addChild:<label>_tree toTree:root_<treeLevel>];
<if(backtracking)>}<endif>
<else> <! rewrite mode !>
<if(backtracking)>if ( <actions.(actionScope).synpredgate> )<endif>
if ( _first_<treeLevel>==nil ) _first_<treeLevel> = <label>;
<endif>
>>

/** label+=TOKEN auto construct */
tokenRefAndListLabel(token,label,elementIndex,terminalOptions) ::= <<
/* ASTTreeParser tokenRefAndListLabel */
<tokenRef(...)>
<listLabel(elem=label,...)>
>>

/** ^(ID ...) auto construct */
tokenRefRuleRoot(token,label,elementIndex) ::= <<
/* ASTTreeParser tokenRefRuleRoot */
_last = (<ASTLabelType> *)[input LT:1];
<super.tokenRef(...)>
<if(!rewriteMode)>
<if(backtracking)>if ( <actions.(actionScope).synpredgate> ) {<endif>
<if(terminalOptions.node)>
<label>_tree = [<terminalOptions.node> new<terminalOptions.node>:<label>];

```

```

<else>
<label>_tree = (<ASTLabelType> *)[treeAdaptor dupNode:<label>];
<endif><\n>
root_<treeLevel> = (<ASTLabelType> *)[treeAdaptor becomeRoot:<label>_tree old:root_<treeLevel>];
<if(backtracking)><endif>
<endif>
>>

/** Match ^(label+=TOKEN ...) auto construct */
tokenRefRuleRootAndListLabel(token,label,elementIndex,terminalOptions) ::= <<
/* ASTTreeParser tokenRefRuleRootAndListLabel */
<tokenRefRuleRoot(...)>
<listLabel(elem=label,...)>
>>

/** Match . wildcard and auto dup the node/subtree */
wildcard(token,label,elementIndex,terminalOptions) ::= <<
/* ASTTreeParser wildcard */
_last = (<ASTLabelType> *)[input LT:1];
<super.wildcard(...)>
<if(!rewriteMode)>
<if(backtracking)>if ( <actions.(actionScope).synpredgate> ) {<endif>
<label>_tree = (<ASTLabelType> *)[adaptor dupTree:<label>];
[adaptor addChild:<label>_tree toTree:root_<treeLevel>];
<if(backtracking)><endif>
<else> <! rewrite mode !>
<if(backtracking)>if ( <actions.(actionScope).synpredgate> )<endif>
if ( _first_<treeLevel> == nil ) _first_<treeLevel> = <label>;
<endif>
>>

// SET AST

matchSet(s,label,terminalOptions,elementIndex,postmatchCode) ::= <<
/* ASTTreeParser matchSet */
_last = (<ASTLabelType> *)[input LT:1];
<super.matchSet(postmatchCode={
<if(!rewriteMode)>
<if(backtracking)>if ( <actions.(actionScope).synpredgate> ) {<endif>
<if(terminalOptions.node)>
<label>_tree = [<terminalOptions.node> new<terminalOptions.node>:<label>];
<else>
<label>_tree = (<ASTLabelType> *)[adaptor dupNode:<label>];
<endif><\n>
[adaptor addChild:<label>_tree toTree:root_<treeLevel>];
<if(backtracking)>}<endif>
<endif>
}, ...

```

```

)>
>>

matchRuleBlockSet(s,label,terminalOptions,elementIndex,postmatchCode,treeLevel="0") ::= <<
/* ASTTreeParser matchRuleBlockSet */
<matchSet(...)>
<noRewrite(...)> <! set return tree !>
>>

matchSetBang(s,label,terminalOptions,elementIndex,postmatchCode) ::= <<
/* ASTTreeParser matchSetBang */
_last = (<ASTLabelType> *)[input LT:1];
<super.matchSet(...)>
>>

matchSetRuleRoot(s,label,terminalOptions,elementIndex,debug) ::= <<
/* ASTTreeParser matchSetRuleRoot */
<super.matchSet(postmatchCode={
<if(!rewriteMode)>
<if(backtracking)>if ( <actions.(actionScope).synpredgate> ) {<endif>
<if(terminalOptions.node)>
<label>_tree = [<terminalOptions.node> new<terminalOptions.node>:<label>];
<else>
<label>_tree = (<ASTLabelType> *)[adaptor dupNode:<label>];
<endif><\n>
root_<treeLevel> = (<ASTLabelType> *)[adaptor becomeRoot:<label>_tree old:root_<treeLevel>];
<if(backtracking)>}\}<endif>
<endif>
}, ...
)>
>>

// RULE REF AST

/** rule auto construct */
ruleRef(rule,label,elementIndex,args,scope) ::= <<
/* ASTTreeParser ruleRef */
_last = (<ASTLabelType> *)[input LT:1];
<super.ruleRef(...)>
<if(backtracking)>if ( <actions.(actionScope).synpredgate> ) <endif>
<if(!rewriteMode)>
  [treeAdaptor addChild:<label>.tree toTree:root_<treeLevel>];
<else> <! rewrite mode !>
if ( _first_<treeLevel> == nil ) _first_<treeLevel> = <label>.tree;
<endif>
>>

/** x+=rule auto construct */

```

```

ruleRefAndListLabel(rule,label,elementIndex,args,scope) ::= <<
/* ASTTreeParser ruleRefAndListLabel */
<ruleRef(...)>
<!<listLabel(elem = "["+label+" getTree]",...)> !>
<listLabel(elem = {[<label> getTree]},...)>
>>

/** ^(rule ...) auto construct */
ruleRefRuleRoot(rule,label,elementIndex,args,scope) ::= <<
/* ASTTreeParser ruleRefRuleRoot */
_last = (<ASTLabelType> *)[input LT:1];
<super.ruleRef(...)>
<if(!rewriteMode)>
<if(backtracking)>if ( state.backtracking == 0 ) <endif>
root_<treeLevel> = (<ASTLabelType> *)[treeAdaptor becomeRoot:<label>.tree old:root_<treeLevel>];
<endif>
>>

/** ^(x+=rule ...) auto construct */
ruleRefRuleRootAndListLabel(rule,label,elementIndex,args,scope) ::= <<
/* ASTTreeParser ruleRefRuleRootAndListLabel */
<ruleRefRuleRoot(...)>
<listLabel(elem = {[<label> getTree]},...)>
>>

/** rule when output=AST and tracking for rewrite */
ruleRefTrack(rule,label,elementIndex,args,scope) ::= <<
/* ASTTreeParser ruleRefTrack */
_last = (<ASTLabelType> *)[input LT:1];
<super.ruleRefTrack(...)>
>>

/** x+=rule when output=AST and tracking for rewrite */
ruleRefTrackAndListLabel(rule,label,elementIndex,args,scope) ::= <<
/* ASTTreeParser ruleRefTrackAndListLabel */
_last = (<ASTLabelType> *)[input LT:1];
<super.ruleRefTrackAndListLabel(...)>
>>

/** ^(rule ...) rewrite */
ruleRefRuleRootTrack(rule,label,elementIndex,args,scope) ::= <<
/* ASTTreeParser ruleRefRuleRootTrack */
_last = (<ASTLabelType> *)[input LT:1];
<super.ruleRefRootTrack(...)>
>>

/** ^(x+=rule ...) rewrite */
ruleRefRuleRootTrackAndListLabel(rule,label,elementIndex,args,scope) ::= <<

```

```

/* ASTTreeParser ruleRefRuleRootTrackAndListLabel */
_last = (<ASTLabelType> *)[input LT:1];
<super.ruleRefRuleRootTrackAndListLabel(...)>
>>

/** Streams for token refs are tree nodes now; override to
 * change nextToken to nextNode.
 */
createRewriteNodeFromElement(token,terminalOptions,scope) ::= <<
/* ASTTreeParser createRewriteNodeFromElement */
<if(terminalOptions.node)>
<! new <terminalOptions.node>(stream_<token>.nextNode()) !>
[[[<terminalOptions.node>(stream_<token> alloc] init] nextNode];
<else>
<! stream_<token>.nextNode() !>
[stream_<token> nextNode]
<endif>
>>

ruleCleanUp() ::= <<
/* ASTTreeParser ruleCleanUp */
<super.ruleCleanUp()>
<if(!rewriteMode)>
<if(backtracking)>if ( <actions.(actionScope).synpredgate> ) {<\n><endif>
retval.tree = (<ASTLabelType> *)[treeAdaptor rulePostProcessing:root_0];
<if(backtracking)>}<endif>
<endif>
>>

```

Found in path(s):

```

* /opt/cola/permits/1274703855_1645234694.1/0/antlr-3-5-2-sources-
jar/org/antlr/codegen/templates/ObjC/ASTTreeParser.stg

```

No license file was found, but licenses were detected in source scan.

```

/*
 * [The "BSD license"]
 * Copyright (c) 2007-2008 Johannes Luber
 * Copyright (c) 2005-2007 Kunle Odutola
 * Copyright (c) 2005 Terence Parr
 * All rights reserved.
 *
 * Redistribution and use in source and binary forms, with or without
 * modification, are permitted provided that the following conditions
 * are met:
 * 1. Redistributions of source code must retain the above copyright
 * notice, this list of conditions and the following disclaimer.
 * 2. Redistributions in binary form must reproduce the above copyright
 * notice, this list of conditions and the following disclaimer in the

```



```

* documentation and/or other materials provided with the distribution.
* 3. The name of the author may not be used to endorse or promote products
* derived from this software without specific prior written permission.
*
* THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR
* IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.
* IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,
* INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT
* NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
* DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
* THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
* (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF
* THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
*/

```

```

/** Template overrides to add debugging to AST stuff. Dynamic inheritance
* hierarchy is set up as ASTDbg : AST : Dbg : Java by code generator.
*/

```

```

parserMembers() ::= <<
protected DebugTreeAdaptor adaptor;

public ITreeAdaptor TreeAdaptor
{
    get
    {
        return adaptor;
    }
    set
    {
<if(grammar.grammarIsRoot)>
        this.adaptor = new DebugTreeAdaptor(dbg,adaptor);
<else>
        this.adaptor = (DebugTreeAdaptor)adaptor; // delegator sends dbg adaptor
<endif><\n>
        <grammar.directDelegates:{g|<:g:delegateName()>.TreeAdaptor = this.adaptor;}>
    }
}<\n>
>>

```

```

parserCtorBody() ::= <<
<super.parserCtorBody()>
>>

```

```

createListenerAndHandshake() ::= <<
DebugEventSocketProxy proxy = new DebugEventSocketProxy( this, port,
<if(TREE_PARSER)>input.TreeAdaptor<else>adaptor<endif> );

```

```

DebugListener = proxy;
<inputStreamType> = new Debug<inputStreamType>( input, proxy );
try
{
    proxy.Handshake();
}
catch ( IOException ioe )
{
    ReportError( ioe );
}
>>

```

```

@ctorForRootGrammar.finally() ::= <<
ITreeAdaptor adap = new CommonTreeAdaptor();
TreeAdaptor = adap;
proxy.TreeAdaptor = adap;
>>

```

```

@ctorForProfilingRootGrammar.finally() ::= <<
ITreeAdaptor adap = new CommonTreeAdaptor();
TreeAdaptor = adap;
>>

```

```

@ctorForPredefinedListener.superClassRef() ::= ": base( input, dbg )"

```

```

@ctorForPredefinedListener.finally() ::= <<
<if(grammar.grammarIsRoot)><! don't create new adaptor for delegates !>
ITreeAdaptor adap = new CommonTreeAdaptor();
TreeAdaptor = adap;<\n>
<endif>
>>

```

```

//@rewriteElement.pregen() ::= "dbg.Location( <e.line>, <e.pos> );"

```

Found in path(s):

```

* /opt/cola/permits/1274703855_1645234694.1/0/antlr-3-5-2-sources-
jar/org/antlr/codegen/templates/CSharp2/ASTDbg.stg

```

No license file was found, but licenses were detected in source scan.

```

/*
* [The "BSD license"]
* Copyright (c) 2005-2008 Terence Parr
* All rights reserved.
*
* Conversion to C#:
* Copyright (c) 2008-2010 Sam Harwell, Pixel Mine, Inc.
* All rights reserved.
*

```

\* Redistribution and use in source and binary forms, with or without  
\* modification, are permitted provided that the following conditions  
\* are met:  
\* 1. Redistributions of source code must retain the above copyright  
\* notice, this list of conditions and the following disclaimer.  
\* 2. Redistributions in binary form must reproduce the above copyright  
\* notice, this list of conditions and the following disclaimer in the  
\* documentation and/or other materials provided with the distribution.  
\* 3. The name of the author may not be used to endorse or promote products  
\* derived from this software without specific prior written permission.  
\*  
\* THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR  
\* IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES  
\* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.  
\* IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,  
\* INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT  
\* NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,  
\* DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY  
\* THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT  
\* (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF  
\* THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.  
\*/

Found in path(s):

\* /opt/cola/permits/1274703855\_1645234694.1/0/antlr-3-5-2-sources-jar/org/antlr/codegen/CSharp3Target.java  
No license file was found, but licenses were detected in source scan.

/\*

[The "BSD license"]

Copyright (c) 2005-2009 Gokulakannan Somasundaram,

All rights reserved.

Redistribution and use in source and binary forms, with or without  
modification, are permitted provided that the following conditions  
are met:

1. Redistributions of source code must retain the above copyright  
notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright  
notice, this list of conditions and the following disclaimer in the  
documentation and/or other materials provided with the distribution.
3. The name of the author may not be used to endorse or promote products  
derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR  
IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES  
OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.  
IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,

INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

\*/

/\*

\* This code generating template and the associated Cpp runtime was produced by:

\* Gokulakannan Somasundaram ( heavy lifting from C Run-time by Jim Idle )

\*/

cTypeInitMap ::= [

```
"int"   : "0",      // Integers  start out being 0
"long"  : "0",      // Longs    start out being 0
"float" : "0.0",    // Floats  start out being 0
"double": "0.0",    // Doubles start out being 0
"bool"  : "false", // Booleans start out being Antlr C for false
"byte"  : "0",      // Bytes   start out being 0
"short" : "0",      // Shorts  start out being 0
"char"  : "0"       // Chars   start out being 0
```

]

leadIn(type) ::=

<<

/\*\* \file

\* This <type> file was generated by \$ANTLR version <ANTLRVersion>

\*

\* - From the grammar source file : <fileName>

\* - On : <generatedTimestamp>

<if(LEXER)>

\* - for the lexer : <name>Lexer

<endif>

<if(PARSER)>

\* - for the parser : <name>Parser

<endif>

<if(TREE\_PARSER)>

\* - for the tree parser : <name>TreeParser

<endif>

\*

\* Editing it, at least manually, is not wise.

\*

\* C++ language generator and runtime by Gokulakannan Somasundaram ( heavy lifting from C Run-time by Jim

Idle )

\*

\*

>>

```

/** The overall file structure of a recognizer; stores methods for rules
 * and cyclic DFAs plus support code.
 */
outputFile( LEXER,
            PARSEr,
            TREE_PARSER,
            actionScope,
            actions,
            docComment,
            recognizer,
            name,
            tokens,
            tokenNames,
            rules,
            cyclicDFAs,
            bitsets,
            buildTemplate,
            buildAST,
            rewriteMode,
            profile,
            backtracking,
            synpreds,
            memoize,
            numRules,
            fileName,
            ANTLRVersion,
            generatedTimestamp,
            trace,
            scopes,
            superClass,
            literals
        ) ::=
<<
<leadIn("C++ source")>
*/
// [The "BSD license"]
// Copyright (c) 2005-2009 Gokulakannan Somasundaram, ElectronDB
//
// All rights reserved.
//
// Redistribution and use in source and binary forms, with or without
// modification, are permitted provided that the following conditions
// are met:
// 1. Redistributions of source code must retain the above copyright
// notice, this list of conditions and the following disclaimer.
// 2. Redistributions in binary form must reproduce the above copyright
// notice, this list of conditions and the following disclaimer in the
// documentation and/or other materials provided with the distribution.

```

```
// 3. The name of the author may not be used to endorse or promote products
// derived from this software without specific prior written permission.
//
// THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR
// IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
// OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.
// IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,
// INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT
// NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
// DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
// THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
// (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF
// THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
```

```
<if(actions.(actionScope).header)>
```

```
/* =====
```

```
* This is what the grammar programmer asked us to put at the top of every file.
```

```
*/
```

```
<actions.(actionScope).header>
```

```
/* End of Header action.
```

```
* =====
```

```
*/
```

```
<endif>
```

```
/* -----
```

```
* Include the ANTLR3 generated header file.
```

```
*/
```

```
#include "<name>.hpp"
```

```
<if(trace)>
```

```
#include <iostream>
```

```
<endif>
```

```
<if(recognizer.grammar.delegators)>
```

```
// Include delegator definition header files
```

```
//
```

```
<recognizer.grammar.delegators: {g#include "<g.recognizerName>.hpp" }; separator="\n">
```

```
<endif>
```

```
<actions.(actionScope).postinclude>
```

```
/* ----- */
```

```
<docComment>
```

```
<if(literals)>
```

```
<beginNamespace(actions)>
```

```
/** String literals used by <name> that we must do things like MATCHS() with.
```

```

* C will normally just lay down 8 bit characters, and you can use L"xxx" to
* get wchar_t, but wchar_t is 16 bits on Windows, which is not UTF32 and so
* we perform this little trick of defining the literals as arrays of UINT32
* and passing in the address of these.
*/

```

```

<literals:{it | static ANTLR_UCHAR lit_<i>[] = <it>;}; separator="\n">

```

```

<endNamespace(actions)>

```

```

<endif>

```

```

/* ===== */

```

```

/* =====

```

```

* Start of recognizer

```

```

*/

```

```

<recognizer>

```

```

/* End of code

```

```

* =====

```

```

*/

```

```

>>

```

```

headerFileExtension() ::= ".hpp"

```

```

beginNamespace(actions) ::= <%

```

```

<if(actions.(actionScope).namespace)>

```

```

namespace <actions.(actionScope).namespace> {

```

```

<endif>

```

```

%>

```

```

endNamespace(actions) ::= <%

```

```

<if(actions.(actionScope).namespace)>

```

```

}

```

```

<endif>

```

```

%>

```

```

headerFile( LEXER,

```

```

    PARSER,

```

```

    TREE_PARSER,

```

```

    actionScope,

```

```

    actions,

```

```

    docComment,

```

```

    recognizer,

```

```

    name,

```

```

    tokens,

```

```

    tokenNames,
    rules,
    cyclicDFAs,
    bitsets,
    buildTemplate,
    buildAST,
    rewriteMode,
    profile,
    backtracking,
    synpreds,
    memoize,
    numRules,
    fileName,
    ANTLRVersion,
    generatedTimestamp,
    trace,
    scopes,
    superClass,
    literals
) ::=
<<
<leadIn("C++ header")>
<if(PARSER)>
* The parser <mainName()> has the callable functions (rules) shown below,
<endif>
<if(LEXER)>
* The lexer <mainName()> has the callable functions (rules) shown below,
<endif>
<if(TREE_PARSER)>
* The tree parser <mainName()> has the callable functions (rules) shown below,
<endif>
* which will invoke the code for the associated rule in the source grammar
* assuming that the input stream is pointing to a token/text stream that could begin
* this rule.
*
* For instance if you call the first (topmost) rule in a parser grammar, you will
* get the results of a full parse, but calling a rule half way through the grammar will
* allow you to pass part of a full token stream to the parser, such as for syntax checking
* in editors and so on.
*
*/
// [The "BSD license"]
// Copyright (c) 2005-2009 Gokulakannan Somasundaram.
//
// All rights reserved.
//
// Redistribution and use in source and binary forms, with or without
// modification, are permitted provided that the following conditions

```



```

// are met:
// 1. Redistributions of source code must retain the above copyright
// notice, this list of conditions and the following disclaimer.
// 2. Redistributions in binary form must reproduce the above copyright
// notice, this list of conditions and the following disclaimer in the
// documentation and/or other materials provided with the distribution.
// 3. The name of the author may not be used to endorse or promote products
// derived from this software without specific prior written permission.
//
// THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR
// IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
// OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.
// IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,
// INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT
// NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
// DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
// THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
// (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF
// THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

#ifndef _<name>_H
#define _<name>_H
<actions.(actionScope).preincludes>
/* =====
* Standard antlr3 C++ runtime definitions
*/
#include \<antlr3.hpp>

/* End of standard antlr 3 runtime definitions
* =====
*/

<actions.(actionScope).includes>

<if(recognizer.grammar.delegates)>
// Include delegate definition header files
//
<recognizer.grammar.delegates: {g|#include "<g.recognizerName>.hpp"}; separator="\n">

<endif>

<actions.(actionScope).header>

#ifdef WIN32
// Disable: Unreferenced parameter, - Rules with parameters that are not used
// constant conditional, - ANTLR realizes that a prediction is always true (synpred usually)
// initialized but unused variable - tree rewrite variables declared but not needed

```

```

//      Unreferenced local variable    - lexer rule declares but does not always use _type
//      potentially uninitialized variable used - retval always returned from a rule
//      unreferenced local function has been removed - susually getTokenNames or freeScope, they can go without
warnigns
//
// These are only really displayed at warning level /W4 but that is the code ideal I am aiming at
// and the codegen must generate some of these warnings by necessity, apart from 4100, which is
// usually generated when a parser rule is given a parameter that it does not use. Mostly though
// this is a matter of orthogonality hence I disable that one.
//
#pragma warning( disable : 4100 )
#pragma warning( disable : 4101 )
#pragma warning( disable : 4127 )
#pragma warning( disable : 4189 )
#pragma warning( disable : 4505 )
#pragma warning( disable : 4701 )
#endif
<if(backtracking)>

/* =====
* BACKTRACKING IS ENABLED
* =====
*/
<endif>

<beginNamespace(actions)>

<if(recognizer.grammar.delegators)>
// Include delegator definition classes
//
<recognizer.grammar.delegators: {g|class <g.recognizerName>; }; separator="\n">
<endif>

<actions.(actionScope).traits>
typedef <name>Traits <name>ImplTraits;

<rules:{r | <if(r.ruleDescriptor.isSynPred)> struct <r.ruleDescriptor.name> {}; <endif>; }; separator="\n">

class <name>Tokens
{
public:
/** Symbolic definitions of all the tokens that the <grammarType()> will work with.
*
* Antlr will define EOF, but we can't use that as it is too common in
* in C header files and that would be confusing. There is no way to filter this out at the moment
* so we just undef it here for now. That isn't the value we get back from C recognizers
* anyway. We are looking for ANTLR_TOKEN_EOF.
*/
*/

```

```

enum Tokens
{
    EOF_TOKEN = <name>ImplTraits::CommonTokenType::TOKEN_EOF
    <tokens:{it | , <it.name> = <it.type> }; separator="\n">
};

};

/** Context tracking structure for <mainName()>
 */
class <name> : public <componentBaseType()>, public <name>Tokens
{
public:
    typedef <name>ImplTraits ImplTraits;
    typedef <name> ComponentType;
    typedef ComponentType::StreamType StreamType;
    typedef <componentBaseType()> BaseType;
    typedef ImplTraits::RecognizerSharedStateType\<StreamType> RecognizerSharedStateType;
    typedef StreamType InputType;
    <if(recognizer.filterMode)>
        static const bool IsFiltered = true;
    <else>
        static const bool IsFiltered = false;
    <endif>

    <scopes:{it | <if(it.isDynamicGlobalScope)><globalAttributeScopeDecl(it)><endif>}>
    <rules:{r | <if(r.ruleDescriptor.ruleScope)><ruleAttributeScopeDecl(scope=r.ruleDescriptor.ruleScope)><endif>}>

private:
    <if(recognizer.grammar.delegates)>
        <recognizer.grammar.delegates:
            {g|<g.recognizerName>* m_<g.delegateName()>;}; separator="\n">
        <endif>
    <if(recognizer.grammar.delegators)>
        <recognizer.grammar.delegators:
            {g|<g.recognizerName>* m_<g.delegateName()>;}; separator="\n">
        <endif>
    <scopes:{it | <if(it.isDynamicGlobalScope)>
        <globalAttributeScopeDef(it)>
    <endif>}; separator="\n\n">
    <rules:{r |<if(r.ruleDescriptor.ruleScope)>
        <ruleAttributeScopeDef(scope=r.ruleDescriptor.ruleScope)>
    <endif>}>
    <@members>
    <@end>

public:
    <name>(InputType* instream<recognizer.grammar.delegators:{g|, <g.recognizerName>*

```

```

<g:delegateName(>}>);
    <name>(InputType* instream, RecognizerSharedStateType* state<recognizer.grammar.delegators:{g|,
<g.recognizerName>* <g:delegateName(>}>);

    void init(InputType* instream <recognizer.grammar.delegators:{g|, <g.recognizerName>* <g:delegateName(>}>
);

    <actions.(actionScope).context>

<if(LEXER)>
<if(recognizer.filterMode)>
    void memoize(ANTLR_MARKER ruleIndex, ANTLR_MARKER ruleParseStart);
    bool alreadyParsedRule(ANTLR_MARKER ruleIndex);
    <filteringNextToken(>
<endif>
    <rules:{r | <if(!r.ruleDescriptor.isSynPred)><headerReturnType(ruleDescriptor=r.ruleDescriptor)>
m<r.ruleDescriptor.name>( <r.ruleDescriptor.parameterScope:parameterScope(>);<endif>}; separator="\n">
    <rules:{r | <if(r.ruleDescriptor.isSynPred)> <headerReturnType(ruleDescriptor=r.ruleDescriptor)> msynpred(
antlr3::ClassForwarder< <r.ruleDescriptor.name> > <r.ruleDescriptor.parameterScope:parameterScope(>);
    void m<r.ruleDescriptor.name>_fragment (<r.ruleDescriptor.parameterScope:parameterScope(>);<endif>};
separator="\n">
<endif>
<if(!LEXER)>
    <rules:{r | <headerReturnScope(ruleDescriptor=r.ruleDescriptor)>}>
    <rules:{r | <if(!r.ruleDescriptor.isSynPred)> <headerReturnType(ruleDescriptor=r.ruleDescriptor)>
<r.ruleDescriptor.name> (<r.ruleDescriptor.parameterScope:parameterScope(>); <endif>}; separator="\n">
    <rules:{r | <if(r.ruleDescriptor.isSynPred)> <headerReturnType(ruleDescriptor=r.ruleDescriptor)> msynpred(
antlr3::ClassForwarder< <r.ruleDescriptor.name> > <r.ruleDescriptor.parameterScope:parameterScope(>);
    void m<r.ruleDescriptor.name>_fragment (<r.ruleDescriptor.parameterScope:parameterScope(>);<endif>};
separator="\n">
<! generate rule/method definitions for imported rules so they
appear to be defined in this recognizer. !>
    // Delegated rules
<recognizer.grammar.delegatedRules:{ruleDescriptor|
    <headerReturnType(ruleDescriptor)>
<ruleDescriptor.name>( <r.ruleDescriptor.parameterScope:parameterScope(>);}; separator="\n">
<endif>

    const char * getGrammarFileName();
    void reset();
    ~<name>();

};

// Function prototypes for the constructor functions that external translation units
// such as delegators and delegates may wish to call.
//
<if(!recognizer.grammar.grammarIsRoot)>

```

```

extern ANTLR_UINT8* <recognizer.grammar.composite.rootGrammar.recognizerName>TokenNames[];
<endif>

/* End of token definitions for <name>
* =====
*/

<endNamespace(actions)>

#endif

/* END - Note:Keep extra line feed to satisfy UNIX systems */

>>

grammarType() ::= <%
<if(PARSER)>
parser
<endif>
<if(LEXER)>
lexer
<endif>
<if(TREE_PARSER)>
tree parser
<endif>
%>

componentType() ::= <<
<if(PARSER)>
<name>ImplTraits::ParserType
<endif>
<if(LEXER)>
<name>ImplTraits::LexerType
<endif>
<if(TREE_PARSER)>
<name>ImplTraits::TreeParserType
<endif>
>>

componentBaseType() ::= <%
<if(PARSER)>
<name>ImplTraits::BaseParserType
<endif>
<if(LEXER)>
<name>ImplTraits::BaseLexerType
<endif>
<if(TREE_PARSER)>

```

```

<name>ImplTraits::BaseTreeParserType
<endif>
%>

streamType() ::= <<
<if(PARSER)>
<name>ImplTraits::ParserType::StreamType
<endif>
<if(LEXER)>
<name>ImplTraits::LexerType::StreamType
<endif>
<if(TREE_PARSER)>
<name>ImplTraits::TreeParserType::StreamType
<endif>
>>

mainName() ::= <%
<if(PARSER)>
<name>
<endif>
<if(LEXER)>
<name>
<endif>
<if(TREE_PARSER)>
<name>
<endif>
%>

headerReturnScope(ruleDescriptor) ::= "<returnScope(scope=ruleDescriptor.returnScope)>"

headerReturnType(ruleDescriptor) ::= <%
<if(LEXER)>
<if(!ruleDescriptor.isSynPred)>
void
<else>
<returnType()>
<endif>
<else>
<returnType()>
<endif>
%>

// Produce the lexer output
//
lexer( grammar,
      name,
      tokens,

```

```

    scopes,
    rules,
    numRules,
    filterMode,
    superClass,
    labelType="ImplTraits::CommonTokenType") ::= <<

using namespace antlr3;

<beginNamespace(actions)>

<if(filterMode)>

/* Override the normal MEMOIZE and HAVEALREADYPARSED macros as this is a filtering
 * lexer. In filter mode, the memoizing and backtracking are gated at BACKTRACKING > 1 rather
 * than just BACKTRACKING. In some cases this might generate code akin to:
 * if (BACKTRACKING) if (BACKTRACKING > 1) memoize.
 */
void <name>::memoize(ANTLR_MARKER ruleIndex, ANTLR_MARKER ruleParseStart)
{
    BaseType* base = this;
    if ( this->get_backtracking()>1 )
        base->memoize( ruleIndex, ruleParseStart );
}

bool <name>::alreadyParsedRule(ANTLR_MARKER ruleIndex)
{
    BaseType* base = this;
    if ( this->get_backtracking() > 1 )
        return base->haveParsedRule(ruleIndex);
    return false;
}

<endif>

/* =====
 * Lexer matching rules end.
 * =====
 */

<scopes:{it |<if(it.isDynamicGlobalScope)><globalAttributeScope(it)><endif>}>

<actions.lexer.members>

<name>::~~<name>()
{
    <if(memoize)>

```

```

RuleMemoType* rulememo = this->getRuleMemo();
if(rulememo != NULL)
{
    delete rulememo;
    this->setRuleMemo(NULL);
}
<endif>
<if(grammar.directDelegates)>
// Free the lexers that we delegated to
// functions to. NULL the state so we only free it once.
//
<grammar.directDelegates:
    {g| m_<g:delegateName()->set_lexstate(NULL);
    delete m_<g:delegateName()->; }; separator="\n">
<endif>
}

void
<name>::reset()
{
    this->get_rec()->reset();
}

/** \brief Name of the grammar file that generated this code
*/
static const char fileName[] = "<fileName>";

/** \brief Return the name of the grammar file that generated this code.
*/
const char* <name>::getGrammarFileName()
{
    return fileName;
}

/** \brief Create a new lexer called <name>
*
* \param[in] instream Pointer to an initialized input stream
* \return
* - Success p<name> initialized for the lex start
* - Fail NULL
*/
<name>::<name>(StreamType* instream<grammar.delegators:{g|, <g.recognizerName>* <g:delegateName()->>})
:<name>ImplTraits::BaseLexerType(ANTLR_SIZE_HINT, instream, NULL)
{
    // See if we can create a new lexer with the standard constructor
    //
    this->init(instream <grammar.delegators:{g|, <g:delegateName()->>});
}

```



```

/** \brief Create a new lexer called <name>
 *
 * \param[in] instream Pointer to an initialized input stream
 * \param[state] state Previously created shared recognizer stat
 * \return
 * - Success p<name> initialized for the lex start
 * - Fail NULL
 */
<name>::<name>(StreamType* instream, RecognizerSharedStateType* state<grammar.delegates:{g|,
<g.recognizerName>* <g.delegateName()>}>)
:<name>ImplTraits::BaseLexerType(ANTLR_SIZE_HINT, instream, state)
{
    this->init(instream <grammar.delegates:{g|, <g.delegateName()> } >);
}

void <name>::init(StreamType* instream<grammar.delegates:{g|, <g.recognizerName>* <g.delegateName()> } >)
{
    /* -----
    * Memory for basic structure is allocated, now to fill in
    * in base ANTLR3 structures. We initialize the function pointers
    * for the standard ANTLR3 lexer function set, but upon return
    * from here, the programmer may set the pointers to provide custom
    * implementations of each function.
    *
    * We don't use the macros defined in <name>.h here so you can get a sense
    * of what goes where.
    */

<if(memoize)>
<if(grammar.grammarIsRoot)>
    // Create a LIST for recording rule memos.
    //
    this->setRuleMemo( new IntTrie(15) ); /* 16 bit depth is enough for 32768 rules! */
<endif>
<endif>

<if(grammar.directDelegates)>
    // Initialize the lexers that we are going to delegate some
    // functions to.
    //
    <grammar.directDelegates:
        {g|m_<g.delegateName()> = new <g.recognizerName>(instream, this->get_lexstate(),
this<grammar.delegates:{g|, <g.delegateName()>}>);}; separator="\n"
    <endif>
<if(grammar.delegates)>
    // Install the pointers back to lexers that will delegate us to perform certain functions
    // for them.

```

```

//
<grammar.delegators:
  {g| m_<g:delegateName()> = <g:delegateName()>; separator="\n">
<endif>
}

<if(cyclicDFAs)>

/* =====
* DFA tables for the lexer
*/
<cyclicDFAs:cyclicDFA()> <! dump tables for all DFA !>
/* =====
* End of DFA tables for the lexer
*/
<endif>

/* =====
* Functions to match the lexer grammar defined tokens from the input stream
*/

<rules; separator="\n\n">

/* =====
* Lexer matching rules end.
* =====
*/
<if(synpreds)>

/* =====
* Lexer syntactic predicates
*/
<synpreds:{p | <lexerSynpred(predname=p)>}>
/* =====
* Lexer syntactic predicates end.
* =====
*/
<endif>

/* End of Lexer code
* =====
* =====
*/

<endNamespace(actions)>

>>

```

```

filteringNextToken() ::= <<
<name>ImplTraits::CommonTokenType*
<name>ImplTraits::TokenSourceType::nextToken()
{
    LexerType* lexer;
    typename LexerType::RecognizerSharedStateType* state;

    lexer = this->get_super();
    state = lexer->get_lexstate();

    /* Get rid of any previous token (token factory takes care of
    * any deallocation when this token is finally used up.
    */
    state->set_token_present( false );
    state->set_error( false ); /* Start out without an exception */
    state->set_failedflag(false);

    /* Record the start of the token in our input stream.
    */
    state->set_tokenStartCharIndex( lexer->index());
    state->set_tokenStartCharPositionInLine( lexer->getCharPositionInLine() );
    state->set_tokenStartLine( lexer->getLine() );
    state->set_text("");

    /* Now call the matching rules and see if we can generate a new token
    */
    for (;;)
    {
    if (lexer->LA(1) == ANTLR_CHARSTREAM_EOF)
    {
    /* Reached the end of the stream, nothing more to do.
    */
    CommonTokenType& teof = m_eofToken;

    teof.set_startIndex(lexer->getCharIndex());
    teof.set_stopIndex(lexer->getCharIndex());
    teof.setLine(lexer->getLine());
    return &teof;
    }

    state->set_token_present(false);
    state->set_error(false); /* Start out without an exception */

    {
    ANTLR_MARKER m;

    m = this->get_istream()->mark();

```

```

state->set_backtracking(1); /* No exceptions */
state->set_failedflag(false);

/* Call the generated lexer, see if it can get a new token together.
*/
lexer->mTokens();
state->set_backtracking(0);

<! mTokens backtracks with synpred at BACKTRACKING==2
and we set the synpredgate to allow actions at level 1. !>

if(state->get_failed())
{
lexer->rewind(m);
lexer->consume(); <! advance one char and try again !>
}
else
{
lexer->emit(); /* Assemble the token and emit it to the stream */
TokenType& tok = state->get_token();
return &tok;
}
}
}
}
}
>>

actionGate() ::= "this->get_backtracking()==0"

filteringActionGate() ::= "this->get_backtracking()==1"

/** How to generate a parser */
genericParser( grammar, name, scopes, tokens, tokenNames, rules, numRules,
bitsets, inputStreamType, superClass,
labelType, members, rewriteElementType,
filterMode, ASTLabelType="ImplTraits::TreeType*") ::= <<

using namespace antlr3;
<if(grammar.grammarIsRoot)>
/** \brief Table of all token names in symbolic order, mainly used for
* error reporting.
*/
ANTLR_UINT8* <name>TokenNames[<length(tokenNames)>+4]
= {
(ANTLR_UINT8*) "\<invalid>", /* String to print to indicate an invalid token */
(ANTLR_UINT8*) "\<EOR>",
(ANTLR_UINT8*) "\<DOWN>",
(ANTLR_UINT8*) "\<UP>",

```

```

        <tokenNames:{it |(ANTLR_UINT8*) <it>; separator=",\n">
    };
<endif>

<@members>

<@end>

/** \brief Name of the grammar file that generated this code
 */
static const char fileName[] = "<fileName>";

/** \brief Return the name of the grammar file that generated this code.
 */
const char* <name>::getGrammarFileName()
{
    return fileName;
}

/** \brief Create a new <name> parser and return a context for it.
 *
 * \param[in] instream Pointer to an input stream interface.
 *
 * \return Pointer to new parser context upon success.
 */
<name>::<name>( StreamType* instream<grammar.delegators:{g|, <g.recognizerName>* <g.delegateName()>>>)
<constructorInitializerType("NULL")>
{
    // See if we can create a new parser with the standard constructor
    //
    this->init(instream<grammar.delegators:{g|, <g.delegateName()>>>);
}

/** \brief Create a new <name> parser and return a context for it.
 *
 * \param[in] instream Pointer to an input stream interface.
 *
 * \return Pointer to new parser context upon success.
 */
<name>::<name>( StreamType* instream, RecognizerSharedStateType* state<grammar.delegators:{g|,
<g.recognizerName>* <g.delegateName()>>>)
<constructorInitializerType("state")>
{
    this->init(instream <grammar.delegators:{g|, <g.delegateName()>>>);
}

void <name>::init(StreamType* instream<grammar.delegators:{g|, <g.recognizerName>* <g.delegateName()>>>)
{
    <actions.parser.apifuncs>

```

```

<if(memoize)>
<if(grammar.grammarIsRoot)>
  /* Create a LIST for recording rule memos.
  */
  typedef RecognizerSharedStateType::RuleMemoType RuleMemoType;
  this->setRuleMemo( new RuleMemoType(15) ); /* 16 bit depth is enough for 32768 rules! */</n>
<endif>
<endif>
<if(grammar.directDelegates)>
  // Initialize the lexers that we are going to delegate some
  // functions to.
  //
  <grammar.directDelegates:
    {g|m_<g:delegateName()> = new <g.recognizerName>(instream, this->get_psrstate(),
this<grammar.delegates:{g|,<g:delegateName()>});}; separator="\n">
  <endif>
    <if(grammar.delegates)>
      // Install the pointers back to lexers that will delegate us to perform certain functions
      // for them.
      //
      <grammar.delegates: {g| m_<g:delegateName()> = <g:delegateName()>;}; separator="\n">
    <endif>
  /* Install the token table
  */
  this->get_psrstate()->set_tokenNames( <grammar.composite.rootGrammar.recognizerName>TokenNames );

  <@debugStuff()>

}

void
<name>::reset()
{
  this->get_rec()->reset();
}

/** Free the parser resources
*/
<name>::~~<name>()
{
  <@cleanup>
  <@end>
<if(grammar.directDelegates)>
  // Free the parsers that we delegated to
  // functions to.NULL the state so we only free it once.
  //
  <grammar.directDelegates:
    {g| m_<g:delegateName()>->set_psrstate( NULL );

```

```

        delete m_<g:delegateName(>);}; separator="\n">
<endif>
<if(memoize)>
<if(grammar.grammarIsRoot)>
if(this->getRuleMemo() != NULL)
{
    delete this->getRuleMemo();
    this->setRuleMemo(NULL);
}
<endif>
<endif>
}

/** Return token names used by this <grammarType()>
 *
 * The returned pointer is used as an index into the token names table (using the token
 * number as the index).
 *
 * \return Pointer to first char * in the table.
 */
static ANTLR_UINT8** getTokenNames()
{
    return <grammar.composite.rootGrammar.recognizerName>TokenNames;
}

<members>

/* Declare the bitsets
 */
<bitsets:{it | <bitsetDeclare(bitsetName={FOLLOW_<it.name>_in_<it.inName><it.tokenIndex>},
    words64=it.bits, traits={<name>ImplTraits} )>>

<if(cyclicDFAs)>

/* =====
 * DFA tables for the parser
 */
<cyclicDFAs:cyclicDFA(><! dump tables for all DFA !>
/* =====
 * End of DFA tables for the parser
 */
<endif>

/* =====
 * Parsing rules
 */
<rules; separator="\n\n">

```

```

<if(grammar.delegatedRules)>
  // Delegated methods that appear to be a part of this
  // parser
  //
  <grammar.delegatedRules:{ruleDescriptor|
    <returnType()> <name>::<ruleDescriptor.name>(<ruleDescriptor.parameterScope:parameterScope()>)
    {
      <if(ruleDescriptor.hasReturnValue)>return <endif>m_<ruleDescriptor.grammar:delegateName()>-
  ><ruleDescriptor.name>(<if(ruleDescriptor.parameterScope)><ruleDescriptor.parameterScope.attributes:{a|<a.name
  e>}; separator=", "><endif>);
    \}}; separator="\n">

  <endif>
  /* End of parsing rules
  * =====
  */

  /* =====
  * Syntactic predicates
  */
  <synpreds:{p | <synpred(predname=p)>}>
  /* End of syntactic predicates
  * =====
  */

  >>

  constructorInitializerType(rec_state) ::=<<
  <if(PARSER)>
    :ImplTraits::BaseParserType(ANTLR_SIZE_HINT, instream, <rec_state>)
  <endif>
  <if(TREE_PARSER)>
    :ImplTraits::BaseTreeParserType(ANTLR_SIZE_HINT, instream, <rec_state>)
  <endif>
  >>

  parser( grammar,
    name,
    scopes,
    tokens,
    tokenNames,
    rules,
    numRules,
    bitsets,
    ASTLabelType,
    superClass="Parser",
    labelType="ImplTraits::CommonTokenType*",
    members={<actions.parser.members>}

```



```

) ::= <<
<beginNamespace(actions)>
<genericParser(inputStreamType="CommonTokenStream*", rewriteElementType="Token", filterMode=false,
...)>
<endNamespace(actions)>
>>

```

```

/** How to generate a tree parser; same as parser except the input
 * stream is a different type.
 */

```

```

treeParser( grammar,
    name,
    scopes,
    tokens,
    tokenNames,
    globalAction,
    rules,
    numRules,
    bitsets,
    filterMode,
    labelType={<ASTLabelType>},
    ASTLabelType="ImplTraits::TreeType*",
    superClass="TreeParser",
    members={<actions.treeparser.members>}
) ::= <<
<beginNamespace(actions)>
<genericParser(inputStreamType="CommonTreeNodeStream*", rewriteElementType="Node", ...)>
<endNamespace(actions)>
>>

```

```

/** A simpler version of a rule template that is specific to the imaginary
 * rules created for syntactic predicates. As they never have return values
 * nor parameters etc..., just give simplest possible method. Don't do
 * any of the normal memoization stuff in here either; it's a waste.
 * As predicates cannot be inlined into the invoking rule, they need to
 * be in a rule by themselves.
 */

```

```

synpredRule(ruleName, ruleDescriptor, block, description, nakedBlock) ::=
<<
// $ANTLR start <ruleName>
void <name>::m<ruleName>_fragment( <ruleDescriptor.parameterScope:parameterScope(>) )
{
<ruleLabelDefs(>
<ruleLabelInitializations(>
<if(trace)>
    ANTLR_PRINTF("enter <ruleName> %d failed = %d, backtracking = %d\n", this->LT(1),failed,this-
>get_backtracking() );
    <block>

```

```

    ANTLR_PRINTF("exit <ruleName> %d, failed = %d, backtracking = %d\n", this->LT(1),failed,this-
>get_backtracking());

<else>
  <block>
<endif>

goto rule<ruleDescriptor.name>Ex; /* Prevent compiler warnings */
rule<ruleDescriptor.name>Ex; ;
}
// $ANTLR end <ruleName>
>>

synpred(predname) ::= <<

bool <name>::msynpred( antlr3::ClassForwarder<< <predname> > )
{
    ANTLR_MARKER start;
    bool success;

    this->inc_backtracking();
    <@start()>
    start = this->mark();
    this->m<predname>_fragment(); // can never throw exception
    success = !( this->get_failedflag() );
    this->rewind(start);
    <@stop()>
    this->dec_backtracking();
    this->set_failedflag(false);
    return success;
}<\n>
>>

lexerSynpred(predname) ::= <<
<synpred(predname)>
>>

ruleMemoization(rname) ::= <<
<if(memoize)>
if ( (this->get_backtracking()>0) && (this->haveParsedRule(<ruleDescriptor.index>)) )
{
<if(ruleDescriptor.hasMultipleReturnValues)>
<if(!ruleDescriptor.isSynPred)>
    retval.start = 0;<\n>
<endif>
<endif>
    <(ruleDescriptor.actions.after):execAfter()>
    <finalCode(finalBlock=finally)>

```

```

<if(!ruleDescriptor.isSynPred)>
  <scopeClean()><\n>
<endif>
  return <ruleReturnValue()>;
}
<endif>
>>

/** How to test for failure and return from rule */
checkRuleBacktrackFailure() ::= <<
if (this->hasException())
{
  goto rule<ruleDescriptor.name>Ex;
}
<if(backtracking)>
if (this->hasFailed())
{
  <scopeClean()>
  <@debugClean()>
  return <ruleReturnValue()>;
}
<endif>
>>

/** This rule has failed, exit indicating failure during backtrack */
ruleBacktrackFailure() ::= <<
<if(backtracking)>
if (this->get_backtracking()>0)
{
  this->set_failedflag( true );
  <scopeClean()>
  return <ruleReturnValue()>;
}
<endif>
>>

/** How to generate code for a rule. This includes any return type
 * data aggregates required for multiple return values.
 */
rule(ruleName,ruleDescriptor,block,emptyRule,description,exceptions,finally,memoize) ::= <<
/**
 * $ANTLR start <ruleName>
 * <fileName>:<description>
 */
<returnType()>
<name>::<ruleName>(<ruleDescriptor.parameterScope:parameterScope()>)
{
  <if(trace)>ANTLR_PRINTF("enter <ruleName> %s failed=%d, backtracking=%d\n", this->LT(1), this-

```

```

>get_backtracking() );<endif>
  <ruleDeclarations()>
  <ruleDescriptor.actions.declarations>
  <ruleLabelDefs()>
  <ruleInitializations()>
  <ruleDescriptor.actions.init>
  <ruleMemoization(rname=ruleName)>
  <ruleLabelInitializations()>

  <if(actions.(actionScope).rulecatch)>
  try {
  <else>
  <if(exceptions)>
    try {
  <endif>
  <endif>
  <@preamble()>
  {
    <block>
  }
  <ruleCleanUp()>

  <if(exceptions)>
    <(ruleDescriptor.actions.after):execAfter()>
    <exceptions:{e|<catch(decl=e.decl,action=e.action)><\n}>>
  <else>
  <if(!emptyRule)>
  if (this->hasException())
    {
      this->preporterror();
      this->precover();
      <@setErrorReturnValue()>
    }
  <if(ruleDescriptor.actions.after)>
  else
  {
    <(ruleDescriptor.actions.after):execAfter()>
  }<\n>
  <endif>
  <if(actions.(actionScope).rulecatch)>
  } <actions.(actionScope).rulecatch>
  <endif>
  <endif>
  <endif>

  <if(trace)>ANTLR_PRINTF("exit <ruleName> %d failed=%s backtracking=%s\n", this->LT(1), failed, this-
>get_backtracking() );<endif>
  <memoize()>

```

```

<if(finally)>
  <finalCode(finalBlock=finally)>
<endif>
  <scopeClean()>
  <@postamble()>
  return <ruleReturnValue()>;
}
/* $ANTLR end <ruleName> */
>>

finalCode(finalBlock) ::= <<
{
  <finalBlock>
}
>>

catch(decl,action) ::= <<
/* catch(decl,action)
*/
}catch (<e.decl>) {
  <e.action>
}
>>

ruleDeclarations() ::= <<

<if(ruleDescriptor.hasMultipleReturnValues)>
<returnType()> retval(this);<\n>
<else>
<if(PARSER)>
  <name>ImplTraits::RuleReturnValueType _antlr_rule_exit(this);
<endif>
<if(ruleDescriptor.returnScope)>
<ruleDescriptor.returnScope.attributes:{ a |
<a.type> <a.name>;
}>
<endif>
<endif>
<if(memoize)>
ANTLR_MARKER <ruleDescriptor.name>_StartIndex;
<endif>
>>

ruleInitializations() ::= <<
/* Initialize rule variables
*/
<if(ruleDescriptor.returnScope)>

```

```

<if(ruleDescriptor.hasMultipleReturnValues)>
<ruleDescriptor.returnScope.attributes:{ a | <if(a.initValue)>retval.<a.name> = <a.initValue>;<endif> }>
<else>
<ruleDescriptor.returnScope.attributes:{ a | <if(a.initValue)><a.name> = <a.initValue>;<endif> }>
<endif>
<endif>
<if(memoize)>
<ruleDescriptor.name>_startIndex = this->index();<\n>
<endif>
<ruleDescriptor.useScopes:{it | m_<it>_stack.push(<it>Scope()); }; separator="\n">
<ruleDescriptor.ruleScope:{it | m_<it.name>_stack.push(<it.name>Scope()); }; separator="\n">
>>

```

```

ruleLabelDefs() ::= <<
<[ruleDescriptor.tokenLabels,ruleDescriptor.tokenListLabels,
ruleDescriptor.wildcardTreeLabels,ruleDescriptor.wildcardTreeListLabels]
: {it | <labelType> <it.label.text> = NULL;}; separator="\n"
>
<[ruleDescriptor.tokenListLabels,ruleDescriptor.ruleListLabels,ruleDescriptor.wildcardTreeListLabels]
: {it | ImplTraits::TokenPtrsListType list_<it.label.text>;}; separator="\n"
>
<ruleDescriptor.ruleLabels:ruleLabelDef(); separator="\n">
>>

```

```

ruleLabelInitializations() ::= <<
<if(ruleDescriptor.hasMultipleReturnValues)>
<if(!ruleDescriptor.isSynPred)>
retval.call_start_placeholder();
<endif>
<endif>
>>

```

```

lexerRuleLabelDefs() ::= <<
<[ruleDescriptor.tokenLabels,
ruleDescriptor.tokenListLabels,
ruleDescriptor.ruleLabels]
: {it | <labelType> <it.label.text> = NULL;}; separator="\n"
>
<ruleDescriptor.charLabels:{it | ANTLR_UINT32 <it.label.text>;}; separator="\n">
<[ruleDescriptor.tokenListLabels,
ruleDescriptor.ruleListLabels,
ruleDescriptor.ruleListLabels]
: {it | ImplTraits::IntTrieType<CommonTokenType>* list_<it.label.text>;}; separator="\n"
>
>>

```

```

lexerRuleLabelInit() ::= <<
<[ruleDescriptor.tokenListLabels,

```

```

ruleDescriptor.ruleListLabels,
ruleDescriptor.ruleListLabels]
: {it | list_<it.label.text> = new ImplTraits::IntTrieType<CommonTokenType>(31);}; separator="\n"
>
>>

```

```

lexerRuleLabelFree() ::= <<
<[ruleDescriptor.tokenLabels,
ruleDescriptor.tokenListLabels,
ruleDescriptor.ruleLabels]
: {it | <it.label.text> = NULL;}; separator="\n"
>
<[ruleDescriptor.tokenListLabels,
ruleDescriptor.ruleListLabels,
ruleDescriptor.ruleListLabels]
: {it | delete list_<it.label.text>;}; separator="\n"
>
>>

```

```

ruleReturnValue() ::= <%
<if(!ruleDescriptor.isSynPred)>
<if(ruleDescriptor.hasReturnValue)>
<if(ruleDescriptor.hasSingleReturnValue)>
<ruleDescriptor.singleValueReturnName>
<else>
retval
<endif>
<endif>
<endif>
%>

```

```

memoize() ::= <<
<if(memoize)>
<if(backtracking)>
if ( this->get_backtracking() > 0 ) { this->memoize(<ruleDescriptor.index>, <ruleDescriptor.name>_StartIndex); }
<endif>
<endif>
>>

```

```

ruleCleanUp() ::= <<

// This is where rules clean up and exit
//
goto rule<ruleDescriptor.name>Ex; /* Prevent compiler warnings */
rule<ruleDescriptor.name>Ex; ;
<if(ruleDescriptor.hasMultipleReturnValues)>
<if(!TREE_PARSER)>
<if(!ruleDescriptor.isSynPred)>

```

```

retval.call_stop_placeholder();<\n>
<endif>
<endif>
<endif>
>>

scopeClean() ::= <<
<ruleDescriptor.useScopes:{it | m_<it>_stack.pop(); }; separator="\n">
<ruleDescriptor.ruleScope:{it | m_<it.name>_stack.pop(); }; separator="\n">

>>

/** How to generate a rule in the lexer; naked blocks are used for
 * fragment rules, which do not produce tokens.
 */
lexerRule(ruleName,nakedBlock,ruleDescriptor,block,memoize) ::= <<
// Comes from: <block.description>
/** \brief Lexer rule generated by ANTLR3
 *
 * $ANTLR start <ruleName>
 *
 * Looks to match the characters the constitute the token <ruleName>
 * from the attached input stream.
 *
 *
 * \remark
 * - lexer->error == true if an exception was thrown.
 */
void <name>::m<ruleName>(<ruleDescriptor.parameterScope:parameterScope(>>)
{
    ANTLR_UINT32 _type;
    <ruleDeclarations(>>
    <ruleDescriptor.actions.declarations>
    <lexerRuleLabelDefs(>>
    <if(trace)>
    std::cout <<< "enter <ruleName> " <<< (char)this->LA(1)
        <<< " line=" <<< this->getLine() <<< ":" <<< this->getCharPositionInLine()
        <<< " failed=" <<< this->get_failedflag() <<< " backtracking=" <<< this->get_backtracking() <<<
    std::endl;
    <endif>

    <if(nakedBlock)>
        <ruleMemoization(rname=ruleName)>
        <lexerRuleLabelInit(>>
        <ruleDescriptor.actions.init>

        <block><\n>
    <else>
        <ruleMemoization(rname=ruleName)>

```



```

<lexerRuleLabelInit(>
  _type = <ruleName>;

<ruleDescriptor.actions.init>

<block>
this->get_lexstate()->set_type(_type);
<endif>
<if(trace)>
std::cout <<< "exit <ruleName> " <<< (char)this->LA(1)
  <<< " line=" <<< this->getLine() <<< ":" <<< this->getCharPositionInLine()
  <<< " failed=" <<< this->get_failedflag() <<< " backtracking=" <<< this->get_backtracking() <<<
std::endl;
<endif>
<ruleCleanUp(>
<lexerRuleLabelFree(>
<(ruleDescriptor.actions.after):execAfter(>
<memoize>
}
// $ANTLR end <ruleName>
>>

/** How to generate code for the implicitly-defined lexer grammar rule
 * that chooses between lexer rules.
 */
tokensRule(ruleName,nakedBlock,args,block,ruleDescriptor) ::= <<
/** This is the entry point in to the lexer from an object that
 * wants to generate the next token, such as a pCOMMON_TOKEN_STREAM
 */
void
<name>::mTokens()
{
  <block><\n>

  goto ruleTokensEx; /* Prevent compiler warnings */
ruleTokensEx; ;
}
>>

// S U B R U L E S

/** A (...) subrule with multiple alternatives */
block(alts,decls,decision,enclosingBlockLevel,blockLevel,decisionNumber,maxK,maxAlt,description) ::= <<

// <fileName>:<description>
{
  int alt<decisionNumber>=<maxAlt>;
  <decls>

```

```

<@predecision(>
<decision>
<@postdecision(>
<@prebranch(>
switch (alt<decisionNumber>)
{
<alts:{ a | <altSwitchCase(i,a)> }>
}
<@postbranch(>
}
>>

/** A rule block with multiple alternatives */
ruleBlock(alts,decls,decision,enclosingBlockLevel,blockLevel,decisionNumber,maxK,maxAlt,description) ::= <<
{
// <fileName>:<description>

ANTLR_UINT32 alt<decisionNumber>;

alt<decisionNumber>=<maxAlt>;

<decls>
<@predecision(>
<decision>
<@postdecision(>
switch (alt<decisionNumber>)
{
<alts:{ a | <altSwitchCase(i,a)> }>
}
}
>>

ruleBlockSingleAlt(alts,decls,decision,enclosingBlockLevel,blockLevel,decisionNumber,description) ::= <<
// <fileName>:<description>
<decls>
<@prealt(>
<alts>
<@postalt(>
>>

/** A special case of a (...) subrule with a single alternative */
blockSingleAlt(alts,decls,decision,enclosingBlockLevel,blockLevel,decisionNumber,description) ::= <<
// <fileName>:<description>
<decls>
<@prealt(>
<alts>
<@postalt(>
>>

```

```

/** A (..)+ block with 1 or more alternatives */
positiveClosureBlock(alts,decls,decision,enclosingBlockLevel,blockLevel,decisionNumber,maxK,maxAlt,description) ::= <<
// <fileName>:<description>
{
  int cnt<decisionNumber>=0;
  <decls>
  <@preloop()>

  for (;;)
  {
    int alt<decisionNumber>=<maxAlt>;
    <@predecision()>
    <decision>
    <@postdecision()>
    switch (alt<decisionNumber>)
    {
      <alts:{ a | <altSwitchCase(i,a)>}>
      default:

    if ( cnt<decisionNumber> >= 1 )
    {
      goto loop<decisionNumber>;
    }
    <ruleBacktrackFailure()>
    <earlyExitEx()>
    <@earlyExitException()>
    goto rule<ruleDescriptor.name>Ex;
  }
  cnt<decisionNumber>++;
  }
  loop<decisionNumber>; /* Jump to here if this rule does not match */
  <@postloop()>
}
>>

earlyExitEx() ::= <<
/* mismatchedSetEx()
*/
new ANTLR_Exception<< <name>ImplTraits, EARLY_EXIT_EXCEPTION, StreamType>( this->get_rec(), "" );
<\n>
>>
positiveClosureBlockSingleAlt ::= positiveClosureBlock

/** A (..)* block with 1 or more alternatives */
closureBlock(alts,decls,decision,enclosingBlockLevel,blockLevel,decisionNumber,maxK,maxAlt,description) ::=
<<

```

```

// <fileName>:<description>
<decls>

<@preloop()>
for (;;)
{
    int alt<decisionNumber>=<maxAlt>;
    <@predecision()>
    <decision>
    <@postdecision()>
    switch (alt<decisionNumber>)
    {
        <alts:{ a | <altSwitchCase(i,a)>}>
    default:
        goto loop<decisionNumber>; /* break out of the loop */
        break;
    }
}
loop<decisionNumber>; /* Jump out to here if this rule does not match */
<@postloop()>
>>

closureBlockSingleAlt ::= closureBlock

/** Optional blocks (x)? are translated to (x|) by antlr before code generation
 * so we can just use the normal block template
 */
optionalBlock ::= block

optionalBlockSingleAlt ::= block

/** A case in a switch that jumps to an alternative given the alternative
 * number. A DFA predicts the alternative and then a simple switch
 * does the jump to the code that actually matches that alternative.
 */
altSwitchCase(altNum,alt) ::= <<
case <altNum>:
    <@prealt()>
    <alt>
    break;<\n>
>>

/** An alternative is just a list of elements; at outermost level */
alt(elements,altNum,description,autoAST,outerAlt,treeLevel,rew) ::= <<
// <fileName>:<description>
{
    <@declarations()>

```

```

    <@initializations()>
    <elements:element()>
    <rew>
    <@cleanup()>
}
>>

// E L E M E N T S
/** What to emit when there is no rewrite. For auto build
 * mode, does nothing.
 */
noRewrite(rewriteBlockLevel, treeLevel) ::= ""

/** Dump the elements one per line */
element(e) ::= <<
<@prematch()>
<e.el><\n>
>>

/** match a token optionally with a label in front */
tokenRef(token,label,elementIndex,terminalOptions) ::= <<
<if(label)><label> = <endif> this->matchToken(<token>, &FOLLOW_<token>_in_<ruleName><elementIndex>);
<checkRuleBacktrackFailure()>
>>

/** ids+=ID */
tokenRefAndListLabel(token,label,elementIndex,terminalOptions) ::= <<
<tokenRef(...)>
<listLabel(elem=label,...)>
>>

listLabel(label,elem) ::= <<
list_<label>.push_back(<elem>);
>>

/** match a character */
charRef(char,label) ::= <<
<if(label)>
<label> = this->LA(1);<\n>
<endif>
this->matchc(<char>);
<checkRuleBacktrackFailure()>
>>

/** match a character range */
charRangeRef(a,b,label) ::= <<
<if(label)>

```

```

<label> = this->LA(1);<\n>
<endif>
this->matchRange(<a>, <b>);
<checkRuleBacktrackFailure()>
>>

/** For now, sets are interval tests and must be tested inline */
matchSet(s,label,elementIndex,terminalOptions,postmatchCode="") ::= <<
<if(label)>
<if(LEXER)>
<label>= this->LA(1);<\n>
<else>
<label>=(<labelType>) this->LT(1);<\n>
<endif>
<endif>
if ( <s> )
{
    this->consume();
    <postmatchCode>
<if(!LEXER)>
    this->set_perror_recovery(false);
<endif>
    <if(backtracking)> this->set_failedflag(false); <\n><endif>
}
else
{
    <ruleBacktrackFailure()>
    <mismatchedSetEx()>
    <@mismatchedSetException()>
<if(LEXER)>
    this->recover();
<else>
<! use following code to make it recover inline;
    this->recoverFromMismatchedSet(&FOLLOW_set_in_<ruleName><elementIndex>);
!>
<endif>
    goto rule<ruleDescriptor.name>Ex;
}<\n>
>>

mismatchedSetEx() ::= <<
new ANTLR_Exception\< <name>ImplTraits, MISMATCHED_SET_EXCEPTION, StreamType>( this->get_rec(),
"" );
<if(PARSER)>
this->get_exception()->set_expectngSet(NULL);
<! use following code to make it recover inline;
this->get_exception()->set_expectngSet( &FOLLOW_set_in_<ruleName><elementIndex> );
!>

```

```

<endif>
>>

matchRuleBlockSet ::= matchSet

matchSetAndListLabel(s,label,elementIndex,postmatchCode) ::= <<
<matchSet(...)>
<listLabel(elem=label,...)>
>>

/** Match a string literal */
lexerStringRef(string,label,elementIndex) ::= <<
<if(label)>
ANTLR_MARKER <label>Start = this->getCharIndex();
ANTLR_UINT32 <label>StartLine<elementIndex> = this->getLine();
ANTLR_UINT32 <label>StartCharPos<elementIndex> = this->getCharPositionInLine();
this->matchs(<string>);
<checkRuleBacktrackFailure()>
<label> = new CommonTokenType;
<label>->set_type( CommonTokenType::TOKEN_INVALID );
<label>->set_startIndex( <label>Start);
<label>->set_stopIndex( this->getCharIndex()-1);
<label>->set_input( this->get_input() );
<label>->set_line( <label>StartLine<elementIndex> );
<label>->set_charPositionInLine( <label>StartCharPos<elementIndex> );
<else>
this->matchs(<string>);
<checkRuleBacktrackFailure()><\n>
<endif>
>>

wildcard(token,label,elementIndex,terminalOptions) ::= <<
<if(label)>
<label>=(<labelType>)this->LT(1);<\n>
<endif>
this->matchAnyToken();
<checkRuleBacktrackFailure()>
>>

wildcardAndListLabel(token,label,elementIndex,terminalOptions) ::= <<
<wildcard(...)>
<listLabel(elem=label,...)>
>>

/** Match . wildcard in lexer */
wildcardChar(label, elementIndex) ::= <<
<if(label)>
<label> = this->LA(1);<\n>

```

```

<endif>
this->matchAny();
<checkRuleBacktrackFailure()>
>>

wildcardCharListLabel(label, elementIndex) ::= <<
<wildcardChar(...)>
<listLabel(elem=label,...)>
>>

/** Match a rule reference by invoking it possibly with arguments
 * and a return value or values. The 'rule' argument was the
 * target rule name, but now is type Rule, whose toString is
 * same: the rule name. Now though you can access full rule
 * descriptor stuff.
 */
ruleRef(rule,label,elementIndex,args,scope) ::= <<
this->followPush(FOLLOW_<rule.name>_in_<ruleName><elementIndex>);
<if(label)><label>=<endif><if(scope)>m_<scope:delegateName()-><endif><rule.name><(if(args)><args;
separator=", "><endif>);<\n>
this->followPop();
<checkRuleBacktrackFailure()>
>>

/** ids+=1 */
ruleRefAndListLabel(rule,label,elementIndex,args,scope) ::= <<
<ruleRef(...)>
<listLabel(elem=label,...)>
>>

/** A lexer rule reference
 * The 'rule' argument was the target rule name, but now
 * is type Rule, whose toString is same: the rule name.
 * Now though you can access full rule descriptor stuff.
 */
lexerRuleRef(rule,label,args,elementIndex,scope) ::= <<
/* <description> */
<if(label)>
{
    ANTLR_MARKER <label>Start<elementIndex> = this->getCharIndex();
    ANTLR_UINT32 <label>StartLine<elementIndex> = this->getLine();
    ANTLR_UINT32 <label>StartCharPos<elementIndex> = this->getCharPositionInLine();
    <if(scope)>m_<scope:delegateName()-><endif>m_<rule.name><(if(scope)>m_<scope:delegateName()-><endif>
<if(args)>, <endif><args; separator=", ">;
    <checkRuleBacktrackFailure()>
    <label> = new CommonTokenType();
    <label>->set_type( CommonTokenType::TOKEN_INVALID);
    <label>->set_startIndex( <label>Start<elementIndex> );

```



```

<label>->set_stopIndex( this->getCharIndex()-1 );
<label>->set_input( this->get_input() );
<label>->set_line( <label>StartLine<elementIndex> );
<label>->set_charPositionInLine( <label>StartCharPos<elementIndex> );
}
<else>
<if(scope)>m_<scope:delegateName()-><endif>m<rule.name>(<args; separator=", ">);
<checkRuleBacktrackFailure()>
<endif>
>>

/** i+=INT in lexer */
lexerRuleRefAndListLabel(rule,label,args,elementIndex,scope) ::= <<
<lexerRuleRef(...)>
<listLabel(elem=label,...)>
>>

/** EOF in the lexer */
lexerMatchEOF(label,elementIndex) ::= <<
<if(label)>
{
    ANTLR_UINT32 <label>Start<elementIndex>;
    ANTLR_UINT32 <label>StartLine<elementIndex> = this->getLine();
    ANTLR_UINT32 <label>StartCharPos<elementIndex> = this->getCharPositionInLine();
    <labelType> <label>;
    <label>Start<elementIndex> = this->getCharIndex();
    this->matchc(ANTLR_CHARSTREAM_EOF);
    <checkRuleBacktrackFailure()>
    <label> = new CommonTokenType();
    <label>->set_type( CommonTokenType::TOKEN_EOF );
    <label>->set_startIndex(<label>Start<elementIndex>);
    <label>->set_stopIndex(this->getCharIndex()-1);
    <label>->set_input( this->get_input() );
    <label>->set_line( <label>StartLine<elementIndex> );
    <label>->set_charPositionInLine( <label>StartCharPos<elementIndex> );
}
<else>
    this->matchc(ANTLR_CHARSTREAM_EOF);
    <checkRuleBacktrackFailure()>
    <endif>
>>

// used for left-recursive rules
recRuleDefArg()          ::= "int <recRuleArg()>"
recRuleArg()            ::= "_p"
recRuleAltPredicate(ruleName,opPrec) ::= "<recRuleArg()> \<= <opPrec>"
recRuleSetResultAction() ::= "root_0=$<ruleName>_primary.tree;"
recRuleSetReturnAction(src,name)    ::= "$<name>=$<src>.<name>;"

```

```

/** match ^(root children) in tree parser */
tree(root, actionsAfterRoot, children, nullableChildList, enclosingTreeLevel, treeLevel) ::= <<
<root:element()>
<actionsAfterRoot:element()>
<if(nullableChildList)>
if ( this->LA(1)== CommonTokenType::TOKEN_DOWN ) {
    this->matchToken(CommonTokenType::TOKEN_DOWN, NULL);
    <checkRuleBacktrackFailure()>
    <children:element()>
    this->matchToken(CommonTokenType::TOKEN_UP, NULL);
    <checkRuleBacktrackFailure()>
}
<else>
this->matchToken(CommonTokenType::TOKEN_DOWN, NULL);
<checkRuleBacktrackFailure()>
<children:element()>
this->matchToken(CommonTokenType::TOKEN_UP, NULL);
<checkRuleBacktrackFailure()>
<endif>
>>

/** Every predicate is used as a validating predicate (even when it is
 * also hoisted into a prediction expression).
 */
validateSemanticPredicate(pred,description) ::= <<
if ( !(<evalPredicate(...)> ) )
{
    <ruleBacktrackFailure()>
    <newFPE(...)>
}
>>

newFPE() ::= <<
ExceptionBaseType* ex = new ANTLR_Exception\< <name>ImplTraits, FAILED_PREDICATE_EXCEPTION,
StreamType>( this->get_rec(), "<description>" );
ex->set_ruleName( "<ruleName>" );
<\n>
>>

// F i x e d D F A (if-then-else)

dfaState(k,edges,eotPredictsAlt,description,stateNumber,semPredState) ::= <<

{
int LA<decisionNumber>_<stateNumber> = this->LA(<k>);
<edges; separator="\nelse ">
else

```

```

    {
<if(eotPredictsAlt)>
    alt<decisionNumber>=<eotPredictsAlt>;
<else>
    <ruleBacktrackFailure()>

    <newNVException()>
    goto rule<ruleDescriptor.name>Ex;

<endif>
    }
}
>>

newNVException() ::= <<
ExceptionBaseType* ex = new ANTLR_Exception<< <name>ImplTraits, NO_VIABLE_ALT_EXCEPTION,
StreamType>( this->get_rec(), "<description>" );
ex->set_decisionNum( <decisionNumber> );
ex->set_state( <stateNumber> );
<@noViableAltException()>
<\n>
>>

/** Same as a normal DFA state except that we don't examine lookahead
 * for the bypass alternative. It delays error detection but this
 * is faster, smaller, and more what people expect. For (X)? people
 * expect "if ( LA(1)==X ) match(X);" and that's it.
 */
dfaOptionalBlockState(k,edges,eotPredictsAlt,description,stateNumber,semPredState) ::= <<
{
    int LA<decisionNumber>_<stateNumber> = this->LA(<k>);
    <edges; separator="\nelse ">
}
>>

/** A DFA state that is actually the loopback decision of a closure
 * loop. If end-of-token (EOT) predicts any of the targets then it
 * should act like a default clause (i.e., no error can be generated).
 * This is used only in the lexer so that for ('a')* on the end of a rule
 * anything other than 'a' predicts exiting.
 */

dfaLoopbackStateDecls() ::= <<
ANTLR_UINT32 LA<decisionNumber>_<stateNumber>;
>>
dfaLoopbackState(k,edges,eotPredictsAlt,description,stateNumber,semPredState) ::= <<
{
    /* dfaLoopbackState(k,edges,eotPredictsAlt,description,stateNumber,semPredState)

```

```

*/
int LA<decisionNumber>_<stateNumber> = this->LA(<k>);
<edges; separator="\nelse "><\n>
<if(eotPredictsAlt)>
<if(!edges)>
alt<decisionNumber>=<eotPredictsAlt>; <! if no edges, don't gen ELSE !>
<else>
else
{
alt<decisionNumber>=<eotPredictsAlt>;
}<\n>
<endif>
<endif>
}
>>

/** An accept state indicates a unique alternative has been predicted */
dfaAcceptState(alt) ::= "alt<decisionNumber>=<alt>;"

/** A simple edge with an expression. If the expression is satisfied,
* enter to the target state. To handle gated productions, we may
* have to evaluate some predicates for this edge.
*/
dfaEdge(labelExpr, targetState, predicates) ::= <<
if ( (<labelExpr><if(predicates)> && (<predicates><endif>))
{
<targetState>
}
>>

// F i x e d D F A (switch case)

/** A DFA state where a SWITCH may be generated. The code generator
* decides if this is possible: CodeGenerator.canGenerateSwitch().
*/
dfaStateSwitch(k,edges,eotPredictsAlt,description,stateNumber,semPredState) ::= <<
switch ( this->LA(<k> )
{
<edges; separator="\n">

default:
<if(eotPredictsAlt)>
alt<decisionNumber>=<eotPredictsAlt>;
<else>
<ruleBacktrackFailure()>
<newNVEException()>
goto rule<ruleDescriptor.name>Ex;<\n>
<endif>

```

```

}<\n>
>>

dfaOptionalBlockStateSwitch(k,edges,eotPredictsAlt,description,stateNumber,semPredState) ::= <<
switch ( this->LA(<k> )
{
    <edges; separator="\n">
}<\n>
>>

dfaLoopbackStateSwitch(k, edges,eotPredictsAlt,description,stateNumber,semPredState) ::= <<
switch ( this->LA(<k> )
{
    <edges; separator="\n"><\n>
    <if(eotPredictsAlt)>
    default:
        alt<decisionNumber>=<eotPredictsAlt>;
        break;<\n>
    <endif>
}<\n>
>>

dfaEdgeSwitch(labels, targetState) ::= <<
<labels: {it |case <it>:}; separator="\n">
{
    <targetState>
}
    break;
>>

// C y c l i c D F A

/** The code to initiate execution of a cyclic DFA; this is used
 * in the rule to predict an alt just like the fixed DFA case.
 * The <name> attribute is inherited via the parser, lexer, ...
 */
dfaDecision(decisionNumber,description) ::= <<
alt<decisionNumber> = cdfa<decisionNumber>.predict(this, this->get_rec(), this->get_istream(),
cdfa<decisionNumber> );
<checkRuleBacktrackFailure()>
>>

/* Dump DFA tables as static initialized arrays of shorts(16 bits)/characters(8 bits)
 * which are then used to statically initialize the dfa structure, which means that there
 * is no runtime initialization whatsoever, other than anything the C compiler might
 * need to generate. In general the C compiler will lay out memory such that there is no
 * runtime code required.
 */

```

```

cyclicDFA(dfa) ::= <<
/** Static dfa state tables for Cyclic dfa:
* <dfa.description>
*/
static const ANTLR_INT32 dfa<dfa.decisionNumber>_eot[<dfa.numberofStates>] =
{
<dfa.eot; wrap="\n", separator=", ", null="-1">
};
static const ANTLR_INT32 dfa<dfa.decisionNumber>_eof[<dfa.numberofStates>] =
{
<dfa.eof; wrap="\n", separator=", ", null="-1">
};
static const ANTLR_INT32 dfa<dfa.decisionNumber>_min[<dfa.numberofStates>] =
{
<dfa.min; wrap="\n", separator=", ", null="-1">
};
static const ANTLR_INT32 dfa<dfa.decisionNumber>_max[<dfa.numberofStates>] =
{
<dfa.max; wrap="\n", separator=", ", null="-1">
};
static const ANTLR_INT32 dfa<dfa.decisionNumber>_accept[<dfa.numberofStates>] =
{
<dfa.accept; wrap="\n", separator=", ", null="-1">
};
static const ANTLR_INT32 dfa<dfa.decisionNumber>_special[<dfa.numberofStates>] =
{
<dfa.special; wrap="\n", separator=", ", null="-1">
};

/** Used when there is no transition table entry for a particular state */
static const ANTLR_INT32* dfa<dfa.decisionNumber>_T_empty = NULL;

<dfa.edgeTransitionClassMap.keys:{ table |
static const ANTLR_INT32 dfa<dfa.decisionNumber>_T<i0>[] =
{
<table; separator=", ", wrap="\n", null="-1">
\};<\n>}; null = "">

/* Transition tables are a table of sub tables, with some tables
* reused for efficiency.
*/
static const ANTLR_INT32 * const dfa<dfa.decisionNumber>_transitions[] =
{
<dfa.transitionEdgeTables:{ xref[dfa<dfa.decisionNumber>_T<xref>]; separator=", ", wrap="\n", null="NULL">
};

<@errorMethod()>

```

```

/* Declare tracking structure for Cyclic DFA <dfa.decisionNumber>
*/
class <name>CyclicDFA<dfa.decisionNumber> : public CyclicDFA\< <name>ImplTraits, <name> >, public
<name>Tokens
{
public:
typedef CyclicDFA\< <name>ImplTraits, <name> > BaseType;
typedef BaseType::ContextType CtxType;

private:
<if(dfa.specialStateSTs)>
//to maintain C-Target compatibility, we need to make some of ctx functions look like member funcs
CtxType* m_ctx;
<endif>

public:
<name>CyclicDFA<dfa.decisionNumber>( ANTLR_INT32 decisionNumber
, const ANTLR_UCHAR* description
, const ANTLR_INT32* const eot
, const ANTLR_INT32* const eof
, const ANTLR_INT32* const min
, const ANTLR_INT32* const max
, const ANTLR_INT32* const accept
, const ANTLR_INT32* const special
, const ANTLR_INT32* const *const transition)
:BaseType( decisionNumber, description, eot, eof, min, max, accept,
special, transition )
{
<if(dfa.specialStateSTs)>
m_ctx = NULL;
<endif>
}

<if(dfa.specialStateSTs)>
ANTLR_UINT32 LA(ANTLR_INT32 i)
{
return m_ctx->LA(i);
}

<if(PARSER)>
const CtxType::CommonTokenType* LT(ANTLR_INT32 k)
{
return m_ctx->LT(k);
}
<endif>
<if(synpreds)>
template\<typename PredType>
bool msynpred( PredType pred )

```

```

    {
        return m_ctx->msynpred(pred);
    }
<endif>

ANTLR_INT32 specialStateTransition(CtxType * ctx, RecognizerType* recognizer, IntStreamType* is,
ANTLR_INT32 s)
{
    ANTLR_INT32 _s;

    m_ctx = ctx;
    _s = s;
    switch (s)
    {
        <dfa.specialStateSTs:{state |
        case <i0>:

<state>}; separator="\n">
        }
<if(backtracking)>
        if ( ctx->get_backtracking() > 0)
        {
            ctx->set_failedflag( true );
            return -1;
        }
<endif>
        ExceptionBaseType* ex = new ANTLR_Exception\< <name>ImplTraits, NO_VIABLE_ALT_EXCEPTION,
StreamType>( recognizer, "<dfa.description>" );
        ex->set_decisionNum( <dfa.decisionNumber> );
        ex->set_state(_s);
        <@noViableAltException()>
        return -1;
    }
<endif>
};

static <name>CyclicDFA<dfa.decisionNumber> cdfa<dfa.decisionNumber>(
    <dfa.decisionNumber>, /* Decision number of this dfa */
    /* Which decision this represents: */
    (const ANTLR_UCHAR*)<dfa.description>,
    dfa<dfa.decisionNumber>_eot, /* EOT table */
    dfa<dfa.decisionNumber>_eof, /* EOF table */
    dfa<dfa.decisionNumber>_min, /* Minimum tokens for each state */
    dfa<dfa.decisionNumber>_max, /* Maximum tokens for each state */
    dfa<dfa.decisionNumber>_accept, /* Accept table */
    dfa<dfa.decisionNumber>_special, /* Special transition states */
    dfa<dfa.decisionNumber>_transitions /* Table of transition tables */

```



```

);

/* End of Cyclic DFA <dfa.decisionNumber>
 * -----
 */
>>

/** A state in a cyclic DFA; it's a special state and part of a big switch on
 * state.
 */
cyclicDFAState(decisionNumber,stateNumber,edges,needErrorClause,semPredState) ::= <<
{
  ANTLR_UINT32 LA<decisionNumber>_<stateNumber>;<\n>
  ANTLR_MARKER index<decisionNumber>_<stateNumber>;<\n>

  LA<decisionNumber>_<stateNumber> = ctx->LA(1);<\n>
  <if(semPredState)> <! get next lookahead symbol to test edges, then rewind !>
  index<decisionNumber>_<stateNumber> = ctx->index();<\n>
  ctx->rewindLast();<\n>
  <endif>
  s = -1;
  <edges; separator="\nelse ">
  <if(semPredState)> <! return input cursor to state before we rewound !>
  ctx->seek(index<decisionNumber>_<stateNumber>);<\n>
  <endif>
  if ( s>=0 )
  {
  return s;
  }
}
break;
>>

/** Just like a fixed DFA edge, test the lookahead and indicate what
 * state to jump to next if successful.
 */
cyclicDFAEdge(labelExpr, targetStateNumber, edgeNumber, predicates) ::= <<
if ( (<labelExpr> <if(predicates)>&& (<predicates>)<endif> )
{
  s = <targetStateNumber>;
}<\n>
>>

/** An edge pointing at end-of-token; essentially matches any char;
 * always jump to the target.
 */
eotDFAEdge(targetStateNumber,edgeNumber, predicates) ::= <<

```

```

s = <targetStateNumber>;<\n>
>>

// D F A E X P R E S S I O N S

andPredicates(left,right) ::= "( (<left> ) && (<right> ) )"

orPredicates(operands) ::= "<operands:{o|(<o>)}; separator=\"||\">"

notPredicate(pred) ::= "!(<evalPredicate(pred,{ })> )"

evalPredicate(pred,description) ::= "<pred>"

evalSynPredicate(pred,description) ::= "this->msynpred( antlr3::ClassForwarder\<<pred>>() )"

lookaheadTest(atom,k,atomAsInt) ::= "LA<decisionNumber>_<stateNumber> == <atom>"

/** Sometimes a lookahead test cannot assume that LA(k) is in a temp variable
 * somewhere. Must ask for the lookahead directly.
 */
isolatedLookaheadTest(atom,k,atomAsInt) ::= "this->LA(<k>) == <atom>"

lookaheadRangeTest(lower,upper,k,rangeNumber,lowerAsInt,upperAsInt) ::= <%
((LA<decisionNumber>_<stateNumber> >= <lower>) && (LA<decisionNumber>_<stateNumber> \<= <upper>))
%>

isolatedLookaheadRangeTest(lower,upper,k,rangeNumber,lowerAsInt,upperAsInt) ::= "((this->LA(<k>) >=
<lower>) && (this->LA(<k>) \<= <upper>))"

setTest(ranges) ::= "<ranges; separator=\" || \">"

// A T T R I B U T E S

makeScopeSet() ::= <<
/* makeScopeSet()
 */
/** Definition of the <scope.name> scope variable tracking
 * structure. An instance of this structure is created by calling
 * <name>_<scope.name>Push().
 */
struct <scopeStruct(sname=scope.name,...)>
{
/* =====
 * Programmer defined variables...
 */
<scope.attributes:{it |<it.decl>;}; separator="\n">

```

```

/* End of programmer defined variables
* =====
*/
};

>>

globalAttributeScopeDecl(scope) ::= <<
<if(scope.attributes)>
/* globalAttributeScopeDecl(scope)
*/
<makeScopeSet(...)>
<endif>
>>

ruleAttributeScopeDecl(scope) ::= <<
<if(scope.attributes)>
/* ruleAttributeScopeDecl(scope)
*/
<makeScopeSet(...)>
<endif>
>>

globalAttributeScopeDef(scope) ::=
<<
/* globalAttributeScopeDef(scope)
*/
<if(scope.attributes)>

StackType\< <scopeStruct(sname=scope.name)> > <scopeStack(sname=scope.name)>;

<endif>
>>

ruleAttributeScopeDef(scope) ::= <<
<if(scope.attributes)>
/* ruleAttributeScopeDef(scope)
*/
StackType\< <scopeStruct(sname=scope.name)> > <scopeStack(sname=scope.name,...)>;

<endif>
>>

scopeStruct(sname) ::= <<
<sname>Scope
>>

scopeStack(sname) ::= <<

```

```

m_<sname>_stack
>>

returnStructName(r) ::= "<r.name>_return"

returnType() ::= <%
<if(!ruleDescriptor.isSynPred)>
<if(ruleDescriptor.hasMultipleReturnValues)>
<ruleDescriptor.grammar.recognizerName>::<ruleDescriptor:returnStructName()>
<else>
<if(ruleDescriptor.hasSingleReturnValue)>
<ruleDescriptor.singleValueReturnType>
<else>
void
<endif>
<endif>
<else>
bool
<endif>
%>

/** Generate the C type associated with a single or multiple return
 * value(s).
 */
ruleLabelType(referencedRule) ::= <%
<if(referencedRule.hasMultipleReturnValues)>
<referencedRule.name>_return
<else>
<if(referencedRule.hasSingleReturnValue)>
<referencedRule.singleValueReturnType>
<else>
void
<endif>
<endif>
%>

delegateName(d) ::= <<
<if(d.label)><d.label><else>g<d.name><endif>
>>

/** Using a type to init value map, try to init a type; if not in table
 * must be an object, default value is "0".
 */
initValue(typeName) ::= <<
= <cTypeInitMap.(typeName)>
>>

/** Define a rule label */

```

```

ruleLabelDef(label) ::= <<
<ruleLabelType(referencedRule=label.referencedRule)> <label.label.text>;
>>
/** Rule label default value */
ruleLabelInitVal(label) ::= <<
>>

ASTLabelType() ::=
"<if(recognizer.ASTLabelType)><recognizer.ASTLabelType><else>ImplTraits::TreeType*<endif>"

/** Define a return struct for a rule if the code needs to access its
 * start/stop tokens, tree stuff, attributes, ... Leave a hole for
 * subgroups to stick in members.
 */
returnScope(scope) ::= <<
<if(!ruleDescriptor.isSynPred)>
<if(ruleDescriptor.hasMultipleReturnValues)>
<if(!TREE_PARSER)>
struct <ruleDescriptor:returnStructName()> : public <name>ImplTraits::RuleReturnValueType
{
public:
    typedef <name>ImplTraits::RuleReturnValueType BaseType;
    <ruleDescriptor:returnStructName()>()
        : BaseType()
        <if(scope)>, <scope.attributes:{it | <it.name>() } ; separator=","><endif>
        { init(); }
    <ruleDescriptor:returnStructName()>( BaseParserType* parser )
        : BaseType(parser)
        <if(scope)>, <scope.attributes:{it | <it.name>() } ; separator=","><endif>
        { init(); }
    <ruleDescriptor:returnStructName()>( const <ruleDescriptor:returnStructName()>& other )
        : BaseType(other)
        <if(scope)>, <scope.attributes:{it | <it.name>(other.<it.name> ) ; separator=","><endif>
        { copy(other); }
    ~<ruleDescriptor:returnStructName()>()
    {
        <@ruleReturnMembersDelete()>
    }

    <ruleDescriptor:returnStructName()>&
operator=( const <ruleDescriptor:returnStructName()>& other )
    {
        BaseType::operator=( other );
        <if(scope)><scope.attributes:{it | <it.name> = other.<it.name>; } ; separator="\n"><endif>
        copy(other);
        return *this;
    }
    <@ruleReturnMembers()>

```

```

void init() { <@ruleReturnMembersInit()> }
void copy( const <ruleDescriptor:returnStructName()>& other) { <@ruleReturnMembersCopy()> }
<else>
struct <ruleDescriptor:returnStructName()>
{
public:
<name>ImplTraits::<recognizer.ASTLabelType>    start;
<name>ImplTraits::<recognizer.ASTLabelType>    stop;
<ruleDescriptor:returnStructName()>( const <ruleDescriptor:returnStructName()>& other )
<if(scope.attributes)>
<scope.attributes:{it | <it.name>(other.<it.name>) }; separator=",">
<endif>
{
start = other.start;
stop = other.stop;
}

<ruleDescriptor:returnStructName()>&
operator=( const <ruleDescriptor:returnStructName()>& other )
{
start = other.start;
stop = other.stop;

<scope.attributes:{it | <it.name> = other.<it.name>; }; separator="\n">
return *this;
}
<endif>
<if(scope)><scope.attributes:{it |<it.type> <it.name>; }; separator="\n"><endif>
};

<endif>
<endif>
>>

parameterScope(scope) ::= <<
<scope.attributes:{it |<it.decl>; }; separator="," ">
>>

parameterAttributeRef(attr) ::= "<attr.name>"
parameterSetAttributeRef(attr,expr) ::= "<attr.name>=<expr>";

/** Note that the scopeAttributeRef does not have access to the
 * grammar name directly
 */
scopeAttributeRef(scope,attr,index,negIndex) ::= <%
<if(negIndex)>
m_<scope>_stack.at( m_<scope>_stack.size()-<negIndex>-1).<attr.name>
<else>

```

```

<if(index)>
  m_<scope>_stack.at(<index>).<attr.name>
<else>
  m_<scope>_stack.peek().<attr.name>
<endif>
<endif>
%>

scopeSetAttributeRef(scope,attr,expr,index,negIndex) ::= <%
<if(negIndex)>
  m_<scope>_stack.at( m_<scope>_stack.size()-<negIndex>-1).<attr.name> = <expr>;
<else>
<if(index)>
  m_<scope>_stack.at(<index>).<attr.name> = <expr>;
<else>
  m_<scope>_stack.peek().<attr.name> =<expr>;
<endif>
<endif>
%>

/** $x is either global scope or x is rule with dynamic scope; refers
 * to stack itself not top of stack. This is useful for predicates
 * like {$function.size()>0 && $function::name.equals("foo")}?
 */
isolatedDynamicScopeRef(scope) ::= "<scope>_stack"

/** reference an attribute of rule; might only have single return value */
ruleLabelRef(referencedRule,scope,attr) ::= <<
<if(referencedRule.hasMultipleReturnValues)>
  <scope>.<attr.name>
<else>
  <scope>
<endif>
>>

returnAttributeRef(ruleDescriptor,attr) ::= <<
<if(ruleDescriptor.hasMultipleReturnValues)>
  retval.<attr.name>
<else>
  <attr.name>
<endif>
>>

returnSetAttributeRef(ruleDescriptor,attr,expr) ::= <<
<if(ruleDescriptor.hasMultipleReturnValues)>
  retval.<attr.name>=<expr>;
<else>
  <attr.name>=<expr>;

```

```

<endif>
>>

/** How to translate $tokenLabel */
tokenLabelRef(label) ::= "<label>"

/** ids+=ID {$ids} or e+=expr {$e} */
listLabelRef(label) ::= "list_<label>"

// not sure the next are the right approach
//
tokenLabelPropertyRef_text(scope,attr) ::= "<scope>->getText()"
tokenLabelPropertyRef_type(scope,attr) ::= "<scope>->get_type()"
tokenLabelPropertyRef_line(scope,attr) ::= "<scope>->get_line()"
tokenLabelPropertyRef_pos(scope,attr) ::= "<scope>->get_charPositionInLine()"
tokenLabelPropertyRef_channel(scope,attr) ::= "<scope>->get_channel()"
tokenLabelPropertyRef_index(scope,attr) ::= "<scope>->get_tokenIndex()"
tokenLabelPropertyRef_tree(scope,attr) ::= "<scope>->get_tree()"
tokenLabelPropertyRef_int(scope,attr) ::= "<name>ImplTraits::ConvertToInt32(<scope>->getText())"

ruleLabelPropertyRef_start(scope,attr) ::= "<scope>.start"
ruleLabelPropertyRef_stop(scope,attr) ::= "<scope>.stop"
ruleLabelPropertyRef_tree(scope,attr) ::= "<scope>.tree"
ruleLabelPropertyRef_text(scope,attr) ::= <<
<if(TREE_PARSER)>
(this->get_strstream()->toStringSS(<scope>.start, <scope>.start))
<else>
(this->get_strstream()->toStringTT(<scope>.start, <scope>.stop))
<endif>
>>

ruleLabelPropertyRef_st(scope,attr) ::= "<scope>.st"

/** Isolated $RULE ref ok in lexer as it's a Token */
lexerRuleLabel(label) ::= "<label>"

lexerRuleLabelPropertyRef_type(scope,attr) ::= "<scope>->get_type()"
lexerRuleLabelPropertyRef_line(scope,attr) ::= "<scope>->get_line()"
lexerRuleLabelPropertyRef_pos(scope,attr) ::= "<scope>->get_charPositionInLine()"
lexerRuleLabelPropertyRef_channel(scope,attr) ::= "<scope>->get_channel()"
lexerRuleLabelPropertyRef_index(scope,attr) ::= "<scope>->get_tokenIndex()"
lexerRuleLabelPropertyRef_text(scope,attr) ::= "<scope>->getText()"

// Somebody may ref $template or $tree or $stop within a rule:
rulePropertyRef_start(scope,attr) ::= "retval.start"
rulePropertyRef_stop(scope,attr) ::= "retval.stop"
rulePropertyRef_tree(scope,attr) ::= "retval.tree"

```



```

rulePropertyRef_text(scope,attr) ::= <<
<if(TREE_PARSER)>
this->get_input()->toStringSS( this->get_adaptor()->getTokenStartIndex(retval.start), this->get_adaptor()-
>getTokenStopIndex(retval.start))
<else>
this->get_strstream()->toStringTT(retval.start, this->LT(-1))
<endif>
>>
rulePropertyRef_st(scope,attr) ::= "retval.st"

```

```

lexerRulePropertyRef_text(scope,attr) ::= "this->getText()"
lexerRulePropertyRef_type(scope,attr) ::= "_type"
lexerRulePropertyRef_line(scope,attr) ::= "this->get_state()->get_tokenStartLine()"
lexerRulePropertyRef_pos(scope,attr) ::= "this->get_state()->get_tokenStartCharPositionInLine()"
lexerRulePropertyRef_channel(scope,attr) ::= "this->get_state()->get_channel()"
lexerRulePropertyRef_start(scope,attr) ::= "this->get_state()->get_tokenStartCharIndex()"
lexerRulePropertyRef_stop(scope,attr) ::= "(this->getCharIndex()-1)"
lexerRulePropertyRef_index(scope,attr) ::= "-1" // undefined token index in lexer
lexerRulePropertyRef_int(scope,attr) ::= "(<name>ImplTraits::ConvertToInt32(<scope->getText()))"

```

```

// setting $st and $tree is allowed in local rule. everything else is flagged as error
ruleSetPropertyRef_tree(scope,attr,expr) ::= "retval.tree=<expr>;"
ruleSetPropertyRef_st(scope,attr,expr) ::= "retval.st=<expr>;"

```

```

/** How to deal with an @after for C targets. Because we cannot rely on
 * any garbage collection, after code is executed even in backtracking
 * mode. Must be documented clearly.
 */

```

```

execAfter(action) ::= <<
{
  <action>
}
>>

```

```

/** How to execute an action (when not backtracking) */

```

```

execAction(action) ::= <<
<if(backtracking)>
<if(actions.(actionScope).synpredgate)>
if ( <actions.(actionScope).synpredgate> )
{
  <action>
}
<else>
if ( BACKTRACKING == 0 )
{
  <action>
}
}
>>

```

```

}
<endif>
<else>
{
  <action>
}
<endif>
>>

// M I S C (properties, etc...)

bitsetDeclare(bitsetName, words64, traits) ::= <<

/** Bitset defining follow set for error recovery in rule state: <name> */
static ANTLR_BITWORD <bitsetName>_bits[] = { <words64:{it |ANTLR_UINT64_LIT(<it>)}; separator=", "> };
static <traits::BitsetListType <bitsetName>>( <bitsetName>_bits, <length(words64)> );
>>

```

```
codeFileExtension() ::= ".cpp"
```

```
true_value() ::= "true"
false_value() ::= "false"
```

Found in path(s):

```
* /opt/cola/permits/1274703855_1645234694.1/0/antlr-3-5-2-sources-jar/org/antlr/codegen/templates/Cpp/Cpp.stg
```

No license file was found, but licenses were detected in source scan.

```
/*
```

```
[The "BSD license"]
```

```
Copyright (c) 2005-2006 Terence Parr
```

```
All rights reserved.
```

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The name of the author may not be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT

NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

\*/

/\*\* Template overrides to add debugging to AST stuff. Dynamic inheritance

\* hierarchy is set up as ASTDbg : AST : Dbg : Java by code generator.

\*/

parserMembers() ::= <<

protected DebugTreeAdaptor adaptor;

public void setTreeAdaptor(TreeAdaptor adaptor) {

<if(grammar.grammarIsRoot)>

    this.adaptor = new DebugTreeAdaptor(dbg, adaptor);

<else>

    this.adaptor = (DebugTreeAdaptor) adaptor; // delegator sends dbg adaptor

<endif>

    <grammar.directDelegates: { g | <g:delegateName()>.setTreeAdaptor(this.adaptor); }>

    }

public TreeAdaptor getTreeAdaptor() {

    return adaptor;

}

>>

parserCtorBody() ::= <<

<super.parserCtorBody()>

>>

createListenerAndHandshake() ::= <<

DebugEventSocketProxy proxy =

new DebugEventSocketProxy(this, port, <if(TREE\_PARSER)>input.getTreeAdaptor()<else>adaptor<endif>);

setDebugListener(proxy);

set<inputStreamType>(new Debug<inputStreamType>(input, proxy));

try {

    proxy.handshake();

}

catch (IOException ioe) {

    reportError(ioe);

}

>>

@ctorForRootGrammar.finally() ::= <<

TreeAdaptor adap = new CommonTreeAdaptor();

setTreeAdaptor(adap);

proxy.setTreeAdaptor(adap);

>>

```
@ctorForProfilingRootGrammar.finally() ::=<<
TreeAdaptor adap = new CommonTreeAdaptor();
setTreeAdaptor(adap);
>>
```

```
@ctorForPredefinedListener.superClassRef() ::= "super(input, dbg);"
```

```
@ctorForPredefinedListener.finally() ::=<<
<if(grammar.grammarIsRoot)> <! don't create new adaptor for delegates !>
TreeAdaptor adap = new CommonTreeAdaptor();
setTreeAdaptor(adap);
<endif>
>>
```

```
@rewriteElement.pregen() ::= "dbg.location(<e.line>,<e.pos>);"
```

Found in path(s):

```
* /opt/cola/permits/1274703855_1645234694.1/0/antlr-3-5-2-sources-
jar/org/antlr/codegen/templates/Java/ASTDbg.stg
```

No license file was found, but licenses were detected in source scan.

```
/*
```

```
[The "BSD license"]
```

```
Copyright (c) 2005-2009 Terence Parr
```

```
All rights reserved.
```

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The name of the author may not be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

```

*/

/** Template overrides to add debugging to AST stuff. Dynamic inheritance
 * hierarchy is set up as ASTDbg : AST : Dbg : Python by code generator.
 */
group ASTDbg;

astAccessor() ::= <<
def setTreeAdaptor(self, adaptor):
<if(grammar.grammarIsRoot)>
    self._adaptor = DebugTreeAdaptor(self.dbg, adaptor)
<else>
    self._adaptor = adaptor # delegator sends dbg adaptor
<endif>
    <grammar.directDelegates:{g|<g:delegateName()>.setTreeAdaptor(self._adaptor)}>

def getTreeAdaptor(self):
    return self._adaptor

adaptor = property(getTreeAdaptor, setTreeAdaptor)<\n>
>>

createListenerAndHandshake() ::= <<
proxy = DebugEventSocketProxy(self,
adaptor=<if(TREE_PARSER)>self.input.getTreeAdaptor(<else>self._adaptor<endif>,
                debug=debug_socket, port=port)
self.setDebugListener(proxy)
self.adaptor.setDebugListener(proxy)
self.input.setDebugListener(proxy)
#self.set<inputStreamType>(Debug<inputStreamType>(self.input, proxy))
proxy.handshake()
>>

```

```

@rewriteElement.pregen() ::= "self._dbg.location(<e.line>, <e.pos>)"

```

Found in path(s):

```

* /opt/cola/permits/1274703855_1645234694.1/0/antlr-3-5-2-sources-
jar/org/antlr/codegen/templates/Python/ASTDbg.stg

```

No license file was found, but licenses were detected in source scan.

```

/*

```

```

[The "BSD license"]

```

```

Copyright (c) 2005-2006 Terence Parr

```

```

All rights reserved.

```

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The name of the author may not be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

\*/

```
@outputFile.imports() ::= <<
<@super.imports(>
<if(!TREE_PARSER)><! tree parser would already have imported !>
import org.antlr.runtime.tree.*;<\n>
<endif>
>>
```

```
@genericParser.members() ::= <<
<@super.members(>
<parserMembers(>
>>
```

```
/** Add an adaptor property that knows how to build trees */
parserMembers() ::= <<
protected TreeAdaptor adaptor = new CommonTreeAdaptor();
```

```
public void setTreeAdaptor(TreeAdaptor adaptor) {
    this.adaptor = adaptor;
    <grammar.directDelegates: {g|<g:delegateName(>}.setTreeAdaptor(this.adaptor);}>
}
public TreeAdaptor getTreeAdaptor() {
    return adaptor;
}
>>
```

```
@returnScope.ruleReturnMembers() ::= <<
<ASTLabelType> tree;
@Override
```

```

public <ASTLabelType> getTree() { return tree; }
>>

/** Add a variable to track rule's return AST */
ruleDeclarations() ::= <<
<super.ruleDeclarations()>
<ASTLabelType> root_0 = null;<\n>
>>

ruleLabelDefs() ::= <<
<super.ruleLabelDefs()>
<if(!ruleDescriptor.isSynPred)>
<[ruleDescriptor.tokenLabels,ruleDescriptor.wildcardTreeLabels,
ruleDescriptor.wildcardTreeListLabels]:{it | <ASTLabelType> <it.label.text>_tree=null;}; separator="\n">
<ruleDescriptor.tokenListLabels:{it | <ASTLabelType> <it.label.text>_tree=null;}; separator="\n">
<if(ruleDescriptor.supportsLabelOptimization)>
<ruleDescriptor.allTokenRefsInRewrites
:{it | RewriteRule<rewriteElementType>Stream stream_<it>=new
RewriteRule<rewriteElementType>Stream(adaptor,"token <it>");}; separator="\n">
<ruleDescriptor.allRuleRefsInRewrites
:{it | RewriteRuleSubtreeStream stream_<it>=new RewriteRuleSubtreeStream(adaptor,"rule <it>");};
separator="\n">
<else>
<ruleDescriptor.allTokenRefsInAltsWithRewrites
:{it | RewriteRule<rewriteElementType>Stream stream_<it>=new
RewriteRule<rewriteElementType>Stream(adaptor,"token <it>");}; separator="\n">
<ruleDescriptor.allRuleRefsInAltsWithRewrites
:{it | RewriteRuleSubtreeStream stream_<it>=new RewriteRuleSubtreeStream(adaptor,"rule <it>");};
separator="\n">
<endif>
<endif>
>>

/** When doing auto AST construction, we must define some variables;
 * These should be turned off if doing rewrites. This must be a "mode"
 * as a rule could have both rewrite and AST within the same alternative
 * block.
 */
@alt.declarations() ::= <<
<if(autoAST)>
<if(outerAlt)>
<if(!rewriteMode && !ruleDescriptor.isSynPred)>
root_0 = (<ASTLabelType>)adaptor.nil();<\n>
<endif>
<endif>
<endif>
>>

```

## // Tracking Rule Elements

/\*\* ID and track it for use in a rewrite rule \*/

```
tokenRefTrack(token,label,elementIndex,terminalOptions={}) ::= <<
<tokenRefBang(...)> <! Track implies no auto AST construction!>
<if(backtracking)>if ( <actions.(actionScope).synpredgate> ) <endif>stream_<token>.add(<label>);<\n>
>>
```

/\*\* ids+=ID and track it for use in a rewrite rule; adds to ids \*and\*

\* to the tracking list stream\_ID for use in the rewrite.

\*/

```
tokenRefTrackAndListLabel(token,label,elementIndex,terminalOptions={}) ::= <<
<tokenRefTrack(...)>
<listLabel(elem=label, ...)>
>>
```

/\*\* ^(ID ...) track for rewrite \*/

```
tokenRefRuleRootTrack(token,label,elementIndex,terminalOptions={}) ::= <<
<tokenRefBang(...)>
<if(backtracking)>if ( <actions.(actionScope).synpredgate> ) <endif>stream_<token>.add(<label>);<\n>
>>
```

/\*\* Match ^(label+=TOKEN ...) track for rewrite \*/

```
tokenRefRuleRootTrackAndListLabel(token,label,elementIndex,terminalOptions={}) ::= <<
<tokenRefRuleRootTrack(...)>
<listLabel(elem=label, ...)>
>>
```

/\*\* rule when output=AST and tracking for rewrite \*/

```
ruleRefTrack(rule,label,elementIndex,args,scope) ::= <<
<super.ruleRef(...)>
<if(backtracking)>if ( <actions.(actionScope).synpredgate> ) <endif>stream_<rule.name>.add(<label>.getTree());
>>
```

/\*\* x+=rule when output=AST and tracking for rewrite \*/

```
ruleRefTrackAndListLabel(rule,label,elementIndex,args,scope) ::= <<
<ruleRefTrack(...)>
<listLabel(label, {<label>.getTree()})>
>>
```

/\*\* ^(rule ...) rewrite \*/

```
ruleRefRuleRootTrack(rule,label,elementIndex,args,scope) ::= <<
<ruleRefRuleRoot(...)>
<if(backtracking)>if ( <actions.(actionScope).synpredgate> ) <endif>stream_<rule>.add(<label>.getTree());
>>
```

/\*\* ^(x+=rule ...) rewrite \*/

```
ruleRefRuleRootTrackAndListLabel(rule,label,elementIndex,args,scope) ::= <<
```



```

<ruleRefRuleRootTrack(...)>
<listLabel(label, {<label>.getTree()})>
>>

// R e w r i t e

rewriteCode(
alts, description,
referencedElementsDeep, // ALL referenced elements to right of ->
referencedTokenLabels,
referencedTokenListLabels,
referencedRuleLabels,
referencedRuleListLabels,
referencedWildcardLabels,
referencedWildcardListLabels,
rewriteBlockLevel, enclosingTreeLevel, treeLevel) ::=
<<

// AST REWRITE
// elements: <referencedElementsDeep; separator=", ">
// token labels: <referencedTokenLabels; separator=", ">
// rule labels: <referencedRuleLabels; separator=", ">
// token list labels: <referencedTokenListLabels; separator=", ">
// rule list labels: <referencedRuleListLabels; separator=", ">
// wildcard labels: <[referencedWildcardLabels, referencedWildcardListLabels]; separator=", ">
<if(backtracking)>
if ( <actions.(actionScope).synpredgate> ) {
<endif>
<prevRuleRootRef(>).tree = root_0;
<rewriteCodeLabels(>
root_0 = (<ASTLabelType>)adaptor.nil();
<alts:rewriteAlt(); separator="else ">
<! if tree parser and rewrite=true !>
<if(TREE_PARSER)>
<if(rewriteMode)>
<prevRuleRootRef(>).tree = (<ASTLabelType>)adaptor.rulePostProcessing(root_0);
input.replaceChildren(adaptor.getParent(retval.start),
    adaptor.getChildIndex(retval.start),
    adaptor.getChildIndex(_last),
    retval.tree);
<endif>
<endif>
<! if parser or tree-parser && rewrite!=true, we need to set result !>
<if(!TREE_PARSER)>
<prevRuleRootRef(>).tree = root_0;
<else>
<if(!rewriteMode)>
<prevRuleRootRef(>).tree = root_0;

```

```

<endif>
<endif>
<if(backtracking)>
}
<endif>
>>

rewriteCodeLabels() ::= <<
<referencedTokenLabels
:{it | RewriteRule<rewriteElementType>Stream stream_<it>=new
RewriteRule<rewriteElementType>Stream(adaptor,"token <it>",<it>)};
separator="\n"
>
<referencedTokenListLabels
:{it | RewriteRule<rewriteElementType>Stream stream_<it>=new
RewriteRule<rewriteElementType>Stream(adaptor,"token <it> ", list_<it>)};
separator="\n"
>
<referencedWildcardLabels
:{it | RewriteRuleSubtreeStream stream_<it>=new RewriteRuleSubtreeStream(adaptor,"wildcard <it>",<it>)};
separator="\n"
>
<referencedWildcardListLabels
:{it | RewriteRuleSubtreeStream stream_<it>=new RewriteRuleSubtreeStream(adaptor,"wildcard <it> ",list_<it>)};
separator="\n"
>
<referencedRuleLabels
:{it | RewriteRuleSubtreeStream stream_<it>=new RewriteRuleSubtreeStream(adaptor,"rule
<it>",<it>!=null?<it>.getTree():null)};
separator="\n"
>
<referencedRuleListLabels
:{it | RewriteRuleSubtreeStream stream_<it>=new RewriteRuleSubtreeStream(adaptor,"token <it> ",list_<it>)};
separator="\n"
>
>>

/** Generate code for an optional rewrite block; note it uses the deep ref'd element
 * list rather shallow like other blocks.
 */
rewriteOptionalBlock(
alt,rewriteBlockLevel,
referencedElementsDeep, // all nested refs
referencedElements, // elements in immediately block; no nested blocks
description) ::=
<<
// <fileName>:<description>
if ( <referencedElementsDeep:{el | stream_<el>.hasNext()}; separator="||"> ) {

```

```

<alt>
}
<referencedElementsDeep:{el | stream_<el>.reset();<\n>}>
>>

rewriteClosureBlock(
alt,rewriteBlockLevel,
referencedElementsDeep, // all nested refs
referencedElements, // elements in immediately block; no nested blocks
description) ::=
<<
// <fileName>:<description>
while ( <referencedElements:{el | stream_<el>.hasNext()}; separator="||"> ) {
  <alt>
}
<referencedElements:{el | stream_<el>.reset();<\n>}>
>>

rewritePositiveClosureBlock(
alt,rewriteBlockLevel,
referencedElementsDeep, // all nested refs
referencedElements, // elements in immediately block; no nested blocks
description) ::=
<<
if ( !(<referencedElements:{el | stream_<el>.hasNext()}; separator="||"> ) ) {
  throw new RewriteEarlyExitException();
}
while ( <referencedElements:{el | stream_<el>.hasNext()}; separator="||"> ) {
  <alt>
}
<referencedElements:{el | stream_<el>.reset();<\n>}>
>>

rewriteAlt(a) ::= <<
// <a.description>
<if(a.pred)>
if (<a.pred> ) {
  <a.alt>
}<\n>
<else>
{
  <a.alt>
}<\n>
<endif>
>>

/** For empty rewrites: "r : ... -> ;" */
rewriteEmptyAlt() ::= "root_0 = null;"

```

```

rewriteTree(root,children,description,enclosingTreeLevel,treeLevel) ::= <<
// <fileName>:<description>
{
<ASTLabelType> root_<treeLevel> = (<ASTLabelType>)adaptor.nil();
<root:rewriteElement()>
<children:rewriteElement()>
adaptor.addChild(root_<enclosingTreeLevel>, root_<treeLevel>);
}<\n>
>>

rewriteElementList(elements) ::= "<elements:rewriteElement()>"

rewriteElement(e) ::= <<
<@pregen()>
<e.el>
>>

/** Gen ID or ID[args] */
rewriteTokenRef(token,elementIndex,args,terminalOptions={}) ::= <<
adaptor.addChild(root_<treeLevel>, <createRewriteNodeFromElement(...)>);
>>

/** Gen $label ... where defined via label=ID */
rewriteTokenLabelRef(label,elementIndex) ::= <<
adaptor.addChild(root_<treeLevel>, stream_<label>.nextNode());
>>

/** Gen $label ... where defined via label+=ID */
rewriteTokenListLabelRef(label,elementIndex) ::= <<
adaptor.addChild(root_<treeLevel>, stream_<label>.nextNode());
>>

/** Gen ^($label ...) */
rewriteTokenLabelRefRoot(label,elementIndex) ::= <<
root_<treeLevel> = (<ASTLabelType>)adaptor.becomeRoot(stream_<label>.nextNode(), root_<treeLevel>);
>>

/** Gen ^($label ...) where label+=... */
rewriteTokenListLabelRefRoot ::= rewriteTokenLabelRefRoot

/** Gen ^(ID ...) or ^(ID[args] ...) */
rewriteTokenRefRoot(token,elementIndex,args,terminalOptions={}) ::= <<
root_<treeLevel> = (<ASTLabelType>)adaptor.becomeRoot(<createRewriteNodeFromElement(...)>,
root_<treeLevel>);
>>

rewriteImaginaryTokenRef(args,token,elementIndex,terminalOptions={}) ::= <<

```

```

adaptor.addChild(root_<treeLevel>, <createImaginaryNode(token,args,terminalOptions)>);
>>

rewriteImaginaryTokenRefRoot(args,token,elementIndex,terminalOptions={}) ::= <<
root_<treeLevel> = (<ASTLabelType>)adaptor.becomeRoot(<createImaginaryNode(token,args,terminalOptions)>,
root_<treeLevel>);
>>

/** plain -> {foo} action */
rewriteAction(action) ::= <<
root_0 = <action>;
>>

/** What is the name of the previous value of this rule's root tree? This
 * let's us refer to $rule to mean previous value. I am reusing the
 * variable 'tree' sitting in retval struct to hold the value of root_0 right
 * before I set it during rewrites. The assign will be to retval.tree.
 */
prevRuleRootRef() ::= "retval"

rewriteRuleRef(rule) ::= <<
adaptor.addChild(root_<treeLevel>, stream_<rule>.nextTree());
>>

rewriteRuleRefRoot(rule) ::= <<
root_<treeLevel> = (<ASTLabelType>)adaptor.becomeRoot(stream_<rule>.nextNode(), root_<treeLevel>);
>>

rewriteNodeAction(action) ::= <<
adaptor.addChild(root_<treeLevel>, <action>);
>>

rewriteNodeActionRoot(action) ::= <<
root_<treeLevel> = (<ASTLabelType>)adaptor.becomeRoot(<action>, root_<treeLevel>);
>>

/** Gen $ruleLabel ... where defined via ruleLabel=rule */
rewriteRuleLabelRef(label) ::= <<
adaptor.addChild(root_<treeLevel>, stream_<label>.nextTree());
>>

/** Gen $ruleLabel ... where defined via ruleLabel+=rule */
rewriteRuleListLabelRef(label) ::= <<
adaptor.addChild(root_<treeLevel>, stream_<label>.nextTree());
>>

/** Gen ^($ruleLabel ...) where ruleLabel=rule */
rewriteRuleLabelRefRoot(label) ::= <<

```

```
root_<treeLevel> = (<ASTLabelType>)adaptor.becomeRoot(stream_<label>.nextNode(), root_<treeLevel>);
>>
```

```
/** Gen ^($ruleLabel ...) where ruleLabel+=rule */
rewriteRuleListLabelRefRoot(label) ::= <<
root_<treeLevel> = (<ASTLabelType>)adaptor.becomeRoot(stream_<label>.nextNode(), root_<treeLevel>);
>>
```

```
rewriteWildcardLabelRef(label) ::= <<
adaptor.addChild(root_<treeLevel>, stream_<label>.nextTree());
>>
```

```
createImaginaryNode(tokenType,args,terminalOptions={}) ::= <%
<if(terminalOptions.node)>
<! new MethodNode(IDLabel, args) !>
new <terminalOptions.node>(<tokenType><if(args)>, <args; separator=", "><endif>)
<else>
(<ASTLabelType>)adaptor.create(<tokenType>, <args; separator=", "><if(!args)>"<tokenType>"<endif>)
<endif>
%>
```

```
createRewriteNodeFromElement(token,args,terminalOptions={}) ::= <%
<if(terminalOptions.node)>
new <terminalOptions.node>(stream_<token>.nextToken(<if(args)>, <args; separator=", "><endif>)
<else>
<if(args)> <! must create new node from old !>
adaptor.create(<token>, <args; separator=", ">)
<else>
stream_<token>.nextNode()
<endif>
<endif>
%>
```

Found in path(s):

\* /opt/cola/permits/1274703855\_1645234694.1/0/antlr-3-5-2-sources-jar/org/antlr/codegen/templates/Java/AST.stg

No license file was found, but licenses were detected in source scan.

/\*

[The "BSD license"]

Copyright (c) 2005-2012 Terence Parr

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The name of the author may not be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

\*/

/\*\* Template subgroup to add template rewrite output

\* If debugging, then you'll also get STDbg.stg loaded.

\*/

```
@outputFile.imports() ::= <<
```

```
<@super.imports(>
```

```
import stringtemplate3
```

```
>>
```

```
/** Add this to each rule's return value struct */
```

```
@returnScope.ruleReturnInit() ::= <<
```

```
self.st = None
```

```
>>
```

```
@returnScope.ruleReturnMembers() ::= <<
```

```
def getTemplate(self):
```

```
    return self.st
```

```
def toString(self):
```

```
    if self.st is not None:
```

```
        return self.st.toString()
```

```
    return None
```

```
__str__ = toString
```

```
>>
```

```
@genericParser.init() ::= <<
```

```
<@super.init(>
```

```
self.templateLib = stringtemplate3.StringTemplateGroup(
```

```
    '<name>Templates', lexer='angle-bracket'
```

```
)
```

```

>>

@genericParser.members() ::= <<
<@super.members()>
def setTemplateLib(self, templateLib):
    self.templateLib = templateLib

def getTemplateLib(self):
    return self.templateLib

>>

/** x+=rule when output=template */
ruleRefAndListLabel(rule,label,elementIndex,args,scope) ::= <<
<ruleRef(...)>
<listLabel(label, {<label>.st})>
>>

rewriteTemplate(alts) ::= <<
# TEMPLATE REWRITE
<if(backtracking)>
if <actions.(actionScope).synpredgate>:
    <first(alts):rewriteTemplateAltFirst()>
    <rest(alts):{it | el<rewriteTemplateAlt(it)>}>
    <if(rewriteMode)><replaceTextInLine()><endif>

<else>
<first(alts):rewriteTemplateAltFirst()>
<rest(alts):{it | el<rewriteTemplateAlt(it)>}>
<if(rewriteMode)><replaceTextInLine()><endif>
<endif>
>>

replaceTextInLine() ::= <<
<if(TREE_PARSER)>
self.input.getTokenStream().replace(
    self.input.getTreeAdaptor().getTokenStartIndex(retval.start),
    self.input.getTreeAdaptor().getTokenStopIndex(retval.start),
    retval.st
)
<else>
self.input.replace(
    retval.start.getTokenIndex(),
    self.input.LT(-1).getTokenIndex(),
    retval.st
)
<endif>

```



```
>>
```

```
rewriteTemplateAltFirst(alt) ::= <<  
<if(alt.pred)>  
if <alt.pred>:  
  # <alt.description>  
  retval.st = <alt.alt>  
<\n>  
<else>  
# <alt.description>  
retval.st = <alt.alt>  
<\n>  
<endif>  
>>
```

```
rewriteTemplateAlt(alt) ::= <<  
<if(alt.pred)>if <alt.pred>:  
  # <alt.description>  
  retval.st = <alt.alt>  
<\n>  
<else>se:  
  # <alt.description>  
  retval.st = <alt.alt>  
<\n>  
<endif>  
>>
```

```
rewriteEmptyTemplate(alts) ::= <<  
None  
>>
```

```
/** Invoke a template with a set of attribute name/value pairs.
```

```
* Set the value of the rule's template after having set  
* the attributes because the rule's template might be used as  
* an attribute to build a bigger template; you get a self-embedded  
* template.  
*/
```

```
rewriteExternalTemplate(name,args) ::= <%  
self.templateLib.getInstanceOf("<name>"<if(args)>, attributes={<args:{a | "<a.name>": <a.value>}; separator=",  
">"<endif>)  
>%
```

```
/** expr is a string expression that says what template to load */
```

```
rewriteIndirectTemplate(expr,args) ::= <%  
self.templateLib.getInstanceOf(<expr><if(args)>, attributes={<args:{a | "<a.name>": <a.value>}; separator=",  
">"<endif>)  
>%
```

```

/** Invoke an inline template with a set of attribute name/value pairs */
rewriteInlineTemplate(args, template) ::= <%
stringtemplate3.StringTemplate("<template>", group=self.templateLib<if(args)>, attributes={<args:{ a |
"<a.name>": <a.value>}; separator="," ">><endif>)
%>

```

```

/** plain -> {foo} action */
rewriteAction(action) ::= <<
<action>
>>

```

```

/** An action has %st.attrName=expr; or % {st}.attrName=expr; */
actionSetAttribute(st,attrName,expr) ::= <<
(<st>)[ "<attrName>" ] = <expr>
>>

```

```

/** Translate % {stringExpr} */
actionStringConstructor(stringExpr) ::= <<
stringtemplate3.StringTemplate(<stringExpr>, group=self.templateLib)
>>

```

Found in path(s):

\* /opt/cola/permits/1274703855\_1645234694.1/0/antlr-3-5-2-sources-jar/org/antlr/codegen/templates/Python3/ST.stg

No license file was found, but licenses were detected in source scan.

/\*

[The "BSD license"]

Copyright (c) 2005-2006 Terence Parr

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The name of the author may not be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,

DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

\*/

/\*\* Template subgroup to add template rewrite output

\* If debugging, then you'll also get STDbg.stg loaded.

\*/

```
@outputFile.imports() ::= <<
```

```
<@super.imports(>
```

```
import org.antlr.stringtemplate.*;
```

```
import org.antlr.stringtemplate.language.*;
```

```
import java.util.HashMap;
```

```
>>
```

/\*\* Add this to each rule's return value struct \*/

```
@returnScope.ruleReturnMembers() ::= <<
```

```
public StringTemplate st;
```

```
public Object getTemplate() { return st; }
```

```
public String toString() { return st==null?null:st.toString(); }
```

```
>>
```

```
@genericParser.members() ::= <<
```

```
<@super.members(>
```

```
protected StringTemplateGroup templateLib =
```

```
    new StringTemplateGroup("<name>Templates", AngleBracketTemplateLexer.class);
```

```
public void setTemplateLib(StringTemplateGroup templateLib) {
```

```
    this.templateLib = templateLib;
```

```
}
```

```
public StringTemplateGroup getTemplateLib() {
```

```
    return templateLib;
```

```
}
```

/\*\* allows convenient multi-value initialization:

\* "new STAttrMap().put(...).put(...)"

\*/

```
@SuppressWarnings("serial")
```

```
public static class STAttrMap extends HashMap<String, Object> {
```

```
    public STAttrMap put(String attrName, Object value) {
```

```
        super.put(attrName, value);
```

```
        return this;
```

```
}
```

```
}
```

```
>>
```

/\*\* x+=rule when output=template \*/

```
ruleRefAndListLabel(rule,label,elementIndex,args,scope) ::= <<
```

```
<ruleRef(rule,label,elementIndex,args,scope)>  
<listLabel(label, {<label>.getTemplate()})>  
>>
```

```
rewriteTemplate(alts) ::= <<
```

```
// TEMPLATE REWRITE  
<if(backtracking)>  
if ( <actions.(actionScope).synpredgate> ) {  
  <alts:rewriteTemplateAlt(); separator="else ">  
  <if(rewriteMode)><replaceTextInLine()><endif>  
}  
<else>  
<alts:rewriteTemplateAlt(); separator="else ">  
<if(rewriteMode)><replaceTextInLine()><endif>  
<endif>  
>>
```

```
replaceTextInLine() ::= <<  
<if(TREE_PARSER)>  
((TokenRewriteStream)input.getTokenStream()).replace(  
  input.getTreeAdaptor().getTokenStartIndex(retval.start),  
  input.getTreeAdaptor().getTokenStopIndex(retval.start),  
  retval.st);  
<else>  
((TokenRewriteStream)input).replace(  
  ((Token)retval.start).getTokenIndex(),  
  input.LT(-1).getTokenIndex(),  
  retval.st);  
<endif>  
>>
```

```
rewriteTemplateAlt(alt) ::= <<  
// <alt.description>  
<if(alt.pred)>  
if (<alt.pred> ) {  
  retval.st = <alt.alt>;  
}<\n>  
<else>  
{  
  retval.st = <alt.alt>;  
}<\n>  
<endif>  
>>
```

```
rewriteEmptyTemplate(alts) ::= <<  
null;  
>>
```

```

/** Invoke a template with a set of attribute name/value pairs.
 * Set the value of the rule's template after having set
 * the attributes because the rule's template might be used as
 * an attribute to build a bigger template; you get a self-embedded
 * template.
 */
rewriteExternalTemplate(name,args) ::= <%
templateLib.getInstanceOf("<name>"<if(args)>,
new STAttrMap()<args:{a | .put("<a.name>", <a.value>)}>
<endif>)
%>

/** expr is a string expression that says what template to load */
rewriteIndirectTemplate(expr,args) ::= <%
templateLib.getInstanceOf(<expr><if(args)>,
new STAttrMap()<args:{a | .put("<a.name>", <a.value>)}>
<endif>)
%>

/** Invoke an inline template with a set of attribute name/value pairs */
rewriteInlineTemplate(args, template) ::= <%
new StringTemplate(templateLib, "<template>"<if(args)>,
new STAttrMap()<args:{a | .put("<a.name>", <a.value>)}>
<endif>)
%>

/** plain -> {foo} action */
rewriteAction(action) ::= <<
<action>
>>

/** An action has %st.attrName=expr; or % {st}.attrName=expr; */
actionSetAttribute(st,attrName,expr) ::= <<
(<st>).setAttribute("<attrName>",<expr>);
>>

/** Translate % {stringExpr} */
actionStringConstructor(stringExpr) ::= <<
new StringTemplate(templateLib,<stringExpr>)
>>

Found in path(s):
* /opt/cola/permits/1274703855_1645234694.1/0/antlr-3-5-2-sources-jar/org/antlr/codegen/templates/Java/ST.stg
No license file was found, but licenses were detected in source scan.

/*
[The "BSD license"]

```

Copyright (c) 2005-2006 Terence Parr  
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The name of the author may not be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

\*/

/\*\* Templates for building ASTs during tree parsing.

\*

\* Deal with many combinations. Dimensions are:

\* Auto build or rewrite

\* no label, label, list label (label/no-label handled together)

\* child, root

\* token, set, rule, wildcard

\*

\* Each combination has its own template except that label/no label

\* is combined into tokenRef, ruleRef, ...

\*/

/\*\* Add a variable to track last element matched \*/

```
ruleDeclarations() ::= <<
```

```
<super.ruleDeclarations()>
```

```
var _first_0:<ASTLabelType> = null;
```

```
var _last:<ASTLabelType> = null;<n>
```

```
>>
```

/\*\* What to emit when there is no rewrite rule. For auto build

\* mode, does nothing.

\*/

```

noRewrite(rewriteBlockLevel, treeLevel) ::= <<
<if(backtracking)>if ( <actions.(actionScope).synpredgate> ) {<endif>
<if(rewriteMode)>
retval.tree = <ASTLabelType>(_first_0);
if ( adaptor.getParent(retval.tree)!=null && adaptor.isNil( adaptor.getParent(retval.tree) ) )
    retval.tree = <ASTLabelType>(adaptor.getParent(retval.tree));
<endif>
<if(backtracking)>}<endif>
>>

/** match ^(root children) in tree parser; override here to
 * add tree construction actions.
 */
tree(root, actionsAfterRoot, children, nullableChildList,
    enclosingTreeLevel, treeLevel) ::= <<
_last = <ASTLabelType>(input.LT(1));
{
var _save_last_<treeLevel>:<ASTLabelType> = _last;
var _first_<treeLevel>:<ASTLabelType> = null;
<if(!rewriteMode)>
var root_<treeLevel>:<ASTLabelType> = <ASTLabelType>(adaptor.nil());
<endif>
<root:element>
<if(rewriteMode)>
<if(backtracking)>if ( <actions.(actionScope).synpredgate> )<endif>
<if(root.el.rule)>
if ( _first_<enclosingTreeLevel>==null ) _first_<enclosingTreeLevel> = <root.el.label>.tree;
<else>
if ( _first_<enclosingTreeLevel>==null ) _first_<enclosingTreeLevel> = <root.el.label>;
<endif>
<endif>
<actionsAfterRoot:element>
<if(nullableChildList)>
if ( input.LA(1)==TokenConstants.DOWN ) {
    matchStream(input, TokenConstants.DOWN, null); <checkRuleBacktrackFailure>
    <children:element>
    matchStream(input, TokenConstants.UP, null); <checkRuleBacktrackFailure>
}
<else>
matchStream(input, TokenConstants.DOWN, null); <checkRuleBacktrackFailure>
<children:element>
matchStream(input, TokenConstants.UP, null); <checkRuleBacktrackFailure>
<endif>
<if(!rewriteMode)>
adaptor.addChild(root_<enclosingTreeLevel>, root_<treeLevel>);
<endif>
_last = _save_last_<treeLevel>;
}<\n>

```

```

>>

// TOKEN AST STUFF

/** ID! and output=AST (same as plain tokenRef) 'cept add
 * setting of _last
 */
tokenRefBang(token,label,elementIndex,terminalOptions) ::= <<
_last = <ASTLabelType>(input.LT(1));
<super.tokenRef(...)>
>>

/** ID auto construct */
tokenRef(token,label,elementIndex,terminalOptions) ::= <<
_last = <ASTLabelType>(input.LT(1));
<super.tokenRef(...)>
<if(!rewriteMode)>
<if(backtracking)>if ( <actions.(actionScope).synpredgate> ) {<endif>
<if(terminalOptions.node)>
<label>_tree = new <terminalOptions.node>( <label> );
<else>
<label>_tree = <ASTLabelType>(adaptor.dupNode(<label>));
<endif><\n>
adaptor.addChild(root_<treeLevel>, <label>_tree);
<if(backtracking)>}<endif>
<else> <! rewrite mode !>
<if(backtracking)>if ( <actions.(actionScope).synpredgate> )<endif>
if ( _first_<treeLevel>==null ) _first_<treeLevel> = <label>;
<endif>
>>

/** label+=TOKEN auto construct */
tokenRefAndListLabel(token,label,elementIndex,terminalOptions) ::= <<
<tokenRef(...)>
<listLabel(elem=label,...)>
>>

/** ^(ID ...) auto construct */
tokenRefRuleRoot(token,label,elementIndex,terminalOptions) ::= <<
_last = <ASTLabelType>(input.LT(1));
<super.tokenRef(...)>
<if(!rewriteMode)>
<if(backtracking)>if ( <actions.(actionScope).synpredgate> ) {<endif>
<if(terminalOptions.node)>
<label>_tree = new <terminalOptions.node>( <label> );
<else>
<label>_tree = <ASTLabelType>(adaptor.dupNode(<label>));
<endif><\n>

```



```

root_<treeLevel> = <ASTLabelType>(adaptor.becomeRoot(<label>_tree, root_<treeLevel>));
<if(backtracking)><endif>
<endif>
>>

/** Match ^(label+=TOKEN ...) auto construct */
tokenRefRuleRootAndListLabel(token,label,elementIndex,terminalOptions) ::= <<
<tokenRefRuleRoot(...)>
<listLabel(elem=label,...)>
>>

/** Match . wildcard and auto dup the node/subtree */
wildcard(token,label,elementIndex,terminalOptions) ::= <<
_last = (<ASTLabelType>)input.LT(1);
<super.wildcard(...)>
<if(!rewriteMode)>
<if(backtracking)>if ( <actions.(actionScope).synpredgate> ) {<endif>
<label>_tree = (<ASTLabelType>)adaptor.dupTree(<label>);
adaptor.addChild(root_<treeLevel>, <label>_tree);
<if(backtracking)><endif>
<else><! rewrite mode !>
<if(backtracking)>if ( <actions.(actionScope).synpredgate> )<endif>
if ( _first_<treeLevel>==null ) _first_<treeLevel> = <label>;
<endif>
>>

// SET AST

matchSet(s,label,terminalOptions,elementIndex,postmatchCode) ::= <<
_last = <ASTLabelType>(input.LT(1));
<super.matchSet(postmatchCode={
<if(!rewriteMode)>
<if(backtracking)>if ( <actions.(actionScope).synpredgate> ) {<endif>
<if(terminalOptions.node)>
<label>_tree = new <terminalOptions.node>(<label>);
<else>
<label>_tree = <ASTLabelType>(adaptor.dupNode(<label>));
<endif><\n>
adaptor.addChild(root_<treeLevel>, <label>_tree);
<if(backtracking)>\}<endif>
<endif>
}, ...
)>
>>

matchRuleBlockSet(s,label,terminalOptions,elementIndex,postmatchCode,treeLevel="0") ::= <<
<matchSet(...)>
<noRewrite(...)> <! set return tree !>

```

>>

```
matchSetBang(s,label,terminalOptions,elementIndex,postmatchCode) ::= <<
  _last = <ASTLabelType>(input.LT(1));
  <super.matchSet(...)>
>>
```

```
matchSetRuleRoot(s,label,terminalOptions,elementIndex,debug) ::= <<
  <super.matchSet(postmatchCode={
  <if(!rewriteMode)>
  <if(backtracking)>if ( <actions.(actionScope).synpredgate> ) {<endif>
  <if(terminalOptions.node)>
  <label>_tree = new <terminalOptions.node>( <label>);
  <else>
  <label>_tree = <ASTLabelType>(adaptor.dupNode(<label>));
  <endif><\n>
  root_<treeLevel> = <ASTLabelType>(adaptor.becomeRoot(<label>_tree, root_<treeLevel>));
  <if(backtracking)>}<endif>
  <endif>
  }, ...
  )>
>>
```

// RULE REF AST

```
/** rule auto construct */
ruleRef(rule,label,elementIndex,args,scope) ::= <<
  _last = <ASTLabelType>(input.LT(1));
  <super.ruleRef(...)>
  <if(backtracking)>if ( <actions.(actionScope).synpredgate> ) <endif>
  <if(!rewriteMode)>
  adaptor.addChild(root_<treeLevel>, <label>.tree);
  <else> <! rewrite mode !>
  if ( _first_<treeLevel>==null ) _first_<treeLevel> = <label>.tree;
  <endif>
>>
```

```
/** x+=rule auto construct */
ruleRefAndListLabel(rule,label,elementIndex,args,scope) ::= <<
  <ruleRef(...)>
  <listLabel(label, {<label>.tree }>
>>
```

```
/** ^(rule ...) auto construct */
ruleRefRuleRoot(rule,label,elementIndex,args,scope) ::= <<
  _last = <ASTLabelType>(input.LT(1));
  <super.ruleRef(...)>
  <if(!rewriteMode)>
```

```

<if(backtracking)>if ( <actions.(actionScope).synpredgate> ) <endif>root_<treeLevel> =
<ASTLabelType>(adaptor.becomeRoot(<label>.tree, root_<treeLevel>));
<endif>
>>

/** ^(x+=rule ...) auto construct */
ruleRefRuleRootAndListLabel(rule,label,elementIndex,args,scope) ::= <<
<ruleRefRuleRoot(...)>
<listLabel(label, {<label>.tree})>
>>

/** rule when output=AST and tracking for rewrite */
ruleRefTrack(rule,label,elementIndex,args,scope) ::= <<
_last = <ASTLabelType>(input.LT(1));
<super.ruleRefTrack(...)>
>>

/** x+=rule when output=AST and tracking for rewrite */
ruleRefTrackAndListLabel(rule,label,elementIndex,args,scope) ::= <<
_last = <ASTLabelType>(input.LT(1));
<super.ruleRefTrackAndListLabel(...)>
>>

/** ^(rule ...) rewrite */
ruleRefRuleRootTrack(rule,label,elementIndex,args,scope) ::= <<
_last = <ASTLabelType>(input.LT(1));
<super.ruleRefRuleRootTrack(...)>
>>

/** ^(x+=rule ...) rewrite */
ruleRefRuleRootTrackAndListLabel(rule,label,elementIndex,args,scope) ::= <<
_last = <ASTLabelType>(input.LT(1));
<super.ruleRefRuleRootTrackAndListLabel(...)>
>>

/** Streams for token refs are tree nodes now; override to
 * change nextToken to nextNode.
 */
createRewriteNodeFromElement(token,terminalOptions,scope) ::= <<
<if(terminalOptions.node)>
new <terminalOptions.node>(stream_<token>.nextNode())
<else>
stream_<token>.nextNode()
<endif>
>>

ruleCleanUp() ::= <<
<super.ruleCleanUp()>

```

```
<!(rewriteMode)>
<if(backtracking)>if ( <actions.(actionScope).synpredgate> ) {<\n<endif>
retval.tree = <ASTLabelType>(adaptor.rulePostProcessing(root_0));
<if(backtracking)>}<endif>
<endif>
>>
```

Found in path(s):

```
* /opt/cola/permits/1274703855_1645234694.1/0/antlr-3-5-2-sources-
jar/org/antlr/codegen/templates/ActionScript/ASTTreeParser.stg
No license file was found, but licenses were detected in source scan.
```

```
/*
```

```
[The "BSD license"]
```

```
Copyright (c) 2008 Erik van Bilzen
```

```
Copyright (c) 2007-2008 Johannes Luber
```

```
Copyright (c) 2005-2007 Kunle Odutola
```

```
Copyright (c) 2005-2006 Terence Parr
```

```
All rights reserved.
```

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The name of the author may not be used to endorse or promote products derived from this software without specific prior written permission.

```
THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR
IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.
IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,
INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT
NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF
THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
```

```
*/
```

```
/** Templates for building ASTs during tree parsing.
```

```
*
```

```
* Deal with many combinations. Dimensions are:
```

```
* Auto build or rewrite
```

```
* no label, label, list label (label/no-label handled together)
```

```

* child, root
* token, set, rule, wildcard
*
* Each combination has its own template except that label/no label
* is combined into tokenRef, ruleRef, ...
*/
group ASTTreeParser;

/** Add a variable to track last element matched */
ruleDeclarations() ::= <<
<super.ruleDeclarations()>
_First[0] := nil;
_Last := nil;<\n>
>>

ruleDeclarationVars() ::= <<
<super.ruleDeclarationVars()>
_First, _Save_Last: array [0..63] of I<ASTLabelType>;
_Last: I<ASTLabelType>;
>>

/** What to emit when there is no rewrite rule. For auto build
* mode, does nothing.
*/
noRewrite(rewriteBlockLevel, treeLevel) ::= <<
<if(backtracking)>if (State.Backtracking = 0) then
begin<endif>
<if(rewriteMode)>
RetVal.Tree := _First[0] as I<ASTLabelType>;
if (Adaptor.GetParent(RetVal.Tree) \<\> nil) and (Adaptor.IsNil(Adaptor.GetParent(RetVal.Tree))) then
RetVal.Tree := Adaptor.GetParent(RetVal.Tree) as I<ASTLabelType>;
<endif>
<if(backtracking)>end;<endif>
>>

/** match ^(root children) in tree parser; override here to
* add tree construction actions.
*/
tree(root, actionsAfterRoot, children, nullableChildList,
enclosingTreeLevel, treeLevel) ::= <<
_Last := Input.LT(1) as I<ASTLabelType>;
begin
_Save_Last[<treeLevel>] := _Last;
_First[<treeLevel>] := nil;
<if(!rewriteMode)>
Root[<treeLevel>] := Adaptor.GetNilNode as I<ASTLabelType>;<\n>
<endif>
<root:element()>

```

```

<if(rewriteMode)>
<if(backtracking)>if (State.Backtracking = 0) then <endif>
<if(root.el.rule)>
if (_First[<enclosingTreeLevel>] = nil) then _First[<enclosingTreeLevel>] := <root.el.label>.Tree;
<else>
if (_First[<enclosingTreeLevel>] = nil) then _First[<enclosingTreeLevel>] := <root.el.label>;
<endif>
<endif>
<actionsAfterRoot:element()>
<if(nullableChildList)>
if (Input.LA(1) = TToken.DOWN) then
begin
  Match(Input, TToken.DOWN, nil); <checkRuleBacktrackFailure()>
  <children:element()>
  Match(Input, TToken.UP, nil); <checkRuleBacktrackFailure()>
end;
<else>
Match(Input, TToken.DOWN, nil); <checkRuleBacktrackFailure()>
<children:element()>
Match(Input, TToken.UP, nil); <checkRuleBacktrackFailure()>
<endif>
<if(!rewriteMode)>
Adaptor.AddChild(Root[<enclosingTreeLevel>], Root[<treeLevel>]);
<endif>
_Last := _Save_Last[<treeLevel>];
end;<\n>
>>

// TOKEN AST STUFF

/** ID! and output=AST (same as plain tokenRef) 'cept add
 * setting of _last
 */
tokenRefBang(token,label,elementIndex) ::= <<
_Last := Input.LT(1) as I<ASTLabelType>;
<super.tokenRef(...)>
>>

/** ID auto construct */
tokenRef(token,label,elementIndex,terminalOptions) ::= <<
_Last := Input.LT(1) as I<ASTLabelType>;
<super.tokenRef(...)>
<if(!rewriteMode)>
<if(backtracking)>
if (State.Backtracking = 0) then
begin<\n>
<endif>
<if(terminalOptions.node)>

```

```

<label>_tree := T<terminalOptions.node>.Create(<label>);
<else>
<label>_tree := Adaptor.DupNode(<label>) as I<ASTLabelType>;
<endif><\n>
Adaptor.AddChild(Root[<treeLevel>], <label>_tree);
<if(backtracking)>
end;
<endif>
<else> <! rewrite mode !>
<if(backtracking)>if (State.Backtracking = 0) then <endif>
if (_First[<treeLevel>] = nil) then _First[<treeLevel>] := <label>;
<endif>
>>

/** label+=TOKEN auto construct */
tokenRefAndListLabel(token,label,elementIndex,terminalOptions) ::= <<
<tokenRef(...)>
<listLabel(elem=label,...)>
>>

/** ^(ID ...) auto construct */
tokenRefRuleRoot(token,label,elementIndex,terminalOptions) ::= <<
_Last := Input.LT(1) as I<ASTLabelType>;
<super.tokenRef(...)>
<if(!rewriteMode)>
<if(backtracking)>
if (State.Backtracking = 0) then
begin
<endif>
<if(terminalOptions.node)>
<label>_tree := T<terminalOptions.node>.Create(<label>);
<else>
<label>_tree := Adaptor.DupNode(<label>) as I<ASTLabelType>;
<endif><\n>
Root[<treeLevel>] := Adaptor.BecomeRoot(<label>_tree, Root[<treeLevel>]) as I<ASTLabelType>;
<if(backtracking)>
end;
<endif>
<endif>
>>

/** Match ^(label+=TOKEN ...) auto construct */
tokenRefRuleRootAndListLabel(token,label,elementIndex,terminalOptions) ::= <<
<tokenRefRuleRoot(...)>
<listLabel(elem=label,...)>
>>

// SET AST

```

```

matchSet(s,label,terminalOptions,elementIndex,postmatchCode) ::= <<
  _Llast := Input.LT(1) as I<ASTLabelType>;
  <super.matchSet(..., postmatchCode={
  <if(!rewriteMode)>
  <if(backtracking)>if (State.Backtracking = 0) then begin <endif>
  <if(terminalOptions.node)>
  <label>_tree := T<terminalOptions.node>.Create(<label>);
  <else>
  <label>_tree := Adaptor.DupNode(<label>) as I<ASTLabelType>;
  <endif><\n>
  Adaptor.AddChild(Root[<treeLevel>], <label>_tree);
  <if(backtracking)>end;<endif>
  <endif>
  }
  )>
  >>

```

```

matchRuleBlockSet(s,label,terminalOptions,elementIndex,postmatchCode,treeLevel="0") ::= <<
  <matchSet(...)>
  <noRewrite()> <! set return tree !>
  >>

```

```

matchSetBang(s,label,elementIndex,postmatchCode) ::= <<
  _Last := Input.LT(1) as I<ASTLabelType>;
  <super.matchSet(...)>
  >>

```

```

matchSetRuleRoot(s,label,terminalOptions,elementIndex,debug) ::= <<
  <super.matchSet(..., postmatchCode={
  <if(!rewriteMode)>
  <if(backtracking)>if (State.Backtracking = 0) then begin <endif>
  <if(terminalOptions.node)>
  <label>_tree := T<terminalOptions.node>.Create(<label>);
  <else>
  <label>_tree := Adaptor.DupNode(<label>) as I<ASTLabelType>;
  <endif><\n>
  Root[<treeLevel>] := Adaptor.BecomeRoot(<label>_tree, Root[<treeLevel>]) as I<ASTLabelType>;
  <if(backtracking)>end;<endif>
  <endif>
  }
  )>
  >>

```

```
// RULE REF AST
```

```
/** rule auto construct */
```

```
ruleRef(rule,label,elementIndex,args,scope) ::= <<
```



```

_Last := Input.LT(1) as I<ASTLabelType>;
<super.ruleRef(...)>
<if(backtracking)>if (State.Backtracking = 0) then <endif>
<if(!rewriteMode)>
Adaptor.AddChild(Root[<treeLevel>], <label>.Tree);
<else> <! rewrite mode !>
if (_First[<treeLevel>] = nil) then _First[<treeLevel>] := <label>.Tree;
<endif>
>>

/** x+=rule auto construct */
ruleRefAndListLabel(rule,label,elementIndex,args,scope) ::= <<
<ruleRef(...)>
<listLabel(elem=label+".Tree",...)>
>>

/** ^(rule ...) auto construct */
ruleRefRuleRoot(rule,label,elementIndex,args,scope) ::= <<
_Last := Input.LT(1) as I<ASTLabelType>;
<super.ruleRef(...)>
<if(!rewriteMode)>
<if(backtracking)>if (State.Backtracking = 0) then <endif>Root[<treeLevel>] :=
Adaptor.BecomeRoot(<label>.Tree, Root[<treeLevel>]) as I<ASTLabelType>;
<endif>
>>

/** ^(x+=rule ...) auto construct */
ruleRefRuleRootAndListLabel(rule,label,elementIndex,args,scope) ::= <<
<ruleRefRuleRoot(...)>
<listLabel(elem=label+".Tree",...)>
>>

/** rule when output=AST and tracking for rewrite */
ruleRefTrack(rule,label,elementIndex,args,scope) ::= <<
_Last := Input.LT(1) as I<ASTLabelType>;
<super.ruleRefTrack(...)>
>>

/** x+=rule when output=AST and tracking for rewrite */
ruleRefTrackAndListLabel(rule,label,elementIndex,args,scope) ::= <<
_Last := Input.LT(1) as I<ASTLabelType>;
<super.ruleRefTrackAndListLabel(...)>
>>

/** ^(rule ...) rewrite */
ruleRefRuleRootTrack(rule,label,elementIndex,args,scope) ::= <<
_Last := Input.LT(1) as I<ASTLabelType>;
<super.ruleRefRootTrack(...)>

```

```

>>

/** ^(x+=rule ...) rewrite */
ruleRefRuleRootTrackAndListLabel(rule,label,elementIndex,args,scope) ::= <<
_Last := Input.LT(1) as I<ASTLabelType>;
<super.ruleRefRuleRootTrackAndListLabel(...)>
>>

/** Streams for token refs are tree nodes now; override to
 * change nextToken to nextNode.
 */
createRewriteNodeFromElement(token,terminalOptions,scope) ::= <<
<if(terminalOptions.node)>
T<terminalOptions.node>.Create((Locals['Stream_<token>'] as IRewriteRuleElementStream).NextNode)
<else>
(Locals['Stream_<token>'] as IRewriteRuleElementStream).NextNode
<endif>
>>

ruleCleanUp() ::= <<
<super.ruleCleanUp()>
<if(!rewriteMode)>
<if(backtracking)>
if (State.Backtracking = 0) then
begin<\n>
<endif>
RefVal.Tree := Adaptor.RulePostProcessing(Root[0]) as I<ASTLabelType>;
<if(backtracking)>
end;
<endif>
<endif>
>>

```

Found in path(s):

\* /opt/cola/permits/1274703855\_1645234694.1/0/antlr-3-5-2-sources-jar/org/antlr/codegen/templates/Delphi/ASTTreeParser.stg

No license file was found, but licenses were detected in source scan.

```

/*
 * [The "BSD license"]
 * Copyright (c) 2011 Terence Parr
 * All rights reserved.
 *
 * Conversion to C#:
 * Copyright (c) 2011 Sam Harwell, Pixel Mine, Inc.
 * All rights reserved.
 *
 * Redistribution and use in source and binary forms, with or without

```

```

* modification, are permitted provided that the following conditions
* are met:
* 1. Redistributions of source code must retain the above copyright
* notice, this list of conditions and the following disclaimer.
* 2. Redistributions in binary form must reproduce the above copyright
* notice, this list of conditions and the following disclaimer in the
* documentation and/or other materials provided with the distribution.
* 3. The name of the author may not be used to endorse or promote products
* derived from this software without specific prior written permission.
*
* THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR
* IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.
* IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,
* INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT
* NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
* DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
* THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
* (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF
* THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
*/

```

```

/** Templates for building ASTs during tree parsing.

```

```

*
* Deal with many combinations. Dimensions are:
* Auto build or rewrite
* no label, label, list label (label/no-label handled together)
* child, root
* token, set, rule, wildcard
*
* Each combination has its own template except that label/no label
* is combined into tokenRef, ruleRef, ...
*/

```

```

/** Add a variable to track last element matched */
ruleDeclarations() ::= <<
<super.ruleDeclarations()>
<if(!ruleDescriptor.isSynPred)>
<ASTLabelType> _first_0 = default(<ASTLabelType>);
<ASTLabelType> _last = default(<ASTLabelType>);
<endif>
>>

```

```

/** What to emit when there is no rewrite rule. For auto build
* mode, does nothing.
*/
noRewrite(rewriteBlockLevel=false, treeLevel=false) ::= <<
<if(!ruleDescriptor.isSynPred)>

```

```

<if(backtracking)>if (<actions.(actionScope).synpredgate>) {<endif>
<if(rewriteMode)>
retval.Tree = (<ASTLabelType>)_first_0;
if (adaptor.GetParent(retval.Tree)!=null && adaptor.IsNil(adaptor.GetParent(retval.Tree)))
retval.Tree = (<ASTLabelType>)adaptor.GetParent(retval.Tree);
<endif>
<if(backtracking)>}<endif>
<endif>
>>

/** match ^(root children) in tree parser; override here to
 * add tree construction actions.
 */
tree(root, actionsAfterRoot, children, nullableChildList,
enclosingTreeLevel, treeLevel) ::= <<
<if(!ruleDescriptor.isSynPred)>
_last = (<ASTLabelType>)input.LT(1);
{
<ASTLabelType> _save_last_<treeLevel> = _last;
<ASTLabelType> _first_<treeLevel> = default(<ASTLabelType>);
<if(!rewriteMode)>
<ASTLabelType> root_<treeLevel> = (<ASTLabelType>)adaptor.Nil();
<endif>
<root:element()>
<if(rewriteMode)>
<if(backtracking)>if (<actions.(actionScope).synpredgate>)<endif>
<if(root.el.rule)>
if (_first_<enclosingTreeLevel> == null) _first_<enclosingTreeLevel> = <root.el.label>.Tree;
<else>
if (_first_<enclosingTreeLevel> == null) _first_<enclosingTreeLevel> = <root.el.label>;
<endif>
<endif>
<actionsAfterRoot:element()>
<if(nullableChildList)>
if (input.LA(1) == TokenTypes.Down) {
Match(input, TokenTypes.Down, null); <checkRuleBacktrackFailure()>
<children:element()>
Match(input, TokenTypes.Up, null); <checkRuleBacktrackFailure()>
}
<else>
Match(input, TokenTypes.Down, null); <checkRuleBacktrackFailure()>
<children:element()>
Match(input, TokenTypes.Up, null); <checkRuleBacktrackFailure()>
<endif>
<if(!rewriteMode)>
adaptor.AddChild(root_<enclosingTreeLevel>, root_<treeLevel>);
<endif>
_last = _save_last_<treeLevel>;

```

```

}
<else>
<super.tree(...)>
<endif>
>>

// TOKEN AST STUFF

/** ID! and output=AST (same as plain tokenRef) 'cept add
 * setting of _last
 */
tokenRefBang(token,label,elementIndex,terminalOptions) ::= <<
<if(!ruleDescriptor.isSynPred)>
_last = (<ASTLabelType>)input.LT(1);
<super.tokenRef(...)>
<else>
<super.tokenRefBang(...)>
<endif>
>>

/** ID auto construct */
tokenRef(token,label,elementIndex,terminalOptions) ::= <<
<if(!ruleDescriptor.isSynPred)>
_last = (<ASTLabelType>)input.LT(1);
<super.tokenRef(...)>
<if(!rewriteMode)>
<if(backtracking)>if (<actions.(actionScope).synpredgate>) {<endif>
<if(terminalOptions.node)>
<label>_tree = new
<terminalOptions.node>(<if(terminalOptions.type)><terminalOptions.type>,<endif><label><if(terminalOptions.tex
t)>,<terminalOptions.text; format="string"><endif>);
<else>
<label>_tree =
(<ASTLabelType>)adaptor.DupNode(<if(terminalOptions.type)><terminalOptions.type>,<endif><label><if(termin
alOptions.text)>,<terminalOptions.text; format="string"><endif>);
<endif><\n>
adaptor.AddChild(root_<treeLevel>, <label>_tree);
<if(backtracking)>}<endif>
<else> <! rewrite mode !>
<if(backtracking)>if (<actions.(actionScope).synpredgate>)<endif>
if (_first_<treeLevel> == null) _first_<treeLevel> = <label>;
<endif>
<else>
<super.tokenRef(...)>
<endif>
>>

/** label+=TOKEN auto construct */

```

```

tokenRefAndListLabel(token,label,elementIndex,terminalOptions) ::= <<
<if(!ruleDescriptor.isSynPred)>
<tokenRef(...)>
<listLabelElem(elem=label,...)>
<else>
<super.tokenRefAndListLabel(...)>
<endif>
>>

/** ^(ID ...) auto construct */
tokenRefRuleRoot(token,label,elementIndex,terminalOptions) ::= <<
<if(!ruleDescriptor.isSynPred)>
_last = (<ASTLabelType>)input.LT(1);
<super.tokenRef(...)>
<if(!rewriteMode)>
<if(backtracking)>if (<actions.(actionScope).synpredgate>) {<endif>
<if(terminalOptions.node)>
<label>_tree = new
<terminalOptions.node><(if(terminalOptions.type)><terminalOptions.type>,<endif><label><(if(terminalOptions.tex
t)>,<terminalOptions.text; format="string"><endif>);
<else>
<label>_tree =
(<ASTLabelType>)adaptor.DupNode(<(if(terminalOptions.type)><terminalOptions.type>,<endif><label><(if(termin
alOptions.text)>,<terminalOptions.text; format="string"><endif>);
<endif><\n>
root_<treeLevel> = (<ASTLabelType>)adaptor.BecomeRoot(<label>_tree, root_<treeLevel>);
<if(backtracking)>}<endif>
<endif>
<else>
<super.tokenRefRuleRoot(...)>
<endif>
>>

/** Match ^(label+=TOKEN ...) auto construct */
tokenRefRuleRootAndListLabel(token,label,elementIndex,terminalOptions) ::= <<
<if(!ruleDescriptor.isSynPred)>
<tokenRefRuleRoot(...)>
<listLabelElem(elem=label,...)>
<else>
<super.tokenRefRuleRootAndListLabel(...)>
<endif>
>>

/** Match . wildcard and auto dup the node/subtree */
wildcard(token,label,elementIndex,terminalOptions) ::= <<
<if(!ruleDescriptor.isSynPred)>
_last = (<ASTLabelType>)input.LT(1);
<super.wildcard(...)>

```

```

<if(!rewriteMode)>
<if(backtracking)>if (<actions.(actionScope).synpredgate>) {<endif>
<label>_tree = (<ASTLabelType>)adaptor.DupTree(<label>);
adaptor.AddChild(root_<treeLevel>, <label>_tree);
<if(backtracking)>}<endif>
<else> <! rewrite mode !>
<if(backtracking)>if (<actions.(actionScope).synpredgate>)<endif>
if (_first_<treeLevel> == null) _first_<treeLevel> = <label>;
<endif>
<else>
<super.wildcard(...)>
<endif>
>>

// SET AST

matchSet(s,label,terminalOptions,elementIndex,postmatchCode) ::= <<
<if(!ruleDescriptor.isSynPred)>
_last = (<ASTLabelType>)input.LT(1);
<super.matchSet(postmatchCode={
<if(!rewriteMode)>
<if(backtracking)>if (<actions.(actionScope).synpredgate>) {<endif>
<if(terminalOptions.node)>
<label>_tree = new
<terminalOptions.node>(<if(terminalOptions.type)><terminalOptions.type>,<endif><label><if(terminalOptions.text)>,<terminalOptions.text; format="string"><endif>);
<else>
<label>_tree =
(<ASTLabelType>)adaptor.DupNode(<if(terminalOptions.type)><terminalOptions.type>,<endif><label><if(terminalOptions.text)>,<terminalOptions.text; format="string"><endif>);
<endif><\n>
adaptor.AddChild(root_<treeLevel>, <label>_tree);
<if(backtracking)>}\}<endif>
<endif>
}, ...
)>
<else>
<super.matchSet(...)>
<endif>
>>

matchRuleBlockSet(s,label,terminalOptions,elementIndex,postmatchCode,treeLevel="0") ::= <<
<if(!ruleDescriptor.isSynPred)>
<matchSet(...)>
<noRewrite(...)> <! set return tree !>
<else>
<super.matchRuleBlockSet(...)>
<endif>

```

>>

```
matchSetBang(s,label,terminalOptions,elementIndex,postmatchCode) ::= <<
<if(!ruleDescriptor.isSynPred)>
_last = (<ASTLabelType>)input.LT(1);
<super.matchSet(...)>
<else>
<super.matchSetBang(...)>
<endif>
>>
```

```
matchSetRuleRoot(s,label,terminalOptions,elementIndex,debug) ::= <<
<if(!ruleDescriptor.isSynPred)>
<super.matchSet(postmatchCode={
<if(!rewriteMode)>
<if(backtracking)>if (<actions.(actionScope).synpredgate>) {<endif>
<if(terminalOptions.node)>
<label>_tree = new
<terminalOptions.node><(if(terminalOptions.type)><terminalOptions.type>,<endif><label><if(terminalOptions.text)>,<terminalOptions.text; format="string"><endif>);
<else>
<label>_tree =
(<ASTLabelType>)adaptor.DupNode(<if(terminalOptions.type)><terminalOptions.type>,<endif><label><if(terminalOptions.text)>,<terminalOptions.text; format="string"><endif>);
<endif><\n>
root_<treeLevel> = (<ASTLabelType>)adaptor.BecomeRoot(<label>_tree, root_<treeLevel>);
<if(backtracking)>}\}<endif>
<endif>
}, ...
)>
<else>
<super.matchSetRuleRoot(...)>
<endif>
>>
```

// RULE REF AST

```
/** rule auto construct */
ruleRef(rule,label,elementIndex,args,scope) ::= <<
<if(!ruleDescriptor.isSynPred)>
_last = (<ASTLabelType>)input.LT(1);
<super.ruleRef(...)>
<if(backtracking)>if (<actions.(actionScope).synpredgate>)<endif>
<if(!rewriteMode)>
adaptor.AddChild(root_<treeLevel>, <label>.Tree);
<else> <! rewrite mode !>
if (_first_<treeLevel> == null) _first_<treeLevel> = <label>.Tree;
<endif>
```



```

<else>
<super.ruleRef(...)>
<endif>
>>

/** x+=rule auto construct */
ruleRefAndListLabel(rule,label,elementIndex,args,scope) ::= <<
<if(!ruleDescriptor.isSynPred)>
<ruleRef(...)>
<listLabelElem(elem={<label>.Tree},...)>
<else>
<super.ruleRefAndListLabel(...)>
<endif>
>>

/** ^(rule ...) auto construct */
ruleRefRuleRoot(rule,label,elementIndex,args,scope) ::= <<
<if(!ruleDescriptor.isSynPred)>
_last = (<ASTLabelType>)input.LT(1);
<super.ruleRef(...)>
<if(!rewriteMode)>
<if(backtracking)>if (<actions.(actionScope).synpredgate>) <endif>root_<treeLevel> =
(<ASTLabelType>)adaptor.BecomeRoot(<label>.Tree, root_<treeLevel>);
<endif>
<else>
<super.ruleRefRuleRoot(...)>
<endif>
>>

/** ^(x+=rule ...) auto construct */
ruleRefRuleRootAndListLabel(rule,label,elementIndex,args,scope) ::= <<
<if(!ruleDescriptor.isSynPred)>
<ruleRefRuleRoot(...)>
<listLabelElem(elem={<label>.Tree},...)>
<else>
<super.ruleRefRuleRootAndListLabel(...)>
<endif>
>>

/** rule when output=AST and tracking for rewrite */
ruleRefTrack(rule,label,elementIndex,args,scope) ::= <<
_last = (<ASTLabelType>)input.LT(1);
<super.ruleRefTrack(...)>
>>

/** x+=rule when output=AST and tracking for rewrite */
ruleRefTrackAndListLabel(rule,label,elementIndex,args,scope) ::= <<
<if(!ruleDescriptor.isSynPred)>

```

```

_last = (<ASTLabelType>)input.LT(1);
<super.ruleRefTrackAndListLabel(...)>
<else>
<super.ruleRefTrackAndListLabel(...)>
<endif>
>>

/** ^(rule ...) rewrite */
ruleRefRuleRootTrack(rule,label,elementIndex,args,scope) ::= <<
<if(!ruleDescriptor.isSynPred)>
_last = (<ASTLabelType>)input.LT(1);
<super.ruleRefRootTrack(...)>
<else>
<super.ruleRefRuleRootTrack(...)>
<endif>
>>

/** ^(x+=rule ...) rewrite */
ruleRefRuleRootTrackAndListLabel(rule,label,elementIndex,args,scope) ::= <<
<if(!ruleDescriptor.isSynPred)>
_last = (<ASTLabelType>)input.LT(1);
<super.ruleRefRuleRootTrackAndListLabel(...)>
<else>
<super.ruleRefRuleRootTrackAndListLabel(...)>
<endif>
>>

/** Streams for token refs are tree nodes now; override to
 * change NextToken to NextNode.
 */
createRewriteNodeFromElement(token,terminalOptions,args) ::= <%
<if(terminalOptions.node)>
new
<terminalOptions.node><(if(terminalOptions.type)><terminalOptions.type>,<endif>stream_<token>.NextNode())
<else>
stream_<token>.NextNode()
<endif>
%>

ruleCleanUp() ::= <<
<super.ruleCleanUp()>
<if(!ruleDescriptor.isSynPred)>
<if(!rewriteMode)>
<if(backtracking)>if (<actions.(actionScope).synpredgate>) {<endif>
retval.Tree = (<ASTLabelType>)adaptor.RulePostProcessing(root_0);
<if(backtracking)>}<endif>
<endif>
<endif>

```

>>

Found in path(s):

\* /opt/cola/permits/1274703855\_1645234694.1/0/antlr-3-5-2-sources-jar/org/antlr/codegen/templates/CSharp3/ASTTreeParser.stg

No license file was found, but licenses were detected in source scan.

/\*

[The "BSD license"]

Copyright (c) 2005-2006 Terence Parr

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The name of the author may not be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

\*/

/\*\* Templates for building ASTs during tree parsing.

\*

\* Deal with many combinations. Dimensions are:

\* Auto build or rewrite

\* no label, label, list label (label/no-label handled together)

\* child, root

\* token, set, rule, wildcard

\*

\* Each combination has its own template except that label/no label

\* is combined into tokenRef, ruleRef, ...

\*/

finishedBacktracking(block) ::= <<

```

<if(backtracking)>
if <actions.(actionScope).synpredgate>:
  <block>
<else>
<block>
<endif>
>>

/** Add a variable to track last element matched */
ruleDeclarations() ::= <<
<super.ruleDeclarations()>
_first_0 = None
_last = None<\n>
>>

/** What to emit when there is no rewrite rule. For auto build
 * mode, does nothing.
 */
noRewrite(rewriteBlockLevel, treeLevel) ::= <<
<finishedBacktracking({
<if(rewriteMode)>
retval.tree = _first_0
if self._adaptor.getParent(retval.tree) is not None and self._adaptor.isNil(self._adaptor.getParent(retval.tree)):
  retval.tree = self._adaptor.getParent(retval.tree)
<endif>
})>
>>

/** match ^(root children) in tree parser; override here to
 * add tree construction actions.
 */
tree(root, actionsAfterRoot, children, nullableChildList,
  enclosingTreeLevel, treeLevel) ::= <<
_last = self.input.LT(1)
_save_last_<treeLevel> = _last
_first_<treeLevel> = None
<if(!rewriteMode)>
root_<treeLevel> = self._adaptor.nil()<\n>
<endif>
<root:element()>
<if(rewriteMode)>
<finishedBacktracking({
<if(root.el.rule)>
if _first_<enclosingTreeLevel> is None:
  _first_<enclosingTreeLevel> = <root.el.label>.tree<\n>
<else>
if _first_<enclosingTreeLevel> is None:
  _first_<enclosingTreeLevel> = <root.el.label><\n>

```

```

<endif>
})>
<endif>
<actionsAfterRoot:element()>
<if(nullableChildList)>
if self.input.LA(1) == DOWN:
    self.match(self.input, DOWN, None)
    <children:element()>
    self.match(self.input, UP, None)

<else>
self.match(self.input, DOWN, None)
<children:element()>
self.match(self.input, UP, None)<\n>
<endif>
<if(!rewriteMode)>
self._adaptor.addChild(root_<enclosingTreeLevel>, root_<treeLevel>)<\n>
<endif>
_last = _save_last_<treeLevel>

>>

// TOKEN AST STUFF

/** ID! and output=AST (same as plain tokenRef) 'cept add
 * setting of _last
 */
tokenRefBang(token,label,elementIndex,terminalOptions={}) ::= <<
_last = self.input.LT(1)
<super.tokenRef(...)>
>>

/** ID auto construct */
tokenRef(token,label,elementIndex,terminalOptions={}) ::= <<
_last = self.input.LT(1)
<super.tokenRef(...)>
<if(!rewriteMode)>
<finishedBacktracking({
<if(terminalOptions.node)>
<label>_tree = <terminalOptions.node><(<label>)
<else>
<label>_tree = self._adaptor.dupNode(<label>)
<endif><\n>
self._adaptor.addChild(root_<treeLevel>, <label>_tree)
})>
<else> <! rewrite mode !>
<finishedBacktracking({
if _first_<treeLevel> is None:

```

```

    _first_<treeLevel> = <label><\n>
  })>
<endif>
>>

/** label+=TOKEN auto construct */
tokenRefAndListLabel(token,label,elementIndex,terminalOptions={ }) ::= <<
<tokenRef(...)>
<listLabel(elem=label,...)>
>>

/** ^(ID ...) auto construct */
tokenRefRuleRoot(token,label,elementIndex,terminalOptions={ }) ::= <<
  _last = self.input.LT(1)
  <super.tokenRef(...)>
  <if(!rewriteMode)>
  <finishedBacktracking({
  <if(terminalOptions.node)>
  <label>_tree = <terminalOptions.node><(<label>)
  <else>
  <label>_tree = self._adaptor.dupNode(<label>)
  <endif><\n>
  root_<treeLevel> = self._adaptor.becomeRoot(<label>_tree, root_<treeLevel>)
  })>
  <endif>
  >>

/** Match ^(label+=TOKEN ...) auto construct */
tokenRefRuleRootAndListLabel(token,label,elementIndex,terminalOptions={ }) ::= <<
<tokenRefRuleRoot(...)>
<listLabel(elem=label,...)>
>>

/** Match . wildcard and auto dup the node/subtree */
wildcard(token,label,elementIndex,terminalOptions={ }) ::= <<
  _last = self.input.LT(1)
  <super.wildcard(...)>
  <if(!rewriteMode)>
  <finishedBacktracking({
  <label>_tree = self._adaptor.dupTree(<label>)
  self._adaptor.addChild(root_<treeLevel>, <label>_tree)
  })>
  <else> <! rewrite mode !>
  <finishedBacktracking({
  if _first_<treeLevel> is None:
    _first_<treeLevel> = <label>
  })>
  <endif>

```

>>

// SET AST

```
matchSet(s,label,elementIndex,postmatchCode,terminalOptions={}) ::= <<
  _last = self.input.LT(1)
  <super.matchSet(postmatchCode={
  <if(!rewriteMode)>
  <finishedBacktracking({
  <if(terminalOptions.node)>
  <label>_tree = <terminalOptions.node>(<label>)
  <else>
  <label>_tree = self._adaptor.dupNode(<label>)
  <endif><\n>
  self._adaptor.addChild(root_<treeLevel>, <label>_tree)
  })>
  <endif>
  }, ...)>
  >>
```

```
matchRuleBlockSet(s,label,elementIndex,postmatchCode,treeLevel="0",terminalOptions={}) ::= <<
  <matchSet(...)>
  <noRewrite(...)> <! set return tree !>
  >>
```

```
matchSetBang(s,label,elementIndex,postmatchCode,terminalOptions={}) ::= <<
  _last = self.input.LT(1)
  <super.matchSet(...)>
  >>
```

```
matchSetRuleRoot(s,label,elementIndex,debug,terminalOptions={}) ::= <<
  <super.matchSet(postmatchCode={
  <if(!rewriteMode)>
  <finishedBacktracking({
  <if(terminalOptions.node)>
  <label>_tree = <terminalOptions.node>(<label>)
  <else>
  <label>_tree = self._adaptor.dupNode(<label>)
  <endif><\n>
  root_<treeLevel> = self._adaptor.becomeRoot(<label>_tree, root_<treeLevel>)
  })>
  <endif>
  }, ...)>
  >>
```

// RULE REF AST

/\*\* rule auto construct \*/

```
ruleRef(rule,label,elementIndex,args,scope) ::= <<
```

```

_last = self.input.LT(1)
<super.ruleRef(...)>
<finishedBacktracking({
<if(!rewriteMode)>
self._adaptor.addChild(root_<treeLevel>, <label>.tree)
<else> <! rewrite mode !>
if _first_<treeLevel> is None:
    _first_<treeLevel> = <label>.tree<\n>
<endif>
})>
>>

/** x+=rule auto construct */
ruleRefAndListLabel(rule,label,elementIndex,args,scope) ::= <<
<ruleRef(...)>
<listLabel(label, {<label>.tree})>
>>

/** ^(rule ...) auto construct */
ruleRefRuleRoot(rule,label,elementIndex,args,scope) ::= <<
_last = self.input.LT(1)
<super.ruleRef(...)>
<if(!rewriteMode)>
<finishedBacktracking({
root_<treeLevel> = self._adaptor.becomeRoot(<label>.tree, root_<treeLevel>)
})>
<endif>
>>

/** ^(x+=rule ...) auto construct */
ruleRefRuleRootAndListLabel(rule,label,elementIndex,args,scope) ::= <<
<ruleRefRuleRoot(...)>
<listLabel(label, {<label>.tree})>
>>

/** rule when output=AST and tracking for rewrite */
ruleRefTrack(rule,label,elementIndex,args,scope) ::= <<
_last = self.input.LT(1)
<super.ruleRefTrack(...)>
>>

/** x+=rule when output=AST and tracking for rewrite */
ruleRefTrackAndListLabel(rule,label,elementIndex,args,scope) ::= <<
_last = self.input.LT(1)
<super.ruleRefTrackAndListLabel(...)>
>>

/** ^(rule ...) rewrite */

```



```

ruleRefRuleRootTrack(rule,label,elementIndex,args,scope) ::= <<
  _last = self.input.LT(1)
  <super.ruleRefRuleRootTrack(...)>
>>

/** ^(x+=rule ...) rewrite */
ruleRefRuleRootTrackAndListLabel(rule,label,elementIndex,args,scope) ::= <<
  _last = self.input.LT(1)
  <super.ruleRefRuleRootTrackAndListLabel(...)>
>>

/** Streams for token refs are tree nodes now; override to
 * change nextToken to nextNode.
 */
createRewriteNodeFromElement(token,scope,terminalOptions={ }) ::= <<
  <if(terminalOptions.node)>
  <terminalOptions.node>(stream_<token>.nextNode())
  <else>
  stream_<token>.nextNode()
  <endif>
>>

ruleCleanUp() ::= <<
  <super.ruleCleanUp()>
  <if(!rewriteMode)>
  <finishedBacktracking({
  retval.tree = self._adaptor.rulePostProcessing(root_0)
  })>
  <endif>
>>

```

Found in path(s):

```

* /opt/cola/permits/1274703855_1645234694.1/0/antlr-3-5-2-sources-
jar/org/antlr/codegen/templates/Python/ASTTreeParser.stg

```

No license file was found, but licenses were detected in source scan.

```

/*
 * [The "BSD license"]
 * Copyright (c) 2010 Terence Parr
 * All rights reserved.
 *
 * Redistribution and use in source and binary forms, with or without
 * modification, are permitted provided that the following conditions
 * are met:
 * 1. Redistributions of source code must retain the above copyright
 * notice, this list of conditions and the following disclaimer.
 * 2. Redistributions in binary form must reproduce the above copyright
 * notice, this list of conditions and the following disclaimer in the

```

- \* documentation and/or other materials provided with the distribution.
- \* 3. The name of the author may not be used to endorse or promote products
- \* derived from this software without specific prior written permission.
- \*
- \* THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR
- \* IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
- \* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.
- \* IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,
- \* INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT
- \* NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
- \* DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
- \* THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
- \* (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF
- \* THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
- \*/

Found in path(s):

- \* /opt/cola/permits/1274703855\_1645234694.1/0/antlr-3-5-2-sources-jar/org/antlr/misc/MultiMap.java
- \* /opt/cola/permits/1274703855\_1645234694.1/0/antlr-3-5-2-sources-jar/org/antlr/misc/Utils.java
- \* /opt/cola/permits/1274703855\_1645234694.1/0/antlr-3-5-2-sources-jar/org/antlr/tool/RuleLabelScope.java
- \* /opt/cola/permits/1274703855\_1645234694.1/0/antlr-3-5-2-sources-jar/org/antlr/codegen/Python3Target.java
- \* /opt/cola/permits/1274703855\_1645234694.1/0/antlr-3-5-2-sources-jar/org/antlr/analysis/StateCluster.java
- \* /opt/cola/permits/1274703855\_1645234694.1/0/antlr-3-5-2-sources-jar/org/antlr/misc/IntervalSet.java
- \* /opt/cola/permits/1274703855\_1645234694.1/0/antlr-3-5-2-sources-jar/org/antlr/tool/GrammarSerializerFoo.java
- \* /opt/cola/permits/1274703855\_1645234694.1/0/antlr-3-5-2-sources-jar/org/antlr/analysis/DFAOptimizer.java
- \* /opt/cola/permits/1274703855\_1645234694.1/0/antlr-3-5-2-sources-
- jar/org/antlr/tool/GrammarSyntaxMessage.java
- \* /opt/cola/permits/1274703855\_1645234694.1/0/antlr-3-5-2-sources-jar/org/antlr/tool/NFAFactory.java
- \* /opt/cola/permits/1274703855\_1645234694.1/0/antlr-3-5-2-sources-jar/org/antlr/tool/Message.java
- \* /opt/cola/permits/1274703855\_1645234694.1/0/antlr-3-5-2-sources-jar/org/antlr/analysis/NFAState.java
- \* /opt/cola/permits/1274703855\_1645234694.1/0/antlr-3-5-2-sources-jar/org/antlr/codegen/CTarget.java
- \* /opt/cola/permits/1274703855\_1645234694.1/0/antlr-3-5-2-sources-
- jar/org/antlr/tool/GrammarUnreachableAltsMessage.java
- \* /opt/cola/permits/1274703855\_1645234694.1/0/antlr-3-5-2-sources-jar/org/antlr/Tool.java
- \* /opt/cola/permits/1274703855\_1645234694.1/0/antlr-3-5-2-sources-jar/org/antlr/analysis/NFAContext.java
- \* /opt/cola/permits/1274703855\_1645234694.1/0/antlr-3-5-2-sources-jar/org/antlr/tool/Grammar.java
- \* /opt/cola/permits/1274703855\_1645234694.1/0/antlr-3-5-2-sources-
- jar/org/antlr/analysis/NFAToDFAConverter.java
- \* /opt/cola/permits/1274703855\_1645234694.1/0/antlr-3-5-2-sources-jar/org/antlr/tool/NameSpaceChecker.java
- \* /opt/cola/permits/1274703855\_1645234694.1/0/antlr-3-5-2-sources-jar/org/antlr/tool/GrammarReport2.java
- \* /opt/cola/permits/1274703855\_1645234694.1/0/antlr-3-5-2-sources-jar/org/antlr/misc/IntArrayList.java
- \* /opt/cola/permits/1274703855\_1645234694.1/0/antlr-3-5-2-sources-jar/org/antlr/codegen/DelphiTarget.java
- \* /opt/cola/permits/1274703855\_1645234694.1/0/antlr-3-5-2-sources-
- jar/org/antlr/analysis/AnalysisTimeoutException.java
- \* /opt/cola/permits/1274703855\_1645234694.1/0/antlr-3-5-2-sources-jar/org/antlr/codegen/Perl5Target.java
- \* /opt/cola/permits/1274703855\_1645234694.1/0/antlr-3-5-2-sources-jar/org/antlr/analysis/LookaheadSet.java
- \* /opt/cola/permits/1274703855\_1645234694.1/0/antlr-3-5-2-sources-jar/org/antlr/misc/BitSet.java
- \* /opt/cola/permits/1274703855\_1645234694.1/0/antlr-3-5-2-sources-jar/org/antlr/analysis/LL1Analyzer.java

- \* /opt/cola/permits/1274703855\_1645234694.1/0/antlr-3-5-2-sources-jar/org/antlr/analysis/NFA.java
- \* /opt/cola/permits/1274703855\_1645234694.1/0/antlr-3-5-2-sources-jar/org/antlr/misc/MutableInteger.java
- \* /opt/cola/permits/1274703855\_1645234694.1/0/antlr-3-5-2-sources-jar/org/antlr/tool/GrammarSpelunker.java
- \* /opt/cola/permits/1274703855\_1645234694.1/0/antlr-3-5-2-sources-jar/org/antlr/codegen/ActionScriptTarget.java
- \* /opt/cola/permits/1274703855\_1645234694.1/0/antlr-3-5-2-sources-jar/org/antlr/tool/GrammarDanglingStateMessage.java
- \* /opt/cola/permits/1274703855\_1645234694.1/0/antlr-3-5-2-sources-jar/org/antlr/tool/BuildDependencyGenerator.java
- \* /opt/cola/permits/1274703855\_1645234694.1/0/antlr-3-5-2-sources-jar/org/antlr/tool/CompositeGrammar.java
- \* /opt/cola/permits/1274703855\_1645234694.1/0/antlr-3-5-2-sources-jar/org/antlr/analysis/DecisionProbe.java
- \* /opt/cola/permits/1274703855\_1645234694.1/0/antlr-3-5-2-sources-jar/org/antlr/codegen/CSharp2Target.java
- \* /opt/cola/permits/1274703855\_1645234694.1/0/antlr-3-5-2-sources-jar/org/antlr/tool/CompositeGrammarTree.java
- \* /opt/cola/permits/1274703855\_1645234694.1/0/antlr-3-5-2-sources-jar/org/antlr/analysis/NFAConfiguration.java
- \* /opt/cola/permits/1274703855\_1645234694.1/0/antlr-3-5-2-sources-jar/org/antlr/tool/Interpreter.java
- \* /opt/cola/permits/1274703855\_1645234694.1/0/antlr-3-5-2-sources-jar/org/antlr/analysis/SemanticContext.java
- \* /opt/cola/permits/1274703855\_1645234694.1/0/antlr-3-5-2-sources-jar/org/antlr/codegen/JavaScriptTarget.java
- \* /opt/cola/permits/1274703855\_1645234694.1/0/antlr-3-5-2-sources-jar/org/antlr/tool/GrammarSemanticsMessage.java
- \* /opt/cola/permits/1274703855\_1645234694.1/0/antlr-3-5-2-sources-jar/org/antlr/tool/GrammarInsufficientPredicatesMessage.java
- \* /opt/cola/permits/1274703855\_1645234694.1/0/antlr-3-5-2-sources-jar/org/antlr/analysis/NFAConversionThread.java
- \* /opt/cola/permits/1274703855\_1645234694.1/0/antlr-3-5-2-sources-jar/org/antlr/analysis/RuleClosureTransition.java
- \* /opt/cola/permits/1274703855\_1645234694.1/0/antlr-3-5-2-sources-jar/org/antlr/tool/Rule.java
- \* /opt/cola/permits/1274703855\_1645234694.1/0/antlr-3-5-2-sources-jar/org/antlr/tool/Attribute.java
- \* /opt/cola/permits/1274703855\_1645234694.1/0/antlr-3-5-2-sources-jar/org/antlr/misc/Barrier.java
- \* /opt/cola/permits/1274703855\_1645234694.1/0/antlr-3-5-2-sources-jar/org/antlr/codegen/PythonTarget.java
- \* /opt/cola/permits/1274703855\_1645234694.1/0/antlr-3-5-2-sources-jar/org/antlr/tool/DOTGenerator.java
- \* /opt/cola/permits/1274703855\_1645234694.1/0/antlr-3-5-2-sources-jar/org/antlr/tool/ToolMessage.java
- \* /opt/cola/permits/1274703855\_1645234694.1/0/antlr-3-5-2-sources-jar/org/antlr/tool/RandomPhrase.java
- \* /opt/cola/permits/1274703855\_1645234694.1/0/antlr-3-5-2-sources-jar/org/antlr/tool/Strip.java
- \* /opt/cola/permits/1274703855\_1645234694.1/0/antlr-3-5-2-sources-jar/org/antlr/analysis/State.java
- \* /opt/cola/permits/1274703855\_1645234694.1/0/antlr-3-5-2-sources-jar/org/antlr/analysis/AnalysisRecursionOverflowException.java
- \* /opt/cola/permits/1274703855\_1645234694.1/0/antlr-3-5-2-sources-jar/org/antlr/analysis/Label.java
- \* /opt/cola/permits/1274703855\_1645234694.1/0/antlr-3-5-2-sources-jar/org/antlr/tool/LeftRecursionCyclesMessage.java
- \* /opt/cola/permits/1274703855\_1645234694.1/0/antlr-3-5-2-sources-jar/org/antlr/codegen/CppTarget.java
- \* /opt/cola/permits/1274703855\_1645234694.1/0/antlr-3-5-2-sources-jar/org/antlr/tool/AssignTokenTypesBehavior.java
- \* /opt/cola/permits/1274703855\_1645234694.1/0/antlr-3-5-2-sources-jar/org/antlr/tool/AttributeScope.java
- \* /opt/cola/permits/1274703855\_1645234694.1/0/antlr-3-5-2-sources-jar/org/antlr/misc/Interval.java
- \* /opt/cola/permits/1274703855\_1645234694.1/0/antlr-3-5-2-sources-jar/org/antlr/tool/GrammarNonDeterminismMessage.java
- \* /opt/cola/permits/1274703855\_1645234694.1/0/antlr-3-5-2-sources-jar/org/antlr/analysis/DFASState.java
- \* /opt/cola/permits/1274703855\_1645234694.1/0/antlr-3-5-2-sources-jar/org/antlr/misc/IntSet.java

\* /opt/cola/permits/1274703855\_1645234694.1/0/antlr-3-5-2-sources-jar/org/antlr/analysis/Transition.java  
\* /opt/cola/permits/1274703855\_1645234694.1/0/antlr-3-5-2-sources-jar/org/antlr/codegen/Target.java  
\* /opt/cola/permits/1274703855\_1645234694.1/0/antlr-3-5-2-sources-jar/org/antlr/tool/Interp.java  
\* /opt/cola/permits/1274703855\_1645234694.1/0/antlr-3-5-2-sources-jar/org/antlr/analysis/LL1DFA.java  
\* /opt/cola/permits/1274703855\_1645234694.1/0/antlr-3-5-2-sources-jar/org/antlr/tool/RecursionOverflowMessage.java  
\* /opt/cola/permits/1274703855\_1645234694.1/0/antlr-3-5-2-sources-jar/org/antlr/tool/GrammarAnalysisAbortedMessage.java  
\* /opt/cola/permits/1274703855\_1645234694.1/0/antlr-3-5-2-sources-jar/org/antlr/tool/ANTLRErrorListener.java  
\* /opt/cola/permits/1274703855\_1645234694.1/0/antlr-3-5-2-sources-jar/org/antlr/tool/NonRegularDecisionMessage.java  
\* /opt/cola/permits/1274703855\_1645234694.1/0/antlr-3-5-2-sources-jar/org/antlr/tool/GrammarSanity.java  
\* /opt/cola/permits/1274703855\_1645234694.1/0/antlr-3-5-2-sources-jar/org/antlr/analysis/PredicateLabel.java  
\* /opt/cola/permits/1274703855\_1645234694.1/0/antlr-3-5-2-sources-jar/org/antlr/analysis/NonLLStarDecisionException.java  
\* /opt/cola/permits/1274703855\_1645234694.1/0/antlr-3-5-2-sources-jar/org/antlr/codegen/ACyclicDFACodeGenerator.java  
\* /opt/cola/permits/1274703855\_1645234694.1/0/antlr-3-5-2-sources-jar/org/antlr/codegen/JavaTarget.java  
\* /opt/cola/permits/1274703855\_1645234694.1/0/antlr-3-5-2-sources-jar/org/antlr/tool/GrammarAST.java  
\* /opt/cola/permits/1274703855\_1645234694.1/0/antlr-3-5-2-sources-jar/org/antlr/tool/GrammarReport.java  
\* /opt/cola/permits/1274703855\_1645234694.1/0/antlr-3-5-2-sources-jar/org/antlr/analysis/ActionLabel.java  
\* /opt/cola/permits/1274703855\_1645234694.1/0/antlr-3-5-2-sources-jar/org/antlr/misc/Graph.java  
\* /opt/cola/permits/1274703855\_1645234694.1/0/antlr-3-5-2-sources-jar/org/antlr/tool/ErrorHandler.java  
\* /opt/cola/permits/1274703855\_1645234694.1/0/antlr-3-5-2-sources-jar/org/antlr/analysis/DFA.java  
\* /opt/cola/permits/1274703855\_1645234694.1/0/antlr-3-5-2-sources-jar/org/antlr/tool/FASerializer.java  
\* /opt/cola/permits/1274703855\_1645234694.1/0/antlr-3-5-2-sources-jar/org/antlr/misc/OrderedHashSet.java  
\* /opt/cola/permits/1274703855\_1645234694.1/0/antlr-3-5-2-sources-jar/org/antlr/analysis/MachineProbe.java  
No license file was found, but licenses were detected in source scan.

/\*

[The "BSD license"]

Copyright (c) 2005-2012 Terence Parr

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The name of the author may not be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.

IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

\*/

/\*\* Templates for building ASTs during tree parsing.

\*

\* Deal with many combinations. Dimensions are:

\* Auto build or rewrite

\* no label, label, list label (label/no-label handled together)

\* child, root

\* token, set, rule, wildcard

\*

\* Each combination has its own template except that label/no label

\* is combined into tokenRef, ruleRef, ...

\*/

```
finishedBacktracking(block) ::= <<
```

```
<if(backtracking)>
```

```
if <actions.(actionScope).synpredgate>:
```

```
  <block>
```

```
<else>
```

```
<block>
```

```
<endif>
```

```
>>
```

/\*\* Add a variable to track last element matched \*/

```
ruleDeclarations() ::= <<
```

```
<super.ruleDeclarations()>
```

```
_first_0 = None
```

```
_last = None<\n>
```

```
>>
```

/\*\* What to emit when there is no rewrite rule. For auto build

\* mode, does nothing.

\*/

```
noRewrite(rewriteBlockLevel, treeLevel) ::= <<
```

```
<finishedBacktracking({
```

```
<if(rewriteMode)>
```

```
retval.tree = _first_0
```

```
if self._adaptor.getParent(retval.tree) is not None and self._adaptor.isNil(self._adaptor.getParent(retval.tree)):
```

```
  retval.tree = self._adaptor.getParent(retval.tree)
```

```
<endif>
```

```
})>
```

```

>>

/** match ^(root children) in tree parser; override here to
 * add tree construction actions.
 */
tree(root, actionsAfterRoot, children, nullableChildList,
     enclosingTreeLevel, treeLevel) ::= <<
  _last = self.input.LT(1)
  _save_last_<treeLevel> = _last
  _first_<treeLevel> = None
  <if(!rewriteMode)>
  root_<treeLevel> = self._adaptor.nil()<\n>
  <endif>
  <root:element()>
  <if(rewriteMode)>
  <finishedBacktracking({
  <if(root.el.rule)>
  if _first_<enclosingTreeLevel> is None:
    _first_<enclosingTreeLevel> = <root.el.label>.tree<\n>
  <else>
  if _first_<enclosingTreeLevel> is None:
    _first_<enclosingTreeLevel> = <root.el.label><\n>
  <endif>
  })>
  <endif>
  <actionsAfterRoot:element()>
  <if(nullableChildList)>
  if self.input.LA(1) == DOWN:
    self.match(self.input, DOWN, None)
    <children:element()>
    self.match(self.input, UP, None)

  <else>
  self.match(self.input, DOWN, None)
  <children:element()>
  self.match(self.input, UP, None)<\n>
  <endif>
  <if(!rewriteMode)>
  self._adaptor.addChild(root_<enclosingTreeLevel>, root_<treeLevel>)<\n>
  <endif>
  _last = _save_last_<treeLevel>

>>

// TOKEN AST STUFF

/** ID! and output=AST (same as plain tokenRef) 'cept add
 * setting of _last

```

```

*/
tokenRefBang(token,label,elementIndex,terminalOptions={}) ::= <<
  _last = self.input.LT(1)
  <super.tokenRef(...)>
>>

/** ID auto construct */
tokenRef(token,label,elementIndex,terminalOptions={}) ::= <<
  _last = self.input.LT(1)
  <super.tokenRef(...)>
  <if(!rewriteMode)>
  <finishedBacktracking({
  <if(terminalOptions.node)>
  <label>_tree = <terminalOptions.node><(<label>)
  <else>
  <label>_tree = self._adaptor.dupNode(<label>)
  <endif><\n>
  self._adaptor.addChild(root_<treeLevel>, <label>_tree)
  })>
  <else> <! rewrite mode !>
  <finishedBacktracking({
  if _first_<treeLevel> is None:
    _first_<treeLevel> = <label><\n>
  })>
  <endif>
>>

/** label+=TOKEN auto construct */
tokenRefAndListLabel(token,label,elementIndex,terminalOptions={}) ::= <<
  <tokenRef(...)>
  <listLabel(elem=label,...)>
>>

/** ^(ID ...) auto construct */
tokenRefRuleRoot(token,label,elementIndex,terminalOptions={}) ::= <<
  _last = self.input.LT(1)
  <super.tokenRef(...)>
  <if(!rewriteMode)>
  <finishedBacktracking({
  <if(terminalOptions.node)>
  <label>_tree = <terminalOptions.node><(<label>)
  <else>
  <label>_tree = self._adaptor.dupNode(<label>)
  <endif><\n>
  root_<treeLevel> = self._adaptor.becomeRoot(<label>_tree, root_<treeLevel>)
  })>
  <endif>
>>

```

```

/** Match ^(label+=TOKEN ...) auto construct */
tokenRefRuleRootAndListLabel(token,label,elementIndex,terminalOptions={ }) ::= <<
<tokenRefRuleRoot(...)>
<listLabel(elem=label,...)>
>>

/** Match . wildcard and auto dup the node/subtree */
wildcard(token,label,elementIndex,terminalOptions={ }) ::= <<
_last = self.input.LT(1)
<super.wildcard(...)>
<if(!rewriteMode)>
<finishedBacktracking({
<label>_tree = self._adaptor.dupTree(<label>)
self._adaptor.addChild(root_<treeLevel>, <label>_tree)
})>
<else> <! rewrite mode !>
<finishedBacktracking({
if _first_<treeLevel> is None:
_first_<treeLevel> = <label>
})>
<endif>
>>

// SET AST
matchSet(s,label,elementIndex,postmatchCode,terminalOptions={ }) ::= <<
_last = self.input.LT(1)
<super.matchSet(postmatchCode={
<if(!rewriteMode)>
<finishedBacktracking({
<if(terminalOptions.node)>
<label>_tree = <terminalOptions.node>(<label>)
<else>
<label>_tree = self._adaptor.dupNode(<label>)
<endif><\n>
self._adaptor.addChild(root_<treeLevel>, <label>_tree)
})>
<endif>
}, ...)>
>>

matchRuleBlockSet(s,label,elementIndex,postmatchCode,treeLevel="0",terminalOptions={ }) ::= <<
<matchSet(...)>
<noRewrite(...)> <! set return tree !>
>>

matchSetBang(s,label,elementIndex,postmatchCode,terminalOptions={ }) ::= <<
_last = self.input.LT(1)

```



```

<super.matchSet(...)>
>>

matchSetRuleRoot(s,label,elementIndex,debug,terminalOptions={}) ::= <<
<super.matchSet(postmatchCode={
<if(!rewriteMode)>
<finishedBacktracking({
<if(terminalOptions.node)>
<label>_tree = <terminalOptions.node>(<label>)
<else>
<label>_tree = self._adaptor.dupNode(<label>)
<endif><\n>
root_<treeLevel> = self._adaptor.becomeRoot(<label>_tree, root_<treeLevel>)
})>
<endif>
}, ...)>
>>

// RULE REF AST

/** rule auto construct */
ruleRef(rule,label,elementIndex,args,scope) ::= <<
_last = self.input.LT(1)
<super.ruleRef(...)>
<finishedBacktracking({
<if(!rewriteMode)>
self._adaptor.addChild(root_<treeLevel>, <label>.tree)
<else> <! rewrite mode !>
if _first_<treeLevel> is None:
_first_<treeLevel> = <label>.tree<\n>
<endif>
})>
>>

/** x+=rule auto construct */
ruleRefAndListLabel(rule,label,elementIndex,args,scope) ::= <<
<ruleRef(...)>
<listLabel(label, {<label>.tree})>
>>

/** ^(rule ...) auto construct */
ruleRefRuleRoot(rule,label,elementIndex,args,scope) ::= <<
_last = self.input.LT(1)
<super.ruleRef(...)>
<if(!rewriteMode)>
<finishedBacktracking({
root_<treeLevel> = self._adaptor.becomeRoot(<label>.tree, root_<treeLevel>)
})>

```

```

<endif>
>>

/** ^(x+=rule ...) auto construct */
ruleRefRuleRootAndListLabel(rule,label,elementIndex,args,scope) ::= <<
<ruleRefRuleRoot(...)>
<listLabel(label, {<label>.tree})>
>>

/** rule when output=AST and tracking for rewrite */
ruleRefTrack(rule,label,elementIndex,args,scope) ::= <<
_last = self.input.LT(1)
<super.ruleRefTrack(...)>
>>

/** x+=rule when output=AST and tracking for rewrite */
ruleRefTrackAndListLabel(rule,label,elementIndex,args,scope) ::= <<
_last = self.input.LT(1)
<super.ruleRefTrackAndListLabel(...)>
>>

/** ^(rule ...) rewrite */
ruleRefRuleRootTrack(rule,label,elementIndex,args,scope) ::= <<
_last = self.input.LT(1)
<super.ruleRefRootTrack(...)>
>>

/** ^(x+=rule ...) rewrite */
ruleRefRuleRootTrackAndListLabel(rule,label,elementIndex,args,scope) ::= <<
_last = self.input.LT(1)
<super.ruleRefRuleRootTrackAndListLabel(...)>
>>

/** Streams for token refs are tree nodes now; override to
 * change nextToken to nextNode.
 */
createRewriteNodeFromElement(token,scope,terminalOptions={}) ::= <<
<if(terminalOptions.node)>
<terminalOptions.node>(stream_<token>.nextNode())
<else>
stream_<token>.nextNode()
<endif>
>>

ruleCleanup() ::= <<
<super.ruleCleanup()>
<if(!rewriteMode)>
<finishedBacktracking({

```

```
retval.tree = self._adaptor.rulePostProcessing(root_0)
})>
<endif>
>>
```

Found in path(s):

```
* /opt/cola/permits/1274703855_1645234694.1/0/antlr-3-5-2-sources-
jar/org/antlr/codegen/templates/Python3/ASTTreeParser.stg
```

No license file was found, but licenses were detected in source scan.

```
/*
```

```
[The "BSD license"]
```

```
Copyright (c) 2005-2006 Terence Parr
```

```
Copyright (c) 2008 Ronald Blaschke
```

```
All rights reserved.
```

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The name of the author may not be used to endorse or promote products derived from this software without specific prior written permission.

```
THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR
IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.
IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,
INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT
NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF
THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
```

```
*/
```

```
/** Templates for building ASTs during tree parsing.
```

```
*
```

```
* Deal with many combinations. Dimensions are:
```

```
* Auto build or rewrite
```

```
* no label, label, list label (label/no-label handled together)
```

```
* child, root
```

```
* token, set, rule, wildcard
```

```
*
```

```
* Each combination has its own template except that label/no label
```

```

* is combined into tokenRef, ruleRef, ...
*/
group ASTTreeParser;

/** Add a variable to track last element matched */
ruleDeclarations() ::= <<
<super.ruleDeclarations()>
<ASTLabelType> _first_0 = null;
<ASTLabelType> _last = null;<\n>
>>

/** What to emit when there is no rewrite rule. For auto build
* mode, does nothing.
*/
noRewrite(rewriteBlockLevel, treeLevel) ::= <<
<if(backtracking)>if ( state.backtracking==0 ) {<endif>
<if(rewriteMode)>
retval.tree = (<ASTLabelType>)_first_0;
if ( adaptor.getParent(retval.tree)!=null && adaptor.isNil( adaptor.getParent(retval.tree) ) )
    retval.tree = (<ASTLabelType>)adaptor.getParent(retval.tree);
<endif>
<if(backtracking)>}<endif>
>>

/** match ^(root children) in tree parser; override here to
* add tree construction actions.
*/
tree(root, actionsAfterRoot, children, nullableChildList,
    enclosingTreeLevel, treeLevel) ::= <<
_last = (<ASTLabelType>)input.LT(1);
{
<ASTLabelType> _save_last_<treeLevel> = _last;
<ASTLabelType> _first_<treeLevel> = null;
<if(!rewriteMode)>
<ASTLabelType> root_<treeLevel> = (<ASTLabelType>)adaptor.nil();
<endif>
<root:element()>
<if(rewriteMode)>
<if(backtracking)>if ( state.backtracking==0 )<endif>
<if(root.el.rule)>
if ( _first_<enclosingTreeLevel>==null ) _first_<enclosingTreeLevel> = <root.el.label>.tree;
<else>
if ( _first_<enclosingTreeLevel>==null ) _first_<enclosingTreeLevel> = <root.el.label>;
<endif>
<endif>
<actionsAfterRoot:element()>
<if(nullableChildList)>
if ( input.LA(1)==Token.DOWN ) {

```

```

    match(input, Token.DOWN, null); <checkRuleBacktrackFailure()>
    <children:element()>
    match(input, Token.UP, null); <checkRuleBacktrackFailure()>
}
<else>
match(input, Token.DOWN, null); <checkRuleBacktrackFailure()>
<children:element()>
match(input, Token.UP, null); <checkRuleBacktrackFailure()>
<endif>
<if(!rewriteMode)>
adaptor.addChild(root_<enclosingTreeLevel>, root_<treeLevel>);
<endif>
_last = _save_last_<treeLevel>;
}<\n>
>>

// TOKEN AST STUFF

/** ID! and output=AST (same as plain tokenRef) 'cept add
 * setting of _last
 */
tokenRefBang(token,label,elementIndex) ::= <<
_last = (<ASTLabelType>)input.LT(1);
<super.tokenRef(...)>
>>

/** ID auto construct */
tokenRef(token,label,elementIndex,terminalOptions) ::= <<
_last = (<ASTLabelType>)input.LT(1);
<super.tokenRef(...)>
<if(!rewriteMode)>
<if(backtracking)>if ( state.backtracking==0 ) {<endif>
<if(terminalOptions.node)>
<label>_tree = new <terminalOptions.node>(<label>);
<else>
<label>_tree = (<ASTLabelType>)adaptor.dupNode(<label>);
<endif><\n>
adaptor.addChild(root_<treeLevel>, <label>_tree);
<if(backtracking)>}<endif>
<else> <! rewrite mode !>
<if(backtracking)>if ( state.backtracking==0 )<endif>
if ( _first_<treeLevel>==null ) _first_<treeLevel> = <label>;
<endif>
>>

/** label+=TOKEN auto construct */
tokenRefAndListLabel(token,label,elementIndex,terminalOptions) ::= <<
<tokenRef(...)>

```

```

<listLabel(elem=label,...)>
>>

/** ^(ID ...) auto construct */
tokenRefRuleRoot(token,label,elementIndex,terminalOptions) ::= <<
  _last = (<ASTLabelType>)input.LT(1);
  <super.tokenRef(...)>
  <if(!rewriteMode)>
  <if(backtracking)>if ( state.backtracking==0 ) {<endif>
  <if(terminalOptions.node)>
  <label>_tree = new <terminalOptions.node>(<label>);
  <else>
  <label>_tree = (<ASTLabelType>)adaptor.dupNode(<label>);
  <endif><\n>
  root_<treeLevel> = (<ASTLabelType>)adaptor.becomeRoot(<label>_tree, root_<treeLevel>);
  <if(backtracking)>}<endif>
  <endif>
>>

/** Match ^(label+=TOKEN ...) auto construct */
tokenRefRuleRootAndListLabel(token,label,elementIndex,terminalOptions) ::= <<
  <tokenRefRuleRoot(...)>
  <listLabel(elem=label,...)>
>>

// SET AST

matchSet(s,label,terminalOptions,elementIndex,postmatchCode) ::= <<
  _last = (<ASTLabelType>)input.LT(1);
  <super.matchSet(..., postmatchCode={
  <if(!rewriteMode)>
  <if(backtracking)>if ( state.backtracking==0 ) {<endif>
  <if(terminalOptions.node)>
  <label>_tree = new <terminalOptions.node>(<label>);
  <else>
  <label>_tree = (<ASTLabelType>)adaptor.dupNode(<label>);
  <endif><\n>
  adaptor.addChild(root_<treeLevel>, <label>_tree);
  <if(backtracking)>}<endif>
  <endif>
  }
  )>
>>

matchRuleBlockSet(s,label,terminalOptions,elementIndex,postmatchCode,treeLevel="0") ::= <<
  <matchSet(...)>
  <noRewrite()> <! set return tree !>
>>

```

```

matchSetBang(s,label,elementIndex,postmatchCode) ::= <<
  _last = (<ASTLabelType>)input.LT(1);
  <super.matchSet(...)>
  >>

matchSetRuleRoot(s,label,terminalOptions,elementIndex,debug) ::= <<
  <super.matchSet(..., postmatchCode={
  <if(!rewriteMode)>
  <if(backtracking)>if ( state.backtracking==0 ) {<endif>
  <if(terminalOptions.node)>
  <label>_tree = new <terminalOptions.node>(<label>);
  <else>
  <label>_tree = (<ASTLabelType>)adaptor.dupNode(<label>);
  <endif><\n>
  root_<treeLevel> = (<ASTLabelType>)adaptor.becomeRoot(<label>_tree, root_<treeLevel>);
  <if(backtracking)>}<endif>
  <endif>
  }
  )>
  >>

// RULE REF AST

/** rule auto construct */
ruleRef(rule,label,elementIndex,args,scope) ::= <<
  _last = (<ASTLabelType>)input.LT(1);
  <super.ruleRef(...)>
  <if(backtracking)>if ( state.backtracking==0 ) <endif>
  <if(!rewriteMode)>
  adaptor.addChild(root_<treeLevel>, <label>.getTree());
  <else> <! rewrite mode !>
  if ( _first_<treeLevel>==null ) _first_<treeLevel> = <label>.tree;
  <endif>
  >>

/** x+=rule auto construct */
ruleRefAndListLabel(rule,label,elementIndex,args,scope) ::= <<
  <ruleRef(...)>
  <listLabel(elem=label+".getTree()",...)>
  >>

/** ^(rule ...) auto construct */
ruleRefRuleRoot(rule,label,elementIndex,args,scope) ::= <<
  _last = (<ASTLabelType>)input.LT(1);
  <super.ruleRef(...)>
  <if(!rewriteMode)>
  <if(backtracking)>if ( state.backtracking==0 ) <endif>root_<treeLevel> =

```

```

(<ASTLabelType>)adaptor.becomeRoot(<label>.getTree(), root_<treeLevel>);
<endif>
>>

/** ^(x+=rule ...) auto construct */
ruleRefRuleRootAndListLabel(rule,label,elementIndex,args,scope) ::= <<
<ruleRefRuleRoot(...)>
<listLabel(elem=label+".getTree()",...)>
>>

/** Streams for token refs are tree nodes now; override to
 * change nextToken to nextNode.
 */
createRewriteNodeFromElement(token,terminalOptions,scope) ::= <<
<if(terminalOptions.node)>
new <terminalOptions.node>(stream_<token>.nextNode())
<else>
stream_<token>.nextNode()
<endif>
>>

ruleCleanUp() ::= <<
<super.ruleCleanUp()>
<if(!rewriteMode)>
<if(backtracking)>if ( state.backtracking==0 ) {<n><endif>
retval.tree = (<ASTLabelType>)adaptor.rulePostProcessing(root_0);
<if(backtracking)>}<endif>
<endif>
>>

```

Found in path(s):

```

* /opt/cola/permits/1274703855_1645234694.1/0/antlr-3-5-2-sources-
jar/org/antlr/codegen/templates/Perl5/ASTTreeParser.stg

```

No license file was found, but licenses were detected in source scan.

```

/*

```

```

[The "BSD license"]

```

```

Copyright (c) 2006 Kay Roepke

```

```

All rights reserved.

```

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.



3. The name of the author may not be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

\*/

/\*

New style messages. This file contains the actual layout of the messages emitted by ANTLR.

The text itself is coming out of the languages/\*stg files, according to the chosen locale.

This file contains the format that mimicks GCC output.

\*/

group gnu;

location(file, line, column) ::= "<file>:<line>:"

message(id, text) ::= "<text> (<id>)"

report(location, message, type) ::= "<location> <type>: <message>"

wantsSingleLineMessage() ::= "true"

Found in path(s):

\* /opt/cola/permits/1274703855\_1645234694.1/0/antlr-3-5-2-sources-jar/org/antlr/tool/templates/messages/formats/gnu.stg

No license file was found, but licenses were detected in source scan.

/\*

[The "BSD license"]

Copyright (c) 2010 Terence Parr

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

3. The name of the author may not be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

\*/

/\*

New style messages. This file only contains the messages in English, but no information about which file, line, or column it occurred in.

The location and message ids are taken out of the formats directory.

Kay Roepke

\*/

group en\_US;

// TOOL ERRORS

// file errors

CANNOT\_WRITE\_FILE(arg,exception,stackTrace) ::= <<

cannot write file <arg>: <exception>

<stackTrace; separator="\n">

>>

CANNOT\_CLOSE\_FILE(arg,exception,stackTrace) ::= "cannot close file <arg>: <exception>"

CANNOT\_FIND\_TOKENS\_FILE(arg) ::= "cannot find tokens file <arg>"

ERROR\_READING\_TOKENS\_FILE(arg,exception,stackTrace) ::= <<

problem reading token vocabulary file <arg>: <exception>

<stackTrace; separator="\n">

>>

DIR\_NOT\_FOUND(arg,exception,stackTrace) ::= "directory not found: <arg>"

OUTPUT\_DIR\_IS\_FILE(arg,exception,stackTrace) ::= "output directory is a file: <arg>"

CANNOT\_OPEN\_FILE(arg,exception,stackTrace) ::= "cannot find or open file: <arg><if(exception)>; reason:

<exception><endif>"

CIRCULAR\_DEPENDENCY() ::= "your grammars contain a circular dependency and cannot be sorted into a valid build order."

INTERNAL\_ERROR(arg,arg2,exception,stackTrace) ::= <<

internal error: <arg> <arg2><if(exception)>: <exception><endif>

<stackTrace; separator="\n">

>>

INTERNAL\_WARNING(arg) ::= "internal warning: <arg>"

ERROR\_CREATING\_ARTIFICIAL\_RULE(arg,exception,stackTrace) ::= <<

problems creating lexer rule listing all tokens: <exception>

```

<stackTrace; separator="\n">
>>
TOKENS_FILE_SYNTAX_ERROR(arg,arg2) ::=
"problems parsing token vocabulary file <arg> on line <arg2>"
CANNOT_GEN_DOT_FILE(arg,exception,stackTrace) ::=
"cannot write DFA DOT file <arg>: <exception>"
BAD_ACTION_AST_STRUCTURE(exception,stackTrace) ::=
"bad internal tree structure for action '<arg>': <exception>"
BAD_AST_STRUCTURE(arg,exception,stackTrace) ::= <<
bad internal tree structure '<arg>': <exception>
<stackTrace; separator="\n">
>>
FILE_AND_GRAMMAR_NAME_DIFFER(arg,arg2) ::=
"file <arg2> contains grammar <arg>; names must be identical"
FILENAME_EXTENSION_ERROR(arg) ::=
"file <arg> must end in a file extension, normally .g"

// code gen errors
MISSING_CODE_GEN_TEMPLATES(arg) ::=
"cannot find code generation templates <arg>.stg"
MISSING_CYCLIC_DFA_CODE_GEN_TEMPLATES() ::=
"cannot find code generation cyclic DFA templates for language <arg>"
CODE_GEN_TEMPLATES_INCOMPLETE(arg) ::=
"at least one code generation template missing for language <arg>"
CANNOT_CREATE_TARGET_GENERATOR(arg,exception,stackTrace) ::=
"cannot create target <arg> code generator: <exception>"
STRING_TEMPLATE_ERROR(arg,exception,stackTrace) ::=
"template error: <arg>"
CANNOT_COMPUTE_SAMPLE_INPUT_SEQ() ::=
"cannot generate a sample input sequence from lookahead DFA"

// grammar interpretation errors
/*
NO_VIABLE_DFA_ALT(arg,arg2) ::=
"no viable transition from state <arg> on <arg2> while interpreting DFA"
*/

// GRAMMAR ERRORS
SYNTAX_ERROR(arg) ::= "syntax error: <arg>"
RULE_REDEFINITION(arg) ::=
"rule <arg> redefinition"
LEXER_RULES_NOT_ALLOWED(arg) ::=
"lexer rule <arg> not allowed in parser"
PARSER_RULES_NOT_ALLOWED(arg) ::=
"parser rule <arg> not allowed in lexer"
CANNOT_FIND_ATTRIBUTE_NAME_IN_DECL(arg) ::=
"cannot find an attribute name in attribute declaration"
NO_TOKEN_DEFINITION(arg) ::=

```

"no lexer rule corresponding to token: <arg>"

UNDEFINED\_RULE\_REF(arg) ::=

"reference to undefined rule: <arg>"

LITERAL\_NOT\_ASSOCIATED\_WITH\_LEXER\_RULE(arg) ::=

"literal has no associated lexer rule: <arg>"

CANNOT\_ALIAS\_TOKENS\_IN\_LEXER(arg) ::=

"literals are illegal in lexer tokens{ } section: <arg>"

ATTRIBUTE\_REF\_NOT\_IN\_RULE(arg,arg2) ::=

"reference to attribute outside of a rule: <arg><if(arg2)>.<arg2><endif>"

UNKNOWN\_ATTRIBUTE\_IN\_SCOPE(arg,arg2) ::=

"unknown attribute for <arg>: <arg2>"

UNKNOWN\_RULE\_ATTRIBUTE(arg,arg2) ::=

"unknown attribute for rule <arg>: <arg2>"

UNKNOWN\_SIMPLE\_ATTRIBUTE(arg,args2) ::=

"attribute is not a token, parameter, or return value: <arg>"

ISOLATED\_RULE\_SCOPE(arg) ::=

"missing attribute access on rule scope: <arg>"

INVALID\_RULE\_PARAMETER\_REF(arg,arg2) ::=

"cannot access rule <arg>'s parameter: <arg2>"

INVALID\_RULE\_SCOPE\_ATTRIBUTE\_REF(arg,arg2) ::=

"cannot access rule <arg>'s dynamically-scoped attribute: <arg2>"

SYMBOL\_CONFLICTS\_WITH\_GLOBAL\_SCOPE(arg) ::=

"symbol <arg> conflicts with global dynamic scope with same name"

WRITE\_TO\_READONLY\_ATTR(arg,arg2,arg3) ::=

"cannot write to read only attribute: \$<arg><if(arg2)>.<arg2><endif>"

LABEL\_CONFLICTS\_WITH\_RULE(arg) ::=

"label <arg> conflicts with rule with same name"

LABEL\_CONFLICTS\_WITH\_TOKEN(arg) ::=

"label <arg> conflicts with token with same name"

LABEL\_CONFLICTS\_WITH\_RULE\_SCOPE\_ATTRIBUTE(arg,arg2) ::=

"label <arg> conflicts with rule <arg2>'s dynamically-scoped attribute with same name"

LABEL\_CONFLICTS\_WITH\_RULE\_ARG\_RETVAL(arg,arg2) ::=

"label <arg> conflicts with rule <arg2>'s return value or parameter with same name"

ATTRIBUTE\_CONFLICTS\_WITH\_RULE(arg,arg2) ::=

"rule <arg2>'s dynamically-scoped attribute <arg> conflicts with the rule name"

ATTRIBUTE\_CONFLICTS\_WITH\_RULE\_ARG\_RETVAL(arg,arg2) ::=

"rule <arg2>'s dynamically-scoped attribute <arg> conflicts with <arg2>'s return value or parameter with same name"

LABEL\_TYPE\_CONFLICT(arg,arg2) ::=

"label <arg> type mismatch with previous definition: <arg2>"

ARG\_RETVAL\_CONFLICT(arg,arg2) ::=

"rule <arg2>'s argument <arg> conflicts a return value with same name"

NONUNIQUE\_REF(arg) ::=

"<arg> is a non-unique reference"

FORWARD\_ELEMENT\_REF(arg) ::=

"illegal forward reference: <arg>"

MISSING\_RULE\_ARGS(arg) ::=

"missing parameter(s) on rule reference: <arg>"

RULE\_HAS\_NO\_ARGS(arg) ::=  
 "rule <arg> has no defined parameters"

ARGS\_ON\_TOKEN\_REF(arg) ::=  
 "token reference <arg> may not have parameters"

ILLEGAL\_OPTION(arg) ::=  
 "illegal option <arg>"

LIST\_LABEL\_INVALID\_UNLESS\_RETVAl\_STRUCT(arg) ::=  
 "rule '+=' list labels are not allowed w/o output option: <arg>"

UNDEFINED\_TOKEN\_REF\_IN\_REWRITE(arg) ::=  
 "reference to undefined token in rewrite rule: <arg>"

REWRITE\_ELEMENT\_NOT\_PRESENT\_ON\_LHS(arg) ::=  
 "reference to rewrite element <arg> without reference on left of ->"

UNDEFINED\_LABEL\_REF\_IN\_REWRITE(arg) ::=  
 "reference to undefined label in rewrite rule: \$<arg>"

NO\_GRAMMAR\_START\_RULE (arg) ::=  
 "grammar <arg>: no start rule (no rule can obviously be followed by EOF)"

EMPTY\_COMPLEMENT(arg) ::= <<  
 <if(arg)>  
 set complement ~<arg> is empty  
 <else>  
 set complement is empty  
 <endif>  
 >>

UNKNOWN\_DYNAMIC\_SCOPE(arg) ::=  
 "unknown dynamic scope: <arg>"

UNKNOWN\_DYNAMIC\_SCOPE\_ATTRIBUTE(arg,arg2) ::=  
 "unknown dynamically-scoped attribute for scope <arg>: <arg2>"

RULE\_REF\_AMBIG\_WITH\_RULE\_IN\_ALT(arg) ::=  
 "reference \$<arg> is ambiguous; rule <arg> is enclosing rule and referenced in the production (assuming enclosing rule)"

ISOLATED\_RULE\_ATTRIBUTE(arg) ::=  
 "reference to locally-defined rule scope attribute without rule name: <arg>"

INVALID\_ACTION\_SCOPE(arg,arg2) ::=  
 "unknown or invalid action scope for <arg2> grammar: <arg>"

ACTION\_REDEFINITION(arg) ::=  
 "redefinition of <arg> action"

DOUBLE\_QUOTES\_ILLEGAL(arg) ::=  
 "string literals must use single quotes (such as '\begin\'): <arg>"

INVALID\_TEMPLATE\_ACTION(arg) ::=  
 "invalid StringTemplate % shorthand syntax: '<arg>'"

MISSING\_ATTRIBUTE\_NAME() ::=  
 "missing attribute name on \$ reference"

ARG\_INIT\_VALUES\_ILLEGAL(arg) ::=  
 "rule parameters may not have init values: <arg>"

REWRITE\_OR\_OP\_WITH\_NO\_OUTPUT\_OPTION(arg) ::=  
 "<if(arg)>rule <arg> uses <endif>rewrite syntax or operator with no output option; setting output=AST"

AST\_OP\_WITH\_NON\_AST\_OUTPUT\_OPTION(arg) ::=  
 "AST operator with non-AST output option: <arg>"

NO\_RULES(arg) ::= "grammar file <arg> has no rules"  
 MISSING\_AST\_TYPE\_IN\_TREE\_GRAMMAR(arg) ::=  
 "tree grammar <arg> has no ASTLabelType option"  
 REWRITE\_FOR\_MULTI\_ELEMENT\_ALT(arg) ::=  
 "with rewrite=true, alt <arg> not simple node or obvious tree element; text attribute for rule not guaranteed to be correct"  
 RULE\_INVALID\_SET(arg) ::=  
 "Cannot complement rule <arg>; not a simple set or element"  
 HETERO\_ILLEGAL\_IN\_REWRITE\_ALT(arg) ::=  
 "alts with rewrites can't use heterogeneous types left of ->"  
 NO\_SUCH\_GRAMMAR\_SCOPE(arg,arg2) ::=  
 "reference to undefined grammar in rule reference: <arg>.<arg2>"  
 NO\_SUCH\_RULE\_IN\_SCOPE(arg,arg2) ::=  
 "rule <arg2> is not defined in grammar <arg>"  
 TOKEN\_ALIAS\_CONFLICT(arg,arg2) ::=  
 "cannot alias <arg>; string already assigned to <arg2>"  
 TOKEN\_ALIAS\_REASSIGNMENT(arg,arg2) ::=  
 "cannot alias <arg>; token name already assigned to <arg2>"  
 TOKEN\_VOCAB\_IN\_DELEGATE(arg,arg2) ::=  
 "tokenVocab option ignored in imported grammar <arg>"  
 INVALID\_IMPORT(arg,arg2) ::=  
 "<arg.grammarTypeString> grammar <arg.name> cannot import <arg2.grammarTypeString> grammar <arg2.name>"  
 IMPORTED\_TOKENS\_RULE\_EMPTY(arg,arg2) ::=  
 "no lexer rules contributed to <arg> from imported grammar <arg2>"  
 IMPORT\_NAME\_CLASH(arg,arg2) ::=  
 "combined grammar <arg.name> and imported <arg2.grammarTypeString> grammar <arg2.name> both generate <arg2.recognizerName>; import ignored"  
 AST\_OP\_IN\_ALT\_WITH\_REWRITE(arg,arg2) ::=  
 "rule <arg> alt <arg2> uses rewrite syntax and also an AST operator"  
 WILDCARD\_AS\_ROOT(arg) ::= "Wildcard invalid as root; wildcard can itself be a tree"  
 CONFLICTING\_OPTION\_IN\_TREE\_FILTER(arg,arg2) ::= "option <arg>=<arg2> conflicts with tree grammar filter mode"  
 ILLEGAL\_OPTION\_VALUE(arg, arg2) ::= "value '<arg2>' invalid for option <arg>"  
 ALL\_OPS\_NEED\_SAME\_ASSOC(arg) ::= "all operators of alt <alt> of left-recursive rule must have same associativity"  
 RANGE\_OP\_ILLEGAL(arg) ::= "the .. range operator isn't allowed in parser rules"

// GRAMMAR WARNINGS

GRAMMAR\_NONDETERMINISM(input,conflictingAlts,paths,disabled,hasPredicateBlockedByAction) ::=
 <<  
 <if(paths)>  
 Decision can match input such as "<input>" using multiple alternatives:  
 <paths:{ it | alt <it.alt> via NFA path <it.states; separator=","><\n}>  
 <else>  
 Decision can match input such as "<input>" using multiple alternatives: <conflictingAlts; separator=",">  
 <endif>

<if(disabled)><\n>As a result, alternative(s) <disabled; separator=","> were disabled for that input<endif><if(hasPredicateBlockedByAction)><\n>Semantic predicates were present but were hidden by actions.<endif>  
>>

DANGLING\_STATE(danglingAlts,input) ::= <<  
the decision cannot distinguish between alternative(s) <danglingAlts; separator=","> for input such as "<input>"  
>>

UNREACHABLE\_ALTS(alts) ::= <<  
The following alternatives can never be matched: <alts; separator=","><\n>  
>>

INSUFFICIENT\_PREDICATES(upon,altToLocations,hasPredicateBlockedByAction) ::= <<  
Input such as "<upon>" is insufficiently covered with predicates at locations: <altToLocations.keys:{alt|alt <alt>:  
<altToLocations.(alt){loc| line <loc.line>:<loc.column> at <loc.text>}; separator=",">"; separator=",">  
>><if(hasPredicateBlockedByAction)><\n>Semantic predicates were present but were hidden by actions.<endif>  
>>

DUPLICATE\_SET\_ENTRY(arg) ::= <<  
"duplicate token type <arg> when collapsing subrule into set"  
>>

ANALYSIS\_ABORTED(enclosingRule) ::= <<  
ANTLR could not analyze this decision in rule <enclosingRule>; often this is because of recursive rule references visible from the left edge of alternatives. ANTLR will re-analyze the decision with a fixed lookahead of k=1. Consider using "options {k=1;}" for that decision and possibly adding a syntactic predicate.  
>>

RECURSION\_OVERFLOW(alt,input,targetRules,callSiteStates) ::= <<  
Alternative <alt>: after matching input such as <input> decision cannot predict what comes next due to recursion overflow <targetRules,callSiteStates:{t,c|to <t> from <c:{s|<s.enclosingRule.name>};separator=",">"; separator=","> and ">  
>>

LEFT\_RECURSION(targetRules,alt,callSiteStates) ::= <<  
Alternative <alt> discovers infinite left-recursion <targetRules,callSiteStates:{t,c|to <t> from <c:{s|<s.enclosingRule>};separator=",">"; separator=","> and ">  
>>

UNREACHABLE\_TOKENS(tokens) ::= <<  
The following token definitions can never be matched because prior tokens match the same input: <tokens; separator=",">  
>>

TOKEN\_NONDETERMINISM(input,conflictingTokens,paths,disabled,hasPredicateBlockedByAction) ::= <<  
<if(paths)>  
Decision can match input such as "<input>" using multiple alternatives:  
>>

```

<paths:{ it | alt <it.alt> via NFA path <it.states; separator=","><\n>}>
<else>
Multiple token rules can match input such as "<input>": <conflictingTokens; separator=","><\n>
<endif>
<if(disabled)><\n>As a result, token(s) <disabled; separator=","> were disabled for that
input<endif><if(hasPredicateBlockedByAction)><\n>Semantic predicates were present but were hidden by
actions.<endif>
>>

```

```

LEFT_RECURSION_CYCLES(listOfCycles) ::= <<
The following sets of rules are mutually left-recursive <listOfCycles:{c| [<c:{r|<r.name>}]; separator=",">];
separator=" and ">
>>

```

```

NONREGULAR_DECISION(ruleName,alts) ::= <<
[fatal] rule <ruleName> has non-LL(*) decision due to recursive rule invocations reachable from alts <alts;
separator=",">. Resolve by left-factoring or using syntactic predicates or using backtrack=true option.
>>

```

```

/* 110n for message levels */
warning() ::= "warning"
error() ::= "error"

```

```

Found in path(s):
* /opt/cola/permits/1274703855_1645234694.1/0/antlr-3-5-2-sources-
jar/org/antlr/tool/templates/messages/languages/en.stg
No license file was found, but licenses were detected in source scan.

```

```

/*
* [The "BSD license"]
* Copyright (c) 2010 Terence Parr
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
* 1. Redistributions of source code must retain the above copyright
* notice, this list of conditions and the following disclaimer.
* 2. Redistributions in binary form must reproduce the above copyright
* notice, this list of conditions and the following disclaimer in the
* documentation and/or other materials provided with the distribution.
* 3. The name of the author may not be used to endorse or promote products
* derived from this software without specific prior written permission.
*
* THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR
* IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.
* IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,

```



\* INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT  
\* NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,  
\* DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY  
\* THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT  
\* (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF  
\* THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

\*/

/\*\* ANTLR's code generator.

\*

\* Generate recognizers derived from grammars. Language independence  
\* achieved through the use of STGroup objects. All output  
\* strings are completely encapsulated in the group files such as Java.stg.  
\* Some computations are done that are unused by a particular language.  
\* This generator just computes and sets the values into the templates;  
\* the templates are free to use or not use the information.

\*

\* To make a new code generation target, define X.stg for language X  
\* by copying from existing Y.stg most closely related to your language;  
\* e.g., to do CSharp.stg copy Java.stg. The template group file has a  
\* bunch of templates that are needed by the code generator. You can add  
\* a new target w/o even recompiling ANTLR itself. The language=X option  
\* in a grammar file dictates which templates get loaded/used.

\*

\* Some language like C need both parser files and header files. Java needs  
\* to have a separate file for the cyclic DFA as ANTLR generates bytcodes  
\* directly (which cannot be in the generated parser Java file). To facilitate  
\* this,

\*

\* cyclic can be in same file, but header, output must be searpate. recognizer  
\* is in outptufile.

\*/

Found in path(s):

\* /opt/cola/permits/1274703855\_1645234694.1/0/antlr-3-5-2-sources-jar/org/antlr/codegen/CodeGenerator.java

No license file was found, but licenses were detected in source scan.

/\*

[The "BSD license"]

Copyright (c) 2006 Kay Roepke

All rights reserved.

Redistribution and use in source and binary forms, with or without  
modification, are permitted provided that the following conditions  
are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the

documentation and/or other materials provided with the distribution.

3. The name of the author may not be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

\*/

/\*

New style messages. This file contains the actual layout of the messages emitted by ANTLR.

The text itself is coming out of the languages/\*stg files, according to the chosen locale.

This file contains the default format ANTLR uses.

\*/

group antlr;

location(file, line, column) ::= "<file>(<line>,<column>)"

message(id, text) ::= "error <id> : <text>"

report(location, message, type) ::= "<location> : <type> <message.id> : <message.text>"

wantsSingleLineMessage() ::= "true"

Found in path(s):

\* /opt/cola/permits/1274703855\_1645234694.1/0/antlr-3-5-2-sources-jar/org/antlr/tool/templates/messages/formats/vs2005.stg

No license file was found, but licenses were detected in source scan.

group Dbg;

/\*

[The "BSD license"]

Copyright (c) 2005-2009 Terence Parr

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The name of the author may not be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

\*/

```
@parserBody.mixins() ::= <<
include ANTLR3::<if(profile)>Profile<else>Debug<endif>::ParserEvents
>>
```

```
@parserBody.additionalMembers() ::= <<
<if(grammar.grammarIsRoot)>
RULE_NAMES = [
:invalid_rule, <grammar.allImportedRules:{rST|:<rST.name>}; wrap="\n ", separator=", ">
].freeze
<endif>
>>
```

```
@rule.body() ::= <<
in_rule(grammar_file_name, "<ruleName>") do
@debug_listener.location(<ruleDescriptor.tree.line>, <ruleDescriptor.tree.column>)

<@super.body()>

@debug_listener.location(<ruleDescriptor.EORNode.line>, <ruleDescriptor.EORNode.column>)
end
>>
```

```
// Common debug event triggers used by region overrides below
enterSubRule() ::= <<
in_subrule(<decisionNumber>) do<\n>
>>
```

```
exitSubRule() ::= <<
end<\n>
>>
```

```
enterDecision() ::= <<
in_decision(<decisionNumber>) do<\n>
>>
```

```
exitDecision() ::= <<
end<\n>
>>
```

```
enterAlt(n) ::= <<
in_alternative(<n>)<\n>
>>
```

```
// Region overrides that tell various constructs to add debugging triggers
@block.body() ::= <<
in_subrule(<decisionNumber>) do
  <@super.body()>
end
>>
```

```
// @blockBody.predecision() ::= "<enterSubRule()>"
// @blockBody.postdecision() ::= "<exitDecision()>"
// @blockBody.postbranch() ::= "<exitSubRule()>"
@blockBody.decision() ::= <<
in_decision(<decisionNumber>) do
  <@super.decision()>
end
>>
```

```
@ruleBlock.decision() ::= <<
in_decision(<decisionNumber>) do
  <@super.decision()>
end<\n>
>>
```

```
@ruleBlockSingleAlt.prealt() ::= "<enterAlt(n={ 1 })>"
```

```
@blockSingleAlt.preal() ::= "<enterAlt(n={ 1 })>"
```

```
@positiveClosureBlock.loopBody() ::= <<  
in_subrule(<decisionNumber>) do  
<@super.loopBody(>  
end  
>>
```

```
@positiveClosureBlockLoop.decisionBody() ::= <<  
in_decision(<decisionNumber>) do  
<@super.decisionBody(>  
end  
>>
```

```
@positiveClosureBlockLoop.earlyExitException() ::= <<  
@debug_listener.recognition_exception(eee)  
>>
```

```
@closureBlock.loopBody() ::= <<  
in_subrule(<decisionNumber>) do  
<@super.loopBody(>  
end  
>>
```

```
@closureBlockLoop.decisionBody() ::= <<  
in_decision(<decisionNumber>) do  
<@super.decisionBody(>  
end  
>>
```

```
@altSwitchCase.preal() ::= "<enterAlt(altNum)>" // altNum is arg of altSwitchCase
```

```
element(e) ::= <<  
@debug_listener.location(<e.line>, <e.pos>) // e is arg of element  
<super.element(e)>  
>>
```

```
@matchSet.mismatchedSetException() ::= "@debug_listener.recognition_exception(mse)"
```

```

@dfaState.noViableAltException() ::= <<
nvae = NoViableAlternative( "<description>", <decisionNumber>, <stateNumber> )
@debug_listener.recognition_exception( nvae )
raise( nvae )<\n>
>>

```

```

@dfaStateSwitch.noViableAltException() ::= <<
nvae = NoViableAlternative( "<description>", <decisionNumber>, <stateNumber> )
@debug_listener.recognition_exception( nvae )
raise( nvae )<\n>
>>

```

```

dfaDecision(decisionNumber,description) ::= <<
begin
  @state.cyclic_decision = true
  <super.dfaDecision(...)>
  rescue ANTLR3::Error::NoViableAlternative => nvae
  @debug_listener.recognition_exception(nvae)
  raise
end
>>

```

```

@cyclicDFA.errorMethod() ::= <<
def error(nvae)
  @recognizer.debug_listener.recognition_exception(nvae)
  super
end
>>
/** Force predicate validation to trigger an event */
evalPredicate(pred,description) ::= <<
predicate?("<description>") { <pred> }
>>

```

Found in path(s):

\* /opt/cola/permits/1274703855\_1645234694.1/0/antlr-3-5-2-sources-jar/org/antlr/codegen/templates/Ruby/Dbg.stg  
No license file was found, but licenses were detected in source scan.

/\*

[The "BSD license"]  
Copyright (c) 2010 Kyle Yetter  
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright

- notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
  3. The name of the author may not be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

\*/

Found in path(s):

\* /opt/cola/permits/1274703855\_1645234694.1/0/antlr-3-5-2-sources-jar/org/antlr/codegen/RubyTarget.java

No license file was found, but licenses were detected in source scan.

/\*

[The "BSD license"]

Copyright (c) 2005-2009 Jim Idle, Temporal Wave LLC

<http://www.temporal-wave.com>

<http://www.linkedin.com/in/jimidle>

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The name of the author may not be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,

DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

```
*/
/** Add an adaptor property that knows how to build trees */
@headerFile.members() ::= <<
/* @headerFile.members() */
pANTLR3_BASE_TREE_ADAPTOR adaptor;
pANTLR3_VECTOR_FACTORY vectors;
/* End @headerFile.members() */
>>

/** Install the tree adaptor interface pointer and anything else that
 * tree parsers and producers require.
 */
@genericParser.apifuncs() ::= <<
<if(PARSER)>
ADAPTOR = ANTLR3_TREE_ADAPTORNew(instream->tstream->tokenSource->strFactory);<\n>
<endif>
ctx->vectors = antlr3VectorFactoryNew(0);
>>

@genericParser.cleanup() ::= <<
ctx->vectors->close(ctx->vectors);
<if(PARSER)>
/* We created the adaptor so we must free it
 */
ADAPTOR->free(ADAPTOR);
<endif>
>>

@returnScope.ruleReturnMembers() ::= <<

<super.ASTLabelType()> tree;

>>

/** Add a variable to track rule's return AST */
ruleDeclarations() ::= <<
<super.ruleDeclarations()>
<ASTLabelType> root_0;<\n>
>>

ruleInitializations() ::= <<
<super.ruleInitializations()>
root_0 = NULL;<\n>
>>
```



```

ruleLabelDefs() ::= <<
<super.ruleLabelDefs()>
<ruleDescriptor.tokenLabels:{it | <ASTLabelType> <it.label.text>_tree;}; separator="\n">
<ruleDescriptor.tokenListLabels:{it | <ASTLabelType> <it.label.text>_tree;}; separator="\n">
<ruleDescriptor.allTokenRefsInAltsWithRewrites
  :{it | pANTLR3_REWRITE_RULE_<rewriteElementType>_STREAM stream_<it>;}; separator="\n">
<ruleDescriptor.allRuleRefsInAltsWithRewrites
  :{it | pANTLR3_REWRITE_RULE_SUBTREE_STREAM stream_<it>;}; separator="\n">
>>

/* Note that we defer the actual creation of any rewrite streams we need here and just initialize
* them to NULL. This saves creating huge numbers of rewrite streams that cannot be used as only
* one alt will be taken in a rule, but we are declaring all the streams here. So we define
* a macro that contains the create code, then use this macro later to check if the stream
* has been created yet. Checking for NULL is almost free in C.
*/
ruleLabelInitializations() ::= <<
<super.ruleLabelInitializations()>
<ruleDescriptor.tokenLabels:{it | <it.label.text>_tree = NULL;}; separator="\n">
<ruleDescriptor.tokenListLabels:{it | <it.label.text>_tree = NULL;}; separator="\n">

<ruleDescriptor.allTokenRefsInAltsWithRewrites
  :{it | stream_<it> = NULL;
  #define CREATE_stream_<it> if (stream_<it> == NULL) {stream_<it> =
  antlr3RewriteRule<rewriteElementType>StreamNewAE(ADAPTOR, RECOGNIZER, (pANTLR3_UINT8)"token
  <it>"); \} }; separator="\n">
<ruleDescriptor.allRuleRefsInAltsWithRewrites
  :{it | stream_<it> = NULL;
  #define CREATE_stream_<it> if (stream_<it> == NULL) {stream_<it> =
  antlr3RewriteRuleSubtreeStreamNewAE(ADAPTOR, RECOGNIZER, (pANTLR3_UINT8)"rule <it>"); \} };
  separator="\n">

<if(ruleDescriptor.hasMultipleReturnValues)>
retval.tree = NULL;
<endif>
>>

/** a rule label including default value */
ruleLabelInitVal(label) ::= <<
<super.ruleLabelInitVal(...)>
<label.label.text>.tree = NULL;
>>

/** When doing auto AST construction, we must define some variables;
* These should be turned off if doing rewrites. This must be a "mode"
* as a rule could have both rewrite and AST within the same alternative

```

```

* block.
*/
@alt.declarations() ::= <<
<if(autoAST)>
<if(outerAlt)>
<endif>
<endif>
>>

@alt.initializations() ::= <<
<if(autoAST)>
<if(outerAlt)>
<if(!rewriteMode)>
root_0 = (<ASTLabelType>)(ADAPTOR->nilNode(ADAPTOR));<\n>
<endif>
<endif>
<endif>
>>

// Tracking Rule Elements
//
/** ID but track it for use in a rewrite rule */
tokenRefTrack(token,label,elementIndex,terminalOptions) ::= <<
<tokenRefBang(...)> <! Track implies no auto AST construction!>
<if(backtracking)>if ( <actions.(actionScope).synpredgate> ) { <endif>CREATE_stream_<token>;
stream_<token>->add(stream_<token>, <label>, NULL);<if(backtracking)> }<endif><\n>
>>

/** ids+=ID and track it for use in a rewrite rule; adds to ids *and*
 * to the tracking list stream_ID for use in the rewrite.
 */
tokenRefTrackAndListLabel(token,label,elementIndex,terminalOptions) ::= <<
<tokenRefTrack(...)>
<listLabel(elem=label,...)>
>>

/** ^(ID ...) track for rewrite */
tokenRefRuleRootTrack(token,label,elementIndex,terminalOptions) ::= <<
<tokenRefBang(...)>
<if(backtracking)>if ( <actions.(actionScope).synpredgate> ) {<endif>CREATE_stream_<token>; stream_<token>-
>add(stream_<token>, <label>, NULL);<if(backtracking)> }<endif><\n>
>>

wildcardTrack(label,elementIndex) ::= <<
<super.wildcard(...)>
>>

```

```

/** rule when output=AST and tracking for rewrite */
ruleRefTrack(rule,label,elementIndex,args,scope) ::= <<
<super.ruleRef(...)>
<if(backtracking)>if ( <actions.(actionScope).synpredgate> ) { <endif>CREATE_stream_<rule.name>;
stream_<rule.name>->add(stream_<rule.name>, <label>.tree, NULL);<if(backtracking)> }<endif>
>>

```

```

/** x+=rule when output=AST and tracking for rewrite */
ruleRefTrackAndListLabel(rule,label,elementIndex,args,scope) ::= <<
<ruleRefTrack(...)>
<listLabelTrack(...)>
>>

```

```

/** ^(rule ...) rewrite */
ruleRefRuleRootTrack(rule,label,elementIndex,args,scope) ::= <<
<ruleRefRuleRoot(...)>
<if(backtracking)>if ( <actions.(actionScope).synpredgate> ) { <endif>CREATE_stream_<rule.name>;
stream_<rule.name>->add(stream_<rule.name>, <label>.tree, NULL);<if(backtracking)> }<endif>
>>

```

```

/** ^(x+=rule ...) rewrite */
ruleRefRuleRootTrackAndListLabel(rule,label,elementIndex,args,scope) ::= <<
<ruleRefRuleRootTrack(...)>
<listLabelAST(...)>
>>

```

// RULE REF AST

```

/** Match ^(label+=TOKEN ...) track for rewrite */
tokenRefRuleRootTrackAndListLabel(token,label,elementIndex,terminalOptions) ::= <<
<tokenRefRuleRootTrack(...)>
<listLabel(elem=label,...)>
>>

```

/\* How to accumulate lists when we are doing rewrite tracking...

```

*/
listLabelTrack(label) ::= <<
/* listLabelTrack(label)
*/
if (list_<label> == NULL)
{
list_<label>=ctx->vectors->newVector(ctx->vectors);
}
list_<label>->add(list_<label>, <label>.tree, NULL);

```

>>

```
/* How to accumulate lists of rule outputs (only allowed with AST
 * option but if the user is going to walk the tree, they will want
 * all their custom elements from rule returns.
 *
 * Normally, we use inline structures (which the compiler lays down
 * code to copy from heap allocations. However, here we want to accumulate copies
 * of the returned structures because we are adding them to a list. This only makes sense if the
 * grammar is not rewriting the tree as a tree rewrite only preserves the tree, not the object/structure
 * returned from the rule. The rewrite will extract the tree pointer. However, if we are not going to
 * do a tree re-write, then the user may wish to iterate the structures returned by the rule in
 * action code and will expect the user defined returns[] elements to be available when they do this.
 * Hence we cannot just preserve the tree that was returned. So, we must copy the local structure and provide
 * a function that can free the allocated space. We cannot know how to free user allocated elements and
 * presume that the user will know to do this using their own factories for the structures they allocate.
 */
```

```
listLabelAST(label) ::= <<
if (list_<label> == NULL)
{
    list_<label>=ctx->vectors->newVector(ctx->vectors);
}
{
    RETURN_TYPE_<label> * tcopy;

    tcopy = (RETURN_TYPE_<label> *)ANTLR3_MALLOC(sizeof(RETURN_TYPE_<label>)); /* Note no
memory allocation checks! */
    ANTLR3_MEMCPY((void *)tcopy, (const void *)&<label>, sizeof(RETURN_TYPE_<label>));
    list_<label>->add(list_<label>, (void *)tcopy, freeScope); /* Add whatever the return type is */<n>
}
>>
```

// R e w r i t e

```
rewriteCode(
    alts,
    description,
    referencedElementsDeep, // ALL referenced elements to right of ->
    referencedTokenLabels,
    referencedTokenListLabels,
    referencedRuleLabels,
    referencedRuleListLabels,
    referencedWildcardLabels,
    referencedWildcardListLabels,
    rewriteBlockLevel,
    enclosingTreeLevel,
    treeLevel) ::=
<<
```

```

/* AST REWRITE
* elements      : <referencedElementsDeep; separator=", ">
* token labels  : <referencedTokenLabels; separator=", ">
* rule labels   : <referencedRuleLabels; separator=", ">
* token list labels : <referencedTokenListLabels; separator=", ">
* rule list labels : <referencedRuleListLabels; separator=", ">
*/
<if(backtracking)>
if ( <actions.(actionScope).synpredgate> ) <\n>
<endif>
{
<rewriteCodeLabelsDecl()>
<rewriteCodeLabelsInit()>
root_0 = (<ASTLabelType>)(ADAPTOR->nilNode(ADAPTOR));
<prevRuleRootRef()>.tree = root_0;
<alts:rewriteAlt(); separator="else ">
<if(TREE_PARSER)>
<if(rewriteMode)>
<prevRuleRootRef()>.tree = (<ASTLabelType>)(ADAPTOR->rulePostProcessing(ADAPTOR, root_0));
INPUT->replaceChildren(INPUT, ADAPTOR->getParent(ADAPTOR, retval.start),
ADAPTOR->getChildIndex(ADAPTOR, retval.start),
ADAPTOR->getChildIndex(ADAPTOR, _last),
retval.tree);
<endif>
<endif>
<prevRuleRootRef()>.tree = root_0; // set result root
<rewriteCodeLabelsFree()>
}
>>

rewriteCodeLabelsDecl() ::= <<
<referencedTokenLabels
: {it | pANTLR3_REWRITE_RULE_<rewriteElementType>_STREAM stream_<it>;}
separator="\n"
>
<referencedTokenListLabels
: {it | pANTLR3_REWRITE_RULE_<rewriteElementType>_STREAM stream_<it>;}
separator="\n"
>
<referencedRuleLabels
: {it | pANTLR3_REWRITE_RULE_SUBTREE_STREAM stream_<it>;}
separator="\n"
>
<referencedRuleListLabels
: {it | pANTLR3_REWRITE_RULE_SUBTREE_STREAM stream_<it>;}
separator="\n"

```

```

>
>>

rewriteCodeLabelsInit() ::= <<
<referencedTokenLabels
:{it | stream_<it>=antlr3RewriteRule<rewriteElementType>StreamNewAEE(ADAPTOR, RECOGNIZER,
(pANTLR3_UINT8)"token <it>", <it>);};
separator="\n"
>
<referencedTokenListLabels
:{it | stream_<it>=antlr3RewriteRule<rewriteElementType>StreamNewAEV(ADAPTOR, RECOGNIZER,
(pANTLR3_UINT8)"token <it>", list_<it>); };
separator="\n"
>
<referencedRuleLabels
:{it | stream_<it>=antlr3RewriteRuleSubtreeStreamNewAEE(ADAPTOR, RECOGNIZER,
(pANTLR3_UINT8)"token <it>", <it>.tree != NULL ? <it>.tree : NULL);};
separator="\n"
>
<referencedRuleListLabels
:{it | stream_<it>=antlr3RewriteRuleSubtreeStreamNewAEV(ADAPTOR, RECOGNIZER,
(pANTLR3_UINT8)"token <it>", list_<it>);};
separator="\n"
>
>>

rewriteCodeLabelsFree() ::= <<
<referencedTokenLabels
:{it | if (stream_<it> != NULL) stream_<it>->free(stream_<it>); };
separator="\n"
>
<referencedTokenListLabels
:{it | if (stream_<it> != NULL) stream_<it>->free(stream_<it>);};
separator="\n"
>
<referencedRuleLabels
:{it | if (stream_<it> != NULL) stream_<it>->free(stream_<it>);};
separator="\n"
>
<referencedRuleListLabels
:{it | if (stream_<it> != NULL) stream_<it>->free(stream_<it>);};
separator="\n"
>
>>

/** Generate code for an optional rewrite block; note it uses the deep ref'd element
 * list rather shallow like other blocks.
 */
rewriteOptionalBlock(

```

```

alt,
rewriteBlockLevel,
referencedElementsDeep, // all nested refs
referencedElements, // elements in immediately block; no nested blocks
description) ::=
<<
// <fileName>:<description>
{
if ( <referencedElementsDeep:{el | (stream_<el> != NULL && stream_<el>->hasNext(stream_<el>)) };
separator="|| "> )
{
<alt>
}
<referencedElementsDeep:{el | if ( stream_<el> != NULL) stream_<el>->reset(stream_<el>);<n>}>
}<n>
}>
>>

rewriteClosureBlock(
alt,
rewriteBlockLevel,
referencedElementsDeep, // all nested refs
referencedElements, // elements in immediately block; no nested blocks
description) ::=
<<
// <fileName>:<description>
{
while ( <referencedElements:{el | (stream_<el> != NULL && stream_<el>->hasNext(stream_<el>)) }; separator="||
"> )
{
<alt>
}
<referencedElements:{el | if (stream_<el> != NULL) stream_<el>->reset(stream_<el>);<n>}>
}<n>
}>
>>
RewriteEarlyExitException() ::=
<<
CONSTRUCTEX();
EXCEPTION->type      = ANTLR3_REWRITE_EARLY_EXCEPTION;
EXCEPTION->name      = (void *)ANTLR3_REWRITE_EARLY_EXCEPTION_NAME;
>>
rewritePositiveClosureBlock(
alt,
rewriteBlockLevel,
referencedElementsDeep, // all nested refs
referencedElements, // elements in immediately block; no nested blocks
description) ::=
<<
if ( <referencedElements:{el | (stream_<el> == NULL || !stream_<el>->hasNext(stream_<el>)) }; separator="|| "> )

```

```

{
  <RewriteEarlyExitException()>
}
else
{
  while ( <referencedElements:{el | (stream_<el>->hasNext(stream_<el>)) }; separator="|| "> ) {
    <alt>
  }
  <referencedElements:{el | stream_<el>->reset(stream_<el>);<\n}>
}
>>

rewriteAlt(a) ::= <<
// <a.description>
<if(a.pred)>
if (<a.pred>)
{
  <a.alt>
}<\n>
<else>
{
  <a.alt>
}<\n>
<endif>
>>

/** For empty rewrites: "r : ... -> ;" */
rewriteEmptyAlt() ::= "root_0 = NULL; /* \<-- rewriteEmptyAlt() */"

rewriteTree(root,children,description,enclosingTreeLevel,treeLevel) ::= <<
// <fileName>:<description>
{
  <ASTLabelType> root_<treeLevel> = (<ASTLabelType>)(ADAPTOR->nilNode(ADAPTOR));
  <root:rewriteElement()>
  <children:rewriteElement()>
  ADAPTOR->addChild(ADAPTOR, root_<enclosingTreeLevel>, root_<treeLevel>);
}<\n>
>>

rewriteElementList(elements) ::= "<elements:rewriteElement()>"

rewriteElement(e) ::= <<
<@pregen()>
<e.el>
>>

/** Gen ID or ID[args] */
rewriteTokenRef(token,elementIndex,terminalOptions,args) ::= <<

```



```

ADAPTOR->addChild(ADAPTOR, root_<treeLevel>, <createRewriteNodeFromElement(...)>);<\n>
>>

/** Gen $label ... where defined via label=ID */
rewriteTokenLabelRef(label,elementIndex) ::= <<
ADAPTOR->addChild(ADAPTOR, root_<treeLevel>, stream_<label> == NULL ? NULL : stream_<label>-
>nextNode(stream_<label>));<\n>
>>

/** Gen $label ... where defined via label+=ID */
rewriteTokenListLabelRef(label,elementIndex) ::= <<
ADAPTOR->addChild(ADAPTOR, root_<treeLevel>, stream_<label> == NULL ? NULL : stream_<label>-
>nextNode(stream_<label>));<\n>
>>

/** Gen ^($label ...) */
rewriteTokenLabelRefRoot(label,elementIndex) ::= <<
root_<treeLevel> = (<ASTLabelType>)(ADAPTOR->becomeRootToken(ADAPTOR, stream_<label> == NULL ?
NULL : stream_<label>->nextToken(stream_<label>), root_<treeLevel>));<\n>
>>

/** Gen ^($label ...) where label+=... */
rewriteTokenListLabelRefRoot ::= rewriteTokenLabelRefRoot

/** Gen ^(ID ...) or ^(ID[args] ...) */
rewriteTokenRefRoot(token,elementIndex,terminalOptions,args) ::= <<
root_<treeLevel> = (<ASTLabelType>)(ADAPTOR->becomeRoot(ADAPTOR,
<createRewriteNodeFromElement(...)>, root_<treeLevel>));<\n>
>>

rewriteImaginaryTokenRef(args,token,terminalOptions,elementIndex) ::= <<
ADAPTOR->addChild(ADAPTOR, root_<treeLevel>, <createImaginaryNode(tokenType=token, ...)>);<\n>
>>

rewriteImaginaryTokenRefRoot(args,token,terminalOptions,elementIndex) ::= <<
root_<treeLevel> = (<ASTLabelType>)(ADAPTOR->becomeRoot(ADAPTOR,
<createImaginaryNode(tokenType=token, ...)>, root_<treeLevel>));<\n>
>>

/** plain -> {foo} action */
rewriteAction(action) ::= <<
root_0 = <action>;<\n>
>>

/** What is the name of the previous value of this rule's root tree? This
* let's us refer to $rule to mean previous value. I am reusing the
* variable 'tree' sitting in retval struct to hold the value of root_0 right
* before I set it during rewrites. The assign will be to retval.tree.

```

```

*/
prevRuleRootRef() ::= "retval"

rewriteRuleRef(rule,dup) ::= <<
ADAPTOR->addChild(ADAPTOR, root_<treeLevel>, stream_<rule> == NULL ? NULL : stream_<rule>-
>nextTree(stream_<rule>));<\n>
>>

rewriteRuleRefRoot(rule,dup) ::= <<
root_<treeLevel> = (<ASTLabelType>)(ADAPTOR->becomeRoot(ADAPTOR, stream_<rule> == NULL ? NULL
: stream_<rule>->nextNode(stream_<rule>), root_<treeLevel>));<\n>
>>

rewriteNodeAction(action) ::= <<
ADAPTOR->addChild(ADAPTOR, root_<treeLevel>, <action>);<\n>
>>

rewriteNodeActionRoot(action) ::= <<
root_<treeLevel> = (<ASLabelType>)(ADAPTOR->becomeRoot(ADAPTOR, <action>, root_<treeLevel>));<\n>
>>

/** Gen $ruleLabel ... where defined via ruleLabel=rule */
rewriteRuleLabelRef(label) ::= <<
ADAPTOR->addChild(ADAPTOR, root_<treeLevel>, stream_<label> == NULL ? NULL : stream_<label>-
>nextTree(stream_<label>));<\n>
>>

/** Gen $ruleLabel ... where defined via ruleLabel+=rule */
rewriteRuleListLabelRef(label) ::= <<
ADAPTOR->addChild(ADAPTOR, root_<treeLevel>, stream_<label> == NULL ? NULL : stream_<label>-
>nextTree(stream_<label>));<\n>
>>

/** Gen ^($ruleLabel ...) where ruleLabel=rule */
rewriteRuleLabelRefRoot(label) ::= <<
root_<treeLevel> = (<ASTLabelType>)(ADAPTOR->becomeRoot(ADAPTOR, stream_<label> == NULL ? NULL
: stream_<label>->nextNode(stream_<label>), root_<treeLevel>));<\n>
>>

/** Gen ^($ruleLabel ...) where ruleLabel+=rule */
rewriteRuleListLabelRefRoot(label) ::= <<
root_<treeLevel> = (<ASTLabelType>)(ADAPTOR->becomeRoot((<ASTLabelType>)(stream_<label> == NULL
? NULL : stream_<label>->nextNode(stream_<label>), root_<treeLevel>));<\n>
>>

rewriteWildcardLabelRef(label) ::= <<
ADAPTOR->addChild(ADAPTOR, root_<treeLevel>, stream_<label> == NULL ? NULL : stream_<label>-
>nextTree(stream_<label>));<\n>

```

>>

```
createImaginaryNode(tokenType,terminalOptions,args) ::= <<
<if(terminalOptions.node)>
<! new MethodNode(IDLabel, args) !>
<terminalOptions.node>New(<tokenType><if(args)>, <args; separator=", "><endif>)
<else>
<if(args)>

#if <length(args)> == 2
(<ASTLabelType>)ADAPTOR->createTypeTokenText(ADAPTOR, <tokenType>, TOKTEXT(<args; separator=", ">))
#else
(<ASTLabelType>)ADAPTOR->createTypeText(ADAPTOR, <tokenType>, (pANTLR3_UINT8)<args;
separator=", ">)
#endif

<else>
(<ASTLabelType>)ADAPTOR->createTypeText(ADAPTOR, <tokenType>, (pANTLR3_UINT8)"<tokenType>")
<endif>
<endif>
>>
```

```
createRewriteNodeFromElement(token,terminalOptions,args) ::= <<
<if(terminalOptions.node)>
<terminalOptions.node>New(stream_<token>->nextToken(stream_<token>)<if(args)>, <args; separator=", "><endif>)
<else>
<if(args)> <! must create new node from old !>

#if <length(args)> == 2
ADAPTOR->createTypeTokenText(ADAPTOR, <token>->getType(<token>, TOKTEXT(<token>, <args;
separator=", ">)) /* JIMI */
#else
ADAPTOR->createTypeToken(ADAPTOR, <token>->getType(<token>, <token>, <args; separator=", ">)
#endif

<else>
stream_<token> == NULL ? NULL : stream_<token>->nextNode(stream_<token>)
<endif>
<endif>
>>
```

Found in path(s):

\* /opt/cola/permits/1274703855\_1645234694.1/0/antlr-3-5-2-sources-jar/org/antlr/codegen/templates/C/AST.stg

No license file was found, but licenses were detected in source scan.

/\*

```

* [The "BSD license"]
* Copyright (c) 2007-2008 Johannes Luber
* Copyright (c) 2005-2007 Kunle Odutola
* Copyright (c) 2011 Sam Harwell
* Copyright (c) 2011 Terence Parr
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
* 1. Redistributions of source code must retain the above copyright
*   notice, this list of conditions and the following disclaimer.
* 2. Redistributions in binary form must reproduce the above copyright
*   notice, this list of conditions and the following disclaimer in the
*   documentation and/or other materials provided with the distribution.
* 3. The name of the author may not be used to endorse or promote products
*   derived from this software without specific prior written permission.
*
* THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR
* IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.
* IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,
* INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT
* NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
* DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
* THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
* (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF
* THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
*/
/** Template subgroup to add template rewrite output
* If debugging, then you'll also get STDbg.stg loaded.
*/

@outputFile.imports() ::= <<
<@super.imports()>
using Antlr.StringTemplate;
using Antlr.StringTemplate.Language;
<if(!backtracking)>
using Hashtable = System.Collections.Hashtable;
<endif>

>>

/** Add this to each rule's return value struct */
@returnScope.ruleReturnMembers() ::= <<
private StringTemplate _st;
public StringTemplate Template { get { return _st; } set { _st = value; } }
public override string ToString() { return (Template==null) ? string.Empty : Template.ToString(); }

```

>>

```
@genericParser.members() ::= <<
<@super.members(>
protected StringTemplateGroup templateLib = new StringTemplateGroup("<name>Templates",
typeof(AngleBracketTemplateLexer) );
```

```
public StringTemplateGroup TemplateLib
{
get { return this.templateLib; }
set { this.templateLib = value; }
}
```

```
/// \<summary> Allows convenient multi-value initialization:
```

```
/// "new STAttrMap().Add(...).Add(...)"
```

```
/// \</summary>
```

```
protected class STAttrMap : Hashtable
{
public STAttrMap Add(string attrName, object value)
{
base.Add(attrName, value);
return this;
}
public STAttrMap Add(string attrName, int value)
{
base.Add(attrName, value);
return this;
}
}
}
```

>>

```
/** x+=rule when output=template */
```

```
ruleRefAndListLabel(rule,label,elementIndex,args,scope) ::= <<
```

```
<ruleRef(...)>
```

```
<listLabel(elem=label+".Template",...)>
```

>>

```
rewriteTemplate(alts) ::= <<
```

```
// TEMPLATE REWRITE
```

```
<if(backtracking)>
```

```
if ( <actions.(actionScope).synpredgate> )
```

```
{
```

```
<alts:rewriteTemplateAlt(); separator="else ">
```

```
<if(rewriteMode)><replaceTextInLine()><endif>
```

```
}
```

```
<else>
```

```
<alts:rewriteTemplateAlt(); separator="else ">
```

```
<if(rewriteMode)><replaceTextInLine()><endif>
<endif>
>>
```

```
replaceTextInLine() ::= <<
<if(TREE_PARSER)>
((TokenRewriteStream)input.TokenStream).Replace(
input.TreeAdaptor.GetTokenStartIndex(retval.Start),
input.TreeAdaptor.GetTokenStopIndex(retval.Start),
retval.Template);
<else>
((TokenRewriteStream)input).Replace(
((IToken)retval.Start).TokenIndex,
input.LT(-1).TokenIndex,
retval.Template);
<endif>
>>
```

```
rewriteTemplateAlt() ::= <<
// <it.description>
<if(it.pred)>
if (<it.pred>) {
    retval.Template = <it.alt>;
}<\n>
<else>
{
    retval.Template = <it.alt>;
}<\n>
<endif>
>>
```

```
rewriteEmptyTemplate(alts) ::= <<
null;
>>
```

```
/** Invoke a template with a set of attribute name/value pairs.
 * Set the value of the rule's template after having set
 * the attributes because the rule's template might be used as
 * an attribute to build a bigger template; you get a self-embedded
 * template.
 */
```

```
rewriteExternalTemplate(name,args) ::= <<
templateLib.GetInstanceOf("<name>"<if(args)>,
new STAttrMap()<args:{a | .Add("<a.name>", <a.value>)}>
<endif>)
>>
```

```
/** expr is a string expression that says what template to load */
```

```

rewriteIndirectTemplate(expr,args) ::= <<
templateLib.GetInstanceOf(<expr><if(args)>,
new STAttrMap()<args:{a | .Add("<a.name>", <a.value>)}>
<endif>)
>>

/** Invoke an inline template with a set of attribute name/value pairs */
rewriteInlineTemplate(args, template) ::= <<
new StringTemplate(templateLib, "<template>"<if(args)>,
new STAttrMap()<args:{a | .Add("<a.name>", <a.value>)}>
<endif>)
>>

/** plain -> {foo} action */
rewriteAction(action) ::= <<
<action>
>>

/** An action has %st.attrName=expr; or % {st}.attrName=expr; */
actionSetAttribute(st,attrName,expr) ::= <<
(<st>).SetAttribute("<attrName>",<expr>);
>>

/** Translate % {stringExpr} */
actionStringConstructor(stringExpr) ::= <<
new StringTemplate(templateLib,<stringExpr>)
>>

```

Found in path(s):

\* /opt/cola/permits/1274703855\_1645234694.1/0/antlr-3-5-2-sources-jar/org/antlr/codegen/templates/CSharp2/ST.stg

No license file was found, but licenses were detected in source scan.

```

/*
* [The "BSD license"]
* Copyright (c) 2007-2008 Johannes Luber
* Copyright (c) 2005-2007 Kunle Odutola
* Copyright (c) 2011 Sam Harwell
* Copyright (c) 2011 Terence Parr
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
* 1. Redistributions of source code must retain the above copyright
* notice, this list of conditions and the following disclaimer.
* 2. Redistributions in binary form must reproduce the above copyright
* notice, this list of conditions and the following disclaimer in the

```

- \* documentation and/or other materials provided with the distribution.
- \* 3. The name of the author may not be used to endorse or promote products
- \* derived from this software without specific prior written permission.
- \*
- \* THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR
- \* IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
- \* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.
- \* IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,
- \* INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT
- \* NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
- \* DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
- \* THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
- \* (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF
- \* THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
- \*/

/\*\* Templates for building ASTs during tree parsing.

- \*
- \* Deal with many combinations. Dimensions are:
- \* Auto build or rewrite
- \* no label, label, list label (label/no-label handled together)
- \* child, root
- \* token, set, rule, wildcard
- \*
- \* Each combination has its own template except that label/no label
- \* is combined into tokenRef, ruleRef, ...
- \*/

/\*\* Add a variable to track last element matched \*/

```
ruleDeclarations() ::= <<
<super.ruleDeclarations()>
<if(!ruleDescriptor.isSynPred)>
<ASTLabelType> _first_0 = default(<ASTLabelType>);
<ASTLabelType> _last = default(<ASTLabelType>);
<endif>
>>
```

/\*\* What to emit when there is no rewrite rule. For auto build

- \* mode, does nothing.
- \*/

```
noRewrite(rewriteBlockLevel=false, treeLevel=false) ::= <<
<if(!ruleDescriptor.isSynPred)>
<if(backtracking)>if (<actions.(actionScope).synpredgate>) {<endif>
<if(rewriteMode)>
retval.Tree = (<ASTLabelType>)_first_0;
if (adaptor.GetParent(retval.Tree)!=null && adaptor.IsNil(adaptor.GetParent(retval.Tree)))
    retval.Tree = (<ASTLabelType>)adaptor.GetParent(retval.Tree);
<endif>
```



```

<if(backtracking)></endif>
<endif>
>>

/** match ^(root children) in tree parser; override here to
 * add tree construction actions.
 */
tree(root, actionsAfterRoot, children, nullableChildList,
     enclosingTreeLevel, treeLevel) ::= <<
<if(!ruleDescriptor.isSynPred)>
_last = (<ASTLabelType>)input.LT(1);
{
<ASTLabelType> _save_last_<treeLevel> = _last;
<ASTLabelType> _first_<treeLevel> = default(<ASTLabelType>);
<if(!rewriteMode)>
<ASTLabelType> root_<treeLevel> = (<ASTLabelType>)adaptor.Nil();
<endif>
<root:element()>
<if(rewriteMode)>
<if(backtracking)>if (<actions.(actionScope).synpredgate>)<endif>
<if(root.el.rule)>
if (_first_<enclosingTreeLevel> == null) _first_<enclosingTreeLevel> = <root.el.label>.Tree;
<else>
if (_first_<enclosingTreeLevel> == null) _first_<enclosingTreeLevel> = <root.el.label>;
<endif>
<endif>
<actionsAfterRoot:element()>
<if(nullableChildList)>
if (input.LA(1) == TokenTypes.Down) {
    Match(input, TokenTypes.Down, null); <checkRuleBacktrackFailure()>
    <children:element()>
    Match(input, TokenTypes.Up, null); <checkRuleBacktrackFailure()>
}
<else>
Match(input, TokenTypes.Down, null); <checkRuleBacktrackFailure()>
<children:element()>
Match(input, TokenTypes.Up, null); <checkRuleBacktrackFailure()>
<endif>
<if(!rewriteMode)>
adaptor.AddChild(root_<enclosingTreeLevel>, root_<treeLevel>);
<endif>
_last = _save_last_<treeLevel>;
}
<else>
<super.tree(...)>
<endif>
>>

```

```

// TOKEN AST STUFF

/** ID! and output=AST (same as plain tokenRef) 'cept add
 * setting of _last
 */
tokenRefBang(token,label,elementIndex,terminalOptions) ::= <<
<if(!ruleDescriptor.isSynPred)>
_last = (<ASTLabelType>)input.LT(1);
<super.tokenRef(...)>
<else>
<super.tokenRefBang(...)>
<endif>
>>

/** ID auto construct */
tokenRef(token,label,elementIndex,terminalOptions) ::= <<
<if(!ruleDescriptor.isSynPred)>
_last = (<ASTLabelType>)input.LT(1);
<super.tokenRef(...)>
<if(!rewriteMode)>
<if(backtracking)>if (<actions.(actionScope).synpredgate>) {<endif>
<if(terminalOptions.node)>
<label>_tree = new
<terminalOptions.node>(<if(terminalOptions.type)><terminalOptions.type>,<endif><label><if(terminalOptions.tex
t)>,<terminalOptions.text; format="string"><endif>);
<else>
<label>_tree =
(<ASTLabelType>)adaptor.DupNode(<if(terminalOptions.type)><terminalOptions.type>,<endif><label><if(termin
alOptions.text)>,<terminalOptions.text; format="string"><endif>);
<endif><\n>
adaptor.AddChild(root_<treeLevel>, <label>_tree);
<if(backtracking)>}<endif>
<else> <! rewrite mode !>
<if(backtracking)>if (<actions.(actionScope).synpredgate>)<endif>
if (_first_<treeLevel> == null) _first_<treeLevel> = <label>;
<endif>
<else>
<super.tokenRef(...)>
<endif>
>>

/** label+=TOKEN auto construct */
tokenRefAndListLabel(token,label,elementIndex,terminalOptions) ::= <<
<if(!ruleDescriptor.isSynPred)>
<tokenRef(...)>
<listLabelElem(elem=label,...)>
<else>
<super.tokenRefAndListLabel(...)>

```

```

<endif>
>>

/** ^(ID ...) auto construct */
tokenRefRuleRoot(token,label,elementIndex,terminalOptions) ::= <<
<if(!ruleDescriptor.isSynPred)>
  _last = (<ASTLabelType>)input.LT(1);
  <super.tokenRef(...)>
  <if(!rewriteMode)>
  <if(backtracking)>if (<actions.(actionScope).synpredgate>) {<endif>
  <if(terminalOptions.node)>
  <label>_tree = new
  <terminalOptions.node><(if(terminalOptions.type)><terminalOptions.type>,<endif><label><(if(terminalOptions.tex
  t)>,<terminalOptions.text; format="string"><endif>);
  <else>
  <label>_tree =
  (<ASTLabelType>)adaptor.DupNode(<(if(terminalOptions.type)><terminalOptions.type>,<endif><label><(termin
  alOptions.text)>,<terminalOptions.text; format="string"><endif>);
  <endif><\n>
  root_<treeLevel> = (<ASTLabelType>)adaptor.BecomeRoot(<label>_tree, root_<treeLevel>);
  <if(backtracking)>}<endif>
  <endif>
  <else>
  <super.tokenRefRuleRoot(...)>
  <endif>
  >>

/** Match ^(label+=TOKEN ...) auto construct */
tokenRefRuleRootAndListLabel(token,label,elementIndex,terminalOptions) ::= <<
<if(!ruleDescriptor.isSynPred)>
<tokenRefRuleRoot(...)>
<listLabelElem(elem=label,...)>
<else>
<super.tokenRefRuleRootAndListLabel(...)>
<endif>
>>

/** Match . wildcard and auto dup the node/subtree */
wildcard(token,label,elementIndex,terminalOptions) ::= <<
<if(!ruleDescriptor.isSynPred)>
  _last = (<ASTLabelType>)input.LT(1);
  <super.wildcard(...)>
  <if(!rewriteMode)>
  <if(backtracking)>if (<actions.(actionScope).synpredgate>) {<endif>
  <label>_tree = (<ASTLabelType>)adaptor.DupTree(<label>);
  adaptor.AddChild(root_<treeLevel>, <label>_tree);
  <if(backtracking)>}<endif>
  <else> <! rewrite mode !>

```

```

<if(backtracking)>if (<actions.(actionScope).synpredgate><endif>
if (_first_<treeLevel> == null) _first_<treeLevel> = <label>;
<endif>
<else>
<super.wildcard(...)>
<endif>
>>

// SET AST

matchSet(s,label,terminalOptions,elementIndex,postmatchCode) ::= <<
<if(!ruleDescriptor.isSynPred)>
_last = (<ASTLabelType>)input.LT(1);
<super.matchSet(postmatchCode={
<if(!rewriteMode)>
<if(backtracking)>if (<actions.(actionScope).synpredgate>) {<endif>
<if(terminalOptions.node)>
<label>_tree = new
<terminalOptions.node><(if(terminalOptions.type)><terminalOptions.type>,<endif><label><if(terminalOptions.tex
t)>,<terminalOptions.text; format="string"><endif>);
<else>
<label>_tree =
(<ASTLabelType>)adaptor.DupNode(<if(terminalOptions.type)><terminalOptions.type>,<endif><label><if(termin
alOptions.text)>,<terminalOptions.text; format="string"><endif>);
<endif><\n>
adaptor.AddChild(root_<treeLevel>, <label>_tree);
<if(backtracking)>}\}<endif>
<endif>
}, ...
)>
<else>
<super.matchSet(...)>
<endif>
>>

matchRuleBlockSet(s,label,terminalOptions,elementIndex,postmatchCode,treeLevel="0") ::= <<
<if(!ruleDescriptor.isSynPred)>
<matchSet(...)>
<noRewrite(...)> <! set return tree !>
<else>
<super.matchRuleBlockSet(...)>
<endif>
>>

matchSetBang(s,label,terminalOptions,elementIndex,postmatchCode) ::= <<
<if(!ruleDescriptor.isSynPred)>
_last = (<ASTLabelType>)input.LT(1);
<super.matchSet(...)>

```

```

<else>
<super.matchSetBang(...)>
<endif>
>>

matchSetRuleRoot(s,label,terminalOptions,elementIndex,debug) ::= <<
<if(!ruleDescriptor.isSynPred)>
<super.matchSet(postmatchCode={
<if(!rewriteMode)>
<if(backtracking)>if (<actions.(actionScope).synpredgate>) {<endif>
<if(terminalOptions.node)>
<label>_tree = new
<terminalOptions.node>(<if(terminalOptions.type)><terminalOptions.type>,<endif><label><if(terminalOptions.tex
t)>,<terminalOptions.text; format="string"><endif>);
<else>
<label>_tree =
(<ASTLabelType>)adaptor.DupNode(<if(terminalOptions.type)><terminalOptions.type>,<endif><label><if(termin
alOptions.text)>,<terminalOptions.text; format="string"><endif>);
<endif><\n>
root_<treeLevel> = (<ASTLabelType>)adaptor.BecomeRoot(<label>_tree, root_<treeLevel>);
<if(backtracking)>}\}<endif>
<endif>
}, ...
)>
<else>
<super.matchSetRuleRoot(...)>
<endif>
>>

// RULE REF AST

/** rule auto construct */
ruleRef(rule,label,elementIndex,args,scope) ::= <<
<if(!ruleDescriptor.isSynPred)>
_last = (<ASTLabelType>)input.LT(1);
<super.ruleRef(...)>
<if(backtracking)>if (<actions.(actionScope).synpredgate>)<endif>
<if(!rewriteMode)>
adaptor.AddChild(root_<treeLevel>, <label>.Tree);
<else> <! rewrite mode !>
if (_first_<treeLevel> == null) _first_<treeLevel> = <label>.Tree;
<endif>
<else>
<super.ruleRef(...)>
<endif>
>>

/** x+=rule auto construct */

```

```

ruleRefAndListLabel(rule,label,elementIndex,args,scope) ::= <<
<if(!ruleDescriptor.isSynPred)>
<ruleRef(...)>
<listLabelElem(elem={<label>.Tree},...)>
<else>
<super.ruleRefAndListLabel(...)>
<endif>
>>

/** ^(rule ...) auto construct */
ruleRefRuleRoot(rule,label,elementIndex,args,scope) ::= <<
<if(!ruleDescriptor.isSynPred)>
_last = (<ASTLabelType>)input.LT(1);
<super.ruleRef(...)>
<if(!rewriteMode)>
<if(backtracking)>if (<actions.(actionScope).synpredgate>) <endif>root_<treeLevel> =
(<ASTLabelType>)adaptor.BecomeRoot(<label>.Tree, root_<treeLevel>);
<endif>
<else>
<super.ruleRefRuleRoot(...)>
<endif>
>>

/** ^(x+=rule ...) auto construct */
ruleRefRuleRootAndListLabel(rule,label,elementIndex,args,scope) ::= <<
<if(!ruleDescriptor.isSynPred)>
<ruleRefRuleRoot(...)>
<listLabelElem(elem={<label>.Tree},...)>
<else>
<super.ruleRefRuleRootAndListLabel(...)>
<endif>
>>

/** rule when output=AST and tracking for rewrite */
ruleRefTrack(rule,label,elementIndex,args,scope) ::= <<
<if(!ruleDescriptor.isSynPred)>
_last = (<ASTLabelType>)input.LT(1);
<super.ruleRefTrack(...)>
<else>
<super.ruleRefTrack(...)>
<endif>
>>

/** x+=rule when output=AST and tracking for rewrite */
ruleRefTrackAndListLabel(rule,label,elementIndex,args,scope) ::= <<
<if(!ruleDescriptor.isSynPred)>
_last = (<ASTLabelType>)input.LT(1);
<super.ruleRefTrackAndListLabel(...)>

```

```

<else>
<super.ruleRefTrackAndListLabel(...)>
<endif>
>>

/** ^(rule ...) rewrite */
ruleRefRuleRootTrack(rule,label,elementIndex,args,scope) ::= <<
<if(!ruleDescriptor.isSynPred)>
_last = (<ASTLabelType>)input.LT(1);
<super.ruleRefRootTrack(...)>
<else>
<super.ruleRefRuleRootTrack(...)>
<endif>
>>

/** ^(x+=rule ...) rewrite */
ruleRefRuleRootTrackAndListLabel(rule,label,elementIndex,args,scope) ::= <<
<if(!ruleDescriptor.isSynPred)>
_last = (<ASTLabelType>)input.LT(1);
<super.ruleRefRuleRootTrackAndListLabel(...)>
<else>
<super.ruleRefRuleRootTrackAndListLabel(...)>
<endif>
>>

/** Streams for token refs are tree nodes now; override to
 * change NextToken to NextNode.
 */
createRewriteNodeFromElement(token,terminalOptions,args) ::= <%
<if(terminalOptions.node)>
new
<terminalOptions.node><(if(terminalOptions.type)><terminalOptions.type>,<endif>stream_<token>.NextNode())
<else>
stream_<token>.NextNode()
<endif>
%>

ruleCleanup() ::= <<
<super.ruleCleanup()>
<if(!ruleDescriptor.isSynPred)>
<if(!rewriteMode)>
<if(backtracking)>if (<actions.(actionScope).synpredgate>) {<endif>
retval.Tree = (<ASTLabelType>)adaptor.RulePostProcessing(root_0);
<if(backtracking)>}<endif>
<endif>
<endif>
>>

```

Found in path(s):

```
* /opt/cola/permits/1274703855_1645234694.1/0/antlr-3-5-2-sources-  
jar/org/antlr/codegen/templates/CSharp2/ASTTreeParser.stg
```

No license file was found, but licenses were detected in source scan.

```
/*
```

```
[The "BSD license"]
```

```
Copyright (c) 2005-2012 Terence Parr
```

```
All rights reserved.
```

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The name of the author may not be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

```
*/
```

```
/** The API version of the runtime that recognizers generated by this runtime
```

```
* need.
```

```
*/
```

```
apiVersion() ::= "1"
```

```
/** The overall file structure of a recognizer; stores methods for rules
```

```
* and cyclic DFAs plus support code.
```

```
*/
```

```
outputFile(LEXER,PARSER,TREE_PARSER, actionScope, actions,  
docComment, recognizer,  
name, tokens, tokenNames, rules, cyclicDFAs,  
bitsets, buildTemplate, buildAST, rewriteMode, profile,  
backtracking, synpreds, memoize, numRules,  
fileName, ANTLRVersion, generatedTimestamp, trace,  
scopes, superClass, literals) ::=
```



```

<<
# $ANTLR <ANTLRVersion> <fileName> <generatedTimestamp>

<@imports>
import sys
from antlr3 import *
<if(TREE_PARSER)>
from antlr3.tree import *<\n>
<endif>
<@end>

<actions.(actionScope).header>

<! <docComment> !>

# for convenience in actions
HIDDEN = BaseRecognizer.HIDDEN

# token types
<tokens:{it | <it.name>=<it.type>}; separator="\n">

# token names
tokenNamesMap = {
    0: "\<invalid>", 1: "\<EOR>", 2: "\<DOWN>", 3: "\<UP>",
    <tokens:{it | <it.type>: "<it.name>"}; wrap, separator=", ">
}
Token.registerTokenNamesMap(tokenNamesMap)

<recognizer>

<if(actions.(actionScope).main)>
<actions.(actionScope).main>
<else>
def main(argv, stdin=sys.stdin, stdout=sys.stdout, stderr=sys.stderr):
<if(LEXER)>
    from antlr3.main import LexerMain
    main = LexerMain(<recognizer.name>)<\n>
<endif>
<if(PARSER)>
    from antlr3.main import ParserMain
    main = ParserMain("<recognizer.grammar.name>Lexer", <recognizer.name>)<\n>
<endif>
<if(TREE_PARSER)>
    from antlr3.main import WalkerMain
    main = WalkerMain(<recognizer.name>)<\n>
<endif>
    main.stdin = stdin
    main.stdout = stdout

```

```

    main.stderr = stderr
    main.execute(argv)<\n>
<endif>

<actions.(actionScope).footer>

if __name__ == '__main__':
    main(sys.argv)

>>

lexer(grammar, name, tokens, scopes, rules, numRules, filterMode,
    labelType="CommonToken", superClass="Lexer") ::= <<
<if(grammar.directDelegates)>
# path hack to allow absolute import of related grammars.
from os.path import dirname
__path__ = [dirname(__file__)]
del dirname

<grammar.directDelegates:
{g|from .<g.recognizerName> import <g.recognizerName>; separator="\n">
<endif>

class <grammar.recognizerName>(<@superClassName><superClass><@end>):
    <scopes: {it|<if(it.isDynamicGlobalScope)><globalAttributeScope(scope=it)><endif> }>

    grammarFileName = "<fileName>"
    api_version = <apiVersion()>

    def __init__(self<grammar.delegators: {g|, <g:delegateName()>}>, input=None, state=None):
        if state is None:
            state = RecognizerSharedState()
            super().__init__(input, state)

<if(memoize)>
<if(grammar.grammarIsRoot)>
    self._state.ruleMemo = {}
<endif>
<endif>

<grammar.directDelegates:
    {g|self.<g:delegateName()> = <g.recognizerName>(<trunc(g.delegators): {p|<p:delegateName()>, }>self, input,
state)); separator="\n">
    <grammar.directDelegates:
        {g|<g.delegates: {h|self.<h:delegateName()> = self.<g:delegateName()>.<h:delegateName()>};
separator="\n">}; separator="\n">
    <grammar.delegators:
        {g|self.<g:delegateName()> = <g:delegateName()>}; separator="\n">

```

```

<last(grammar.delegators):
  {g|self.gParent = <g:delegateName(>}; separator="\n">
self.delegates = [<grammar.delegates: {g|self.<g:delegateName(>}; separator = ", ">]

<cyclicDFAs:{dfa | <cyclicDFAInit(dfa)>}; separator="\n">

<actions.lexer.init>

<actions.lexer.members>

<if(filterMode)>
  <filteringNextToken(>
<endif>
  <rules; separator="\n\n">

  <synpreds:{p | <lexerSynpred(p)>}>

  <cyclicDFAs:cyclicDFA(> <! dump tables for all DFA !>

>>

/** A override of Lexer.nextToken() that backtracks over mTokens() looking
 * for matches. No error can be generated upon error; just rewind, consume
 * a token and then try again. backtracking needs to be set as well.
 * Make rule memoization happen only at levels above 1 as we start mTokens
 * at backtracking==1.
 */
filteringNextToken() ::= <<
def nextToken(self):
  while True:
    if self.input.LA(1) == EOF:
      return self.makeEOFToken()

    self._state.token = None
    self._state.channel = DEFAULT_CHANNEL
    self._state.tokenStartCharIndex = self.input.index()
    self._state.tokenStartCharPositionInLine = self.input.charPositionInLine
    self._state.tokenStartLine = self.input.line
    self._state._text = None
    try:
      m = self.input.mark()
      try:
        # means we won't throw slow exception
        self._state.backtracking = 1
      try:

```

```

        self.mTokens()
    finally:
        self._state.backtracking = 0

    except BacktrackingFailed:
        # mTokens backtracks with synpred at backtracking==2
        # and we set the synpredgate to allow actions at level 1.
        self.input.rewind(m)
        self.input.consume() # advance one char and try again

    else:
        self.emit()
        return self._state.token

    except RecognitionException as re:
        # shouldn't happen in backtracking mode, but...
        self.reportError(re)
        self.recover(re)

def memoize(self, input, ruleIndex, ruleStartIndex, success):
    if self._state.backtracking > 1:
        # is Lexer always superclass?
        super().memoize(input, ruleIndex, ruleStartIndex, success)

def alreadyParsedRule(self, input, ruleIndex):
    if self._state.backtracking > 1:
        return super().alreadyParsedRule(input, ruleIndex)
    return False

>>

actionGate() ::= "self._state.backtracking == 0"

filteringActionGate() ::= "self._state.backtracking == 1"

/** How to generate a parser */

genericParser(grammar, name, scopes, tokens, tokenNames, rules, numRules,
              bitsets, inputStreamType, superClass, labelType, members,
              rewriteElementType, filterMode, init, ASTLabelType="Object") ::= <<
# token names
tokenNames = [
    "\<invalid>", "\<EOR>", "\<DOWN>", "\<UP>",
    <tokenNames; wrap, separator="," >
]

```

```

<scopes:{it|<if(it.isDynamicGlobalScope)><globalAttributeScopeClass(scope=it)><endif>}>

<if(grammar.directDelegates)>
# path hack to allow absolute import of related grammars.
from os.path import dirname
__path__ = [dirname(__file__)]
del dirname

<grammar.directDelegates:
{g|from .<g.recognizerName> import <g.recognizerName>}; separator="\n">
<endif>

<rules:{it|<ruleAttributeScopeClass(scope=it.ruleDescriptor.ruleScope)>}>

class <grammar.recognizerName>(<@superClassName><superClass><@end>):
    grammarFileName = "<fileName>"
    api_version = <apiVersion()>
    tokenNames = tokenNames

    def __init__(self<grammar.delegators:{g|, <g.delegateName()>}>, input, state=None, *args, **kwargs):
        if state is None:
            state = RecognizerSharedState()

        <@args()>
        super().__init__(input, state, *args, **kwargs)

<if(memoize)>
<if(grammar.grammarIsRoot)>
    self._state.ruleMemo = {}
<endif>
<endif>

<cyclicDFAs:{dfa | <cyclicDFAInit(dfa)>}; separator="\n">

<scopes:{it | <if(it.isDynamicGlobalScope)><globalAttributeScopeStack(scope=it)><endif>}>
<rules:{it | <ruleAttributeScopeStack(scope=it.ruleDescriptor.ruleScope)>}>

<init>

<grammar.delegators:
{g|self.<g.delegateName()> = <g.delegateName()>}; separator="\n">
<grammar.directDelegates:
{g|self.<g.delegateName()> = <g.recognizerName>(<trunc(g.delegators):{p|<p.delegateName()>, }>self, input,
state)}; separator="\n">
<grammar.directDelegates:
{g|<g.delegates:{h|self.<h.delegateName()> = self.<g.delegateName()>.<h.delegateName()>};
separator="\n">}; separator="\n">

```

```

<last(grammar.delegates):
  {g|self.gParent = self.<g:delegateName()>; separator="\n">
self.delegates = [<grammar.delegates: {g|self.<g:delegateName()>; separator = ", ">]

<@init><@end>

<@members><@end>

<members>

<rules; separator="\n\n">

<! generate rule/method definitions for imported rules so they
  appear to be defined in this recognizer. !>
<grammar.delegatedRules:{ruleDescriptor| <delegateRule(ruleDescriptor)> }; separator="\n">

<synpreds:{p | <synpred(p)>>

<cyclicDFAs:cyclicDFA()> <! dump tables for all DFA !>

<bitsets:{it | FOLLOW_<it.name>_in_<it.inName><it.tokenIndex> = frozenset([<it.tokenTypes:{it |
<it>};separator=", ">])<n>>

>>

delegateRule(ruleDescriptor) ::= <<
def <ruleDescriptor.name>(self, <ruleDescriptor.parameterScope:parameterScope()>):
<\> <if(ruleDescriptor.hasReturnValue)>return
<endif>self.<ruleDescriptor.grammar:delegateName()>.<ruleDescriptor.name><(if(ruleDescriptor.parameterScope)
><ruleDescriptor.parameterScope.attributes:{a|<a.name>; separator=", "><endif>)

>>

parser(grammar, name, scopes, tokens, tokenNames, rules, numRules, bitsets,
  ASTLabelType="Object", superClass="Parser", labelType="Token",
  members={<actions.parser.members>},
  init={<actions.parser.init>}
) ::= <<
<genericParser(grammar, name, scopes, tokens, tokenNames, rules, numRules,
  bitsets, "TokenStream", superClass,
  labelType, members, "Token",
  false, init, ASTLabelType)>

>>

/** How to generate a tree parser; same as parser except the input
 * stream is a different type.

```

```

*/
treeParser(grammar, name, scopes, tokens, tokenNames, globalAction, rules,
    numRules, bitsets, filterMode, labelType={ <ASTLabelType> }, ASTLabelType="Object",
superClass={ <if(filterMode)><if(buildAST)>TreeRewriter<else>TreeFilter<endif><else>TreeParser<endif> },
members={ <actions.treeparser.members> },
    init={ <actions.treeparser.init> }
) ::= <<
<genericParser(grammar, name, scopes, tokens, tokenNames, rules, numRules,
    bitsets, "TreeNodeStream", superClass,
    labelType, members, "Node",
    filterMode, init, ASTLabelType)>
>>

```

```

/** A simpler version of a rule template that is specific to the imaginary
* rules created for syntactic predicates. As they never have return values
* nor parameters etc..., just give simplest possible method. Don't do
* any of the normal memoization stuff in here either; it's a waste.
* As predicates cannot be inlined into the invoking rule, they need to
* be in a rule by themselves.
*/

```

```

*/
synpredRule(ruleName, ruleDescriptor, block, description, nakedBlock) ::=
<<
# $ANTLR start "<ruleName>"
def <ruleName>_fragment(self, <ruleDescriptor.parameterScope:parameterScope()>):
    <ruleLabelDefs()>
<if(trace)>
    self.traceIn("<ruleName>_fragment", <ruleDescriptor.index>)
    try:
        <block>

    finally:
        self.traceOut("<ruleName>_fragment", <ruleDescriptor.index>)

<else>
    <block>
<endif>
# $ANTLR end "<ruleName>"

>>

```

```

synpred(name) ::= <<
def <name>(self):
    self._state.backtracking += 1
    <@start()>
    start = self.input.mark()
    try:
        self.<name>_fragment()

```

```

except BacktrackingFailed:
    success = False
else:
    success = True
self.input.rewind(start)
<@stop()>
self._state.backtracking -= 1
return success

>>

lexerSynpred(name) ::= <<
<synpred(name)>
>>

ruleMemoization(name) ::= <<
<if(memoize)>
if self._state.backtracking > 0 and self.alreadyParsedRule(self.input, <ruleDescriptor.index>):
    # for cached failed rules, alreadyParsedRule will raise an exception
    success = True
    return <ruleReturnValue()>

<endif>
>>

/** This rule has failed, exit indicating failure during backtrack */
ruleBacktrackFailure() ::= <<
<if(backtracking)>
if self._state.backtracking > 0:
    raise BacktrackingFailed

<endif>
>>

/** How to generate code for a rule. This includes any return type
 * data aggregates required for multiple return values.
 */
rule(ruleName,ruleDescriptor,block,emptyRule,description,exceptions,finally,memoize) ::= <<
<returnScope(scope=ruleDescriptor.returnScope)>

# $ANTLR start "<ruleName>"
# <fileName>:<description>
<ruleDescriptor.actions.decorate>
def <ruleName>(self, <ruleDescriptor.parameterScope;parameterScope()>):
<if(trace)>
    self.traceIn("<ruleName>", <ruleDescriptor.index>)<\n>
<endif>

```



```

<ruleScopeSetUp()>
<ruleDeclarations()>
<ruleLabelDefs()>
<ruleDescriptor.actions.init>
<@preamble()>
<@body><ruleBody()><@end>
<@postamble()>
return <ruleReturnValue()>

# $ANTLR end "<ruleName>"
>>

ruleBody() ::= <<
<if(memoize)>
<if(backtracking)>
success = False<\n>
<endif>
<endif>
try:
  try:
    <ruleMemoization(name=ruleName)>
    <block>
    <ruleCleanUp()>
    <(ruleDescriptor.actions.after):execAction()>

<if(memoize)>
<if(backtracking)>
  success = True<\n>
<endif>
<endif>
<if(exceptions)>
  <exceptions: {e|<catch(decl=e.decl,action=e.action)><\n>}>
<else>
<if(!emptyRule)>
<if(actions.(actionScope).rulecatch)>
  <actions.(actionScope).rulecatch>
<else>
  except RecognitionException as re:
    self.reportError(re)
    self.recover(self.input, re)
  <@setErrorReturnValue()>

<endif>
<else>
  finally:
    pass

<endif>

```

```

<endif>
finally:
<if(trace)>
  self.traceOut("<ruleName>", <ruleDescriptor.index>)\n)
<endif>
  <memoize()>
  <ruleScopeCleanUp()>
  <finally>
  pass
>>

catch(decl,action) ::= <<
except <e.decl>:
  <e.action>

>>

ruleDeclarations() ::= <<
<if(ruleDescriptor.hasMultipleReturnValues)>
retval = self.<ruleDescriptor.name>_return()
retval.start = self.input.LT(1)\n)
<elseif(ruleDescriptor.returnScope)>
<ruleDescriptor.returnScope.attributes: { a |
<a.name> = <if(a.initValue)><a.initValue><else>None<endif>
}>
<endif>
<if(memoize)>
<ruleDescriptor.name>_startIndex = self.input.index()
<endif>
>>

ruleScopeSetUp() ::= <<
<ruleDescriptor.useScopes: { it | self.<it>_stack.append(<it>_scope()); separator="\n">
<ruleDescriptor.ruleScope: { it | self.<it.name>_stack.append(<it.name>_scope()); separator="\n">
>>

ruleScopeCleanUp() ::= <<
<ruleDescriptor.useScopes: { it | self.<it>_stack.pop(); separator="\n">
<ruleDescriptor.ruleScope: { it | self.<it.name>_stack.pop(); separator="\n">
>>

ruleLabelDefs() ::= <<
<[ruleDescriptor.tokenLabels,ruleDescriptor.tokenListLabels,
ruleDescriptor.wildcardTreeLabels,ruleDescriptor.wildcardTreeListLabels]
: { it | <it.label.text> = None }; separator="\n"
>
<[ruleDescriptor.tokenListLabels,ruleDescriptor.ruleListLabels,
ruleDescriptor.wildcardTreeListLabels]

```

```

    :{it | list_<it.label.text> = None}; separator="\n"
>
<ruleDescriptor.ruleLabels:ruleLabelDef(); separator="\n">
<ruleDescriptor.ruleListLabels:{it | <it.label.text> = None}; separator="\n">
>>

lexerRuleLabelDefs() ::= <<
<[ruleDescriptor.tokenLabels,
ruleDescriptor.tokenListLabels,
ruleDescriptor.ruleLabels]
    :{it | <it.label.text> = None}; separator="\n"
>
<ruleDescriptor.charLabels:{it | <it.label.text> = None}; separator="\n">
<[ruleDescriptor.tokenListLabels,
ruleDescriptor.ruleListLabels]
    :{it | list_<it.label.text> = None}; separator="\n"
>
>>

ruleReturnValue() ::= <%
<if(!ruleDescriptor.isSynPred)>
<if(ruleDescriptor.hasReturnValue)>
<if(ruleDescriptor.hasSingleReturnValue)>
<ruleDescriptor.singleValueReturnName>
<else>
retval
<endif>
<endif>
<endif>
%>

ruleCleanUp() ::= <<
<if(ruleDescriptor.hasMultipleReturnValues)>
<if(!TREE_PARSER)>
retval.stop = self.input.LT(-1)<\n>
<endif>
<endif>
>>

memoize() ::= <<
<if(memoize)>
<if(backtracking)>
if self._state.backtracking > 0:
    self.memoize(self.input, <ruleDescriptor.index>, <ruleDescriptor.name>_startIndex, success)

<endif>
<endif>
>>

```

```

/** How to generate a rule in the lexer; naked blocks are used for
 * fragment rules.
 */
lexerRule(ruleName,nakedBlock,ruleDescriptor,block,memoize) ::= <<
# $ANTLR start "<ruleName>"
def m<ruleName>(self, <ruleDescriptor.parameterScope:parameterScope()>):
<if(trace)>
    self.traceIn("<ruleName>", <ruleDescriptor.index>)<\n>
<endif>
    <ruleScopeSetUp()>
    <ruleDeclarations()>
<if(memoize)>
<if(backtracking)>
    success = False<\n>
<endif>
<endif>
    try:
<if(nakedBlock)>
        <ruleMemoization(name=ruleName)>
        <lexerRuleLabelDefs()>
        <ruleDescriptor.actions.init>
        <block><\n>
<else>
        _type = <ruleName>
        _channel = DEFAULT_CHANNEL

        <ruleMemoization(name=ruleName)>
        <lexerRuleLabelDefs()>
        <ruleDescriptor.actions.init>
        <block>
        <ruleCleanUp()>
        self._state.type = _type
        self._state.channel = _channel
        <(ruleDescriptor.actions.after):execAction()>
<endif>
<if(memoize)>
<if(backtracking)>
    success = True<\n>
<endif>
<endif>

    finally:
<if(trace)>
    self.traceOut("<ruleName>", <ruleDescriptor.index>)<\n>
<endif>
    <ruleScopeCleanUp()>
    <memoize()>

```

```

pass

# $ANTLR end "<ruleName>"

>>

/** How to generate code for the implicitly-defined lexer grammar rule
 * that chooses between lexer rules.
 */
tokensRule(ruleName,nakedBlock,args,block,ruleDescriptor) ::= <<
def mTokens(self):
    <block><\n>

>>

// S U B R U L E S

/** A (...) subrule with multiple alternatives */
block(alts,decls,decision,enclosingBlockLevel,blockLevel,decisionNumber,maxK,maxAlt,description) ::= <<
# <fileName>:<description>
alt<decisionNumber> = <maxAlt>
<decls>
<@body><blockBody()><@end>
>>

blockBody() ::= <<
<@predecision()>
<@decision><decision><@end>
<@postdecision()>
<@prebranch()>
<alts:{ a | <altSwitchCase(i, a)> }; separator="\n" >
<@postbranch()>
>>

/** A rule block with multiple alternatives */
ruleBlock(alts,decls,decision,enclosingBlockLevel,blockLevel,decisionNumber,maxK,maxAlt,description) ::= <<
# <fileName>:<description>
alt<decisionNumber> = <maxAlt>
<decls>
<@predecision()>
<@decision><decision><@end>
<@postdecision()>
<alts:{ a | <altSwitchCase(i, a)> }; separator="\n" >
>>

ruleBlockSingleAlt(alts,decls,decision,enclosingBlockLevel,blockLevel,decisionNumber,description) ::= <<

```

```

# <fileName>:<description>
<decls>
<@prealt()>
<alts>
<@postalt()>
>>

/** A special case of a (...) subrule with a single alternative */
blockSingleAlt(alts,decls,decision,enclosingBlockLevel,blockLevel,decisionNumber,description) ::= <<
# <fileName>:<description>
<decls>
<@prealt()>
<alts>
<@postalt()>
>>

/** A (..)+ block with 1 or more alternatives */
positiveClosureBlock(alts,decls,decision,enclosingBlockLevel,blockLevel,decisionNumber,maxK,maxAlt,description) ::= <<
# <fileName>:<description>
cnt<decisionNumber> = 0
<decls>
<@preloop()>
<@loopBody>
<positiveClosureBlockLoop()>
<@end>
<@postloop()>
>>

positiveClosureBlockLoop() ::= <<
while True: #loop<decisionNumber>
  alt<decisionNumber> = <maxAlt>
  <@predecision()>
  <@decisionBody><decision><@end>
  <@postdecision()>
  <alts:{ a | <altSwitchCase(i, a)>} ; separator="\nel">
  else:
    if cnt<decisionNumber> >= 1:
      break #loop<decisionNumber>

  <ruleBacktrackFailure()>
  eee = EarlyExitException(<decisionNumber>, self.input)
  <@earlyExitException()>
  raise eee

  cnt<decisionNumber> += 1
>>

```

positiveClosureBlockSingleAlt ::= positiveClosureBlock

/\*\* A (.)<sup>\*</sup> block with 1 or more alternatives \*/

closureBlock(alts,decls,decision,enclosingBlockLevel,blockLevel,decisionNumber,maxK,maxAlt,description) ::=

<<

# <fileName>:<description>

<decls>

<@preloop()>

<@loopBody>

<closureBlockLoop()>

<@end>

<@postloop()>

>>

closureBlockLoop() ::= <<

while True: #loop<decisionNumber>

  alt<decisionNumber> = <maxAlt>

  <@predecision()>

  <@decisionBody><decision><@end>

  <@postdecision()>

  <alts: {a | <altSwitchCase(i, a)>}; separator="\n" >

  else:

    break #loop<decisionNumber>

>>

closureBlockSingleAlt ::= closureBlock

/\*\* Optional blocks (x)? are translated to (x|) by before code generation

\* so we can just use the normal block template

\*/

optionalBlock ::= block

optionalBlockSingleAlt ::= block

/\*\* A case in a switch that jumps to an alternative given the alternative

\* number. A DFA predicts the alternative and then a simple switch

\* does the jump to the code that actually matches that alternative.

\*/

altSwitchCase(altNum,alt) ::= <<

if alt<decisionNumber> == <altNum>:

  <@prealt()>

  <alt>

>>

/\*\* An alternative is just a list of elements; at outermost level \*/

alt(elements,altNum,description,autoAST,outerAlt, treeLevel,rew) ::= <<

# <fileName>:<description>

pass <! so empty alternatives are a valid block !>

```

<@declarations()>
<elements:element()>
<rew>
<@cleanup()>
>>

/** What to emit when there is no rewrite. For auto build
 * mode, does nothing.
 */
noRewrite(rewriteBlockLevel, treeLevel) ::= ""

// E L E M E N T S

/** Dump the elements one per line */
element(e) ::= <<
<@prematch()>
<e.el><\n>
>>

/** match a token optionally with a label in front */
tokenRef(token,label,elementIndex,terminalOptions={ }) ::= <<
<if(label)><label> = <endif>self.match(self.input, <token>,
self.FOLLOW_<token>_in_<ruleName><elementIndex>)
>>

/** ids+=ID */
tokenRefAndListLabel(token,label,elementIndex,terminalOptions={ }) ::= <<
<tokenRef(token,label,elementIndex,terminalOptions)>
<listLabel(label, label)>
>>

listLabel(label, elem) ::= <<
if list_<label> is None:
    list_<label> = []
list_<label>.append(<elem>)<\n>
>>

/** match a character */
charRef(char,label) ::= <<
<if(label)>
<label> = self.input.LA(1)<\n>
<endif>
self.match(<char>)
>>

/** match a character range */
charRangeRef(a,b,label) ::= <<
<if(label)>

```



```

<label> = self.input.LA(1)<\n>
<endif>
self.matchRange(<a>, <b>)
>>

/** For now, sets are interval tests and must be tested inline */
matchSet(s,label,elementIndex,postmatchCode="",terminalOptions={}) ::= <<
<if(label)>
<label> = self.input.LT(1)<\n>
<endif>
if <s>:
    self.input.consume()
    <postmatchCode>
<if(!LEXER)>
    self._state.errorRecovery = False<\n>
<endif>

else:
    <ruleBacktrackFailure()>
    mse = MismatchedSetException(None, self.input)
    <@mismatchedSetException()>
<if(LEXER)>
    self.recover(mse)
    raise mse
<else>
    raise mse
<! use following code to make it recover inline; remove throw mse;
self.recoverFromMismatchedSet(
    self.input, mse, self.FOLLOW_set_in_<ruleName><elementIndex>
    )
!>
<endif>
<\n>
>>

matchRuleBlockSet ::= matchSet

matchSetAndListLabel(s,label,elementIndex,postmatchCode) ::= <<
<matchSet(...)>
<listLabel(label, label)>
>>

/** Match a string literal */
lexerStringRef(string,label,elementIndex="0") ::= <<
<if(label)>
<label>Start = self.getCharIndex()
self.match(<string>)
<label>StartLine<elementIndex> = self.getLine()

```

```

<label>StartCharPos<elementIndex> = self.getCharPositionInLine()
<label> = <labelType>(input=self.input, type=INVALID_TOKEN_TYPE, channel=DEFAULT_CHANNEL,
start=<label>Start, stop=self.getCharIndex()-1)
<label>.line = <label>StartLine<elementIndex>
<label>.charPositionInLine = <label>StartCharPos<elementIndex>
<else>
self.match(<string>)
<endif>
>>

wildcard(token,label,elementIndex,terminalOptions={}) ::= <<
<if(label)>
<label> = self.input.LT(1)<\n>
<endif>
self.matchAny()
>>

wildcardAndListLabel(token,label,elementIndex,terminalOptions={}) ::= <<
<wildcard(...)>
<listLabel(label,label)>
>>

/** Match . wildcard in lexer */
wildcardChar(label, elementIndex) ::= <<
<if(label)>
<label> = self.input.LA(1)<\n>
<endif>
self.matchAny()
>>

wildcardCharListLabel(label, elementIndex) ::= <<
<wildcardChar(label, elementIndex)>
<listLabel(label, label)>
>>

/** Match a rule reference by invoking it possibly with arguments
 * and a return value or values. The 'rule' argument was the
 * target rule name, but now is type Rule, whose toString is
 * same: the rule name. Now though you can access full rule
 * descriptor stuff.
 */
ruleRef(rule,label,elementIndex,args,scope) ::= <<
self._state.following.append(self.FOLLOW_<rule.name>_in_<ruleName><elementIndex>)
<if(label)><label> = <endif>self.<if(scope)><scope.delegateName()>.<endif><rule.name>(<args; separator=",
">)<\n>
self._state.following.pop()
>>

```

```

/** ids+=rule */
ruleRefAndListLabel(rule,label,elementIndex,args,scope) ::= <<
<ruleRef(rule,label,elementIndex,args,scope)>
<listLabel(label, label)>
>>

/** A lexer rule reference
 * The 'rule' argument was the target rule name, but now
 * is type Rule, whose toString is same: the rule name.
 * Now though you can access full rule descriptor stuff.
 */
lexerRuleRef(rule,label,args,elementIndex,scope) ::= <<
<if(label)>
<label>Start<elementIndex> = self.getCharIndex()
self.<if(scope)><scope:delegateName().<endif>m<rule.name>(<args; separator=", ">)
<label>StartLine<elementIndex> = self.getLine()
<label>StartCharPos<elementIndex> = self.getCharPositionInLine()
<label> = <labelType>(
input=self.input,
type=INVALID_TOKEN_TYPE,
channel=DEFAULT_CHANNEL,
start=<label>Start<elementIndex>,
stop=self.getCharIndex()-1)
<label>.line = <label>StartLine<elementIndex>
<label>.charPositionInLine = <label>StartCharPos<elementIndex>
<else>
self.<if(scope)><scope:delegateName().<endif>m<rule.name>(<args; separator=", ">)
<endif>
>>

/** i+=INT in lexer */
lexerRuleRefAndListLabel(rule,label,args,elementIndex,scope) ::= <<
<lexerRuleRef(rule,label,args,elementIndex,scope)>
<listLabel(label, label)>
>>

/** EOF in the lexer */
lexerMatchEOF(label,elementIndex) ::= <<
<if(label)>
<label>Start<elementIndex> = self.getCharIndex()
<label>StartLine<elementIndex> = self.getLine()
<label>StartCharPos<elementIndex> = self.getCharPositionInLine()
self.match(EOF)
<label> = <labelType>(input=self.input, type=EOF, channel=DEFAULT_CHANNEL,
start=<label>Start<elementIndex>, stop=self.getCharIndex()-1)
<label>.line = <label>StartLine<elementIndex>
<label>.charPositionInLine = <label>StartCharPos<elementIndex>
<else>

```

```

self.match(EOF)
<endif>
>>

// used for left-recursive rules
recRuleDefArg()          ::= "<recRuleArg()>"
recRuleArg()            ::= "_p"
recRuleAltPredicate(ruleName, opPrec) ::= "<recRuleArg()> \<= <opPrec>"
recRuleSetResultAction() ::= "root_0 = $<ruleName>_primary.tree"
recRuleSetReturnAction(src, name)  ::= "$<name> = $<src>.<name>"

/** match ^(root children) in tree parser */
tree(root, actionsAfterRoot, children, nullableChildList,
    enclosingTreeLevel, treeLevel) ::= <<
<root:element()>
<actionsAfterRoot:element()>
<if(nullableChildList)>
if self.input.LA(1) == DOWN:
    self.match(self.input, DOWN, None)
    <children:element()>
    self.match(self.input, UP, None)

<else>
self.match(self.input, DOWN, None)
<children:element()>
self.match(self.input, UP, None)
<endif>
>>

/** Every predicate is used as a validating predicate (even when it is
 * also hoisted into a prediction expression).
 */
validateSemanticPredicate(pred,description) ::= <<
if not (<evalPredicate(pred, description)>):
    <ruleBacktrackFailure()>
    raise FailedPredicateException(self.input, "<ruleName>", "<description>")

>>

// F i x e d D F A (if-then-else)

dfaState(k,edges,eotPredictsAlt,description,stateNumber,semPredState) ::= <<
LA<decisionNumber>_<stateNumber> = self.input.LA(<k>)<\n>
<edges; separator="\n">
else:
<if(eotPredictsAlt)>
    alt<decisionNumber> = <eotPredictsAlt>
<else>

```

```

<ruleBacktrackFailure()>
  nvae = NoViableAltException("<description>", <decisionNumber>, <stateNumber>, self.input)<\n>
  <@noViableAltException()>
  raise nvae<\n>
<endif>
>>

/** Same as a normal DFA state except that we don't examine lookahead
 * for the bypass alternative. It delays error detection but this
 * is faster, smaller, and more what people expect. For (X)? people
 * expect "if ( LA(1)==X ) match(X);" and that's it.
 */
dfaOptionalBlockState(k,edges,eotPredictsAlt,description,stateNumber,semPredState) ::= <<
LA<decisionNumber>_<stateNumber> = self.input.LA(<k>)<\n>
<edges; separator="\n" >
>>

/** A DFA state that is actually the loopback decision of a closure
 * loop. If end-of-token (EOT) predicts any of the targets then it
 * should act like a default clause (i.e., no error can be generated).
 * This is used only in the lexer so that for ('a')* on the end of a rule
 * anything other than 'a' predicts exiting.
 */
dfaLoopbackState(k,edges,eotPredictsAlt,description,stateNumber,semPredState) ::= <<
LA<decisionNumber>_<stateNumber> = self.input.LA(<k>)<\n>
<edges; separator="\n" ><\n>
<if(eotPredictsAlt)>
<if(!edges)>
alt<decisionNumber> = <eotPredictsAlt> <! if no edges, don't gen ELSE !>
<else>
else:
  alt<decisionNumber> = <eotPredictsAlt>
<\n>
<endif>
<endif>
>>

/** An accept state indicates a unique alternative has been predicted */
dfaAcceptState(alt) ::= "alt<decisionNumber> = <alt>"

/** A simple edge with an expression. If the expression is satisfied,
 * enter to the target state. To handle gated productions, we may
 * have to evaluate some predicates for this edge.
 */
dfaEdge(labelExpr, targetState, predicates) ::= <<
if (<labelExpr>) <if(predicates)>and (<predicates>)<endif>:
  <targetState>
>>

```

```

// F i x e d D F A (switch case)

/** A DFA state where a SWITCH may be generated. The code generator
 * decides if this is possible: CodeGenerator.canGenerateSwitch().
 */
dfaStateSwitch(k,edges,eotPredictsAlt,description,stateNumber,semPredState) ::= <<
<!
  FIXME: this is one of the few occasion, where I miss a switch statement
  in Python. ATM this is implemented as a list of if .. elif ..
  This may be replaced by faster a dictionary lookup, when I find a solution
  for the cases when an edge is not a plain dfaAcceptState.
!>
  LA<decisionNumber> = self.input.LA(<k>)
  <edges; separator="\n" >
  else:
  <if(eotPredictsAlt)>
    alt<decisionNumber> = <eotPredictsAlt>
  <else>
    <ruleBacktrackFailure()>
    nvae = NoViableAltException("<description>", <decisionNumber>, <stateNumber>, self.input)<\n>
    <@noViableAltException()>
    raise nvae<\n>
  <endif>

>>

dfaOptionalBlockStateSwitch(k,edges,eotPredictsAlt,description,stateNumber,semPredState) ::= <<
  LA<decisionNumber> = self.input.LA(<k>)
  <edges; separator="\n" >
  >>

dfaLoopbackStateSwitch(k, edges,eotPredictsAlt,description,stateNumber,semPredState) ::= <<
  LA<decisionNumber> = self.input.LA(<k>)
  <edges; separator="\n" >
  <if(eotPredictsAlt)>
  else:
    alt<decisionNumber> = <eotPredictsAlt>
  <endif>
  >>

dfaEdgeSwitch(labels, targetState) ::= <<
  if LA<decisionNumber> in {<labels; separator="," >}:
    <targetState>
  >>

// C y c l i c D F A

```

```

/** The code to initiate execution of a cyclic DFA; this is used
 * in the rule to predict an alt just like the fixed DFA case.
 * The <name> attribute is inherited via the parser, lexer, ...
 */
dfaDecision(decisionNumber,description) ::= <<
alt<decisionNumber> = self.dfa<decisionNumber>.predict(self.input)
>>

/* Dump DFA tables as run-length-encoded Strings of octal values.
 * Can't use hex as compiler translates them before compilation.
 * These strings are split into multiple, concatenated strings.
 * Java puts them back together at compile time thankfully.
 * Java cannot handle large static arrays, so we're stuck with this
 * encode/decode approach. See analysis and runtime DFA for
 * the encoding methods.
 */
cyclicDFA(dfa) ::= <<
# lookup tables for DFA #<dfa.decisionNumber>

DFA<dfa.decisionNumber>_eot = DFA.unpack(
    "<dfa.javaCompressedEOT; wrap=\"\\n \\\">"
    )

DFA<dfa.decisionNumber>_eof = DFA.unpack(
    "<dfa.javaCompressedEOF; wrap=\"\\n \\\">"
    )

DFA<dfa.decisionNumber>_min = DFA.unpack(
    "<dfa.javaCompressedMin; wrap=\"\\n \\\">"
    )

DFA<dfa.decisionNumber>_max = DFA.unpack(
    "<dfa.javaCompressedMax; wrap=\"\\n \\\">"
    )

DFA<dfa.decisionNumber>_accept = DFA.unpack(
    "<dfa.javaCompressedAccept; wrap=\"\\n \\\">"
    )

DFA<dfa.decisionNumber>_special = DFA.unpack(
    "<dfa.javaCompressedSpecial; wrap=\"\\n \\\">"
    )

DFA<dfa.decisionNumber>_transition = [
    <dfa.javaCompressedTransition: {s|DFA.unpack("<s; wrap=\"\\n\\\">"); separator=",\n">
    ]

```

```

# class definition for DFA #<dfa.decisionNumber>

class DFA<dfa.decisionNumber>(DFA):
    pass

    <@errorMethod()>

    <if(dfa.specialStateSTs)>
    def specialStateTransition(self_, s, input):
        # convince pylint that my self_ magic is ok ;
        # pylint: disable-msg=E0213

        # pretend we are a member of the recognizer
        # thus semantic predicates can be evaluated
        self = self_.recognizer

        _s = s

        <dfa.specialStateSTs:{state | if s == <i0>: <! compressed special state numbers 0..n-1 !>
        <state>}; separator="\n" >

    <if(backtracking)>
        if self._state.backtracking > 0:
            raise BacktrackingFailed

    <endif>
        nvae = NoViableAltException(self_.getDescription(), <dfa.decisionNumber>, _s, input)
        self_.error(nvae)
        raise nvae<\n>
    <endif>

    >>

    cyclicDFAInit(dfa) ::= <<
self.dfa<dfa.decisionNumber> = self.DFA<dfa.decisionNumber>(
    self, <dfa.decisionNumber>,
    eot = self.DFA<dfa.decisionNumber>_eot,
    eof = self.DFA<dfa.decisionNumber>_eof,
    min = self.DFA<dfa.decisionNumber>_min,
    max = self.DFA<dfa.decisionNumber>_max,
    accept = self.DFA<dfa.decisionNumber>_accept,
    special = self.DFA<dfa.decisionNumber>_special,
    transition = self.DFA<dfa.decisionNumber>_transition
) <\n>
    >>

    /** A state in a cyclic DFA; it's a special state and part of a big switch on
    * state.

```



```

*/
cyclicDFAState(decisionNumber,stateNumber,edges,needErrorClause,semPredState) ::= <<
LA<decisionNumber>_<stateNumber> = input.LA(1)<\n>
<if(semPredState)> <! get next lookahead symbol to test edges, then rewind !>
index<decisionNumber>_<stateNumber> = input.index()
input.rewind()<\n>
<endif>
s = -1
<edges; separator="\n!">
<if(semPredState)> <! return input cursor to state before we rewound !>
input.seek(index<decisionNumber>_<stateNumber>)<\n>
<endif>
if s >= 0:
    return s
>>

/** Just like a fixed DFA edge, test the lookahead and indicate what
 * state to jump to next if successful.
 */
cyclicDFAEdge(labelExpr, targetStateNumber, edgeNumber, predicates) ::= <<
if (<labelExpr>><if(predicates)> and (<predicates>)<endif>:
    s = <targetStateNumber><\n>
>>

/** An edge pointing at end-of-token; essentially matches any char;
 * always jump to the target.
 */
eotDFAEdge(targetStateNumber,edgeNumber, predicates) ::= <<
se:
    s = <targetStateNumber><\n>
>>

// D F A E X P R E S S I O N S

andPredicates(left,right) ::= "((<left>) and (<right>))"

orPredicates(operands) ::= "(<operands; separator=\" or \">)"

notPredicate(pred) ::= "not (<evalPredicate(pred, { })>)"

evalPredicate(pred,description) ::= "(<pred>)"

evalSynPredicate(pred,description) ::= "self.<pred>()"

lookaheadTest(atom,k,atomAsInt) ::= "LA<decisionNumber>_<stateNumber> == <atom>"

/** Sometimes a lookahead test cannot assume that LA(k) is in a temp variable

```

```

* somewhere. Must ask for the lookahead directly.
*/
isolatedLookaheadTest(atom,k,atomAsInt) ::= "self.input.LA(<k>) == <atom>"

lookaheadRangeTest(lower,upper,k,rangeNumber,lowerAsInt,upperAsInt) ::= <%
(<lower> \<= LA<decisionNumber>_<stateNumber> \<= <upper>)
%>

isolatedLookaheadRangeTest(lower,upper,k,rangeNumber,lowerAsInt,upperAsInt) ::= "<lower> \<=
self.input.LA(<k>) \<= <upper>)"

lookaheadSetTest(values,k,valuesAsInt) ::= <%
LA<decisionNumber>_<stateNumber> in {<values; separator=",">}
%>

isolatedLookaheadSetTest(values,k,valuesAsInt) ::= <%
self.input.LA(<k>) in {<values; separator=",">}
%>

lookaheadVarName(k) ::= "LA<decisionNumber>_<stateNumber>"
isolatedLookaheadVarName(k) ::= "self.input.LA(<k>)"

setTest(ranges) ::= "<ranges; separator=\" or \">"

// A T T R I B U T E S

globalAttributeScopeClass(scope) ::= <<
<if(scope)>
<if(scope.attributes)>
class <scope.name>_scope(object):
    def __init__(self):
        <scope.attributes:{it | self.<it.decl> = None}; separator="\n">

<endif>
<endif>
>>

globalAttributeScopeStack(scope) ::= <<
<if(scope)>
<if(scope.attributes)>
self.<scope.name>_stack = []<\n>
<endif>
<endif>
>>

ruleAttributeScopeClass(scope) ::= <<
<if(scope)>
<if(scope.attributes)>

```

```

class <scope.name>_scope(object):
    def __init__(self):
        <scope.attributes:{it | self.<it.decl> = None}; separator="\n">

<endif>
<endif>
>>

ruleAttributeScopeStack(scope) ::= <<
<if(scope)>
<if(scope.attributes)>
self.<scope.name>_stack = []<\n>
<endif>
<endif>
>>

delegateName(d) ::= <<
<if(d.label)><d.label><else>g<d.name><endif>
>>

/** Define a rule label including default value */
ruleLabelDef(label) ::= <<
<label.label.text> = None
>>

returnStructName(r) ::= "<r.name>_return"

/** Define a return struct for a rule if the code needs to access its
 * start/stop tokens, tree stuff, attributes, ... Leave a hole for
 * subgroups to stick in members.
 */
returnScope(scope) ::= <<
<if(ruleDescriptor.hasMultipleReturnValues)>
class <ruleDescriptor:returnStructName()><(if(TREE_PARSER))Tree<else>Parser<endif>RuleReturnScope):
    def __init__(self):
        super().__init__()

        <if(scope)><scope.attributes:{it | self.<it.decl> = None}; separator="\n"><endif>
        <@ruleReturnInit()>

        <@ruleReturnMembers()>

<endif>
>>

parameterScope(scope) ::= <<
<if(scope)><scope.attributes:{it | <it.decl>}; separator=", "><endif>

```

>>

```
parameterAttributeRef(attr) ::= "<attr.name>"  
parameterSetAttributeRef(attr,expr) ::= "<attr.name> = <expr>"
```

```
scopeAttributeRef(scope,attr,index,negIndex) ::= <%  
<if(negIndex)>  
self.<scope>_stack[-<negIndex>].<attr.name>  
<else>  
<if(index)>  
self.<scope>_stack[<index>].<attr.name>  
<else>  
self.<scope>_stack[-1].<attr.name>  
<endif>  
<endif>  
>%
```

/\* not applying patch because of bug in action parser!

```
<if(negIndex)>  
((len(self.<scope>_stack) - <negIndex> - 1) >= 0 and [self.<scope>_stack[-<negIndex>].<attr.name>] or [None])[0]  
<else>  
<if(index)>  
((<index> \< len(self.<scope>_stack)) and [self.<scope>_stack[<index>].<attr.name>] or [None])[0]  
<else>  
((len(self.<scope>_stack) > 0) and [self.<scope>_stack[-1].<attr.name>] or [None])[0]  
<endif>  
<endif>
```

\*/

```
scopeSetAttributeRef(scope,attr,expr,index,negIndex) ::= <%  
<if(negIndex)>  
<!FIXME: this seems not to be used by ActionTranslator...!>  
self.<scope>_stack[-<negIndex>].<attr.name> = <expr>  
<else>  
<if(index)>  
<!FIXME: this seems not to be used by ActionTranslator...!>  
self.<scope>_stack[<index>].<attr.name> = <expr>  
<else>  
self.<scope>_stack[-1].<attr.name> = <expr>  
<endif>  
<endif>  
>%
```

/\*\* \$x is either global scope or x is rule with dynamic scope; refers

\* to stack itself not top of stack. This is useful for predicates

\* like {\$function.size()>0 && \$function::name.equals("foo")}?

```

*/
isolatedDynamicScopeRef(scope) ::= "self.<scope>_stack"

/** reference an attribute of rule; might only have single return value */
ruleLabelRef(referencedRule,scope,attr) ::= <%
<if(referencedRule.hasMultipleReturnValues)>
((<scope> is not None) and [<scope>.<attr.name>] or [None])[0]
<else>
<scope>
<endif>
%>

returnAttributeRef(ruleDescriptor,attr) ::= <%
<if(ruleDescriptor.hasMultipleReturnValues)>
retval.<attr.name>
<else>
<attr.name>
<endif>
%>

returnSetAttributeRef(ruleDescriptor,attr,expr) ::= <%
<if(ruleDescriptor.hasMultipleReturnValues)>
retval.<attr.name> = <expr>
<else>
<attr.name> = <expr>
<endif>
%>

/** How to translate $tokenLabel */
tokenLabelRef(label) ::= "<label>"

/** ids+=ID {$ids} or e+=expr {$e} */
listLabelRef(label) ::= "list_<label>"

// not sure the next are the right approach; and they are evaluated early;
// they cannot see TREE_PARSER or PARSER attributes for example :(

tokenLabelPropertyRef_text(scope,attr) ::= "<scope>.text"
tokenLabelPropertyRef_type(scope,attr) ::= "<scope>.type"
tokenLabelPropertyRef_line(scope,attr) ::= "<scope>.line"
tokenLabelPropertyRef_pos(scope,attr) ::= "<scope>.charPositionInLine"
tokenLabelPropertyRef_channel(scope,attr) ::= "<scope>.channel"
tokenLabelPropertyRef_index(scope,attr) ::= "<scope>.index"
tokenLabelPropertyRef_tree(scope,attr) ::= "<scope>_tree"

ruleLabelPropertyRef_start(scope,attr) ::= "<scope>.start"
ruleLabelPropertyRef_stop(scope,attr) ::= "<scope>.stop"

```

```

ruleLabelPropertyRef_tree(scope,attr) ::= "<scope>.tree"
ruleLabelPropertyRef_text(scope,attr) ::= <%
<if(TREE_PARSER)>
((<scope> is not None) and [self.input.getTokenStream().toString(
    self.input.getTreeAdaptor().getTokenStartIndex(<scope>.start),
    self.input.getTreeAdaptor().getTokenStopIndex(<scope>.start)
    ]) or [None]][0]
<else>
((<scope> is not None) and [self.input.toString(<scope>.start,<scope>.stop)] or [None]][0]
<endif>
%>
ruleLabelPropertyRef_st(scope,attr) ::= "((<scope> is not None) and [<scope>.st] or [None])[0]"

/** Isolated $RULE ref ok in lexer as it's a Token */
lexerRuleLabel(label) ::= "<label>"

lexerRuleLabelPropertyRef_type(scope,attr) ::= "((<scope> is not None) and [<scope>.type] or [0])[0]"
lexerRuleLabelPropertyRef_line(scope,attr) ::= "((<scope> is not None) and [<scope>.line] or [0])[0]"
lexerRuleLabelPropertyRef_pos(scope,attr) ::= "((<scope> is not None) and [<scope>.charPositionInLine] or
[0])[0]"
lexerRuleLabelPropertyRef_channel(scope,attr) ::= "((<scope> is not None) and [<scope>.channel] or [0])[0]"
lexerRuleLabelPropertyRef_index(scope,attr) ::= "((<scope> is not None) and [<scope>.index] or [0])[0]"
lexerRuleLabelPropertyRef_text(scope,attr) ::= "((<scope> is not None) and [<scope>.text] or [None])[0]"
lexerRuleLabelPropertyRef_int(scope,attr) ::= "((<scope> is not None) and [int(<scope>.text)] or [0])[0]"

// Somebody may ref $template or $tree or $stop within a rule:
rulePropertyRef_start(scope,attr) ::= "retval.start"
rulePropertyRef_stop(scope,attr) ::= "retval.stop" //mmm... or input.LT(-1)??
rulePropertyRef_tree(scope,attr) ::= "retval.tree"
rulePropertyRef_text(scope,attr) ::= "self.input.toString(retval.start, self.input.LT(-1))"
rulePropertyRef_st(scope,attr) ::= "retval.st"

lexerRulePropertyRef_text(scope,attr) ::= "self.text"
lexerRulePropertyRef_type(scope,attr) ::= "_type"
lexerRulePropertyRef_line(scope,attr) ::= "self._state.tokenStartLine"
lexerRulePropertyRef_pos(scope,attr) ::= "self._state.tokenStartCharPositionInLine"
lexerRulePropertyRef_index(scope,attr) ::= "-1" // undefined token index in lexer
lexerRulePropertyRef_channel(scope,attr) ::= "_channel"
lexerRulePropertyRef_start(scope,attr) ::= "self._state.tokenStartCharIndex"
lexerRulePropertyRef_stop(scope,attr) ::= "(self.getCharIndex()-1)"
lexerRulePropertyRef_int(scope,attr) ::= "int(<scope>.text)"

// setting $st and $tree is allowed in local rule. everything else
// is flagged as error
ruleSetPropertyRef_tree(scope,attr,expr) ::= "retval.tree =<expr>"
ruleSetPropertyRef_st(scope,attr,expr) ::= "retval.st =<expr>"

```

```

/** How to execute an action (only when not backtracking) */
execAction(action) ::= <<
<if(backtracking)>
<if(actions.(actionScope).synpredgate)>
if <actions.(actionScope).synpredgate>:
    pass
    <action>

<else>
if <actions.(actionScope).synpredgate>:
    pass
    <action>

<endif>
<else>
#action start
<action>
#action end
<endif>
>>

/** How to always execute an action even when backtracking */
execForcedAction(action) ::= "<action>"

// M I S C (properties, etc...)

codeFileExtension() ::= ".py"

true_value() ::= "True"
false_value() ::= "False"

Found in path(s):
* /opt/cola/permits/1274703855_1645234694.1/0/antlr-3-5-2-sources-
jar/org/antlr/codegen/templates/Python3/Python3.stg
No license file was found, but licenses were detected in source scan.

/*
* [The "BSD license"]
* Copyright (c) 2011 Terence Parr
* All rights reserved.
*
* Conversion to C#:
* Copyright (c) 2011 Sam Harwell, Pixel Mine, Inc.
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions

```

```

* are met:
* 1. Redistributions of source code must retain the above copyright
* notice, this list of conditions and the following disclaimer.
* 2. Redistributions in binary form must reproduce the above copyright
* notice, this list of conditions and the following disclaimer in the
* documentation and/or other materials provided with the distribution.
* 3. The name of the author may not be used to endorse or promote products
* derived from this software without specific prior written permission.
*
* THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR
* IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.
* IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,
* INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT
* NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
* DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
* THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
* (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF
* THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
*/

```

```

/** Templates for building ASTs during normal parsing.

```

```

*
* Deal with many combinations. Dimensions are:
* Auto build or rewrite
* no label, label, list label (label/no-label handled together)
* child, root
* token, set, rule, wildcard
*
* The situation is not too bad as rewrite (->) usage makes ^ and !
* invalid. There is no huge explosion of combinations.
*/

```

```

@rule.setErrorReturnValue() ::= <<
retval.Tree = (<ASTLabelType>)adaptor.ErrorNode(input, retval.Start, input.LT(-1), re);
<! System.out.WriteLine("<ruleName> returns "+((CommonTree)retval.tree).toStringTree()); !>
>>

```

```

// TOKEN AST STUFF

```

```

/** ID and output=AST */
tokenRef(token,label,elementIndex,terminalOptions={}) ::= <%
<super.tokenRef(...)>
<if(!ruleDescriptor.isSynPred)>
<if(backtracking)><\n>if (state.backtracking == 0) {<endif>
<\n><label>_tree = <createNodeFromToken(...)>;
<\n>adaptor.AddChild(root_0, <label>_tree);
<if(backtracking)><\n><endif>

```



```

<endif>
%>

/** ID! and output=AST (same as plain tokenRef) */
tokenRefBang(token,label,elementIndex,terminalOptions={ }) ::= "<super.tokenRef(...)>"

/** ID^ and output=AST */
tokenRefRuleRoot(token,label,elementIndex,terminalOptions={ }) ::= <%
<super.tokenRef(...)>
<if(!ruleDescriptor.isSynPred)>
<if(backtracking)><\n>if (<actions.(actionScope).synpredgate>) {<endif>
<\n><label>_tree = <createNodeFromToken(...)>;
<\n>root_0 = (<ASTLabelType>)adaptor.BecomeRoot(<label>_tree, root_0);
<if(backtracking)><\n>}<endif>
<endif>
%>

/** ids+=ID! and output=AST */
tokenRefBangAndListLabel(token,label,elementIndex,terminalOptions={ }) ::= <<
<tokenRefBang(...)>
<listLabelElem(elem=label,elemType=labelType,...)>
>>

/** label+=TOKEN when output=AST but not rewrite alt */
tokenRefAndListLabel(token,label,elementIndex,terminalOptions={ }) ::= <<
<tokenRef(...)>
<listLabelElem(elem=label,elemType=labelType,...)>
>>

/** Match label+=TOKEN^ when output=AST but not rewrite alt */
tokenRefRuleRootAndListLabel(token,label,elementIndex,terminalOptions={ }) ::= <<
<tokenRefRuleRoot(...)>
<listLabelElem(elem=label,elemType=labelType,...)>
>>

// SET AST

// the match set stuff is interesting in that it uses an argument list
// to pass code to the default matchSet; another possible way to alter
// inherited code. I don't use the region stuff because I need to pass
// different chunks depending on the operator. I don't like making
// the template name have the operator as the number of templates gets
// large but this is the most flexible--this is as opposed to having
// the code generator call matchSet then add root code or ruleroot code
// plus list label plus ... The combinations might require complicated
// rather than just added on code. Investigate that refactoring when
// I have more time.

```

```

matchSet(s,label,elementIndex,postmatchCode,terminalOptions={ }) ::= <<
<super.matchSet(postmatchCode={ <if(!ruleDescriptor.isSynPred)><if(backtracking)>if
(<actions.(actionScope).synpredgate>) <endif>adaptor.AddChild(root_0, <createNodeFromToken(...)>);<endif>},
...)>
>>

```

```

matchRuleBlockSet(s,label,elementIndex,postmatchCode,treeLevel="0",terminalOptions={ }) ::= <<
<matchSet(...)>
>>

```

```

matchSetBang(s,label,elementIndex,postmatchCode,terminalOptions={ }) ::= "<super.matchSet(...)>"

```

```

// note there is no matchSetTrack because -> rewrites force sets to be
// plain old blocks of alts: (A|B|...|C)

```

```

matchSetRuleRoot(s,label,elementIndex,debug,terminalOptions={ }) ::= <<
<if(label)>
<label>=(<labelType>)input.LT(1);
<endif>
<super.matchSet(postmatchCode={ <if(!ruleDescriptor.isSynPred)><if(backtracking)>if
(<actions.(actionScope).synpredgate>) <endif>root_0 =
(<ASTLabelType>)adaptor.BecomeRoot(<createNodeFromToken(...)>, root_0);<endif>}, ...)>
>>

```

```

// RULE REF AST

```

```

/** rule when output=AST */
ruleRef(rule,label,elementIndex,args,scope) ::= <%
<super.ruleRef(...)>
<if(!ruleDescriptor.isSynPred)>
<\n><if(backtracking)>if (<actions.(actionScope).synpredgate>) <endif>adaptor.AddChild(root_0, <label>.Tree);
<endif>
%>

```

```

/** rule! is same as normal rule ref */
ruleRefBang(rule,label,elementIndex,args,scope) ::= "<super.ruleRef(...)>"

```

```

/** rule^ */
ruleRefRuleRoot(rule,label,elementIndex,args,scope) ::= <<
<super.ruleRef(...)>
<if(backtracking)>if (<actions.(actionScope).synpredgate>) <endif>root_0 =
(<ASTLabelType>)adaptor.BecomeRoot(<label>.Tree, root_0);
>>

```

```

/** x+=rule when output=AST */
ruleRefAndListLabel(rule,label,elementIndex,args,scope) ::= <<
<ruleRef(...)>
<listLabelElem(elem={ <label>.Tree },elemType=ASTLabelType,...)>

```

```

>>

/** x+=rule! when output=AST is a rule ref with list addition */
ruleRefBangAndListLabel(rule,label,elementIndex,args,scope) ::= <<
<ruleRefBang(...)>
<listLabelElem(elem={ <label>.Tree },elemType=ASTLabelType,...)>
>>

/** x+=rule^ */
ruleRefRuleRootAndListLabel(rule,label,elementIndex,args,scope) ::= <<
<ruleRefRuleRoot(...)>
<listLabelElem(elem={ <label>.Tree },elemType=ASTLabelType,...)>
>>

// WILDCARD AST

wildcard(token,label,elementIndex,terminalOptions={ }) ::= <<
<super.wildcard(...)>
<if(!ruleDescriptor.isSynPred)>
<if(backtracking)>if (<actions.(actionScope).synpredgate>) {<endif>
<label>_tree = (<ASTLabelType>)adaptor.Create(<label>);
adaptor.AddChild(root_0, <label>_tree);
<if(backtracking)>}<endif>
<endif>
>>

wildcardBang(label,elementIndex) ::= "<super.wildcard(token=[],...)>"

wildcardRuleRoot(token,label,elementIndex,terminalOptions={ }) ::= <<
<super.wildcard(...)>
<if(!ruleDescriptor.isSynPred)>
<if(backtracking)>if (<actions.(actionScope).synpredgate>) {<endif>
<label>_tree = (<ASTLabelType>)adaptor.Create(<label>);
root_0 = (<ASTLabelType>)adaptor.BecomeRoot(<label>_tree, root_0);
<if(backtracking)>}<endif>
<endif>
>>

createNodeFromToken(label,terminalOptions={ }) ::= <%
<if(terminalOptions.node)>
new
<terminalOptions.node>(<if(terminalOptions.type)><terminalOptions.type>,<endif><label><if(terminalOptions.text)>,<terminalOptions.text; format="string"><endif>)
<else>
(<ASTLabelType>)adaptor.Create(<if(terminalOptions.type)><terminalOptions.type>,<endif><label><if(terminalOptions.text)>,<terminalOptions.text; format="string"><endif>)
<endif>
%>

```

```
ruleCleanUp() ::= <<
<super.ruleCleanUp()>
<if(backtracking)>if (<actions.(actionScope).synpredgate>) {<endif>
retval.Tree = (<ASTLabelType>)adaptor.RulePostProcessing(root_0);
adaptor.SetTokenBoundaries(retval.Tree, retval.Start, retval.Stop);
<if(backtracking)>}<endif>
>>
```

Found in path(s):

```
* /opt/cola/permits/1274703855_1645234694.1/0/antlr-3-5-2-sources-
jar/org/antlr/codegen/templates/CSharp3/ASTParser.stg
```

No license file was found, but licenses were detected in source scan.

```
/*
```

```
[The "BSD license"]
```

```
Copyright (c) 2005-2009 Jim Idle, Temporal Wave LLC
```

```
http://www.temporal-wave.com
```

```
http://www.linkedin.com/in/jimidle
```

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The name of the author may not be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

```
*/
```

```
/*
```

```
* This code generating template and the associated C runtime was produced by:
```

```
* Jim Idle jim|hereisanat|idle|dotgoeshere|ws.
```

```

* If it causes the destruction of the Universe, it will be pretty cool so long as
* I am in a different one at the time.
*/
cTypeInitMap ::= [
  "int"      : "0",          // Integers   start out being 0
  "long"     : "0",          // Longs     start out being 0
  "float"    : "0.0",        // Floats    start out being 0
  "double"   : "0.0",        // Doubles   start out being 0
  "ANTLR3_BOOLEAN" : "ANTLR3_FALSE", // Booleans  start out being Antlr C for false
  "byte"     : "0",          // Bytes     start out being 0
  "short"    : "0",          // Shorts    start out being 0
  "char"     : "0"           // Chars     start out being 0
]

```

```

leadIn(type) ::=

```

```

<<
/** \file
 * This <type> file was generated by $ANTLR version <ANTLRVersion>
 *
 * - From the grammar source file : <fileName>
 * - On : <generatedTimestamp>
<if(LEXER)>
 * - for the lexer : <name>Lexer
<endif>
<if(PARSER)>
 * - for the parser : <name>Parser
<endif>
<if(TREE_PARSER)>
 * - for the tree parser : <name>TreeParser
<endif>
 *
 * Editing it, at least manually, is not wise.
 *
 * C language generator and runtime by Jim Idle, jim@hereisanat@idle@dotgoeshere@ws.
 *
 *
>>

```

```

/** The overall file structure of a recognizer; stores methods for rules
 * and cyclic DFAs plus support code.
*/

```

```

outputFile( LEXER,
            PARSER,
            TREE_PARSER,
            actionScope,
            actions,
            docComment,
            recognizer,

```

```

    name,
    tokens,
    tokenNames,
    rules,
    cyclicDFAs,
    bitsets,
    buildTemplate,
    buildAST,
    rewriteMode,
    profile,
    backtracking,
    synpreds,
    memoize,
    numRules,
    fileName,
    ANTLRVersion,
    generatedTimestamp,
    trace,
    scopes,
    superClass,
    literals
) ::=
<<
<leadIn("C source")>
*/
// [The "BSD license"]
// Copyright (c) 2005-2009 Jim Idle, Temporal Wave LLC
// http://www.temporal-wave.com
// http://www.linkedin.com/in/jimidle
//
// All rights reserved.
//
// Redistribution and use in source and binary forms, with or without
// modification, are permitted provided that the following conditions
// are met:
// 1. Redistributions of source code must retain the above copyright
// notice, this list of conditions and the following disclaimer.
// 2. Redistributions in binary form must reproduce the above copyright
// notice, this list of conditions and the following disclaimer in the
// documentation and/or other materials provided with the distribution.
// 3. The name of the author may not be used to endorse or promote products
// derived from this software without specific prior written permission.
//
// THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR
// IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
// OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.
// IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,
// INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT

```

```
// NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,  
// DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY  
// THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT  
// (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF  
// THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
```

```
<if(actions.(actionScope).header)>
```

```
/* =====
```

```
* This is what the grammar programmer asked us to put at the top of every file.
```

```
*/
```

```
<actions.(actionScope).header>
```

```
/* End of Header action.
```

```
/* =====
```

```
*/
```

```
<endif>
```

```
/* -----
```

```
* Include the ANTLR3 generated header file.
```

```
*/
```

```
#include "<name>.h"
```

```
<actions.(actionScope).postinclude>
```

```
/* ----- */
```

```
<docComment>
```

```
<if(literals)>
```

```
/** String literals used by <name> that we must do things like MATCHS() with.
```

```
* C will normally just lay down 8 bit characters, and you can use L"xxx" to
```

```
* get wchar_t, but wchar_t is 16 bits on Windows, which is not UTF32 and so
```

```
* we perform this little trick of defining the literals as arrays of UINT32
```

```
* and passing in the address of these.
```

```
*/
```

```
<literals:{it | static ANTLR3_UCHAR lit_<i>[] = <it>;}; separator="\n">
```

```
<endif>
```

```
/* MACROS that hide the C interface implementations from the
```

```
* generated code, which makes it a little more understandable to the human eye.
```

```
* I am very much against using C pre-processor macros for function calls and bits
```

```
* of code as you cannot see what is happening when single stepping in debuggers
```

```
* and so on. The exception (in my book at least) is for generated code, where you are
```

```
* not maintaining it, but may wish to read and understand it. If you single step it, you know that input()
```

```
* hides some indirect calls, but is always referring to the input stream. This is
```

```
* probably more readable than ctx->input->istream->input(snarfle0->blarg) and allows me to rejig
```

```
* the runtime interfaces without changing the generated code too often, without
* confusing the reader of the generated output, who may not wish to know the gory
* details of the interface inheritance.
*/
```

```
#define CTX ctx
```

```
/* Aids in accessing scopes for grammar programmers
```

```
*/
```

```
#undef SCOPE_TYPE
```

```
#undef SCOPE_STACK
```

```
#undef SCOPE_TOP
```

```
#define SCOPE_TYPE(scope) p<name>_##scope##_SCOPE
```

```
#define SCOPE_STACK(scope) p<name>_##scope##_Stack
```

```
#define SCOPE_TOP(scope) ctx->p<name>_##scope##_Top
```

```
#define SCOPE_SIZE(scope) ctx->p<name>_##scope##_Stack_limit
```

```
#define SCOPE_INSTANCE(scope, i) (ctx->SCOPE_STACK(scope)->get(ctx->SCOPE_STACK(scope),i))
```

```
<if(LEXER)>
```

```
/* Macros for accessing things in a lexer
```

```
*/
```

```
#undef LEXER
```

```
#undef RECOGNIZER
```

```
#undef RULEMEMO
```

```
#undef GETCHARINDEX
```

```
#undef GETLINE
```

```
#undef GETCHARPOSITIONINLINE
```

```
#undef EMIT
```

```
#undef EMITNEW
```

```
#undef MATCHC
```

```
#undef MATCHS
```

```
#undef MATCHRANGE
```

```
#undef LTOKEN
```

```
#undef HASFAILED
```

```
#undef FAILEDFLAG
```

```
#undef INPUT
```

```
#undef STRSTREAM
```

```
#undef LA
```

```
#undef HASEXCEPTION
```

```
#undef EXCEPTION
```

```
#undef CONSTRUCTEX
```

```
#undef CONSUME
```

```
#undef LRECOVER
```

```
#undef MARK
```

```
#undef REWIND
```

```
#undef REWINDLAST
```

```
#undef BACKTRACKING
```



```

#undef MATCHANY
#undef MEMOIZE
#undef HAVEPARSEDRULE
#undef GETTEXT
#undef INDEX
#undef SEEK
#undef PUSHSTREAM
#undef POPSTREAM
#undef SETTEXT
#undef SETTEXT8

#define LEXER ctx->pLexer
#define RECOGNIZER LEXER->rec
#define LEXSTATE RECOGNIZER->state
#define TOKSOURCE LEXSTATE->tokSource
#define GETCHARINDEX() LEXER->getCharIndex(LEXER)
#define GETLINE() LEXER->getLine(LEXER)
#define GETTEXT() LEXER->getText(LEXER)
#define GETCHARPOSITIONINLINE() LEXER->getCharPositionInLine(LEXER)
#define EMIT() LEXSTATE->type = _type; LEXER->emit(LEXER)
#define EMITNEW(t) LEXER->emitNew(LEXER, t)
#define MATCHC(c) LEXER->matchc(LEXER, c)
#define MATCHS(s) LEXER->matchs(LEXER, s)
#define MATCHRANGE(c1,c2) LEXER->matchRange(LEXER, c1, c2)
#define MATCHANY() LEXER->matchAny(LEXER)
#define LTOKEN LEXSTATE->token
#define HASFAILED() (LEXSTATE->failed == ANTLR3_TRUE)
#define BACKTRACKING LEXSTATE->backtracking
#define FAILEDFLAG LEXSTATE->failed
#define INPUT LEXER->input
#define STRSTREAM INPUT
#define ISTREAM INPUT->istream
#define INDEX() ISTREAM->index(ISTREAM)
#define SEEK(n) ISTREAM->seek(ISTREAM, n)
#define EOF_TOKEN &(LEXSTATE->tokSource->eofToken)
#define HASEXCEPTION() (LEXSTATE->error == ANTLR3_TRUE)
#define EXCEPTION LEXSTATE->exception
#define CONSTRUCTEX() RECOGNIZER->exConstruct(RECOGNIZER)
#define LRECOVER() LEXER->recover(LEXER)
#define MARK() ISTREAM->mark(ISTREAM)
#define REWIND(m) ISTREAM->rewind(ISTREAM, m)
#define REWINDLAST() ISTREAM->rewindLast(ISTREAM)
#define MEMOIZE(ri,si) RECOGNIZER->memoize(RECOGNIZER, ri, si)
#define HAVEPARSEDRULE(r) RECOGNIZER->alreadyParsedRule(RECOGNIZER, r)
#define PUSHSTREAM(str) LEXER->pushCharStream(LEXER, str)
#define POPSTREAM() LEXER->popCharStream(LEXER)
#define SETTEXT(str) LEXSTATE->text = str
#define SKIP() LEXSTATE->token = &(TOKSOURCE->skipToken)

```

```

#define USER1 LEXSTATE->user1
#define USER2 LEXSTATE->user2
#define USER3 LEXSTATE->user3
#define CUSTOM LEXSTATE->custom
#define RULEMEMO LEXSTATE->ruleMemo
#define DBG RECOGNIZER->debugger

/* If we have been told we can rely on the standard 8 bit or UTF16 input
 * stream, then we can define our macros to use the direct pointers
 * in the input object, which is much faster than indirect calls. This
 * is really only significant to lexers with a lot of fragment rules (which
 * do not place LA(1) in a temporary at the moment) and even then
 * only if there is a lot of input (order of say 1M or so).
 */
#if defined(ANTLR3_INLINE_INPUT_8BIT) || defined(ANTLR3_INLINE_INPUT_UTF16)

# ifdef ANTLR3_INLINE_INPUT_8BIT

/* 8 bit character set */

# define NEXTCHAR ((pANTLR3_UINT8)(INPUT->nextChar))
# define DATAP ((pANTLR3_UINT8)(INPUT->data))

# else

# define NEXTCHAR ((pANTLR3_UINT16)(INPUT->nextChar))
# define DATAP ((pANTLR3_UINT16)(INPUT->data))

# endif

# define LA(n) ((NEXTCHAR + n) > (DATAP + INPUT->sizeBuf) ? ANTLR3_CHARSTREAM_EOF :
(ANTLR3_UCHAR)*(NEXTCHAR + n - 1))
# define CONSUME() \
{ \
if (NEXTCHAR < (DATAP + INPUT->sizeBuf)) \
{ \
INPUT->charPositionInLine++; \
if ((ANTLR3_UCHAR)*NEXTCHAR == INPUT->newlineChar) \
{ \
INPUT->line++; \
INPUT->charPositionInLine = 0; \
INPUT->currentLine = (void *) (NEXTCHAR + 1); \
} \
INPUT->nextChar = (void *) (NEXTCHAR + 1); \
} \
}

# else

```

```

// Pick up the input character by calling the input stream implementation.
//
#define CONSUME() INPUT->istream->consume(INPUT->istream)
#define LA(n) INPUT->istream->_LA(INPUT->istream, n)

#endif
<endif>

<if(PARSER)>
/* Macros for accessing things in the parser
*/

#undef PARSER
#undef RECOGNIZER
#undef HAVEPARSEDRULE
#undef MEMOIZE
#undef INPUT
#undef STRSTREAM
#undef HASEXCEPTION
#undef EXCEPTION
#undef MATCHT
#undef MATCHANYT
#undef FOLLOWSTACK
#undef FOLLOWPUSH
#undef FOLLOWPOP
#undef PRECOVER
#undef PREPORTERROR
#undef LA
#undef LT
#undef CONSTRUCTEX
#undef CONSUME
#undef MARK
#undef REWIND
#undef REWINDLAST
#undef PERRORECOVERY
#undef HASFAILED
#undef FAILEDFLAG
#undef RECOVERFROMMISMATCHEDSET
#undef RECOVERFROMMISMATCHEDELEMENT
#undef INDEX
#undef ADAPTOR
#undef SEEK
#undef RULEMEMO
#undef DBG

#define PARSER ctx->pParser
#define RECOGNIZER PARSER->rec

```

```

#define PSRSTATE RECOGNIZER->state
#define HAVEPARSEDRULE(r) RECOGNIZER->alreadyParsedRule(RECOGNIZER, r)
#define MEMOIZE(ri,si) RECOGNIZER->memoize(RECOGNIZER, ri, si)
#define INPUT_PARSER->tstream
#define STRSTREAM INPUT
#define ISTREAM INPUT->istream
#define INDEX() ISTREAM->index(INPUT->istream)
#define HASEXCEPTION() (PSRSTATE->error == ANTLR3_TRUE)
#define EXCEPTION PSRSTATE->exception
#define MATCHT(t, fs) RECOGNIZER->match(RECOGNIZER, t, fs)
#define MATCHANYT() RECOGNIZER->matchAny(RECOGNIZER)
#define FOLLOWSTACK PSRSTATE->following
#ifdef SKIP_FOLLOW_SETS
#define FOLLOWPUSH(x)
#define FOLLOWPOP()
#else
#define FOLLOWPUSH(x) FOLLOWSTACK->push(FOLLOWSTACK, ((void *)&(x)), NULL)
#define FOLLOWPOP() FOLLOWSTACK->pop(FOLLOWSTACK)
#endif
#define PRECOVER() RECOGNIZER->recover(RECOGNIZER)
#define PREPORTERROR() RECOGNIZER->reportError(RECOGNIZER)
#define LA(n) INPUT->istream->_LA(ISTREAM, n)
#define LT(n) INPUT->_LT(INPUT, n)
#define CONSTRUCTEX() RECOGNIZER->exConstruct(RECOGNIZER)
#define CONSUME() ISTREAM->consume(ISTREAM)
#define MARK() ISTREAM->mark(ISTREAM)
#define REWIND(m) ISTREAM->rewind(ISTREAM, m)
#define REWINDLAST() ISTREAM->rewindLast(ISTREAM)
#define SEEK(n) ISTREAM->seek(ISTREAM, n)
#define PERRORRECOVERY PSRSTATE->errorRecovery
#define FAILEDFLAG PSRSTATE->failed
#define HASFAILED() (FAILEDFLAG == ANTLR3_TRUE)
#define BACKTRACKING PSRSTATE->backtracking
#define RECOVERFROMMISMATCHEDSET(s) RECOGNIZER->recoverFromMismatchedSet(RECOGNIZER,
s)
#define RECOVERFROMMISMATCHEDELEMENT(e) RECOGNIZER-
>recoverFromMismatchedElement(RECOGNIZER, s)
#define ADAPTOR ctx->adaptor
#define RULEMEMO PSRSTATE->ruleMemo
#define DBG RECOGNIZER->debugger

<endif>

<if(TREE_PARSER)>
/* Macros for accessing things in the parser
*/

#undef  PARSE

```

```

#undef RECOGNIZER
#undef HAVEPARSEDRULE
#undef INPUT
#undef STRSTREAM
#undef HASEXCEPTION
#undef EXCEPTION
#undef MATCHT
#undef MATCHANYT
#undef FOLLOWSTACK
#undef FOLLOWPUSH
#undef FOLLOWPOP
#undef PRECOVER
#undef PREPORTERROR
#undef LA
#undef LT
#undef CONSTRUCTEX
#undef CONSUME
#undef MARK
#undef REWIND
#undef REWINDLAST
#undef PERORRECOVERY
#undef HASFAILED
#undef FAILEDFLAG
#undef RECOVERFROMMISMATCHEDSET
#undef RECOVERFROMMISMATCHEDELEMENT
#undef BACKTRACKING
#undef ADAPTOR
#undef RULEMEMO
#undef SEEK
#undef INDEX
#undef DBG

#define PARSER ctx->pTreeParser
#define RECOGNIZER PARSER->rec
#define PSRSTATE RECOGNIZER->state
#define HAVEPARSEDRULE(r) RECOGNIZER->alreadyParsedRule(RECOGNIZER, r)
#define INPUT PARSER->ctnstream
#define ISTREAM INPUT->tnstream->istream
#define STRSTREAM INPUT->tnstream
#define HASEXCEPTION() (PSRSTATE->error == ANTLR3_TRUE)
#define EXCEPTION PSRSTATE->exception
#define MATCHT(t, fs) RECOGNIZER->match(RECOGNIZER, t, fs)
#define MATCHANYT() RECOGNIZER->matchAny(RECOGNIZER)
#define FOLLOWSTACK PSRSTATE->following
#define FOLLOWPUSH(x) FOLLOWSTACK->push(FOLLOWSTACK, ((void *)&(x)), NULL)
#define FOLLOWPOP() FOLLOWSTACK->pop(FOLLOWSTACK)
#define PRECOVER() RECOGNIZER->recover(RECOGNIZER)
#define PREPORTERROR() RECOGNIZER->reportError(RECOGNIZER)

```

```

#define LA(n)    ISTREAM->_LA(ISTREAM, n)
#define LT(n)    INPUT->tnstream->_LT(INPUT->tnstream, n)
#define CONSTRUCTEX()  RECOGNIZER->exConstruct(RECOGNIZER)
#define CONSUME()    ISTREAM->consume(ISTREAM)
#define MARK()      ISTREAM->mark(ISTREAM)
#define REWIND(m)    ISTREAM->rewind(ISTREAM, m)
#define REWINDLAST()  ISTREAM->rewindLast(ISTREAM)
#define PERRORRECOVERY  PSRSTATE->errorRecovery
#define FAILEDFLAG    PSRSTATE->failed
#define HASFAILED()   (FAILEDFLAG == ANTLR3_TRUE)
#define BACKTRACKING  PSRSTATE->backtracking
#define RECOVERFROMMISMATCHEDSET(s) RECOGNIZER->recoverFromMismatchedSet(RECOGNIZER,
s)
#define RECOVERFROMMISMATCHEDELEMENT(e) RECOGNIZER-
>recoverFromMismatchedElement(RECOGNIZER, s)
#define ADAPTOR          INPUT->adaptor
#define RULEMEMO        PSRSTATE->ruleMemo
#define SEEK(n)         ISTREAM->seek(ISTREAM, n)
#define INDEX()        ISTREAM->index(ISTREAM)
#define DBG            RECOGNIZER->debugger

```

```
<endif>
```

```
#define TOKTEXT(tok, txt) tok, (pANTLR3_UINT8)txt
```

```

/* The 4 tokens defined below may well clash with your own #defines or token types. If so
 * then for the present you must use different names for your defines as these are hard coded
 * in the code generator. It would be better not to use such names internally, and maybe
 * we can change this in a forthcoming release. I deliberately do not #undef these
 * here as this will at least give you a redefined error somewhere if they clash.
 */

```

```

#define UP    ANTLR3_TOKEN_UP
#define DOWN  ANTLR3_TOKEN_DOWN
#define EOR   ANTLR3_TOKEN_EOR
#define INVALID ANTLR3_TOKEN_INVALID

```

```

/* =====
 * Functions to create and destroy scopes. First come the rule scopes, followed
 * by the global declared scopes.
 */

```

```

<rules: {r |<if(r.ruleDescriptor.ruleScope)>
<ruleAttributeScopeFuncDecl(scope=r.ruleDescriptor.ruleScope)>
<ruleAttributeScopeFuncs(scope=r.ruleDescriptor.ruleScope)>
<endif>}>

```

```

<recognizer.scopes:{it | <if(it.isDynamicGlobalScope)>
<globalAttributeScopeFuncDecl(it)>
<globalAttributeScopeFuncs(it)>
<endif>}>

/* ===== */

/* =====
* Start of recognizer
*/

<recognizer>

/* End of code
* =====
*/

>>
headerFileExtension() ::= ".h"

headerFile( LEXER,
            PARSER,
            TREE_PARSER,
            actionScope,
            actions,
            docComment,
            recognizer,
            name,
            tokens,
            tokenNames,
            rules,
            cyclicDFAs,
            bitsets,
            buildTemplate,
            buildAST,
            rewriteMode,
            profile,
            backtracking,
            synpreds,
            memoize,
            numRules,
            fileName,
            ANTLRVersion,
            generatedTimestamp,
            trace,
            scopes,
            superClass,
            literals

```

```

) ::=
<<
<leadIn("C header")>
<if(PARSER)>
* The parser <mainName()>
<endif>
<if(LEXER)>
* The lexer <mainName()>
<endif>
<if(TREE_PARSER)>
* The tree parser <mainName()>
<endif>
has the callable functions (rules) shown below,
* which will invoke the code for the associated rule in the source grammar
* assuming that the input stream is pointing to a token/text stream that could begin
* this rule.
*
* For instance if you call the first (topmost) rule in a parser grammar, you will
* get the results of a full parse, but calling a rule half way through the grammar will
* allow you to pass part of a full token stream to the parser, such as for syntax checking
* in editors and so on.
*
* The parser entry points are called indirectly (by function pointer to function) via
* a parser context typedef p<name>, which is returned from a call to <name>New().
*
<if(LEXER)>
* As this is a generated lexer, it is unlikely you will call it 'manually'. However
* the methods are provided anyway.
*
<endif>
* The methods in p<name> are as follows:
*
* <rules:{r | <if(!r.ruleDescriptor.isSynPred)> - <headerReturnType(ruleDescriptor=r.ruleDescriptor,...)>
p<name>-><r.ruleDescriptor.name>(p<name>)<endif>} ; separator="\n * ">
*
* The return type for any particular rule is of course determined by the source
* grammar file.
*/
// [The "BSD license"]
// Copyright (c) 2005-2009 Jim Idle, Temporal Wave LLC
// http://www.temporal-wave.com
// http://www.linkedin.com/in/jimidle
//
// All rights reserved.
//
// Redistribution and use in source and binary forms, with or without
// modification, are permitted provided that the following conditions
// are met:

```



```

// 1. Redistributions of source code must retain the above copyright
// notice, this list of conditions and the following disclaimer.
// 2. Redistributions in binary form must reproduce the above copyright
// notice, this list of conditions and the following disclaimer in the
// documentation and/or other materials provided with the distribution.
// 3. The name of the author may not be used to endorse or promote products
// derived from this software without specific prior written permission.
//
// THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR
// IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
// OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.
// IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,
// INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT
// NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
// DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
// THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
// (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF
// THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

```

```

#ifndef _<name>_H
#define _<name>_H
<actions.(actionScope).preincludes>
/* =====
* Standard antlr3 C runtime definitions
*/
#include \<antlr3.h>

/* End of standard antlr 3 runtime definitions
* =====
*/
<actions.(actionScope).includes>

#ifdef __cplusplus
extern "C" {
#endif

// Forward declare the context typedef so that we can use it before it is
// properly defined. Delegates and delegates (from import statements) are
// interdependent and their context structures contain pointers to each other
// C only allows such things to be declared if you pre-declare the typedef.
//
typedef struct <name>_Ctx_struct <name>, * p<name>;

<if(recognizer.grammar.delegates)>
// Include delegate definition header files
//
<recognizer.grammar.delegates: {g|#include \<<g.recognizerName>.h>}; separator="\n">

```

```

<endif>

<actions.(actionScope).header>

#ifdef ANTLR3_WINDOWS
// Disable: Unreferenced parameter, - Rules with parameters that are not used
// constant conditional, - ANTLR realizes that a prediction is always true (synpred usually)
// initialized but unused variable - tree rewrite variables declared but not needed
// Unreferenced local variable - lexer rule declares but does not always use _type
// potentially uninitialized variable used - retval always returned from a rule
// unreferenced local function has been removed - usually getTokenNames or freeScope, they can go without
warnigns
//
// These are only really displayed at warning level /W4 but that is the code ideal I am aiming at
// and the codegen must generate some of these warnings by necessity, apart from 4100, which is
// usually generated when a parser rule is given a parameter that it does not use. Mostly though
// this is a matter of orthogonality hence I disable that one.
//
#pragma warning( disable : 4100 )
#pragma warning( disable : 4101 )
#pragma warning( disable : 4127 )
#pragma warning( disable : 4189 )
#pragma warning( disable : 4505 )
#pragma warning( disable : 4701 )
#endif
<if(backtracking)>

/* =====
* BACKTRACKING IS ENABLED
* =====
*/
<endif>

<rules:{r |<headerReturnScope(ruleDescriptor=r.ruleDescriptor,...)>}>

<scopes:{it | <if(it.isDynamicGlobalScope)><globalAttributeScopeDecl(it)><endif>}>
<rules:{r |<ruleAttributeScopeDecl(scope=r.ruleDescriptor.ruleScope)>}>
<if(recognizer.grammar.delegators)>
// Include delegator definition header files
//
<recognizer.grammar.delegators: {g|#include <<g.recognizerName>.h>; separator="\n"}>

<endif>

/** Context tracking structure for <mainName()>
*/
struct <name>_Ctx_struct

```

```

{
  /** Built in ANTLR3 context tracker contains all the generic elements
   * required for context tracking.
   */
<if(PARSER)>
  pANTLR3_PARSER  pParser;
<endif>
<if(LEXER)>
  pANTLR3_LEXER  pLexer;
<endif>
<if(TREE_PARSER)>
  pANTLR3_TREE_PARSER  pTreeParser;
<endif>

<if(recognizer.grammar.delegates)>
  <recognizer.grammar.delegates:
    {g|p<g.recognizerName> <g.delegateName(>;}; separator="\n">
  <endif>
<if(recognizer.grammar.delegators)>
  <recognizer.grammar.delegators:
    {g|p<g.recognizerName> <g.delegateName(>;}; separator="\n">
  <endif>
<scopes:{it | <if(it.isDynamicGlobalScope)>
  <globalAttributeScopeDef(it)>
<endif>}; separator="\n\n">
<rules: {r | <if(r.ruleDescriptor.ruleScope)>
  <ruleAttributeScopeDef(scope=r.ruleDescriptor.ruleScope)>
<endif>}>

<if(LEXER)>
  <rules:{r | <if(!r.ruleDescriptor.isSynPred)><headerReturnType(ruleDescriptor=r.ruleDescriptor)>
(*m<r.ruleDescriptor.name>) (struct <name>_Ctx_struct * ctx<if(r.ruleDescriptor.parameterScope)>,
<endif><r.ruleDescriptor.parameterScope:parameterScope(>>);<endif>}; separator="\n">
  <endif>
<if(!LEXER)>
  <rules:{r | <headerReturnType(ruleDescriptor=r.ruleDescriptor)> (*<r.ruleDescriptor.name>) (struct
<name>_Ctx_struct * ctx<if(r.ruleDescriptor.parameterScope)>,
<endif><r.ruleDescriptor.parameterScope:parameterScope(>>);}; separator="\n">
  <! generate rule/method definitions for imported rules so they
  appear to be defined in this recognizer. !>
  // Delegated rules
  <recognizer.grammar.delegatedRules:{ ruleDescriptor|
  <headerReturnType(ruleDescriptor)> (*<ruleDescriptor.name>)(struct <name>_Ctx_struct *
  ctx<if(ruleDescriptor.parameterScope)>, <endif><ruleDescriptor.parameterScope:parameterScope(>>);};
  separator="\n">
  <endif>

  const char * (*getGrammarFileName());

```

```

void      (*reset) (struct <name>_Ctx_struct * ctx);
void      (*free) (struct <name>_Ctx_struct * ctx);
<@members>
<@end>
<actions.(actionScope).context>
};

// Function prototypes for the constructor functions that external translation units
// such as delegators and delegates may wish to call.
//
ANTLR3_API p<name> <name>New      (<inputType()> instream<recognizer.grammar.delegators:{g|,
p<g.recognizerName> <g.delegateName()>>>);
ANTLR3_API p<name> <name>NewSSD   (<inputType()> instream,
pANTLR3_RECOGNIZER_SHARED_STATE state<recognizer.grammar.delegators:{g|, p<g.recognizerName>
<g.delegateName()>>>);
<if(!recognizer.grammar.grammarIsRoot)>
extern pANTLR3_UINT8 <recognizer.grammar.composite.rootGrammar.recognizerName>TokenNames[];
<endif>

/** Symbolic definitions of all the tokens that the <grammarType()> will work with.
 * \{
 *
 * Antlr will define EOF, but we can't use that as it is too common in
 * in C header files and that would be confusing. There is no way to filter this out at the moment
 * so we just undef it here for now. That isn't the value we get back from C recognizers
 * anyway. We are looking for ANTLR3_TOKEN_EOF.
 */
#ifdef EOF
#undef EOF
#endif
#ifdef Tokens
#undef Tokens
#endif
<tokens:{it | #define <it.name>    <it.type>}; separator="\n">
#ifdef EOF
#undef EOF
#define EOF ANTLR3_TOKEN_EOF
#endif

#ifdef TOKENSOURCE
#define TOKENSOURCE(lxr) lxr->pLexer->rec->state->tokSource
#endif

/* End of token definitions for <name>
 * =====
 */
/** \} */

```

```

#ifdef __cplusplus
}
#endif

#endif

/* END - Note:Keep extra line feed to satisfy UNIX systems */

>>

inputType() ::= <<
<if(LEXER)>
pANTLR3_INPUT_STREAM
<endif>
<if(PARSER)>
pANTLR3_COMMON_TOKEN_STREAM
<endif>
<if(TREE_PARSER)>
pANTLR3_COMMON_TREE_NODE_STREAM
<endif>
>>

grammarType() ::= <<
<if(PARSER)>
parser
<endif>
<if(LEXER)>
lexer
<endif>
<if(TREE_PARSER)>
tree parser
<endif>
>>

mainName() ::= <<
<if(PARSER)>
<name>
<endif>
<if(LEXER)>
<name>
<endif>
<if(TREE_PARSER)>
<name>
<endif>
>>

headerReturnScope(ruleDescriptor) ::= "<returnScope(...)>"

```

```

headerReturnType(ruleDescriptor) ::= <<
<if(LEXER)>
<if(!ruleDescriptor.isSynPred)>
void
<else>
<returnType()>
<endif>
<else>
<returnType()>
<endif>
>>

// Produce the lexer output
//
lexer( grammar,
      name,
      tokens,
      scopes,
      rules,
      numRules,
      filterMode,
      superClass,
      labelType="pANTLR3_COMMON_TOKEN") ::= <<

<if(filterMode)>
/* Forward declare implementation function for ANTLR3_TOKEN_SOURCE interface when
* this is a filter mode lexer.
*/
static pANTLR3_COMMON_TOKEN <name>NextToken (pANTLR3_TOKEN_SOURCE toksource);

/* Override the normal MEMOIZE and HAVEALREADYPARSED macros as this is a filtering
* lexer. In filter mode, the memoizing and backtracking are gated at BACKTRACKING > 1 rather
* than just BACKTRACKING. In some cases this might generate code akin to:
* if (BACKTRACKING) if (BACKTRACKING > 1) memoize.
* However, I assume that the C compilers/optimizers are smart enough to work this one out
* these days - Jim
*/
#undef MEMOIZE
#define MEMOIZE(ri,si) if (BACKTRACKING>1) { RECOGNIZER->memoize(RECOGNIZER, ri, si) }
#undef HAVEPARSEDRULE
#define HAVEPARSEDRULE(r) if (BACKTRACKING>1) { RECOGNIZER->alreadyParsedRule(RECOGNIZER,
r) }
<endif>

/* Forward declare the locally static matching functions we have generated and any predicate functions.
*/
<rules:{r | static ANTLR3_INLINE <headerReturnType(ruleDescriptor=r.ruleDescriptor)>

```

```

<if(!r.ruleDescriptor.isSynPred)>m<endif><r.ruleDescriptor.name> (p<name>
ctx<if(r.ruleDescriptor.parameterScope)>, <endif><r.ruleDescriptor.parameterScope:parameterScope()>);};
separator="\n">
static void <name>Free(p<name> ctx);

/* =====
* Lexer matching rules end.
* =====
*/

<scopes:{it |<if(it.isDynamicGlobalScope)><globalAttributeScope(it)><endif>}>

<actions.lexer.members>

static void
<name>Free (p<name> ctx)
{
<if(memoize)>
if (RULEMEMO != NULL)
{
RULEMEMO->free(RULEMEMO);
RULEMEMO = NULL;
}
<endif>
<if(grammar.directDelegates)>
// Free the lexers that we delegated to
// functions to. NULL the state so we only free it once.
//
<grammar.directDelegates:
{g|ctx-><g:delegateName()>->pLexer->rec->state = NULL;
ctx-><g:delegateName()>->free(ctx-><g:delegateName()>);}; separator="\n">
<endif>
LEXER->free(LEXER);

ANTLR3_FREE(ctx);
}

static void
<name>Reset (p<name> ctx)
{
RECOGNIZER->reset(RECOGNIZER);
}

/** \brief Name of the grammar file that generated this code
*/
static const char fileName[] = "<fileName>";

/** \brief Return the name of the grammar file that generated this code.

```

```

*/
static const char * getGrammarFileName()
{
    return fileName;
}

<if(filterMode)>
    <filteringNextToken()>
<endif>

/** \brief Create a new lexer called <name>
 *
 * \param[in] instream Pointer to an initialized input stream
 * \return
 * - Success p<name> initialized for the lex start
 * - Fail NULL
 */
ANTLR3_API p<name> <name>New
(<inputType()> instream<grammar.delegators:{g|, p<g.recognizerName> <g.delegateName()>>>)
{
    // See if we can create a new lexer with the standard constructor
    //
    return <name>NewSSD(instream, NULL<grammar.delegators:{g|, <g.delegateName()>>>);
}

/** \brief Create a new lexer called <name>
 *
 * \param[in] instream Pointer to an initialized input stream
 * \param[state] state Previously created shared recognizer stat
 * \return
 * - Success p<name> initialized for the lex start
 * - Fail NULL
 */
ANTLR3_API p<name> <name>NewSSD
(pANTLR3_INPUT_STREAM instream, pANTLR3_RECOGNIZER_SHARED_STATE
state<grammar.delegators:{g|, p<g.recognizerName> <g.delegateName()>>>)
{
    p<name> ctx; // Context structure we will build and return

    ctx = (p<name>) ANTLR3_CALLOC(1, sizeof(<name>));

    if (ctx == NULL)
    {
        // Failed to allocate memory for lexer context
        return NULL;
    }

    /* -----

```



```

* Memory for basic structure is allocated, now to fill in
* in base ANTLR3 structures. We initialize the function pointers
* for the standard ANTLR3 lexer function set, but upon return
* from here, the programmer may set the pointers to provide custom
* implementations of each function.
*
* We don't use the macros defined in <name>.h here so you can get a sense
* of what goes where.
*/

/* Create a base lexer, using the supplied input stream
*/
ctx->pLexer = antlr3LexerNewStream(ANTLR3_SIZE_HINT, instream, state);

/* Check that we allocated the memory correctly
*/
if (ctx->pLexer == NULL)
{
ANTLR3_FREE(ctx);
return NULL;
}
<if(memoize)>
<if(grammar.grammarIsRoot)>
// Create a LIST for recording rule memos.
//
ctx->pLexer->rec->ruleMemo = antlr3IntTrieNew(15); /* 16 bit depth is enough for 32768 rules! */
<endif>
<endif>

/* Install the implementation of our <name> interface
*/
<rules:{r | <if(!r.ruleDescriptor.isSynPred)>ctx->m<r.ruleDescriptor.name> =
m<r.ruleDescriptor.name>;<endif>} ; separator="\n">

/** When the nextToken() call is made to this lexer's pANTLR3_TOKEN_SOURCE
* it will call mTokens() in this generated code, and will pass it the ctx
* pointer of this lexer, not the context of the base lexer, so store that now.
*/
ctx->pLexer->ctx = ctx;

/**Install the token matching function
*/
ctx->pLexer->mTokens = (void (*)(void *))(mTokens);

ctx->getGrammarFileName = getGrammarFileName;
ctx->free = <name>Free;
ctx->reset = <name>Reset;

```

```

<if(grammar.directDelegates)>
// Initialize the lexers that we are going to delegate some
// functions to.
//
<grammar.directDelegates:
    {g|ctx-><g:delegateName()> = <g.recognizerName>NewSSD(instream, ctx->pLexer->rec->state,
ctx<grammar.delegators:{g|, <g:delegateName()>>});}; separator="\n">
<endif>
<if(grammar.delegators)>
// Install the pointers back to lexers that will delegate us to perform certain functions
// for them.
//
<grammar.delegators:
    {g|ctx-><g:delegateName()> = <g:delegateName()>;}; separator="\n">
<endif>
<if(filterMode)>
/* We have filter mode turned on, so install the filtering nextToken function
*/
    ctx->pLexer->rec->state->tokSource->nextToken = <name>NextToken;
<endif>
<actions.lexer.apifuncs>

/* Return the newly built lexer to the caller
*/
return ctx;
}
<if(cyclicDFAs)>

/* =====
* DFA tables for the lexer
*/
<cyclicDFAs:cyclicDFA()> <! dump tables for all DFA !>
/* =====
* End of DFA tables for the lexer
*/
<endif>

/* =====
* Functions to match the lexer grammar defined tokens from the input stream
*/

<rules; separator="\n\n">

/* =====
* Lexer matching rules end.
* =====
*/
<if(synpreds)>

```

```

/* =====
* Lexer syntactic predicates
*/
<synpreds:{p | <lexerSynpred(predname=p)>}>
/* =====
* Lexer syntactic predicates end.
* =====
*/
<endif>

/* End of Lexer code
* =====
* =====
*/

>>

```

```

filteringNextToken() ::= <<
/** An override of the lexer's nextToken() method that backtracks over mTokens() looking
* for matches in lexer filterMode. No error can be generated upon error; just rewind, consume
* a token and then try again. BACKTRACKING needs to be set as well.
* Make rule memoization happen only at levels above 1 as we start mTokens
* at BACKTRACKING==1.
*/
static pANTLR3_COMMON_TOKEN
<name>NextToken(pANTLR3_TOKEN_SOURCE toksource)
{
    pANTLR3_LEXER lexer;
    pANTLR3_RECOGNIZER_SHARED_STATE state;

    lexer = (pANTLR3_LEXER)(toksource->super);
    state = lexer->rec->state;

    /* Get rid of any previous token (token factory takes care of
    * any deallocation when this token is finally used up.
    */
    state ->token = NULL;
    state ->error = ANTLR3_FALSE; /* Start out without an exception */
    state ->failed = ANTLR3_FALSE;

    /* Record the start of the token in our input stream.
    */
    state->tokenStartCharIndex = lexer->input->istream->index(lexer->input->istream);
    state->tokenStartCharPositionInLine = lexer->input->getCharPositionInLine(lexer->input);
    state->tokenStartLine = lexer->input->getLine(lexer->input);
    state->text = NULL;

```

```

/* Now call the matching rules and see if we can generate a new token
*/
for (;;)
{
if (lexer->input->istream->_LA(lexer->input->istream, 1) == ANTLR3_CHARSTREAM_EOF)
{
/* Reached the end of the stream, nothing more to do.
*/
pANTLR3_COMMON_TOKEN teof = &(toksource->eofToken);

teof->setStartIndex (teof, lexer->getCharIndex(lexer));
teof->setStopIndex (teof, lexer->getCharIndex(lexer));
teof->setLine (teof, lexer->getLine(lexer));
return teof;
}

state->token = NULL;
state->error = ANTLR3_FALSE; /* Start out without an exception */

{
ANTLR3_MARKER m;

m = lexer->input->istream->mark(lexer->input->istream);
state->backtracking = 1; /* No exceptions */
state->failed = ANTLR3_FALSE;

/* Call the generated lexer, see if it can get a new token together.
*/
lexer->mTokens(lexer->ctx);
state->backtracking = 0;

<! mTokens backtracks with synpred at BACKTRACKING==2
and we set the synpredgate to allow actions at level 1. !>

if (state->failed == ANTLR3_TRUE)
{
lexer->input->istream->rewind(lexer->input->istream, m);
lexer->input->istream->consume(lexer->input->istream); <! advance one char and try again !>
}
else
{
lexer->emit(lexer); /* Assemble the token and emit it to the stream */
return state->token;
}
}
}
}

```

>>

```
actionGate() ::= "BACKTRACKING==0"
```

```
filteringActionGate() ::= "BACKTRACKING==1"
```

```
/** How to generate a parser */
```

```
genericParser( grammar,  
  name,  
    scopes,  
    tokens,  
    tokenNames,  
    rules,  
    numRules,  
    bitsets,  
    inputStreamType,  
    superClass,  
    labelType,  
  members,  
  rewriteElementType, filterMode,  
    ASTLabelType="pANTLR3_BASE_TREE"  
  ) ::= <<
```

```
<if(grammar.grammarIsRoot)>
```

```
/** \brief Table of all token names in symbolic order, mainly used for
```

```
*   error reporting.
```

```
*/
```

```
pANTLR3_UINT8 <name>TokenNames[<length(tokenNames)>+4]
```

```
= {
```

```
  (pANTLR3_UINT8) "\<invalid>", /* String to print to indicate an invalid token */
```

```
  (pANTLR3_UINT8) "\<EOR>",
```

```
  (pANTLR3_UINT8) "\<DOWN>",
```

```
  (pANTLR3_UINT8) "\<UP>",
```

```
  <tokenNames:{it |(pANTLR3_UINT8) <it>}; separator=",\n">
```

```
};
```

```
<endif>
```

```
<@members>
```

```
<@end>
```

```
<rules:{r |<ruleAttributeScopeFuncMacro(scope=r.ruleDescriptor.ruleScope)>}>
```

```
<scopes:{it |<if(it.isDynamicGlobalScope)><globalAttributeScopeFuncMacro(it)><endif>}>
```

```
// Forward declare the locally static matching functions we have generated.
```

```
//
```

```
<rules:{r | static <headerReturnType(ruleDescriptor=r.ruleDescriptor)> <r.ruleDescriptor.name> (p<name>
```

```
ctx<if(r.ruleDescriptor.parameterScope)>, <endif><r.ruleDescriptor.parameterScope:parameterScope(>);};
```

```

separator="\n">
static void <name>Free(p<name> ctx);
static void <name>Reset (p<name> ctx);

<if(!LEXER)>
<! generate rule/method definitions for imported rules so they
  appear to be defined in this recognizer. !>
<if(recognizer.grammar.delegatedRules)>
// Delegated rules
//
<recognizer.grammar.delegatedRules:{ruleDescriptor|static <headerReturnType(ruleDescriptor)>
<ruleDescriptor.name>(p<name> ctx<if(ruleDescriptor.parameterScope)>,
<endif><ruleDescriptor.parameterScope:parameterScope(>>); separator="\n">

<endif>
<endif>

/* For use in tree output where we are accumulating rule labels via label += ruleRef
 * we need a function that knows how to free a return scope when the list is destroyed.
 * We cannot just use ANTLR3_FREE because in debug tracking mode, this is a macro.
 */
static void ANTLR3_CDECL freeScope(void * scope)
{
  ANTLR3_FREE(scope);
}

/** \brief Name of the grammar file that generated this code
 */
static const char fileName[] = "<fileName>";

/** \brief Return the name of the grammar file that generated this code.
 */
static const char * getGrammarFileName()
{
  return fileName;
}

/** \brief Create a new <name> parser and return a context for it.
 *
 * \param[in] instream Pointer to an input stream interface.
 *
 * \return Pointer to new parser context upon success.
 */
ANTLR3_API p<name>
<name>New (<inputStreamType> instream<grammar.delegators:{g|, p<g.recognizerName>
<g.delegateName(>>}>>)
{
  // See if we can create a new parser with the standard constructor
  //

```

```

return <name>NewSSD(instream, NULL<grammar.delegators:{g|, <g:delegateName()>>});
}

/** \brief Create a new <name> parser and return a context for it.
 *
 * \param[in] instream Pointer to an input stream interface.
 *
 * \return Pointer to new parser context upon success.
 */
ANTLR3_API p<name>
<name>NewSSD (<inputStreamType> instream, pANTLR3_RECOGNIZER_SHARED_STATE
state<grammar.delegators:{g|, p<g.recognizerName> <g:delegateName()>>})
{
    p<name> ctx;    /* Context structure we will build and return */

    ctx = (p<name>) ANTLR3_CALLOC(1, sizeof(<name>));

    if (ctx == NULL)
    {
        // Failed to allocate memory for parser context
        //
        return NULL;
    }

    /* -----
     * Memory for basic structure is allocated, now to fill in
     * the base ANTLR3 structures. We initialize the function pointers
     * for the standard ANTLR3 parser function set, but upon return
     * from here, the programmer may set the pointers to provide custom
     * implementations of each function.
     *
     * We don't use the macros defined in <name>.h here, in order that you can get a sense
     * of what goes where.
     */

<if(PARSER)>
    /* Create a base parser/recognizer, using the supplied token stream
     */
    ctx->pParser = antlr3ParserNewStream(ANTLR3_SIZE_HINT, instream->tstream, state);
<endif>
<if(TREE_PARSER)>
    /* Create a base Tree parser/recognizer, using the supplied tree node stream
     */
    ctx->pTreeParser = antlr3TreeParserNewStream(ANTLR3_SIZE_HINT, instream, state);
<endif>

    /* Install the implementation of our <name> interface
     */

```

```

    <rules: {r | ctx-><r.ruleDescriptor.name> = <r.ruleDescriptor.name>;}; separator="\n">
<if(grammar.delegatedRules)>
    // Install the delegated methods so that they appear to be a part of this
    // parser
    //
    <grammar.delegatedRules: {ruleDescriptor | ctx-><ruleDescriptor.name> = <ruleDescriptor.name>;};
separator="\n">
<endif>

    ctx->free = <name>Free;
    ctx->reset = <name>Reset;
    ctx->getGrammarFileName = getGrammarFileName;

    /* Install the scope pushing methods.
    */
    <rules: {r |<if(r.ruleDescriptor.ruleScope)>
<ruleAttributeScope(scope=r.ruleDescriptor.ruleScope)><\n>
<endif>}>
    <recognizer.scopes: {it |<if(it.isDynamicGlobalScope)>
<globalAttributeScope(it)><\n>
<endif>}>
    <@apifuncs>

    <@end>
<if(grammar.directDelegates)>
    // Initialize the parsers that we are going to delegate some
    // functions to.
    //
    <grammar.directDelegates:
        {g|ctx-><g.delegateName()> = <g.recognizerName>NewSSD(instream, PSRSTATE,
ctx<grammar.delegators: {g, <g.delegateName()>}>);}; separator="\n">
<endif>
<if(grammar.delegators)>
    // Install the pointers back to parsers that will delegate us to perform certain functions
    // for them.
    //
    <grammar.delegators:
        {g|ctx-><g.delegateName()> = <g.delegateName()>;}; separator="\n">
<endif>
    <actions.parser.apifuncs>
    <actions.treeparser.apifuncs>
<if(memoize)>
<if(grammar.grammarIsRoot)>
    /* Create a LIST for recording rule memos.
    */
    RULEMEMO = antlr3IntTrieNew(15); /* 16 bit depth is enough for 32768 rules! */<\n>
<endif>
<endif>

```



```

/* Install the token table
*/
PSRSTATE->tokenNames = <grammar.composite.rootGrammar.recognizerName>TokenNames;

<@debugStuff()>

/* Return the newly built parser to the caller
*/
return ctx;
}

static void
<name>Reset (p<name> ctx)
{
    RECOGNIZER->reset(RECOGNIZER);
}

/** Free the parser resources
*/
static void
<name>Free(p<name> ctx)
{
    /* Free any scope memory
    */
    <rules: {r
|if(r.ruleDescriptor.ruleScope)><ruleAttributeScopeFree(scope=r.ruleDescriptor.ruleScope)><\n><endif> }>
    <recognizer.scopes: {it |<if(it.isDynamicGlobalScope)><globalAttributeScopeFree(it)><\n><endif> }>

    <@cleanup>
    <@end>
    <if(grammar.directDelegates)>
        // Free the parsers that we delegated to
        // functions to.NULL the state so we only free it once.
        //
        <grammar.directDelegates:
            {g| ctx-><g:delegateName()>-><if(TREE_PARSER)>pTreeParser<else>pParser<endif>->rec->state = NULL;
            ctx-><g:delegateName()>->free(ctx-><g:delegateName()>);}; separator="\n">
        <endif>
    <if(memoize)>
    <if(grammar.grammarIsRoot)>
        if (RULEMEMO != NULL)
        {
            RULEMEMO->free(RULEMEMO);
            RULEMEMO = NULL;
        }
    <endif>
    <endif>
    // Free this parser

```

```

//
<if(TREE_PARSER)>
    ctx->pTreeParser->free(ctx->pTreeParser);<\n>
<else>
    ctx->pParser->free(ctx->pParser);<\n>
<endif>

    ANTLR3_FREE(ctx);

    /* Everything is released, so we can return
    */
    return;
}

/** Return token names used by this <grammarType()>
*
* The returned pointer is used as an index into the token names table (using the token
* number as the index).
*
* \return Pointer to first char * in the table.
*/
static pANTLR3_UINT8 *getTokenNames()
{
    return <grammar.composite.rootGrammar.recognizerName>TokenNames;
}

<members>

/* Declare the bitsets
*/
<bitsets:{it | <bitsetDeclare(name={FOLLOW_<it.name>_in_<it.inName><it.tokenIndex>},
    words64=it.bits)>}>

<if(cyclicDFAs)>

/* =====
* DFA tables for the parser
*/
<cyclicDFAs:cyclicDFA()> <! dump tables for all DFA !>
/* =====
* End of DFA tables for the parser
*/
<endif>

/* =====
* Parsing rules
*/

```

```

<rules; separator="\n\n">
<if(grammar.delegatedRules)>
// Delegated methods that appear to be a part of this
// parser
//
<grammar.delegatedRules:{ruleDescriptor|
  <returnType()> <ruleDescriptor.name>(p<name> ctx<if(ruleDescriptor.parameterScope.attributes)>,
<endif><ruleDescriptor.parameterScope:parameterScope()>)
  \{
    <if(ruleDescriptor.hasReturnValue)>return <endif>ctx-><ruleDescriptor.grammar:delegateName()>-
  <ruleDescriptor.name>(ctx-
  ><ruleDescriptor.grammar:delegateName()><if(ruleDescriptor.parameterScope.attributes)>,
  <endif><ruleDescriptor.parameterScope.attributes:{a|<a.name>}; separator=", ">);
  \}); separator="\n">

<endif>
/* End of parsing rules
* =====
*/

/* =====
* Syntactic predicates
*/
<synpreds:{p | <synpred(predname=p)>>
/* End of syntactic predicates
* =====
*/

>>

parser( grammar,
  name,
  scopes,
  tokens,
  tokenNames,
  rules,
  numRules,
  bitsets,
  ASTLabelType,
  superClass="Parser",
  labelType="pANTLR3_COMMON_TOKEN",
  members={<actions.parser.members>}
) ::= <<
<genericParser(inputStreamType="pANTLR3_COMMON_TOKEN_STREAM", rewriteElementType="TOKEN",

```

```

...)>
>>

/** How to generate a tree parser; same as parser except the input
 * stream is a different type.
 */
treeParser( grammar,
    name,
    scopes,
    tokens,
    tokenNames,
    globalAction,
    rules,
    numRules,
    bitsets,
    filterMode,
    labelType={<ASTLabelType>},
    ASTLabelType="pANTLR3_BASE_TREE",
    superClass="TreeParser",
    members={<actions.treeparser.members>}
) ::= <<
<genericParser(inputStreamType="pANTLR3_COMMON_TREE_NODE_STREAM",
rewriteElementType="NODE", ...)>
>>

/** A simpler version of a rule template that is specific to the imaginary
 * rules created for syntactic predicates. As they never have return values
 * nor parameters etc..., just give simplest possible method. Don't do
 * any of the normal memoization stuff in here either; it's a waste.
 * As predicates cannot be inlined into the invoking rule, they need to
 * be in a rule by themselves.
 */
synpredRule(ruleName, ruleDescriptor, block, description, nakedBlock) ::=
<<
// $ANTLR start <ruleName>
static void <ruleName>_fragment(p<name> ctx <ruleDescriptor.parameterScope:parameterScope())
{
<ruleLabelDefs>
<ruleLabelInitializations>
<if(trace)>
    ANTLR3_PRINTF("enter <ruleName> %d failed = %d, backtracking = %d\n",LT(1),failed,BACKTRACKING);
    <block>
    ANTLR3_PRINTF("exit <ruleName> %d, failed = %d, backtracking = %d\n",LT(1),failed,BACKTRACKING);

<else>
    <block>
<endif>
<ruleCleanUp>

```

```

}
// $ANTLR end <ruleName>
>>

synpred(predname) ::= <<
static ANTLR3_BOOLEAN <predname>(p<name> ctx)
{
    ANTLR3_MARKER start;
    ANTLR3_BOOLEAN success;

    BACKTRACKING++;
    <@start()>
    start = MARK();
    <predname>_fragment(ctx); // can never throw exception
    success = !(FAILEDFLAG);
    REWIND(start);
    <@stop()>
    BACKTRACKING--;
    FAILEDFLAG = ANTLR3_FALSE;
    return success;
}<\n>
>>

lexerSynpred(predname) ::= <<
<synpred(predname)>
>>

ruleMemoization(rname) ::= <<
<if(memoize)>
if ( (BACKTRACKING>0) && (HAVEPARSEDRULE(<ruleDescriptor.index>)) )
{
    <if(ruleDescriptor.hasMultipleReturnValues)>
    <if(!ruleDescriptor.isSynPred)>
    retval.start = 0;<\n>
    <endif>
    <endif>
    <(ruleDescriptor.actions.after):execAfter()>
    <finalCode(finalBlock=finally)>
    <if(!ruleDescriptor.isSynPred)>
    <scopeClean()><\n>
    <endif>
    return <ruleReturnValue()>;
}
<endif>
>>

/** How to test for failure and return from rule */
checkRuleBacktrackFailure() ::= <<

```

```

if (HASEXCEPTION())
{
    goto rule<ruleDescriptor.name>Ex;
}
<if(backtracking)>
if (HASFAILED())
{
    <scopeClean()>
    <@debugClean()>
    return <ruleReturnValue()>;
}
<endif>
>>

/** This rule has failed, exit indicating failure during backtrack */
ruleBacktrackFailure() ::= <<
<if(backtracking)>
if (BACKTRACKING>0)
{
    FAILEDFLAG = <true_value()>;
    <scopeClean()>
    return <ruleReturnValue()>;
}
<endif>
>>

/** How to generate code for a rule. This includes any return type
 * data aggregates required for multiple return values.
 */
rule(ruleName,ruleDescriptor,block,emptyRule,description,exceptions,finally,memoize) ::= <<
/**
 * $ANTLR start <ruleName>
 * <fileName>:<description>
 */
static <returnType()>
<ruleName>(p<name> ctx<if(ruleDescriptor.parameterScope)>,
<endif><ruleDescriptor.parameterScope:parameterScope()>)
{
    <if(trace)>ANTLR3_PRINTF("enter <ruleName> %s failed=%d, backtracking=%d\n", LT(1),
BACKTRACKING);<endif>
    <ruleDeclarations()>
    <ruleDescriptor.actions.declarations>
    <ruleLabelDefs()>
    <ruleInitializations()>
    <ruleDescriptor.actions.init>
    <ruleMemoization(rname=ruleName)>
    <ruleLabelInitializations()>
    <@preamble()>

```

```

    {
      <block>
    }

    <ruleCleanup()>
<if(exceptions)>
  if (HASEXCEPTION())
  {
    <exceptions:{e|<catch(decl=e.decl,action=e.action)><\n>}>
  }
  else
  {
    <(ruleDescriptor.actions.after):execAfter()>
  }
<else>
  <if(!emptyRule)>
    <if(actions.(actionScope).rulecatch)>
      <actions.(actionScope).rulecatch>
    <else>
      if (HASEXCEPTION())
      {
        PREPORTERROR();
        PRECOVER();
        <@setErrorReturnValue()>
      }
      <if(ruleDescriptor.actions.after)>
      else
      {
        <(ruleDescriptor.actions.after):execAfter()>
      }<\n>
      <endif>
    <endif>
  <endif>
<endif>

  <if(trace)>ANTLR3_PRINTF("exit <ruleName> %d failed=%s backtracking=%s\n", LT(1), failed,
BACKTRACKING);<endif>
  <memoize()>
<if(finally)>
  <finalCode(finalBlock=finally)>
<endif>
  <scopeClean()>
  <@postamble()>
  return <ruleReturnValue()>;
}
/* $ANTLR end <ruleName> */
>>

```

```
finalCode(finalBlock) ::= <<
{
  <finalBlock>
}
```

```
>>
```

```
catch(decl,action) ::= <<
/* catch(decl,action)
*/
{
  <e.action>
}
```

```
>>
```

```
ruleDeclarations() ::= <<
<if(ruleDescriptor.hasMultipleReturnValues)>
<returnType()> retVal;<\n>
<else>
<ruleDescriptor.returnScope.attributes: { a |
<a.type> <a.name>;
}>
<endif>
<if(memoize)>
ANTLR3_MARKER <ruleDescriptor.name>_StartIndex;
<endif>
>>
```

```
ruleInitializations() ::= <<
/* Initialize rule variables
*/
<if(ruleDescriptor.hasMultipleReturnValues)>
<ruleDescriptor.returnScope.attributes: { a |
<if(a.initValue)>retVal.<a.name> = <a.initValue>;<endif>
}>
<else>
<ruleDescriptor.returnScope.attributes: { a |
<if(a.initValue)><a.name> = <a.initValue>;<endif>
}>
<endif>
<if(memoize)>
<ruleDescriptor.name>_StartIndex = INDEX();<\n>
<endif>
<ruleDescriptor.useScopes: { it |<scopeTop(it)> = <scopePush(it)>;}; separator="\n">
<ruleDescriptor.ruleScope: { it |<scopeTop(it.name)> = <scopePush(it.name)>;}; separator="\n">
>>
```



```

ruleLabelDefs() ::= <<
<[ruleDescriptor.tokenLabels,ruleDescriptor.tokenListLabels]
  :{it |<labelType> <it.label.text>;}; separator="\n"
>
<[ruleDescriptor.tokenListLabels,ruleDescriptor.ruleListLabels]
  :{it |pANTLR3_VECTOR list_<it.label.text>;}; separator="\n"
>
<[ruleDescriptor.ruleLabels,ruleDescriptor.ruleListLabels]
  :ruleLabelDef(); separator="\n"
>
>>

```

```

ruleLabelInitializations() ::= <<
<[ruleDescriptor.tokenLabels,ruleDescriptor.tokenListLabels]
  :{it |<it.label.text> = NULL;}; separator="\n"
>
<[ruleDescriptor.tokenListLabels,ruleDescriptor.ruleListLabels]
  :{it |list_<it.label.text> = NULL;}; separator="\n"
>
<[ruleDescriptor.ruleLabels,ruleDescriptor.ruleListLabels]
  :ruleLabelInitVal(); separator="\n"
>
<if(ruleDescriptor.hasMultipleReturnValues)>
<if(!ruleDescriptor.isSynPred)>
retval.start = LT(1); retval.stop = retval.start;<\n>
<endif>
<endif>
>>

```

```

lexerRuleLabelDefs() ::= <<
<[ruleDescriptor.tokenLabels,
  ruleDescriptor.tokenListLabels,
  ruleDescriptor.ruleLabels]
  :{it |<labelType> <it.label.text>;}; separator="\n"
>
<ruleDescriptor.charLabels:{it |ANTLR3_UINT32 <it.label.text>;}; separator="\n">
<[ruleDescriptor.tokenListLabels,
  ruleDescriptor.ruleListLabels,
  ruleDescriptor.ruleListLabels]
  :{it |pANTLR3_INT_TRIE list_<it.label.text>;}; separator="\n"
>
>>

```

```

lexerRuleLabelInit() ::= <<
<[ruleDescriptor.tokenLabels,
  ruleDescriptor.tokenListLabels,
  ruleDescriptor.ruleLabels]
  :{it |<it.label.text> = NULL;}; separator="\n"

```

```

>
<[ruleDescriptor.tokenListLabels,
ruleDescriptor.ruleListLabels,
ruleDescriptor.ruleListLabels]
: {it |list_<it.label.text> = antlr3IntTrieNew(31);}; separator="\n"
>
>>

lexerRuleLabelFree() ::= <<
<[ruleDescriptor.tokenLabels,
ruleDescriptor.tokenListLabels,
ruleDescriptor.ruleLabels]
: {it |<it.label.text> = NULL;}; separator="\n"
>
<[ruleDescriptor.tokenListLabels,
ruleDescriptor.ruleListLabels,
ruleDescriptor.ruleListLabels]
: {it |list_<it.label.text>->free(list_<it.label.text>);}; separator="\n"
>
>>

ruleReturnValue() ::= <%
<if(!ruleDescriptor.isSynPred)>
<if(ruleDescriptor.hasReturnValue)>
<if(ruleDescriptor.hasSingleReturnValue)>
<ruleDescriptor.singleValueReturnName>
<else>
retval
<endif>
<endif>
<endif>
%>

memoize() ::= <<
<if(memoize)>
<if(backtracking)>
if ( BACKTRACKING>0 ) { MEMOIZE(<ruleDescriptor.index>, <ruleDescriptor.name>_StartIndex); }
<endif>
<endif>
>>

ruleCleanUp() ::= <<

// This is where rules clean up and exit
//
goto rule<ruleDescriptor.name>Ex; /* Prevent compiler warnings */
rule<ruleDescriptor.name>Ex; ;
<if(ruleDescriptor.hasMultipleReturnValues)>

```

```

<if(!TREE_PARSER)>
<if(!ruleDescriptor.isSynPred)>
retval.stop = LT(-1);<\n>
<endif>
<endif>
<endif>
>>

scopeClean() ::= <<
<ruleDescriptor.useScopes:{it |<scopePop(it)>}; separator="\n">
<ruleDescriptor.ruleScope:{it |<scopePop(it.name)>}; separator="\n">

>>

/** How to generate a rule in the lexer; naked blocks are used for
 * fragment rules, which do not produce tokens.
 */
lexerRule(ruleName,nakedBlock,ruleDescriptor,block,memoize) ::= <<
// Comes from: <block.description>
/** \brief Lexer rule generated by ANTLR3
 *
 * $ANTLR start <ruleName>
 *
 * Looks to match the characters the constitute the token <ruleName>
 * from the attached input stream.
 *
 *
 * \remark
 * - lexer->error == ANTLR3_TRUE if an exception was thrown.
 */
static ANTLR3_INLINE
void m<ruleName>(p<name> ctx<if(ruleDescriptor.parameterScope)>,
<endif><ruleDescriptor.parameterScope:parameterScope()>)
{
ANTLR3_UINT32 _type;
<ruleDeclarations()>
<ruleDescriptor.actions.declarations>
<lexerRuleLabelDefs()>
<if(trace)>System.out.println("enter <ruleName> "+(char)LA(1)+"
line="+GETLINE()+":"+GETCHARPOSITIONINLINE()+ " failed="+failed+
backtracking="+BACKTRACKING);<endif>

<if(nakedBlock)>
<ruleMemoization(rname=ruleName)>
<lexerRuleLabelInit()>
<ruleDescriptor.actions.init>

<block><\n>
<else>

```

```

<ruleMemoization(rname=ruleName)>
<lexerRuleLabelInit(>
_type = <ruleName>;

<ruleDescriptor.actions.init>

<block>
LEXSTATE->type = _type;
<endif>
<if(trace)> ANTLR3_FPRINTF(stderr, "exit <ruleName> '%c' line=%d:%d failed = %d, backtracking
=%d\n",LA(1),GETLINE(),GETCHARPOSITIONINLINE(),failed,BACKTRACKING);<endif>
<ruleCleanUp(>
<lexerRuleLabelFree(>
<(ruleDescriptor.actions.after):execAfter(>
<memoize>
}
// $ANTLR end <ruleName>
>>

/** How to generate code for the implicitly-defined lexer grammar rule
* that chooses between lexer rules.
*/
tokensRule(ruleName,nakedBlock,args,block,ruleDescriptor) ::= <<
/** This is the entry point in to the lexer from an object that
* wants to generate the next token, such as a pCOMMON_TOKEN_STREAM
*/
static void
mTokens(p<name> ctx)
{
<block><\n>

goto ruleTokensEx; /* Prevent compiler warnings */
ruleTokensEx: ;
}
>>

// S U B R U L E S

/** A (...) subrule with multiple alternatives */
block(alts,decls,decision,enclosingBlockLevel,blockLevel,decisionNumber,maxK,maxAlt,description) ::= <<

// <fileName>:<description>
{
int alt<decisionNumber>=<maxAlt>;
<decls>
<@predecision(>
<decision>
<@postdecision(>

```

```

    <@prebranch()>
    switch (alt<decisionNumber>)
    {
    <alts:{ a | <altSwitchCase(i,a)>}>
    }
    <@postbranch()>
}
>>

/** A rule block with multiple alternatives */
ruleBlock(alts,decls,decision,enclosingBlockLevel,blockLevel,decisionNumber,maxK,maxAlt,description) ::= <<
{
// <fileName>:<description>

ANTLR3_UINT32 alt<decisionNumber>;

alt<decisionNumber>=<maxAlt>;

<decls>
<@predecision()>
<decision>
<@postdecision()>
switch (alt<decisionNumber>)
{
<alts:{ a | <altSwitchCase(i,a)>}>
}
}
>>

ruleBlockSingleAlt(alts,decls,decision,enclosingBlockLevel,blockLevel,decisionNumber,description) ::= <<
// <fileName>:<description>
<decls>
<@prealt()>
<alts>
<@postalt()>
>>

/** A special case of a (...) subrule with a single alternative */
blockSingleAlt(alts,decls,decision,enclosingBlockLevel,blockLevel,decisionNumber,description) ::= <<
// <fileName>:<description>
<decls>
<@prealt()>
<alts>
<@postalt()>
>>

/** A (..)+ block with 1 or more alternatives */
positiveClosureBlock(alts,decls,decision,enclosingBlockLevel,blockLevel,decisionNumber,maxK,maxAlt,descriptio

```

```

n) ::= <<
// <fileName>:<description>
{
  int cnt<decisionNumber>=0;
  <decls>
  <@preloop()>

  for (;;)
  {
    int alt<decisionNumber>=<maxAlt>;
    <@predecision()>
    <decision>
    <@postdecision()>
    switch (alt<decisionNumber>)
    {
      <alts:{a | <altSwitchCase(i,a)>}>
      default:

      if ( cnt<decisionNumber> >= 1 )
      {
        goto loop<decisionNumber>;
      }
      <ruleBacktrackFailure()>
      <earlyExitEx()>
      <@earlyExitException()>
      goto rule<ruleDescriptor.name>Ex;
    }
    cnt<decisionNumber>++;
  }
  loop<decisionNumber>: ; /* Jump to here if this rule does not match */
  <@postloop()>
}
>>

earlyExitEx() ::= <<
/* mismatchedSetEx()
*/
CONSTRUCTEX();
EXCEPTION->type = ANTLR3_EARLY_EXIT_EXCEPTION;
EXCEPTION->name = (void *)ANTLR3_EARLY_EXIT_NAME;
<\n>
>>
positiveClosureBlockSingleAlt ::= positiveClosureBlock

/** A (..)* block with 1 or more alternatives */
closureBlock(alts,decls,decision,enclosingBlockLevel,blockLevel,decisionNumber,maxK,maxAlt,description) ::=
<<

```

```

// <fileName>:<description>
<decls>

<@preloop()>
for (;;)
{
    int alt<decisionNumber>=<maxAlt>;
    <@predecision()>
    <decision>
    <@postdecision()>
    switch (alt<decisionNumber>)
    {
<alts:{a | <altSwitchCase(i,a)>}>
    default:
        goto loop<decisionNumber>; /* break out of the loop */
        break;
    }
}
loop<decisionNumber>; /* Jump out to here if this rule does not match */
<@postloop()>
>>

closureBlockSingleAlt ::= closureBlock

/** Optional blocks (x)? are translated to (x|) by antlr before code generation
 * so we can just use the normal block template
 */
optionalBlock ::= block

optionalBlockSingleAlt ::= block

/** A case in a switch that jumps to an alternative given the alternative
 * number. A DFA predicts the alternative and then a simple switch
 * does the jump to the code that actually matches that alternative.
 */
altSwitchCase(altNum,alt) ::= <<
case <altNum>:
    <@prealt()>
    <alt>
    break;<\n>
>>

/** An alternative is just a list of elements; at outermost level */
alt(elements,altNum,description,autoAST,outerAlt,treeLevel,rew) ::= <<
// <fileName>:<description>
{
    <@declarations()>
    <@initializations()>

```

```

    <elements:element()>
    <rew>
    <@cleanup()>
  }
>>

// E L E M E N T S
/** What to emit when there is no rewrite. For auto build
 * mode, does nothing.
 */
noRewrite(rewriteBlockLevel, treeLevel) ::= ""

/** Dump the elements one per line */
element(e) ::= <<
<@prematch()>
<e.el><\n>
>>

/** match a token optionally with a label in front */
tokenRef(token,label,elementIndex,terminalOptions) ::= <<
<if(label)><label> = (<labelType>)<endif> MATCHT(<token>,
&FOLLOW_<token>_in_<ruleName><elementIndex>);
<checkRuleBacktrackFailure()>
>>

/** ids+=ID */
tokenRefAndListLabel(token,label,elementIndex,terminalOptions) ::= <<
<tokenRef(...)>
<listLabel(elem=label,...)>
>>

listLabel(label,elem) ::= <<
if (list_<label> == NULL)
{
  list_<label>=ctx->vectors->newVector(ctx->vectors);
}
list_<label>->add(list_<label>, <elem>, NULL);
>>

/** match a character */
charRef(char,label) ::= <<
<if(label)>
<label> = LA(1);<\n>
<endif>
MATCHC(<char>);
<checkRuleBacktrackFailure()>
>>

```



```

/** match a character range */
charRangeRef(a,b,label) ::= <<
<if(label)>
<label> = LA(1);<\n>
<endif>
MATCHRANGE(<a>, <b>);
<checkRuleBacktrackFailure()>
>>

/** For now, sets are interval tests and must be tested inline */
matchSet(s,label,elementIndex,terminalOptions,postmatchCode="") ::= <<
<if(label)>
<if(LEXER)>
<label>= LA(1);<\n>
<else>
<label>=(<labelType>)LT(1);<\n>
<endif>
<endif>
if ( <s> )
{
    CONSUME();
    <postmatchCode>
<if(!LEXER)>
    PERRORRECOVERY=ANTLR3_FALSE;
<endif>
    <if(backtracking)>FAILEDFLAG=ANTLR3_FALSE;<\n><endif>
}
else
{
    <ruleBacktrackFailure()>
    <mismatchedSetEx()>
    <@mismatchedSetException()>
<if(LEXER)>
    LRECOVER();
<else>
    RECOVERFROMMISMATCHEDSET(&FOLLOW_set_in_<ruleName><elementIndex>);
<endif>
    goto rule<ruleDescriptor.name>Ex;
}<\n>
>>

mismatchedSetEx() ::= <<
CONSTRUCTEX();
EXCEPTION->type      = ANTLR3_MISMATCHED_SET_EXCEPTION;
EXCEPTION->name      = (void *)ANTLR3_MISMATCHED_SET_NAME;
<if(PARSER)>
EXCEPTION->expectingSet = &FOLLOW_set_in_<ruleName><elementIndex>;

```

```

<endif>
>>

matchRuleBlockSet ::= matchSet

matchSetAndListLabel(s,label,elementIndex,postmatchCode) ::= <<
<matchSet(...)>
<listLabel(elem=label,...)>
>>

/** Match a string literal */
lexerStringRef(string,label,elementIndex) ::= <<
<if(label)>
<label>Start = GETCHARINDEX();
MATCHS(<string>);
<checkRuleBacktrackFailure()>
<label> = LEXSTATE->tokFactory->newToken(LEXSTATE->tokFactory);
<label>->setType(<label>, ANTLR3_TOKEN_INVALID);
<label>->setStartIndex(<label>, <label>Start);
<label>->setStopIndex(<label>, GETCHARINDEX()-1);
<label>->input = INPUT->tstream->istream;
<else>
MATCHS(<string>);
<checkRuleBacktrackFailure()><\n>
<endif>
>>

wildcard(token,label,elementIndex,terminalOptions) ::= <<
<if(label)>
<label>=(<labelType>)LT(1);<\n>
<endif>
MATCHANYT();
<checkRuleBacktrackFailure()>
>>

wildcardAndListLabel(token,label,elementIndex,terminalOptions) ::= <<
<wildcard(...)>
<listLabel(elem=label,...)>
>>

/** Match . wildcard in lexer */
wildcardChar(label, elementIndex) ::= <<
<if(label)>
<label> = LA(1);<\n>
<endif>
MATCHANY();
<checkRuleBacktrackFailure()>
>>

```

```

wildcardCharListLabel(label, elementIndex) ::= <<
<wildcardChar(...)>
<listLabel(elem=label,...)>
>>

/** Match a rule reference by invoking it possibly with arguments
 * and a return value or values. The 'rule' argument was the
 * target rule name, but now is type Rule, whose toString is
 * same: the rule name. Now though you can access full rule
 * descriptor stuff.
 */
ruleRef(rule,label,elementIndex,args,scope) ::= <<
FOLLOWPUSH(FOLLOW_rule.name_in_ruleName<elementIndex>);
<if(label)><label>=<endif><if(scope)>ctx-><scope:delegateName()-><endif><rule.name>(ctx<if(scope)>-
><scope:delegateName()-><endif><if(args)>, <args; separator=","><endif>);<\n
FOLLOWPOP();
<checkRuleBacktrackFailure()>
>>

/** ids+=r */
ruleRefAndListLabel(rule,label,elementIndex,args,scope) ::= <<
<ruleRef(...)>
<listLabel(elem=label,...)>
>>

/** A lexer rule reference
 * The 'rule' argument was the target rule name, but now
 * is type Rule, whose toString is same: the rule name.
 * Now though you can access full rule descriptor stuff.
 */
lexerRuleRef(rule,label,args,elementIndex,scope) ::= <<
/* <description> */
<if(label)>
{
    ANTLR3_MARKER <label>Start<elementIndex> = GETCHARINDEX();
    <if(scope)>ctx-><scope:delegateName()-><endif>m<rule.name>(ctx<if(scope)>-
><scope:delegateName()-><endif> <if(args)>, <endif><args; separator=",">);
    <checkRuleBacktrackFailure()>
    <label> = LEXSTATE->tokFactory->newToken(LEXSTATE->tokFactory);
    <label>->setType(<label>, ANTLR3_TOKEN_INVALID);
    <label>->setStartIndex(<label>, <label>Start<elementIndex>);
    <label>->setStopIndex(<label>, GETCHARINDEX()-1);
    <label>->input = INPUT;
}
<else>
<if(scope)>ctx-><scope:delegateName()-><endif>m<rule.name>(ctx<if(scope)>-
><scope:delegateName()-><endif> <if(args)>, <endif><args; separator=",">);

```

```

<checkRuleBacktrackFailure()>
<endif>
>>

/** i+=INT in lexer */
lexerRuleRefAndListLabel(rule,label,args,elementIndex,scope) ::= <<
<lexerRuleRef(...)>
<listLabel(elem=label,...)>
>>

/** EOF in the lexer */
lexerMatchEOF(label,elementIndex) ::= <<
<if(label)>
{
  ANTLR3_UINT32 <label>Start<elementIndex>;
  <labelType> <label>;
  <label>Start<elementIndex> = GETCHARINDEX();
  MATCHC(ANTLR3_CHARSTREAM_EOF);
  <checkRuleBacktrackFailure()>
  <label> = LEXSTATE->tokFactory->newToken(LEXSTATE->tokFactory);
  <label>->setType(<label>, ANTLR3_TOKEN_EOF);
  <label>->setStartIndex(<label>, <label>Start<elementIndex>);
  <label>->setStopIndex(<label>, GETCHARINDEX()-1);
  <label>->input = INPUT->tstream->istream;
}
<else>
  MATCHC(ANTLR3_CHARSTREAM_EOF);
  <checkRuleBacktrackFailure()>
<endif>
>>

// used for left-recursive rules
recRuleDefArg()          ::= "int <recRuleArg()>"
recRuleArg()             ::= "_p"
recRuleAltPredicate(ruleName,opPrec) ::= "<recRuleArg()> \<= <opPrec>"
recRuleSetResultAction() ::= "root_0=$<ruleName>_primary.tree;"
recRuleSetReturnAction(src,name)  ::= "$<name>=$<src>.<name>;"

/** match ^(root children) in tree parser */
tree(root, actionsAfterRoot, children, nullableChildList, enclosingTreeLevel, treeLevel) ::= <<
<root:element()>
<actionsAfterRoot:element()>
<if(nullableChildList)>
if ( LA(1)==ANTLR3_TOKEN_DOWN ) {
  MATCHT(ANTLR3_TOKEN_DOWN, NULL);
  <checkRuleBacktrackFailure()>
  <children:element()>
  MATCHT(ANTLR3_TOKEN_UP, NULL);
}
}

```

```

    <checkRuleBacktrackFailure()>
}
<else>
MATCHT(ANTLR3_TOKEN_DOWN, NULL);
<checkRuleBacktrackFailure()>
<children:element()>
MATCHT(ANTLR3_TOKEN_UP, NULL);
<checkRuleBacktrackFailure()>
<endif>
>>

/** Every predicate is used as a validating predicate (even when it is
 * also hoisted into a prediction expression).
 */
validateSemanticPredicate(pred,description) ::= <<
if ( !( <evalPredicate(...)> )
{
    <ruleBacktrackFailure()>
    <newFPE(...)>
}
>>

newFPE() ::= <<
    CONSTRUCTEX();
    EXCEPTION->type      = ANTLR3_FAILED_PREDICATE_EXCEPTION;
    EXCEPTION->message   = (void *)"<description>";
    EXCEPTION->ruleName = (void *)"<ruleName>";
    <\n>
>>

// F i x e d D F A (if-then-else)

dfaState(k,edges,eotPredictsAlt,description,stateNumber,semPredState) ::= <<

{
    int LA<decisionNumber>_<stateNumber> = LA(<k>);
    <edges; separator="\nelse ">
    else
    {
<if(eotPredictsAlt)>
        alt<decisionNumber>=<eotPredictsAlt>;
<else>
        <ruleBacktrackFailure()>

        <newNVEException()>
        goto rule<ruleDescriptor.name>Ex;

    <endif>

```

```
}  
}  
>>
```

```
newNVException() ::= <<  
CONSTRUCTEX();  
EXCEPTION->type = ANTLR3_NO_VIABLE_ALT_EXCEPTION;  
EXCEPTION->message = (void *)"<description>";  
EXCEPTION->decisionNum = <decisionNumber>;  
EXCEPTION->state = <stateNumber>;  
<@noViableAltException()>  
<\n>  
>>
```

```
/** Same as a normal DFA state except that we don't examine lookahead  
 * for the bypass alternative. It delays error detection but this  
 * is faster, smaller, and more what people expect. For (X)? people  
 * expect "if ( LA(1)==X ) match(X);" and that's it.  
 */
```

```
dfaOptionalBlockState(k,edges,eotPredictsAlt,description,stateNumber,semPredState) ::= <<  
{  
  int LA<decisionNumber>_<stateNumber> = LA(<k>);  
  <edges; separator="\nelse ">  
}  
>>
```

```
/** A DFA state that is actually the loopback decision of a closure  
 * loop. If end-of-token (EOT) predicts any of the targets then it  
 * should act like a default clause (i.e., no error can be generated).  
 * This is used only in the lexer so that for ('a')* on the end of a rule  
 * anything other than 'a' predicts exiting.  
 */
```

```
dfaLoopbackStateDecls() ::= <<  
ANTLR3_UINT32 LA<decisionNumber>_<stateNumber>;  
>>  
dfaLoopbackState(k,edges,eotPredictsAlt,description,stateNumber,semPredState) ::= <<  
{  
  /* dfaLoopbackState(k,edges,eotPredictsAlt,description,stateNumber,semPredState)  
  */  
  int LA<decisionNumber>_<stateNumber> = LA(<k>);  
  <edges; separator="\nelse "><\n>  
  <if(eotPredictsAlt)>  
  <if(!edges)>  
  alt<decisionNumber>=<eotPredictsAlt>; <! if no edges, don't gen ELSE !>  
  <else>  
  else  
  {
```

```

alt<decisionNumber>=<eotPredictsAlt>;
  }<\n>
<endif>
<endif>
}
>>

/** An accept state indicates a unique alternative has been predicted */
dfaAcceptState(alt) ::= "alt<decisionNumber>=<alt>";

/** A simple edge with an expression. If the expression is satisfied,
 * enter to the target state. To handle gated productions, we may
 * have to evaluate some predicates for this edge.
 */
dfaEdge(labelExpr, targetState, predicates) ::= <<
if ( <if(predicates)><predicates> && <endif><(<labelExpr>))
{
  <targetState>
}
>>

// F i x e d D F A (switch case)

/** A DFA state where a SWITCH may be generated. The code generator
 * decides if this is possible: CodeGenerator.canGenerateSwitch().
 */
dfaStateSwitch(k,edges,eotPredictsAlt,description,stateNumber,semPredState) ::= <<
switch ( LA(<k>))
{
<edges; separator="\n">

default:
<if(eotPredictsAlt)>
  alt<decisionNumber>=<eotPredictsAlt>;
<else>
  <ruleBacktrackFailure()>
  <newNVException()>
  goto rule<ruleDescriptor.name>Ex;<\n>
<endif>
}<\n>
>>

dfaOptionalBlockStateSwitch(k,edges,eotPredictsAlt,description,stateNumber,semPredState) ::= <<
switch ( LA(<k>))
{
  <edges; separator="\n">
}<\n>
>>

```

```

dfaLoopbackStateSwitch(k, edges,eotPredictsAlt,description,stateNumber,semPredState) ::= <<
switch ( LA(<k> )
{
<edges; separator="\n"><\n>
<if(eotPredictsAlt)>
default:
    alt<decisionNumber>=<eotPredictsAlt>;
    break;<\n>
<endif>
}<\n>
>>

```

```

dfaEdgeSwitch(labels, targetState) ::= <<
<labels:{it |case <it>:}; separator="\n">
{
    <targetState>
}
break;
>>

```

```
// C y c l i c D F A
```

```

/** The code to initiate execution of a cyclic DFA; this is used
 * in the rule to predict an alt just like the fixed DFA case.
 * The <name> attribute is inherited via the parser, lexer, ...
 */

```

```

dfaDecision(decisionNumber,description) ::= <<
alt<decisionNumber> = cdfa<decisionNumber>.predict(ctx, RECOGNIZER, ISTREAM,
&cdfa<decisionNumber>);
<checkRuleBacktrackFailure()>
>>

```

```

/* Dump DFA tables as static initialized arrays of shorts(16 bits)/characters(8 bits)
 * which are then used to statically initialize the dfa structure, which means that there
 * is no runtime initialization whatsoever, other than anything the C compiler might
 * need to generate. In general the C compiler will lay out memory such that there is no
 * runtime code required.
 */

```

```

cyclicDFA(dfa) ::= <<
/** Static dfa state tables for Cyclic dfa:
 * <dfa.description>
 */
static const ANTLR3_INT32 dfa<dfa.decisionNumber>_eof[<dfa.numberOfWorkStates>] =
{
<dfa.eot; wrap="\n", separator=", ", null="-1">
};
static const ANTLR3_INT32 dfa<dfa.decisionNumber>_eof[<dfa.numberOfWorkStates>] =

```



```

    {
    <dfa.eof; wrap="\n", separator=", ", null="-1">
    };
static const ANTLR3_INT32 dfa<dfa.decisionNumber>_min[<dfa.numberOfStates>] =
    {
    <dfa.min; wrap="\n", separator=", ", null="-1">
    };
static const ANTLR3_INT32 dfa<dfa.decisionNumber>_max[<dfa.numberOfStates>] =
    {
    <dfa.max; wrap="\n", separator=", ", null="-1">
    };
static const ANTLR3_INT32 dfa<dfa.decisionNumber>_accept[<dfa.numberOfStates>] =
    {
    <dfa.accept; wrap="\n", separator=", ", null="-1">
    };
static const ANTLR3_INT32 dfa<dfa.decisionNumber>_special[<dfa.numberOfStates>] =
    {
    <dfa.special; wrap="\n", separator=", ", null="-1">
    };

/** Used when there is no transition table entry for a particular state */
#define dfa<dfa.decisionNumber>_T_empty    NULL

<dfa.edgeTransitionClassMap.keys:{ table |
static const ANTLR3_INT32 dfa<dfa.decisionNumber>_T<i0>[] =
    {
    <table; separator=", ", wrap="\n", null="-1">
    \};}; null = "">

/* Transition tables are a table of sub tables, with some tables
* reused for efficiency.
*/
static const ANTLR3_INT32 * const dfa<dfa.decisionNumber>_transitions[] =
{
    <dfa.transitionEdgeTables:{ xref[dfa<dfa.decisionNumber>_T<xref>]; separator=", ", wrap="\n", null="_empty">
};

<if(dfa.specialStateSTs)>
static ANTLR3_INT32 dfa<dfa.decisionNumber>_sst(p<name> ctx, pANTLR3_BASE_RECOGNIZER recognizer,
pANTLR3_INT_STREAM is, pANTLR3_CYCLIC_DFA dfa, ANTLR3_INT32 s)
{
    ANTLR3_INT32 _s;

    _s = s;
    switch (s)
    {
    <dfa.specialStateSTs:{state |
    case <i0>:

```

```

<state>}; separator="\n">
}
<if(backtracking)>
  if (BACKTRACKING > 0)
  {
  FAILEDFLAG = ANTLR3_TRUE;
  return -1;
  }
<endif>

CONSTRUCTEX();
EXCEPTION->type      = ANTLR3_NO_VIABLE_ALT_EXCEPTION;
EXCEPTION->message   = (void *)"<dfa.description>";
EXCEPTION->decisionNum = <dfa.decisionNumber>;
EXCEPTION->state     = _s;
<@noViableAltException()>
  return -1;
}
<endif>

<@errorMethod()>

/* Declare tracking structure for Cyclic DFA <dfa.decisionNumber>
*/
static
ANTLR3_CYCLIC_DFA cdfa<dfa.decisionNumber>
= {
  <dfa.decisionNumber>, /* Decision number of this dfa */
  /* Which decision this represents: */
  (const pANTLR3_UCHAR)"<dfa.description>",
<if(dfa.specialStateSTs)>
  (CDFA_SPECIAL_FUNC) dfa<dfa.decisionNumber>_sst,
<else>
  (CDFA_SPECIAL_FUNC) antlr3dfaspecialStateTransition, /* Default special state transition */
<endif>

  antlr3dfaspecialTransition, /* DFA specialTransition is currently just a default function in the runtime */
  antlr3dfapredict, /* DFA simulator function is in the runtime */
  dfa<dfa.decisionNumber>_eot, /* EOT table */
  dfa<dfa.decisionNumber>_eof, /* EOF table */
  dfa<dfa.decisionNumber>_min, /* Minimum tokens for each state */
  dfa<dfa.decisionNumber>_max, /* Maximum tokens for each state */
  dfa<dfa.decisionNumber>_accept, /* Accept table */
  dfa<dfa.decisionNumber>_special, /* Special transition states */
  dfa<dfa.decisionNumber>_transitions /* Table of transition tables */

};

```

```

/* End of Cyclic DFA <dfa.decisionNumber>
* -----
*/
>>

/** A state in a cyclic DFA; it's a special state and part of a big switch on
* state.
*/
cyclicDFAState(decisionNumber,stateNumber,edges,needErrorClause,semPredState) ::= <<
{
  ANTLR3_UINT32 LA<decisionNumber>_<stateNumber>;<\n>
  ANTLR3_MARKER index<decisionNumber>_<stateNumber>;<\n>

  LA<decisionNumber>_<stateNumber> = LA(1);<\n>
  <if(semPredState)> <! get next lookahead symbol to test edges, then rewind !>
  index<decisionNumber>_<stateNumber> = INDEX();<\n>
  REWINDLAST();<\n>
  <endif>
  s = -1;
  <edges; separator="\nelse ">
  <if(semPredState)> <! return input cursor to state before we rewound !>
  SEEK(index<decisionNumber>_<stateNumber>);<\n>
  <endif>
  if ( s>=0 )
  {
    return s;
  }
}
break;
>>

/** Just like a fixed DFA edge, test the lookahead and indicate what
* state to jump to next if successful.
*/
cyclicDFAEdge(labelExpr, targetStateNumber, edgeNumber, predicates) ::= <<
if ( <if(predicates)><predicates> && <endif><labelExpr> )
{
  s = <targetStateNumber>;
}<\n>
>>

/** An edge pointing at end-of-token; essentially matches any char;
* always jump to the target.
*/
eotDFAEdge(targetStateNumber,edgeNumber, predicates) ::= <<
s = <targetStateNumber>;<\n>
>>

```

## // D F A E X P R E S S I O N S

```
andPredicates(left,right) ::= "( (<left> ) && (<right> ) )"
```

```
orPredicates(operands) ::= "(<operands: {o|(<o>)}; separator=\"||\">)"
```

```
notPredicate(pred) ::= "!( <evalPredicate(pred, { })> )"
```

```
evalPredicate(pred,description) ::= "(<pred>)"
```

```
evalSynPredicate(pred,description) ::= "<pred>(ctx)"
```

```
lookaheadTest(atom,k,atomAsInt) ::= "LA<decisionNumber>_<stateNumber> == <atom>"
```

```
/** Sometimes a lookahead test cannot assume that LA(k) is in a temp variable
```

```
* somewhere. Must ask for the lookahead directly.
```

```
*/
```

```
isolatedLookaheadTest(atom,k,atomAsInt) ::= "LA(<k>) == <atom>"
```

```
lookaheadRangeTest(lower,upper,k,rangeNumber,lowerAsInt,upperAsInt) ::= <%
```

```
((LA<decisionNumber>_<stateNumber> >= <lower>) && (LA<decisionNumber>_<stateNumber> \<= <upper>))
```

```
%>
```

```
isolatedLookaheadRangeTest(lower,upper,k,rangeNumber,lowerAsInt,upperAsInt) ::= "((LA(<k>) >= <lower>) &&  
(LA(<k>) \<= <upper>))"
```

```
setTest(ranges) ::= "<ranges; separator=\" || \">"
```

## // A T T R I B U T E S

```
makeScopeSet() ::= <<
```

```
/* makeScopeSet()
```

```
*/
```

```
/** Definition of the <scope.name> scope variable tracking
```

```
* structure. An instance of this structure is created by calling
```

```
* <name>_<scope.name>Push().
```

```
*/
```

```
typedef struct <scopeStruct(sname=scope.name,...)>_struct
```

```
{
```

```
/* Function that the user may provide to be called when the
```

```
* scope is destroyed (so you can free pANTLR3_HASH_TABLES and so on)
```

```
*/
```

```
* \param POinter to an instance of this typedef/struct
```

```
*/
```

```
void (ANTLR3_CDECL *free) (struct <scopeStruct(sname=scope.name,...)>_struct * frame);
```

```
/* =====
```

```

    * Programmer defined variables...
    */
    <scope.attributes:{it |<it.decl>;}; separator="\n">

    /* End of programmer defined variables
    * =====
    */
}
    <scopeStruct(sname=scope.name,...)>, * <scopeType(sname=scope.name,...)>;

>>

globalAttributeScopeDecl(scope) ::= <<
    <if(scope.attributes)>
    /* globalAttributeScopeDecl(scope)
    */
    <makeScopeSet(...)>
    <endif>
>>

ruleAttributeScopeDecl(scope) ::= <<
    <if(scope.attributes)>
    /* ruleAttributeScopeDecl(scope)
    */
    <makeScopeSet(...)>
    <endif>
>>

globalAttributeScopeFuncDecl(scope) ::=
    <<
    /* globalAttributeScopeFuncDecl(scope)
    */
    <if(scope.attributes)>
    /* -----
    * Function declaration for creating a <name>_<scope.name> scope set
    */
    static <scopeType(sname=scope.name,...)> <scopePushName(sname=scope.name,...)>(p<name> ctx);
    static void ANTLR3_CDECL <scope.name>Free(<scopeType(sname=scope.name)> scope);
    /* ----- */
    <endif>
>>

globalAttributeScopeFuncMacro(scope) ::= <<
    <if(scope.attributes)>
    /* globalAttributeScopeFuncMacro(scope)
    */
    /** Function for popping the top value from a <scopeStack(sname=scope.name)>

```

```

*/
void
<scopePopName(sname=scope.name,...)>(p<name> ctx)
{
    // First see if the user defined a function they want to be called when a
    // scope is popped/freed.
    //
    // If the user supplied the scope entries with a free function, then call it first
    //
    if (SCOPE_TOP(<scope.name>)->free != NULL)
    {
        SCOPE_TOP(<scope.name>)->free(SCOPE_TOP(<scope.name>));
    }

    // Now we decrement the scope's upper limit bound. We do not actually pop the scope as
    // we want to reuse scope entries if we do continuous push and pops. Most scopes don't
    // next too far so we don't want to keep freeing and allocating them
    //
    ctx-><scopeStack(sname=scope.name,...)>_limit--;
    SCOPE_TOP(<scope.name>) = (<scopeType(sname=scope.name)>)(ctx-><scopeStack(sname=scope.name,...)>-
>get(ctx-><scopeStack(sname=scope.name,...)>, ctx-><scopeStack(sname=scope.name,...)>_limit - 1));
}
<endif>
>>

ruleAttributeScopeFuncDecl(scope) ::= <<
<if(scope.attributes)>
/* ruleAttributeScopeFuncDecl(scope)
*/
/* -----
* Function declarations for creating a <name>_<scope.name> scope set
*/
static <scopeType(sname=scope.name,...)> <scopePushName(sname=scope.name,...)>(p<name> ctx);
static void ANTLR3_CDECL <scope.name>Free(<scopeType(sname=scope.name)> scope);
/* ----- */

<endif>
>>

ruleAttributeScopeFuncMacro(scope) ::= <<
<if(scope.attributes)>
/* ruleAttributeScopeFuncMacro(scope)
*/
/** Function for popping the top value from a <scopeStack(sname=scope.name,...)>
*/
void
<scopePopName(sname=scope.name,...)>(p<name> ctx)
{

```

```

// First see if the user defined a function they want to be called when a
// scope is popped/freed.
//
// If the user supplied the scope entries with a free function,then call it first
//
if (SCOPE_TOP(<scope.name>->free != NULL)
{
    SCOPE_TOP(<scope.name>->free(SCOPE_TOP(<scope.name>));
}

// Now we decrement the scope's upper limit bound. We do not actually pop the scope as
// we want to reuse scope entries if we do continuous push and pops. Most scopes don't
// next too far so we don't want to keep freeing and allocating them
//
ctx-><scopeStack(sname=scope.name,...)>_limit--;
SCOPE_TOP(<scope.name>) = (<scopeType(sname=scope.name)>)(ctx-><scopeStack(sname=scope.name,...)>-
>get(ctx-><scopeStack(sname=scope.name,...)>, ctx-><scopeStack(sname=scope.name,...)>_limit - 1));
}

<endif>
>>

globalAttributeScopeDef(scope) ::=
<<
/* globalAttributeScopeDef(scope)
*/
<if(scope.attributes)>
/** Pointer to the <scope.name> stack for use by <scopePushName(sname=scope.name)>()
* and <scopePopName(sname=scope.name,...)>()
*/
pANTLR3_STACK <scopeStack(sname=scope.name)>;
ANTLR3_UINT32 <scopeStack(sname=scope.name)>_limit;
/** Pointer to the top of the stack for the global scope <scopeStack(sname=scope.name)>
*/
<scopeType(sname=scope.name,...)> (*<scopePushName(sname=scope.name,...)>)(struct <name>_Ctx_struct *
ctx);
<scopeType(sname=scope.name,...)> <scopeTopDecl(sname=scope.name,...)>;

<endif>
>>

ruleAttributeScopeDef(scope) ::= <<
<if(scope.attributes)>
/* ruleAttributeScopeDef(scope)
*/
/** Pointer to the <scope.name> stack for use by <scopePushName(sname=scope.name)>()
* and <scopePopName(sname=scope.name,...)>()
*/

```

```

pANTLR3_STACK <scopeStack(sname=scope.name,...)>;
ANTLR3_UINT32 <scopeStack(sname=scope.name,...)>_limit;
<scopeType(sname=scope.name,...)> (*<scopePushName(sname=scope.name,...)>)(struct <name>_Ctx_struct *
ctx);
<scopeType(sname=scope.name,...)> <scopeTopDecl(sname=scope.name,...)>;

<endif>
>>

globalAttributeScopeFuncs(scope) ::= <<
<if(scope.attributes)>
/* globalAttributeScopeFuncs(scope)
*/
<attributeFuncs(scope)>
<endif>
>>

ruleAttributeScopeFuncs(scope) ::= <<
<if(scope.attributes)>
/* ruleAttributeScopeFuncs(scope)
*/
<attributeFuncs(scope)>
<endif>
>>

globalAttributeScope(scope) ::= <<
<if(scope.attributes)>
/* globalAttributeScope(scope)
*/
ctx-><scopePushName(sname=scope.name,...)> = <scopePushName(sname=scope.name,...)>;
ctx-><scopeStack(sname=scope.name,...)> = antlr3StackNew(0);
ctx-><scopeStack(sname=scope.name,...)>_limit = 0;
<scopeTop(sname=scope.name,...)> = NULL;
<endif>
>>

ruleAttributeScope(scope) ::=
<<
<if(scope.attributes)>
/* ruleAttributeScope(scope)
*/
ctx-><scopePushName(sname=scope.name,...)> = <scopePushName(sname=scope.name,...)>;
ctx-><scopeStack(sname=scope.name,...)> = antlr3StackNew(0);
ctx-><scopeStack(sname=scope.name,...)>_limit = 0;
<scopeTop(sname=scope.name,...)> = NULL;
<endif>
>>
globalAttributeScopeFree(scope) ::= <<

```



```
<if(scope.attributes)>
/* globalAttributeScope(scope)
*/
ctx-><scopeStack(sname=scope.name,...)>->free(ctx-><scopeStack(sname=scope.name,...)>);
<endif>
>>
```

```
ruleAttributeScopeFree(scope) ::=
<<
<if(scope.attributes)>
/* ruleAttributeScope(scope)
*/
ctx-><scopeStack(sname=scope.name,...)>->free(ctx-><scopeStack(sname=scope.name,...)>);
<endif>
>>
```

```
scopeTopDecl(sname) ::= <<
p<name>_<sname>Top
>>
```

```
scopeTop(sname) ::= <<
ctx-><scopeTopDecl(sname=sname,...)>
>>
```

```
scopePop(sname) ::= <<
<scopePopName(sname=sname,...)>(ctx);
>>
```

```
scopePush(sname) ::= <<
p<name>_<sname>Push(ctx)
>>
```

```
scopePopName(sname) ::= <<
p<name>_<sname>Pop
>>
```

```
scopePushName(sname) ::= <<
p<name>_<sname>Push
>>
```

```
scopeType(sname) ::= <<
p<name>_<sname>_SCOPE
>>
```

```
scopeStruct(sname) ::= <<
<name>_<sname>_SCOPE
>>
```

```

scopeStack(sname) ::= <<
p<name>_<sname>Stack
>>

attributeFuncs(scope) ::= <<
<if(scope.attributes)>
/* attributeFuncs(scope)
*/

static void ANTLR3_CDECL <scope.name>Free(<scopeType(sname=scope.name)> scope)
{
    ANTLR3_FREE(scope);
}

/** \brief Allocate initial memory for a <name> <scope.name> scope variable stack entry and
*     add it to the top of the stack.
*
* \remark
* By default the structure is freed with ANTLR_FREE(), but you can use the
* the \@init action to install a pointer to a custom free() routine by
* adding the code:
* \code
* <scopeTop(sname=scope.name)>->free = myroutine;
* \endcode
*
* With lots of comments of course! The routine should be declared in
* \@members { } as:
* \code
* void ANTLR3_CDECL myfunc( <scopeType(sname=scope.name)> ptr).
* \endcode
*
* It should perform any custom freeing stuff that you need (call ANTLR_FREE3, not free())
* NB: It should not free the pointer it is given, which is the scope stack entry itself
* and will be freed by the function that calls your custom free routine.
*
*/

static <scopeType(sname=scope.name)>
<scopePushName(sname=scope.name)>(p<name> ctx)
{
    /* Pointer used to create a new set of attributes
    */
    <scopeType(sname=scope.name)>    newAttributes;

    /* Allocate the memory for a new structure if we need one.
    */
    if (ctx-><scopeStack(sname=scope.name)>->size(ctx-><scopeStack(sname=scope.name)>) > ctx-
    ><scopeStack(sname=scope.name)>_limit)
    {

```

```

// The current limit value was less than the number of scopes available on the stack so
// we can just reuse one. Our limit tracks the stack count, so the index of the entry we want
// is one less than that, or conveniently, the current value of limit.
//
newAttributes = (<scopeType(sname=scope.name)>)ctx-><scopeStack(sname=scope.name)>->get(ctx-
><scopeStack(sname=scope.name)>, ctx-><scopeStack(sname=scope.name)>_limit);
}
else
{
// Need a new allocation
//
newAttributes = (<scopeType(sname=scope.name)>)
ANTLR3_MALLOC(sizeof(<scopeStruct(sname=scope.name)>));
if (newAttributes != NULL)
{
/* Standard ANTLR3 library implementation
*/
ctx-><scopeStack(sname=scope.name)>->push(ctx-><scopeStack(sname=scope.name)>, newAttributes,
(void (*)(void *))<scope.name>Free);
}
}

// Blank out any previous free pointer, the user might or might install a new one.
//
newAttributes->free = NULL;

// Indicate the position in the available stack that the current level is at
//
ctx-><scopeStack(sname=scope.name)>_limit++;

/* Return value is the pointer to the new entry, which may be used locally
* without de-referencing via the context.
*/
return newAttributes;
}<\n>

<endif>
>>
returnStructName(r) ::= "<r.name>_return"

returnType() ::= <%
<if(!ruleDescriptor.isSynPred)>
<if(ruleDescriptor.hasMultipleReturnValues)>
<ruleDescriptor.grammar.recognizerName>_<ruleDescriptor:returnStructName()>
<else>
<if(ruleDescriptor.hasSingleReturnValue)>
<ruleDescriptor.singleValueReturnType>
<else>

```

```

void
<endif>
<endif>
<else>
ANTLR3_BOOLEAN
<endif>
%>

/** Generate the C type associated with a single or multiple return
 * value(s).
 */
ruleLabelType(referencedRule) ::= <%
<if(referencedRule.hasMultipleReturnValues)>
<referencedRule.grammar.recognizerName>_<referencedRule.name>_return
<else>
<if(referencedRule.hasSingleReturnValue)>
<referencedRule.singleValueReturnType>
<else>
void
<endif>
<endif>
%>

delegateName(d) ::= <<
<if(d.label)><d.label><else>g<it.name><endif>
>>

/** Using a type to init value map, try to init a type; if not in table
 * must be an object, default value is "0".
 */
initValue(typeName) ::= <<
= <cTypeInitMap.(typeName)>
>>

/** Define a rule label */
ruleLabelDef(label) ::= <<
<ruleLabelType(referencedRule=label.referencedRule)> <label.label.text>;
#undef RETURN_TYPE_<label.label.text>
#define RETURN_TYPE_<label.label.text> <ruleLabelType(referencedRule=label.referencedRule)><<n>
>>
/** Rule label default value */
ruleLabelInitVal(label) ::= <<
>>

ASTLabelType() ::=
"<if(recognizer.ASTLabelType)><recognizer.ASTLabelType><else>pANTLR3_BASE_TREE<endif>"

/** Define a return struct for a rule if the code needs to access its

```

```

* start/stop tokens, tree stuff, attributes, ... Leave a hole for
* subgroups to stick in members.
*/
returnScope(scope) ::= <<
<if(!ruleDescriptor.isSynPred)>
<if(ruleDescriptor.hasMultipleReturnValues)>
typedef struct <ruleDescriptor.grammar.recognizerName>_<ruleDescriptor:returnStructName()>_struct
{
<if(!TREE_PARSER)>
/** Generic return elements for ANTLR3 rules that are not in tree parsers or returning trees
*/
pANTLR3_COMMON_TOKEN start;
pANTLR3_COMMON_TOKEN stop;
<else>
<recognizer.ASTLabelType> start;
<recognizer.ASTLabelType> stop;
<endif>
<@ruleReturnMembers()>
<ruleDescriptor.returnScope.attributes:{it |<it.type> <it.name>;}; separator="\n">
}
<ruleDescriptor.grammar.recognizerName>_<ruleDescriptor:returnStructName()>;<\n><\n>
<endif>
<endif>
>>

parameterScope(scope) ::= <<
<scope.attributes:{it |<it.decl>}; separator=", ">
>>

parameterAttributeRef(attr) ::= "<attr.name>"
parameterSetAttributeRef(attr,expr) ::= "<attr.name>=<expr>";

/** Note that the scopeAttributeRef does not have access to the
* grammar name directly
*/
scopeAttributeRef(scope,attr,index,negIndex) ::= <%
<if(negIndex)>
((SCOPE_TYPE(<scope>))(ctx->SCOPE_STACK(<scope>)->get( ctx->SCOPE_STACK(<scope>), ctx-
>SCOPE_STACK(<scope>)->size(ctx->SCOPE_STACK(<scope>)) - <negIndex> - 1 ))-><attr.name>
<else>
<if(index)>
((SCOPE_TYPE(<scope>))(ctx->SCOPE_STACK(<scope>)->get(ctx->SCOPE_STACK(<scope>),
(ANTLR3_UINT32)<index> ) ))-><attr.name>
<else>
(SCOPE_TOP(<scope>))-><attr.name>
<endif>
<endif>
<endif>
%>

```

```

scopeSetAttributeRef(scope,attr,expr,index,negIndex) ::= <%
<if(negIndex)>
  ((SCOPE_TYPE(<scope>))(ctx->SCOPE_STACK(<scope>)->get( ctx->SCOPE_STACK(<scope>), ctx->SCOPE_STACK(<scope>)->size(ctx->SCOPE_STACK(<scope>)) - <negIndex> - 1 ))-><attr.name> = <expr>;
<else>
<if(index)>
  ((SCOPE_TYPE(<scope>))(ctx->SCOPE_STACK(<scope>)->get(ctx->SCOPE_STACK(<scope>),
(ANTLR3_UINT32)<index> ) ))-><attr.name> = <expr>;
<else>
  (SCOPE_TOP(<scope>))-><attr.name>=<expr>;
<endif>
<endif>
%>

```

```

/** $x is either global scope or x is rule with dynamic scope; refers
* to stack itself not top of stack. This is useful for predicates
* like { $function.size()>0 && $function::name.equals("foo") }?
*/

```

```

isolatedDynamicScopeRef(scope) ::= "ctx->SCOPE_STACK(<scope>)"

```

```

/** reference an attribute of rule; might only have single return value */

```

```

ruleLabelRef(referencedRule,scope,attr) ::= <<
<if(referencedRule.hasMultipleReturnValues)>
<scope>.<attr.name>
<else>
<scope>
<endif>
>>

```

```

returnAttributeRef(ruleDescriptor,attr) ::= <<
<if(ruleDescriptor.hasMultipleReturnValues)>
retval.<attr.name>
<else>
<attr.name>
<endif>
>>

```

```

returnSetAttributeRef(ruleDescriptor,attr,expr) ::= <<
<if(ruleDescriptor.hasMultipleReturnValues)>
retval.<attr.name>=<expr>;
<else>
<attr.name>=<expr>;
<endif>
>>

```

```

/** How to translate $tokenLabel */

```

```

tokenLabelRef(label) ::= "<label>"

```

```

/** ids+=ID {$ids} or e+=expr {$e} */
listLabelRef(label) ::= "list_<label>"

// not sure the next are the right approach
//
tokenLabelPropertyRef_text(scope,attr) ::= "(<scope>->getText(<scope>))"
tokenLabelPropertyRef_type(scope,attr) ::= "(<scope>->getType(<scope>))"
tokenLabelPropertyRef_line(scope,attr) ::= "(<scope>->getLine(<scope>))"
tokenLabelPropertyRef_pos(scope,attr) ::= "(<scope>->getCharPositionInLine(<scope>))"
tokenLabelPropertyRef_channel(scope,attr) ::= "(<scope>->getChannel(<scope>))"
tokenLabelPropertyRef_index(scope,attr) ::= "(<scope>->getTokenIndex(<scope>))"
tokenLabelPropertyRef_tree(scope,attr) ::= "(<scope>->tree)"
tokenLabelPropertyRef_int(scope,attr) ::= "(<scope>->getText(<scope>->toInt32(<scope>->getText(<scope>)))"

ruleLabelPropertyRef_start(scope,attr) ::= "(<scope>.start)"
ruleLabelPropertyRef_stop(scope,attr) ::= "(<scope>.stop)"
ruleLabelPropertyRef_tree(scope,attr) ::= "(<scope>.tree)"
ruleLabelPropertyRef_text(scope,attr) ::= <<
<if(TREE_PARSER)>
(STRSTREAM->toStringSS(STRSTREAM, <scope>.start, <scope>.start))
<else>
(STRSTREAM->toStringTT(STRSTREAM, <scope>.start, <scope>.stop))
<endif>
>>

ruleLabelPropertyRef_st(scope,attr) ::= "<scope>.st"

/** Isolated $RULE ref ok in lexer as it's a Token */
lexerRuleLabel(label) ::= "<label>"

lexerRuleLabelPropertyRef_type(scope,attr) ::= "(<scope>->getType(<scope>))"
lexerRuleLabelPropertyRef_line(scope,attr) ::= "(<scope>->getLine(<scope>))"
lexerRuleLabelPropertyRef_pos(scope,attr) ::= "(<scope>->getCharPositionInLine(<scope>))"
lexerRuleLabelPropertyRef_channel(scope,attr) ::= "(<scope>->getChannel(<scope>))"
lexerRuleLabelPropertyRef_index(scope,attr) ::= "(<scope>->getTokenIndex(<scope>))"
lexerRuleLabelPropertyRef_text(scope,attr) ::= "(<scope>->getText(<scope>))"

// Somebody may ref $template or $tree or $stop within a rule:
rulePropertyRef_start(scope,attr) ::= "retval.start"
rulePropertyRef_stop(scope,attr) ::= "retval.stop"
rulePropertyRef_tree(scope,attr) ::= "retval.tree"
rulePropertyRef_text(scope,attr) ::= <<
<if(TREE_PARSER)>
INPUT->toStringSS(INPUT, ADAPTOR->getTokenStartIndex(ADAPTOR, retval.start), ADAPTOR-
>getTokenStopIndex(ADAPTOR, retval.start))
<else>

```

```

STRSTREAM->toStringTT(STRSTREAM, retval.start, LT(-1))
<endif>
>>
rulePropertyRef_st(scope,attr) ::= "retval.st"

lexerRulePropertyRef_text(scope,attr) ::= "LEXER->getText(LEXER)"
lexerRulePropertyRef_type(scope,attr) ::= "_type"
lexerRulePropertyRef_line(scope,attr) ::= "LEXSTATE->tokenStartLine"
lexerRulePropertyRef_pos(scope,attr) ::= "LEXSTATE->tokenStartCharPositionInLine"
lexerRulePropertyRef_channel(scope,attr) ::= "LEXSTATE->channel"
lexerRulePropertyRef_start(scope,attr) ::= "LEXSTATE->tokenStartCharIndex"
lexerRulePropertyRef_stop(scope,attr) ::= "(LEXER->getCharIndex(LEXER)-1)"
lexerRulePropertyRef_index(scope,attr) ::= "-1" // undefined token index in lexer
lexerRulePropertyRef_int(scope,attr) ::= "LEXER->getText(LEXER)->toInt32(LEXER->getText(LEXER))"

// setting $st and $tree is allowed in local rule. everything else is flagged as error
ruleSetPropertyRef_tree(scope,attr,expr) ::= "retval.tree=<expr>;"
ruleSetPropertyRef_st(scope,attr,expr) ::= "retval.st=<expr>;"

/** How to deal with an @after for C targets. Because we cannot rely on
 * any garbage collection, after code is executed even in backtracking
 * mode. Must be documented clearly.
 */
execAfter(action) ::= <<
{
  <action>
}
>>

/** How to execute an action (when not backtracking) */
execAction(action) ::= <<
<if(backtracking)>
<if(actions.(actionScope).synpredgate)>
if ( <actions.(actionScope).synpredgate> )
{
  <action>
}
<else>
if ( BACKTRACKING == 0 )
{
  <action>
}
<endif>
<else>
{
  <action>
}

```



```

}
<endif>
>>

// M I S C (properties, etc...)

bitsetDeclare(name, words64) ::= <<

/** Bitset defining follow set for error recovery in rule state: <name> */
static ANTLR3_BITWORD <name>_bits[] = { <words64:{it |ANTLR3_UINT64_LIT(<it>)}; separator=", "> };
static ANTLR3_BITSET_LIST <name> = { <name>_bits, <length(words64)> };
>>

bitset(name, words64) ::= <<
antlr3BitsetSetAPI(&<name>);<\n>
>>

codeFileExtension() ::= ".c"

true_value() ::= "ANTLR3_TRUE"
false_value() ::= "ANTLR3_FALSE"

```

Found in path(s):

\* /opt/cola/permits/1274703855\_1645234694.1/0/antlr-3-5-2-sources-jar/org/antlr/codegen/templates/C/C.stg

No license file was found, but licenses were detected in source scan.

```

/*
 * [The "BSD license"]
 * Copyright (c) 2011 Terence Parr
 * All rights reserved.
 *
 * Conversion to C#:
 * Copyright (c) 2011 Sam Harwell, Pixel Mine, Inc.
 * All rights reserved.
 *
 * Redistribution and use in source and binary forms, with or without
 * modification, are permitted provided that the following conditions
 * are met:
 * 1. Redistributions of source code must retain the above copyright
 * notice, this list of conditions and the following disclaimer.
 * 2. Redistributions in binary form must reproduce the above copyright
 * notice, this list of conditions and the following disclaimer in the
 * documentation and/or other materials provided with the distribution.
 * 3. The name of the author may not be used to endorse or promote products
 * derived from this software without specific prior written permission.
 *
 * THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR
 * IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES

```

```

* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.
* IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,
* INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT
* NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
* DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
* THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
* (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF
* THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

```

```

*/
/** Template subgroup to add template rewrite output
* If debugging, then you'll also get STDbg.stg loaded.
*/

```

```

@outputFile.imports() ::= <<
<@super.imports()>
using Antlr3.ST;
using Antlr3.ST.Language;
>>

```

```

@genericParser.members() ::= <<
<@super.members()>
private StringTemplateGroup _templateGroup = new StringTemplateGroup("<name>Templates",
typeof(AngleBracketTemplateLexer) );

```

```

public StringTemplateGroup TemplateGroup
{
get { return _templateGroup; }
set { _templateGroup = value; }
}
>>

```

```

ruleReturnBaseType() ::= <%
Template<if(TREE_PARSER)>Tree<else>Parser<endif>RuleReturnScope\<StringTemplate, <labelType>>
%>

```

```

/** x+=rule when output=template */
ruleRefAndListLabel(rule,label,elementIndex,args,scope) ::= <<
<ruleRef(...)>
<listLabelElem(elem={<label>.Template},elemType="StringTemplate",...)>
>>

```

```

rewriteTemplate(alts) ::= <<

```

```

// TEMPLATE REWRITE
<if(backtracking)>
if (<actions.(actionScope).synpredgate>)
{
<alts:rewriteTemplateAlt(); separator="else ">

```

```

<if(rewriteMode)><replaceTextInLine()><endif>
}
<else>
<alts:rewriteTemplateAlt(); separator="else ">
<if(rewriteMode)><replaceTextInLine()><endif>
<endif>
>>

replaceTextInLine() ::= <<
<if(TREE_PARSER)>
((TokenRewriteStream)input.TokenStream).Replace(
input.TreeAdaptor.GetTokenStartIndex(retval.Start),
input.TreeAdaptor.GetTokenStopIndex(retval.Start),
retval.Template);
<else>
((TokenRewriteStream)input).Replace(
retval.Start.TokenIndex,
input.LT(-1).TokenIndex,
retval.Template);
<endif>
>>

rewriteTemplateAlt(it) ::= <<
// <it.description>
<if(it.pred)>
if (<it.pred>)
{
retval.Template = <it.alt>;
}<\n>
<else>
{
retval.Template = <it.alt>;
}<\n>
<endif>
>>

rewriteEmptyTemplate(alts) ::= <<
null;
>>

/** Invoke a template with a set of attribute name/value pairs.
 * Set the value of the rule's template *after* having set
 * the attributes because the rule's template might be used as
 * an attribute to build a bigger template; you get a self-embedded
 * template.
 */
rewriteExternalTemplate(name,args) ::= <%
TemplateGroup.GetInstanceOf("<name>"<optionalArguments(args)>)

```

```

%>

/** expr is a string expression that says what template to load */
rewriteIndirectTemplate(expr,args) ::= <%
TemplateGroup.GetInstanceOf(<expr><optionalArguments(args)>)
%>

/** Invoke an inline template with a set of attribute name/value pairs */
rewriteInlineTemplate(args, template) ::= <%
new StringTemplate(TemplateGroup, "<template>"<optionalArguments(args)>)
%>

optionalArguments(args) ::= <<
<if(args)>,
new Dictionary<string, object>() { <args:optionalArgument(); separator=", "> }
<endif>
>>

optionalArgument(it) ::= <<
{"<it.name>", <it.value>}
>>

/** plain -> {foo} action */
rewriteAction(action) ::= <<
<action>
>>

/** An action has %st.attrName=expr; or % {st}.attrName=expr; */
actionSetAttribute(st,attrName,expr) ::= <<
(<st>).SetAttribute("<attrName>",<expr>);
>>

/** Translate %{stringExpr} */
actionStringConstructor(stringExpr) ::= <<
new StringTemplate(TemplateGroup,<stringExpr>)
>>

```

Found in path(s):

```

* /opt/cola/permits/1274703855_1645234694.1/0/antlr-3-5-2-sources-
jar/org/antlr/codegen/templates/CSharp3/ST.stg

```

No license file was found, but licenses were detected in source scan.

```

/*

```

[The "BSD license"]

Copyright (c) 2005-2006 Terence Parr

All rights reserved.

Redistribution and use in source and binary forms, with or without

modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The name of the author may not be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

\*/

group AST;

```
@outputFile.imports() ::= <<
<@super.imports()>
>>
```

```
@genericParser.members() ::= <<
<@super.members()>
<parserMembers()>
>>
```

```
/** Add an adaptor property that knows how to build trees */
parserMembers() ::= <<
<!protected TreeAdaptor adaptor = new CommonTreeAdaptor();<n>!>
setTreeAdaptor: function(adaptor) {
  this.adaptor = adaptor;
  <grammar.directDelegates: {g|<g:delegateName()>.setTreeAdaptor(this.adaptor);}>
},
getTreeAdaptor: function() {
  return this.adaptor;
},
>>
```

```
@returnScope.ruleReturnMembers() ::= <<
getTree: function() { return this.tree; }
>>
```

```

/** Add a variable to track rule's return AST */
ruleDeclarations() ::= <<
<super.ruleDeclarations()>
var root_0 = null;<\n>
>>

ruleLabelDefs() ::= <<
<super.ruleLabelDefs()>
<ruleDescriptor.tokenLabels:{ var <it.label.text>_tree=null;}; separator="\n">
<ruleDescriptor.tokenListLabels:{ var <it.label.text>_tree=null;}; separator="\n">
<ruleDescriptor.allTokenRefsInAltsWithRewrites
: {var stream_<it>=new org.antlr.runtime.tree.RewriteRuleTokenStream(this.adaptor,"token <it>");};
separator="\n">
<ruleDescriptor.allRuleRefsInAltsWithRewrites
: {var stream_<it>=new org.antlr.runtime.tree.RewriteRuleSubtreeStream(this.adaptor,"rule <it>");};
separator="\n">
>>

/** When doing auto AST construction, we must define some variables;
 * These should be turned off if doing rewrites. This must be a "mode"
 * as a rule could have both rewrite and AST within the same alternative
 * block.
 */
@alt.declarations() ::= <<
<if(autoAST)>
<if(outerAlt)>
<if(!rewriteMode)>
root_0 = this.adaptor.nil();<\n>
<endif>
<endif>
<endif>
>>

// Tracking Rule Elements

/** ID and track it for use in a rewrite rule */
tokenRefTrack(token,label,elementIndex,terminalOptions) ::= <<
<tokenRefBang(...)> <! Track implies no auto AST construction!>
<if(backtracking)>if ( <actions.(actionScope).synpredgate> ) <endif>stream_<token>.add(<label>);<\n>
>>

/** ids+=ID and track it for use in a rewrite rule; adds to ids *and*
 * to the tracking list stream_ID for use in the rewrite.
 */
tokenRefTrackAndListLabel(token,label,elementIndex,terminalOptions) ::= <<
<tokenRefTrack(...)>
<listLabel(elem=label,...)>
>>

```

```

/** ^(ID ...) track for rewrite */
tokenRefRuleRootTrack(token,label,elementIndex,terminalOptions) ::= <<
<tokenRefBang(...)>
<if(backtracking)>if ( <actions.(actionScope).synpredgate> ) <endif>stream_<token>.add(<label>);<\n>
>>

/** Match ^(label+=TOKEN ...) track for rewrite */
tokenRefRuleRootTrackAndListLabel(token,label,elementIndex,terminalOptions) ::= <<
<tokenRefRuleRootTrack(...)>
<listLabel(elem=label,...)>
>>

wildcardTrack(label,elementIndex) ::= <<
<super.wildcard(...)>
>>

/** rule when output=AST and tracking for rewrite */
ruleRefTrack(rule,label,elementIndex,args,scope) ::= <<
<super.ruleRef(...)>
<if(backtracking)>if ( <actions.(actionScope).synpredgate> ) <endif>stream_<rule.name>.add(<label>.getTree());
>>

/** x+=rule when output=AST and tracking for rewrite */
ruleRefTrackAndListLabel(rule,label,elementIndex,args,scope) ::= <<
<ruleRefTrack(...)>
<listLabel(elem=label+".getTree()",...)>
>>

/** ^(rule ...) rewrite */
ruleRefRuleRootTrack(rule,label,elementIndex,args,scope) ::= <<
<ruleRefRuleRoot(...)>
<if(backtracking)>if ( <actions.(actionScope).synpredgate> ) <endif>stream_<rule>.add(<label>.getTree());
>>

/** ^(x+=rule ...) rewrite */
ruleRefRuleRootTrackAndListLabel(rule,label,elementIndex,args,scope) ::= <<
<ruleRefRuleRootTrack(...)>
<listLabel(elem=label+".getTree()",...)>
>>

// R e w r i t e

rewriteCode(
alts, description,
referencedElementsDeep, // ALL referenced elements to right of ->
referencedTokenLabels,
referencedTokenListLabels,

```

```

referencedRuleLabels,
referencedRuleListLabels,
referencedWildcardLabels,
referencedWildcardListLabels,
rewriteBlockLevel, enclosingTreeLevel, treeLevel) ::=
<<

// AST REWRITE
// elements: <referencedElementsDeep; separator=", ">
// token labels: <referencedTokenLabels; separator=", ">
// rule labels: <referencedRuleLabels; separator=", ">
// token list labels: <referencedTokenListLabels; separator=", ">
// rule list labels: <referencedRuleListLabels; separator=", ">
<if(backtracking)>
if ( <actions.(actionScope).synpredgate> ) {<n>
<endif>
<prevRuleRootRef(>).tree = root_0;
<rewriteCodeLabels(>
root_0 = this.adaptor.nil();
<alts:rewriteAlt(); separator="else ">
<! if tree parser and rewrite=true !>
<if(TREE_PARSER)>
<if(rewriteMode)>
<prevRuleRootRef(>).tree = this.adaptor.rulePostProcessing(root_0);
this.input.replaceChildren(this.adaptor.getParent(retval.start),
this.adaptor.getChildIndex(retval.start),
this.adaptor.getChildIndex(_last),
retval.tree);
<endif>
<endif>
<! if parser or tree-parser && rewrite!=true, we need to set result !>
<if(!TREE_PARSER)>
<prevRuleRootRef(>).tree = root_0;
<else>
<if(!rewriteMode)>
<prevRuleRootRef(>).tree = root_0;
<endif>
<endif>
<if(backtracking)>
}
<endif>
>>

rewriteCodeLabels() ::= <<
<referencedTokenLabels
: {var stream_<it>=new org.antlr.runtime.tree.RewriteRule<rewriteElementType>Stream(this.adaptor,"token
<it>",<it>);};
separator="\n"

```



```

>
<referencedTokenListLabels
  :{var stream_<it>=new org.antlr.runtime.tree.RewriteRule<rewriteElementType>Stream(this.adaptor,"token
<it>", list_<it>)};
  separator="\n"
>
<referencedWildcardLabels
  :{var stream_<it>=new org.antlr.runtime.tree.RewriteRuleSubtreeStream(this.adaptor,"wildcard <it>",<it>)};
  separator="\n"
>
<referencedWildcardListLabels
  :{var stream_<it>=new org.antlr.runtime.tree.RewriteRuleSubtreeStream(this.adaptor,"wildcard <it>",<it>)};
  separator="\n"
>
<referencedRuleLabels
  :{var stream_<it>=new org.antlr.runtime.tree.RewriteRuleSubtreeStream(this.adaptor,"token
<it>",<it>!=null?<it>.tree:null)};
  separator="\n"
>
<referencedRuleListLabels
  :{var stream_<it>=new org.antlr.runtime.tree.RewriteRuleSubtreeStream(this.adaptor,"token <it>",<it>)};
  separator="\n"
>
>>

/** Generate code for an optional rewrite block; note it uses the deep ref'd element
 * list rather shallow like other blocks.
 */
rewriteOptionalBlock(
  alt,rewriteBlockLevel,
  referencedElementsDeep, // all nested refs
  referencedElements, // elements in immediately block; no nested blocks
  description) ::=
<<
// <fileName>:<description>
if ( <referencedElementsDeep:{el | stream_<el>.hasNext()}; separator="||"> ) {
  <alt>
}
<referencedElementsDeep:{el | stream_<el>.reset();<\n>}>
>>

rewriteClosureBlock(
  alt,rewriteBlockLevel,
  referencedElementsDeep, // all nested refs
  referencedElements, // elements in immediately block; no nested blocks
  description) ::=
<<
// <fileName>:<description>

```

```

while ( <referencedElements:{el | stream_<el>.hasNext()}; separator="||"> ) {
  <alt>
}
<referencedElements:{el | stream_<el>.reset();<\n>}>
>>

```

```

rewritePositiveClosureBlock(
  alt,rewriteBlockLevel,
  referencedElementsDeep, // all nested refs
  referencedElements, // elements in immediately block; no nested blocks
  description) ::=
<<
if ( !(<referencedElements:{el | stream_<el>.hasNext()}; separator="||">) ) {
  throw new org.antlr.runtime.tree.RewriteEarlyExitException();
}
while ( <referencedElements:{el | stream_<el>.hasNext()}; separator="||"> ) {
  <alt>
}
<referencedElements:{el | stream_<el>.reset();<\n>}>
>>

```

```

rewriteAlt(a) ::= <<
// <a.description>
<if(a.pred)>
if (<a.pred>) {
  <a.alt>
}<\n>
<else>
{
  <a.alt>
}<\n>
<endif>
>>

```

```

/** For empty rewrites: "r : ... -> ;" */
rewriteEmptyAlt() ::= "root_0 = null;"

```

```

rewriteTree(root,children,description,enclosingTreeLevel,treeLevel) ::= <<
// <fileName>:<description>
{
var root_<treeLevel> = this.adaptor.nil();
<root:rewriteElement()>
<children:rewriteElement()>
this.adaptor.addChild(root_<enclosingTreeLevel>, root_<treeLevel>);
}<\n>
>>

```

```

rewriteElementList(elements) ::= "<elements:rewriteElement()>"

```

```

rewriteElement(e) ::= <<
<@pregen()>
<e.el>
>>

/** Gen ID or ID[args] */
rewriteTokenRef(token,elementIndex,terminalOptions,args) ::= <<
this.adaptor.addChild(root_<treeLevel>, <createRewriteNodeFromElement(...)>);<\n>
>>

/** Gen $label ... where defined via label=ID */
rewriteTokenLabelRef(label,elementIndex) ::= <<
this.adaptor.addChild(root_<treeLevel>, stream_<label>.nextNode());<\n>
>>

/** Gen $label ... where defined via label+=ID */
rewriteTokenListLabelRef(label,elementIndex) ::= <<
this.adaptor.addChild(root_<treeLevel>, stream_<label>.nextNode());<\n>
>>

/** Gen ^($label ...) */
rewriteTokenLabelRefRoot(label,elementIndex) ::= <<
root_<treeLevel> = this.adaptor.becomeRoot(stream_<label>.nextNode(), root_<treeLevel>);<\n>
>>

/** Gen ^($label ...) where label+=... */
rewriteTokenListLabelRefRoot ::= rewriteTokenLabelRefRoot

/** Gen ^(ID ...) or ^(ID[args] ...) */
rewriteTokenRefRoot(token,elementIndex,terminalOptions,args) ::= <<
root_<treeLevel> = this.adaptor.becomeRoot(<createRewriteNodeFromElement(...)>, root_<treeLevel>);<\n>
>>

rewriteImaginaryTokenRef(args,token,terminalOptions,elementIndex) ::= <<
this.adaptor.addChild(root_<treeLevel>, <createImaginaryNode(tokenType=token, ...)>);<\n>
>>

rewriteImaginaryTokenRefRoot(args,token,terminalOptions,elementIndex) ::= <<
root_<treeLevel> = this.adaptor.becomeRoot(<createImaginaryNode(tokenType=token, ...)>,
root_<treeLevel>);<\n>
>>

/** plain -> {foo} action */
rewriteAction(action) ::= <<
root_0 = <action>;<\n>
>>

```

```

/** What is the name of the previous value of this rule's root tree? This
 * let's us refer to $rule to mean previous value. I am reusing the
 * variable 'tree' sitting in retval struct to hold the value of root_0 right
 * before I set it during rewrites. The assign will be to retval.tree.
 */
prevRuleRootRef() ::= <<
"retval"

rewriteRuleRef(rule) ::= <<
this.adaptor.addChild(root_<treeLevel>, stream_<rule>.nextTree());<\n>
>>

rewriteRuleRefRoot(rule) ::= <<
root_<treeLevel> = this.adaptor.becomeRoot(stream_<rule>.nextNode(), root_<treeLevel>);<\n>
>>

rewriteNodeAction(action) ::= <<
this.adaptor.addChild(root_<treeLevel>, <action>);<\n>
>>

rewriteNodeActionRoot(action) ::= <<
root_<treeLevel> = this.adaptor.becomeRoot(<action>, root_<treeLevel>);<\n>
>>

/** Gen $ruleLabel ... where defined via ruleLabel=rule */
rewriteRuleLabelRef(label) ::= <<
this.adaptor.addChild(root_<treeLevel>, stream_<label>.nextTree());<\n>
>>

/** Gen $ruleLabel ... where defined via ruleLabel+=rule */
rewriteRuleListLabelRef(label) ::= <<
this.adaptor.addChild(root_<treeLevel>, stream_<label>.nextTree());<\n>
>>

/** Gen ^($ruleLabel ...) where ruleLabel=rule */
rewriteRuleLabelRefRoot(label) ::= <<
root_<treeLevel> = this.adaptor.becomeRoot(stream_<label>.nextNode(), root_<treeLevel>);<\n>
>>

/** Gen ^($ruleLabel ...) where ruleLabel+=rule */
rewriteRuleListLabelRefRoot(label) ::= <<
root_<treeLevel> = this.adaptor.becomeRoot(stream_<label>.nextNode(), root_<treeLevel>);<\n>
>>

rewriteWildcardLabelRef(label) ::= <<
this.adaptor.addChild(root_<treeLevel>, stream_<label>.nextTree());<\n>
>>

createImaginaryNode(tokenType,terminalOptions,args) ::= <<

```

```

<if(terminalOptions.node)>
<! new MethodNode(IDLabel, args) !>
new <terminalOptions.node>(<tokenType><if(args)>, <args; separator=", "><endif>)
<else>
this.adaptor.create(<tokenType>, <args; separator=", "><if(!args)>"<tokenType>"<endif>)
<endif>
>>

createRewriteNodeFromElement(token,terminalOptions,args) ::= <<
<if(terminalOptions.node)>
new <terminalOptions.node>(stream_<token>.nextToken(<if(args)>, <args; separator=", "><endif>)
<else>
<if(args)> <! must create new node from old !>
this.adaptor.create(<token>, <args; separator=", ">)
<else>
stream_<token>.nextNode()
<endif>
<endif>
>>

```

Found in path(s):

```
* /opt/cola/permits/1274703855_1645234694.1/0/antlr-3-5-2-sources-
jar/org/antlr/codegen/templates/JavaScript/AST.stg
```

No license file was found, but licenses were detected in source scan.

```
/*
```

```
* [The "BSD license"]
```

```
* Copyright (c) 2010 Terence Parr and Alan Condit
```

```
* Copyright (c) 2006 Kay Roepke (Objective-C runtime)
```

```
* All rights reserved.
```

```
*
```

```
* Redistribution and use in source and binary forms, with or without
```

```
* modification, are permitted provided that the following conditions
```

```
* are met:
```

```
* 1. Redistributions of source code must retain the above copyright
```

```
* notice, this list of conditions and the following disclaimer.
```

```
* 2. Redistributions in binary form must reproduce the above copyright
```

```
* notice, this list of conditions and the following disclaimer in the
```

```
* documentation and/or other materials provided with the distribution.
```

```
* 3. The name of the author may not be used to endorse or promote products
```

```
* derived from this software without specific prior written permission.
```

```
*
```

```
* THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS'' AND ANY EXPRESS OR
```

```
* IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
```

```
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.
```

```
* IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,
```

```
* INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT
```

```
* NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
```

```
* DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
* THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
* (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF
* THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
*/
```

Found in path(s):

```
*/opt/cola/permits/1274703855_1645234694.1/0/antlr-3-5-2-sources-jar/org/antlr/codegen/ObjCTarget.java
```

No license file was found, but licenses were detected in source scan.

```
/*
```

```
* [The "BSD license"]
```

```
* Copyright (c) 2007-2008 Johannes Luber
```

```
* Copyright (c) 2005-2007 Kunle Odutola
```

```
* Copyright (c) 2011 Sam Harwell
```

```
* Copyright (c) 2011 Terence Parr
```

```
* All rights reserved.
```

```
/*
```

```
* Redistribution and use in source and binary forms, with or without
```

```
* modification, are permitted provided that the following conditions
```

```
* are met:
```

```
* 1. Redistributions of source code must retain the above copyright
```

```
* notice, this list of conditions and the following disclaimer.
```

```
* 2. Redistributions in binary form must reproduce the above copyright
```

```
* notice, this list of conditions and the following disclaimer in the
```

```
* documentation and/or other materials provided with the distribution.
```

```
* 3. The name of the author may not be used to endorse or promote products
```

```
* derived from this software without specific prior written permission.
```

```
/*
```

```
* THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR
```

```
* IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
```

```
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.
```

```
* IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,
```

```
* INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT
```

```
* NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
```

```
* DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
```

```
* THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
```

```
* (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF
```

```
* THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
```

```
*/
```

```
csharpVisibilityMap ::= [
```

```
  "private": "private",
```

```
  "protected": "protected",
```

```
  "public": "public",
```

```
  "fragment": "private",
```

```
  default: "private"
```

```
]
```

```

/** The overall file structure of a recognizer; stores methods for rules
 * and cyclic DFAs plus support code.
 */
outputFile( LEXER,PARSER,TREE_PARSER, actionScope, actions,
  docComment, recognizer,
  name, tokens, tokenNames, rules, cyclicDFAs,
  bitsets, buildTemplate, buildAST, rewriteMode, profile,
  backtracking, synpreds, memoize, numRules,
  fileName, ANTLRVersion, generatedTimestamp, trace,
  scopes, superClass, literals) ::=

<<
//-----
// \<auto-generated>
// This code was generated by a tool.
// ANTLR Version: <ANTLRVersion>
//
// Changes to this file may cause incorrect behavior and will be lost if
// the code is regenerated.
// \</auto-generated>
//-----

// $ANTLR <ANTLRVersion> <fileName> <generatedTimestamp>

<if(trace)>
#define ANTLR_TRACE
<endif>
<@debugPreprocessor()>
// The variable 'variable' is assigned but its value is never used.
#pragma warning disable 168, 219
// Unreachable code detected.
#pragma warning disable 162
// Missing XML comment for publicly visible type or member 'Type_or_Member'
#pragma warning disable 1591

<actions.(actionScope).header>

<@imports>
using System.Collections.Generic;
using Antlr.Runtime;
using Antlr.Runtime.Misc;
<if(TREE_PARSER)>
using Antlr.Runtime.Tree;
using RewriteRuleITokenStream = Antlr.Runtime.Tree.RewriteRuleTokenStream;
<endif>
using ConditionalAttribute = System.Diagnostics.ConditionalAttribute;
<@end>
<if(actions.(actionScope).namespace)>

```

```

namespace <actions.(actionScope).namespace>
{
<endif>
<docComment>
<recognizer>
<if(actions.(actionScope).namespace)>

} // namespace <actions.(actionScope).namespace>
<endif>
>>

lexerInputStreamType() ::= <<
<actions.(actionScope).inputStreamType; null="ICharStream">
>>

lexer(grammar, name, tokens, scopes, rules, numRules, filterMode, labelType="CommonToken",
superClass={ <if(actions.(actionScope).superClass)><actions.(actionScope).superClass><else>Antlr.Runtime.Lexer
<endif>} ) ::= <<
[System.CodeDom.Compiler.GeneratedCode("ANTLR", "<ANTLRVersion>")]
[System.CLSCompliant(false)]
<parserModifier(grammar=grammar, actions=actions)> partial class <grammar.recognizerName> :
<@superClassName><superClass><@end>
{
<tokens: {it|public const int <it.name; format="id">=<it.type>;}; separator="\n">
<scopes: {it|<if(it.isDynamicGlobalScope)><globalAttributeScope(scope=it)><endif>}>
<actions.lexer.members>

// delegates
<grammar.delegates:
    {g|private <g.recognizerName> <g.delegateName()>;}; separator="\n">
// delegators
<grammar.delegators:
    {g|private <g.recognizerName> <g.delegateName()>;}; separator="\n">
<last(grammar.delegators): {g|private <g.recognizerName> gParent;}>

<actions.(actionScope).ctorModifier; null="public"> <grammar.recognizerName>()<! needed by subclasses !>
{
    OnCreated();
}

<actions.(actionScope).ctorModifier; null="public"> <grammar.recognizerName>(<lexerInputStreamType()>
input<grammar.delegators: {g|, <g.recognizerName> <g.delegateName()>}> )
: this(input, new RecognizerSharedState()<grammar.delegators: {g|, <g.delegateName()>}> )
{
}

<actions.(actionScope).ctorModifier; null="public"> <grammar.recognizerName>(<lexerInputStreamType()> input,
RecognizerSharedState state<grammar.delegators: {g|, <g.recognizerName> <g.delegateName()>}> )

```



```

: base(input, state)
{
<if(memoize)>
<if(grammar.grammarIsRoot)>
state.ruleMemo = new System.Collections.Generic.Dictionary<int, int>[<numRules>+1];<\n><! index from 1..n !>
<endif>
<endif>
<grammar.directDelegates:
{g|<g:delegateName()> = new <g.recognizerName>(input, this.state<trunc(g.delegators):{p|,
<p:delegateName()>}>, this);}; separator="\n">
<grammar.delegators:
{g|this.<g:delegateName()> = <g:delegateName()>;}; separator="\n">
<last(grammar.delegators):{g|gParent = <g:delegateName()>;}>

OnCreated();
}
public override string GrammarFileName { get { return "<fileName>"; } }

private static readonly bool[] decisionCanBacktrack = new bool[0];

<if(grammar.hasDelegates)>
public override <lexerInputStreamType()> CharStream
{
get
{
return base.CharStream;
}
set
{
base.CharStream = value;
<grammar.directDelegates:
{g|<g:delegateName()> = new <g.recognizerName>(input, state<trunc(g.delegators):{p|, <p:delegateName()>}>,
this);}; separator="\n">
<grammar.delegators:
{g|this.<g:delegateName()> = <g:delegateName()>;}; separator="\n">
<last(grammar.delegators):{g|gParent = <g:delegateName()>;}>
}
}
}

<if(grammar.delegates)>
public override void SetState(RecognizerSharedState state)
{
base.SetState(state);
<grammar.delegates:{g|<g:delegateName()>.SetState(state);}; separator="\n">
}
<endif>

<endif>

```

```

<if(filterMode)>
  <filteringNextToken()>
<endif>

[Conditional("ANTLR_TRACE")]
protected virtual void OnCreated() {}
[Conditional("ANTLR_TRACE")]
protected virtual void EnterRule(string ruleName, int ruleIndex) {}
[Conditional("ANTLR_TRACE")]
protected virtual void LeaveRule(string ruleName, int ruleIndex) {}

  <rules; separator="\n">

<insertLexerSynpreds(synpreds)>

#region DFA
<cyclicDFAs:{ dfa | DFA<dfa.decisionNumber> dfa<dfa.decisionNumber>;}; separator="\n">

protected override void InitDFAs()
{
  base.InitDFAs();
  <cyclicDFAs:{ dfa | dfa<dfa.decisionNumber> = new DFA<dfa.decisionNumber>(this<if(dfa.specialStateSTs)>,
SpecialStateTransition<dfa.decisionNumber><endif>;);}; separator="\n">
}

<cyclicDFAs:cyclicDFA()> <! dump tables for all DFA !>
#endregion

}
>>

/** A override of Lexer.nextToken() that backtracks over mTokens() looking
 * for matches. No error can be generated upon error; just rewind, consume
 * a token and then try again. backtracking needs to be set as well.
 * Make rule memoization happen only at levels above 1 as we start mTokens
 * at backtracking==1.
 */
filteringNextToken() ::= <<
public override IToken NextToken()
{
  while (true)
  {
    if (input.LA(1) == CharStreamConstants.EndOfFile)
    {
      IToken eof = new CommonToken((ICharStream)input, CharStreamConstants.EndOfFile, TokenChannels.Default,
input.Index, input.Index);
      eof.Line = Line;
      eof.CharPositionInLine = CharPositionInLine;
    }
  }
}

```

```

return eof;
}
state.token = null;
state.channel = TokenChannels.Default;
state.tokenStartCharIndex = input.Index;
state.tokenStartCharPositionInLine = input.CharPositionInLine;
state.tokenStartLine = input.Line;
state.text = null;
try
{
int m = input.Mark();
state.backtracking=1;<! means we won't throw slow exception !>
state.failed=false;
mTokens();
state.backtracking=0;
<! mTokens backtracks with synpred at backtracking==2
and we set the synpredgate to allow actions at level 1. !>
if (state.failed)
{
input.Rewind(m);
input.Consume();<! advance one char and try again !>
}
else
{
Emit();
return state.token;
}
}
catch (RecognitionException re)
{
// shouldn't happen in backtracking mode, but...
ReportError(re);
Recover(re);
}
}

public override void Memoize(IIntStream input, int ruleIndex, int ruleStartIndex)
{
if (state.backtracking > 1)
base.Memoize(input, ruleIndex, ruleStartIndex);
}

public override bool AlreadyParsedRule(IIntStream input, int ruleIndex)
{
if (state.backtracking > 1)
return base.AlreadyParsedRule(input, ruleIndex);
}

```

```

return false;
}
>>

actionGate() ::= "state.backtracking == 0"

filteringActionGate() ::= "state.backtracking == 1"

/** How to generate a parser */
genericParser(grammar, name, scopes, tokens, tokenNames, rules, numRules,
    bitsets, inputStreamType, superClass,
    labelType, members, rewriteElementType,
    filterMode, ASTLabelType="object") ::= <<
[System.CodeDom.Compiler.GeneratedCode("ANTLR", "<ANTLRVersion>")]
[System.CLSCompliant(false)]
<parserModifier(grammar=grammar, actions=actions)> partial class <grammar.recognizerName> :
<@superClassName><superClass><@end>
{
<if(grammar.grammarIsRoot)>
internal static readonly string[] tokenNames = new string[] {
    "\<invalid>", "\<EOR>", "\<DOWN>", "\<UP>", <tokenNames; separator=", ">
};
<endif>
<tokens:{it|public const int <it.name; format="id">=<it.type>;}; separator="\n">

<if(grammar.delegates)>
// delegates
<grammar.delegates:
    {g|private <g.recognizerName> <g.delegateName()>;}; separator="\n">
<endif>
<if(grammar.delegators)>
// delegators
<grammar.delegators:
    {g|private <g.recognizerName> <g.delegateName()>;}; separator="\n">
<last(grammar.delegators):{g|private <g.recognizerName> gParent;}>
<endif>

<if(grammar.delegates)>
public override void SetState(RecognizerSharedState state)
{
    base.SetState(state);
    <grammar.delegates:{g|<g.delegateName()>.SetState(state);}; separator="\n">
}

<if(TREE_PARSER)>
public override void SetTreeNodeStream(ITreeNodeStream input)
{
    base.SetTreeNodeStream(input);

```

```

    <grammar.delegates: {g|<g:delegateName(>.<SetTreeNodeStream(input);}; separator="\n">
    }
<endif>
<endif>

<scopes: {it|<if(it.isDynamicGlobalScope)><globalAttributeScope(scope=it)><endif>}>
<@members(>

public override string[] TokenNames { get { return
<grammar.composite.rootGrammar.recognizerName>.tokenNames; } }
public override string GrammarFileName { get { return "<fileName>"; } }

<members>

[Conditional("ANTLR_TRACE")]
protected virtual void OnCreated() {}
[Conditional("ANTLR_TRACE")]
protected virtual void EnterRule(string ruleName, int ruleIndex) {}
[Conditional("ANTLR_TRACE")]
protected virtual void LeaveRule(string ruleName, int ruleIndex) {}

#region Rules
<rules; separator="\n">
#endregion Rules

<if(grammar.delegatedRules)>
<! generate rule/method definitions for imported rules so they
appear to be defined in this recognizer. !>
#region Delegated rules
<grammar.delegatedRules: {ruleDescriptor|
<ruleModifier(grammar=grammar,ruleDescriptor=ruleDescriptor)> <return Type(ruleDescriptor)>
<ruleDescriptor.name; format="id"><ruleDescriptor.parameterScope:parameterScope(>> <!throws
RecognitionException !>{ <if(ruleDescriptor.hasReturnValue)>return
<endif><ruleDescriptor.grammar:delegateName(>.<ruleDescriptor.name;
format="id"><ruleDescriptor.parameterScope)><ruleDescriptor.parameterScope.attributes: {a|<a.name;
format="id">}; separator=", "><endif>}; \}}; separator="\n">
#endregion Delegated rules
<endif>

<insertSynpreds(synpreds)>

<if(cyclicDFAs)>
#region DFA
<cyclicDFAs: {dfa | private DFA<dfa.decisionNumber> dfa<dfa.decisionNumber>;}; separator="\n">

protected override void InitDFAs()
{
base.InitDFAs();

```

```

<cyclicDFAs:{ dfa | dfa<dfa.decisionNumber> = new DFA<dfa.decisionNumber>( this<if(dfa.specialStateSTs)>,
SpecialStateTransition<dfa.decisionNumber><endif> );}; separator="\n">
}

<cyclicDFAs:cyclicDFA()><! dump tables for all DFA !>
#endregion DFA
<endif>

<if(bitsets)>
#region Follow sets
private static class Follow
{
<bitsets:{ it|<bitset(name={_<it.name>_in_<it.inName><it.tokenIndex>}, words64=it.bits)>}; separator="\n">
}
#endregion Follow sets
<endif>
}
>>

@genericParser.members() ::= <<
#if ANTLR_DEBUG
private static readonly bool[] decisionCanBacktrack =
new bool[]
{
false, // invalid decision
<grammar.decisions:{ d | <d.dfa.hasSynPred>}; wrap="\n", separator=", ">
};
#else
private static readonly bool[] decisionCanBacktrack = new bool[0];
#endif
<! WARNING. bug in ST: this is cut-n-paste into Dbg.stg !>
<actions.(actionScope).ctorModifier; null="public"> <grammar.recognizerName><(inputStreamType>
input<grammar.delegators:{ g|, <g.recognizerName> <g.delegateName()>}>)
: this(input, new RecognizerSharedState()<grammar.delegators:{ g|, <g.delegateName()>}>)
{
}
<actions.(actionScope).ctorModifier; null="public"> <grammar.recognizerName><(inputStreamType> input,
RecognizerSharedState state<grammar.delegators:{ g|, <g.recognizerName> <g.delegateName()>}>)
: base(input, state)
{
<if(grammar.directDelegates)>
<grammar.directDelegates:
{ g|<g.delegateName()> = new <g.recognizerName>(input, state<trunc(g.delegators):{p|, <p.delegateName()>}>,
this);}; separator="\n">
<endif>
<if(grammar.indirectDelegates)>
<grammar.indirectDelegates:{ g | <g.delegateName()> = <g.delegator.delegateName()>.<g.delegateName()>};
separator="\n">

```

```

<endif>
<if(grammar.delegators)>
  <last(grammar.delegators):{g|gParent = <g:delegateName(>};}>
<endif>
<parserCtorBody()>
  OnCreated();
}
>>

// imported grammars are 'public' (can't be internal because their return scope classes must be accessible)
parserModifier(grammar, actions) ::= <<
<if(grammar.grammarIsRoot)><actions.(actionScope).modifier; null="public"><else>public<endif>
>>

parserCtorBody() ::= <<
<if(memoize)>
<if(grammar.grammarIsRoot)>
this.state.ruleMemo = new System.Collections.Generic.Dictionary<int,
int>[<length(grammar.allImportedRules)>+1];<n><! index from 1..n !>
<endif>
<endif>
<grammar.delegators:
{g|this.<g:delegateName(> = <g:delegateName(>}; separator="\n">
>>

parser(grammar, name, scopes, tokens, tokenNames, rules, numRules, bitsets,
  ASTLabelType="object",
superClass={<if(actions.(actionScope).superClass)><actions.(actionScope).superClass><else>Antlr.Runtime.Parser
<endif>}, labelType="IToken",
  members={<actions.parser.members>}) ::= <<
<genericParser(inputStreamType="ITokenStream", rewriteElementType="IToken", ...)>
>>

/** How to generate a tree parser; same as parser except the input
 * stream is a different type.
 */
treeParser(grammar, name, scopes, tokens, tokenNames, globalAction, rules,
  numRules, bitsets, filterMode, labelType={<ASTLabelType>}, ASTLabelType="object",
superClass={<if(actions.(actionScope).superClass)><actions.(actionScope).superClass><else>Antlr.Runtime.Tree.<
if(filterMode)><if(buildAST)>TreeRewriter<else>TreeFilter<endif><else>TreeParser<endif><endif>},
  members={<actions.treeparser.members>}) ::= <<
<genericParser(inputStreamType="ITreeNodeStream", rewriteElementType="Node", ...)>
>>

/** A simpler version of a rule template that is specific to the imaginary
 * rules created for syntactic predicates. As they never have return values
 * nor parameters etc..., just give simplest possible method. Don't do
 * any of the normal memoization stuff in here either; it's a waste.

```

```

* As predicates cannot be inlined into the invoking rule, they need to
* be in a rule by themselves.
*/
synpredRule(ruleName, ruleDescriptor, block, description, nakedBlock) ::=
<<
[Conditional("ANTLR_TRACE")]
protected virtual void EnterRule_<ruleName>_fragment() {}
[Conditional("ANTLR_TRACE")]
protected virtual void LeaveRule_<ruleName>_fragment() {}

// $ANTLR start <ruleName>
<ruleModifier(grammar,ruleDescriptor)> void
<ruleName>_fragment(<ruleDescriptor.parameterScope:parameterScope(>))
{
    <ruleLabelDefs(>
    EnterRule_<ruleName>_fragment();
    EnterRule("<ruleName>_fragment", <ruleDescriptor.index>);
    TraceIn("<ruleName>_fragment", <ruleDescriptor.index>);
    try
    {
        <block>
    }
    finally
    {
        TraceOut("<ruleName>_fragment", <ruleDescriptor.index>);
        LeaveRule("<ruleName>_fragment", <ruleDescriptor.index>);
        LeaveRule_<ruleName>_fragment();
    }
}
// $ANTLR end <ruleName>
>>

insertLexerSynpreds(synpreds) ::= <<
<insertSynpreds(synpreds)>
>>

insertSynpreds(synpreds) ::= <<
<if(synpreds)>
#region Synpreds
private bool EvaluatePredicate(System.Action fragment)
{
    bool success = false;
    state.backtracking++;
    <@start(>
    try { DebugBeginBacktrack(state.backtracking);
    int start = input.Mark();
    try
    {

```



```

    fragment();
  }
  catch ( RecognitionException re )
  {
    System.Console.Error.WriteLine("impossible: "+re);
  }
  success = !state.failed;
  input.Rewind(start);
  } finally { DebugEndBacktrack(state.backtracking, success); }
  <@stop()>
  state.backtracking--;
  state.failed=false;
  return success;
  }
#endregion Synpreds
<endif>
>>

ruleMemoization(name) ::= <<
<if(memoize)>
if (state.backtracking > 0 && AlreadyParsedRule(input, <ruleDescriptor.index>)) { <returnFromRule()> }
<endif>
>>

/** How to test for failure and return from rule */
checkRuleBacktrackFailure() ::= <<
<if(backtracking)>if (state.failed) <returnFromRule()><endif>
>>

/** This rule has failed, exit indicating failure during backtrack */
ruleBacktrackFailure() ::= <<
<if(backtracking)>if (state.backtracking>0) { state.failed=true; <returnFromRule()> }<endif>
>>

ruleWrapperMap ::= [
  "bottomup":{<ruleWrapperBottomup()>},
  "topdown":{<ruleWrapperTopdown()>},
  default:""
]

ruleWrapperBottomup() ::= <<
<if(TREE_PARSER && filterMode)>
protected override <if(buildAST)>IAstRuleReturnScope<else>void<endif> Bottomup() { return bottomup(); }
<endif>
>>

ruleWrapperTopdown() ::= <<
<if(TREE_PARSER && filterMode)>

```

```

protected override <if(buildAST)>IAstRuleReturnScope<else>void<endif> Topdown() { return topdown(); }
<endif>
>>

/** How to generate code for a rule. This includes any return type
 * data aggregates required for multiple return values.
 */
rule(ruleName,ruleDescriptor,block,emptyRule,description,exceptions,finally,memoize) ::= <<
<ruleAttributeScope(scope=ruleDescriptor.ruleScope)>
<returnScope(ruleDescriptor.returnScope)>

[Conditional("ANTLR_TRACE")]
protected virtual void EnterRule_<ruleName>() { }
[Conditional("ANTLR_TRACE")]
protected virtual void LeaveRule_<ruleName>() { }
<ruleWrapperMap.(ruleName)>
// $ANTLR start "<ruleName>"
// <fileName>:<description>
[GrammarRule("<ruleName>")]
<ruleModifier(grammar=grammar,ruleDescriptor=ruleDescriptor)> <returnType(ruleDescriptor)> <ruleName;
format="id">(<ruleDescriptor.parameterScope:parameterScope(>
{
EnterRule_<ruleName>();
EnterRule("<ruleName>", <ruleDescriptor.index>);
TraceIn("<ruleName>", <ruleDescriptor.index>);
<ruleScopeSetUp(>
<ruleDeclarations(>
<ruleLabelDefs(>
<ruleDescriptor.actions.init>
try { DebugEnterRule(GrammarFileName, "<ruleName>");
DebugLocation(<ruleDescriptor.tree.line>, <ruleDescriptor.EORNode.charPositionInLine>);
<@preamble(>
try
{
<ruleMemoization(name=ruleName)>
<block>
<ruleCleanUp(>
<(ruleDescriptor.actions.after):execAction(>
}
<if(exceptions)>
<exceptions: {e|<catch(decl=e.decl,action=e.action)><\n>}>
<else>
<if(!emptyRule)>
<if(actions.(actionScope).rulecatch)>
<actions.(actionScope).rulecatch>
<else>
catch (RecognitionException re)
{

```

```

    ReportError(re);
    Recover(input,re);
    <@setErrorReturnValue()>
  }
<endif>
<endif>
<endif>
finally
{
  TraceOut("<ruleName>", <ruleDescriptor.index>);
  LeaveRule("<ruleName>", <ruleDescriptor.index>);
  LeaveRule_<ruleName>();
  <memoize()>
  <ruleScopeCleanUp()>
  <finally>
}
DebugLocation(<ruleDescriptor.EORNode.line>, <ruleDescriptor.EORNode.charPositionInLine>);
} finally { DebugExitRule(GrammarFileName, "<ruleName>"); }
<@postamble()>
<returnFromRule()><\n>
}
// $ANTLR end "<ruleName>"
>>

// imported grammars need to have internal rules
ruleModifier(grammar,ruleDescriptor) ::= <<
<if(grammar.grammarIsRoot)><csharpVisibilityMap.(ruleDescriptor.modifier);
null="private"><else>internal<endif>
>>

// imported grammars need to have public return scopes
returnScopeModifier(grammar,ruleDescriptor) ::= <<
<if(grammar.grammarIsRoot)><csharpVisibilityMap.(ruleDescriptor.modifier);
null="private"><else>public<endif>
>>

catch(decl,action) ::= <<
catch (<e.decl>)
{
  <e.action>
}
>>

ruleDeclarations() ::= <<
<if(ruleDescriptor.hasMultipleReturnValues)>
<returnType(ruleDescriptor)> retval = new <returnType(ruleDescriptor)>();
retval.Start = (<labelType>)input.LT(1);
<elseif(ruleDescriptor.returnScope)>

```

```

<ruleDescriptor.returnScope.attributes: { a |
<a.type> <a.name; format="id"> = <if(a.initValue)><a.initValue><else><initValue(a.type)><endif>;
}>
<endif>
<if(memoize)>
int <ruleDescriptor.name>_startIndex = input.Index;
<endif>
>>

ruleScopeSetUp() ::= <<
<ruleDescriptor.useScopes: { it|<it>_stack.Push(new <it>_scope());<it>_scopeInit(<it>_stack.Peek());};
separator="\n">
<ruleDescriptor.ruleScope: { it|<it.name>_stack.Push(new
<it.name>_scope());<it.name>_scopeInit(<it.name>_stack.Peek());}; separator="\n">
>>

ruleScopeCleanup() ::= <<
<ruleDescriptor.useScopes: { it|<it>_scopeAfter(<it>_stack.Peek());<it>_stack.Pop();}; separator="\n">
<ruleDescriptor.ruleScope: { it|<it.name>_scopeAfter(<it.name>_stack.Peek());<it.name>_stack.Pop();};
separator="\n">
>>

ruleLabelDefs() ::= <<
<[ruleDescriptor.tokenLabels,ruleDescriptor.tokenListLabels,ruleDescriptor.wildcardTreeLabels,ruleDescriptor.wildcardTreeListLabels]
: { it|<labelType> <it.label.text> = default(<labelType>); }; separator="\n"
>
<ruleDescriptor.tokenListLabels
: { it|List<<labelType>> list_<it.label.text> = null; }; separator="\n"
>
<[ruleDescriptor.ruleListLabels,ruleDescriptor.wildcardTreeListLabels]
: { it|List<<ASTLabelType>> list_<it.label.text> = null; }; separator="\n"
>
<ruleDescriptor.ruleLabels:ruleLabelDef(); separator="\n">
<ruleDescriptor.ruleListLabels:ruleLabelDef(); separator="\n">
>>

lexerRuleLabelDefs() ::= <<
<[ruleDescriptor.tokenLabels,
ruleDescriptor.tokenListLabels,
ruleDescriptor.ruleLabels]
: { it|<labelType> <it.label.text> = default(<labelType>); }; separator="\n"
>
<[ruleDescriptor.charListLabels,
ruleDescriptor.charLabels]
: { it|int <it.label.text> = 0; }; separator="\n"
>
<[ruleDescriptor.tokenListLabels,

```

```

ruleDescriptor.ruleListLabels]
: {it|List<<labelType>> list_<it.label.text> = null;}; separator="\n"
>
<ruleDescriptor.charListLabels: {it|List<int> list_<it.label.text> = null;}; separator="\n"
>
>>

returnFromRule() ::= <%
return
<if(!ruleDescriptor.isSynPred)>
<if(ruleDescriptor.hasReturnValue)>
<if(ruleDescriptor.hasSingleReturnValue)>
<! This comment is a hack to make sure the following
single space appears in the output. !> <ruleDescriptor.singleValueReturnName>
<else>
<!!> retval
<endif>
<endif>
<endif>
;
%>

ruleCleanup() ::= <<
<if(ruleDescriptor.hasMultipleReturnValues)>
<if(!TREE_PARSER)>
retval.Stop = (<labelType>)input.LT(-1);
<endif>
<endif>
>>

memoize() ::= <<
<if(memoize)>
<if(backtracking)>
if (state.backtracking > 0) { Memoize(input, <ruleDescriptor.index>, <ruleDescriptor.name>_StartIndex); }
<endif>
<endif>
>>

/** How to generate a rule in the lexer; naked blocks are used for
 * fragment rules.
 */
lexerRule(ruleName,nakedBlock,ruleDescriptor,block,memoize) ::= <<

[Conditional("ANTLR_TRACE")]
protected virtual void EnterRule_<ruleName>() { }
[Conditional("ANTLR_TRACE")]
protected virtual void LeaveRule_<ruleName>() { }

```

```

// $ANTLR start "<ruleName>"
[GrammarRule("<ruleName>")]
<ruleModifier(grammar=grammar,ruleDescriptor=ruleDescriptor)> void
m<ruleName>(<ruleDescriptor.parameterScope:parameterScope(>
{
  EnterRule_<ruleName>();
  EnterRule("<ruleName>", <ruleDescriptor.index>);
  TraceIn("<ruleName>", <ruleDescriptor.index>);
  <ruleScopeSetUp(>
  <ruleDeclarations(>
  try
  {
<if(nakedBlock)>
  <ruleMemoization(name=ruleName)>
  <lexerRuleLabelDefs(>
  <ruleDescriptor.actions.init>
  <block>
<else>
  int _type = <ruleName>;
  int _channel = DefaultTokenChannel;
  <ruleMemoization(name=ruleName)>
  <lexerRuleLabelDefs(>
  <ruleDescriptor.actions.init>
  <block>
  <ruleCleanUp(>
  state.type = _type;
  state.channel = _channel;
  <(ruleDescriptor.actions.after):execAction(>
<endif>
  }
  finally
  {
    TraceOut("<ruleName>", <ruleDescriptor.index>);
    LeaveRule("<ruleName>", <ruleDescriptor.index>);
    LeaveRule_<ruleName>();
    <ruleScopeCleanUp(>
    <memoize(>
  }
  }
// $ANTLR end "<ruleName>"
>>

```

```

/** How to generate code for the implicitly-defined lexer grammar rule
 * that chooses between lexer rules.
 */
tokensRule(ruleName,nakedBlock,args,block,ruleDescriptor) ::= <<

```

```

public override void mTokens()

```

```

{
  <block><\n>
}
>>

// S U B R U L E S

/** A (...) subrule with multiple alternatives */
block(alts,decls,decision,enclosingBlockLevel,blockLevel,decisionNumber,maxK,maxAlt,description) ::= <<
// <fileName>:<description>
int alt<decisionNumber>=<maxAlt>;
<decls>
<@predecision()>
try { DebugEnterSubRule(<decisionNumber>);
try { DebugEnterDecision(<decisionNumber>, decisionCanBacktrack[<decisionNumber>]);
<decision>
} finally { DebugExitDecision(<decisionNumber>); }
<@postdecision()>
<@prebranch()>
switch (alt<decisionNumber>)
{
<alts:{a|altSwitchCase(i,a)}>
}
} finally { DebugExitSubRule(<decisionNumber>); }
<@postbranch()>
>>

/** A rule block with multiple alternatives */
ruleBlock(alts,decls,decision,enclosingBlockLevel,blockLevel,decisionNumber,maxK,maxAlt,description) ::= <<
// <fileName>:<description>
int alt<decisionNumber>=<maxAlt>;
<decls>
<@predecision()>
try { DebugEnterDecision(<decisionNumber>, decisionCanBacktrack[<decisionNumber>]);
<decision>
} finally { DebugExitDecision(<decisionNumber>); }
<@postdecision()>
switch (alt<decisionNumber>)
{
<alts:{a|altSwitchCase(i,a)}>
}
>>

ruleBlockSingleAlt(alts,decls,decision,enclosingBlockLevel,blockLevel,decisionNumber,description) ::= <<
// <fileName>:<description>
<decls>
<@prealt()>
DebugEnterAlt(1);

```

```

<alts>
<@postalt()>
>>

/** A special case of a (...) subrule with a single alternative */
blockSingleAlt(alts,decls,decision,enclosingBlockLevel,blockLevel,decisionNumber,description) ::= <<
// <fileName>:<description>
<decls>
<@prealt()>
DebugEnterAlt(1);
<alts>
<@postalt()>
>>

/** A (..)+ block with 1 or more alternatives */
positiveClosureBlock(alts,decls,decision,enclosingBlockLevel,blockLevel,decisionNumber,maxK,maxAlt,description) ::= <<
// <fileName>:<description>
int cnt<decisionNumber>=0;
<decls>
<@preloop()>
try { DebugEnterSubRule(<decisionNumber>);
while (true)
{
int alt<decisionNumber>=<maxAlt>;
<@predecision()>
try { DebugEnterDecision(<decisionNumber>, decisionCanBacktrack[<decisionNumber>]);
<decision>
} finally { DebugExitDecision(<decisionNumber>); }
<@postdecision()>
switch (alt<decisionNumber>)
{
<alts:{a|<altSwitchCase(i,a)>}>
default:
if (cnt<decisionNumber> >= 1)
goto loop<decisionNumber>;

<ruleBacktrackFailure()>
EarlyExitException eee<decisionNumber> = new EarlyExitException( <decisionNumber>, input );
DebugRecognitionException(eee<decisionNumber>);
<@earlyExitException()>
throw eee<decisionNumber>;
}
cnt<decisionNumber>++;
}
loop<decisionNumber>;
;

```



```

} finally { DebugExitSubRule(<decisionNumber>); }
<@postloop()>
>>

```

positiveClosureBlockSingleAlt ::= positiveClosureBlock

```

/** A (..)* block with 1 or more alternatives */
closureBlock(alts,decls,decision,enclosingBlockLevel,blockLevel,decisionNumber,maxK,maxAlt,description) ::=
<<
// <fileName>:<description>
<decls>
<@preloop()>
try { DebugEnterSubRule(<decisionNumber>);
while (true)
{
int alt<decisionNumber>=<maxAlt>;
<@predecision()>
try { DebugEnterDecision(<decisionNumber>, decisionCanBacktrack[<decisionNumber>]);
<decision>
} finally { DebugExitDecision(<decisionNumber>); }
<@postdecision()>
switch ( alt<decisionNumber> )
{
<alts:{a|<altSwitchCase(i,a)>}>
default:
goto loop<decisionNumber>;
}
}
}

loop<decisionNumber>:
;

} finally { DebugExitSubRule(<decisionNumber>); }
<@postloop()>
>>

```

closureBlockSingleAlt ::= closureBlock

```

/** Optional blocks (x)? are translated to (x|) by before code generation
* so we can just use the normal block template
*/

```

optionalBlock ::= block

optionalBlockSingleAlt ::= block

```

/** A case in a switch that jumps to an alternative given the alternative
* number. A DFA predicts the alternative and then a simple switch
* does the jump to the code that actually matches that alternative.

```

```

*/
altSwitchCase(altNum,alt) ::= <<
case <altNum>:
  <@prealt()>
  DebugEnterAlt(<altNum>);
  <alt>
  break;<\n>
>>

/** An alternative is just a list of elements; at outermost level */
alt(elements,altNum,description,autoAST,outerAlt,treeLevel,rew) ::= <<
// <fileName>:<description>
{
  <@declarations()>
  <elements:element()>
  <rew>
  <@cleanup()>
}
>>

/** What to emit when there is no rewrite. For auto build
 * mode, does nothing.
 */
noRewrite(rewriteBlockLevel, treeLevel) ::= ""

// E L E M E N T S

/** Dump the elements one per line */
element(it) ::= <%
  <@prematch()>
  DebugLocation(<it.line>, <it.pos>);<\n>
  <it.el><\n>
  %>

/** match a token optionally with a label in front */
tokenRef(token,label,elementIndex,terminalOptions={}) ::= <<
<if(label)><label>=<(<labelType>)<endif>Match(input,<token>,Follow._<token>_in_<ruleName><elementIndex>);
<checkRuleBacktrackFailure()>
>>

/** ids+=ID */
tokenRefAndListLabel(token,label,elementIndex,terminalOptions={}) ::= <<
<tokenRef(...)>
<listLabelElem(elem=label,elemType=labelType,...)>
>>

listLabelElem(label,elem,elemType) ::= <<
if (list_<label>==null) list_<label>=new List<<elemType; null={ <labelType> }>>();

```

```

list_<label>.Add(<elem>);<\n>
>>

/** match a character */
charRef(char,label) ::= <<
<if(label)>
<label> = input.LA(1);<\n>
<endif>
Match(<char>); <checkRuleBacktrackFailure()>
>>

/** match a character range */
charRangeRef(a,b,label) ::= <<
<if(label)>
<label> = input.LA(1);<\n>
<endif>
MatchRange(<a>,<b>); <checkRuleBacktrackFailure()>
>>

/** For now, sets are interval tests and must be tested inline */
matchSet(s,label,elementIndex,postmatchCode="",terminalOptions={ }) ::= <<
<if(label)>
<matchSetLabel()>
<endif>
if (<s>)
{
input.Consume();
<postmatchCode>
<if(!LEXER)>state.errorRecovery=false;<endif><if(backtracking)>state.failed=false;<endif>
}
else
{
<ruleBacktrackFailure()>
MismatchedSetException mse = new MismatchedSetException(null,input);
DebugRecognitionException(mse);
<@mismatchedSetException()>
<if(LEXER)>
Recover(mse);
throw mse;
<else>
throw mse;
<! use following code to make it recover inline; remove throw mse;
recoverFromMismatchedSet(input,mse,Follow._set_in_<ruleName><elementIndex>);
!>
<endif>
}<\n>
>>

```

```

matchSetUnchecked(s,label,elementIndex,postmatchCode=false) ::= <%
<if(label)>
<matchSetLabel()><\n>
<endif>
input.Consume();<\n>
<if(postmatchCode)>
<postmatchCode><\n>
<endif>
<if(!LEXER)>state.errorRecovery=false;<endif><if(backtracking)>state.failed=false;<endif>
%>

matchSetLabel() ::= <%
<if(LEXER)>
<label>= input.LA(1);
<else>
<label>=(<labelType>)input.LT(1);
<endif>
%>

matchRuleBlockSet ::= matchSet

matchSetAndListLabel(s,label,elementIndex,postmatchCode) ::= <<
<matchSet(...)>
<listLabelElem(elem=label,elemType=labelType,...)>
>>

/** Match a string literal */
lexerStringRef(string,label,elementIndex) ::= <%
<if(label)>
int <label>Start = CharIndex;<\n>
Match(<string>); <checkRuleBacktrackFailure()><\n>
int <label>StartLine<elementIndex> = Line;<\n>
int <label>StartCharPos<elementIndex> = CharPositionInLine;<\n>
<label> = new <labelType>(input, TokenTypes.Invalid, TokenChannels.Default, <label>Start, CharIndex-1);<\n>
<label>.Line = <label>StartLine<elementIndex>;<\n>
<label>.CharPositionInLine = <label>StartCharPos<elementIndex>;
<else>
Match(<string>); <checkRuleBacktrackFailure()><\n>
<endif>
%>

wildcard(token,label,elementIndex,terminalOptions={}) ::= <<
<if(label)>
<label>=(<labelType>)input.LT(1);<\n>
<endif>
MatchAny(input); <checkRuleBacktrackFailure()>
>>

```

```

wildcardAndListLabel(token,label,elementIndex,terminalOptions={}) ::= <<
<wildcard(...)>
<listLabelElem(elem=label,elemType=labelType,...)>
>>

/** Match . wildcard in lexer */
wildcardChar(label, elementIndex) ::= <<
<if(label)>
<label> = input.LA(1);<\n>
<endif>
MatchAny(); <checkRuleBacktrackFailure()>
>>

wildcardCharListLabel(label, elementIndex) ::= <<
<wildcardChar(...)>
<listLabelElem(elem=label,elemType=labelType,...)>
>>

/** Match a rule reference by invoking it possibly with arguments
 * and a return value or values. The 'rule' argument was the
 * target rule name, but now is type Rule, whose toString is
 * same: the rule name. Now though you can access full rule
 * descriptor stuff.
 */
ruleRef(rule,label,elementIndex,args,scope) ::= <<
PushFollow(Follow._<rule.name>_in_<ruleName><elementIndex>);
<if(label)><label>=<endif><if(scope)><scope:delegateName()>.<endif><rule.name; format="id">(<args;
separator=", ">);
PopFollow();
<checkRuleBacktrackFailure()>
>>

/** ids+=1 */
ruleRefAndListLabel(rule,label,elementIndex,args,scope) ::= <<
<ruleRef(...)>
<listLabelElem(elem=label,elemType={<ASTLabelType>},...)>
>>

/** A lexer rule reference.
 *
 * The 'rule' argument was the target rule name, but now
 * is type Rule, whose toString is same: the rule name.
 * Now though you can access full rule descriptor stuff.
 */
lexerRuleRef(rule,label,args,elementIndex,scope) ::= <%
<if(label)>
int <label>Start<elementIndex> = CharIndex;<\n>
int <label>StartLine<elementIndex> = Line;<\n>

```

```

int <label>StartCharPos<elementIndex> = CharPositionInLine;<\n>
<if(scope)><scope:delegateName()>.<endif>m<rule.name><(args; separator=", ">);
<checkRuleBacktrackFailure()><\n>
<label> = new <labelType>(input, TokenTypes.Invalid, TokenChannels.Default, <label>Start<elementIndex>,
CharIndex-1);<\n>
<label>.Line = <label>StartLine<elementIndex>;<\n>
<label>.CharPositionInLine = <label>StartCharPos<elementIndex>;
<else>
<if(scope)><scope:delegateName()>.<endif>m<rule.name><(args; separator=", ">);
<checkRuleBacktrackFailure()>
<endif>
%>

/** i+=INT in lexer */
lexerRuleRefAndListLabel(rule,label,args,elementIndex,scope) ::= <<
<lexerRuleRef(...)>
<listLabelElem(elem=label,elemType=labelType,...)>
>>

/** EOF in the lexer */
lexerMatchEOF(label,elementIndex) ::= <%
<if(label)>
int <label>Start<elementIndex> = CharIndex;<\n>
int <label>StartLine<elementIndex> = Line;<\n>
int <label>StartCharPos<elementIndex> = CharPositionInLine;<\n>
Match(EOF); <checkRuleBacktrackFailure()><\n>
<labelType> <label> = new <labelType>(input, EOF, TokenChannels.Default, <label>Start<elementIndex>,
CharIndex-1);<\n>
<label>.Line = <label>StartLine<elementIndex>;<\n>
<label>.CharPositionInLine = <label>StartCharPos<elementIndex>;
<else>
Match(EOF); <checkRuleBacktrackFailure()>
<endif>
%>

// used for left-recursive rules
recRuleDefArg()          ::= "int <recRuleArg()>"
recRuleArg()             ::= "_p"
recRuleAltPredicate(ruleName,opPrec) ::= "<recRuleArg()> \<= <opPrec>"
recRuleSetResultAction() ::= "root_0=$<ruleName>_primary.tree;"
recRuleSetReturnAction(src,name) ::= "$<name>=$<src>.<name>;"

/** match ^(root children) in tree parser */
tree(root, actionsAfterRoot, children, nullableChildList,
enclosingTreeLevel, treeLevel) ::= <<
<root:element()>
<actionsAfterRoot:element()>
<if(nullableChildList)>

```

```

if (input.LA(1) == TokenTypes.Down)
{
    Match(input, TokenTypes.Down, null); <checkRuleBacktrackFailure()>
    <children:element()>
    Match(input, TokenTypes.Up, null); <checkRuleBacktrackFailure()>
}
<else>
Match(input, TokenTypes.Down, null); <checkRuleBacktrackFailure()>
<children:element()>
Match(input, TokenTypes.Up, null); <checkRuleBacktrackFailure()>
<endif>
>>

/** Every predicate is used as a validating predicate (even when it is
 * also hoisted into a prediction expression).
 */
validateSemanticPredicate(pred,description) ::= <<
if (!(<evalPredicate(...)>))
{
    <ruleBacktrackFailure()>
    throw new FailedPredicateException(input, "<ruleName>", "<description>");
}
>>

// F i x e d D F A (if-then-else)

dfaState(k,edges,eotPredictsAlt,description,stateNumber,semPredState) ::= <<
int LA<decisionNumber>_<k> = input.LA(<k>);<n>
<edges; separator="\nelse ">
<if(!!(isTrue.(last(edges).labelExpr)) && (!last(edges).predicates))>
else
{
    <if(eotPredictsAlt)>
    alt<decisionNumber> = <eotPredictsAlt>;
    <else>
    <ruleBacktrackFailure()>
    NoViableAltException nvae = new NoViableAltException("<description>", <decisionNumber>, <stateNumber>,
input, <k>);
    DebugRecognitionException(nvae);
    <@noViableAltException()>
    throw nvae;
    <endif>
}
<endif>
>>

/** Same as a normal DFA state except that we don't examine lookahead
 * for the bypass alternative. It delays error detection but this

```

```

* is faster, smaller, and more what people expect. For (X)? people
* expect "if ( LA(1)==X ) match(X);" and that's it.
*/
dfaOptionalBlockState(k,edges,eotPredictsAlt,description,stateNumber,semPredState) ::= <<
int LA<decisionNumber>_<k> = input.LA(<k>);<\n>
<edges; separator="\nelse ">
>>

/** A DFA state that is actually the loopback decision of a closure
* loop. If end-of-token (EOT) predicts any of the targets then it
* should act like a default clause (i.e., no error can be generated).
* This is used only in the lexer so that for ('a'* on the end of a rule
* anything other than 'a' predicts exiting.
*/
dfaLoopbackState(k,edges,eotPredictsAlt,description,stateNumber,semPredState) ::= <<
int LA<decisionNumber>_<k> = input.LA(<k>);<\n>
<edges; separator="\nelse "><\n>
<if(eotPredictsAlt)>
<if(!edges)>
alt<decisionNumber> = <eotPredictsAlt>;<! if no edges, don't gen ELSE !>
<else>
else
{
alt<decisionNumber> = <eotPredictsAlt>;
}<\n>
<endif>
<endif>
>>

/** An accept state indicates a unique alternative has been predicted */
dfaAcceptState(alt) ::= "alt<decisionNumber> = <alt>";

/** A simple edge with an expression. If the expression is satisfied,
* enter to the target state. To handle gated productions, we may
* have to evaluate some predicates for this edge.
*/
dfaEdge(labelExpr, targetState, predicates) ::= <<
if ((<labelExpr>)<if(predicates)> && (<predicates>)<endif>)
{
<targetState>
}
>>

// F i x e d D F A (switch case)

/** A DFA state where a SWITCH may be generated. The code generator
* decides if this is possible: CodeGenerator.canGenerateSwitch().
*/

```



```

dfaStateSwitch(k,edges,eotPredictsAlt,description,stateNumber,semPredState) ::= <<
switch (input.LA(<k>))
{
<edges; separator="\n">
default:
<if(eotPredictsAlt)>
alt<decisionNumber>=<eotPredictsAlt>;
break;<\n>
<else>
{
<ruleBacktrackFailure()>
NoViableAltException nvae = new NoViableAltException("<description>", <decisionNumber>, <stateNumber>,
input, <k>);
DebugRecognitionException(nvae);
<@noViableAltException()>
throw nvae;
}
<endif>
}<\n>
>>

```

```

dfaOptionalBlockStateSwitch(k,edges,eotPredictsAlt,description,stateNumber,semPredState) ::= <<
switch (input.LA(<k>))
{
<edges; separator="\n">
}<\n>
>>

```

```

dfaLoopbackStateSwitch(k, edges,eotPredictsAlt,description,stateNumber,semPredState) ::= <<
switch (input.LA(<k>))
{
<edges; separator="\n">
<if(eotPredictsAlt)>
default:
alt<decisionNumber>=<eotPredictsAlt>;
break;<\n>
<endif>
}<\n>
>>

```

```

dfaEdgeSwitch(labels, targetState) ::= <<
<labels: {it|case <it>;}; separator="\n">
{
<targetState>
}
break;
>>

```

```
// C y c l i c D F A
```

```
/** The code to initiate execution of a cyclic DFA; this is used  
 * in the rule to predict an alt just like the fixed DFA case.  
 * The <name> attribute is inherited via the parser, lexer, ...  
 */
```

```
dfaDecision(decisionNumber,description) ::= <<  
try  
{  
alt<decisionNumber> = dfa<decisionNumber>.Predict(input);  
}  
catch (NoViableAltException nvae)  
{  
DebugRecognitionException(nvae);  
throw;  
}  
>>
```

```
/* Dump DFA tables as run-length-encoded Strings of octal values.  
 * Can't use hex as compiler translates them before compilation.  
 * These strings are split into multiple, concatenated strings.  
 * Java puts them back together at compile time thankfully.  
 * Java cannot handle large static arrays, so we're stuck with this  
 * encode/decode approach. See analysis and runtime DFA for  
 * the encoding methods.  
 */
```

```
cyclicDFA(dfa) ::= <<  
private class DFA<dfa.decisionNumber> : DFA  
{  
private const string DFA<dfa.decisionNumber>_eotS =  
"<dfa.javaCompressedEOT; wrap=\""+\n\t\t\">";  
private const string DFA<dfa.decisionNumber>_eofS =  
"<dfa.javaCompressedEOF; wrap=\""+\n\t\t\">";  
private const string DFA<dfa.decisionNumber>_minS =  
"<dfa.javaCompressedMin; wrap=\""+\n\t\t\">";  
private const string DFA<dfa.decisionNumber>_maxS =  
"<dfa.javaCompressedMax; wrap=\""+\n\t\t\">";  
private const string DFA<dfa.decisionNumber>_acceptS =  
"<dfa.javaCompressedAccept; wrap=\""+\n\t\t\">";  
private const string DFA<dfa.decisionNumber>_specialS =  
"<dfa.javaCompressedSpecial; wrap=\""+\n\t\t\">}>";  
private static readonly string[] DFA<dfa.decisionNumber>_transitionS =  
{  
<dfa.javaCompressedTransition:{s|\"<s; wrap=\""+\n\t\t\">}; separator=\",\n\t\t\">  
};  
  
private static readonly short[] DFA<dfa.decisionNumber>_eot =  
DFA.UnpackEncodedString(DFA<dfa.decisionNumber>_eotS);
```

```

private static readonly short[] DFA<dfa.decisionNumber>_eof =
DFA.UnpackEncodedString(DFA<dfa.decisionNumber>_eofS);
private static readonly char[] DFA<dfa.decisionNumber>_min =
DFA.UnpackEncodedStringToUnsignedChars(DFA<dfa.decisionNumber>_minS);
private static readonly char[] DFA<dfa.decisionNumber>_max =
DFA.UnpackEncodedStringToUnsignedChars(DFA<dfa.decisionNumber>_maxS);
private static readonly short[] DFA<dfa.decisionNumber>_accept =
DFA.UnpackEncodedString(DFA<dfa.decisionNumber>_acceptS);
private static readonly short[] DFA<dfa.decisionNumber>_special =
DFA.UnpackEncodedString(DFA<dfa.decisionNumber>_specialS);
private static readonly short[][] DFA<dfa.decisionNumber>_transition;

static DFA<dfa.decisionNumber>()
{
    int numStates = DFA<dfa.decisionNumber>_transitionS.Length;
    DFA<dfa.decisionNumber>_transition = new short[numStates][];
    for ( int i=0; i < numStates; i++ )
    {
        DFA<dfa.decisionNumber>_transition[i] =
DFA.UnpackEncodedString(DFA<dfa.decisionNumber>_transitionS[i]);
    }
}

public DFA<dfa.decisionNumber>( BaseRecognizer recognizer<if(dfa.specialStateSTs)>,
SpecialStateTransitionHandler specialStateTransition<endif> )
<if(dfa.specialStateSTs)>
    : base(specialStateTransition)
<endif>
{
    this.recognizer = recognizer;
    this.decisionNumber = <dfa.decisionNumber>;
    this.eot = DFA<dfa.decisionNumber>_eot;
    this.eof = DFA<dfa.decisionNumber>_eof;
    this.min = DFA<dfa.decisionNumber>_min;
    this.max = DFA<dfa.decisionNumber>_max;
    this.accept = DFA<dfa.decisionNumber>_accept;
    this.special = DFA<dfa.decisionNumber>_special;
    this.transition = DFA<dfa.decisionNumber>_transition;
}

public override string Description { get { return "<dfa.description>"; } }

public override void Error(NoViableAltException nvae)
{
    DebugRecognitionException(nvae);
}
}<\n>
<if(dfa.specialStateSTs)>

```

```

private int SpecialStateTransition<dfa.decisionNumber>(DFA dfa, int s, IIntStream _input)<! throws
NoViableAltException!>
{
<if(LEXER)>
IIntStream input = _input;
<endif>
<if(PARSER)>
ITokenStream input = (ITokenStream)_input;
<endif>
<if(TREE_PARSER)>
ITreeNodeStream input = (ITreeNodeStream)_input;
<endif>
int _s = s;
s = -1;
<! pull these outside the switch cases to save space on locals !>
int LA<dfa.decisionNumber>_1 = input.LA(1);
int index<dfa.decisionNumber>_1 = input.Index;
switch (_s)
{
<dfa.specialStateSTs:{state |case <i0>:<! compressed special state numbers 0..n-1 !>
<state>}; separator="\n">

default:
break;
}

if (s >= 0)
return s;

<if(backtracking)>
if (state.backtracking > 0) {state.failed=true; return -1;}
<endif>
NoViableAltException nvae = new NoViableAltException(dfa.Description, <dfa.decisionNumber>, _s, input);
dfa.Error(nvae);
throw nvae;
}
<endif>
>>

/** A state in a cyclic DFA; it's a special state and part of a big switch on
* state.
*/
cyclicDFAState(decisionNumber,stateNumber,edges,needErrorClause,semPredState) ::= <<
{
<if(semPredState)>
<! get next lookahead symbol to test edges, then rewind !>
input.Rewind();
<endif>

```

```

<edges; separator="\nelse ">
<if(semPredState)>
<! return input cursor to state before we rewound !>
input.Seek(index<decisionNumber>_1);
<endif>
break;
}
>>

/** Just like a fixed DFA edge, test the lookahead and indicate what
 * state to jump to next if successful.
 */
cyclicDFAEdge(labelExpr, targetStateNumber, edgeNumber, predicates) ::= <<
if ((<labelExpr><if(predicates)> && (<predicates><endif>) {s = <targetStateNumber>;}<\n>
>>

/** An edge pointing at end-of-token; essentially matches any char;
 * always jump to the target.
 */
eotDFAEdge(targetStateNumber,edgeNumber, predicates) ::= <<
s = <targetStateNumber>;<\n>
>>

// D F A E X P R E S S I O N S

andPredicates(left,right) ::= "(<left>&&<right>)"

orPredicates(operands) ::= "(<operands; separator= \"|\|\">)"

notPredicate(pred) ::= "!(<evalPredicate(...)>)"

evalPredicate(pred,description) ::= "(<pred>)"

evalSynPredicate(pred,description) ::= "EvaluatePredicate(<pred>_fragment)"

lookaheadTest(atom,k,atomAsInt) ::= "LA<decisionNumber>_<k>===<atom>"

/** Sometimes a lookahead test cannot assume that LA(k) is in a temp variable
 * somewhere. Must ask for the lookahead directly.
 */
isolatedLookaheadTest(atom,k,atomAsInt) ::= "input.LA(<k>)==<atom>"

lookaheadRangeTest(lower,upper,k,rangeNumber,lowerAsInt,upperAsInt) ::= <%
(LA<decisionNumber>_<k><ge()><lower> && LA<decisionNumber>_<k><le()><upper>)
%>

isolatedLookaheadRangeTest(lower,upper,k,rangeNumber,lowerAsInt,upperAsInt) ::=

```

```
"(input.LA(<k><ge()><lower> && input.LA(<k><le()><upper>)"
```

```
le() ::= "\<="
```

```
ge() ::= ">="
```

```
setTest(ranges) ::= <<  
<ranges; separator="||">  
>>
```

```
// A T T R I B U T E S
```

```
attributeScope(scope) ::= <<  
<if(scope)>  
<if(scope.attributes)>  
protected sealed partial class <scope.name>_scope  
{  
  <scope.attributes:{it|public <it.decl>;}; separator="\n">  
}  
<if(scope.actions.scopeinit)>  
protected void <scope.name>_scopeInit( <scope.name>_scope scope )  
{  
  <scope.actions.scopeinit>  
}  
<else>  
protected virtual void <scope.name>_scopeInit( <scope.name>_scope scope ) {}  
<endif>  
<if(scope.actions.scopeafter)>  
protected void <scope.name>_scopeAfter( <scope.name>_scope scope )  
{  
  <scope.actions.scopeafter>  
}  
<else>  
protected virtual void <scope.name>_scopeAfter( <scope.name>_scope scope ) {}  
<endif>  
protected readonly ListStack<<scope.name>_scope> <scope.name>_stack = new  
ListStack<<scope.name>_scope>();  
<endif>  
<endif>  
>>
```

```
globalAttributeScope(scope) ::= <<  
<attributeScope(...)>  
>>
```

```
ruleAttributeScope(scope) ::= <<  
<attributeScope(...)>  
>>
```

```

returnStructName(it) ::= "<it.name>_return"

returnType(ruleDescriptor) ::= <%
<if(ruleDescriptor.returnScope.attributes && ruleDescriptor.hasMultipleReturnValues)>
<ruleDescriptor.grammar.recognizerName>.<ruleDescriptor:returnStructName()>
<elseif(ruleDescriptor.hasMultipleReturnValues)>
<ruleReturnBaseType()>
<elseif(ruleDescriptor.hasSingleReturnValue)>
<ruleDescriptor.singleValueReturnType>
<else>
void
<endif>
%>

/** Generate the C# type associated with a single or multiple return
* values.
*/
ruleLabelType(referencedRule) ::= <%
<if(referencedRule.hasMultipleReturnValues)>
<ruleReturnBaseType()>
<elseif(referencedRule.hasSingleReturnValue)>
<referencedRule.singleValueReturnType>
<else>
void
<endif>
%>

delegateName(it) ::= <<
<if(it.label)><it.label><else>g<it.name><endif>
>>

/** Using a type to init value map, try to init a type; if not in table
* must be an object, default value is "null".
*/
initValue(typeName) ::= <<
default(<typeName>)
>>

/** Define a rule label including default value */
ruleLabelDef(label) ::= <%
<ruleLabelType(referencedRule=label.referencedRule)> <label.label.text> =
<initValue(typeName=ruleLabelType(referencedRule=label.referencedRule))>;
%>

/** Define a return struct for a rule if the code needs to access its
* start/stop tokens, tree stuff, attributes, ... Leave a hole for
* subgroups to stick in members.
*/

```

```

returnScope(scope) ::= <<
<if(scope.attributes && ruleDescriptor.hasMultipleReturnValues)>
<returnScopeModifier(grammar=grammar,ruleDescriptor=ruleDescriptor)> sealed partial class
<ruleDescriptor:returnStructName(): <ruleReturnBaseType()><@ruleReturnInterfaces()>
{
<scope.attributes:{it|public <it.decl>;}; separator="\n">
<@ruleReturnMembers()>
}
<endif>
>>

```

```

ruleReturnBaseType() ::= <%
<if(TREE_PARSER)>Tree<else>Parser<endif>RuleReturnScope\<<labelType>>
%>

```

```

@returnScope.ruleReturnMembers() ::= <<
>>

```

```

parameterScope(scope) ::= <<
<scope.attributes:{it|<it.decl>}; separator=", ">
>>

```

```

parameterAttributeRef(attr) ::= <<
<attr.name; format="id">
>>

```

```

parameterSetAttributeRef(attr,expr) ::= <<
<attr.name; format="id"> =<expr>;
>>

```

```

scopeAttributeRef(scope,attr,index,negIndex) ::= <%
<if(negIndex)>
<scope>_stack[<scope>_stack.Count - <negIndex> - 1].<attr.name; format="id">
<else>
<if(index)>
<scope>_stack[<index>].<attr.name; format="id">
<else>
<scope>_stack.Peek().<attr.name; format="id">
<endif>
<endif>
%>

```

```

scopeSetAttributeRef(scope,attr,expr,index,negIndex) ::= <%
<if(negIndex)>
<scope>_stack[<scope>_stack.Count - <negIndex> - 1].<attr.name; format="id"> = <expr>;
<else>
<if(index)>
<scope>_stack[<index>].<attr.name; format="id"> = <expr>;

```



```

<else>
<scope>_stack.Peek().<attr.name; format="id"> = <expr>;
<endif>
<endif>
%>

/** $x is either global scope or x is rule with dynamic scope; refers
 * to stack itself not top of stack. This is useful for predicates
 * like {$function.Count>0 && $function::name.Equals("foo")}?
 */
isolatedDynamicScopeRef(scope) ::= "<scope>_stack"

/** reference an attribute of rule; might only have single return value */
ruleLabelRef(referencedRule,scope,attr) ::= <%
<if(referencedRule.hasMultipleReturnValues)>
(<scope>!=null?(<<return Type(referencedRule)>><scope>).<attr.name; format="id">:<initValue(attr.type)>)
<else>
<scope>
<endif>
%>

returnAttributeRef(ruleDescriptor,attr) ::= <%
<if(ruleDescriptor.hasMultipleReturnValues)>
retval.<attr.name; format="id">
<else>
<attr.name; format="id">
<endif>
%>

returnSetAttributeRef(ruleDescriptor,attr,expr) ::= <%
<if(ruleDescriptor.hasMultipleReturnValues)>
retval.<attr.name; format="id"> =<expr>;
<else>
<attr.name; format="id"> =<expr>;
<endif>
%>

/** How to translate $tokenLabel */
tokenLabelRef(label) ::= "<label>"

/** ids+=ID {$ids} or e+=expr {$e} */
listLabelRef(label) ::= "list_<label>"

// not sure the next are the right approach

tokenLabelPropertyRef_text(scope,attr) ::= "(<scope>!=null?<scope>.Text:default(string))"
tokenLabelPropertyRef_type(scope,attr) ::= "(<scope>!=null?<scope>.Type:0)"

```

```

tokenLabelPropertyRef_line(scope,attr) ::= "<scope>!=null?<scope>.Line:0)"
tokenLabelPropertyRef_pos(scope,attr) ::= "<scope>!=null?<scope>.CharPositionInLine:0)"
tokenLabelPropertyRef_channel(scope,attr) ::= "<scope>!=null?<scope>.Channel:0)"
tokenLabelPropertyRef_index(scope,attr) ::= "<scope>!=null?<scope>.TokenIndex:0)"
tokenLabelPropertyRef_tree(scope,attr) ::= "<scope>_tree"
tokenLabelPropertyRef_int(scope,attr) ::= "<scope>!=null?int.Parse(<scope>.Text):0)"

ruleLabelPropertyRef_start(scope,attr) ::= "<scope>!=null?((<labelType><scope>.Start):default(<labelType>))"
ruleLabelPropertyRef_stop(scope,attr) ::= "<scope>!=null?((<labelType><scope>.Stop):default(<labelType>))"
ruleLabelPropertyRef_tree(scope,attr) ::=
"<scope>!=null?((<ASTLabelType><scope>.Tree):default(<ASTLabelType>))"
ruleLabelPropertyRef_text(scope,attr) ::= <%
<if(TREE_PARSER)>
(<scope>!=null?(input.TokenStream.ToString(
input.TreeAdaptor.GetTokenStartIndex(<scope>.Start),
input.TreeAdaptor.GetTokenStopIndex(<scope>.Start))):default(string))
<else>
(<scope>!=null?input.ToString(<scope>.Start,<scope>.Stop):default(string))
<endif>
%>

ruleLabelPropertyRef_st(scope,attr) ::= "<scope>!=null?<scope>.Template:null)"

/** Isolated $RULE ref ok in lexer as it's a Token */
lexerRuleLabel(label) ::= "<label>"

lexerRuleLabelPropertyRef_type(scope,attr) ::=
"<scope>!=null?<scope>.Type:0)"

lexerRuleLabelPropertyRef_line(scope,attr) ::=
"<scope>!=null?<scope>.Line:0)"

lexerRuleLabelPropertyRef_pos(scope,attr) ::=
"<scope>!=null?<scope>.CharPositionInLine:-1)"

lexerRuleLabelPropertyRef_channel(scope,attr) ::=
"<scope>!=null?<scope>.Channel:0)"

lexerRuleLabelPropertyRef_index(scope,attr) ::=
"<scope>!=null?<scope>.TokenIndex:0)"

lexerRuleLabelPropertyRef_text(scope,attr) ::=
"<scope>!=null?<scope>.Text:default(string))"

lexerRuleLabelPropertyRef_int(scope,attr) ::=
"<scope>!=null?int.Parse(<scope>.Text):0)"

// Somebody may ref $template or $tree or $stop within a rule:

```

```

rulePropertyRef_start(scope,attr) ::= "retval.Start"
rulePropertyRef_stop(scope,attr) ::= "retval.Stop"
rulePropertyRef_tree(scope,attr) ::= "retval.Tree"
rulePropertyRef_text(scope,attr) ::= <%
<if(TREE_PARSER)>
input.TokenStream.ToString(
input.TreeAdaptor.GetTokenStartIndex(retval.Start),
input.TreeAdaptor.GetTokenStopIndex(retval.Start))
<else>
input.ToString(retval.Start,input.LT(-1))
<endif>
%>
rulePropertyRef_st(scope,attr) ::= "retval.Template"

lexerRulePropertyRef_text(scope,attr) ::= "Text"
lexerRulePropertyRef_type(scope,attr) ::= "_type"
lexerRulePropertyRef_line(scope,attr) ::= "state.tokenStartLine"
lexerRulePropertyRef_pos(scope,attr) ::= "state.tokenStartCharPositionInLine"
lexerRulePropertyRef_index(scope,attr) ::= "-1" // undefined token index in lexer
lexerRulePropertyRef_channel(scope,attr) ::= "_channel"
lexerRulePropertyRef_start(scope,attr) ::= "state.tokenStartCharIndex"
lexerRulePropertyRef_stop(scope,attr) ::= "(CharIndex-1)"
lexerRulePropertyRef_int(scope,attr) ::= "int.Parse(<scope>.Text)"

// setting $st and $tree is allowed in local rule. everything else
// is flagged as error
ruleSetPropertyRef_tree(scope,attr,expr) ::= "retval.Tree = <expr>;"
ruleSetPropertyRef_st(scope,attr,expr) ::= "retval.Template =<expr>;"

/** How to execute an action (only when not backtracking) */
execAction(action) ::= <%
<if(backtracking)>
if (<actions.(actionScope).synpredgate><\n>
{<\n>
<@indentedAction()><\n>
}
<else>
<action>
<endif>
%>

@execAction.indentedAction() ::= <<
<action>
>>

/** How to always execute an action even when backtracking */
execForcedAction(action) ::= "<action>"

```

```
// M I S C (properties, etc...)
```

```
bitset(name, words64) ::= <<  
public static readonly BitSet <name> = new BitSet(new ulong[] { <words64: {it|<it>UL}; separator=", "> });  
>>
```

```
codeFileExtension() ::= ".cs"
```

```
true_value() ::= "true"  
false_value() ::= "false"
```

```
isTrue ::= [  
  "true" : true,  
  default : false  
]
```

Found in path(s):

```
* /opt/cola/permits/1274703855_1645234694.1/0/antlr-3-5-2-sources-  
jar/org/antlr/codegen/templates/CSharp2/CSharp2.stg
```

## 1.330 error\_prone\_annotations 2.7.1

### 1.330.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*  
* Copyright 2014 The Error Prone Authors.  
*  
* Licensed under the Apache License, Version 2.0 (the "License");  
* you may not use this file except in compliance with the License.  
* You may obtain a copy of the License at  
*  
* http://www.apache.org/licenses/LICENSE-2.0  
*  
* Unless required by applicable law or agreed to in writing, software  
* distributed under the License is distributed on an "AS IS" BASIS,  
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
* See the License for the specific language governing permissions and  
* limitations under the License.  
*/
```

Found in path(s):

```
* /opt/cola/permits/1288519880_1647351834.56/0/error-prone-annotations-2-7-1-sources-  
jar/com/google/errorprone/annotations/NoAllocation.java  
* /opt/cola/permits/1288519880_1647351834.56/0/error-prone-annotations-2-7-1-sources-  
jar/com/google/errorprone/annotations/concurrent/LockMethod.java  
* /opt/cola/permits/1288519880_1647351834.56/0/error-prone-annotations-2-7-1-sources-
```

jar/com/google/errorprone/annotations/concurrent/UnlockMethod.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2017 The Error Prone Authors.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1288519880\_1647351834.56/0/error-prone-annotations-2-7-1-sources-jar/com/google/errorprone/annotations/OverridingMethodsMustInvokeSuper.java

\* /opt/cola/permits/1288519880\_1647351834.56/0/error-prone-annotations-2-7-1-sources-jar/com/google/errorprone/annotations/DoNotCall.java

\* /opt/cola/permits/1288519880\_1647351834.56/0/error-prone-annotations-2-7-1-sources-jar/com/google/errorprone/annotations/concurrent/GuardedBy.java

\* /opt/cola/permits/1288519880\_1647351834.56/0/error-prone-annotations-2-7-1-sources-jar/com/google/errorprone/annotations/CheckReturnValue.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2016 The Error Prone Authors.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1288519880\_1647351834.56/0/error-prone-annotations-2-7-1-sources-

jar/com/google/errorprone/annotations/FormatString.java  
\* /opt/cola/permits/1288519880\_1647351834.56/0/error-prone-annotations-2-7-1-sources-  
jar/com/google/errorprone/annotations/CompatibleWith.java  
\* /opt/cola/permits/1288519880\_1647351834.56/0/error-prone-annotations-2-7-1-sources-  
jar/com/google/errorprone/annotations/RestrictedApi.java  
\* /opt/cola/permits/1288519880\_1647351834.56/0/error-prone-annotations-2-7-1-sources-  
jar/com/google/errorprone/annotations/MustBeClosed.java  
\* /opt/cola/permits/1288519880\_1647351834.56/0/error-prone-annotations-2-7-1-sources-  
jar/com/google/errorprone/annotations/DoNotMock.java  
\* /opt/cola/permits/1288519880\_1647351834.56/0/error-prone-annotations-2-7-1-sources-  
jar/com/google/errorprone/annotations/FormatMethod.java  
No license file was found, but licenses were detected in source scan.

```
/*  
* Copyright 2015 The Error Prone Authors.  
*  
* Licensed under the Apache License, Version 2.0 (the "License");  
* you may not use this file except in compliance with the License.  
* You may obtain a copy of the License at  
*  
* http://www.apache.org/licenses/LICENSE-2.0  
*  
* Unless required by applicable law or agreed to in writing, software  
* distributed under the License is distributed on an "AS IS" BASIS,  
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
* See the License for the specific language governing permissions and  
* limitations under the License.  
*/
```

Found in path(s):

\* /opt/cola/permits/1288519880\_1647351834.56/0/error-prone-annotations-2-7-1-sources-  
jar/com/google/errorprone/annotations/Var.java  
\* /opt/cola/permits/1288519880\_1647351834.56/0/error-prone-annotations-2-7-1-sources-  
jar/com/google/errorprone/annotations/concurrent/LazyInit.java  
\* /opt/cola/permits/1288519880\_1647351834.56/0/error-prone-annotations-2-7-1-sources-  
jar/com/google/errorprone/annotations/IncompatibleModifiers.java  
\* /opt/cola/permits/1288519880\_1647351834.56/0/error-prone-annotations-2-7-1-sources-  
jar/com/google/errorprone/annotations/RequiredModifiers.java  
\* /opt/cola/permits/1288519880\_1647351834.56/0/error-prone-annotations-2-7-1-sources-  
jar/com/google/errorprone/annotations/Immutable.java  
\* /opt/cola/permits/1288519880\_1647351834.56/0/error-prone-annotations-2-7-1-sources-  
jar/com/google/errorprone/annotations/CompileTimeConstant.java  
\* /opt/cola/permits/1288519880\_1647351834.56/0/error-prone-annotations-2-7-1-sources-  
jar/com/google/errorprone/annotations/SuppressPackageLocation.java  
\* /opt/cola/permits/1288519880\_1647351834.56/0/error-prone-annotations-2-7-1-sources-  
jar/com/google/errorprone/annotations/ForOverride.java  
\* /opt/cola/permits/1288519880\_1647351834.56/0/error-prone-annotations-2-7-1-sources-  
jar/com/google/errorprone/annotations/CanIgnoreReturnValue.java

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2021 The Error Prone Authors.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1288519880_1647351834.56/0/error-prone-annotations-2-7-1-sources-
jar/com/google/errorprone/annotations/InlineMeValidationDisabled.java
* /opt/cola/permits/1288519880_1647351834.56/0/error-prone-annotations-2-7-1-sources-
jar/com/google/errorprone/annotations/InlineMe.java
```

## 1.331 icu4j 68.2

### 1.331.1 Available under license :

COPYRIGHT AND PERMISSION NOTICE (ICU 58 and later)

Copyright 1991-2020 Unicode, Inc. All rights reserved.

Distributed under the Terms of Use in <https://www.unicode.org/copyright.html>.

Permission is hereby granted, free of charge, to any person obtaining a copy of the Unicode data files and any associated documentation (the "Data Files") or Unicode software and any associated documentation (the "Software") to deal in the Data Files or Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, and/or sell copies of the Data Files or Software, and to permit persons to whom the Data Files or Software are furnished to do so, provided that either (a) this copyright and permission notice appear with all copies of the Data Files or Software, or (b) this copyright and permission notice appear in associated Documentation.

THE DATA FILES AND SOFTWARE ARE PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE

WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT OF THIRD PARTY RIGHTS.

IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS NOTICE BE LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL DAMAGES, OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THE DATA FILES OR SOFTWARE.

Except as contained in this notice, the name of a copyright holder shall not be used in advertising or otherwise to promote the sale, use or other dealings in these Data Files or Software without prior written authorization of the copyright holder.

-----  
Third-Party Software Licenses

This section contains third-party software notices and/or additional terms for licensed third-party software components included within ICU libraries.

1. ICU License - ICU 1.8.1 to ICU 57.1

COPYRIGHT AND PERMISSION NOTICE

Copyright (c) 1995-2016 International Business Machines Corporation and others  
All rights reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, provided that the above copyright notice(s) and this permission notice appear in all copies of the Software and that both the above copyright notice(s) and this permission notice appear in supporting documentation.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT OF THIRD PARTY RIGHTS. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS NOTICE BE LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL DAMAGES, OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.



Except as contained in this notice, the name of a copyright holder shall not be used in advertising or otherwise to promote the sale, use or other dealings in this Software without prior written authorization of the copyright holder.

All trademarks and registered trademarks mentioned herein are the property of their respective owners.

## 2. Chinese/Japanese Word Break Dictionary Data (cjdict.txt)

```
# The Google Chrome software developed by Google is licensed under
# the BSD license. Other software included in this distribution is
# provided under other licenses, as set forth below.
#
# The BSD License
# http://opensource.org/licenses/bsd-license.php
# Copyright (C) 2006-2008, Google Inc.
#
# All rights reserved.
#
# Redistribution and use in source and binary forms, with or without
# modification, are permitted provided that the following conditions are met:
#
# Redistributions of source code must retain the above copyright notice,
# this list of conditions and the following disclaimer.
# Redistributions in binary form must reproduce the above
# copyright notice, this list of conditions and the following
# disclaimer in the documentation and/or other materials provided with
# the distribution.
# Neither the name of Google Inc. nor the names of its
# contributors may be used to endorse or promote products derived from
# this software without specific prior written permission.
#
#
# THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND
# CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES,
# INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF
# MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
# DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE
# LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR
# CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF
# SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR
# BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF
# LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING
# NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS
# SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
#
```

```

#
# The word list in cjdict.txt are generated by combining three word lists
# listed below with further processing for compound word breaking. The
# frequency is generated with an iterative training against Google web
# corpora.
#
# * Libtabe (Chinese)
# - https://sourceforge.net/project/?group\_id=1519
# - Its license terms and conditions are shown below.
#
# * IPADIC (Japanese)
# - http://chasen.aist-nara.ac.jp/chasen/distribution.html
# - Its license terms and conditions are shown below.
#
# -----COPYING.libtabe ---- BEGIN-----
#
# /*
# * Copyright (c) 1999 TaBE Project.
# * Copyright (c) 1999 Pai-Hsiang Hsiao.
# * All rights reserved.
# *
# * Redistribution and use in source and binary forms, with or without
# * modification, are permitted provided that the following conditions
# * are met:
# *
# * . Redistributions of source code must retain the above copyright
# * notice, this list of conditions and the following disclaimer.
# * . Redistributions in binary form must reproduce the above copyright
# * notice, this list of conditions and the following disclaimer in
# * the documentation and/or other materials provided with the
# * distribution.
# * . Neither the name of the TaBE Project nor the names of its
# * contributors may be used to endorse or promote products derived
# * from this software without specific prior written permission.
# *
# * THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
# * "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
# * LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS
# * FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE
# * REGENTS OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT,
# * INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
# * (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
# * SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
# * HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
# * STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
# * ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
# * OF THE POSSIBILITY OF SUCH DAMAGE.
# */

```

```

#
# /*
# * Copyright (c) 1999 Computer Systems and Communication Lab,
# *           Institute of Information Science, Academia
# *           Sinica. All rights reserved.
# *
# * Redistribution and use in source and binary forms, with or without
# * modification, are permitted provided that the following conditions
# * are met:
# *
# * . Redistributions of source code must retain the above copyright
# * notice, this list of conditions and the following disclaimer.
# * . Redistributions in binary form must reproduce the above copyright
# * notice, this list of conditions and the following disclaimer in
# * the documentation and/or other materials provided with the
# * distribution.
# * . Neither the name of the Computer Systems and Communication Lab
# * nor the names of its contributors may be used to endorse or
# * promote products derived from this software without specific
# * prior written permission.
# *
# * THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
# * "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
# * LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS
# * FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE
# * REGENTS OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT,
# * INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
# * (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
# * SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
# * HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
# * STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
# * ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
# * OF THE POSSIBILITY OF SUCH DAMAGE.
# */
#
# Copyright 1996 Chih-Hao Tsai @ Beckman Institute,
#   University of Illinois
# c-tsai4@uiuc.edu http://casper.beckman.uiuc.edu/~c-tsai4
#
# -----COPYING.libtabe-----END-----
#
# -----COPYING.ipadic-----BEGIN-----
#
# Copyright 2000, 2001, 2002, 2003 Nara Institute of Science
# and Technology. All Rights Reserved.
#
# Use, reproduction, and distribution of this software is permitted.

```

# Any copy of this software, whether in its original form or modified,  
# must include both the above copyright notice and the following  
# paragraphs.  
#  
# Nara Institute of Science and Technology (NAIST),  
# the copyright holders, disclaims all warranties with regard to this  
# software, including all implied warranties of merchantability and  
# fitness, in no event shall NAIST be liable for  
# any special, indirect or consequential damages or any damages  
# whatsoever resulting from loss of use, data or profits, whether in an  
# action of contract, negligence or other tortuous action, arising out  
# of or in connection with the use or performance of this software.  
#  
# A large portion of the dictionary entries  
# originate from ICOT Free Software. The following conditions for ICOT  
# Free Software applies to the current dictionary as well.  
#  
# Each User may also freely distribute the Program, whether in its  
# original form or modified, to any third party or parties, PROVIDED  
# that the provisions of Section 3 ("NO WARRANTY") will ALWAYS appear  
# on, or be attached to, the Program, which is distributed substantially  
# in the same form as set out herein and that such intended  
# distribution, if actually made, will neither violate or otherwise  
# contravene any of the laws and regulations of the countries having  
# jurisdiction over the User or the intended distribution itself.  
#  
# NO WARRANTY  
#  
# The program was produced on an experimental basis in the course of the  
# research and development conducted during the project and is provided  
# to users as so produced on an experimental basis. Accordingly, the  
# program is provided without any warranty whatsoever, whether express,  
# implied, statutory or otherwise. The term "warranty" used herein  
# includes, but is not limited to, any warranty of the quality,  
# performance, merchantability and fitness for a particular purpose of  
# the program and the nonexistence of any infringement or violation of  
# any right of any third party.  
#  
# Each user of the program will agree and understand, and be deemed to  
# have agreed and understood, that there is no warranty whatsoever for  
# the program and, accordingly, the entire risk arising from or  
# otherwise connected with the program is assumed by the user.  
#  
# Therefore, neither ICOT, the copyright holder, or any other  
# organization that participated in or was otherwise related to the  
# development of the program and their respective officials, directors,  
# officers and other employees shall be held liable for any and all  
# damages, including, without limitation, general, special, incidental

```
# and consequential damages, arising out of or otherwise in connection
# with the use or inability to use the program or any product, material
# or result produced or otherwise obtained by using the program,
# regardless of whether they have been advised of, or otherwise had
# knowledge of, the possibility of such damages at any time during the
# project or thereafter. Each user will be deemed to have agreed to the
# foregoing by his or her commencement of use of the program. The term
# "use" as used herein includes, but is not limited to, the use,
# modification, copying and distribution of the program and the
# production of secondary products from the program.
#
# In the case where the program, whether in its original form or
# modified, was distributed or delivered to or received by a user from
# any person, organization or entity other than ICOT, unless it makes or
# grants independently of ICOT any specific warranty to the user in
# writing, such person, organization or entity, will also be exempted
# from and not be held liable to the user for any such damages as noted
# above as far as the program is concerned.
#
# -----COPYING.ipadic-----END-----
```

### 3. Lao Word Break Dictionary Data (laodict.txt)

```
# Copyright (c) 2013 International Business Machines Corporation
# and others. All Rights Reserved.
#
# Project: https://github.com/veer66/lao-dictionary
# Dictionary: https://github.com/veer66/lao-dictionary/blob/master/Lao-Dictionary.txt
# License: https://github.com/veer66/lao-dictionary/blob/master/Lao-Dictionary-LICENSE.txt
# (copied below)
#
# This file is derived from the above dictionary, with slight
# modifications.
# -----
# Copyright (C) 2013 Brian Eugene Wilson, Robert Martin Campbell.
# All rights reserved.
#
# Redistribution and use in source and binary forms, with or without
# modification,
# are permitted provided that the following conditions are met:
#
#
# Redistributions of source code must retain the above copyright notice, this
# list of conditions and the following disclaimer. Redistributions in
# binary form must reproduce the above copyright notice, this list of
# conditions and the following disclaimer in the documentation and/or
# other materials provided with the distribution.
#
```

```
#
# THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
# "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
# LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS
# FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE
# COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
# INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
# (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
# SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
# HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
# STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
# ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
# OF THE POSSIBILITY OF SUCH DAMAGE.
# -----
```

#### 4. Burmese Word Break Dictionary Data (burmesedict.txt)

```
# Copyright (c) 2014 International Business Machines Corporation
# and others. All Rights Reserved.
#
# This list is part of a project hosted at:
# github.com/kanyawtech/myanmar-karen-word-lists
#
```

```
# -----
# Copyright (c) 2013, LeRoy Benjamin Sharon
# All rights reserved.
#
# Redistribution and use in source and binary forms, with or without
# modification, are permitted provided that the following conditions
# are met: Redistributions of source code must retain the above
# copyright notice, this list of conditions and the following
# disclaimer. Redistributions in binary form must reproduce the
# above copyright notice, this list of conditions and the following
# disclaimer in the documentation and/or other materials provided
# with the distribution.
#
# Neither the name Myanmar Karen Word Lists, nor the names of its
# contributors may be used to endorse or promote products derived
# from this software without specific prior written permission.
#
```

```
# THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND
# CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES,
# INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF
# MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
# DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS
# BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,
# EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED
# TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
```

# DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON  
# ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR  
# TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF  
# THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF  
# SUCH DAMAGE.  
# -----

## 5. Time Zone Database

ICU uses the public domain data and code derived from Time Zone Database for its time zone support. The ownership of the TZ database is explained in BCP 175: Procedure for Maintaining the Time Zone Database section 7.

### # 7. Database Ownership

#  
# The TZ database itself is not an IETF Contribution or an IETF  
# document. Rather it is a pre-existing and regularly updated work  
# that is in the public domain, and is intended to remain in the  
# public domain. Therefore, BCPs 78 [RFC5378] and 79 [RFC3979] do  
# not apply to the TZ Database or contributions that individuals make  
# to it. Should any claims be made and substantiated against the TZ  
# Database, the organization that is providing the IANA  
# Considerations defined in this RFC, under the memorandum of  
# understanding with the IETF, currently ICANN, may act in accordance  
# with all competent court orders. No ownership claims will be made  
# by ICANN or the IETF Trust on the database or the code. Any person  
# making a contribution to the database or code waives all rights to  
# future claims in that contribution or in the TZ Database.

## 6. Google double-conversion

Copyright 2006-2011, the V8 project authors. All rights reserved.  
Redistribution and use in source and binary forms, with or without  
modification, are permitted provided that the following conditions are  
met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- \* Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS

"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

## 1.332 antlr-4-tool 4.7.1

### 1.332.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
 * [The "BSD license"]
 * Copyright (c) 2012-2016 Terence Parr
 * Copyright (c) 2012-2016 Sam Harwell
 * Copyright (c) 2014 Eric Vergnaud
 * All rights reserved.
 *
 * Redistribution and use in source and binary forms, with or without
 * modification, are permitted provided that the following conditions
 * are met:
 *
 * 1. Redistributions of source code must retain the above copyright
 * notice, this list of conditions and the following disclaimer.
 * 2. Redistributions in binary form must reproduce the above copyright
 * notice, this list of conditions and the following disclaimer in the
 * documentation and/or other materials provided with the distribution.
 * 3. The name of the author may not be used to endorse or promote products
 * derived from this software without specific prior written permission.
 *
 * THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR
 * IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
 * OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.
 * IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,
 * INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT
 * NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
 * DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
 * THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
 * (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF
 * THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
 */
```



```

/** ANTLR tool checks output templates are compatible with tool code generation.
 * For now, a simple string match used on x.y of x.y.z scheme.
 * Must match Tool.VERSION during load to templates.
 *
 * REQUIRED.
 */

pythonTypeInitMap ::= [
  "bool":"False",
  "int":"0",
  "float":"0.0",
  "str": "",
  default:"None" // anything other than a primitive type is an object
]

// args must be <object-model-object>, <fields-resulting-in-STs>

ParserFile(file, parser, namedActions, contextSuperClass) ::= <<
<fileHeader(file.grammarFileName, file.ANTLRVersion)>
# encoding: utf-8
from antlr4 import *
from io import StringIO
from typing.io import TextIO
import sys

<namedActions.header>
<parser>

>>

ListenerFile(file, header, namedActions) ::= <<
<fileHeader(file.grammarFileName, file.ANTLRVersion)>
from antlr4 import *
if __name__ is not None and "." in __name__:
    from <file.parserName> import <file.parserName>
else:
    from <file.parserName> import <file.parserName>
<header>

# This class defines a complete listener for a parse tree produced by <file.parserName>.
class <file.grammarName>Listener(ParseTreeListener):

    <file.listenerNames:{lname |
# Enter a parse tree produced by <file.parserName>#<lname>.
def enter<lname>(self, ctx:<file.parserName>.<lname>; format="cap">Context):
    pass

# Exit a parse tree produced by <file.parserName>#<lname>.

```

```

def exit<lname; format="cap">(self, ctx:<file.parserName>.<lname; format="cap">Context):
    pass

}; separator="\n">

>>

```

```

VisitorFile(file, header, namedActions) ::= <<
<fileHeader(file.grammarFileName, file.ANTLRVersion)>
from antlr4 import *
if __name__ is not None and "." in __name__:
    from .<file.parserName> import <file.parserName>
else:
    from <file.parserName> import <file.parserName>
<header>

```

# This class defines a complete generic visitor for a parse tree produced by <file.parserName>.

```

class <file.grammarName>Visitor(ParseTreeVisitor):

```

```

    <file.visitorNames:{lname |
# Visit a parse tree produced by <file.parserName>#<lname>.
def visit<lname; format="cap">(self, ctx:<file.parserName>.<lname; format="cap">Context):
    return self.visitChildren(ctx)

}; separator="\n">

```

```

del <file.parserName>
>>

```

```

fileHeader(grammarFileName, ANTLRVersion) ::= <<
# Generated from <grammarFileName> by ANTLR <ANTLRVersion>
>>

```

```

Parser(parser, funcs, atn, sempredFuncs, superClass) ::= <<
<Parser_(ctor="parser_ctor", ...)>
>>

```

```

Parser_(parser, funcs, atn, sempredFuncs, ctor, superClass) ::= <<
<if(superClass)>
from .<superClass> import <superClass>

<endif>
<atn>

```

```

class <parser.name> ( <if(superClass)><superClass><else>Parser<endif> ):

```

```

grammarFileName = "<parser.grammarFileName>"

atn = ATNDeserializer().deserialize(serializedATN())

decisionsToDFA = [ DFA(ds, i) for i, ds in enumerate(atn.decisionToState) ]

sharedContextCache = PredictionContextCache()

literalNames = [ <parser.literalNames:{t | <t>}; null="\<INVALID>", separator=", ", wrap, anchor ]

symbolicNames = [ <parser.symbolicNames:{t | <t>}; null="\<INVALID>", separator=", ", wrap, anchor ]

<parser.rules:{r | RULE_<r.name> = <r.index>}; separator="\n", wrap, anchor>

ruleNames = [ <parser.ruleNames:{r | "<r>"}; separator=", ", wrap, anchor ]

EOF = <TokenLabelType().EOF
<if(parser.tokens)>
<parser.tokens:{k | <k>=<parser.tokens.(k)>}; separator="\n", wrap, anchor>
<endif>

<parser:(ctor())>

<namedActions.members>

<funcs; separator="\n">

<if(semPredFuncs)>
def semPred(self, localctx:RuleContext, ruleIndex:int, predIndex:int):
    if self._predicates == None:
        self._predicates = dict()
<parser.semPredFuncs.values:{f |
    self._predicates[<f.ruleIndex>] = self.<f.name>_semPred}; separator="\n    ">
    pred = self._predicates.get(ruleIndex, None)
    if pred is None:
        raise Exception("No predicate with index:" + str(ruleIndex))
    else:
        return pred(localctx, predIndex)

<semPredFuncs.values; separator="\n">
<endif>

>>

```

```

dumpActions(recog, argFuncs, actionFuncs, sempredFuncs) ::= <<
<if(actionFuncs)>
def action(self, localctx:RuleContext, ruleIndex:int, actionIndex:int):
    if self._actions is None:
        actions = dict()
<recog.actionFuncs.values: {f}
    actions[<f.ruleIndex>] = self.<f.name>_action }; separator="\n">
    self._actions = actions
    action = self._actions.get(ruleIndex, None)
    if action is not None:
        action(localctx, actionIndex)
    else:
        raise Exception("No registered action for:" + str(ruleIndex))

<actionFuncs.values; separator="\n">

<endif>
<if(sempredFuncs)>
def sempred(self, localctx:RuleContext, ruleIndex:int, predIndex:int):
    if self._predicates is None:
        preds = dict()
<recog.sempredFuncs.values: {f}
    preds[<f.ruleIndex>] = self.<f.name>_sempred}; separator="\n">
    self._predicates = preds
    pred = self._predicates.get(ruleIndex, None)
    if pred is not None:
        return pred(localctx, predIndex)
    else:
        raise Exception("No registered predicate for:" + str(ruleIndex))

<sempredFuncs.values; separator="\n">
<endif>
>>

parser_ctor(p) ::= <<
def __init__(self, input:TokenStream, output:TextIO = sys.stdout):
    super().__init__(input, output)
    self.checkVersion("<file.ANTLRVersion>")
    self._interp = ParserATNSimulator(self, self.atn, self.decisionsToDFA, self.sharedContextCache)
    self._predicates = None

>>

/* This generates a private method since the actionIndex is generated, making an
* overriding implementation impossible to maintain.
*/
RuleActionFunction(r, actions) ::= <<

```

```

def <r.name>_action(self, localctx:<r.ctxType> , actionIndex:int):
<actions:{index|
<if(first(actions))>
  if actionIndex == <index>:
    <actions.(index)>
<elseif(rest(actions))>
  elif actionIndex == <index>:
    <actions.(index)>
<endif> }; separator="\n">
>>

/* This generates a private method since the predIndex is generated, making an
* overriding implementation impossible to maintain.
*/
RuleSempredFunction(r, actions) ::= <<
def <r.name>_sempred(self, localctx:<r.ctxType>, predIndex:int):
  <actions:{index|
<if(first(actions))>
    if predIndex == <index>:
      return <actions.(index)>
<elseif(rest(actions))>
    elif predIndex == <index>:
      return <actions.(index)>
<endif> }; separator="\n">
>>

RuleFunction(currentRule,args,code,locals,ruleCtx,altLabelCtxs,namedActions,finallyAction,postamble,exceptions)
::= <<

<ruleCtx>

<altLabelCtxs:{l | <altLabelCtxs.(l)>}; separator="\n">

def <currentRule.name>(self<currentRule.args:{a | , <a.name><if(a.type)>:<a.type><endif>}>):

  localctx = <parser.name>.<currentRule.ctxType>(self, self._ctx, self.state<currentRule.args:{a | , <a.name>}>))
  self.enterRule(localctx, <currentRule.startState>, self.RULE_<currentRule.name>)
  <namedActions.init>
  <locals; separator="\n">
  try:
    <code>
    <postamble; separator="\n">
    <namedActions.after>
  <if(exceptions)>
    <exceptions; separator="\n">
  <else>
  except RecognitionException as re:

```

```

    localctx.exception = re
    self._errHandler.reportError(self, re)
    self._errHandler.recover(self, re)
<endif>
finally:
    <finallyAction>
    self.exitRule()
return localctx

>>

LeftRecursiveRuleFunction(currentRule,args,code,locals,ruleCtx,altLabelCtxs,
    namedActions,finallyAction,postamble) ::=
<<

<ruleCtx>
<altLabelCtxs:{l | <altLabelCtxs.(l)>}; separator="\n">

def <currentRule.name>(self, _p:int=0<if(currentRule.args)>, <args:{a | , <a>}><endif>):
    _parentctx = self._ctx
    _parentState = self.state
    localctx = <parser.name>.<currentRule.ctxType>(self, self._ctx, _parentState<args:{a | , <a.name>}>)
    _prevctx = localctx
    _startState = <currentRule.startState>
    self.enterRecursionRule(localctx, <currentRule.startState>, self.RULE_<currentRule.name>, _p)
    <namedActions.init>
    <locals; separator="\n">
    try:
        <code>
        <postamble; separator="\n">
        <namedActions.after>
    except RecognitionException as re:
        localctx.exception = re
        self._errHandler.reportError(self, re)
        self._errHandler.recover(self, re)
    finally:
        <finallyAction>
        self.unrollRecursionContexts(_parentctx)
    return localctx

>>

CodeBlockForOuterMostAlt(currentOuterMostAltCodeBlock, locals, preamble, ops) ::= <<
<if(currentOuterMostAltCodeBlock.altLabel)>localctx = <parser.name>.<currentOuterMostAltCodeBlock.altLabel>;
format="cap">Context(self, localctx)<endif>
self.enterOuterAlt(localctx, <currentOuterMostAltCodeBlock.alt.altNum>)
<CodeBlockForAlt(currentAltCodeBlock=currentOuterMostAltCodeBlock, ...)>

>>

```

```

CodeBlockForAlt(currentAltCodeBlock, locals, preamble, ops) ::= <<
<locals; separator="\n">
<preamble; separator="\n">
<ops; separator="\n">
>>

```

```

LL1AltBlock(choice, preamble, alts, error) ::= <<
self.state = <choice.stateNumber>
self._errHandler.sync(self)
<if(choice.label)><labelref(choice.label)> = _input.LT(1)<endif>
<preamble; separator="\n">
token = self._input.LA(1)
<choice.altLook,alts:{look,alt| <cases(ttypes=look)>
  <alt>
  pass}; separator="\n1">
else:
  <error>

>>

```

```

LL1OptionalBlock(choice, alts, error) ::= <<
self.state = <choice.stateNumber>
self._errHandler.sync(self)
token = self._input.LA(1)
<choice.altLook,alts:{look,alt| <cases(ttypes=look)>
  <alt>
  pass}; separator="\n1">
else:
  pass

>>

```

```

LL1OptionalBlockSingleAlt(choice, expr, alts, preamble, error, followExpr) ::= <<
self.state = <choice.stateNumber>
self._errHandler.sync(self)
<preamble; separator="\n">
if <expr>:
  <alts; separator="\n">

<!else if ( !(<followExpr> ) ) <error>!>

>>

```

```

LL1StarBlockSingleAlt(choice, loopExpr, alts, preamble, iteration) ::= <<
self.state = <choice.stateNumber>
self._errHandler.sync(self)
<preamble; separator="\n">
while <loopExpr>:

```

```

<alts; separator="\n">
self.state = <choice.loopBackStateNumber>
self._errHandler.sync(self)
<iteration>

>>

LL1PlusBlockSingleAlt(choice, loopExpr, alts, preamble, iteration) ::= <<
self.state = <choice.blockStartStateNumber> <! alt block decision !>
self._errHandler.sync(self)
<preamble; separator="\n">
while True:
  <alts; separator="\n">
  self.state = <choice.stateNumber> <! loopback/exit decision !>
  self._errHandler.sync(self)
  <iteration>
  if not (<loopExpr>):
    break

>>

// LL(*) stuff

AltBlock(choice, preamble, alts, error) ::= <<
self.state = <choice.stateNumber>
self._errHandler.sync(self)
<if(choice.label)><labelref(choice.label)> = _input.LT(1)<endif>
<preamble; separator="\n">
la_ = self._interp.adaptivePredict(self._input,<choice.decision>,self._ctx)
<alts:{ alt |
if la_ == <i>:
  <alt>
  pass
}; separator="\nel">

>>

OptionalBlock(choice, alts, error) ::= <<
self.state = <choice.stateNumber>
self._errHandler.sync(self)
la_ = self._interp.adaptivePredict(self._input,<choice.decision>,self._ctx)
<alts:{ alt |
if la_ == <i><if(!choice.ast.greedy)>+1<endif>:
  <alt>
}; separator="\nel">

>>

```



```

StarBlock(choice, alts, sync, iteration) ::= <<
self.state = <choice.stateNumber>
self._errHandler.sync(self)
_alt = self._interp.adaptivePredict(self._input,<choice.decision>,self._ctx)
while _alt!=<choice.exitAlt> and _alt!=ATN.INVALID_ALT_NUMBER:
  if _alt==1<if(!choice.ast.greedy)>+1<endif>:
    <iteration>
    <alts> <! should only be one !>
  self.state = <choice.loopBackStateNumber>
  self._errHandler.sync(self)
  _alt = self._interp.adaptivePredict(self._input,<choice.decision>,self._ctx)
>>

```

```

PlusBlock(choice, alts, error) ::= <<
self.state = <choice.blockStartStateNumber> <! alt block decision !>
self._errHandler.sync(self)
_alt = 1<if(!choice.ast.greedy)>+1<endif>
while _alt!=<choice.exitAlt> and _alt!=ATN.INVALID_ALT_NUMBER:
  <alts:{alt|
if _alt == <i><if(!choice.ast.greedy)>+1<endif>:
  <alt>
}; separator="\n"|>
  else:
    <error>
  self.state = <choice.loopBackStateNumber> <! loopback/exit decision !>
  self._errHandler.sync(self)
  _alt = self._interp.adaptivePredict(self._input,<choice.decision>,self._ctx)
>>

```

```

Sync(s) ::= "sync(<s.expecting.name>)"

```

```

ThrowNoViableAlt(t) ::= "raise NoViableAltException(self)"

```

```

TestSetInline(s) ::= <<
<s.bitsets:{bits | <if(rest(rest(bits.ttypes)))><bitsetBitfieldComparison(s, bits)><else><bitsetInlineComparison(s,
bits)><endif>}; separator=" or ">
>>

```

```

// Java language spec 15.19 - shift operators mask operands rather than overflow to 0... need range test
testShiftInRange(shiftAmount) ::= <<
((<shiftAmount>) & ~0x3f) == 0
>>

```

```

// produces smaller bytecode only when bits.ttypes contains more than two items
bitsetBitfieldComparison(s, bits) ::= <%
(<testShiftInRange({<offsetShiftVar(s.varName, bits.shift)>})> and ((1 \< <offsetShiftVar(s.varName,

```

```
bits.shift)>) & (<bits.ttypes:{ttype | (1 \<|< <offsetShiftType(ttype, bits.shift)>)}; separator=" | ">)) != 0)
%>
```

```
isZero ::= [
"0":true,
default:false
]
```

```
offsetShiftVar(shiftAmount, offset) ::= <%
<if(!isZero.(offset))><shiftAmount> - <offset><else><shiftAmount><endif>
%>
```

```
offsetShiftType(shiftAmount, offset) ::= <%
<if(!isZero.(offset))><parser.name>.<shiftAmount> - <offset><else><parser.name>.<shiftAmount><endif>
%>
```

```
// produces more efficient bytecode when bits.ttypes contains at most two items
bitsetInlineComparison(s, bits) ::= <%
<bits.ttypes:{ttype | <s.varName>==<parser.name>.<ttype>}; separator=" or ">
%>
```

```
cases(ttypes) ::= <<
if token in [<ttypes:{t | <parser.name>.<t>}; separator=", ">]:
>>
```

```
InvokeRule(r, argExprsChunks) ::= <<
self.state = <r.stateNumber>
<if(r.labels)><r.labels:{l | <labelref(l)> =
}><endif>self.<r.name><(<if(r.ast.options.p)><r.ast.options.p><if(argExprsChunks)>,<endif><endif><argExprsChu
nks>)
>>
```

```
MatchToken(m) ::= <<
self.state = <m.stateNumber>
<if(m.labels)><m.labels:{l | <labelref(l)> = }><endif>self.match(<parser.name>.<m.name>)
>>
```

```
MatchSet(m, expr, capture) ::= "<CommonSetStuff(m, expr, capture, false)>"
```

```
MatchNotSet(m, expr, capture) ::= "<CommonSetStuff(m, expr, capture, true)>"
```

```
CommonSetStuff(m, expr, capture, invert) ::= <<
self.state = <m.stateNumber>
<if(m.labels)><m.labels:{l | <labelref(l)> = }>self._input.LT(1)<endif>
<capture>
<if(invert)>if <m.varName> \<= 0 or <expr><else>if not(<expr>)<endif>:
<if(m.labels)><m.labels:{l | <labelref(l)> = }><else> <endif>self._errHandler.recoverInline(self)
else:
```

```

    self._errHandler.reportMatch(self)
    self.consume()
>>

Wildcard(w) ::= <<
self.state = <w.stateNumber>
<if(w.labels)><w.labels:{1 | <labelref(l)> = }><endif>self.matchWildcard()
>>

// ACTION STUFF

Action(a, foo, chunks) ::= "<chunks>"

ArgAction(a, chunks) ::= "<chunks>"

SemPred(p, chunks, failChunks) ::= <<
self.state = <p.stateNumber>
if not <chunks>:
    from antlr4.error.Errors import FailedPredicateException
    raise FailedPredicateException(self, <p.predicate><if(failChunks)>, <failChunks><elseif(p.msg)>,
<p.msg><endif>)
>>

ExceptionClause(e, catchArg, catchAction) ::= <<
catch (<catchArg>) {
    <catchAction>
}
>>

// lexer actions are not associated with model objects

LexerSkipCommand() ::= "skip()"
LexerMoreCommand() ::= "more()"
LexerPopModeCommand() ::= "popMode()"

LexerTypeCommand(arg, grammar) ::= "_type = <arg>"
LexerChannelCommand(arg, grammar) ::= "_channel = <arg>"
LexerModeCommand(arg, grammar) ::= "_mode = <arg>"
LexerPushModeCommand(arg, grammar) ::= "pushMode(<arg>)"

ActionText(t) ::= "<t.text>"
ActionTemplate(t) ::= "<t.st>"
ArgRef(a) ::= "localctx.<a.name>"
LocalRef(a) ::= "localctx.<a.name>"
RetValRef(a) ::= "localctx.<a.name>"
QRetValRef(a) ::= "<ctx(a)>.<a.dict>.<a.name>"
/** How to translate $tokenLabel */
TokenRef(t) ::= "<ctx(t)>.<t.name>"

```

```

LabelRef(t) ::= "<ctx(t)>.<t.name>"
ListLabelRef(t) ::= "<ctx(t)>.<ListLabelName(t.name)>"
SetAttr(s,rhsChunks) ::= "<ctx(s)>.<s.name> = <rhsChunks>"

TokenLabelType() ::= "<file.TokenLabelType; null={Token}>"
InputSymbolType() ::= "<file.InputSymbolType; null={Token}>"

TokenPropertyRef_text(t) ::= "(None if <ctx(t)>.<t.label> is None else <ctx(t)>.<t.label>.text)"
TokenPropertyRef_type(t) ::= "(0 if <ctx(t)>.<t.label> is None else <ctx(t)>.<t.label>.type)"
TokenPropertyRef_line(t) ::= "(0 if <ctx(t)>.<t.label> is None else <ctx(t)>.<t.label>.line)"
TokenPropertyRef_pos(t) ::= "(0 if <ctx(t)>.<t.label> is None else <ctx(t)>.<t.label>.column)"
TokenPropertyRef_channel(t) ::= "(0 if (<ctx(t)>.<t.label> is None else <ctx(t)>.<t.label>.channel)"
TokenPropertyRef_index(t) ::= "(0 if <ctx(t)>.<t.label> is None else <ctx(t)>.<t.label>.tokenIndex)"
TokenPropertyRef_int(t) ::= "(0 if <ctx(t)>.<t.label> is None else int(<ctx(t)>.<t.label>.text))"

RulePropertyRef_start(r) ::= "(None if <ctx(r)>.<r.label> is None else <ctx(r)>.<r.label>.start)"
RulePropertyRef_stop(r) ::= "(None if <ctx(r)>.<r.label> is None else <ctx(r)>.<r.label>.stop)"
RulePropertyRef_text(r) ::= "(None if <ctx(r)>.<r.label> is None else
self._input.getText((<ctx(r)>.<r.label>.start,<ctx(r)>.<r.label>.stop)))"
RulePropertyRef_ctx(r) ::= "<ctx(r)>.<r.label>"
RulePropertyRef_parser(r) ::= "self"

ThisRulePropertyRef_start(r) ::= "localctx.start"
ThisRulePropertyRef_stop(r) ::= "localctx.stop"
ThisRulePropertyRef_text(r) ::= "self._input.getText((localctx.start, self._input.LT(-1)))"
ThisRulePropertyRef_ctx(r) ::= "localctx"
ThisRulePropertyRef_parser(r) ::= "self"

NonLocalAttrRef(s) ::= "getInvokingContext(<s.ruleIndex>).<s.name>"
SetNonLocalAttr(s, rhsChunks) ::= "getInvokingContext(<s.ruleIndex>).<s.name> = <rhsChunks>"

AddToLabelList(a) ::= "<ctx(a.label)>.<a.listName>.append(<labelref(a.label)>)"

TokenDecl(t) ::= "self.<t.name> = None # <TokenLabelType()>"
TokenTypeDecl(t) ::= "self.<t.name> = 0 # <TokenLabelType()> type"
TokenListDecl(t) ::= "self.<t.name> = list() # of <TokenLabelType()>s"
RuleContextDecl(r) ::= "self.<r.name> = None # <r.ctxName>"
RuleContextListDecl(rdecl) ::= "self.<rdecl.name> = list() # of <rdecl.ctxName>s"

ContextTokenGetterDecl(t) ::= <<
def <t.name>(self):
    return self.getToken(<parser.name>.<t.name>, 0)
>>

// should never be called
ContextTokenListGetterDecl(t) ::= <<
def <t.name>_list(self):
    return self.getTokens(<parser.name>.<t.name>)

```

```
>>
```

```
ContextTokenListIndexedGetterDecl(t) ::= <<  
def <t.name>(self, i:int=None):  
  if i is None:  
    return self.getTokens(<parser.name>.<t.name>)  
  else:  
    return self.getToken(<parser.name>.<t.name>, i)
```

```
>>
```

```
ContextRuleGetterDecl(r) ::= <<  
def <r.name>(self):  
  return self.getTypedRuleContext(<parser.name>.<r.ctxName>,0)
```

```
>>
```

```
// should never be called
```

```
ContextRuleListGetterDecl(r) ::= <<  
def <r.name>_list(self):  
  return self.getTypedRuleContexts(<parser.name>.<r.ctxName>)
```

```
>>
```

```
ContextRuleListIndexedGetterDecl(r) ::= <<  
def <r.name>(self, i:int=None):  
  if i is None:  
    return self.getTypedRuleContexts(<parser.name>.<r.ctxName>)  
  else:  
    return self.getTypedRuleContext(<parser.name>.<r.ctxName>,i)
```

```
>>
```

```
LexerRuleContext() ::= "RuleContext"
```

```
/** The rule context name is the rule followed by a suffix; e.g.,
```

```
* r becomes rContext.
```

```
*/
```

```
RuleContextNameSuffix() ::= "Context"
```

```
ImplicitTokenLabel(tokenName) ::= "<tokenName>"
```

```
ImplicitRuleLabel(ruleName) ::= "<ruleName>"
```

```
ImplicitSetLabel(id) ::= "_tset<id>"
```

```
ListLabelName(label) ::= "<label>"
```

```
CaptureNextToken(d) ::= "<d.varName> = self._input.LT(1)"
```

```
CaptureNextTokenType(d) ::= "<d.varName> = self._input.LA(1)"
```

```
StructDecl(struct,ctorAttrs,attrs, getters,dispatchMethods,interfaces,extensionMembers) ::= <<
```

```

class <struct.name>(<if(contextSuperClass)><contextSuperClass><else>ParserRuleContext<endif>):

    def __init__(self, parser, parent:ParserRuleContext=None, invokingState:int=-1<struct.ctorAttrs:{ a | ,
<a.name><if(a.type)><a.type><endif>=None}>):
        super().__init__(parent, invokingState)
        self.parser = parser
        <attrs:{ a | <a>}; separator="\n">
        <struct.ctorAttrs:{ a | self.<a.name> = <a.name>}; separator="\n">

    <getters:{ g | <g>}; separator="\n\n">

    def getRuleIndex(self):
        return <parser.name>.RULE_<struct.derivedFromName>

<if(struct.provideCopyFrom)> <! don't need copy unless we have subclasses !>
    def copyFrom(self, ctx:ParserRuleContext):
        super().copyFrom(ctx)
        <struct.attrs:{ a | self.<a.name> = ctx.<a.name>}; separator="\n">

<endif>
    <dispatchMethods; separator="\n">
    <extensionMembers; separator="\n">

>>

AltLabelStructDecl(struct,attrs,getters,dispatchMethods) ::= <<
class <struct.name>(<currentRule.name; format="cap">Context):

    def __init__(self, parser, ctx:ParserRuleContext): # actually a <parser.name>.<currentRule.name;
format="cap">Context
        super().__init__(parser)
        <attrs:{ a | <a>}; separator="\n">
        self.copyFrom(ctx)

    <getters:{ g | <g>}; separator="\n">

    <dispatchMethods; separator="\n">

>>

ListenerDispatchMethod(method) ::= <<
def <if(method.isEnter)>enter<else>exit<endif>Rule(self, listener:ParseTreeListener):
    if hasattr( listener, "<if(method.isEnter)>enter<else>exit<endif><struct.derivedFromName; format="cap">" ):
        listener.<if(method.isEnter)>enter<else>exit<endif><struct.derivedFromName; format="cap">(self)

>>

VisitorDispatchMethod(method) ::= <<

```

```

def accept(self, visitor:ParseTreeVisitor):
    if hasattr( visitor, "visit<struct.derivedFromName; format="cap">" ):
        return visitor.visit<struct.derivedFromName; format="cap">(self)
    else:
        return visitor.visitChildren(self)

>>

AttributeDecl(d) ::= "self.<d.name> = <if(d.initValue)><d.initValue><else>None<endif>"

/** If we don't know location of label def x, use this template */
labelref(x) ::= "<if(!x.isLocal)>localctx.<endif><x.name>"

/** For any action chunk, what is correctly-typed context struct ptr? */
ctx(actionChunk) ::= "localctx"

// used for left-recursive rules
recRuleAltPredicate(ruleName,opPrec) ::= "self.precpred(self._ctx, <opPrec>)"
recRuleSetReturnAction(src,name) ::= "$<name>=<src>.<name>"
recRuleSetStopToken() ::= "self._ctx.stop = self._input.LT(-1)"

recRuleAltStartAction(ruleName, ctxName, label) ::= <<
localctx = <parser.name>.<ctxName>Context(self, _parentctx, _parentState)
<if(label)>localctx.<label> = _prevctx<endif>
self.pushNewRecursionContext(localctx, _startState, self.RULE_<ruleName>)
>>

recRuleLabeledAltStartAction(ruleName, currentAltLabel, label, isListLabel) ::= <<
localctx = <parser.name>.<currentAltLabel; format="cap">Context(self, <parser.name>.<ruleName;
format="cap">Context(self, _parentctx, _parentState))
<if(label)>
<if(isListLabel)>
localctx.<label>.append(_prevctx)
<else>
localctx.<label> = _prevctx
<endif>
<endif>
self.pushNewRecursionContext(localctx, _startState, self.RULE_<ruleName>)
>>

recRuleReplaceContext(ctxName) ::= <<
localctx = <parser.name>.<ctxName>Context(self, localctx)
self._ctx = localctx
_prevctx = localctx
>>

recRuleSetPrevCtx() ::= <<
if self._parseListeners is not None:

```

```
    self.triggerExitRuleEvent()
    _prevctx = localctx
>>
```

```
LexerFile(lexerFile, lexer, namedActions) ::= <<
<fileHeader(lexerFile.grammarFileName, lexerFile.ANTLRVersion)>
from antlr4 import *
from io import StringIO
from typing.io import TextIO
import sys
```

```
<namedActions.header>
```

```
<lexer>
```

```
>>
```

```
Lexer(lexer, atn, actionFuncs, sempredFuncs, superClass) ::= <<
```

```
<atn>
```

```
class <lexer.name>(<if(superClass)><superClass><else>Lexer<endif>):
```

```
    atn = ATNDeserializer().deserialize(serializedATN())
```

```
    decisionsToDFA = [ DFA(ds, i) for i, ds in enumerate(atn.decisionToState) ]
```

```
<if(lexer.channels)>
```

```
    <lexer.channels:{c| <c> = <lexer.channels.(c)>}; separator="\n">
```

```
<endif>
```

```
<if(rest(lexer.modes))>
```

```
    <rest(lexer.modes):{m| <m> = <i>}; separator="\n">
```

```
<endif>
```

```
    <lexer.tokens:{k | <k> = <lexer.tokens.(k)>}; separator="\n", wrap, anchor>
```

```
    channelNames = [ u"DEFAULT_TOKEN_CHANNEL", u"HIDDEN"<if (lexer.channels)>, <lexer.channels:{c|
u"<c>"}; separator=", ", wrap, anchor><endif> ]
```

```
    modeNames = [ <lexer.modes:{m| "<m>"}; separator=", ", wrap, anchor> ]
```

```
    literalNames = [ "\<INVALID>",
```

```
        <lexer.literalNames:{t | <t>}; separator=", ", wrap, anchor> ]
```

```
    symbolicNames = [ "\<INVALID>",
```

```
        <lexer.symbolicNames:{t | <t>}; separator=", ", wrap, anchor> ]
```



```

ruleNames = [ <lexer.ruleNames:{r | "<r>"}; separator=", ", wrap, anchor> ]

grammarFileName = "<lexer.grammarFileName>"

def __init__(self, input=None, output:TextIO = sys.stdout):
    super().__init__(input, output)
    self.checkVersion("<lexerFile.ANTLRVersion>")
    self._interp = LexerATNSimulator(self, self.atn, self.decisionsToDFA, PredictionContextCache())
    self._actions = None
    self._predicates = None

<namedActions.members>

<dumpActions(lexer, "", actionFuncs, sempredFuncs)>

>>

SerializedATN(model) ::= <<
<! only one segment, can be inlined !>

def serializedATN():
    with StringIO() as buf:
        buf.write("<model.serialized; wrap={ }<n>    buf.write({ }>")
        return buf.getvalue()

>>

/** Using a type to init value map, try to init a type; if not in table
 * must be an object, default value is "null".
 */
initValue(typeName) ::= <<
<pythonTypeInitMap.(typeName)>
>>

codeFileExtension() ::= ".py"

Found in path(s):
* /opt/cola/permits/1340076373_1654764617.9754713/0/antlr4-4-7-1-5-
jar/org/antlr/v4/tool/templates/codegen/Python3/Python3.stg
No license file was found, but licenses were detected in source scan.

/*
 * [The "BSD license"]
 * Copyright (c) 2013 Terence Parr
 * Copyright (c) 2013 Sam Harwell
 * All rights reserved.
 *
 * Redistribution and use in source and binary forms, with or without

```

- \* modification, are permitted provided that the following conditions
- \* are met:
- \*
- \* 1. Redistributions of source code must retain the above copyright
- \* notice, this list of conditions and the following disclaimer.
- \* 2. Redistributions in binary form must reproduce the above copyright
- \* notice, this list of conditions and the following disclaimer in the
- \* documentation and/or other materials provided with the distribution.
- \* 3. The name of the author may not be used to endorse or promote products
- \* derived from this software without specific prior written permission.
- \*
- \* THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR
- \* IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
- \* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.
- \* IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,
- \* INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT
- \* NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
- \* DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
- \* THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
- \* (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF
- \* THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
- \*/

// args must be <object-model-object>, <fields-resulting-in-STs>

```
ParserFile(file, parser, namedActions, contextSuperClass) ::= <<
<fileHeader(file.grammarFileName, file.ANTLRVersion)>
<if(file.genPackage)>
namespace <file.genPackage> {
<endif>
<namedActions.header>
using System;
using System.IO;
using System.Text;
using System.Diagnostics;
using System.Collections.Generic;
using Antlr4.Runtime;
using Antlr4.Runtime.Atn;
using Antlr4.Runtime.Misc;
using Antlr4.Runtime.Tree;
using DFA = Antlr4.Runtime.Dfa.DFA;

<parser>
<if(file.genPackage)>
} // namespace <file.genPackage>
<endif>
>>
```

```

ListenerFile(file, header, namedActions) ::= <<
<fileHeader(file.grammarFileName, file.ANTLRVersion)>
<if(file.genPackage)>
namespace <file.genPackage> {
<endif>
<header>
using Antlr4.Runtime.Misc;
using IParseTreeListener = Antlr4.Runtime.Tree.IParseTreeListener;
using IToken = Antlr4.Runtime.IToken;

/// \<summary>
/// This interface defines a complete listener for a parse tree produced by
/// \<see cref="<csIdentifier.(file.parserName)>"/>.
/// \</summary>
[System.CodeDom.Compiler.GeneratedCode("ANTLR", "<file.ANTLRVersion>")]
[System.CLSCompliant(false)]
public interface I<file.grammarName>Listener : IParseTreeListener {
    <file.listenerNames:{lname} |
    /// \<summary>
    <if(file.listenerLabelRuleNames.(lname))>
    /// Enter a parse tree produced by the \<c><lname>\</c>
    /// labeled alternative in \<see cref="<file.parserName>.<file.listenerLabelRuleNames.(lname)>"/>.
    <else>
    /// Enter a parse tree produced by \<see cref="<file.parserName>.<lname>"/>.
    <endif>
    /// \</summary>
    /// \<param name="context">The parse tree.\</param>
    void Enter<lname; format="cap">([NotNull] <csIdentifier.(file.parserName)>.<lname; format="cap">Context
    context);
    /// \<summary>
    <if(file.listenerLabelRuleNames.(lname))>
    /// Exit a parse tree produced by the \<c><lname>\</c>
    /// labeled alternative in \<see cref="<file.parserName>.<file.listenerLabelRuleNames.(lname)>"/>.
    <else>
    /// Exit a parse tree produced by \<see cref="<file.parserName>.<lname>"/>.
    <endif>
    /// \</summary>
    /// \<param name="context">The parse tree.\</param>
    void Exit<lname; format="cap">([NotNull] <csIdentifier.(file.parserName)>.<lname; format="cap">Context
    context);}; separator="\n"
    }
<if(file.genPackage)>
} // namespace <file.genPackage>
<endif>
>>

```

```

BaseListenerFile(file, header, namedActions) ::= <<
<fileHeader(file.grammarFileName, file.ANTLRVersion)>

```

```

<if(file.genPackage)>
namespace <file.genPackage> {
<endif>
<header>

using Antlr4.Runtime.Misc;
using IErrorNode = Antlr4.Runtime.Tree.IErrorNode;
using ITerminalNode = Antlr4.Runtime.Tree.ITerminalNode;
using IToken = Antlr4.Runtime.IToken;
using ParserRuleContext = Antlr4.Runtime.ParserRuleContext;

/// \<summary>
/// This class provides an empty implementation of \<see cref="I<file.grammarName>Listener"/>,
/// which can be extended to create a listener which only needs to handle a subset
/// of the available methods.
/// \</summary>
[System.CodeDom.Compiler.GeneratedCode("ANTLR", "<file.ANTLRVersion>")]
[System.CLSCompliant(false)]
public partial class <file.grammarName>BaseListener : I<file.grammarName>Listener {
    <file.listenerNames:{Iname |
    /// \<summary>
    <if(file.listenerLabelRuleNames.(Iname))>
    /// Enter a parse tree produced by the \<c><Iname>\</c>
    /// labeled alternative in \<see cref="<file.parserName>.<file.listenerLabelRuleNames.(Iname)>"/>.
    <else>
    /// Enter a parse tree produced by \<see cref="<file.parserName>.<Iname>"/>.
    <endif>
    /// \<para>The default implementation does nothing.\</para>
    /// \</summary>
    /// \<param name="context">The parse tree.\</param>
    public virtual void Enter<Iname; format="cap">([NotNull] <csIdentifier.(file.parserName)>.<Iname;
    format="cap">Context context) { \}
    /// \<summary>
    <if(file.listenerLabelRuleNames.(Iname))>
    /// Exit a parse tree produced by the \<c><Iname>\</c>
    /// labeled alternative in \<see cref="<file.parserName>.<file.listenerLabelRuleNames.(Iname)>"/>.
    <else>
    /// Exit a parse tree produced by \<see cref="<file.parserName>.<Iname>"/>.
    <endif>
    /// \<para>The default implementation does nothing.\</para>
    /// \</summary>
    /// \<param name="context">The parse tree.\</param>
    public virtual void Exit<Iname; format="cap">([NotNull] <csIdentifier.(file.parserName)>.<Iname;
    format="cap">Context context) { \} }; separator="\n"

    /// \<inheritdoc>
    /// \<remarks>The default implementation does nothing.\</remarks>
    public virtual void EnterEveryRule([NotNull] ParserRuleContext context) { \}

```

```

/// \<inheritdoc/>
/// \<remarks>The default implementation does nothing.\</remarks>
public virtual void ExitEveryRule([NotNull] ParserRuleContext context) { }
/// \<inheritdoc/>
/// \<remarks>The default implementation does nothing.\</remarks>
public virtual void VisitTerminal([NotNull] ITerminalNode node) { }
/// \<inheritdoc/>
/// \<remarks>The default implementation does nothing.\</remarks>
public virtual void VisitErrorNode([NotNull] IErrorNode node) { }
}
<if(file.genPackage)>
} // namespace <file.genPackage>
<endif>
>>

```

```

VisitorFile(file, header, namedActions) ::= <<

```

```

<fileHeader(file.grammarFileName, file.ANTLRVersion)>

```

```

<if(file.genPackage)>

```

```

namespace <file.genPackage> {

```

```

<endif>

```

```

<header>

```

```

using Antlr4.Runtime.Misc;

```

```

using Antlr4.Runtime.Tree;

```

```

using IToken = Antlr4.Runtime.IToken;

```

```

/// \<summary>

```

```

/// This interface defines a complete generic visitor for a parse tree produced

```

```

/// by \<see cref="<csIdentifier.(file.parserName)>">/>.

```

```

/// \</summary>

```

```

/// \<typeparam name="Result">The return type of the visit operation.\</typeparam>

```

```

[System.CodeDom.Compiler.GeneratedCode("ANTLR", "<file.ANTLRVersion>")]

```

```

[System.CLSCompliant(false)]

```

```

public interface I<file.grammarName>Visitor<Result> : IParseTreeVisitor<Result> {

```

```

    <file.visitorNames> { Iname |

```

```

    /// \<summary>

```

```

    <if(file.visitorLabelRuleNames.(Iname))>

```

```

    /// Visit a parse tree produced by the \<c><Iname>\</c>

```

```

    /// labeled alternative in \<see cref="<file.parserName>.<file.visitorLabelRuleNames.(Iname)>">/>.

```

```

    <else>

```

```

    /// Visit a parse tree produced by \<see cref="<file.parserName>.<Iname>">/>.

```

```

    <endif>

```

```

    /// \</summary>

```

```

    /// \<param name="context">The parse tree.\</param>

```

```

    /// \<return>The visitor result.\</return>

```

```

    Result Visit<Iname; format="cap">([NotNull] <csIdentifier.(file.parserName)>.<Iname; format="cap">Context
    context);}; separator="\n">

```

```

    }

```

```

    <if(file.genPackage)>

```

```

} // namespace <file.genPackage>
<endif>
>>

BaseVisitorFile(file, header, namedActions) ::= <<
<fileHeader(file.grammarFileName, file.ANTLRVersion)>
<if(file.genPackage)>
namespace <file.genPackage> {
<endif>
<header>
using Antlr4.Runtime.Misc;
using Antlr4.Runtime.Tree;
using IToken = Antlr4.Runtime.IToken;
using ParserRuleContext = Antlr4.Runtime.ParserRuleContext;

/// \<summary>
/// This class provides an empty implementation of \<see cref="I<file.grammarName>Visitor{Result}" />,
/// which can be extended to create a visitor which only needs to handle a subset
/// of the available methods.
/// \</summary>
/// \<typeparam name="Result">The return type of the visit operation.\</typeparam>
[System.CodeDom.Compiler.GeneratedCode("ANTLR", "<file.ANTLRVersion>")]
[System.CLSCompliant(false)]
public partial class <file.grammarName>BaseVisitor<Result> : AbstractParseTreeVisitor<Result>,
I<file.grammarName>Visitor<Result> {
    <file.visitorNames>: { Iname |
    /// \<summary>
    <if(file.visitorLabelRuleNames.(Iname))>
    /// Visit a parse tree produced by the \<c><Iname>\</c>
    /// labeled alternative in \<see cref="<file.parserName>.<file.visitorLabelRuleNames.(Iname)>" />.
    <else>
    /// Visit a parse tree produced by \<see cref="<file.parserName>.<Iname>" />.
    <endif>
    /// \<para>
    /// The default implementation returns the result of calling \<see
    cref="AbstractParseTreeVisitor{Result}.VisitChildren(IRuleNode)" />
    /// on \<paramref name="context" />.
    /// \</para>
    /// \</summary>
    /// \<param name="context">The parse tree.\</param>
    /// \<return>The visitor result.\</return>
    public virtual Result Visit<Iname; format="cap">([NotNull] <csIdentifier.(file.parserName)>.<Iname;
    format="cap">Context context) { return VisitChildren(context); \}}; separator="\n">
    }
    <if(file.genPackage)>
    } // namespace <file.genPackage>
    <endif>
>>

```

```

fileHeader(grammarFileName, ANTLRVersion) ::= <<
//-----
//\<auto-generated>
// This code was generated by a tool.
// ANTLR Version: <ANTLRVersion>
//
// Changes to this file may cause incorrect behavior and will be lost if
// the code is regenerated.
//\</auto-generated>
//-----

// Generated from <grammarFileName> by ANTLR <ANTLRVersion>

// Unreachable code detected
#pragma warning disable 0162
// The variable '...' is assigned but its value is never used
#pragma warning disable 0219
// Missing XML comment for publicly visible type or member '...'
#pragma warning disable 1591
// Ambiguous reference in cref attribute
#pragma warning disable 419

>>

Parser(parser, funcs, atn, sempredFuncs, superClass) ::= <<
<Parser_(ctor="parser_ctor", ...)>
>>

Parser_(parser, funcs, atn, sempredFuncs, ctor, superClass) ::= <<
[System.CodeDom.Compiler.GeneratedCode("ANTLR", "<file.ANTLRVersion>")]
[System.CLSCompliant(false)]
public partial class <csIdentifier.(parser.name)> : <superClass; null="Parser"> {
protected static DFA[] decisionToDFA;
protected static PredictionContextCache sharedContextCache = new PredictionContextCache();
<if(parser.tokens)>
public const int
<parser.tokens:{k | <k>=<parser.tokens.(k)>}; separator=", ", wrap, anchor>;
<endif>
public const int
<parser.rules:{r | RULE_<r.name> = <r.index>}; separator=", ", wrap, anchor>;
public static readonly string[] ruleNames = {
<parser.ruleNames:{r | "<r">}; separator=", ", wrap, anchor>
};

<vocabulary(parser.literalNames, parser.symbolicNames)>

public override string GrammarFileName { get { return "<parser.grammarFileName>"; } }

```

```

public override string[] RuleNames { get { return ruleNames; } }

public override string SerializedAtn { get { return new string(_serializedATN); } }

static <csIdentifier.(parser.name)>() {
    decisionToDFA = new DFA[_ATN.NumberOfDecisions];
    for (int i = 0; i < _ATN.NumberOfDecisions; i++) {
        decisionToDFA[i] = new DFA(_ATN.GetDecisionState(i), i);
    }
}

<namedActions.members>
<parser:(ctor)()>
<funcs; separator="\n">

<if(sempredFuncs)>
public override bool Sempred(RuleContext _localctx, int ruleIndex, int predIndex) {
    switch (ruleIndex) {
        <parser.sempredFuncs.values:{f}
case <f.ruleIndex>: return <f.name>_sempred((<f.ctxType>)_localctx, predIndex);}; separator="\n">
    }
    return true;
}
<sempredFuncs.values; separator="\n">
<endif>

<atn>
}
>>

vocabulary(literalNames, symbolicNames) ::= <<
private static readonly string[] _LiteralNames = {
    <literalNames:{t | <t>}; null="null", separator=", ", wrap, anchor>
};
private static readonly string[] _SymbolicNames = {
    <symbolicNames:{t | <t>}; null="null", separator=", ", wrap, anchor>
};
public static readonly IVocabulary DefaultVocabulary = new Vocabulary(_LiteralNames, _SymbolicNames);

[NotNull]
public override IVocabulary Vocabulary
{
    get
    {
        return DefaultVocabulary;
    }
}
}

```



>>

```
dumpActions(recog, argFuncs, actionFuncs, sempredFuncs) ::= <<
<if(actionFuncs)>
public override void Action(RuleContext _localctx, int ruleIndex, int actionIndex) {
    switch (ruleIndex) {
        <recog.actionFuncs.values: {f|
case <f.ruleIndex> : <f.name>_action(<if(!recog.modes)><f.ctxType><endif>_localctx, actionIndex); break;};
separator="\n">
        }
    }
    <actionFuncs.values; separator="\n">
<endif>
<if(sempredFuncs)>
public override bool Sempred(RuleContext _localctx, int ruleIndex, int predIndex) {
    switch (ruleIndex) {
        <recog.sempredFuncs.values: {f|
case <f.ruleIndex> : return <f.name>_sempred(<if(!recog.modes)><f.ctxType><endif>_localctx, predIndex);};
separator="\n">
        }
    return true;
    }
    <sempredFuncs.values; separator="\n">
<endif>
>>
```

```
parser_ctor(parser) ::= <<
    public <csIdentifier.(parser.name)>(ITokenStream input) : this(input, Console.Out, Console.Error) { }

    public <csIdentifier.(parser.name)>(ITokenStream input, TextWriter output, TextWriter errorOutput)
    : base(input, output, errorOutput)
    {
        Interpreter = new ParserATNSimulator(this, _ATN, decisionToDFA, sharedContextCache);
    }
>>
```

```
/* This generates a private method since the actionIndex is generated, making an
* overriding implementation impossible to maintain.
*/
```

```
RuleActionFunction(r, actions) ::= <<
private void <r.name>_action(<r.ctxType> _localctx, int actionIndex) {
    switch (actionIndex) {
        <actions: {index|
case <index>: <actions.(index)> break;}; separator="\n">
        }
    }
>>
```

```

/* This generates a private method since the predIndex is generated, making an
* overriding implementation impossible to maintain.
*/
RuleSempredFunction(r, actions) ::= <<
private bool <r.name>_sempred(<r.ctxType> _localctx, int predIndex) {
switch (predIndex) {
<actions: {index|
case <index>: return <actions.(index)>;}; separator="\n">
}
return true;
}
>>

RuleFunction(currentRule,args,code,locals,ruleCtx,altLabelCtxs,namedActions,finallyAction,postamble,exceptions)
::= <<

<if(ruleCtx)>
<ruleCtx>
<endif>
<altLabelCtxs: {l | <altLabelCtxs.(l)>; separator="\n">

[RuleVersion(<namedActions.version; null="0">)]
<if(currentRule.modifiers)><currentRule.modifiers: {f | <f> }><else>public <endif><currentRule.ctxType>
<csIdentifier.(currentRule.name)><(args; separator=", "> {
<currentRule.ctxType> _localctx = new <currentRule.ctxType>(Context, State<currentRule.args: {a | ,
<csIdentifier.(a.name)>>});
EnterRule(_localctx, <currentRule.startState>, RULE_<currentRule.name>);
<namedActions.init>
<locals; separator="\n">
try {
<if(currentRule.hasLookaheadBlock)>
int _alt;
<endif>
<code>
<postamble; separator="\n">
<namedActions.after>
}
<if(exceptions)>
<exceptions; separator="\n">
<else>
catch (RecognitionException re) {
_localctx.exception = re;
ErrorHandler.ReportError(this, re);
ErrorHandler.Recover(this, re);
}
<endif>
finally {
<finallyAction>

```

```

    ExitRule();
}
return _localctx;
}
>>

```

```

LeftFactoredRuleFunction(currentRule,args,code,locals,namedActions,finallyAction,postamble) ::=
<<

```

```

<if(currentRule.modifiers)><currentRule.modifiers:{f | <f> }><else>private <endif><currentRule.ctxType>
<csIdentifier(currentRule.name)><(args; separator=", "> {
    <currentRule.ctxType> _localctx = new <currentRule.ctxType>(Context, State<currentRule.args:{a | ,
<csIdentifier(a.name)>}>);
    EnterLeftFactoredRule(_localctx, <currentRule.startState>, RULE_<currentRule.variantOf>);
    <namedActions.init>
    <locals; separator="\n">
    try {
    <if(currentRule.hasLookaheadBlock)>
        int _alt;
    <endif>
    <code>
    <postamble; separator="\n">
    <namedActions.after>
    }
    catch (RecognitionException re) {
        _localctx.exception = re;
        ErrorHandler.ReportError(this, re);
        ErrorHandler.Recover(this, re);
    }
    finally {
    <finallyAction>
    ExitRule();
    }
    return _localctx;
}
>>

```

```

// This behaves similar to RuleFunction (enterRule is called, and no adjustments
// are made to the parse tree), but since it's still a variant no context class
// needs to be generated.

```

```

LeftUnfactoredRuleFunction(currentRule,args,code,locals,namedActions,finallyAction,postamble) ::=
<<

```

```

<if(currentRule.modifiers)><currentRule.modifiers:{f | <f> }><else>private <endif><currentRule.ctxType>
<csIdentifier(currentRule.name)><(args; separator=", "> {
    <currentRule.ctxType> _localctx = new <currentRule.ctxType>(Context, State<currentRule.args:{a | ,
<csIdentifier(a.name)>}>);
    EnterRule(_localctx, <currentRule.startState>, RULE_<currentRule.variantOf>);

```

```

<namedActions.init>
<locals; separator="\n">
try {
<if(currentRule.hasLookaheadBlock)>
int _alt;
<endif>
<code>
<postamble; separator="\n">
<namedActions.after>
}
catch (RecognitionException re) {
_localctx.exception = re;
ErrorHandler.ReportError(this, re);
ErrorHandler.Recover(this, re);
}
finally {
<finallyAction>
ExitRule();
}
return _localctx;
}
>>

```

```

LeftRecursiveRuleFunction(currentRule,args,code,locals,ruleCtx,altLabelCtxs,
namedActions,finallyAction,postamble) ::=
<<

```

```

<ruleCtx>
<altLabelCtxs:{l | <altLabelCtxs.(l)>}; separator="\n">

```

```

[RuleVersion(<namedActions.version; null="0">)]
<if(currentRule.modifiers)><currentRule.modifiers:{f | <f> }><else>public <endif><currentRule.ctxType>
<csIdentifier.(currentRule.name)><(args; separator=", "> {
return <csIdentifier.(currentRule.name)><(0<currentRule.args:{a | , <csIdentifier.(a.name)>}>>);
}

```

```

private <currentRule.ctxType> <csIdentifier.(currentRule.name)><(int _p<args:{a | , <a>}>> {
ParserRuleContext _parentctx = Context;
int _parentState = State;
<currentRule.ctxType> _localctx = new <currentRule.ctxType>(Context, _parentState<currentRule.args:{a | ,
<csIdentifier.(a.name)>}>>);
<currentRule.ctxType> _prevctx = _localctx;
int _startState = <currentRule.startState>;
EnterRecursionRule(_localctx, <currentRule.startState>, RULE_<currentRule.name>, _p);
<namedActions.init>
<locals; separator="\n">
try {
<if(currentRule.hasLookaheadBlock)>

```

```

    int _alt;
<endif>
    <code>
    <postamble; separator="\n">
    <namedActions.after>
    }
    catch (RecognitionException re) {
    _localctx.exception = re;
    ErrorHandler.ReportError(this, re);
    ErrorHandler.Recover(this, re);
    }
    finally {
    <finallyAction>
    UnrollRecursionContexts(_parentctx);
    }
    return _localctx;
    }
>>

```

```

CodeBlockForOuterMostAlt(currentOuterMostAltCodeBlock, locals, preamble, ops) ::= <<
<if(currentOuterMostAltCodeBlock.altLabel)>_localctx = new <currentOuterMostAltCodeBlock.altLabel;
format="cap">Context(_localctx);<endif>
EnterOuterAlt(_localctx, <currentOuterMostAltCodeBlock.alt.altNum>);
<CodeBlockForAlt(currentAltCodeBlock=currentOuterMostAltCodeBlock, ...)>
>>

```

```

CodeBlockForAlt(currentAltCodeBlock, locals, preamble, ops) ::= <<
{
<locals; separator="\n">
<preamble; separator="\n">
<ops; separator="\n">
}
>>

```

```

LL1AltBlock(choice, preamble, alts, error) ::= <<
State = <choice.stateNumber>;
ErrorHandler.Sync(this);
<if(choice.label)><labelref(choice.label)> = TokenStream.LT(1);<endif>
<preamble; separator="\n">
switch (TokenStream.LA(1)) {
<choice.altLook,alts:{look,alt| <cases(ttypes=look)>
<alt>
break;}; separator="\n">
default:
<error>
}
>>

```

```

LL1OptionalBlock(choice, alts, error) ::= <<
State = <choice.stateNumber>;
ErrorHandler.Sync(this);
switch (TokenStream.LA(1)) {
<choice.altLook,alts:{look,alt| <cases(ttypes=look)>
<alt>
break;}; separator="\n">
default:
break;
}
>>

```

```

LL1OptionalBlockSingleAlt(choice, expr, alts, preamble, error, followExpr) ::= <<
State = <choice.stateNumber>;
ErrorHandler.Sync(this);
<preamble; separator="\n">
if (<expr>) {
<alts; separator="\n">
}
<!else if ( !(<followExpr> ) <error>!>
>>

```

```

LL1StarBlockSingleAlt(choice, loopExpr, alts, preamble, iteration) ::= <<
State = <choice.stateNumber>;
ErrorHandler.Sync(this);
<preamble; separator="\n">
while (<loopExpr>) {
<alts; separator="\n">
State = <choice.loopBackStateNumber>;
ErrorHandler.Sync(this);
<iteration>
}
>>

```

```

LL1PlusBlockSingleAlt(choice, loopExpr, alts, preamble, iteration) ::= <<
State = <choice.blockStartStateNumber>;<! alt block decision !>
ErrorHandler.Sync(this);
<preamble; separator="\n">
do {
<alts; separator="\n">
State = <choice.stateNumber>;<! loopback/exit decision !>
ErrorHandler.Sync(this);
<iteration>
} while ( <loopExpr> );
>>

```

```

// LL(*) stuff

```

```

AltBlock(choice, preamble, alts, error) ::= <<
State = <choice.stateNumber>;
ErrorHandler.Sync(this);
<if(choice.label)><labelref(choice.label)> = TokenStream.LT(1);<endif>
<preamble; separator="\n">
switch ( Interpreter.AdaptivePredict(TokenStream,<choice.decision>,Context) ) {
<alts:{ alt |
case <i>:
<alt>
break;}; separator="\n">
}
>>

```

```

OptionalBlock(choice, alts, error) ::= <<
State = <choice.stateNumber>;
ErrorHandler.Sync(this);
switch ( Interpreter.AdaptivePredict(TokenStream,<choice.decision>,Context) ) {
<alts:{ alt |
case <i><if(!choice.ast.greedy)>+1<endif>:
<alt>
break;}; separator="\n">
}
>>

```

```

StarBlock(choice, alts, sync, iteration) ::= <<
State = <choice.stateNumber>;
ErrorHandler.Sync(this);
_alt = Interpreter.AdaptivePredict(TokenStream,<choice.decision>,Context);
while ( _alt!=<choice.exitAlt> && _alt!=global::Antlr4.Runtime.Atn.ATN.INVALID_ALT_NUMBER ) {
if ( _alt==1<if(!choice.ast.greedy)>+1<endif> ) {
<iteration>
<alts> <! should only be one !>
}
State = <choice.loopBackStateNumber>;
ErrorHandler.Sync(this);
_alt = Interpreter.AdaptivePredict(TokenStream,<choice.decision>,Context);
}
>>

```

```

PlusBlock(choice, alts, error) ::= <<
State = <choice.blockStartStateNumber>;<! alt block decision !>
ErrorHandler.Sync(this);
_alt = 1<if(!choice.ast.greedy)>+1<endif>;
do {
switch ( _alt ) {
<alts:{ alt |
case <i><if(!choice.ast.greedy)>+1<endif>:
<alt>

```

```

break;}; separator="\n">
default:
  <error>
  }
State = <choice.loopBackStateNumber>;<! loopback/exit decision !>
ErrorHandler.Sync(this);
_alt = Interpreter.AdaptivePredict(TokenStream,<choice.decision>,Context);
} while ( _alt!=<choice.exitAlt> && _alt!=global::Antlr4.Runtime.Atn.ATN.INVALID_ALT_NUMBER );
>>

Sync(s) ::= "Sync(<s.expecting.name>);"

ThrowNoViableAlt(t) ::= "throw new NoViableAltException(this);"

TestSetInline(s) ::= <<
<s.bitsets:{bits | <if(rest(rest(bits.ttypes)))><bitsetBitfieldComparison(s, bits)><else><bitsetInlineComparison(s,
bits)><endif>} ; separator=" || ">
>>

// Java language spec 15.19 - shift operators mask operands rather than overflow to 0... need range test
testShiftInRange(shiftAmount) ::= <<
((<shiftAmount>) & ~0x3f) == 0
>>

// produces smaller bytecode only when bits.ttypes contains more than two items
bitsetBitfieldComparison(s, bits) ::= <%
(<testShiftInRange({ <offsetShift(s.varName, bits.shift)>})> && ((1L \<< <offsetShift(s.varName, bits.shift)>) &
(<bits.ttypes:{ ttype | (1L \<< <offsetShift(tokenType.(ttype), bits.shift)>)}; separator=" | ">)) != 0)
%>

isZero ::= [
"0":true,
default:false
]

offsetShift(shiftAmount, offset) ::= <%
<if(!isZero.(offset))><shiftAmount> - <offset><else><shiftAmount><endif>
%>

// produces more efficient bytecode when bits.ttypes contains at most two items
bitsetInlineComparison(s, bits) ::= <%
<bits.ttypes:{ ttype | <s.varName>==<tokenType.(ttype)>} ; separator=" || ">
%>

cases(ttypes) ::= <<
<ttypes:{ t | case <tokenType.(t)>:}; separator="\n">
>>

```



```

InvokeRule(r, argExprsChunks) ::= <<
State = <r.stateNumber>; <if(r.labels)><r.labels:{1 | <labelref(l)> =
}><endif><csIdentifier.(r.name)><(if(r.ast.options.p)><r.ast.options.p><if(argExprsChunks)>, <endif><endif><arg
ExprsChunks>;
>>

```

```

MatchToken(m) ::= <<
State = <m.stateNumber>; <if(m.labels)><m.labels:{1 | <labelref(l)> = }><endif>Match(<tokenType.(m.name)>);
>>

```

```

MatchSet(m, expr, capture) ::= "<CommonSetStuff(m, expr, capture, false)>"

```

```

MatchNotSet(m, expr, capture) ::= "<CommonSetStuff(m, expr, capture, true)>"

```

```

CommonSetStuff(m, expr, capture, invert) ::= <<
State = <m.stateNumber>;
<if(m.labels)><m.labels:{1 | <labelref(l)> = }>TokenStream.LT(1);<endif>
<capture>
if ( <if(invert)><m.varName> \<= 0 || <else>!<endif><(expr)> ) {
  <if(m.labels)><m.labels:{1 | <labelref(l)> = }><endif>ErrorHandler.RecoverInline(this);
}
else {
  ErrorHandler.ReportMatch(this);
  Consume();
}
>>

```

```

Wildcard(w) ::= <<
State = <w.stateNumber>;
<if(w.labels)><w.labels:{1 | <labelref(l)> = }><endif>MatchWildcard();
>>

```

```

// ACTION STUFF

```

```

Action(a, foo, chunks) ::= "<chunks>"

```

```

ArgAction(a, chunks) ::= "<chunks>"

```

```

SemPred(p, chunks, failChunks) ::= <<
State = <p.stateNumber>;
if (!(<chunks>)) throw new FailedPredicateException(this, <p.predicate><if(failChunks)>,
<failChunks><elseif(p.msg)>, <p.msg><endif>);
>>

```

```

ExceptionClause(e, catchArg, catchAction) ::= <<
catch (<catchArg>) {
  <catchAction>
}

```

>>

// lexer actions are not associated with model objects

LexerSkipCommand() ::= "Skip()";

LexerMoreCommand() ::= "More()";

LexerPopModeCommand() ::= "PopMode()";

LexerTypeCommand(arg, grammar) ::= "\_type = <tokenType.(arg)>";

LexerChannelCommand(arg, grammar) ::= "\_channel = <channelName.(arg)>";

LexerModeCommand(arg, grammar) ::= "\_mode = <modeName.(arg)>";

LexerPushModeCommand(arg, grammar) ::= "PushMode(<modeName.(arg)>);"

ActionText(t) ::= "<t.text>"

ActionTemplate(t) ::= "<t.st>"

ArgRef(a) ::= "\_localctx.<csIdentifier.(a.name)>"

LocalRef(a) ::= "\_localctx.<csIdentifier.(a.name)>"

RetValRef(a) ::= "\_localctx.<csIdentifier.(a.name)>"

QRetValRef(a) ::= "<ctx(a)>.<a.dict>.<csIdentifier.(a.name)>"

/\*\* How to translate \$tokenLabel \*/

TokenRef(t) ::= "<ctx(t)>.<csIdentifier.(tokenType.(t.name))>"

LabelRef(t) ::= "<ctx(t)>.<csIdentifier.(t.name)>"

ListLabelRef(t) ::= "<ctx(t)>.<ListLabelName(csIdentifier.(t.name))>"

SetAttr(s,rhsChunks) ::= "<ctx(s)>.<csIdentifier.(s.name)> = <rhsChunks>";"

TokenLabelType() ::= "<file.TokenLabelType; null={IToken}>"

InputSymbolType() ::= "<file.InputSymbolType; null={IToken}>"

TokenPropertyRef\_text(t) ::= "<ctx(t)>.<tokenType.(t.label)>!=null?<ctx(t)>.<tokenType.(t.label)>.Text:null"

TokenPropertyRef\_type(t) ::= "<ctx(t)>.<tokenType.(t.label)>!=null?<ctx(t)>.<tokenType.(t.label)>.Type:0)"

TokenPropertyRef\_line(t) ::= "<ctx(t)>.<tokenType.(t.label)>!=null?<ctx(t)>.<tokenType.(t.label)>.Line:0)"

TokenPropertyRef\_pos(t) ::=

"<ctx(t)>.<tokenType.(t.label)>!=null?<ctx(t)>.<tokenType.(t.label)>.CharPositionInLine:0)"

TokenPropertyRef\_channel(t) ::=

"<ctx(t)>.<tokenType.(t.label)>!=null?<ctx(t)>.<tokenType.(t.label)>.Channel:0)"

TokenPropertyRef\_index(t) ::=

"<ctx(t)>.<tokenType.(t.label)>!=null?<ctx(t)>.<tokenType.(t.label)>.TokenIndex:0)"

TokenPropertyRef\_int(t) ::=

"<ctx(t)>.<tokenType.(t.label)>!=null?int.Parse(<ctx(t)>.<tokenType.(t.label)>.Text):0)"

RulePropertyRef\_start(r) ::= "<ctx(r)>.<r.label>!=null?(<ctx(r)>.<r.label>.Start):null)"

RulePropertyRef\_stop(r) ::= "<ctx(r)>.<r.label>!=null?(<ctx(r)>.<r.label>.Stop):null)"

RulePropertyRef\_text(r) ::=

"<ctx(r)>.<r.label>!=null?TokenStream.GetText(<ctx(r)>.<r.label>.Start,<ctx(r)>.<r.label>.Stop):null)"

RulePropertyRef\_ctx(r) ::= "<ctx(r)>.<r.label>"

RulePropertyRef\_parser(r) ::= "this"

ThisRulePropertyRef\_start(r) ::= "\_localctx.Start"

```

ThisRulePropertyRef_stop(r) ::= "_localctx.Stop"
ThisRulePropertyRef_text(r) ::= "TokenStream.GetText(_localctx.Start, TokenStream.LT(-1))"
ThisRulePropertyRef_ctx(r) ::= "_localctx"
ThisRulePropertyRef_parser(r) ::= "this"

NonLocalAttrRef(s) ::= <%((<s.ruleName;
format="cap">Context)GetInvokingContext(<s.ruleIndex>)).<csIdentifier.(s.name)>%>
SetNonLocalAttr(s, rhsChunks) ::=
<%((<s.ruleName; format="cap">Context)GetInvokingContext(<s.ruleIndex>)).<csIdentifier.(s.name)> =
<rhsChunks>;%>

AddToLabelList(a) ::= "<ctx(a.label)>.<a.listName>.Add(<labelref(a.label)>);"

TokenDecl(t) ::= "<TokenLabelType()> <csIdentifier.(tokenType.(t.name))>"
TokenTypeDecl(t) ::= "int <csIdentifier.(tokenType.(t.name))>);"
TokenListDecl(t) ::= "IList<IToken> <csIdentifier.(tokenType.(t.name))> = new List<IToken>()"
RuleContextDecl(r) ::= "<r.ctxName> <csIdentifier.(r.name)>"
RuleContextListDecl(rdecl) ::= "IList<<rdecl.ctxName>> <csIdentifier.(rdecl.name)> = new
List<<rdecl.ctxName>>()"

contextGetterCollection(elementType) ::= <%
<elementType>[]
%>

ContextTokenGetterDecl(t) ::=
"public ITerminalNode <csIdentifier.(tokenType.(t.name))>() { return
GetToken(<csIdentifier.(parser.name)>.<csIdentifier.(tokenType.(t.name))>, 0); }"
ContextTokenListGetterDecl(t) ::= <<
public <contextGetterCollection("ITerminalNode")> <csIdentifier.(tokenType.(t.name))>() { return
GetTokens(<csIdentifier.(parser.name)>.<csIdentifier.(tokenType.(t.name))>); }
>>
ContextTokenListIndexedGetterDecl(t) ::= <<
public ITerminalNode <csIdentifier.(tokenType.(t.name))>(int i) {
return GetToken(<csIdentifier.(parser.name)>.<csIdentifier.(tokenType.(t.name))>, i);
}
>>
ContextRuleGetterDecl(r) ::= <<
public <r.ctxName> <csIdentifier.(r.name)>() {
return GetRuleContext<<r.ctxName>>()();
}
>>
ContextRuleListGetterDecl(r) ::= <<
public <contextGetterCollection({<r.ctxName>})> <csIdentifier.(r.name)>() {
return GetRuleContexts<<r.ctxName>>();
}
>>
ContextRuleListIndexedGetterDecl(r) ::= <<
public <r.ctxName> <csIdentifier.(r.name)>(int i) {

```

```

return GetRuleContext\<<r.ctxName>\>(i);
}
>>

LexerRuleContext() ::= "RuleContext"

/** The rule context name is the rule followed by a suffix; e.g.,
 * r becomes rContext.
 */
RuleContextNameSuffix() ::= "Context"

ImplicitTokenLabel(tokenName) ::= "_<tokenType.(tokenName)>"
ImplicitRuleLabel(ruleName) ::= "_<ruleName>"
ImplicitSetLabel(id) ::= "_tset<id>"
ListLabelName(label) ::= "_<label>"

CaptureNextToken(d) ::= "<d.varName> = TokenStream.LT(1);"
CaptureNextTokenType(d) ::= "<d.varName> = TokenStream.LA(1);"

StructDecl(struct,ctorAttrs,attrs, getters,dispatchMethods,interfaces,extensionMembers,
    superClass={ParserRuleContext}) ::= <<
public partial class <struct.name> :
<if(contextSuperClass)><contextSuperClass><else>ParserRuleContext<endif><if(interfaces)>, <interfaces;
separator=", "><endif> {
<attrs:{a | public <a>;}; separator="\n">
<getters:{g | <g>;}; separator="\n">
<if(ctorAttrs)>public <struct.name>(ParserRuleContext parent, int invokingState) : base(parent, invokingState) {
}<endif>
public <struct.name>(ParserRuleContext parent, int invokingState<ctorAttrs:{a | , <a>>>)
: base(parent, invokingState)
{
<struct.ctorAttrs:{a | this.<csIdentifier.(a.name)> = <csIdentifier.(a.name)>;}; separator="\n">
}
public override int RuleIndex { get { return RULE_<struct.derivedFromName>; } }
<if(struct.provideCopyFrom)><! don't need copy unless we have subclasses !>
public <struct.name>() { }
public virtual void CopyFrom(<struct.name> context) {
base.CopyFrom(context);
<struct.attrs:{a | this.<csIdentifier.(a.name)> = context.<csIdentifier.(a.name)>;}; separator="\n">
}
<endif>
<dispatchMethods; separator="\n">
<extensionMembers; separator="\n">
}
>>

AltLabelStructDecl(struct,attrs, getters,dispatchMethods) ::= <<
public partial class <struct.name> : <currentRule.name; format="cap">Context {

```

```

<attrs:{a | public <a>;}; separator="\n">
<getters:{g | <g>;}; separator="\n">
public <struct.name>(<currentRule.name; format="cap">Context context) { CopyFrom(context); }
<dispatchMethods; separator="\n">
}
>>

```

```

ListenerDispatchMethod(method) ::= <<
public override void <if(method.isEnter)>Enter<else>Exit<endif>Rule(IParseTreeListener listener) {
I<parser.grammarName>Listener typedListener = listener as I<parser.grammarName>Listener;
if (typedListener != null) typedListener.<if(method.isEnter)>Enter<else>Exit<endif><struct.derivedFromName;
format="cap">(this);
}
>>

```

```

VisitorDispatchMethod(method) ::= <<
public override TResult Accept<TResult>(IParseTreeVisitor<TResult> visitor) {
I<parser.grammarName>Visitor<TResult> typedVisitor = visitor as I<parser.grammarName>Visitor<TResult>;
if (typedVisitor != null) return typedVisitor.Visit<struct.derivedFromName; format="cap">(this);
else return visitor.VisitChildren(this);
}
>>

```

```

AttributeDecl(d) ::= "<d.type> <csIdentifier.(d.name)><if(d.initValue)> = <d.initValue><endif>"

```

```

/** If we don't know location of label def x, use this template */

```

```

labelref(x) ::= "<if(!x.isLocal)><typedContext(x.ctx)>.<endif><csIdentifier.(x.name)>"

```

```

/** For any action chunk, what is correctly-typed context struct ptr? */

```

```

ctx(actionChunk) ::= "<typedContext(actionChunk.ctx)>"

```

```

// only casts _localctx to the type when the cast isn't redundant (i.e. to a sub-context for a labeled alt)

```

```

typedContext(ctx) ::= "<if(ctx.provideCopyFrom)>((<ctx.name>)_localctx)<else>_localctx<endif>"

```

```

// used for left-recursive rules

```

```

recRuleAltPredicate(ruleName,opPrec) ::= "Precpred(Context, <opPrec>)"

```

```

recRuleSetReturnAction(src,name) ::= "$<name>=$<src>.<name>";"

```

```

recRuleSetStopToken() ::= "Context.Stop = TokenStream.LT(-1);"

```

```

recRuleAltStartAction(ruleName, ctxName, label, isListLabel) ::= <<

```

```

_localctx = new <ctxName>Context(_parentctx, _parentState);

```

```

<if(label)>

```

```

<if(isListLabel)>

```

```

_localctx.<label>.Add(_prevctx);

```

```

<else>

```

```

_localctx.<label> = _prevctx;

```

```

<endif>

```

```

<endif>

```

```

PushNewRecursionContext(_localctx, _startState, RULE_<ruleName>);
>>

recRuleLabeledAltStartAction(ruleName, currentAltLabel, label, isListLabel) ::= <<
_localctx = new <currentAltLabel; format="cap">Context(new <ruleName; format="cap">Context(_parentctx,
_parentState));
<if(label)>
<if(isListLabel)>
((<currentAltLabel; format="cap">Context)_localctx).<label>.Add(_prevctx);
<else>
((<currentAltLabel; format="cap">Context)_localctx).<label> = _prevctx;
<endif>
<endif>
PushNewRecursionContext(_localctx, _startState, RULE_<ruleName>);
>>

recRuleReplaceContext(ctxName) ::= <<
_localctx = new <ctxName>Context(_localctx);
Context = _localctx;
_prevctx = _localctx;
>>

recRuleSetPrevCtx() ::= <<
if ( ParseListeners!=null )
TriggerExitRuleEvent();
_prevctx = _localctx;
>>

LexerFile(file, lexer, namedActions) ::= <<
<fileHeader(file.grammarFileName, file.ANTLRVersion)>
<if(file.genPackage)>
namespace <file.genPackage> {
<endif>
<namedActions.header>
using System;
using System.IO;
using System.Text;
using Antlr4.Runtime;
using Antlr4.Runtime.Atn;
using Antlr4.Runtime.Misc;
using DFA = Antlr4.Runtime.Dfa.DFA;

<lexer>
<if(file.genPackage)>
} // namespace <file.genPackage>
<endif>
>>

```

```

Lexer(lexer, atn, actionFuncs, sempredFuncs, superClass) ::= <<
[System.CodeDom.Compiler.GeneratedCode("ANTLR", "<file.ANTLRVersion>")]
[System.CLSCompliant(false)]
public partial class <csIdentifier.(lexer.name)> : <superClass; null="Lexer"> {
    protected static DFA[] decisionToDFA;
    protected static PredictionContextCache sharedContextCache = new PredictionContextCache();
    public const int
        <lexer.tokens:{k | <tokenType.(k)>=<lexer.tokens.(k)>}; separator=", ", wrap, anchor>;
    <if(lexer.channels)>
    public const int
        <lexer.channels:{k | <csIdentifier.(k)>=<lexer.channels.(k)>}; separator=", ", wrap, anchor>;
    <endif>
    <if(rest(lexer.modes)>
    public const int
        <rest(lexer.modes):{m | <m>=<i>}; separator=", ", wrap, anchor>;
    <endif>
    public static string[] channelNames = {
        "DEFAULT_TOKEN_CHANNEL", "HIDDEN"<if (lexer.channels)>, <lexer.channels:{c | "<c">"}; separator=", ",
wrap, anchor><endif>
    };

    public static string[] modeNames = {
        <lexer.modes:{m | "<m">"}; separator=", ", wrap, anchor>
    };

    public static readonly string[] ruleNames = {
        <lexer.ruleNames:{r | "<r">"}; separator=", ", wrap, anchor>
    };

    <namedActions.members>

    public <csIdentifier.(lexer.name)>(ICharStream input)
    : this(input, Console.Out, Console.Error) { }

    public <csIdentifier.(lexer.name)>(ICharStream input, TextWriter output, TextWriter errorOutput)
    : base(input, output, errorOutput)
    {
        Interpreter = new LexerATNSimulator(this, _ATN, decisionToDFA, sharedContextCache);
    }

    <vocabulary(lexer.literalNames, lexer.symbolicNames)>

    public override string GrammarFileName { get { return "<lexer.grammarFileName>"; } }

    public override string[] RuleNames { get { return ruleNames; } }

    public override string[] ChannelNames { get { return channelNames; } }

```

```

public override string[] ModeNames { get { return modeNames; } }

public override string SerializedAtn { get { return new string(_serializedATN); } }

static <csIdentifier.(lexer.name)>() {
    decisionToDFA = new DFA[_ATN.NumberOfDecisions];
    for (int i = 0; i < _ATN.NumberOfDecisions; i++) {
        decisionToDFA[i] = new DFA(_ATN.GetDecisionState(i), i);
    }
}
<dumpActions(lexer, "", actionFuncs, sempredFuncs)>
<atn>
}
>>

```

```

SerializedATN(model) ::= <<
private static char[] _serializedATN = {
    <model.serialized; separator=" ", wrap>,
};

public static readonly ATN _ATN =
    new ATNDeserializer().Deserialize(_serializedATN);

```

>>

```

initValue(typeName) ::= <<
default(<typeName>)
>>

```

```

codeFileExtension() ::= ".cs"

```

```

modeName ::= [
    "DEFAULT_MODE" : "DefaultMode",
    default : key
]

```

```

channelName ::= [
    "HIDDEN" : "Hidden",
    "DEFAULT_TOKEN_CHANNEL" : "DefaultTokenChannel",
    default : key
]

```

```

tokenType ::= [
    "EOF" : "Eof",
    default : key
]

```



]

```
csIdentifier ::= [  
  "abstract" : "@abstract",  
  "as" : "@as",  
  "base" : "@base",  
  "bool" : "@bool",  
  "break" : "@break",  
  "byte" : "@byte",  
  "case" : "@case",  
  "catch" : "@catch",  
  "char" : "@char",  
  "checked" : "@checked",  
  "class" : "@class",  
  "const" : "@const",  
  "continue" : "@continue",  
  "decimal" : "@decimal",  
  "default" : "@default",  
  "delegate" : "@delegate",  
  "do" : "@do",  
  "double" : "@double",  
  "else" : "@else",  
  "enum" : "@enum",  
  "event" : "@event",  
  "explicit" : "@explicit",  
  "extern" : "@extern",  
  "false" : "@false",  
  "finally" : "@finally",  
  "fixed" : "@fixed",  
  "float" : "@float",  
  "for" : "@for",  
  "foreach" : "@foreach",  
  "goto" : "@goto",  
  "if" : "@if",  
  "implicit" : "@implicit",  
  "in" : "@in",  
  "int" : "@int",  
  "interface" : "@interface",  
  "internal" : "@internal",  
  "is" : "@is",  
  "lock" : "@lock",  
  "long" : "@long",  
  "namespace" : "@namespace",  
  "new" : "@new",  
  "null" : "@null",  
  "object" : "@object",  
  "operator" : "@operator",  
  "out" : "@out",
```

```
"override" : "@override",
"params" : "@params",
"private" : "@private",
"protected" : "@protected",
"public" : "@public",
"readonly" : "@readonly",
"ref" : "@ref",
"return" : "@return",
"sbyte" : "@sbyte",
"sealed" : "@sealed",
"short" : "@short",
"sizeof" : "@sizeof",
"stackalloc" : "@stackalloc",
"static" : "@static",
"string" : "@string",
"struct" : "@struct",
"switch" : "@switch",
"this" : "@this",
"throw" : "@throw",
>true" : "@true",
"try" : "@try",
"typeof" : "@typeof",
"uint" : "@uint",
"ulong" : "@ulong",
"unchecked" : "@unchecked",
"unsafe" : "@unsafe",
"ushort" : "@ushort",
"using" : "@using",
"virtual" : "@virtual",
"values" : "@values",
"void" : "@void",
"volatile" : "@volatile",
"while" : "@while",
default : key
]
```

Found in path(s):

```
* /opt/cola/permits/1340076373_1654764617.9754713/0/antlr4-4-7-1-5-
jar/org/antlr/v4/tool/templates/codegen/CSharp/CSharp.stg
```

No license file was found, but licenses were detected in source scan.

```
/*
```

```
* [The "BSD license"]
* Copyright (c) 2012-2016 Terence Parr
* Copyright (c) 2012-2016 Sam Harwell
* Copyright (c) 2014 Eric Verognaud
* All rights reserved.
*
```

```

* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
* notice, this list of conditions and the following disclaimer.
* 2. Redistributions in binary form must reproduce the above copyright
* notice, this list of conditions and the following disclaimer in the
* documentation and/or other materials provided with the distribution.
* 3. The name of the author may not be used to endorse or promote products
* derived from this software without specific prior written permission.
*
* THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR
* IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.
* IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,
* INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT
* NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
* DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
* THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
* (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF
* THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
*/

```

```

/** ANTLR tool checks output templates are compatible with tool code generation.
* For now, a simple string match used on x.y of x.y.z scheme.
* Must match Tool.VERSION during load to templates.
*
* REQUIRED.
*/

```

```

pythonTypeInitMap ::= [
  "bool":"False",
  "int":"0",
  "float":"0.0",
  "str": "",
  default:"None" // anything other than a primitive type is an object
]

```

```

// args must be <object-model-object>, <fields-resulting-in-STs>

```

```

ParserFile(file, parser, namedActions, contextSuperClass) ::= <<
<fileHeader(file.grammarFileName, file.ANTLRVersion)>
# encoding: utf-8
from __future__ import print_function
from antlr4 import *
from io import StringIO
import sys

```

```
<namedActions.header>
```

```
<parser>
```

```
>>
```

```
ListenerFile(file, header, namedActions) ::= <<
```

```
<fileHeader(file.grammarFileName, file.ANTLRVersion)>
```

```
from antlr4 import *
```

```
<header>
```

```
# This class defines a complete listener for a parse tree produced by <file.parserName>.
```

```
class <file.grammarName>Listener(ParseTreeListener):
```

```
    <file.listenerNames:{lname |
```

```
    # Enter a parse tree produced by <file.parserName>#<lname>.
```

```
    def enter<lname; format="cap">(self, ctx):
```

```
        pass
```

```
    # Exit a parse tree produced by <file.parserName>#<lname>.
```

```
    def exit<lname; format="cap">(self, ctx):
```

```
        pass
```

```
}; separator="\n">
```

```
>>
```

```
VisitorFile(file, header, namedActions) ::= <<
```

```
<fileHeader(file.grammarFileName, file.ANTLRVersion)>
```

```
from antlr4 import *
```

```
<header>
```

```
# This class defines a complete generic visitor for a parse tree produced by <file.parserName>.
```

```
class <file.grammarName>Visitor(ParseTreeVisitor):
```

```
    <file.visitorNames:{lname |
```

```
    # Visit a parse tree produced by <file.parserName>#<lname>.
```

```
    def visit<lname; format="cap">(self, ctx):
```

```
        return self.visitChildren(ctx)
```

```
}; separator="\n">
```

```
>>
```

```
fileHeader(grammarFileName, ANTLRVersion) ::= <<
```

```

# Generated from <grammarFileName> by ANTLR <ANTLRVersion>
>>

Parser(parser, funcs, atn, sempredFuncs, superClass) ::= <<
<Parser_(ctor="parser_ctor", ...)>
>>

Parser_(parser, funcs, atn, sempredFuncs, ctor, superClass) ::= <<
<if(superClass)>
from .<superClass> import <superClass>

<endif>
<atn>

class <parser.name> ( <if(superClass)><superClass><else>Parser<endif> ):

    grammarFileName = "<parser.grammarFileName>"

    atn = ATNDeserializer().deserialize(serializedATN())

    decisionsToDFA = [ DFA(ds, i) for i, ds in enumerate(atn.decisionToState) ]

    sharedContextCache = PredictionContextCache()

    literalNames = [ <parser.literalNames:{t | u<t>}; null="u\\"<INVALID>\\"", separator=", ", wrap, anchor> ]

    symbolicNames = [ <parser.symbolicNames:{t | u<t>}; null="u\\"<INVALID>\\"", separator=", ", wrap, anchor> ]

    <parser.rules:{r | RULE_<r.name> = <r.index>}; separator="\n", wrap, anchor>

    ruleNames = [ <parser.ruleNames:{r | u"<r>"}; separator=", ", wrap, anchor> ]

    EOF = <TokenLabelType>.EOF
    <if(parser.tokens)>
    <parser.tokens:{k | <k>=<parser.tokens.(k)>}; separator="\n", wrap, anchor>
    <endif>

    <parser:(ctor)()>

    <namedActions.members>

    <funcs; separator="\n">

    <if(sempredFuncs)>
    def sempred(self, localctx, ruleIndex, predIndex):
        if self._predicates == None:
            self._predicates = dict()

```

```

<parser.sempredFuncs.values:{f|
    self._predicates[<f.ruleIndex>] = self.<f.name>_sempred}; separator="\n    ">
    pred = self._predicates.get(ruleIndex, None)
    if pred is None:
        raise Exception("No predicate with index:" + str(ruleIndex))
    else:
        return pred(localctx, predIndex)

<sempredFuncs.values; separator="\n">
<endif>

>>

dumpActions(recog, argFuncs, actionFuncs, sempredFuncs) ::= <<
<if(actionFuncs)>
def action(self, localctx, ruleIndex, actionIndex):
    if self._actions is None:
        actions = dict()
<recog.actionFuncs.values:{f|
    actions[<f.ruleIndex>] = self.<f.name>_action }; separator="\n">
    self._actions = actions
    action = self._actions.get(ruleIndex, None)
    if action is not None:
        action(localctx, actionIndex)
    else:
        raise Exception("No registered action for:" + str(ruleIndex))

<actionFuncs.values; separator="\n">

<endif>
<if(sempredFuncs)>
def sempred(self, localctx, ruleIndex, predIndex):
    if self._predicates is None:
        preds = dict()
<recog.sempredFuncs.values:{f|
    preds[<f.ruleIndex>] = self.<f.name>_sempred}; separator="\n">
    self._predicates = preds
    pred = self._predicates.get(ruleIndex, None)
    if pred is not None:
        return pred(localctx, predIndex)
    else:
        raise Exception("No registered predicate for:" + str(ruleIndex))

<sempredFuncs.values; separator="\n">
<endif>
>>

```

```

parser_ctor(p) ::= <<
def __init__(self, input, output=sys.stdout):
    super(<parser.name>, self).__init__(input, output=output)
    self.checkVersion("<file.ANTLRVersion>")
    self._interp = ParserATNSimulator(self, self.atn, self.decisionsToDFA, self.sharedContextCache)
    self._predicates = None

>>

/* This generates a private method since the actionIndex is generated, making an
* overriding implementation impossible to maintain.
*/
RuleActionFunction(r, actions) ::= <<

def <r.name>_action(self, localctx , actionIndex):
<actions:{index|
<if(first(actions))>
    if actionIndex == <index>:
        <actions.(index)>
<elseif(rest(actions))>
    elif actionIndex == <index>:
        <actions.(index)>
<endif> }; separator="\n">
>>

/* This generates a private method since the predIndex is generated, making an
* overriding implementation impossible to maintain.
*/
RuleSempredFunction(r, actions) ::= <<
def <r.name>_sempred(self, localctx, predIndex):
    <actions:{index|
<if(first(actions))>
    if predIndex == <index>:
        return <actions.(index)>
<elseif(rest(actions))>
    elif predIndex == <index>:
        return <actions.(index)>
<endif> }; separator="\n">
>>

RuleFunction(currentRule,args,code,locals,ruleCtx,altLabelCtxs,namedActions,finallyAction,postamble,exceptions)
::= <<

<ruleCtx>

<altLabelCtxs:{l | <altLabelCtxs.(l)>}; separator="\n">

```

```

def <currentRule.name>(self<currentRule.args:{a | , <a.name>}>):

    localctx = <parser.name>.<currentRule.ctxType>(self, self._ctx, self.state<currentRule.args:{a | , <a.name>}>)
    self.enterRule(localctx, <currentRule.startState>, self.RULE_<currentRule.name>)
    <namedActions.init>
    <locals; separator="\n">
    try:
        <code>
        <postamble; separator="\n">
        <namedActions.after>
    <if(exceptions)>
    <exceptions; separator="\n">
    <else>
    except RecognitionException as re:
        localctx.exception = re
        self._errHandler.reportError(self, re)
        self._errHandler.recover(self, re)
    <endif>
    finally:
        <finallyAction>
        self.exitRule()
    return localctx

```

>>

```

LeftRecursiveRuleFunction(currentRule,args,code,locals,ruleCtx,altLabelCtxs,
    namedActions,finallyAction,postamble) ::=

```

<<

```

<ruleCtx>
<altLabelCtxs:{l | <altLabelCtxs.(l)>} ; separator="\n">

```

```

def <currentRule.name>(self, _p=0<if(currentRule.args)>, <args:{a | , <a>}><endif>):
    _parentctx = self._ctx
    _parentState = self.state
    localctx = <parser.name>.<currentRule.ctxType>(self, self._ctx, _parentState<args:{a | , <a.name>}>)
    _prevctx = localctx
    _startState = <currentRule.startState>
    self.enterRecursionRule(localctx, <currentRule.startState>, self.RULE_<currentRule.name>, _p)
    <namedActions.init>
    <locals; separator="\n">
    try:
        <code>
        <postamble; separator="\n">
        <namedActions.after>
    except RecognitionException as re:
        localctx.exception = re

```



```

        self._errHandler.reportError(self, re)
        self._errHandler.recover(self, re)
    finally:
        <finallyAction>
        self.unrollRecursionContexts(_parentctx)
    return localctx

>>

CodeBlockForOuterMostAlt(currentOuterMostAltCodeBlock, locals, preamble, ops) ::= <<
<if(currentOuterMostAltCodeBlock.altLabel)>localctx = <parser.name>.<currentOuterMostAltCodeBlock.altLabel;
format="cap">Context(self, localctx)<endif>
self.enterOuterAlt(localctx, <currentOuterMostAltCodeBlock.alt.altNum>)
<CodeBlockForAlt(currentAltCodeBlock=currentOuterMostAltCodeBlock, ...)>
>>

CodeBlockForAlt(currentAltCodeBlock, locals, preamble, ops) ::= <<
<locals; separator="\n">
<preamble; separator="\n">
<ops; separator="\n">
>>

LL1AltBlock(choice, preamble, alts, error) ::= <<
self.state = <choice.stateNumber>
self._errHandler.sync(self)
<if(choice.label)><labelref(choice.label)> = _input.LT(1)<endif>
<preamble; separator="\n">
token = self._input.LA(1)
<choice.altLook,alts:{look,alt| <cases(ttypes=look)>
    <alt>
    pass}; separator="\n1">
else:
    <error>

>>

LL1OptionalBlock(choice, alts, error) ::= <<
self.state = <choice.stateNumber>
self._errHandler.sync(self)
token = self._input.LA(1)
<choice.altLook,alts:{look,alt| <cases(ttypes=look)>
    <alt>
    pass}; separator="\n1">
else:
    pass
>>

LL1OptionalBlockSingleAlt(choice, expr, alts, preamble, error, followExpr) ::= <<

```

```

self.state = <choice.stateNumber>
self._errHandler.sync(self)
<preamble; separator="\n">
if <expr>:
    <alts; separator="\n">

<!else if ( !(<followExpr> ) <error!>
>>

```

```

LL1StarBlockSingleAlt(choice, loopExpr, alts, preamble, iteration) ::= <<
self.state = <choice.stateNumber>
self._errHandler.sync(self)
<preamble; separator="\n">
while <loopExpr>:
    <alts; separator="\n">
    self.state = <choice.loopBackStateNumber>
    self._errHandler.sync(self)
    <iteration>

>>

```

```

LL1PlusBlockSingleAlt(choice, loopExpr, alts, preamble, iteration) ::= <<
self.state = <choice.blockStartStateNumber> <! alt block decision !>
self._errHandler.sync(self)
<preamble; separator="\n">
while True:
    <alts; separator="\n">
    self.state = <choice.stateNumber> <! loopback/exit decision !>
    self._errHandler.sync(self)
    <iteration>
    if not (<loopExpr>):
        break

>>

```

```

// LL(*) stuff

```

```

AltBlock(choice, preamble, alts, error) ::= <<
self.state = <choice.stateNumber>
self._errHandler.sync(self)
<if(choice.label)><labelref(choice.label)> = _input.LT(1)<endif>
<preamble; separator="\n">
la_ = self._interp.adaptivePredict(self._input,<choice.decision>,self._ctx)
<alts:{ alt |
if la_ == <i>:
    <alt>
    pass

```

```
}; separator="\nel">
```

```
>>
```

```
OptionalBlock(choice, alts, error) ::= <<  
self.state = <choice.stateNumber>  
self._errHandler.sync(self)  
la_ = self._interp.adaptivePredict(self._input,<choice.decision>,self._ctx)  
<alts:{ alt |  
if la_ == <i><if(!choice.ast.greedy)>+1<endif>:  
  <alt>  
}; separator="\nel">
```

```
>>
```

```
StarBlock(choice, alts, sync, iteration) ::= <<  
self.state = <choice.stateNumber>  
self._errHandler.sync(self)  
_alt = self._interp.adaptivePredict(self._input,<choice.decision>,self._ctx)  
while _alt!=<choice.exitAlt> and _alt!=ATN.INVALID_ALT_NUMBER:  
  if _alt==1<if(!choice.ast.greedy)>+1<endif>:  
    <iteration>  
    <alts> <! should only be one !>  
  self.state = <choice.loopBackStateNumber>  
  self._errHandler.sync(self)  
  _alt = self._interp.adaptivePredict(self._input,<choice.decision>,self._ctx)
```

```
>>
```

```
PlusBlock(choice, alts, error) ::= <<  
self.state = <choice.blockStartStateNumber> <! alt block decision !>  
self._errHandler.sync(self)  
_alt = 1<if(!choice.ast.greedy)>+1<endif>  
while _alt!=<choice.exitAlt> and _alt!=ATN.INVALID_ALT_NUMBER:  
  <alts:{ alt|  
if _alt == <i><if(!choice.ast.greedy)>+1<endif>:  
  <alt>  
}; separator="\nel">  
else:  
  <error>  
self.state = <choice.loopBackStateNumber> <! loopback/exit decision !>  
self._errHandler.sync(self)  
_alt = self._interp.adaptivePredict(self._input,<choice.decision>,self._ctx)
```

```
>>
```

```
Sync(s) ::= "sync(<s.expecting.name>)"
```

```

ThrowNoViableAlt(t) ::= "raise NoViableAltException(self)"

TestSetInline(s) ::= <<
<s.bitsets:{bits | <if(rest(rest(bits.ttypes)))><bitsetBitfieldComparison(s, bits)><else><bitsetInlineComparison(s,
bits)><endif>} ; separator=" or ">
>>

// Java language spec 15.19 - shift operators mask operands rather than overflow to 0... need range test
testShiftInRange(shiftAmount) ::= <<
((<shiftAmount>) & ~0x3f) == 0
>>

// produces smaller bytecode only when bits.ttypes contains more than two items
bitsetBitfieldComparison(s, bits) ::= <%
(<testShiftInRange({<offsetShiftVar(s.varName, bits.shift)>})> and ((1 \<< <offsetShiftVar(s.varName,
bits.shift)>) & (<bits.ttypes:{ttype | (1 \<< <offsetShiftType(ttype, bits.shift)>)} ; separator=" | ">)) != 0)
%>

isZero ::= [
"0":true,
default:false
]

offsetShiftVar(shiftAmount, offset) ::= <%
<if(!isZero.(offset))><shiftAmount> - <offset><else><shiftAmount><endif>
%>

offsetShiftType(shiftAmount, offset) ::= <%
<if(!isZero.(offset))><parser.name>.<shiftAmount> - <offset><else><parser.name>.<shiftAmount><endif>
%>

// produces more efficient bytecode when bits.ttypes contains at most two items
bitsetInlineComparison(s, bits) ::= <%
<bits.ttypes:{ttype | <s.varName>==<parser.name>.<ttype>} ; separator=" or ">
%>

cases(ttypes) ::= <<
if token in [<ttypes:{t | <parser.name>.<t>} ; separator=", ">]:
>>

InvokeRule(r, argExprsChunks) ::= <<
self.state = <r.stateNumber>
<if(r.labels)><r.labels:{l | <labelref(l)> =
}><endif>self.<r.name>(<if(r.ast.options.p)><r.ast.options.p><if(argExprsChunks)>,<endif><endif><argExprsChu
nks>)
>>

MatchToken(m) ::= <<

```

```

self.state = <m.stateNumber>
<if(m.labels)><m.labels:{1 | <labelref(l)> = }><endif>self.match(<parser.name>.<m.name>)
>>

MatchSet(m, expr, capture) ::= "<CommonSetStuff(m, expr, capture, false)>"

MatchNotSet(m, expr, capture) ::= "<CommonSetStuff(m, expr, capture, true)>"

CommonSetStuff(m, expr, capture, invert) ::= <<
self.state = <m.stateNumber>
<if(m.labels)><m.labels:{1 | <labelref(l)> = }>self._input.LT(1)<endif>
<capture>
<if(invert)>if <m.varName> \<= 0 or <expr><else>if not(<expr>)<endif>:
<if(m.labels)><m.labels:{1 | <labelref(l)> = }><else> <endif>self._errHandler.recoverInline(self)
else:
    self._errHandler.reportMatch(self)
    self.consume()
>>

Wildcard(w) ::= <<
self.state = <w.stateNumber>
<if(w.labels)><w.labels:{1 | <labelref(l)> = }><endif>self.matchWildcard()
>>

// ACTION STUFF

Action(a, foo, chunks) ::= "<chunks>"

ArgAction(a, chunks) ::= "<chunks>"

SemPred(p, chunks, failChunks) ::= <<
self.state = <p.stateNumber>
if not <chunks>:
    from antlr4.error.Errors import FailedPredicateException
    raise FailedPredicateException(self, <p.predicate><if(failChunks)>, <failChunks><elseif(p.msg)>,
<p.msg><endif>)
>>

ExceptionClause(e, catchArg, catchAction) ::= <<
catch (<catchArg>) {
    <catchAction>
}
>>

// lexer actions are not associated with model objects

LexerSkipCommand() ::= "skip()"
LexerMoreCommand() ::= "more()"

```

```

LexerPopModeCommand() ::= "popMode()"

LexerTypeCommand(arg, grammar) ::= "_type = <arg>"
LexerChannelCommand(arg, grammar) ::= "_channel = <arg>"
LexerModeCommand(arg, grammar) ::= "_mode = <arg>"
LexerPushModeCommand(arg, grammar) ::= "pushMode(<arg>)"

ActionText(t) ::= "<t.text>"
ActionTemplate(t) ::= "<t.st>"
ArgRef(a) ::= "localctx.<a.name>"
LocalRef(a) ::= "localctx.<a.name>"
RetValRef(a) ::= "localctx.<a.name>"
QRetValRef(a) ::= "<ctx(a)>.<a.dict>.<a.name>"
/** How to translate $tokenLabel */
TokenRef(t) ::= "<ctx(t)>.<t.name>"
LabelRef(t) ::= "<ctx(t)>.<t.name>"
ListLabelRef(t) ::= "<ctx(t)>.<ListLabelName(t.name)>"
SetAttr(s,rhsChunks) ::= "<ctx(s)>.<s.name> = <rhsChunks>"

TokenLabelType() ::= "<file.TokenLabelType; null={Token}>"
InputSymbolType() ::= "<file.InputSymbolType; null={Token}>"

TokenPropertyRef_text(t) ::= "(None if <ctx(t)>.<t.label> is None else <ctx(t)>.<t.label>.text)"
TokenPropertyRef_type(t) ::= "(0 if <ctx(t)>.<t.label> is None else <ctx(t)>.<t.label>.type)"
TokenPropertyRef_line(t) ::= "(0 if <ctx(t)>.<t.label> is None else <ctx(t)>.<t.label>.line)"
TokenPropertyRef_pos(t) ::= "(0 if <ctx(t)>.<t.label> is None else <ctx(t)>.<t.label>.column)"
TokenPropertyRef_channel(t) ::= "(0 if (<ctx(t)>.<t.label> is None else <ctx(t)>.<t.label>.channel)"
TokenPropertyRef_index(t) ::= "(0 if <ctx(t)>.<t.label> is None else <ctx(t)>.<t.label>.tokenIndex)"
TokenPropertyRef_int(t) ::= "(0 if <ctx(t)>.<t.label> is None else int(<ctx(t)>.<t.label>.text))"

RulePropertyRef_start(r) ::= "(None if <ctx(r)>.<r.label> is None else <ctx(r)>.<r.label>.start)"
RulePropertyRef_stop(r) ::= "(None if <ctx(r)>.<r.label> is None else <ctx(r)>.<r.label>.stop)"
RulePropertyRef_text(r) ::= "(None if <ctx(r)>.<r.label> is None else
self._input.getText((<ctx(r)>.<r.label>.start,<ctx(r)>.<r.label>.stop)))"
RulePropertyRef_ctx(r) ::= "<ctx(r)>.<r.label>"
RulePropertyRef_parser(r) ::= "self"

ThisRulePropertyRef_start(r) ::= "localctx.start"
ThisRulePropertyRef_stop(r) ::= "localctx.stop"
ThisRulePropertyRef_text(r) ::= "self._input.getText((localctx.start, self._input.LT(-1)))"
ThisRulePropertyRef_ctx(r) ::= "localctx"
ThisRulePropertyRef_parser(r) ::= "self"

NonLocalAttrRef(s) ::= "getInvokingContext(<s.ruleIndex>).<s.name>"
SetNonLocalAttr(s, rhsChunks) ::= "getInvokingContext(<s.ruleIndex>).<s.name> = <rhsChunks>"

AddToLabelList(a) ::= "<ctx(a.label)>.<a.listName>.append(<labelref(a.label)>)"

```

```

TokenDecl(t) ::= "self.<t.name> = None # <TokenLabelType()>"
TokenTypeDecl(t) ::= "self.<t.name> = 0 # <TokenLabelType()> type"
TokenListDecl(t) ::= "self.<t.name> = list() # of <TokenLabelType()>s"
RuleContextDecl(r) ::= "self.<r.name> = None # <r.ctxName>"
RuleContextListDecl(rdecl) ::= "self.<rdecl.name> = list() # of <rdecl.ctxName>s"

```

```

ContextTokenGetterDecl(t) ::= <<
def <t.name>(self):
    return self.getToken(<parser.name>.<t.name>, 0)
>>

```

```

// should never be called
ContextTokenListGetterDecl(t) ::= <<
def <t.name>_list(self):
    return self.getTokens(<parser.name>.<t.name>)
>>

```

```

ContextTokenListIndexedGetterDecl(t) ::= <<
def <t.name>(self, i=None):
    if i is None:
        return self.getTokens(<parser.name>.<t.name>)
    else:
        return self.getToken(<parser.name>.<t.name>, i)
>>

```

```

ContextRuleGetterDecl(r) ::= <<
def <r.name>(self):
    return self.getTypedRuleContext(<parser.name>.<r.ctxName>,0)
>>

```

```

// should never be called
ContextRuleListGetterDecl(r) ::= <<
def <r.name>_list(self):
    return self.getTypedRuleContexts(<parser.name>.<r.ctxName>)
>>

```

```

ContextRuleListIndexedGetterDecl(r) ::= <<
def <r.name>(self, i=None):
    if i is None:
        return self.getTypedRuleContexts(<parser.name>.<r.ctxName>)
    else:
        return self.getTypedRuleContext(<parser.name>.<r.ctxName>,i)
>>

```

```

LexerRuleContext() ::= "RuleContext"

```

```

/** The rule context name is the rule followed by a suffix; e.g.,
 * r becomes rContext.
 */
RuleContextNameSuffix() ::= "Context"

ImplicitTokenLabel(tokenName) ::= "_<tokenName>"
ImplicitRuleLabel(ruleName) ::= "_<ruleName>"
ImplicitSetLabel(id) ::= "_tset<id>"
ListLabelName(label) ::= "<label>"

CaptureNextToken(d) ::= "<d.varName> = self._input.LT(1)"
CaptureNextTokenType(d) ::= "<d.varName> = self._input.LA(1)"

StructDecl(struct,ctorAttrs,attrs, getters,dispatchMethods,interfaces,extensionMembers) ::= <<
class <struct.name>(<if(contextSuperClass)><contextSuperClass><else>ParserRuleContext<endif>):

    def __init__(self, parser, parent=None, invokingState=-1<struct.ctorAttrs:{a | , <a.name>=None}>):
        super(<parser.name>.<struct.name>, self).__init__(parent, invokingState)
        self.parser = parser
        <attrs:{a | <a>}; separator="\n">
        <struct.ctorAttrs:{a | self.<a.name> = <a.name>}; separator="\n">

    <getters:{g | <g>}; separator="\n\n">

    def getRuleIndex(self):
        return <parser.name>.RULE_<struct.derivedFromName>

<if(struct.provideCopyFrom)> <! don't need copy unless we have subclasses !>
    def copyFrom(self, ctx):
        super(<parser.name>.<struct.name>, self).copyFrom(ctx)
        <struct.attrs:{a | self.<a.name> = ctx.<a.name>}; separator="\n">

<endif>
    <dispatchMethods; separator="\n">
    <extensionMembers; separator="\n">

>>

AltLabelStructDecl(struct,attrs, getters,dispatchMethods) ::= <<
class <struct.name>(<currentRule.name; format="cap">Context):

    def __init__(self, parser, ctx): # actually a <parser.name>.<currentRule.name; format="cap">Context)
        super(<parser.name>.<struct.name>, self).__init__(parser)
        <attrs:{a | <a>}; separator="\n">
        self.copyFrom(ctx)

    <getters:{g | <g>}; separator="\n">

```



```

    <dispatchMethods; separator="\n">

>>

ListenerDispatchMethod(method) ::= <<
def <if(method.isEnter)>enter<else>exit<endif>Rule(self, listener):
    if hasattr(listener, "<if(method.isEnter)>enter<else>exit<endif><struct.derivedFromName; format="cap">"):
        listener.<if(method.isEnter)>enter<else>exit<endif><struct.derivedFromName; format="cap">(self)

>>

VisitorDispatchMethod(method) ::= <<
def accept(self, visitor):
    if hasattr(visitor, "visit<struct.derivedFromName; format="cap">"):
        return visitor.visit<struct.derivedFromName; format="cap">(self)
    else:
        return visitor.visitChildren(self)

>>

AttributeDecl(d) ::= "self.<d.name> = <if(d.initValue)><d.initValue><else>None<endif>"

/** If we don't know location of label def x, use this template */
labelref(x) ::= "<if(!x.isLocal)>localctx.<endif><x.name>"

/** For any action chunk, what is correctly-typed context struct ptr? */
ctx(actionChunk) ::= "localctx"

// used for left-recursive rules
recRuleAltPredicate(ruleName,opPrec) ::= "self.precpred(self._ctx, <opPrec>)"
recRuleSetReturnAction(src,name) ::= "$<name>=<src>.<name>"
recRuleSetStopToken() ::= "self._ctx.stop = self._input.LT(-1)"

recRuleAltStartAction(ruleName, ctxName, label) ::= <<
localctx = <parser.name>.<ctxName>Context(self, _parentctx, _parentState)
<if(label)>localctx.<label> = _prevctx<endif>
self.pushNewRecursionContext(localctx, _startState, self.RULE_<ruleName>)
>>

recRuleLabeledAltStartAction(ruleName, currentAltLabel, label, isListLabel) ::= <<
localctx = <parser.name>.<currentAltLabel; format="cap">Context(self, <parser.name>.<ruleName;
format="cap">Context(self, _parentctx, _parentState))
<if(label)>
<if(isListLabel)>
localctx.<label>.append(_prevctx)
<else>
localctx.<label> = _prevctx

```

```

<endif>
<endif>
self.pushNewRecursionContext(localctx, _startState, self.RULE_<ruleName>)
>>

```

```

recRuleReplaceContext(ctxName) ::= <<
localctx = <parser.name>.<ctxName>Context(self, localctx)
self._ctx = localctx
_prevctx = localctx
>>

```

```

recRuleSetPrevCtx() ::= <<
if self._parseListeners is not None:
    self.triggerExitRuleEvent()
_prevctx = localctx
>>

```

```

LexerFile(lexerFile, lexer, namedActions) ::= <<
<fileHeader(lexerFile.grammarFileName, lexerFile.ANTLRVersion)>
# encoding: utf-8
from __future__ import print_function
from antlr4 import *
from io import StringIO
import sys

```

```

<namedActions.header>

```

```

<lexer>
>>

```

```

Lexer(lexer, atn, actionFuncs, sempredFuncs, superClass) ::= <<

```

```

<atn>

```

```

class <lexer.name>(<if(superClass)><superClass><else>Lexer<endif>):

```

```

    atn = ATNDeserializer().deserialize(serializedATN())

```

```

    decisionsToDFA = [ DFA(ds, i) for i, ds in enumerate(atn.decisionToState) ]

```

```

<if(lexer.channels)>
    <lexer.channels: {c| <c> = <lexer.channels.(c)>}; separator="\n">

```

```

<endif>

```

```

<if(rest(lexer.modes))>
    <rest(lexer.modes): {m| <m> = <i>}; separator="\n">

```

```

<endif>
    <lexer.tokens:{k | <k> = <lexer.tokens.(k)>}; separator="\n", wrap, anchor>

    channelNames = [ u"DEFAULT_TOKEN_CHANNEL", u"HIDDEN"<if (lexer.channels)>, <lexer.channels:{c|
u"<c>"}; separator=", ", wrap, anchor><endif> ]

    modeNames = [ <lexer.modes:{m| u"<m>"}; separator=", ", wrap, anchor> ]

    literalNames = [ u"\<INVALID>",
        <lexer.literalNames:{t | u<t>}; separator=", ", wrap, anchor> ]

    symbolicNames = [ u"\<INVALID>",
        <lexer.symbolicNames:{t | u<t>}; separator=", ", wrap, anchor> ]

    ruleNames = [ <lexer.ruleNames:{r | u"<r>"}; separator=", ", wrap, anchor> ]

    grammarFileName = u"<lexer.grammarFileName>"

    def __init__(self, input=None, output=sys.stdout):
        super(<lexer.name>, self).__init__(input, output=output)
        self.checkVersion("<lexerFile.ANTLRVersion>")
        self._interp = LexerATNSimulator(self, self.atn, self.decisionsToDFA, PredictionContextCache())
        self._actions = None
        self._predicates = None

    <namedActions.members>

    <dumpActions(lexer, "", actionFuncs, sempredFuncs)>

>>

SerializedATN(model) ::= <<
<! only one segment, can be inlined !>

def serializedATN():
    with StringIO() as buf:
        buf.write(u"<model.serialized; wrap={ }<\n>    buf.write(u"}>")
        return buf.getvalue()

>>

/** Using a type to init value map, try to init a type; if not in table
 * must be an object, default value is "null".
 */
initValue(typeName) ::= <<
<pythonTypeInitMap.(typeName)>

>>

```

```
codeFileExtension() ::= ".py"
```

Found in path(s):

```
* /opt/cola/permits/1340076373_1654764617.9754713/0/antlr4-4-7-1-5-  
jar/org/antlr/v4/tool/templates/codegen/Python2/Python2.stg
```

No license file was found, but licenses were detected in source scan.

```
/*
```

```
[The "BSD licence"]
```

```
Copyright (c) 2006 Kay Roepke
```

```
All rights reserved.
```

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The name of the author may not be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

```
*/
```

```
/*
```

This file contains the actual layout of the messages emitted by ANTLR.

The text itself is coming out of the languages/\*stg files, according to the chosen locale.

This file contains the format that mimicks GCC output.

```
*/
```

```
location(file, line, column) ::= "<file>:<line>:<column>:"
```

```
message(id, text) ::= "<text> [error <id>]"
```

```
report(location, message, type) ::= "<location> <type>: <message>"
```

```
wantsSingleLineMessage() ::= "true"
```

Found in path(s):

```
* /opt/cola/permits/1340076373_1654764617.9754713/0/antlr4-4-7-1-5-  
jar/org/antlr/v4/tool/templates/messages/formats/gnu.stg
```

No license file was found, but licenses were detected in source scan.

```
/*
```

```
* [The "BSD license"]
```

```
* Copyright (c) 2015 Dan McLaughlin, Mike Lischke
```

```
* All rights reserved.
```

```
*
```

```
* Redistribution and use in source and binary forms, with or without
```

```
* modification, are permitted provided that the following conditions
```

```
* are met:
```

```
*
```

```
* 1. Redistributions of source code must retain the above copyright
```

```
* notice, this list of conditions and the following disclaimer.
```

```
* 2. Redistributions in binary form must reproduce the above copyright
```

```
* notice, this list of conditions and the following disclaimer in the
```

```
* documentation and/or other materials provided with the distribution.
```

```
* 3. The name of the author may not be used to endorse or promote products
```

```
* derived from this software without specific prior written permission.
```

```
*
```

```
* THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR
```

```
* IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
```

```
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.
```

```
* IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,
```

```
* INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT
```

```
* NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
```

```
* DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
```

```
* THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
```

```
* (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF
```

```
* THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
```

```
*/
```

```
import "Files.stg" // All file specific stuff.
```

```
cppTypeInitMap ::= [
```

```
  "int": "0",
```

```
  "long": "0",
```

```
  "float": "0.0f",
```

```
  "double": "0.0",
```

```
  "bool": "false",
```

```
  "short": "0",
```

```
  "char": "0",
```

```
  default: "nullptr" // anything other than a primitive type is an object
```

```
]
```

```
LexerHeader(lexer, atn, actionFuncs, sempredFuncs, superClass = {antlr4::Lexer}) ::= <<
```

```
<namedActions.context>
```

```
class <file.exportMacro> <lexer.name> : public <superClass> {
```

```
public:
```

```
<if (lexer.tokens)>
```

```
enum {
```

```
<lexer.tokens: {k | <k> = <lexer.tokens.(k)>}; separator=", ", wrap, anchor>
```

```
};
```

```
<endif>
```

```
<if (lexer.channels)>
```

```
enum {
```

```
<lexer.channels: {k | <k> = <lexer.channels.(k)>}; separator=", ", wrap, anchor>
```

```
};
```

```
<endif>
```

```
<if (rest(lexer.modes))>
```

```
enum {
```

```
<rest(lexer.modes): {m | <m> = <i>}; separator=", ", wrap, anchor>
```

```
};
```

```
<endif>
```

```
<lexer.name>(antlr4::CharStream *input);
```

```
~<lexer.name>();
```

```
<namedActions.members>
```

```
virtual std::string getGrammarFileName() const override;
```

```
virtual const std::vector<std::string>& getRuleNames() const override;
```

```
virtual const std::vector<std::string>& getChannelNames() const override;
```

```
virtual const std::vector<std::string>& getModeNames() const override;
```

```
virtual const std::vector<std::string>& getTokenNames() const override; // deprecated, use vocabulary instead
```

```
virtual antlr4::dfa::Vocabulary& getVocabulary() const override;
```

```
virtual const std::vector<uint16_t> getSerializedATN() const override;
```

```
virtual const antlr4::atn::ATN& getATN() const override;
```

```
<if (actionFuncs)>
```

```
virtual void action(antlr4::RuleContext *context, size_t ruleIndex, size_t actionIndex) override;
```

```
<endif>
```

```
<if (sempredFuncs)>
```

```
virtual bool sempred(antlr4::RuleContext *_localctx, size_t ruleIndex, size_t predicateIndex) override;
```

```
<endif>
```

```
private:
```

```
static std::vector<antlr4::dfa::DFA> _decisionToDFA;
```

```
static antlr4::atn::PredictionContextCache _sharedContextCache;
```

```

static std::vector<std::string> _ruleNames;
static std::vector<std::string> _tokenNames;
static std::vector<std::string> _channelNames;
static std::vector<std::string> _modeNames;

static std::vector<std::string> _literalNames;
static std::vector<std::string> _symbolicNames;
static antlr4::dfa::Vocabulary _vocabulary;
<atn>

<namedActions.declarations>

// Individual action functions triggered by action() above.
<actionFuncs.values; separator="\n">

// Individual semantic predicate functions triggered by sempred() above.
<sempredFuncs.values; separator="\n">

struct Initializer {
    Initializer();
};
static Initializer _init;
};
>>

Lexer(lexer, atn, actionFuncs, sempredFuncs, superClass = {Lexer}) ::= <<
<lexer.name>::<lexer.name>(CharStream *input) : <superClass>(input) {
    _interpreter = new atn::LexerATNSimulator(this, _atn, _decisionToDFA, _sharedContextCache);
}

<lexer.name>::~~<lexer.name>() {
    delete _interpreter;
}

std::string <lexer.name>::getGrammarFileName() const {
    return "<lexer.grammarFileName>";
}

const std::vector<std::string>& <lexer.name>::getRuleNames() const {
    return _ruleNames;
}

const std::vector<std::string>& <lexer.name>::getChannelNames() const {
    return _channelNames;
}

const std::vector<std::string>& <lexer.name>::getModeNames() const {
    return _modeNames;
}

```

```

}

const std::vector<std::string>& <lexer.name>::getTokenNames() const {
    return _tokenNames;
}

dfa::Vocabulary& <lexer.name>::getVocabulary() const {
    return _vocabulary;
}

const std::vector<uint16_t> <lexer.name>::getSerializedATN() const {
    return _serializedATN;
}

const atn::ATN& <lexer.name>::getATN() const {
    return _atn;
}

<namedActions.definitions>

<if (actionFuncs)>
void <lexer.name>::action(RuleContext *context, size_t ruleIndex, size_t actionIndex) {
    switch (ruleIndex) {
        <lexer.actionFuncs.values: {f | case <f.ruleIndex>: <f.name>Action(dynamic_cast<<f.ctxType> *>(context),
actionIndex); break;}; separator="\n">

    default:
        break;
    }
}
<endif>

<if (sempredFuncs)>
bool <lexer.name>::sempred(RuleContext *context, size_t ruleIndex, size_t predicateIndex) {
    switch (ruleIndex) {
        <lexer.sempredFuncs.values: {f | case <f.ruleIndex>: return <f.name>Sempred(dynamic_cast<<f.ctxType>
*>(context), predicateIndex);}; separator="\n">

    default:
        break;
    }
    return true;
}
<endif>

<actionFuncs.values; separator="\n">

<sempredFuncs.values; separator="\n">

```



```

// Static vars and initialization.
std::vector<dfa::DFA> <lexer.name>::_decisionToDFA;
atn::PredictionContextCache <lexer.name>::_sharedContextCache;

// We own the ATN which in turn owns the ATN states.
atn::ATN <lexer.name>::_atn;
std::vector<uint16_t> <lexer.name>::_serializedATN;

std::vector<std::string> <lexer.name>::_ruleNames = {
    <lexer.ruleNames: {r | u8"<r">"}; separator = ", ", wrap, anchor>
};

std::vector<std::string> <lexer.name>::_channelNames = {
    "DEFAULT_TOKEN_CHANNEL", "HIDDEN"<if (lexer.channels)>, <lexer.channels: {c | u8"<c">"}; separator =
    ", ", wrap, anchor><endif>
};

std::vector<std::string> <lexer.name>::_modeNames = {
    <lexer.modes: {m | u8"<m">"}; separator = ", ", wrap, anchor>
};

std::vector<std::string> <lexer.name>::_literalNames = {
    <lexer.literalNames: {t | u8<t>}; null = "\\\"", separator = ", ", wrap, anchor>
};

std::vector<std::string> <lexer.name>::_symbolicNames = {
    <lexer.symbolicNames: {t | u8<t>}; null = "\\\"", separator = ", ", wrap, anchor>
};

dfa::Vocabulary <lexer.name>::_vocabulary(_literalNames, _symbolicNames);

std::vector<std::string> <lexer.name>::_tokenNames;

<lexer.name>::_Initializer::Initializer() {
    // This code could be in a static initializer lambda, but VS doesn't allow access to private class members from there.
    for (size_t i = 0; i < _symbolicNames.size(); ++i) {
        std::string name = _vocabulary.getLiteralName(i);
        if (name.empty()) {
            name = _vocabulary.getSymbolicName(i);
        }

        if (name.empty()) {
            _tokenNames.push_back("<INVALID>");
        } else {
            _tokenNames.push_back(name);
        }
    }
}

```

```

<atn>
}

<lexer.name>::Initializer <lexer.name>::_init;
>>

RuleActionFunctionHeader(r, actions) ::= <<
void <r.name>Action(<r.ctxType> *context, size_t actionIndex);
>>

RuleActionFunction(r, actions) ::= <<
void <r.factory.grammar.name>::<r.name>Action(<r.ctxType> *context, size_t actionIndex) {
    switch (actionIndex) {
        <actions: {index | case <index>: <actions.(index)> break;}; separator="\n">

    default:
        break;
    }
}

>>

RuleSempredFunctionHeader(r, actions) ::= <<
bool <r.name>Sempred(<r.ctxType> *_localctx, size_t predicateIndex);
>>

RuleSempredFunction(r, actions) ::= <<
<! Called for both lexer and parser. But only one of them is actually available. Testing for the parser directly
    generates a warning, however. So do the check via the factory instead. !>
bool <if (r.factory.g.lexer)><lexer.name><else><parser.name><endif>::<r.name>Sempred(<r.ctxType> *_localctx,
size_t predicateIndex) {
    switch (predicateIndex) {
        <actions: {index | case <index>: return <actions.(index)>}; separator=";\n">

    default:
        break;
    }
    return true;
}

>>

//-----

ParserHeader(parser, funcs, atn, sempredFuncs, superClass = {antlr4::Parser}) ::= <<
<namedActions.context>

```

```

class <file.exportMacro> <parser.name> : public <superClass> {
public:
<if (parser.tokens)>
enum {
  <parser.tokens: {k | <k> = <parser.tokens.(k)>}; separator=", ", wrap, anchor>
};
<endif>

<if (parser.tokens)>
enum {
  <parser.rules: {r | Rule<r.name; format="cap"> = <r.index>}; separator=", ", wrap, anchor>
};
<endif>

<parser.name>(antlr4::TokenStream *input);
~<parser.name>();

virtual std::string getGrammarFileName() const override;
virtual const antlr4::atn::ATN& getATN() const override { return _atn; };
virtual const std::vector<std::string>& getTokenNames() const override { return _tokenNames; }; // deprecated:
use vocabulary instead.
virtual const std::vector<std::string>& getRuleNames() const override;
virtual antlr4::dfa::Vocabulary& getVocabulary() const override;

<namedActions.members>

<parser.funcs: {f | class <f.name; format = "cap">Context;}; separator = "\n"> <! Forward declare context classes.
!>

<funcs; separator = "\n">

<if (sempredFuncs)>
virtual bool sempred(antlr4::RuleContext *_localctx, size_t ruleIndex, size_t predicateIndex) override;
<sempredFuncs.values; separator = "\n">
<endif>

private:
static std::vector<antlr4::dfa::DFA> _decisionToDFA;
static antlr4::atn::PredictionContextCache _sharedContextCache;
static std::vector<std::string> _ruleNames;
static std::vector<std::string> _tokenNames;

static std::vector<std::string> _literalNames;
static std::vector<std::string> _symbolicNames;
static antlr4::dfa::Vocabulary _vocabulary;
<atn>

<namedActions.declarations>

```

```

struct Initializer {
    Initializer();
};
static Initializer _init;
};
>>

Parser(parser, funcs, atn, sempredFuncs, superClass = {Parser}) ::= <<
using namespace antlr4;

<parser.name>::<parser.name>(TokenStream *input) : <superClass>(input) {
    _interpreter = new atn::ParserATNSimulator(this, _atn, _decisionToDFA, _sharedContextCache);
}

<parser.name>::~~<parser.name>() {
    delete _interpreter;
}

std::string <parser.name>::getGrammarFileName() const {
    return "<parser.grammarFileName>";
}

const std::vector<std::string>& <parser.name>::getRuleNames() const {
    return _ruleNames;
}

dfa::Vocabulary& <parser.name>::getVocabulary() const {
    return _vocabulary;
}

<namedActions.definitions>

<funcs; separator = "\n\n">

<if (sempredFuncs)>
bool <parser.name>::sempred(RuleContext *context, size_t ruleIndex, size_t predicateIndex) {
    switch (ruleIndex) {
        <parser.sempredFuncs.values: {f |
        case <f.ruleIndex>: return <f.name>Sempred(dynamic_cast<<f.ctxType> *(context), predicateIndex);};
        separator="\n\n">

    default:
        break;
    }
    return true;
}
}

```

```

<sempredFuncs.values; separator="\n"><endif>

// Static vars and initialization.
std::vector<dfa::DFA> <parser.name>::_decisionToDFA;
atn::PredictionContextCache <parser.name>::_sharedContextCache;

// We own the ATN which in turn owns the ATN states.
atn::ATN <parser.name>::_atn;
std::vector<uint16_t> <parser.name>::_serializedATN;

std::vector<std::string> <parser.name>::_ruleNames = {
    <parser.ruleNames: {r | "<t>"}; separator = ", ", wrap, anchor>
};

std::vector<std::string> <parser.name>::_literalNames = {
    <parser.literalNames: {t | <t>}; null = "\\\"", separator = ", ", wrap, anchor>
};

std::vector<std::string> <parser.name>::_symbolicNames = {
    <parser.symbolicNames: {t | <t>}; null = "\\\"", separator = ", ", wrap, anchor>
};

dfa::Vocabulary <parser.name>::_vocabulary(_literalNames, _symbolicNames);

std::vector<std::string> <parser.name>::_tokenNames;

<parser.name>::Initializer::Initializer() {
    for (size_t i = 0; i < _symbolicNames.size(); ++i) {
        std::string name = _vocabulary.getLiteralName(i);
        if (name.empty()) {
            name = _vocabulary.getSymbolicName(i);
        }

        if (name.empty()) {
            _tokenNames.push_back("\\<INVALID>");
        } else {
            _tokenNames.push_back(name);
        }
    }
}

<atn>
}

<parser.name>::Initializer <parser.name>::_init;
>>

SerializedATNHeader(model) ::= <<
static antlr4::atn::ATN _atn;

```

```

static std::vector<uint16_t> _serializedATN;
>>

// Constructs the serialized ATN and writes init code for static member vars.
SerializedATN(model) ::= <<
<if (rest(model.segments))>
<model.segments: {segment | static uint16_t serializedATNSegment<i0>[] = {
  <segment; wrap={<\n> }>
  \};}; separator="\n">

<model.segments: {segment | _serializedATN.insert(_serializedATN.end(), serializedATNSegment<i0>,
  serializedATNSegment<i0> + sizeof(serializedATNSegment<i0>) / sizeof(serializedATNSegment<i0>[0]));
}>

<else>
<! only one segment, can be inlined !>
_serializedATN = {
  <model.serialized; wrap = {<\n>}>
};
<endif>

atn::ATNDeserializer deserializer;
_atn = deserializer.deserialize(_serializedATN);

size_t count = _atn.getNumberOfDecisions();
_decisionToDFA.reserve(count);
for (size_t i = 0; i < count; i++) { <! Rework class ATN to allow standard iterations. !>
  _decisionToDFA.emplace_back(_atn.getDecisionState(i), i);
}
>>

RuleFunctionHeader(currentRule, args, code, locals, ruleCtx, altLabelCtxs, namedActions, finallyAction,
postamble, exceptions) ::= <<
<ruleCtx>
<! TODO: untested !><if (altLabelCtxs)><altLabelCtxs: {1 | <altLabelCtxs.(1)>}>; separator="\n"><endif>
<currentRule.ctxType>* <currentRule.name>(<args; separator=",">);

>>

RuleFunction(currentRule, args, code, locals, ruleCtx, altLabelCtxs, namedActions, finallyAction, postamble,
exceptions) ::= <<
<ruleCtx>
<! TODO: untested !><altLabelCtxs: {1 | <altLabelCtxs.(1)>}>; separator = "\n"
<parser.name>::<currentRule.ctxType>* <parser.name>::<currentRule.name>(<args; separator=","> {
  <currentRule.ctxType> *_localctx = _tracker.createInstance<<<currentRule.ctxType>>(<_ctx,
  getState()<currentRule.args: {a | , <a.name>}>);
  enterRule(_localctx, <currentRule.startState>, <parser.name>::Rule<currentRule.name; format = "cap">);
  <namedActions.init>
}

```

```

<locals; separator = "\n">

auto onExit = finally( [= ] {
<finallyAction>
    exitRule();
});
try {
<! TODO: untested !><if (currentRule.hasLookaheadBlock)>
    size_t alt;
    <endif>
    <code>
<! TODO: untested !> <postamble; separator = "\n">
    <namedActions.after>
}
<if (exceptions)>
<exceptions; separator="\n">
<else>
catch (RecognitionException &e) {
    _errHandler->reportError(this, e);
    _localctx->exception = std::current_exception();
    _errHandler->recover(this, _localctx->exception);
}
<endif>

return _localctx;
}
>>

```

```

LeftRecursiveRuleFunctionHeader(currentRule, args, code, locals, ruleCtx, altLabelCtxs, namedActions,
finallyAction, postamble) ::= <<
<ruleCtx>
<! TODO: untested !><altLabelCtxs: {1 | <altLabelCtxs.(1)>} ; separator="\n">
<currentRule.ctxType>* <currentRule.name><(currentRule.args; separator = ", ">);
<currentRule.ctxType>* <currentRule.name><(int precedence<currentRule.args: {a | , <a>}>);
>>

```

```

LeftRecursiveRuleFunction(currentRule, args, code, locals, ruleCtx, altLabelCtxs, namedActions, finallyAction,
postamble) ::= <<
<ruleCtx>
<altLabelCtxs: {1 | <altLabelCtxs.(1)>} ; separator="\n">

<parser.name>::<currentRule.ctxType>* <parser.name>::<currentRule.name><(currentRule.args; separator=", "> {
<! TODO: currentRule.args untested !> return <currentRule.name><(0<currentRule.args: {a | , <a.name>}>);
}

<parser.name>::<currentRule.ctxType>* <parser.name>::<currentRule.name><(int precedence<currentRule.args:{a |
, <a>}> {
    ParserRuleContext *parentContext = _ctx;

```

```

size_t parentState = getState();
<parser.name>::<currentRule.ctxType> *_localctx = _tracker.createInstance\<<currentRule.ctxType>\>(_ctx,
parentState<currentRule.args: {a | , <a.name>}>);
<parser.name>::<currentRule.ctxType> *previousContext = _localctx;
size_t startState = <currentRule.startState>;
enterRecursionRule(_localctx, <currentRule.startState>, <parser.name>::Rule<currentRule.name; format = "cap">,
precedence);

```

```

<namedActions.init>
<! TODO: untested !> <locals; separator = "\n">

auto onExit = finally( [= ] {
<if (finallyAction)><finallyAction><endif>
    unrollRecursionContexts(parentContext);
});
try {
    <if (currentRule.hasLookaheadBlock)>size_t alt;<endif>
    <code>
<! TODO: untested !><postamble; separator = "\n">
    <namedActions.after>
}
catch (RecognitionException &e) {
    _errHandler->reportError(this, e);
    _localctx->exception = std::current_exception();
    _errHandler->recover(this, _localctx->exception);
}
return _localctx;
}
>>

```

```

StructDeclHeader(struct, ctorAttrs, attrs, getters, dispatchMethods, interfaces, extensionMembers) ::= <<
class <file.exportMacro> <struct.name> : public <if
(contextSuperClass)><contextSuperClass><else>antlr4::ParserRuleContext<endif><if(interfaces)>, <interfaces>
separator=", "><endif> {
public:
    <attrs: {a | <a>;}; separator="\n">
    <if (ctorAttrs)><struct.name>(antlr4::ParserRuleContext *parent, size_t invokingState);<endif>
    <struct.name>(antlr4::ParserRuleContext *parent, size_t invokingState<ctorAttrs: {a | , <a>}>);
    <if (struct.provideCopyFrom)> <! don't need copy unless we have subclasses !>
    <struct.name>() : antlr4::ParserRuleContext() { }
    void copyFrom(<struct.name> *context);
    using antlr4::ParserRuleContext::copyFrom;
<endif>

    virtual size_t getRuleIndex() const override;
    <getters: {g | <g>;}; separator = "\n">

    <dispatchMethods; separator = "\n">

```



```

<! TODO: untested !> <extensionMembers; separator = "\n">
};

>>

StructDecl(struct, ctorAttrs, attrs, getters, dispatchMethods, interfaces, extensionMembers) ::= <<
//----- <struct.name> -----

<if (ctorAttrs)>
<parser.name>::<struct.name>::<struct.name>(ParserRuleContext *parent, size_t invokingState)
: <if (contextSuperClass)><contextSuperClass><else>ParserRuleContext<endif>(parent, invokingState) {
}
<endif>

<parser.name>::<struct.name>::<struct.name>(ParserRuleContext *parent, size_t invokingState<ctorAttrs: {a | ,
<a>}>)
: <if (contextSuperClass)><contextSuperClass><else>ParserRuleContext<endif>(parent, invokingState) {
<struct.ctorAttrs: {a | this-><a.name> = <a.name>;}; separator="\n">
}

<getters: {g | <g>}; separator = "\n">

size_t <parser.name>::<struct.name>::getRuleIndex() const {
return <parser.name>::Rule<struct.derivedFromName; format = "cap">;
}

<if (struct.provideCopyFrom)>
void <parser.name>::<struct.name>::copyFrom(<struct.name> *ctx) {
<if (contextSuperClass)><contextSuperClass><else>ParserRuleContext<endif>::copyFrom(ctx);
<struct.attrs: {a | this-><a.name> = ctx-><a.name>;}; separator = "\n">
}
<endif>
<dispatchMethods; separator = "\n\n">
<! TODO: untested !><extensionMembers; separator = "\n\n">

>>

AltLabelStructDeclHeader(struct, attrs, getters, dispatchMethods) ::= <<
class <file.exportMacro> <struct.name> : public <currentRule.name; format = "cap">Context {
public:
<struct.name>(<currentRule.name; format = "cap">Context *ctx);

<if (attrs)><attrs: {a | <a>}; separator = "\n"><endif>
<getters: {g | <g>}; separator = "\n">
<dispatchMethods; separator = "\n">
};

>>

```

```

AltLabelStructDecl(struct, attrs, getters, dispatchMethods) ::= <<
//----- <struct.name> -----

<! TODO: untested !><if (attrs)><attrs: { a | <a>}; separator = "\n"><endif>
<getters: { g | <g>}; separator = "\n">
<parser.name>::<struct.name>::<struct.name>(<currentRule.name; format = "cap">Context *ctx) { copyFrom(ctx);
}

<dispatchMethods; separator="\n">
>>

```

```

CodeBlockForOuterMostAltHeader(currentOuterMostAltCodeBlock, locals, preamble, ops) ::= "<! Required to exist, but unused. !>"

```

```

CodeBlockForOuterMostAlt(currentOuterMostAltCodeBlock, locals, preamble, ops) ::= <<
<if (currentOuterMostAltCodeBlock.altLabel)>
_localctx = dynamic_cast<<currentRule.ctxType>
*>(_tracker.createInstance<<parser.name>::<currentOuterMostAltCodeBlock.altLabel; format =
"cap">Context>(_localctx));
<endif>
enterOuterAlt(_localctx, <currentOuterMostAltCodeBlock.alt.altNum>);
<CodeBlockForAlt(currentAltCodeBlock = currentOuterMostAltCodeBlock, ...)>
>>

```

```

CodeBlockForAltHeader(currentAltCodeBlock, locals, preamble, ops) ::= "<! Required to exist, but unused. !>"
CodeBlockForAlt(currentAltCodeBlock, locals, preamble, ops) ::= <<
<! TODO: untested !><locals; separator = "\n">
<! TODO: untested !><preamble; separator = "\n">
<ops; separator = "\n">
>>

```

```

LL1AltBlockHeader(choice, preamble, alts, error) ::= "<! Required to exist, but unused. !>"
LL1AltBlock(choice, preamble, alts, error) ::= <<
setState(<choice.stateNumber>);
_errHandler->sync(this);
<! TODO: untested !><if (choice.label)>LL1AltBlock(choice, preamble, alts, error) <labelref(choice.label)> =
_input->LT(1);<endif>
<preamble; separator="\n">
switch (_input->LA(1)) {
<choice.altLook, alts: {look, alt | <cases(ttypes = look)> {
<alt>
break;
}
}; separator = "\n">
default:
<error>
}

```

>>

LL1OptionalBlockHeader(choice, alts, error) ::= "<! Required but unused. !>"

LL1OptionalBlock(choice, alts, error) ::= <<

setState(<choice.stateNumber>);

\_errHandler->sync(this);

switch (\_input->LA(1)) {

<choice.altLook, alts: {look, alt | <cases(ttypes = look)> {

<alt>

break;

\}

}; separator="\n">

default:

break;

}

>>

LL1OptionalBlockSingleAltHeader(choice, expr, alts, preamble, error, followExpr) ::= "<! Required but unused. !>"

LL1OptionalBlockSingleAlt(choice, expr, alts, preamble, error, followExpr) ::= <<

setState(<choice.stateNumber>);

\_errHandler->sync(this);

<preamble; separator = "\n">

if (<expr>) {

<alts; separator = "\n">

}

>>

LL1StarBlockSingleAltHeader(choice, loopExpr, alts, preamble, iteration) ::= "<! Required but unused. !>"

LL1StarBlockSingleAlt(choice, loopExpr, alts, preamble, iteration) ::= <<

setState(<choice.stateNumber>);

\_errHandler->sync(this);

<preamble; separator="\n">

while (<loopExpr>) {

<alts; separator="\n">

setState(<choice.loopBackStateNumber>);

\_errHandler->sync(this);

<iteration>

}

>>

LL1PlusBlockSingleAltHeader(choice, loopExpr, alts, preamble, iteration) ::= "<! Required but unused. !>"

LL1PlusBlockSingleAlt(choice, loopExpr, alts, preamble, iteration) ::= <<

setState(<choice.blockStartStateNumber>); <! alt block decision !>

\_errHandler->sync(this);

<preamble; separator="\n">

do {

<alts; separator="\n">

```

setState(<choice.stateNumber>); <! loopback/exit decision !>
_errHandler->sync(this);
<iteration>
} while (<loopExpr>);
>>

// LL(*) stuff

AltBlockHeader(choice, preamble, alts, error) ::= "<! Unused but must be present. !>"
AltBlock(choice, preamble, alts, error) ::= <<
setState(<choice.stateNumber>);
_errHandler->sync(this);
<! TODO: untested !><if (choice.label)><labelref(choice.label)> = _input->LT(1);<endif>
<! TODO: untested !><preamble; separator = "\n">
switch (getInterpreter\<atn::ParserATNSimulator>()->adaptivePredict(_input, <choice.decision>, _ctx)) {
<alts: {alt | case <i>: {
<alt>
break;
\}
}; separator="\n">
}
>>

OptionalBlockHeader(choice, alts, error) ::= "<! Unused but must be present. !>"
OptionalBlock(choice, alts, error) ::= <<
setState(<choice.stateNumber>);
_errHandler->sync(this);

switch (getInterpreter\<atn::ParserATNSimulator>()->adaptivePredict(_input, <choice.decision>, _ctx)) {
<alts: {alt | case <i><if (!choice.ast.greedy)> + 1<endif>: {
<alt>
break;
\}
}; separator = "\n">
}
>>

StarBlockHeader(choice, alts, sync, iteration) ::= "<! Unused but must be present. !>"
StarBlock(choice, alts, sync, iteration) ::= <<
setState(<choice.stateNumber>);
_errHandler->sync(this);
alt = getInterpreter\<atn::ParserATNSimulator>()->adaptivePredict(_input, <choice.decision>, _ctx);
while (alt != <choice.exitAlt> && alt != atn::ATN::INVALID_ALT_NUMBER) {
if (alt == 1<if(!choice.ast.greedy)> + 1<endif>) {
<iteration>
<alts> <! should only be one !>
}
}
setState(<choice.loopBackStateNumber>);

```

```

_errHandler->sync(this);
alt = getInterpreter\<atn::ParserATNSimulator>()->adaptivePredict(_input, <choice.decision>, _ctx);
}
>>

```

```

PlusBlockHeader(choice, alts, error) ::= "<! Required to exist, but unused. !>"
PlusBlock(choice, alts, error) ::= <<
setState(<choice.blockStartStateNumber>); <! alt block decision !>
_errHandler->sync(this);
alt = 1<if(!choice.ast.greedy)> + 1<endif>;
do {
switch (alt) {
<alts: {alt | case <i><if (!choice.ast.greedy)> + 1<endif>: {
<alt>
break;
\}
}; separator="\n">
default:
<error>
}
setState(<choice.loopBackStateNumber>); <! loopback/exit decision !>
_errHandler->sync(this);
alt = getInterpreter\<atn::ParserATNSimulator>()->adaptivePredict(_input, <choice.decision>, _ctx);
} while (alt != <choice.exitAlt> && alt != atn::ATN::INVALID_ALT_NUMBER);
>>

```

```

Sync(s) ::= "Sync(s) sync(<s.expecting.name>);"

```

```

ThrowNoViableAltHeader(t) ::= "<! Unused but must be present. !>"
ThrowNoViableAlt(t) ::= "throw NoViableAltException(this);"

```

```

TestSetInlineHeader(s) ::= "<! Required but unused. !>"
TestSetInline(s) ::= <<
<s.bitsets: {bits | <if (rest(rest(bits.ttypes)))><bitsetBitfieldComparison(s, bits)><else><bitsetInlineComparison(s,
bits)><endif>}; separator=" || ">
>>

```

```

// Java language spec 15.19 - shift operators mask operands rather than overflow to 0... need range test
testShiftInRange(shiftAmount) ::= <<
((<shiftAmount> & ~ 0x3fULL) == 0)
>>

```

```

// produces smaller bytecode only when bits.ttypes contains more than two items
bitsetBitfieldComparison(s, bits) ::= <<
(<testShiftInRange({<offsetShift(s.varName, bits.shift)>})> &&
((1ULL \<< <offsetShift(s.varName, bits.shift)> & (<bits.ttypes: {ttype | (1ULL \<< <offsetShift(ttype, bits.shift,
true)>)}); separator = "\n | ">)) != 0)
>>

```

```

isZero ::= [
  "0": true,
  default: false
]

offsetShift(shiftAmount, offset, prefix = false) ::= <%
<if (!isZero(offset))><(if (prefix))><parser.name>::<endif><shiftAmount> - <offset><else><(if
(prefix))><parser.name>::<endif><shiftAmount><endif>
%>

// produces more efficient bytecode when bits.ttypes contains at most two items
bitsetInlineComparison(s, bits) ::= <%
<bits.ttypes: { ttype | <s.varName> == <parser.name>::<ttype> }; separator = "\n\n| ">
%>

cases(ttypes) ::= <<
<ttypes: { t | case <parser.name>::<t> }; separator="\n">
>>

InvokeRuleHeader(r, argExprsChunks) ::= "InvokeRuleHeader"
InvokeRule(r, argExprsChunks) ::= <<
setState(<r.stateNumber>);
<if(r.labels)><r.labels: {1 | <labelref(l)> =
}><endif><r.name><(if(r.ast.options.p))><r.ast.options.p><(if(argExprsChunks))><endif><endif><argExprsChunks>
);
>>

MatchTokenHeader(m) ::= "<! Required but unused. !>"
MatchToken(m) ::= <<
setState(<m.stateNumber>);
<if (m.labels)><m.labels: {1 | <labelref(l)> = }><endif>match(<parser.name>::<m.name>);
>>

MatchSetHeader(m, expr, capture) ::= "<! Required but unused. !>"
MatchSet(m, expr, capture) ::= "<CommonSetStuff(m, expr, capture, false)>"

MatchNotSetHeader(m, expr, capture) ::= "<! Required but unused. !>"
MatchNotSet(m, expr, capture) ::= "<CommonSetStuff(m, expr, capture, true)>"

CommonSetStuff(m, expr, capture, invert) ::= <<
setState(<m.stateNumber>);
<if (m.labels)><m.labels: {1 | <labelref(l)> = }>_input->LT(1);<endif>
<capture>
if (<(if (invert))><m.varName> == 0 || <m.varName> == Token::EOF || <else>!<endif><(expr)>) {
  <(if (m.labels))><m.labels: {1 | <labelref(l)> = }><endif>_errHandler->recoverInline(this);
}
else {

```

```

_errHandler->reportMatch(this);
consume();
}
>>

WildcardHeader(w) ::= "<! Required but unused. !>"
Wildcard(w) ::= <<
setState(<w.stateNumber>);
<if (w.labels)><w.labels: {1 | <labelref(l)> = }><endif>matchWildcard();
>>

// ACTION STUFF

ActionHeader(a, foo, chunks) ::= "<chunks>"
Action(a, foo, chunks) ::= "<chunks>"

ArgAction(a, chunks) ::= "ArgAction(a, chunks) <chunks>"

SemPredHeader(p, chunks, failChunks) ::= "<! Required but unused. !>"
SemPred(p, chunks, failChunks) ::= <<
setState(<p.stateNumber>);

if (!(<chunks>)) throw FailedPredicateException(this, <p.predicate><if (failChunks)>, <failChunks><elseif
(p.msg)>, <p.msg><endif>);
>>

ExceptionClauseHeader(e, catchArg, catchAction) ::= "<! Required but unused. !>"
ExceptionClause(e, catchArg, catchAction) ::= <<
catch (<catchArg>) {
    <catchAction>
}
>>

// Lexer actions are not associated with model objects.

LexerSkipCommand() ::= "skip();"
LexerMoreCommand() ::= "more();"
LexerPopModeCommand() ::= "popMode();"

LexerTypeCommand(arg, grammar) ::= "type = <grammar.name>::<arg>);"
LexerChannelCommand(arg, grammar) ::= "channel = <arg>);"
LexerModeCommand(arg, grammar) ::= "mode = <grammar.name>Mode::<arg>);"
LexerPushModeCommand(arg, grammar) ::= "pushMode(<grammar.name>Mode::<arg>);"

ActionTextHeader(t) ::= "<t.text>"
ActionText(t) ::= "<t.text>"

ActionTemplateHeader(t) ::= "<! Required but unused. !>"

```

```

ActionTemplate(t) ::= "<t.st>"

ArgRefHeader(t) ::= "<! Required but unused. !>"
ArgRef(a) ::= "_localctx-><a.name>"

LocalRefHeader(t) ::= "<! Required but unused. !>"
LocalRef(a) ::= "_localctx-><a.name>"

RetValRefHeader(t) ::= "<! Required but unused. !>"
RetValRef(a) ::= "_localctx-><a.name>"

QRetValRefHeader(t) ::= "<! Required but unused. !>"
QRetValRef(a) ::= "<ctx(a)-><a.dict>-><a.name>"
/** How to translate $tokenLabel */

TokenRefHeader(t) ::= "<! Required but unused. !>"
TokenRef(t) ::= "<ctx(t)-><t.name>"

LabelRefHeader(t) ::= "<! Required but unused. !>"
LabelRef(t) ::= "<ctx(t)-><t.name>"

ListLabelRefHeader(t) ::= "<! Required but unused. !>"
ListLabelRef(t) ::= "<ctx(t)-><ListLabelName(t.name)>"

SetAttrHeader(t) ::= "<! Required but unused. !>"
SetAttr(s,rhsChunks) ::= "<ctx(s)-><s.name> = <rhsChunks>;"

InputSymbolType() ::= "<file.InputSymbolType; null = {Token}> *"

TokenPropertyRef_textHeader(t) ::= "<! Required but unused. !>"
TokenPropertyRef_text(t) ::= "<<(<ctx(t)-><t.label> != nullptr ? <ctx(t)-><t.label>->getText() : "")>>"

TokenPropertyRef_typeHeader(t) ::= "<! Required but unused. !>"
TokenPropertyRef_type(t) ::= "<(<ctx(t)-><t.label> != nullptr ? <ctx(t)-><t.label>->getType() : 0)>"

TokenPropertyRef_lineHeader(t) ::= "<! Required but unused. !>"
TokenPropertyRef_line(t) ::= "<(<ctx(t)-><t.label> != nullptr ? <ctx(t)-><t.label>->getLine() : 0)>"

TokenPropertyRef_posHeader(t) ::= "<! Required but unused. !>"
TokenPropertyRef_pos(t) ::= "<(<ctx(t)-><t.label> != nullptr ? <ctx(t)-><t.label>->getCharPositionInLine() : 0)>"

TokenPropertyRef_channelHeader(t) ::= "<! Required but unused. !>"
TokenPropertyRef_channel(t) ::= "<(<ctx(t)-><t.label> != nullptr ? <ctx(t)-><t.label>->getChannel() : 0)>"

TokenPropertyRef_indexHeader(t) ::= "<! Required but unused. !>"
TokenPropertyRef_index(t) ::= "<(<ctx(t)-><t.label> != nullptr ? <ctx(t)-><t.label>->getTokenIndex() : 0)>"

TokenPropertyRef_intHeader(t) ::= "<! Required but unused. !>"

```



TokenPropertyRef\_int(t) ::= "<ctx(t)>-><t.label> != nullptr ? std::stoi(<ctx(t)>-><t.label>->getText()) : 0)"

RulePropertyRef\_startHeader(r) ::= "<! Required but unused. !>"

RulePropertyRef\_start(r) ::= "<ctx(r)>-><r.label> != nullptr ? (<ctx(r)>-><r.label>->start) : nullptr"

RulePropertyRef\_stopHeader(r) ::= "<! Required but unused. !>"

RulePropertyRef\_stop(r) ::= "<ctx(r)>-><r.label> != nullptr ? (<ctx(r)>-><r.label>->stop) : nullptr"

RulePropertyRef\_textHeader(r) ::= "<! Required but unused. !>"

RulePropertyRef\_text(r) ::= "<ctx(r)>-><r.label> != nullptr ? \_input->getText(<ctx(r)>-><r.label>->start, <ctx(r)>-><r.label>->stop) : nullptr"

RulePropertyRef\_ctxHeader(r) ::= "<! Required but unused. !>"

RulePropertyRef\_ctx(r) ::= "<ctx(r)>-><r.label>"

ThisRulePropertyRef\_start(r) ::= "ThisRulePropertyRef\_start(r) \_localctx->start"

ThisRulePropertyRef\_stop(r) ::= "ThisRulePropertyRef\_stop(r) \_localctx->stop"

ThisRulePropertyRef\_textHeader(r) ::= "<! Required but unused. !>"

ThisRulePropertyRef\_text(r) ::= "\_input->getText(\_localctx->start, \_input->LT(-1))"

ThisRulePropertyRef\_ctxHeader(r) ::= "<! Required but unused. !>"

ThisRulePropertyRef\_ctx(r) ::= "\_localctx"

ThisRulePropertyRef\_parserHeader(r) ::= "<! Required but unused. !>"

ThisRulePropertyRef\_parser(r) ::= "this"

NonLocalAttrRef(s) ::= "NonLocalAttrRef(s) ((<s.ruleName;  
format=\"cap\">Context)getInvokingContext(<s.ruleIndex>)).<s.name>"  
SetNonLocalAttr(s, rhsChunks) ::=  
"SetNonLocalAttr(s, rhsChunks) ((<s.ruleName;  
format=\"cap\">Context)getInvokingContext(<s.ruleIndex>)).<s.name> = <rhsChunks>;"

AddToLabelListHeader(a) ::= "<! Required but unused. !>"

AddToLabelList(a) ::= <<  
<ctx(a.label)>-><a.listName>.push\_back(<labelref(a.label)>);  
>>

TokenLabelType() ::= "<file.TokenLabelType; null = {Token}> \*"

TokenDeclHeader(t) ::= "antlr4::<TokenLabelType><t.name> = nullptr;"

TokenDecl(t) ::= "<! Variable Declaration !>"

TokenTypeDeclHeader(t) ::= "<! Local Variable !>"

TokenTypeDecl(t) ::= "size\_t <t.name> = 0;"

TokenListDeclHeader(t) ::= "std::vector<antlr4::Token \*> <t.name>;"

TokenListDecl(t) ::= "<! Variable Declaration !>"

```

RuleContextDeclHeader(r) ::= "<parser.name>::<r.ctxName> *<r.name> = nullptr;"
RuleContextDecl(r) ::= "<! Variable Declaration !>"

RuleContextListDeclHeader(rdecl) ::= "std::vector<<rdecl.ctxName> *> <rdecl.name>;"
RuleContextListDecl(rdecl) ::= "<! Variable Declaration !>"

ContextTokenGetterDeclHeader(t) ::= "antlr4::tree::TerminalNode *<t.name>();"
ContextTokenGetterDecl(t) ::= <<
tree::TerminalNode* <parser.name>::<t.ctx.name>::<t.name>() {
    return getToken(<parser.name>::<t.name>, 0);
}

>>

ContextTokenListGetterDeclHeader(t) ::= "std::vector<antlr4::tree::TerminalNode * > <t.name>();"
ContextTokenListGetterDecl(t) ::= <<
std::vector<tree::TerminalNode * > <parser.name>::<t.ctx.name>::<t.name>() {
    return getTokens(<parser.name>::<t.name>);
}

>>

ContextTokenListIndexedGetterDeclHeader(t) ::= "antlr4::tree::TerminalNode* <t.name>(size_t i);"
ContextTokenListIndexedGetterDecl(t) ::= <<
tree::TerminalNode* <parser.name>::<t.ctx.name>::<t.name>(size_t i) {
    return getToken(<parser.name>::<t.name>, i);
}

>>

ContextRuleGetterDeclHeader(r) ::= "<r.ctxName> *<r.name>();"
ContextRuleGetterDecl(r) ::= <<
<! Note: ctxName is the name of the context to return, while ctx is the owning context. !>
<parser.name>::<r.ctxName>* <parser.name>::<r.ctx.name>::<r.name>() {
    return getRuleContext<<parser.name>::<r.ctxName>>(0);
}

>>

ContextRuleListGetterDeclHeader(r) ::= "std::vector<<r.ctxName> *> <r.name>();"
ContextRuleListGetterDecl(r) ::= <<
std::vector<<parser.name>::<r.ctxName> *> <parser.name>::<r.ctx.name>::<r.name>() {
    return getRuleContexts<<parser.name>::<r.ctxName>>(0);
}

>>

```

```

ContextRuleListIndexedGetterDeclHeader(r) ::= "<r.ctxName>* <r.name>(size_t i);"
ContextRuleListIndexedGetterDecl(r) ::= <<
<parser.name>::<r.ctxName>* <parser.name>::<r.ctx.name>::<r.name>(size_t i) {
    return getRuleContext\<<parser.name>::<r.ctxName>\>(i);
}
>>

LexerRuleContext() ::= "antlr4::RuleContext"

// The rule context name is the rule followed by a suffix; e.g. r becomes rContext.
RuleContextNameSuffix() ::= "Context"

ImplicitTokenLabel(tokenName) ::= <<
<tokenName; format = "lower">Token
>>

ImplicitRuleLabel(ruleName) ::= "<ruleName>Context"
ImplicitSetLabel(id) ::= "_tset<id>"
ListLabelName(label) ::= "<label>"

CaptureNextToken(d) ::= "CaptureNextToken(d) <d.varName> = _input->LT(1);"

CaptureNextTokenTypeHeader(d) ::= "<! Required but unused. !>"
CaptureNextTokenType(d) ::= "<d.varName> = _input->LA(1);"

ListenerDispatchMethodHeader(method) ::= <<
virtual void <if (method.isEnter)>enter<else>exit<endif>Rule(antlr4::tree::ParseTreeListener *listener) override;
>>
ListenerDispatchMethod(method) ::= <<
void <parser.name>::<struct.name>::<if (method.isEnter)>enter<else>exit<endif>Rule(tree::ParseTreeListener
*listener) {
    auto parserListener = dynamic_cast\<<parser.grammarName>Listener *\>(listener);
    if (parserListener != nullptr)
        parserListener-><if(method.isEnter)>enter<else>exit<endif><struct.derivedFromName; format="cap">(this);
}
>>

VisitorDispatchMethodHeader(method) ::= <<

virtual antlr4::Any accept(antlr4::tree::ParseTreeVisitor *visitor) override;
>>
VisitorDispatchMethod(method) ::= <<

antlr4::Any <parser.name>::<struct.name>::accept(tree::ParseTreeVisitor *visitor) {
    if (auto parserVisitor = dynamic_cast\<<parser.grammarName>Visitor*\>(visitor))
        return parserVisitor->visit<struct.derivedFromName; format="cap">(this);
    else

```

```

    return visitor->visitChildren(this);
}
>>

AttributeDeclHeader(d) ::= "<d.type> <d.name><if(d.initValue)> = <d.initValue><endif>"
AttributeDecl(d) ::= "<d.type> <d.name>"

/** If we don't know location of label def x, use this template */
labelref(x) ::= "<if (!x.isLocal)>dynamic_cast<<x.ctx.name> *>(_localctx)-><endif><x.name>"

/** For any action chunk, what is correctly-typed context struct ptr? */
ctx(actionChunk) ::= "dynamic_cast<<actionChunk.ctx.name> *>(_localctx)"

// used for left-recursive rules
recRuleAltPredicate(ruleName,opPrec) ::= "precpred(_ctx, <opPrec>)"
recRuleSetReturnAction(src,name) ::= "recRuleSetReturnAction(src,name) $<name>=$<src>.<name>;"
recRuleSetStopToken() ::= "_ctx->stop = _input->LT(-1);"

recRuleAltStartAction(ruleName, ctxName, label) ::= <<
_localctx = _tracker.createInstance<<ctxName>Context>(parentContext, parentState);
<if (label)>_localctx-><label> = previousContext;<endif>
pushNewRecursionContext(_localctx, startState, Rule<ruleName; format = "cap">);
>>

// Separate context variable to avoid frequent pointer type casts.
recRuleLabeledAltStartAction(ruleName, currentAltLabel, label, isListLabel) ::= <<
auto newContext = _tracker.createInstance<<currentAltLabel; format =
"cap">Context>(_tracker.createInstance<<ruleName; format="cap">Context>(parentContext, parentState));
_localctx = newContext;
<if(label)>
<if(isListLabel)>
newContext-><label>.push_back(previousContext);
<else>
newContext-><label> = previousContext;
<endif>
<endif>
pushNewRecursionContext(newContext, startState, Rule<ruleName; format = "cap">);
>>

recRuleReplaceContext(ctxName) ::= <<
_localctx = _tracker.createInstance<<ctxName>Context>(_localctx);
_ctx = _localctx;
previousContext = _localctx;
>>

recRuleSetPrevCtx() ::= <<
if (!_parseListeners.empty())
triggerExitRuleEvent();

```

```
previousContext = _localctx;
```

```
>>
```

```
/** Using a type to init value map, try to init a type; if not in table
```

```
* must be an object, default value is "null".
```

```
*/
```

```
initValue(typeName) ::= <<
```

```
<cppTypeInitMap.(typeName)>
```

```
>>
```

Found in path(s):

```
* /opt/cola/permits/1340076373_1654764617.9754713/0/antlr4-4-7-1-5-  
jar/org/antlr/v4/tool/templates/codegen/Cpp/Cpp.stg
```

No license file was found, but licenses were detected in source scan.

```
/*
```

```
[The "BSD licence"]
```

```
Copyright (c) 2006 Kay Roepke
```

```
All rights reserved.
```

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The name of the author may not be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

```
*/
```

```
/*
```

This file contains the actual layout of the messages emitted by ANTLR.

The text itself is coming out of the languages/\*stg files, according to the chosen locale.

This file contains the default format ANTLR uses.

```
*/
```

```
location(file, line, column) ::= "<file>(<line>,<column>)"
```

```
message(id, text) ::= "error <id> : <text>"
```

```
report(location, message, type) ::= "<location> : <type> <message.id> : <message.text>"
```

```
wantsSingleLineMessage() ::= "true"
```

Found in path(s):

```
* /opt/cola/permits/1340076373_1654764617.9754713/0/antlr4-4-7-1-5-  
jar/org/antlr/v4/tool/templates/messages/formats/vs2005.stg
```

No license file was found, but licenses were detected in source scan.

```
/*
```

```
* [The "BSD license"]
```

```
* Copyright (c) 2012-2016 Terence Parr
```

```
* Copyright (c) 2012-2016 Sam Harwell
```

```
* All rights reserved.
```

```
*
```

```
* Redistribution and use in source and binary forms, with or without
```

```
* modification, are permitted provided that the following conditions
```

```
* are met:
```

```
*
```

```
* 1. Redistributions of source code must retain the above copyright
```

```
* notice, this list of conditions and the following disclaimer.
```

```
* 2. Redistributions in binary form must reproduce the above copyright
```

```
* notice, this list of conditions and the following disclaimer in the
```

```
* documentation and/or other materials provided with the distribution.
```

```
* 3. The name of the author may not be used to endorse or promote products
```

```
* derived from this software without specific prior written permission.
```

```
*
```

```
* THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR
```

```
* IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
```

```
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.
```

```
* IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,
```

```
* INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT
```

```
* NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
```

```
* DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
```

```
* THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
```

```
* (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF
```

```
* THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
```

```
*/
```

```
atn(startState, states, edges, rankdir, decisionRanks, useBox) ::= <<
```

```
digraph ATN {
```

```
rankdir=LR;
```

```
<decisionRanks; separator="\n">
```

```
<states; separator="\n">
```

```

<edges; separator="\n">
}
>>

```

```

dfa(name, startState, states, edges, rankdir, decisionRanks, useBox) ::= <<
digraph <name> {
<if(rankdir)>rankdir=<rankdir>;<endif>
<decisionRanks; separator="\n">
<states; separator="\n">
<edges; separator="\n">
}
>>

```

```

decision-rank(states) ::= <<
{rank=same; rankdir=TB; <states:{s | s<s>}; separator="; ">}
>>

```

```

edge(src,target,label,arrowhead,transitionIndex) ::= <<
<src><if(transitionIndex)>:p<transitionIndex><endif> -> <target> [fontsize=11, fontname="Courier", arrowsize=.7,
label = "<label>"<if(arrowhead)>, arrowhead = <arrowhead><endif>];
>>

```

```

action-edge(src,target,label,arrowhead,transitionIndex) ::= <<
<src><if(transitionIndex)>:p<transitionIndex><endif> -> <target> [fontsize=11, fontname="Courier", arrowsize=.7,
label = "<label>"<if(arrowhead)>, arrowhead = <arrowhead><endif>];
>>

```

```

epsilon-edge(src,label,target,arrowhead,transitionIndex,loopback=false) ::= <<
<src><if(transitionIndex)>:p<transitionIndex><endif> -> <target> [fontname="Times-Italic",
label="&epsilon;"<if(loopback)>, style="dashed"<endif>];
>>

```

```

state(state, label, name, transitions) ::= <%
<name>[fontsize=11,
label="
  <! rest(transition) tests for decision states: these nodes have a non-empty set of transitions after the first one. !>
  <if(rest(transitions))>
    {
      <! Label on the left side of the record node. !>
      <label>
      |
      <! Named ports in order on right side of record node, no display text. !>
      {<transitions:{t|\<p>i0>>}; separator="|">}}
    <else>
      <label>
    <endif>
    "
  <if(rest(transitions))>

```

```

    , shape=record, fixedsize=false
<else>
    , shape=circle, fixedsize=true, width=.55
<endif>
    , peripheries=1];
%>

stopstate(name,label,actionIndex,useBox) ::= <<
<name>[fontsize=11, label="<label><if(actionIndex)>,\naction:<actionIndex><endif>",
<if(useBox)>shape=polygon,sides=4,peripheries=2,fixedsize=false<else>shape=doublecircle, fixedsize=true,
width=.6<endif>];
>>

```

Found in path(s):

```

* /opt/cola/permits/1340076373_1654764617.9754713/0/antlr4-4-7-1-5-
jar/org/antlr/v4/tool/templates/dot/graphs.stg

```

No license file was found, but licenses were detected in source scan.

```

/*
* [The "BSD license"]
* Copyright (c) 2012-2016 Terence Parr
* Copyright (c) 2012-2016 Sam Harwell
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
* notice, this list of conditions and the following disclaimer.
* 2. Redistributions in binary form must reproduce the above copyright
* notice, this list of conditions and the following disclaimer in the
* documentation and/or other materials provided with the distribution.
* 3. The name of the author may not be used to endorse or promote products
* derived from this software without specific prior written permission.
*
* THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR
* IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.
* IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,
* INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT
* NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
* DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
* THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
* (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF
* THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
*/

```



```
/** templates used to generate make-compatible dependencies */
```

```
/** Generate "f : x, y, z" dependencies for input
```

```
* dependencies and generated files. in and out
```

```
* are File objects. For example, you can say
```

```
* <f.canonicalPath>
```

```
*/
```

```
dependencies(grammarFileName,in,out) ::= <<
```

```
<if(in)><grammarFileName>: <in; separator=", "><endif>
```

```
<out:{f | <f> : <grammarFileName>}; separator="\n">
```

```
>>
```

Found in path(s):

```
* /opt/cola/permits/1340076373_1654764617.9754713/0/antlr4-4-7-1-5-jar/org/antlr/v4/tool/templates/depend.stg
```

No license file was found, but licenses were detected in source scan.

```
/*
```

```
* [The "BSD license"]
```

```
* Copyright (c) 2012-2016 Terence Parr
```

```
* Copyright (c) 2012-2016 Sam Harwell
```

```
* Copyright (c) 2014 Eric Vergnaud
```

```
* All rights reserved.
```

```
*
```

```
* Redistribution and use in source and binary forms, with or without
```

```
* modification, are permitted provided that the following conditions
```

```
* are met:
```

```
*
```

```
* 1. Redistributions of source code must retain the above copyright
```

```
* notice, this list of conditions and the following disclaimer.
```

```
* 2. Redistributions in binary form must reproduce the above copyright
```

```
* notice, this list of conditions and the following disclaimer in the
```

```
* documentation and/or other materials provided with the distribution.
```

```
* 3. The name of the author may not be used to endorse or promote products
```

```
* derived from this software without specific prior written permission.
```

```
*
```

```
* THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR
```

```
* IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
```

```
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.
```

```
* IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,
```

```
* INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT
```

```
* NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
```

```
* DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
```

```
* THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
```

```
* (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF
```

```
* THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
```

```
*/
```

```
/** ANTLR tool checks output templates are compatible with tool code generation.
```

- \* For now, a simple string match used on x.y of x.y.z scheme.
- \* Must match Tool.VERSION during load to templates.
- \*
- \* REQUIRED.
- \*/

```
javascriptTypeInitMap ::= [
  "bool":"false",
  "int":"0",
  "float":"0.0",
  "str": "",
  default:"{}" // anything other than a primitive type is an object
]
```

// args must be <object-model-object>, <fields-resulting-in-STs>

```
ParserFile(file, parser, namedActions, contextSuperClass) ::= <<
<fileHeader(file.grammarFileName, file.ANTLRVersion)>
var antlr4 = require('antlr4/index');
<if(file.genListener)>
var <file.grammarName>Listener = require('./<file.grammarName>Listener').<file.grammarName>Listener;
<endif>
<if(file.genVisitor)>
var <file.grammarName>Visitor = require('./<file.grammarName>Visitor').<file.grammarName>Visitor;
<endif>
```

```
<namedActions.header>
<parser>
>>
```

```
ListenerFile(file, header, namedActions) ::= <<
<fileHeader(file.grammarFileName, file.ANTLRVersion)>
var antlr4 = require('antlr4/index');
```

// This class defines a complete listener for a parse tree produced by <file.parserName>.

```
function <file.grammarName>Listener() {
  antlr4.tree.ParseTreeListener.call(this);
  return this;
}
```

```
<file.grammarName>Listener.prototype = Object.create(antlr4.tree.ParseTreeListener.prototype);
<file.grammarName>Listener.prototype.constructor = <file.grammarName>Listener;
```

```
<file.listenerNames:{Iname |
// Enter a parse tree produced by <file.parserName>#<Iname>.
<file.grammarName>Listener.prototype.enter<Iname; format="cap"> = function(ctx) {
\};
```

```

// Exit a parse tree produced by <file.parserName>#<lname>.
<file.grammarName>Listener.prototype.exit<lname; format="cap"> = function(ctx) {
\};

}; separator="\n">

exports.<file.grammarName>Listener = <file.grammarName>Listener;
>>

VisitorFile(file, header, namedActions) ::= <<
<fileHeader(file.grammarFileName, file.ANTLRVersion)>
var antlr4 = require('antlr4/index');

// This class defines a complete generic visitor for a parse tree produced by <file.parserName>.

function <file.grammarName>Visitor() {
  antlr4.tree.ParseTreeVisitor.call(this);
  return this;
}

<file.grammarName>Visitor.prototype = Object.create(antlr4.tree.ParseTreeVisitor.prototype);
<file.grammarName>Visitor.prototype.constructor = <file.grammarName>Visitor;

<file.visitorNames:{lname |
// Visit a parse tree produced by <file.parserName>#<lname>.
<file.grammarName>Visitor.prototype.visit<lname; format="cap"> = function(ctx) {
  return this.visitChildren(ctx);
\};

}; separator="\n">

exports.<file.grammarName>Visitor = <file.grammarName>Visitor;
>>

fileHeader(grammarFileName, ANTLRVersion) ::= <<
// Generated from <grammarFileName; format="java-escape"> by ANTLR <ANTLRVersion>
// jshint ignore: start
>>

Parser(parser, funcs, atn, sempredFuncs, superClass) ::= <<
<if(superClass)>
var <superClass> = require('./<superClass>').<superClass>;
<endif>

var grammarFileName = "<parser.grammarFileName; format="java-escape">";

```

```

<atn>

var atn = new antlr4.atn.ATNDeserializer().deserialize(serializedATN);

var decisionsToDFA = atn.decisionToState.map( function(ds, index) { return new antlr4.dfa.DFA(ds, index); });

var sharedContextCache = new antlr4.PredictionContextCache();

var literalNames = [ <parser.literalNames:{t | <t>}; null="null", separator=", ", wrap, anchor> ];

var symbolicNames = [ <parser.symbolicNames:{t | <t>}; null="null", separator=", ", wrap, anchor> ];

var ruleNames = [ <parser.ruleNames:{r | "<r>"}; separator=", ", wrap, anchor> ];

function <parser.name> (input) {
  <superClass; null="antlr4.Parser">.call(this, input);
  this._interp = new antlr4.atn.ParserATNSimulator(this, atn, decisionsToDFA, sharedContextCache);
  this.ruleNames = ruleNames;
  this.literalNames = literalNames;
  this.symbolicNames = symbolicNames;
  <namedActions.members>
  return this;
}

<parser.name>.prototype = Object.create(<superClass; null="antlr4.Parser">.prototype);
<parser.name>.prototype.constructor = <parser.name>;

Object.defineProperty(<parser.name>.prototype, "atn", {
  get : function() {
    return atn;
  }
});

<parser.name>.EOF = antlr4.Token.EOF;
<if(parser.tokens)>
<parser.tokens:{k | <parser.name>.<k> = <parser.tokens.(k)>}; separator="\n", wrap, anchor>
<endif>

<parser.rules:{r | <parser.name>.RULE_<r.name> = <r.index>}; separator="\n", wrap, anchor>

<funcs; separator="\n">

<if(sempredFuncs)>
<parser.name>.prototype.sempred = function(localctx, ruleIndex, predIndex) {
  switch(ruleIndex) {
    <parser.sempredFuncs.values:{f | case <f.ruleIndex>:
      return this.<f.name>_sempred(localctx, predIndex);}; separator="\n">
    default:

```

```

        throw "No predicate with index:" + ruleIndex;
    }
};

<sempredFuncs.values; separator="\n">
<endif>

exports.<parser.name> = <parser.name>;

>>

dumpActions(recog, argFuncs, actionFuncs, sempredFuncs) ::= <<
<if(actionFuncs)>
<lexer.name>.prototype.action = function(localctx, ruleIndex, actionIndex) {
    switch (ruleIndex) {
        <recog.actionFuncs.values:{f}
    case <f.ruleIndex>:
        this.<f.name>_action(localctx, actionIndex);
        break;}; separator="\n">
    default:
        throw "No registered action for:" + ruleIndex;
    }
};

<actionFuncs.values; separator="\n">
<endif>
<if(sempredFuncs)>
<lexer.name>.prototype.sempred = function(localctx, ruleIndex, predIndex) {
    switch (ruleIndex) {
        <recog.sempredFuncs.values:{f} case <f.ruleIndex>:
    return this.<f.name>_sempred(localctx, predIndex);}; separator="\n">
    default:
        throw "No registered predicate for:" + ruleIndex;
    }
};

<sempredFuncs.values; separator="\n">
<endif>
>>

/* This generates a private method since the actionIndex is generated, making an
 * overriding implementation impossible to maintain.
 */
RuleActionFunction(r, actions) ::= <<

<lexer.name>.prototype.<r.name>_action = function(localctx , actionIndex) {
    switch (actionIndex) {

```

```

<actions:{index|
case <index>:
<actions.(index)>
break;}; separator="\n">
default:
throw "No registered action for:" + actionIndex;
}
};
>>

/* This generates a private method since the predIndex is generated, making an
* overriding implementation impossible to maintain.
*/
RuleSempredFunction(r, actions) ::= <<
<if (r.factory.g.lexer)><lexer.name><else><parser.name><endif>.prototype.<r.name>_sempred = function(localctx,
predIndex) {
switch(predIndex) {
<actions:{index| case <index>:
return <actions.(index)>;}; separator="\n">
default:
throw "No predicate with index:" + predIndex;
}
};
>>

RuleFunction(currentRule,args,code,locals,ruleCtx,altLabelCtxs,namedActions,finallyAction,postamble,exceptions)
::= <<

<ruleCtx>

<altLabelCtxs:{l | <altLabelCtxs.(l)>}; separator="\n">

<! Define fields of this parser to export the context classes !>
<parser.name>.<currentRule.ctxType> = <currentRule.ctxType>;

<parser.name>.prototype.<currentRule.name> = function(<currentRule.args:{a | <a.name>}; separator=", ">) {

var localctx = new <currentRule.ctxType>(this, this._ctx, this.state<currentRule.args:{a | <a.name>}>);
this.enterRule(localctx, <currentRule.startState>, <parser.name>.RULE_<currentRule.name>);
<namedActions.init>
<locals; separator="\n">
try {
<code>
<postamble; separator="\n">
<namedActions.after>
<if(exceptions)>
<exceptions; separator="\n">

```

```

<else>
} catch (re) {
if(re instanceof antlr4.error.RecognitionException) {
    localctx.exception = re;
    this._errHandler.reportError(this, re);
    this._errHandler.recover(this, re);
} else {
    throw re;
}
}<endif> finally {
    <finallyAction>
    this.exitRule();
}
return localctx;
};

```

>>

```

LeftRecursiveRuleFunction(currentRule,args,code,locals,ruleCtx,altLabelCtxs,
namedActions,finallyAction,postamble) ::=
<<

```

```

<ruleCtx>

```

```

<altLabelCtxs:{l | <altLabelCtxs.(l)>}; separator="\n">

```

```

<parser.name>.prototype.<currentRule.name> = function(_p<if(currentRule.args)>, <args:{a | , <a>><endif>) {
if(_p===undefined) {
    _p = 0;
}
var _parentctx = this._ctx;
var _parentState = this.state;
var localctx = new <currentRule.ctxType>(this, this._ctx, _parentState<args:{a | , <a.name>>>);
var _prevctx = localctx;
var _startState = <currentRule.startState>;
this.enterRecursionRule(localctx, <currentRule.startState>, <parser.name>.RULE_<currentRule.name>, _p);
<namedActions.init>
<locals; separator="\n">
try {
    <code>
    <postamble; separator="\n">
    <namedActions.after>
} catch( error) {
if(error instanceof antlr4.error.RecognitionException) {
    localctx.exception = error;
    this._errHandler.reportError(this, error);
    this._errHandler.recover(this, error);
} else {
    throw error;
}
}

```

```

    }
  } finally {
    <finallyAction>
    this.unrollRecursionContexts(_parentctx)
  }
  return localctx;
};

```

>>

```

CodeBlockForOuterMostAlt(currentOuterMostAltCodeBlock, locals, preamble, ops) ::= <<
<if(currentOuterMostAltCodeBlock.altLabel)>localctx = new <currentOuterMostAltCodeBlock.altLabel;
format="cap">Context(this, localctx);<endif>
this.enterOuterAlt(localctx, <currentOuterMostAltCodeBlock.alt.altNum>);
<CodeBlockForAlt(currentAltCodeBlock=currentOuterMostAltCodeBlock, ...)>
>>

```

```

CodeBlockForAlt(currentAltCodeBlock, locals, preamble, ops) ::= <<
<locals; separator="\n">
<preamble; separator="\n">
<ops; separator="\n">
>>

```

```

LL1AltBlock(choice, preamble, alts, error) ::= <<
this.state = <choice.stateNumber>;
this._errHandler.sync(this);
<if(choice.label)><labelref(choice.label)> = this._input.LT(1);<endif>
<preamble; separator="\n">
switch(this._input.LA(1)) {
<choice.altLook,alts:{look,alt| <cases(ttypes=look)>
  <alt>
  break;}; separator="\n">
default:
  <error>
}
>>

```

```

LL1OptionalBlock(choice, alts, error) ::= <<
this.state = <choice.stateNumber>;
this._errHandler.sync(this);
switch (this._input.LA(1)) {
<choice.altLook,alts:{look,alt| <cases(ttypes=look)>
  <alt>
  break;}; separator="\n">
default:
  break;
}
>>

```



```

LL1OptionalBlockSingleAlt(choice, expr, alts, preamble, error, followExpr) ::= <<
this.state = <choice.stateNumber>;
this._errHandler.sync(this);
<preamble; separator="\n">
if(<expr>) {
  <alts; separator="\n">
}
<!else if ( !(<followExpr>) ) <error!>
>>

```

```

LL1StarBlockSingleAlt(choice, loopExpr, alts, preamble, iteration) ::= <<
this.state = <choice.stateNumber>;
this._errHandler.sync(this);
<preamble; separator="\n">
while(<loopExpr>) {
  <alts; separator="\n">
  this.state = <choice.loopBackStateNumber>;
  this._errHandler.sync(this);
  <iteration>
}
>>

```

```

LL1PlusBlockSingleAlt(choice, loopExpr, alts, preamble, iteration) ::= <<
this.state = <choice.blockStartStateNumber>; <! alt block decision !>
this._errHandler.sync(this);
<preamble; separator="\n">
do {
  <alts; separator="\n">
  this.state = <choice.stateNumber>; <! loopback/exit decision !>
  this._errHandler.sync(this);
  <iteration>
} while(<loopExpr>);
>>

```

```
// LL(*) stuff
```

```

AltBlock(choice, preamble, alts, error) ::= <<
this.state = <choice.stateNumber>;
this._errHandler.sync(this);
<if(choice.label)><labelref(choice.label)> = _input.LT(1)<endif>
<preamble; separator="\n">
var la_ = this._interp.adaptivePredict(this._input,<choice.decision>,this._ctx);
switch(la_) {
<alts:{alt |
case <i>:
  <alt>
  break;

```

```

}; separator="\n">
}
>>

```

```

OptionalBlock(choice, alts, error) ::= <<
this.state = <choice.stateNumber>;
this._errHandler.sync(this);
var la_ = this._interp.adaptivePredict(this._input,<choice.decision>,this._ctx);
<alts:{ alt |
if(la_===<i><if(!choice.ast.greedy)>+1<endif>) {
    <alt>
}; separator="\n} else ">
}
>>

```

```

StarBlock(choice, alts, sync, iteration) ::= <<
this.state = <choice.stateNumber>;
this._errHandler.sync(this);
var _alt = this._interp.adaptivePredict(this._input,<choice.decision>,this._ctx)
while(_alt!=<choice.exitAlt> && _alt!=antlr4.atn.ATN.INVALID_ALT_NUMBER) {
    if(_alt===1<if(!choice.ast.greedy)>+1<endif>) {
        <iteration>
        <alts> <! should only be one !>
    }
    this.state = <choice.loopBackStateNumber>;
    this._errHandler.sync(this);
    _alt = this._interp.adaptivePredict(this._input,<choice.decision>,this._ctx);
}
>>

```

```

PlusBlock(choice, alts, error) ::= <<
this.state = <choice.blockStartStateNumber>; <! alt block decision !>
this._errHandler.sync(this);
var _alt = 1<if(!choice.ast.greedy)>+1<endif>;
do {
    switch (_alt) {
    <alts:{ alt|
case <i><if(!choice.ast.greedy)>+1<endif>:
    <alt>
break;}; separator="\n">
    default:
    <error>
}
    this.state = <choice.loopBackStateNumber>; <! loopback/exit decision !>
    this._errHandler.sync(this);
    _alt = this._interp.adaptivePredict(this._input,<choice.decision>, this._ctx);
} while ( _alt!=<choice.exitAlt> && _alt!=antlr4.atn.ATN.INVALID_ALT_NUMBER );

```

>>

Sync(s) ::= "sync(<s.expecting.name>)"

ThrowNoViableAlt(t) ::= "throw new antlr4.error.NoViableAltException(this);"

TestSetInline(s) ::= <<

<s.bitsets:{bits | <if(rest(rest(bits.ttypes))><bitsetBitfieldComparison(s, bits)><else><bitsetInlineComparison(s, bits)><endif>}; separator=" || ">

>>

// Javascript language spec - shift operators are 32 bits long max

testShiftInRange(shiftAmount) ::= <<

((<shiftAmount> & ~0x1f) == 0

>>

// produces smaller bytecode only when bits.ttypes contains more than two items

bitsetBitfieldComparison(s, bits) ::= <%

(<testShiftInRange({<offsetShiftVar(s.varName, bits.shift)>})> && ((1 \<|< <offsetShiftVar(s.varName, bits.shift)>) & (<bits.ttypes:{ttype | (1 \<|< <offsetShiftType(ttype, bits.shift)>)}; separator=" | ">)) != 0  
%>

isZero ::= [

"0":true,

default:false

]

offsetShiftVar(shiftAmount, offset) ::= <%

<if(!isZero.(offset))><shiftAmount> - <offset><else><shiftAmount><endif>

%>

offsetShiftType(shiftAmount, offset) ::= <%

<if(!isZero.(offset))><parser.name>.<shiftAmount> - <offset><else><parser.name>.<shiftAmount><endif>

%>

// produces more efficient bytecode when bits.ttypes contains at most two items

bitsetInlineComparison(s, bits) ::= <%

<bits.ttypes:{ttype | <s.varName>===<parser.name>.<ttype>}; separator=" || ">

%>

cases(ttypes) ::= <<

<ttypes:{t | case <parser.name>.<t>}; separator="\n">

>>

InvokeRule(r, argExprsChunks) ::= <<

this.state = <r.stateNumber>;

<if(r.labels)><r.labels:{l | <labelref(l)> =

```

nks>);
>>

MatchToken(m) ::= <<
this.state = <m.stateNumber>;
<if(m.labels)><m.labels:{1 | <labelref(l)> = }><endif>this.match(<parser.name>.<m.name>);
>>

MatchSet(m, expr, capture) ::= "<CommonSetStuff(m, expr, capture, false)>"

MatchNotSet(m, expr, capture) ::= "<CommonSetStuff(m, expr, capture, true)>"

CommonSetStuff(m, expr, capture, invert) ::= <<
this.state = <m.stateNumber>;
<if(m.labels)><m.labels:{1 | <labelref(l)> = }>this._input.LT(1);<endif>
<capture>
<if(invert)>if(<m.varName>|<=0 || <expr>)<else>if(!(<expr>))<endif> {
  <if(m.labels)><m.labels:{1 | <labelref(l)> = }><endif>this._errHandler.recoverInline(this);
}
else {
  this._errHandler.reportMatch(this);
  this.consume();
}
>>

Wildcard(w) ::= <<
this.state = <w.stateNumber>;
<if(w.labels)><w.labels:{1 | <labelref(l)> = }><endif>this.matchWildcard();
>>

// ACTION STUFF

Action(a, foo, chunks) ::= "<chunks>"

ArgAction(a, chunks) ::= "<chunks>"

SemPred(p, chunks, failChunks) ::= <<
this.state = <p.stateNumber>;
if (!( <chunks>)) {
  throw new antlr4.error.FailedPredicateException(this, <p.predicate><if(failChunks)>,
<failChunks><elseif(p.msg)>, <p.msg><endif>);
}
>>

ExceptionClause(e, catchArg, catchAction) ::= <<
catch (<catchArg>) {
  <catchAction>
}

```

>>

// lexer actions are not associated with model objects

```
LexerSkipCommand() ::= "this.skip()"
LexerMoreCommand() ::= "this.more()"
LexerPopModeCommand() ::= "this.popMode()"
LexerTypeCommand(arg, grammar) ::= "this._type = <arg>"
LexerChannelCommand(arg, grammar) ::= "this._channel = <arg>"
LexerModeCommand(arg, grammar) ::= "this._mode = <arg>"
LexerPushModeCommand(arg, grammar) ::= "this.pushMode(<arg>)"
```

```
ActionText(t) ::= "<t.text>"
ActionTemplate(t) ::= "<t.st>"
ArgRef(a) ::= "localctx.<a.name>"
LocalRef(a) ::= "localctx.<a.name>"
RetValRef(a) ::= "localctx.<a.name>"
QRetValRef(a) ::= "<ctx(a)>.<a.dict>.<a.name>"
/** How to translate $tokenLabel */
TokenRef(t) ::= "<ctx(t)>.<t.name>"
LabelRef(t) ::= "<ctx(t)>.<t.name>"
ListLabelRef(t) ::= "<ctx(t)>.<ListLabelName(t.name)>"
SetAttr(s,rhsChunks) ::= "<ctx(s)>.<s.name> = <rhsChunks>"
```

```
TokenLabelType() ::= "<file.TokenLabelType; null={Token}>"
InputSymbolType() ::= "<file.InputSymbolType; null={Token}>"
```

```
TokenPropertyRef_text(t) ::= "(<ctx(t)>.<t.label>===null ? null : <ctx(t)>.<t.label>.text)"
TokenPropertyRef_type(t) ::= "(<ctx(t)>.<t.label> === null ? 0 : <ctx(t)>.<t.label>.type)"
TokenPropertyRef_line(t) ::= "(<ctx(t)>.<t.label> === null ? 0 : <ctx(t)>.<t.label>.line)"
TokenPropertyRef_pos(t) ::= "(<ctx(t)>.<t.label> === null ? 0 : <ctx(t)>.<t.label>.column)"
TokenPropertyRef_channel(t) ::= "(<ctx(t)>.<t.label> === null ? 0 : <ctx(t)>.<t.label>.channel)"
TokenPropertyRef_index(t) ::= "(<ctx(t)>.<t.label> === null ? 0 : <ctx(t)>.<t.label>.tokenIndex)"
TokenPropertyRef_int(t) ::= "(<ctx(t)>.<t.label> === null ? 0 : parseInt(<ctx(t)>.<t.label>.text))"
```

```
RulePropertyRef_start(r) ::= "(<ctx(r)>.<r.label>===null ? null : <ctx(r)>.<r.label>.start)"
RulePropertyRef_stop(r) ::= "(<ctx(r)>.<r.label>===null ? null : <ctx(r)>.<r.label>.stop)"
RulePropertyRef_text(r) ::= "(<ctx(r)>.<r.label>===null ? null : this._input.getText(new antlr4.Interval(<ctx(r)>.<r.label>.start,<ctx(r)>.<r.label>.stop)))"
RulePropertyRef_ctx(r) ::= "<ctx(r)>.<r.label>"
RulePropertyRef_parser(r) ::= "this"
```

```
ThisRulePropertyRef_start(r) ::= "localctx.start"
ThisRulePropertyRef_stop(r) ::= "localctx.stop"
ThisRulePropertyRef_text(r) ::= "this._input.getText(new antlr4.Interval(localctx.start, this._input.LT(-1)))"
ThisRulePropertyRef_ctx(r) ::= "localctx"
ThisRulePropertyRef_parser(r) ::= "this"
```

```

NonLocalAttrRef(s) ::= "getInvokingContext(<s.ruleIndex>).<s.name>"
SetNonLocalAttr(s, rhsChunks) ::= "getInvokingContext(<s.ruleIndex>).<s.name> = <rhsChunks>"

AddToLabelList(a) ::= "<ctx(a.label)>.<a.listName>.push(<labelref(a.label)>);"

TokenDecl(t) ::= "this.<t.name> = null; // <TokenLabelType()>"
TokenTypeDecl(t) ::= "var <t.name> = 0; // <TokenLabelType()> type"
TokenListDecl(t) ::= "this.<t.name> = []; // of <TokenLabelType()>s"
RuleContextDecl(r) ::= "this.<r.name> = null; // <r.ctxName>"
RuleContextListDecl(rdecl) ::= "this.<rdecl.name> = []; // of <rdecl.ctxName>s"

ContextTokenGetterDecl(t) ::= <<
<t.name> = function() {
  return this.getToken(<parser.name>.<t.name>, 0);
};
>>

// should never be called
ContextTokenListGetterDecl(t) ::= <<
def <t.name>_list(self):
  return self.getTokens(<parser.name>.<t.name>)
>>

ContextTokenListIndexedGetterDecl(t) ::= <<
<t.name> = function(i) {
  if(i===undefined) {
    i = null;
  }
  if(i===null) {
    return this.getTokens(<parser.name>.<t.name>);
  } else {
    return this.getToken(<parser.name>.<t.name>, i);
  }
};
>>

ContextRuleGetterDecl(r) ::= <<
<r.name> = function() {
  return this.getTypedRuleContext(<r.ctxName>,0);
};
>>

// should never be called
ContextRuleListGetterDecl(r) ::= <<
def <r.name>_list(self):
  return self.getTypedRuleContexts(<parser.name>.<r.ctxName>)

```

>>

```
ContextRuleListIndexedGetterDecl(r) ::= <<
<r.name> = function(i) {
  if(i===undefined) {
    i = null;
  }
  if(i===null) {
    return this.getTypedRuleContexts(<r.ctxName>);
  } else {
    return this.getTypedRuleContext(<r.ctxName>,i);
  }
};
>>
```

```
LexerRuleContext() ::= "RuleContext"
```

```
/** The rule context name is the rule followed by a suffix; e.g.,
 * r becomes rContext.
 */
```

```
RuleContextNameSuffix() ::= "Context"
```

```
ImplicitTokenLabel(tokenName) ::= "_<tokenName>"
```

```
ImplicitRuleLabel(ruleName) ::= "_<ruleName>"
```

```
ImplicitSetLabel(id) ::= "_tset<id>"
```

```
ListLabelName(label) ::= "<label>"
```

```
CaptureNextToken(d) ::= "<d.varName> = self._input.LT(1)"
```

```
CaptureNextTokenType(d) ::= "<d.varName> = this._input.LA(1);"
```

```
StructDecl(struct,ctorAttrs,attrs,getters,dispatchMethods,interfaces,extensionMembers) ::= <<
function <struct.name>(parser, parent, invokingState<struct.ctorAttrs:{a | , <a.name>}> ) {
  if(parent===undefined) {
    parent = null;
  }
  if(invokingState===undefined || invokingState===null) {
    invokingState = -1;
  }
  <if(contextSuperClass>><contextSuperClass><else>antlr4.ParserRuleContext<endif>.call(this, parent,
invokingState);
  this.parser = parser;
  this.ruleIndex = <parser.name>.RULE_<struct.derivedFromName>;
  <attrs:{a | <a>}; separator="\n">
  <struct.ctorAttrs:{a | this.<a.name> = <a.name> || null;}; separator="\n">
  return this;
}
}
```

```
<struct.name>.prototype =
```

```

Object.create(<if(contextSuperClass)><contextSuperClass><else>antlr4.ParserRuleContext<endif>.prototype);
<struct.name>.prototype.constructor = <struct.name>;

<getters:{g | <struct.name>.prototype.<g>}; separator="\n\n">

<if(struct.provideCopyFrom)> <! don't need copy unless we have subclasses !>
<struct.name>.prototype.copyFrom = function(ctx) {
<if(contextSuperClass)><contextSuperClass><else>antlr4.ParserRuleContext<endif>.prototype.copyFrom.call(this,
ctx);
  <struct.attrs:{a | this.<a.name> = ctx.<a.name>;}; separator="\n">
};
<endif>
<dispatchMethods; separator="\n">
<extensionMembers; separator="\n">

>>

AltLabelStructDecl(struct,attrs,getters,dispatchMethods) ::= <<
function <struct.name>(parser, ctx) {
  <currentRule.name; format="cap">Context.call(this, parser);
  <attrs:{a | <a>;}; separator="\n">
  <currentRule.name; format="cap">Context.prototype.copyFrom.call(this, ctx);
  return this;
}

<struct.name>.prototype = Object.create(<currentRule.name; format="cap">Context.prototype);
<struct.name>.prototype.constructor = <struct.name>;

<! Define fields of this parser to export this struct/context class !>
<parser.name>.<struct.name> = <struct.name>;

<getters:{g | <struct.name>.prototype.<g>}; separator="\n\n">
<dispatchMethods; separator="\n">

>>

ListenerDispatchMethod(method) ::= <<
<struct.name>.prototype.<if(method.isEnter)>enter<else>exit<endif>Rule = function(listener) {
  if(listener instanceof <parser.grammarName>Listener ) {
    listener.<if(method.isEnter)>enter<else>exit<endif><struct.derivedFromName; format="cap">(this);
  }
};

>>

VisitorDispatchMethod(method) ::= <<
<struct.name>.prototype.accept = function(visitor) {
  if ( visitor instanceof <parser.grammarName>Visitor ) {

```



```

    return visitor.visit<struct.derivedFromName; format="cap">(this);
  } else {
    return visitor.visitChildren(this);
  }
};

>>

AttributeDecl(d) ::= "this.<d.name> = <if(d.initValue)><d.initValue><else>null<endif>"

/** If we don't know location of label def x, use this template */
labelref(x) ::= "<if(!x.isLocal)>localctx.<endif><x.name>"

/** For any action chunk, what is correctly-typed context struct ptr? */
ctx(actionChunk) ::= "localctx"

// used for left-recursive rules
recRuleAltPredicate(ruleName,opPrec) ::= "this.precpred(this._ctx, <opPrec>)"
recRuleSetReturnAction(src,name) ::= "$<name>=<src>.<name>"
recRuleSetStopToken() ::= "this._ctx.stop = this._input.LT(-1);"

recRuleAltStartAction(ruleName, ctxName, label) ::= <<
localctx = new <ctxName>Context(this, _parentctx, _parentState);
<if(label)>localctx.<label> = _prevctx;<endif>
this.pushNewRecursionContext(localctx, _startState, <parser.name>.RULE_<ruleName>);
>>

recRuleLabeledAltStartAction(ruleName, currentAltLabel, label, isListLabel) ::= <<
localctx = new <currentAltLabel; format="cap">Context(this, new <ruleName; format="cap">Context(this,
_parentctx, _parentState));
<if(label)>
<if(isListLabel)>
localctx.<label>.push(_prevctx);
<else>
localctx.<label> = _prevctx;
<endif>
<endif>
this.pushNewRecursionContext(localctx, _startState, <parser.name>.RULE_<ruleName>);
>>

recRuleReplaceContext(ctxName) ::= <<
localctx = new <ctxName>Context(this, localctx);
this._ctx = localctx;
_prevctx = localctx;
>>

recRuleSetPrevCtx() ::= <<
if(this._parseListeners!==null) {

```

```

    this.triggerExitRuleEvent();
  }
  _prevctx = localctx;
>>

```

```

LexerFile(lexerFile, lexer, namedActions) ::= <<
<fileHeader(lexerFile.grammarFileName, lexerFile.ANTLRVersion)>
var antlr4 = require('antlr4/index');

```

```

<namedActions.header>

```

```

<lexer>

```

```

>>

```

```

Lexer(lexer, atn, actionFuncs, sempredFuncs, superClass) ::= <<

```

```

<if(superClass)>
var <superClass> = require('./<superClass>').<superClass>;
<endif>

```

```

<atn>

```

```

var atn = new antlr4.atn.ATNDeserializer().deserialize(serializedATN);

```

```

var decisionsToDFA = atn.decisionToState.map( function(ds, index) { return new antlr4.dfa.DFA(ds, index); });

```

```

function <lexer.name>(input) {
  <if(superClass)><superClass><else>antlr4.Lexer<endif>.call(this, input);
  this._interp = new antlr4.atn.LexerATNSimulator(this, atn, decisionsToDFA, new
antlr4.PredictionContextCache());
  return this;
}

```

```

<lexer.name>.prototype = Object.create(<if(superClass)><superClass><else>antlr4.Lexer<endif>.prototype);
<lexer.name>.prototype.constructor = <lexer.name>;

```

```

Object.defineProperty(<lexer.name>.prototype, "atn", {
  get : function() {
    return atn;
  }
});

```

```

<lexer.name>.EOF = antlr4.Token.EOF;
<lexer.tokens>: {k | <lexer.name>.<k> = <lexer.tokens.(k)>;}; separator="\n", wrap, anchor>

```

```

<if(lexer.channels)>
<lexer.channels>: {c | <lexer.name>.<c> = <lexer.channels.(c)>;}; separator="\n">

```

```

<endif>
<if(rest(lexer.modes))>
<rest(lexer.modes):{m| <lexer.name>.<m> = <i>;}; separator="\n">

<endif>
<lexer.name>.prototype.channelNames = [ "DEFAULT_TOKEN_CHANNEL", "HIDDEN"<if (lexer.channels)>,
<lexer.channels:{c| "<c>"}; separator=", ", wrap, anchor><endif> ];

<lexer.name>.prototype.modeNames = [ <lexer.modes:{m| "<m>"}; separator=", ", wrap, anchor> ];

<lexer.name>.prototype.literalNames = [ <lexer.literalNames:{t| <t>}; null="null", separator=", ", wrap, anchor> ];

<lexer.name>.prototype.symbolicNames = [ <lexer.symbolicNames:{t| <t>}; null="null", separator=", ", wrap,
anchor> ];

<lexer.name>.prototype.ruleNames = [ <lexer.ruleNames:{r| "<r>"}; separator=", ", wrap, anchor> ];

<lexer.name>.prototype.grammarFileName = "<lexer.grammarFileName>";

<namedActions.members>

<dumpActions(lexer, "", actionFuncs, sempredFuncs)>

exports.<lexer.name> = <lexer.name>;

>>

SerializedATN(model) ::= <<
<! only one segment, can be inlined !>

var serializedATN = ["<model.serialized; wrap={",<\n> " }>"].join("");

>>

/** Using a type to init value map, try to init a type; if not in table
* must be an object, default value is "null".
*/
initValue(typeName) ::= <<
<javacriptTypeInitMap.(typeName)>
>>

codeFileExtension() ::= ".js"

Found in path(s):
* /opt/cola/permits/1340076373_1654764617.9754713/0/antlr4-4-7-1-5-
jar/org/antlr/v4/tool/templates/codegen/JavaScript/JavaScript.stg

```

No license file was found, but licenses were detected in source scan.

```
/*
 * [The "BSD license"]
 * Copyright (c) 2012-2016 Terence Parr
 * Copyright (c) 2012-2016 Sam Harwell
 * All rights reserved.
 *
 * Redistribution and use in source and binary forms, with or without
 * modification, are permitted provided that the following conditions
 * are met:
 *
 * 1. Redistributions of source code must retain the above copyright
 * notice, this list of conditions and the following disclaimer.
 * 2. Redistributions in binary form must reproduce the above copyright
 * notice, this list of conditions and the following disclaimer in the
 * documentation and/or other materials provided with the distribution.
 * 3. The name of the author may not be used to endorse or promote products
 * derived from this software without specific prior written permission.
 *
 * THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS'' AND ANY EXPRESS OR
 * IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
 * OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.
 * IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,
 * INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT
 * NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
 * DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
 * THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
 * (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF
 * THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
 */
```

```
javaTypeInitMap ::= [
  "int": "0",
  "long": "0",
  "float": "0.0f",
  "double": "0.0",
  "boolean": "false",
  "byte": "0",
  "short": "0",
  "char": "0",
  default: "null" // anything other than a primitive type is an object
]
```

```
// args must be <object-model-object>, <fields-resulting-in-STs>
```

```
ParserFile(file, parser, namedActions, contextSuperClass) ::= <<
  <fileHeader(file.grammarFileName, file.ANTLRVersion)>
```

```

<if(file.genPackage)>
package <file.genPackage>;
<endif>
<namedActions.header>
import org.antlr.v4.runtime.atn.*;
import org.antlr.v4.runtime.dfa.DFA;
import org.antlr.v4.runtime.*;
import org.antlr.v4.runtime.misc.*;
import org.antlr.v4.runtime.tree.*;
import java.util.List;
import java.util.Iterator;
import java.util.ArrayList;

<parser>
>>

ListenerFile(file, header, namedActions) ::= <<
<fileHeader(file.grammarFileName, file.ANTLRVersion)>
<if(file.genPackage)>
package <file.genPackage>;
<endif>
<header>
import org.antlr.v4.runtime.tree.ParseTreeListener;

/**
 * This interface defines a complete listener for a parse tree produced by
 * { @link <file.parserName> }.
 */
public interface <file.grammarName>Listener extends ParseTreeListener {
    <file.listenerNames: {lname |
/**
<if(file.listenerLabelRuleNames.(lname))>
 * Enter a parse tree produced by the { @code <lname>\}
 * labeled alternative in { @link <file.parserName>#<file.listenerLabelRuleNames.(lname)>\}.
<else>
 * Enter a parse tree produced by { @link <file.parserName>#<lname>\}.
<endif>
 * @param ctx the parse tree
 */
void enter<lname; format="cap">(<file.parserName>.<lname; format="cap">Context ctx);
/**
<if(file.listenerLabelRuleNames.(lname))>
 * Exit a parse tree produced by the { @code <lname>\}
 * labeled alternative in { @link <file.parserName>#<file.listenerLabelRuleNames.(lname)>\}.
<else>
 * Exit a parse tree produced by { @link <file.parserName>#<lname>\}.
<endif>
 * @param ctx the parse tree

```

```

*/
void exit<lname; format="cap">(<file.parserName>.<lname; format="cap">Context ctx);}; separator="\n">
}
>>

BaseListenerFile(file, header, namedActions) ::= <<
<fileHeader(file.grammarFileName, file.ANTLRVersion)>
<if(file.genPackage)>
package <file.genPackage>;
<endif>
<header>

import org.antlr.v4.runtime.ParserRuleContext;
import org.antlr.v4.runtime.tree.ErrorNode;
import org.antlr.v4.runtime.tree.TerminalNode;

/**
 * This class provides an empty implementation of { @link <file.grammarName>Listener },
 * which can be extended to create a listener which only needs to handle a subset
 * of the available methods.
 */
public class <file.grammarName>BaseListener implements <file.grammarName>Listener {
    <file.listenerNames:{lname |
/**
 * { @inheritDoc\}
 *
 * \<p>The default implementation does nothing.\</p>
 */
    @Override public void enter<lname; format="cap">(<file.parserName>.<lname; format="cap">Context ctx) { \}
/**
 * { @inheritDoc\}
 *
 * \<p>The default implementation does nothing.\</p>
 */
    @Override public void exit<lname; format="cap">(<file.parserName>.<lname; format="cap">Context ctx) { \} };
    separator="\n">

/**
 * { @inheritDoc\}
 *
 * \<p>The default implementation does nothing.\</p>
 */
    @Override public void enterEveryRule(ParserRuleContext ctx) { }
/**
 * { @inheritDoc\}
 *
 * \<p>The default implementation does nothing.\</p>
 */
}

```

```

@Override public void exitEveryRule(ParserRuleContext ctx) { }
/**
 * { @inheritDoc\}
 *
 * \<p>The default implementation does nothing.\</p>
 */
@Override public void visitTerminal(TerminalNode node) { }
/**
 * { @inheritDoc\}
 *
 * \<p>The default implementation does nothing.\</p>
 */
@Override public void visitErrorNode(ErrorNode node) { }
}
>>

VisitorFile(file, header, namedActions) ::= <<
<fileHeader(file.grammarFileName, file.ANTLRVersion)>
<if(file.genPackage)>
package <file.genPackage>;
<endif>
<header>
import org.antlr.v4.runtime.tree.ParseTreeVisitor;

/**
 * This interface defines a complete generic visitor for a parse tree produced
 * by { @link <file.parserName>}.
 *
 * @param \<T> The return type of the visit operation. Use { @link Void} for
 * operations with no return type.
 */
public interface <file.grammarName>Visitor\<T> extends ParseTreeVisitor\<T> {
    <file.visitorNames>: { Iname |
/**
<if(file.visitorLabelRuleNames.(Iname))>
 * Visit a parse tree produced by the { @code <Iname>\}
 * labeled alternative in { @link <file.parserName>#<file.visitorLabelRuleNames.(Iname)>\}.
<else>
 * Visit a parse tree produced by { @link <file.parserName>#<Iname>\}.
<endif>
 * @param ctx the parse tree
 * @return the visitor result
 */
T visit<Iname; format="cap">(<file.parserName>.<Iname; format="cap">Context ctx);}; separator="\n"
}
>>

BaseVisitorFile(file, header, namedActions) ::= <<

```

```

<fileHeader(file.grammarFileName, file.ANTLRVersion)>
<if(file.genPackage)>
package <file.genPackage>;
<endif>
<header>
import org.antlr.v4.runtime.tree.AbstractParseTreeVisitor;

/**
 * This class provides an empty implementation of { @link <file.grammarName>Visitor},
 * which can be extended to create a visitor which only needs to handle a subset
 * of the available methods.
 *
 * @param \<T> The return type of the visit operation. Use { @link Void} for
 * operations with no return type.
 */
public class <file.grammarName>BaseVisitor\<T> extends AbstractParseTreeVisitor\<T> implements
<file.grammarName>Visitor\<T> {
    <file.visitorNames:{lname |
/**
 * { @inheritDoc\}
 *
 * \<p>The default implementation returns the result of calling
 * { @link #visitChildren\} on { @code ctx\}.\</p>
 */
    @Override public T visit<lname; format="cap">(<file.parserName>.<lname; format="cap">Context ctx) { return
    visitChildren(ctx); \}; separator="\n">
    }
>>

fileHeader(grammarFileName, ANTLRVersion) ::= <<
// Generated from <grammarFileName; format="java-escape"> by ANTLR <ANTLRVersion>
>>

Parser(parser, funcs, atn, sempredFuncs, superClass) ::= <<
<Parser_(ctor="parser_ctor", ...)>
>>

Parser_(parser, funcs, atn, sempredFuncs, ctor, superClass) ::= <<
@SuppressWarnings({"all", "warnings", "unchecked", "unused", "cast"})
public class <parser.name> extends <superClass; null="Parser"> {
    static { RuntimeMetaData.checkVersion("<file.ANTLRVersion>", RuntimeMetaData.VERSION); }

    protected static final DFA[] _decisionToDFA;
    protected static final PredictionContextCache _sharedContextCache =
        new PredictionContextCache();
    <if(parser.tokens)>
    public static final int
        <parser.tokens:{k | <k>=<parser.tokens.(k)>}; separator=" ", wrap, anchor>;

```



```

<endif>
public static final int
<parser.rules:{r | RULE_<r.name> = <r.index>}; separator=", ", wrap, anchor>;
public static final String[] ruleNames = {
<parser.ruleNames:{r | "<r>"}; separator=", ", wrap, anchor>
};

<vocabulary(parser.literalNames, parser.symbolicNames)>

@Override
public String getGrammarFileName() { return "<parser.grammarFileName; format="java-escape">"; }

@Override
public String[] getRuleNames() { return ruleNames; }

@Override
public String getSerializedATN() { return _serializedATN; }

@Override
public ATN getATN() { return _ATN; }

<namedActions.members>
<parser:(ctor)()>
<funcs; separator="\n">

<if(sempredFuncs)>
public boolean sempred(RuleContext _localctx, int ruleIndex, int predIndex) {
switch (ruleIndex) {
<parser.sempredFuncs.values:{f}
case <f.ruleIndex>:
return <f.name>_sempred((<f.ctxType>)_localctx, predIndex);}; separator="\n">
}
return true;
}
<sempredFuncs.values; separator="\n">
<endif>

<atn>
}
>>

vocabulary(literalNames, symbolicNames) ::= <<
private static final String[] _LITERAL_NAMES = {
<literalNames:{t | <t>}; null="null", separator=", ", wrap, anchor>
};
private static final String[] _SYMBOLIC_NAMES = {
<symbolicNames:{t | <t>}; null="null", separator=", ", wrap, anchor>
};

```

```

public static final Vocabulary VOCABULARY = new VocabularyImpl(_LITERAL_NAMES,
_SYMBOLIC_NAMES);

/**
 * @deprecated Use {@link #VOCABULARY} instead.
 */
@Deprecated
public static final String[] tokenNames;
static {
    tokenNames = new String[_SYMBOLIC_NAMES.length];
    for (int i = 0; i < tokenNames.length; i++) {
        tokenNames[i] = VOCABULARY.getLiteralName(i);
        if (tokenNames[i] == null) {
            tokenNames[i] = VOCABULARY.getSymbolicName(i);
        }

        if (tokenNames[i] == null) {
            tokenNames[i] = "\\<INVALID>";
        }
    }
}

@Override
@Deprecated
public String[] getTokenNames() {
    return tokenNames;
}

@Override

public Vocabulary getVocabulary() {
    return VOCABULARY;
}
>>

dumpActions(recog, argFuncs, actionFuncs, sempredFuncs) ::= <<
<if(actionFuncs)>
@Override
public void action(RuleContext _localctx, int ruleIndex, int actionIndex) {
    switch (ruleIndex) {
        <recog.actionFuncs.values:{f}
        case <f.ruleIndex>:
            <f.name>_action((<f.ctxType>)_localctx, actionIndex);
            break;}; separator="\n">
    }
}
<actionFuncs.values; separator="\n">
<endif>

```

```

<if(sempredFuncs)>
@Override
public boolean sempred(RuleContext _localctx, int ruleIndex, int predIndex) {
    switch (ruleIndex) {
        <recog.sempredFuncs.values:{f|
    case <f.ruleIndex>:
        return <f.name>_sempred((<f.ctxType>)_localctx, predIndex);}; separator="\n">
    }
    return true;
}
<sempredFuncs.values; separator="\n">
<endif>
>>

parser_ctor(p) ::= <<
public <p.name>(TokenStream input) {
    super(input);
    _interp = new ParserATNSimulator(this,_ATN,_decisionToDFA,_sharedContextCache);
}
>>

/* This generates a private method since the actionIndex is generated, making an
* overriding implementation impossible to maintain.
*/
RuleActionFunction(r, actions) ::= <<
private void <r.name>_action(<r.ctxType> _localctx, int actionIndex) {
    switch (actionIndex) {
        <actions:{index|
    case <index>:
        <actions.(index)>
        break;}; separator="\n">
    }
}
>>

/* This generates a private method since the predIndex is generated, making an
* overriding implementation impossible to maintain.
*/
RuleSempredFunction(r, actions) ::= <<
private boolean <r.name>_sempred(<r.ctxType> _localctx, int predIndex) {
    switch (predIndex) {
        <actions:{index|
    case <index>:
        return <actions.(index)>;}; separator="\n">
    }
    return true;
}
>>

```

```

RuleFunction(currentRule,args,code,locals,ruleCtx,altLabelCtxs,namedActions,finallyAction,postamble,exceptions)
::= <<

<ruleCtx>
<altLabelCtxs:{l | <altLabelCtxs.(l)>}; separator="\n">

<if(currentRule.modifiers)><currentRule.modifiers:{f | <f> }><else>public final <endif><currentRule.ctxType>
<currentRule.name><(args; separator=", ">) throws RecognitionException {
  <currentRule.ctxType> _localctx = new <currentRule.ctxType>(_ctx, getState())<currentRule.args:{a | ,
<a.name>}>);
  enterRule(_localctx, <currentRule.startState>, RULE_<currentRule.name>);
  <namedActions.init>
  <locals; separator="\n">
  try {
  <if(currentRule.hasLookaheadBlock)>
    int _alt;
  <endif>
  <code>
  <postamble; separator="\n">
  <namedActions.after>
  }
  <if(exceptions)>
  <exceptions; separator="\n">
  <else>
  catch (RecognitionException re) {
    _localctx.exception = re;
    _errHandler.reportError(this, re);
    _errHandler.recover(this, re);
  }
  <endif>
  finally {
  <finallyAction>
  exitRule();
  }
  return _localctx;
  }
>>

```

```

LeftRecursiveRuleFunction(currentRule,args,code,locals,ruleCtx,altLabelCtxs,
namedActions,finallyAction,postamble) ::=
<<

```

```

<ruleCtx>
<altLabelCtxs:{l | <altLabelCtxs.(l)>}; separator="\n">

<if(currentRule.modifiers)><currentRule.modifiers:{f | <f> }><else>public final <endif><currentRule.ctxType>
<currentRule.name><(args; separator=", ">) throws RecognitionException {

```

```

return <currentRule.name>(0<currentRule.args:{a | , <a.name>}>);
}

private <currentRule.ctxType> <currentRule.name>(int _p<args:{a | , <a>}>) throws RecognitionException {
    ParserRuleContext _parentctx = _ctx;
    int _parentState = getState();
    <currentRule.ctxType> _localctx = new <currentRule.ctxType>(_ctx, _parentState<currentRule.args:{a | ,
<a.name>}>);
    <currentRule.ctxType> _prevctx = _localctx;
    int _startState = <currentRule.startState>;
    enterRecursionRule(_localctx, <currentRule.startState>, RULE_<currentRule.name>, _p);
    <namedActions.init>
    <locals; separator="\n">
    try {
    <if(currentRule.hasLookaheadBlock)>
        int _alt;
    <endif>
    <code>
    <postamble; separator="\n">
    <namedActions.after>
    }
    catch (RecognitionException re) {
        _localctx.exception = re;
        _errHandler.reportError(this, re);
        _errHandler.recover(this, re);
    }
    finally {
        <finallyAction>
        unrollRecursionContexts(_parentctx);
    }
    return _localctx;
}
>>

```

```

CodeBlockForOuterMostAlt(currentOuterMostAltCodeBlock, locals, preamble, ops) ::= <<
<if(currentOuterMostAltCodeBlock.altLabel)>_localctx = new <currentOuterMostAltCodeBlock.altLabel;
format="cap">Context(_localctx);<endif>
enterOuterAlt(_localctx, <currentOuterMostAltCodeBlock.alt.altNum>);
<CodeBlockForAlt(currentAltCodeBlock=currentOuterMostAltCodeBlock, ...)>
>>

```

```

CodeBlockForAlt(currentAltCodeBlock, locals, preamble, ops) ::= <<
{
<locals; separator="\n">
<preamble; separator="\n">
<ops; separator="\n">
}
>>

```

```

LL1AltBlock(choice, preamble, alts, error) ::= <<
setState(<choice.stateNumber>);
_errHandler.sync(this);
<if(choice.label)><labelref(choice.label)> = _input.LT(1);<endif>
<preamble; separator="\n">
switch (_input.LA(1)) {
<choice.altLook,alts:{look,alt| <cases(ttypes=look)>
<alt>
break;}; separator="\n">
default:
<error>
}
>>

```

```

LL1OptionalBlock(choice, alts, error) ::= <<
setState(<choice.stateNumber>);
_errHandler.sync(this);
switch (_input.LA(1)) {
<choice.altLook,alts:{look,alt| <cases(ttypes=look)>
<alt>
break;}; separator="\n">
default:
break;
}
>>

```

```

LL1OptionalBlockSingleAlt(choice, expr, alts, preamble, error, followExpr) ::= <<
setState(<choice.stateNumber>);
_errHandler.sync(this);
<preamble; separator="\n">
if (<expr>) {
<alts; separator="\n">
}
<!else if ( !(<followExpr>) ) <error!>
>>

```

```

LL1StarBlockSingleAlt(choice, loopExpr, alts, preamble, iteration) ::= <<
setState(<choice.stateNumber>);
_errHandler.sync(this);
<preamble; separator="\n">
while (<loopExpr>) {
<alts; separator="\n">
setState(<choice.loopBackStateNumber>);
_errHandler.sync(this);
<iteration>
}
>>

```

```

LL1PlusBlockSingleAlt(choice, loopExpr, alts, preamble, iteration) ::= <<
setState(<choice.blockStartStateNumber>); <! alt block decision !>
_errHandler.sync(this);
<preamble; separator="\n">
do {
  <alts; separator="\n">
  setState(<choice.stateNumber>); <! loopback/exit decision !>
  _errHandler.sync(this);
  <iteration>
} while ( <loopExpr> );
>>

```

```
// LL(*) stuff
```

```

AltBlock(choice, preamble, alts, error) ::= <<
setState(<choice.stateNumber>);
_errHandler.sync(this);
<if(choice.label)><labelref(choice.label)> = _input.LT(1);<endif>
<preamble; separator="\n">
switch ( getInterpreter().adaptivePredict(_input,<choice.decision>,_ctx) ) {
<alts:{alt |
case <i>:
  <alt>
  break;}; separator="\n">
}
>>

```

```

OptionalBlock(choice, alts, error) ::= <<
setState(<choice.stateNumber>);
_errHandler.sync(this);
switch ( getInterpreter().adaptivePredict(_input,<choice.decision>,_ctx) ) {
<alts:{alt |
case <i><if(!choice.ast.greedy)>+1<endif>:
  <alt>
  break;}; separator="\n">
}
>>

```

```

StarBlock(choice, alts, sync, iteration) ::= <<
setState(<choice.stateNumber>);
_errHandler.sync(this);
_alt = getInterpreter().adaptivePredict(_input,<choice.decision>,_ctx);
while ( _alt!=<choice.exitAlt> && _alt!=org.antlr.v4.runtime.atn.ATN.INVALID_ALT_NUMBER ) {
if ( _alt==1<if(!choice.ast.greedy)>+1<endif> ) {
  <iteration>
  <alts> <! should only be one !>
}
}

```

```

setState(<choice.loopBackStateNumber>);
_errHandler.sync(this);
_alt = getInterpreter().adaptivePredict(_input,<choice.decision>,_ctx);
}
>>

```

```

PlusBlock(choice, alts, error) ::= <<
setState(<choice.blockStartStateNumber>); <! alt block decision !>
_errHandler.sync(this);
_alt = 1<if(!choice.ast.greedy)>+1<endif>;
do {
switch (_alt) {
<alts:{alt|
case <i><if(!choice.ast.greedy)>+1<endif>:
<alt>
break;}; separator="\n">
default:
<error>
}
setState(<choice.loopBackStateNumber>); <! loopback/exit decision !>
_errHandler.sync(this);
_alt = getInterpreter().adaptivePredict(_input,<choice.decision>,_ctx);
} while ( _alt!=<choice.exitAlt> && _alt!=org.antlr.v4.runtime.atn.ATN.INVALID_ALT_NUMBER );
>>

```

```

Sync(s) ::= "sync(<s.expecting.name>);"

```

```

ThrowNoViableAlt(t) ::= "throw new NoViableAltException(this);"

```

```

TestSetInline(s) ::= <<
<s.bitsets:{bits | <if(rest(rest(bits.ttypes)))><bitsetBitfieldComparison(s, bits)><else><bitsetInlineComparison(s,
bits)><endif>; separator=" || ">
>>

```

```

// Java language spec 15.19 - shift operators mask operands rather than overflow to 0... need range test
testShiftInRange(shiftAmount) ::= <<
((<shiftAmount>) & ~0x3f) == 0
>>

```

```

// produces smaller bytecode only when bits.ttypes contains more than two items
bitsetBitfieldComparison(s, bits) ::= <%
(<testShiftInRange({<offsetShift(s.varName, bits.shift)>})> && ((1L \<< <offsetShift(s.varName, bits.shift)>) &
(<bits.ttypes:{ ttype | (1L \<< <offsetShift(ttype, bits.shift)>)}); separator=" | ">)) != 0)
%>

```

```

isZero ::= [
"0":true,
default:false

```



]

```
offsetShift(shiftAmount, offset) ::= <%  
<if(!isZero.(offset))><shiftAmount> - <offset><else><shiftAmount><endif>  
>%>
```

```
// produces more efficient bytecode when bits.ttypes contains at most two items  
bitsetInlineComparison(s, bits) ::= <%  
<bits.ttypes:{ ttype | <s.varName>==<ttype>}; separator=" || ">  
>%>
```

```
cases(ttypes) ::= <<  
<ttypes:{ t | case <t>:}; separator="\n">  
>>
```

```
InvokeRule(r, argExprsChunks) ::= <<  
setState(<r.stateNumber>);  
<if(r.labels)><r.labels:{ l | <labelref(l)> =  
}><endif><r.name>(<if(r.ast.options.p)><r.ast.options.p><if(argExprsChunks)><endif><endif><argExprsChunks>  
>);  
>>
```

```
MatchToken(m) ::= <<  
setState(<m.stateNumber>);  
<if(m.labels)><m.labels:{ l | <labelref(l)> = }><endif>match(<m.name>);  
>>
```

```
MatchSet(m, expr, capture) ::= "<CommonSetStuff(m, expr, capture, false)>"
```

```
MatchNotSet(m, expr, capture) ::= "<CommonSetStuff(m, expr, capture, true)>"
```

```
CommonSetStuff(m, expr, capture, invert) ::= <<  
setState(<m.stateNumber>);  
<if(m.labels)><m.labels:{ l | <labelref(l)> = }>_input.LT(1);<endif>  
<capture>  
if ( <if(invert)><m.varName> \<= 0 || <else>!<endif><expr> ) {  
  <if(m.labels)><m.labels:{ l | <labelref(l)> = (Token)}><endif>_errHandler.recoverInline(this);  
}  
else {  
  if ( _input.LA(1)==Token.EOF ) matchedEOF = true;  
  _errHandler.reportMatch(this);  
  consume();  
}  
>>
```

```
Wildcard(w) ::= <<  
setState(<w.stateNumber>);  
<if(w.labels)><w.labels:{ l | <labelref(l)> = }><endif>matchWildcard();
```

```

>>

// ACTION STUFF

Action(a, foo, chunks) ::= "<chunks>"

ArgAction(a, chunks) ::= "<chunks>"

SemPred(p, chunks, failChunks) ::= <<
setState(<p.stateNumber>);
if (!(<chunks>)) throw new FailedPredicateException(this, <p.predicate><if(failChunks)>,
<failChunks><elseif(p.msg)>, <p.msg><endif>);
>>

ExceptionClause(e, catchArg, catchAction) ::= <<
catch (<catchArg>) {
    <catchAction>
}
>>

// lexer actions are not associated with model objects

LexerSkipCommand() ::= "skip();"
LexerMoreCommand() ::= "more();"
LexerPopModeCommand() ::= "popMode();"

LexerTypeCommand(arg, grammar) ::= "_type = <arg>";
LexerChannelCommand(arg, grammar) ::= "_channel = <arg>";
LexerModeCommand(arg, grammar) ::= "_mode = <arg>";
LexerPushModeCommand(arg, grammar) ::= "pushMode(<arg>);"

ActionText(t) ::= "<t.text>"
ActionTemplate(t) ::= "<t.st>"
ArgRef(a) ::= "_localctx.<a.name>"
LocalRef(a) ::= "_localctx.<a.name>"
RetValRef(a) ::= "_localctx.<a.name>"
QRetValRef(a) ::= "<ctx(a)>.<a.dict>.<a.name>"
/** How to translate $tokenLabel */
TokenRef(t) ::= "<ctx(t)>.<t.name>"
LabelRef(t) ::= "<ctx(t)>.<t.name>"
ListLabelRef(t) ::= "<ctx(t)>.<ListLabelName(t.name)>"
SetAttr(s,rhsChunks) ::= "<ctx(s)>.<s.name> = <rhsChunks>";

TokenLabelType() ::= "<file.TokenLabelType; null={Token}>"
InputSymbolType() ::= "<file.InputSymbolType; null={Token}>"

TokenPropertyRef_text(t) ::= "<ctx(t)>.<t.label>!=null?<ctx(t)>.<t.label>.getText():null"
TokenPropertyRef_type(t) ::= "<ctx(t)>.<t.label>!=null?<ctx(t)>.<t.label>.getType():0"

```

```

TokenPropertyRef_line(t) ::= "<ctx(t)>.<t.label>!=null?<ctx(t)>.<t.label>.getLine():0)"
TokenPropertyRef_pos(t) ::= "<ctx(t)>.<t.label>!=null?<ctx(t)>.<t.label>.getCharPositionInLine():0)"
TokenPropertyRef_channel(t) ::= "<ctx(t)>.<t.label>!=null?<ctx(t)>.<t.label>.getChannel():0)"
TokenPropertyRef_index(t) ::= "<ctx(t)>.<t.label>!=null?<ctx(t)>.<t.label>.getTokenIndex():0)"
TokenPropertyRef_int(t) ::= "<ctx(t)>.<t.label>!=null?Integer.valueOf(<ctx(t)>.<t.label>.getText()):0)"

RulePropertyRef_start(r) ::= "<ctx(r)>.<r.label>!=null?(<ctx(r)>.<r.label>.start):null)"
RulePropertyRef_stop(r) ::= "<ctx(r)>.<r.label>!=null?(<ctx(r)>.<r.label>.stop):null)"
RulePropertyRef_text(r) ::=
"<ctx(r)>.<r.label>!=null?_input.getText(<ctx(r)>.<r.label>.start,<ctx(r)>.<r.label>.stop):null)"
RulePropertyRef_ctx(r) ::= "<ctx(r)>.<r.label>"
RulePropertyRef_parser(r) ::= "this"

ThisRulePropertyRef_start(r) ::= "_localctx.start"
ThisRulePropertyRef_stop(r) ::= "_localctx.stop"
ThisRulePropertyRef_text(r) ::= "_input.getText(_localctx.start, _input.LT(-1))"
ThisRulePropertyRef_ctx(r) ::= "_localctx"
ThisRulePropertyRef_parser(r) ::= "this"

NonLocalAttrRef(s) ::= "(<s.ruleName; format=\"cap\">Context)getInvokingContext(<s.ruleIndex>).<s.name>"
SetNonLocalAttr(s, rhsChunks) ::=
"(<s.ruleName; format=\"cap\">Context)getInvokingContext(<s.ruleIndex>).<s.name> = <rhsChunks>;"

AddToLabelList(a) ::= "<ctx(a.label)>.<a.listName>.add(<labelref(a.label)>);"

TokenDecl(t) ::= "<TokenLabelType()> <t.name>"
TokenTypeDecl(t) ::= "int <t.name>;"
TokenListDecl(t) ::= "List<Token> <t.name> = new ArrayList<Token>()"
RuleContextDecl(r) ::= "<r.ctxName> <r.name>"
RuleContextListDecl(rdecl) ::= "List<<rdecl.ctxName>> <rdecl.name> = new ArrayList<<rdecl.ctxName>>()"

ContextTokenGetterDecl(t) ::=
"public TerminalNode <t.name>() { return getToken(<parser.name>.<t.name>, 0); }"
ContextTokenListGetterDecl(t) ::=
"public List<TerminalNode> <t.name>() { return getTokens(<parser.name>.<t.name>); }"
ContextTokenListIndexedGetterDecl(t) ::= <<
public TerminalNode <t.name>(int i) {
return getToken(<parser.name>.<t.name>, i);
}
>>
ContextRuleGetterDecl(r) ::= <<
public <r.ctxName> <r.name>() {
return getRuleContext(<r.ctxName>.class,0);
}
>>
ContextRuleListGetterDecl(r) ::= <<
public List<<r.ctxName>> <r.name>() {
return getRuleContexts(<r.ctxName>.class);
}

```

```

}
>>
ContextRuleListIndexedGetterDecl(r) ::= <<
public <r.ctxName> <r.name>(int i) {
    return getRuleContext(<r.ctxName>.class,i);
}
>>

LexerRuleContext() ::= "RuleContext"

/** The rule context name is the rule followed by a suffix; e.g.,
 * r becomes rContext.
 */
RuleContextNameSuffix() ::= "Context"

ImplicitTokenLabel(tokenName) ::= "<tokenName>"
ImplicitRuleLabel(ruleName) ::= "<ruleName>"
ImplicitSetLabel(id) ::= "_tset<id>"
ListLabelName(label) ::= "<label>"

CaptureNextToken(d) ::= "<d.varName> = _input.LT(1);"
CaptureNextTokenType(d) ::= "<d.varName> = _input.LA(1);"

StructDecl(struct,ctorAttrs,attrs,getters,dispatchMethods,interfaces,extensionMembers)
::= <<
public static class <struct.name> extends
<if(contextSuperClass)><contextSuperClass><else>ParserRuleContext<endif><if(interfaces)> implements
<interfaces; separator=", "><endif> {
<attrs:{a | public <a>;}; separator="\n">
<getters:{g | <g>;}; separator="\n">
<if(ctorAttrs)>public <struct.name>(ParserRuleContext parent, int invokingState) { super(parent, invokingState);
}<endif>
public <struct.name>(ParserRuleContext parent, int invokingState<ctorAttrs:{a | , <a>>}) {
    super(parent, invokingState);
<struct.ctorAttrs:{a | this.<a.name> = <a.name>;}; separator="\n">
}
@Override public int getRuleIndex() { return RULE_<struct.derivedFromName>; }
<if(struct.provideCopyFrom)><! don't need copy unless we have subclasses !>
public <struct.name>() { }
public void copyFrom(<struct.name> ctx) {
    super.copyFrom(ctx);
<struct.attrs:{a | this.<a.name> = ctx.<a.name>;}; separator="\n">
}
<endif>
<dispatchMethods; separator="\n">
<extensionMembers; separator="\n">
}
>>

```

```

AltLabelStructDecl(struct,attrs, getters,dispatchMethods) ::= <<
public static class <struct.name> extends <currentRule.name; format="cap">Context {
  <attrs:{ a | public <a>; }; separator="\n">
  <getters:{ g | <g>; }; separator="\n">
  public <struct.name>(<currentRule.name; format="cap">Context ctx) { copyFrom(ctx); }
  <dispatchMethods; separator="\n">
}
>>

```

```

ListenerDispatchMethod(method) ::= <<
@Override
public void <if(method.isEnter)>enter<else>exit<endif>Rule(ParseTreeListener listener) {
  if ( listener instanceof <parser.grammarName>Listener )
  ((<parser.grammarName>Listener)listener).<if(method.isEnter)>enter<else>exit<endif><struct.derivedFromName;
  format="cap">(this);
}
>>

```

```

VisitorDispatchMethod(method) ::= <<
@Override
public <T> T accept(ParseTreeVisitor<? extends T> visitor) {
  if ( visitor instanceof <parser.grammarName>Visitor ) return ((<parser.grammarName>Visitor<? extends
  T>)visitor).visit<struct.derivedFromName; format="cap">(this);
  else return visitor.visitChildren(this);
}
>>

```

```

AttributeDecl(d) ::= "<d.type> <d.name><if(d.initValue)> = <d.initValue><endif>"

```

```

/** If we don't know location of label def x, use this template */
labelref(x) ::= "<if(!x.isLocal)>(<x.ctx.name>)_localctx.<endif><x.name>"

```

```

/** For any action chunk, what is correctly-typed context struct ptr? */
ctx(actionChunk) ::= "(<actionChunk.ctx.name>)_localctx"

```

```

// used for left-recursive rules
recRuleAltPredicate(ruleName,opPrec) ::= "precpred(_ctx, <opPrec>)"
recRuleSetReturnAction(src,name) ::= "$<name>=<src>.<name>;"
recRuleSetStopToken() ::= "_ctx.stop = _input.LT(-1);"

```

```

recRuleAltStartAction(ruleName, ctxName, label, isListLabel) ::= <<
  _localctx = new <ctxName>Context(_parentctx, _parentState);
  <if(label)>
  <if(isListLabel)>
  _localctx.<label>.add(_prevctx);
  <else>
  _localctx.<label> = _prevctx;

```

```

<endif>
<endif>
<if(label)>_localctx.<label> = _prevctx;<endif>
pushNewRecursionContext(_localctx, _startState, RULE_<ruleName>);
>>

recRuleLabeledAltStartAction(ruleName, currentAltLabel, label, isListLabel) ::= <<
_localctx = new <currentAltLabel; format="cap">Context(new <ruleName; format="cap">Context(_parentctx,
_parentState));
<if(label)>
<if(isListLabel)>
((<currentAltLabel; format="cap">Context)_localctx).<label>.add(_prevctx);
<else>
((<currentAltLabel; format="cap">Context)_localctx).<label> = _prevctx;
<endif>
<endif>
pushNewRecursionContext(_localctx, _startState, RULE_<ruleName>);
>>

recRuleReplaceContext(ctxName) ::= <<
_localctx = new <ctxName>Context(_localctx);
_ctx = _localctx;
_prevctx = _localctx;
>>

recRuleSetPrevCtx() ::= <<
if ( _parseListeners!=null ) triggerExitRuleEvent();
_prevctx = _localctx;
>>

LexerFile(lexerFile, lexer, namedActions) ::= <<
<fileHeader(lexerFile.grammarFileName, lexerFile.ANTLRVersion)>
<if(lexerFile.genPackage)>
package <lexerFile.genPackage>;
<endif>
<namedActions.header>
import org.antlr.v4.runtime.Lexer;
import org.antlr.v4.runtime.CharStream;
import org.antlr.v4.runtime.Token;
import org.antlr.v4.runtime.TokenStream;
import org.antlr.v4.runtime.*;
import org.antlr.v4.runtime.atn.*;
import org.antlr.v4.runtime.dfa.DFA;
import org.antlr.v4.runtime.misc.*;

<lexer>
>>

```

```

Lexer(lexer, atn, actionFuncs, sempredFuncs, superClass) ::= <<
@SuppressWarnings({"all", "warnings", "unchecked", "unused", "cast"})
public class <lexer.name> extends <superClass; null="Lexer"> {
    static { RuntimeMetaData.checkVersion("<lexerFile.ANTLRVersion>", RuntimeMetaData.VERSION); }

    protected static final DFA[] _decisionToDFA;
    protected static final PredictionContextCache _sharedContextCache =
        new PredictionContextCache();
    <if(lexer.tokens)>
    public static final int
        <lexer.tokens:{k | <k>=<lexer.tokens.(k)>}; separator=", ", wrap, anchor>;
    <endif>
    <if(lexer.channels)>
    public static final int
        <lexer.channels:{c | <c>=<lexer.channels.(c)>}; separator=", ", wrap, anchor>;
    <endif>
    <if(rest(lexer.modes)>
    public static final int
        <rest(lexer.modes){m | <m>=<i>}; separator=", ", wrap, anchor>;
    <endif>
    public static String[] channelNames = {
        "DEFAULT_TOKEN_CHANNEL", "HIDDEN"<if (lexer.channels)>, <lexer.channels:{c | "<c>"}; separator=", ",
wrap, anchor><endif>
    };

    public static String[] modeNames = {
        <lexer.modes:{m | "<m>"}; separator=", ", wrap, anchor>
    };

    public static final String[] ruleNames = {
        <lexer.ruleNames:{r | "<r>"}; separator=", ", wrap, anchor>
    };

    <vocabulary(lexer.literalNames, lexer.symbolicNames)>

    <namedActions.members>

    public <lexer.name>(CharStream input) {
        super(input);
        _interp = new LexerATNSimulator(this, _ATN, _decisionToDFA, _sharedContextCache);
    }

    @Override
    public String getGrammarFileName() { return "<lexer.grammarFileName>"; }

    @Override
    public String[] getRuleNames() { return ruleNames; }

```

```
@Override
public String getSerializedATN() { return _serializedATN; }
```

```
@Override
public String[] getChannelNames() { return channelNames; }
```

```
@Override
public String[] getModeNames() { return modeNames; }
```

```
@Override
public ATN getATN() { return _ATN; }
```

```
<dumpActions(lexer, "", actionFuncs, sempredFuncs)>
<atn>
}
>>
```

```
SerializedATN(model) ::= <<
<if(rest(model.segments))>
<! requires segmented representation !>
private static final int _serializedATNSegments = <length(model.segments)>;
<model.segments:{segment|private static final String _serializedATNSegment<i0> =
"<segment; wrap={"+<\n><\t>"}>"; separator="\n">
public static final String _serializedATN = Utils.join(
new String[] {
<model.segments:{segment | _serializedATNSegment<i0>}; separator=",\n">
},
""
);
<else>
<! only one segment, can be inlined !>
public static final String _serializedATN =
"<model.serialized; wrap={"+<\n><\t>"}>";
<endif>
public static final ATN _ATN =
new ATNDeserializer().deserialize(_serializedATN.toCharArray());
static {
_decisionToDFA = new DFA[_ATN.getNumberOfDecisions()];
for (int i = 0; i < _ATN.getNumberOfDecisions(); i++) {
_decisionToDFA[i] = new DFA(_ATN.getDecisionState(i), i);
}
<! org.antlr.v4.tool.DOTGenerator dot = new org.antlr.v4.tool.DOTGenerator(null);!>
<! System.out.println(dot.getDOT(_ATN.decisionToState.get(0), ruleNames, false));!>
<! System.out.println(dot.getDOT(_ATN.ruleToStartState[2], ruleNames, false));!>
}
>>
```



```
/** Using a type to init value map, try to init a type; if not in table
 * must be an object, default value is "null".
 */
initValue(typeName) ::= <<
<javaTypeInitMap.(typeName)>
>>
```

```
codeFileExtension() ::= ".java"
```

Found in path(s):

```
* /opt/cola/permits/1340076373_1654764617.9754713/0/antlr4-4-7-1-5-
jar/org/antlr/v4/tool/templates/codegen/Java/Java.stg
```

No license file was found, but licenses were detected in source scan.

```
/*
 * [The "BSD license"]
 * Copyright (c) 2012-2016 Terence Parr
 * Copyright (c) 2012-2016 Sam Harwell
 * Copyright (c) 2015 Janyou
 * All rights reserved.
 *
 * Redistribution and use in source and binary forms, with or without
 * modification, are permitted provided that the following conditions
 * are met:
 *
 * 1. Redistributions of source code must retain the above copyright
 * notice, this list of conditions and the following disclaimer.
 * 2. Redistributions in binary form must reproduce the above copyright
 * notice, this list of conditions and the following disclaimer in the
 * documentation and/or other materials provided with the distribution.
 * 3. The name of the author may not be used to endorse or promote products
 * derived from this software without specific prior written permission.
 *
 * THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR
 * IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
 * OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.
 * IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,
 * INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT
 * NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
 * DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
 * THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
 * (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF
 * THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
 */
```

```
SwiftTypeInitMap ::= [
  "Int": "0",
  "Int64": "0",
```

```

"Float": "0.0",
"Double": "0.0",
"Bool": "false",
default: "nil" // anything other than a primitive type is an object
]
SwiftTypeMap ::= [
  "int": "Int",
  "float": "Float",
  "long": "Int64",
  "double": "Double",
  "bool": "Bool",
  "boolean": "Bool",
  default : key
]
// args must be <object-model-object>, <fields-resulting-in-STs>

```

```

accessLevelOpenOK(obj) ::= "<obj.accessLevel; null=\\"open\\">"
accessLevelNotOpen(obj) ::= "<obj.accessLevel; null=\\"public\\">"

```

```

ParserFile(file, parser, namedActions, contextSuperClass) ::= <<
<fileHeader(file.grammarFileName, file.ANTLRVersion)>
<if(file.genPackage)>
<!package <file.genPackage>;!>
<endif>
<namedActions.header>
import Antlr4

<parser>
>>

```

```

ListenerFile(file, header, namedActions) ::= <<
<fileHeader(file.grammarFileName, file.ANTLRVersion)>
<if(file.genPackage)>
<!package <file.genPackage>;!>
<endif>
<header>
import Antlr4

```

```

/**
 * This interface defines a complete listener for a parse tree produced by
 * { @link <file.parserName> }.
 */
<accessLevelNotOpen(file)> protocol <file.grammarName>Listener: ParseTreeListener {
  <file.listenerNames: {lname |
/**
<if(file.listenerLabelRuleNames.(lname))>
 * Enter a parse tree produced by the { @code <lname>}
 * labeled alternative in { @link <file.parserName>#<file.listenerLabelRuleNames.(lname)>} }.

```

```

<else>
* Enter a parse tree produced by { @link <file.parserName>#<lname>\}.
<endif>
- Parameters:
- ctx: the parse tree
*/
func enter<lname; format="cap">(_ ctx: <file.parserName>.<lname; format="cap">Context)
/**
<if(file.listenerLabelRuleNames.(lname))>
* Exit a parse tree produced by the { @code <lname>\}
* labeled alternative in { @link <file.parserName>#<file.listenerLabelRuleNames.(lname)>\}.
<else>
* Exit a parse tree produced by { @link <file.parserName>#<lname>\}.
<endif>
- Parameters:
- ctx: the parse tree
*/
func exit<lname; format="cap">(_ ctx: <file.parserName>.<lname; format="cap">Context); separator="\n">
}
>>

```

```

BaseListenerFile(file, header, namedActions) ::= <<
<fileHeader(file.grammarFileName, file.ANTLRVersion)>
<if(file.genPackage)>
<!package <file.genPackage>;!>
<endif>
<header>

```

```
import Antlr4
```

```

/**
* This class provides an empty implementation of { @link <file.grammarName>Listener},
* which can be extended to create a listener which only needs to handle a subset
* of the available methods.
*/
<accessLevelOpenOK(file)> class <file.grammarName>BaseListener: <file.grammarName>Listener {
  <accessLevelNotOpen(file)> init() { \}
  <file.listenerNames:{lname |

/**
* { @inheritDoc\}
*
* \<p>The default implementation does nothing.\</p>
*/
<accessLevelOpenOK(file)> func enter<lname; format="cap">(_ ctx: <file.parserName>.<lname;
format="cap">Context) { \}
/**

```

```

* { @inheritDoc\}
*
* \<p>The default implementation does nothing.\</p>
*/
<accessLevelOpenOK(file)> func exit<lname; format="cap">(_ ctx: <file.parserName>.<lname;
format="cap">Context) { \}); separator="\n">

/**
* { @inheritDoc\}
*
* \<p>The default implementation does nothing.\</p>
*/
<accessLevelOpenOK(file)> func enterEveryRule(_ ctx: ParserRuleContext) { }
/**
* { @inheritDoc\}
*
* \<p>The default implementation does nothing.\</p>
*/
<accessLevelOpenOK(file)> func exitEveryRule(_ ctx: ParserRuleContext) { }
/**
* { @inheritDoc\}
*
* \<p>The default implementation does nothing.\</p>
*/
<accessLevelOpenOK(file)> func visitTerminal(_ node: TerminalNode) { }
/**
* { @inheritDoc\}
*
* \<p>The default implementation does nothing.\</p>
*/
<accessLevelOpenOK(file)> func visitErrorNode(_ node: ErrorNode) { }
}
>>

```

```

VisitorFile(file, header, namedActions) ::= <<
<fileHeader(file.grammarFileName, file.ANTLRVersion)>
<if(file.genPackage)>
<!package <file.genPackage>;!>
<endif>
<header>
import Antlr4

/**
* This interface defines a complete generic visitor for a parse tree produced
* by { @link <file.parserName> }.
*
* @param \<T> The return type of the visit operation. Use { @link Void } for
* operations with no return type.

```

```

*/
<accessLevelOpenOK(file)> class <file.grammarName>Visitor<T>: ParseTreeVisitor<T> {
  <file.visitorNames:{ lname |
/**
<if(file.visitorLabelRuleNames.(lname))>
* Visit a parse tree produced by the { @code <lname>}
* labeled alternative in { @link <file.parserName>#<file.visitorLabelRuleNames.(lname)>}.
<else>
* Visit a parse tree produced by { @link <file.parserName>#<lname>}.
<endif>
- Parameters:
- ctx: the parse tree
- returns: the visitor result
*/
<accessLevelOpenOK(file)> func visit<lname; format="cap">(_ ctx: <file.parserName>.<lname;
format="cap">Context) -> T {
  fatalError(#function + " must be overridden")
  \}
  }; separator="\n">
  }
  >>

```

```

BaseVisitorFile(file, header, namedActions) ::= <<
<fileHeader(file.grammarFileName, file.ANTLRVersion)>
<if(file.genPackage)>
<!package <file.genPackage>;!>
<endif>
<header>
import Antlr4

```

```

/**
* This class provides an empty implementation of { @link <file.grammarName>Visitor},
* which can be extended to create a visitor which only needs to handle a subset
* of the available methods.
*
* @param <T> The return type of the visit operation. Use { @link Void} for
* operations with no return type.
*/
<accessLevelOpenOK(file)> class <file.grammarName>BaseVisitor<T>: AbstractParseTreeVisitor<T> {
  <file.visitorNames:{ lname |
/**
* { @inheritDoc\}
*
* \<p>The default implementation returns the result of calling
* { @link #visitChildren\} on { @code ctx\}.\</p>
*/
<accessLevelOpenOK(file)> func visit<lname; format="cap">(_ ctx: <file.parserName>.<lname;
format="cap">Context) -> T? { return visitChildren(ctx) \}; separator="\n">

```

```

}
>>

fileHeader(grammarFileName, ANTLRVersion) ::= <<
// Generated from <grammarFileName; format="java-escape"> by ANTLR <ANTLRVersion>
>>

Parser(parser, funcs, atn, sempredFuncs, superClass) ::= <<
<Parser_(ctor="parser_ctor", ...)>
>>

Parser_(parser, funcs, atn, sempredFuncs, ctor, superClass) ::= <<
</*!@SuppressWarnings({"all", "warnings", "unchecked", "unused", "cast"})!>
<accessLevelOpenOK(parser)> class <parser.name>: <superClass; null="Parser"> {

internal static var _decisionToDFA: [DFA] = {
    var decisionToDFA = [DFA]()
    let length = <parser.name>._ATN.getNumberOfDecisions()
    for i in 0..\<length {
        </*! decisionToDFA[i] = DFA(<parser.name>._ATN.getDecisionState(i)!, i)!>
        decisionToDFA.append(DFA(<parser.name>._ATN.getDecisionState(i)!, i))
    }
    return decisionToDFA
}()

internal static let _sharedContextCache = PredictionContextCache()

<if(parser.tokens)>
<accessLevelNotOpen(parser)>
enum Tokens: Int {
case EOF = -1, <parser.tokens:{k | <k> = <parser.tokens.(k)>}; separator=", ", wrap, anchor>
}
<endif>

<accessLevelNotOpen(parser)>
static let <parser.rules:{r | RULE_<r.name> = <r.index>}; separator=", ", wrap, anchor>

<accessLevelNotOpen(parser)>
static let ruleNames: [String] = [
<parser.ruleNames:{r | "<r>"}; separator=", ", wrap, anchor>
]

<vocabulary(parser.literalNames, parser.symbolicNames,
    accessLevelNotOpen(parser))>

override <accessLevelOpenOK(parser)>
func getGrammarFileName() -> String { return "<parser.grammarFileName; format="java-escape">" }

```

```

override <accessLevelOpenOK(parser)>
func getRuleNames() -> [String] { return <parser.name>.ruleNames }

override <accessLevelOpenOK(parser)>
func getSerializedATN() -> String { return <parser.name>._serializedATN }

override <accessLevelOpenOK(parser)>
func getATN() -> ATN { return <parser.name>._ATN }

<namedActions.members>
<parser:(ctor)()>
<funcs; separator="\n">

<if(sempredFuncs)>
override <accessLevelOpenOK(parser)>
func sempred(_ localctx: RuleContext?, _ ruleIndex: Int, _ predIndex: Int)throws -> Bool {
switch (ruleIndex) {
<parser.sempredFuncs.values:{f}
case <f.ruleIndex>:
return try <f.name>_sempred(_ localctx?.castdown(<f.ctxType>.self), predIndex)); separator="\n">
default: return true
}
<!return true;!>
}
<sempredFuncs.values; separator="\n">
<endif>

<atn>

<accessLevelNotOpen(parser)>
static let _serializedATN = <parser.name>ATN().jsonString

<accessLevelNotOpen(parser)>
static let _ATN = ATNDeserializer().deserializeFromJson(_serializedATN)
}
>>

vocabulary(literalNames, symbolicNames, accessLevel) ::= <<
private static let _LITERAL_NAMES: [String?] = [
<literalNames:{t | <t>}; null="nil", separator=", ", wrap, anchor>
]
private static let _SYMBOLIC_NAMES: [String?] = [
<symbolicNames:{t | <t>}; null="nil", separator=", ", wrap, anchor>
]
<accessLevel>
static let VOCABULARY = Vocabulary(_LITERAL_NAMES, _SYMBOLIC_NAMES)
>>

```

```

dumpActions(recog, argFuncs, actionFuncs, sempredFuncs) ::= <<
<if(actionFuncs)>
override <accessLevelOpenOK(parser)>
func action(_ _localctx: RuleContext?, _ ruleIndex: Int, _ actionIndex: Int) throws {
switch (ruleIndex) {
<recog.actionFuncs.values: {f}
case <f.ruleIndex>:
<f.name>_action((_ localctx as <f.ctxType>?), actionIndex)
}; separator="\n">
default: break
}
}
<actionFuncs.values; separator="\n">
<endif>
<if(sempredFuncs)>
override <accessLevelOpenOK(parser)>
func sempred(_ _localctx: RuleContext?, _ ruleIndex: Int, _ predIndex: Int) throws -> Bool {
switch (ruleIndex) {
<recog.sempredFuncs.values: {f}
case <f.ruleIndex>:
return try <f.name>_sempred(_ localctx?.castdown(<f.ctxType>.self), predIndex); separator="\n">
default: return true
}
<!return true;!>
}
<sempredFuncs.values; separator="\n">
<endif>
>>

parser_ctor(p) ::= <<

override <accessLevelOpenOK(parser)>
func getVocabulary() -> Vocabulary {
return <p.name>.VOCABULARY
}

override <accessLevelNotOpen(parser)>
init(_ input:TokenStream) throws {
RuntimeMetaData.checkVersion("4.7.1", RuntimeMetaData.VERSION)
try super.init(input)
_interp = ParserATNSimulator(self,<p.name>._ATN,<p.name>._decisionToDFA,
<p.name>._sharedContextCache)
}

>>

/* This generates a private method since the actionIndex is generated, making an
* overriding implementation impossible to maintain.

```



```

*/
RuleActionFunction(r, actions) ::= <<
private func <r.name>_action(_ _localctx: <r.ctxType>?, _ actionIndex: Int) {
  switch (actionIndex) {
    <actions:{index|
  case <index>:
    <actions.(index)>
    }; separator="\n">
    default: break
  }
}
>>

/* This generates a private method since the predIndex is generated, making an
* overriding implementation impossible to maintain.
*/
RuleSempredFunction(r, actions) ::= <<
private func <r.name>_sempred(_ _localctx: <r.ctxType>!, _ predIndex: Int) throws -> Bool {
  switch (predIndex) {
    <actions:{index|
    case <index>:return <actions.(index)>; separator="\n">
    default: return true
  }
  <!return true;!>
}
>>

RuleFunction(currentRule,args,code,locals,ruleCtx,altLabelCtxs,namedActions,finallyAction,postamble,exceptions)
::= <<
<ruleCtx>
<altLabelCtxs:{l | <altLabelCtxs.(l)>; separator="\n">
@discardableResult
<if(currentRule.modifiers)><currentRule.modifiers:{f | <f> }><else> <accessLevelOpenOK(parser)> func
<endif><currentRule.name><(if(first(args))>_<endif><args; separator=", _">) throws -> <currentRule.ctxType> {
var _localctx: <currentRule.ctxType> = <currentRule.ctxType>(_ctx, getState())<currentRule.args:{a | ,
<a.name>}>>
try enterRule(_localctx, <currentRule.startState>, <parser.name>.RULE_<currentRule.name>)
<namedActions.init>
<locals; separator="\n">
defer {
  <finallyAction>
  try! exitRule()
}
do {
<if(currentRule.hasLookaheadBlock)>
var _alt:Int
<endif>
<code>

```

```

<postamble; separator="\n">
  <namedActions.after>
}
<if(exceptions)>
<exceptions; separator="\n">
<else>
catch ANTLRException.recognition(let re) {
  _localctx.exception = re
  _errHandler.reportError(self, re)
  try _errHandler.recover(self, re)
}
<endif>

return _localctx
}
>>

LeftRecursiveRuleFunction(currentRule,args,code,locals,ruleCtx,altLabelCtxs,
  namedActions,finallyAction,postamble) ::=
<<

<ruleCtx>
<altLabelCtxs:{l | <altLabelCtxs.(l)>}; separator="\n">

<if(currentRule.modifiers)><currentRule.modifiers:{f | <f> }><else> <accessLevelNotOpen(parser)> final <endif>
func <currentRule.name>(<if(first(args))>_ <endif><args; separator=", _">) throws -> <currentRule.ctxType> {
  return try <currentRule.name>(0<currentRule.args:{a | , <a.name>}>)
}
@discardableResult
private func <currentRule.name>(_ _p<args:{a | , <a>}>: Int) throws -> <currentRule.ctxType> {
  let _parentctx: ParserRuleContext? = _ctx
  var _parentState: Int = getState()
  var _localctx: <currentRule.ctxType> = <currentRule.ctxType>(_ctx, _parentState<currentRule.args:{a | ,
  <a.name>}>)
  var _prevctx: <currentRule.ctxType> = _localctx
  var _startState: Int = <currentRule.startState>
  try enterRecursionRule(_localctx, <currentRule.startState>, <parser.name>.RULE_<currentRule.name>, _p)
  <namedActions.init>
  <locals; separator="\n">
  defer {
    <finallyAction>
    try! unrollRecursionContexts(_parentctx)
  }
  do {
  <if(currentRule.hasLookaheadBlock)>
    var _alt: Int
  <endif>
  <code>

```

```

    <postamble; separator="\n">
    <namedActions.after>
  }
  catch ANTLRException.recognition(let re) {
    _localctx.exception = re
    _errHandler.reportError(self, re)
    try _errHandler.recover(self, re)
  }

  return _localctx;
}
>>

```

```

CodeBlockForOuterMostAlt(currentOuterMostAltCodeBlock, locals, preamble, ops) ::= <<
<if(currentOuterMostAltCodeBlock.altLabel)>_localctx = <currentOuterMostAltCodeBlock.altLabel;
format="cap">Context(_localctx);<endif>
try enterOuterAlt(_localctx, <currentOuterMostAltCodeBlock.alt.altNum>)
<CodeBlockForAlt(currentAltCodeBlock=currentOuterMostAltCodeBlock, ...)>
>>

```

```

CodeBlockForAlt(currentAltCodeBlock, locals, preamble, ops) ::= <<
<!/{!>
<locals; separator="\n">
<preamble; separator="\n">
<ops; separator="\n">
<!/{!>
>>

```

```

LL1AltBlock(choice, preamble, alts, error) ::= <<
setState(<choice.stateNumber>)
try _errHandler.sync(self)
<if(choice.label)><labelref(choice.label)> = try _input.LT(1)<endif>
<preamble; separator="\n">
switch (<parser.name>.Tokens(rawValue: try _input.LA(1))!) {
<choice.altLook,alts:{look,alt | <cases(ttypes=look)>
  <alt>
  break }; separator="\n">
default:
  <error>
}
>>

```

```

LL1OptionalBlock(choice, alts, error) ::= <<
setState(<choice.stateNumber>)
try _errHandler.sync(self)
switch (<parser.name>.Tokens(rawValue: try _input.LA(1))!) {
<choice.altLook,alts:{look,alt | <cases(ttypes=look)>
  <alt>

```

```

break }; separator="\n">
default:
break
}
>>

```

```

LL1OptionalBlockSingleAlt(choice, expr, alts, preamble, error, followExpr) ::= <<
setState(<choice.stateNumber>)
try _errHandler.sync(self)
<preamble; separator="\n">
if (<expr>) {
<alts; separator="\n">
}
<!else if ( !(<followExpr>) ) <error>!>
>>

```

```

LL1StarBlockSingleAlt(choice, loopExpr, alts, preamble, iteration) ::= <<
setState(<choice.stateNumber>)
try _errHandler.sync(self)
<preamble; separator="\n">
while (<loopExpr>) {
<alts; separator="\n">
setState(<choice.loopBackStateNumber>)
try _errHandler.sync(self)
<iteration>
}
>>

```

```

LL1PlusBlockSingleAlt(choice, loopExpr, alts, preamble, iteration) ::= <<
setState(<choice.blockStartStateNumber>) <! alt block decision !>
try _errHandler.sync(self)
<preamble; separator="\n">
repeat {
<alts; separator="\n">
setState(<choice.stateNumber>); <! loopback/exit decision !>
try _errHandler.sync(self)
<iteration>
} while (<loopExpr>)
>>

```

```
// LL(*) stuff
```

```

AltBlock(choice, preamble, alts, error) ::= <<
setState(<choice.stateNumber>)
try _errHandler.sync(self)
<if(choice.label)><labelref(choice.label)> = try _input.LT(1)<endif>
<preamble; separator="\n">
switch(try getInterpreter().adaptivePredict(_input,<choice.decision>, _ctx)) {

```

```

<alts:{alt |
case <i>:
  <alt>
break}; separator="\n">
default: break
}
>>

```

```

OptionalBlock(choice, alts, error) ::= <<
  setState(<choice.stateNumber>)
  try _errHandler.sync(self)
  switch (try getInterpreter().adaptivePredict(_input,<choice.decision>,_ctx)) {
  <alts:{alt |
case <i><if(!choice.ast.greedy)>+1<endif>:
  <alt>
break}; separator="\n">
default: break
}
>>

```

```

StarBlock(choice, alts, sync, iteration) ::= <<
  setState(<choice.stateNumber>)
  try _errHandler.sync(self)
  _alt = try getInterpreter().adaptivePredict(_input,<choice.decision>,_ctx)
  while (_alt != <choice.exitAlt> && _alt != ATN.INVALID_ALT_NUMBER) {
  if ( _alt==1<if(!choice.ast.greedy)>+1<endif> ) {
  <iteration>
  <alts> <! should only be one !>
  }
  setState(<choice.loopBackStateNumber>)
  try _errHandler.sync(self)
  _alt = try getInterpreter().adaptivePredict(_input,<choice.decision>,_ctx)
  }
>>

```

```

PlusBlock(choice, alts, error) ::= <<
  setState(<choice.blockStartStateNumber>); <! alt block decision !>
  try _errHandler.sync(self)
  _alt = 1<if(!choice.ast.greedy)>+1<endif>;
  repeat {
  switch (_alt) {
  <alts:{alt|
case <i><if(!choice.ast.greedy)>+1<endif>:
  <alt>
break}; separator="\n">
default:
  <error>
}

```

```

setState(<choice.loopBackStateNumber>); <! loopback/exit decision !>
try_errHandler.sync(self)
_alt = try getInterpreter().adaptivePredict(_input,<choice.decision>,_ctx)
} while (_alt != <choice.exitAlt> && _alt != ATN.INVALID_ALT_NUMBER)
>>

Sync(s) ::= "sync(<s.expecting.name>);"

ThrowNoViableAlt(t) ::= "throw ANTLRException.recognition(e: NoViableAltException(self))"

TestSetInline(s) ::= <<
<!<s.bitsets: {bits | <if(rest(rest(bits.ttypes)))><bitsetBitfieldComparison(s, bits)><else><bitsetInlineComparison(s,
bits)><endif>} ; separator=" | ">!>
//closure
{ () -> Bool in
    <if(rest(s.bitsets)>var<else>let<endif> testSet: Bool = <first(s.bitsets): {bits |
<if(rest(rest(bits.ttypes)))><bitsetBitfieldComparison(s, bits)><else><bitsetInlineComparison(s, bits)><endif>}>
    <rest(s.bitsets): {bits | testSet = testSet | <if(rest(rest(bits.ttypes)))><bitsetBitfieldComparison(s,
bits)><else><bitsetInlineComparison(s, bits)><endif>} ; separator="\n">
    return testSet
}()
>>

// Java language spec 15.19 - shift operators mask operands rather than overflow to 0... need range test
testShiftInRange(shiftAmount) ::= <<
((<shiftAmount>) & ~0x3f) == 0
>>

// produces smaller bytecode only when bits.ttypes contains more than two items
bitsetBitfieldComparison(s, bits) ::= <<
<!(<testShiftInRange({<offsetShift(s.varName, bits.shift)>})> && ((1 \<< <offsetShift(s.varName, bits.shift)>) &
(<bits.ttypes: {ttype | (1 \<< <offsetShift(ttype, bits.shift)>)} ; separator=" | ">)) != 0)!>
{ () -> Bool in
    <! let test: Bool = (<testShiftInRange({<offsetShift(s.varName, bits.shift)>})>)>!>
    <!var temp: Int64 = Int64(<offsetShift(s.varName, bits.shift)>)>!>
    <!temp = (temp \< 0) ? (64 + (temp % 64)) : (temp % 64)>!>
    <!let test1: Int64 = (Int64(1) \<< temp)>!>
    <!var test2: Int64 = (<first(bits.ttypes): {ttype | Utils.bitLeftShift(<offsetShift(parserName(ttype), bits.shift)>)}>)>!>
    <!<rest(bits.ttypes): {ttype | test2 = test2 | Utils.bitLeftShift(<offsetShift(parserName(ttype), bits.shift)>)}>);
separator="\n">!>
    let testArray: [Int] = [<s.varName>, <bits.ttypes: {ttype |<parserName(ttype)>} ; separator=", ">]
    <!var test2: Int64 = Utils.testBitLeftShiftArray(testArray)>!>
    return Utils.testBitLeftShiftArray(testArray, <bits.shift>)
}()
>>

isZero ::= [
"0": true,

```

```

default: false
]
parserName(ttype) ::= <%
<parser.name>.Tokens.<ttype>.rawValue
%>
offsetShift(shiftAmount, offset) ::= <%
<if(!isZero.(offset))><shiftAmount> - <offset><else><shiftAmount><endif>
%>

// produces more efficient bytecode when bits.ttypes contains at most two items
bitsetInlineComparison(s, bits) ::= <%
<bits.ttypes: {ttype | <s.varName> == <parser.name>.Tokens.<ttype>.rawValue}; separator=" || ">
%>

cases(ttypes) ::= <<
<trunc(ttypes): {t | case .<t>:fallthrough} ; separator="\n">
<last(ttypes): {t | case .<t>:} ; separator="\n">
>>

InvokeRule(r, argExprsChunks) ::= <<
setState(<r.stateNumber>)
<if(r.labels)>
try {
  let assignmentValue = try
<r.name><(if(r.ast.options.p)><r.ast.options.p><if(argExprsChunks)>,<endif><endif><argExprsChunks>
  <r.labels: {l | <labelref(l)> = assignmentValue} ; separator="\n">
  }0
<else>try
<r.name><(if(r.ast.options.p)><r.ast.options.p><if(argExprsChunks)>,<endif><endif><argExprsChunks><endif>
>>

MatchToken(m) ::= <<
setState(<m.stateNumber>)
<if(m.labels)>
try {
  let assignmentValue = try match(<parser.name>.Tokens.<m.name>.rawValue)
  <m.labels: {l | <labelref(l)> = assignmentValue} ; separator="\n">
  }0
<else>try match(<parser.name>.Tokens.<m.name>.rawValue)<endif>
>>

MatchSet(m, expr, capture) ::= "<CommonSetStuff(m, expr, capture, false)>"

MatchNotSet(m, expr, capture) ::= "<CommonSetStuff(m, expr, capture, true)>"

CommonSetStuff(m, expr, capture, invert) ::= <<
setState(<m.stateNumber>)
<if(m.labels)><m.labels: {l | <labelref(l)> = }>try _input.LT(1)<endif>

```

```

<capture>
if (<if(invert)><m.varName> \<= 0 || <else>!<endif><expr>)) {
  <if(m.labels)><m.labels:{1 | <labelref(1)> = }><endif>try _errHandler.recoverInline(self)<if(m.labels)> as
  Token<endif>
}
else {
  _errHandler.reportMatch(self)
  try consume()
}
>>

```

```

Wildcard(w) ::= <<
  setState(<w.stateNumber>)
  <if(w.labels)><w.labels:{1 | <labelref(1)> = }><endif>try matchWildcard();
>>

```

```
// ACTION STUFF
```

```
Action(a, foo, chunks) ::= "<chunks>"
```

```
ArgAction(a, chunks) ::= "<chunks>"
```

```

SemPred(p, chunks, failChunks) ::= <<
  setState(<p.stateNumber>)
  if (!<chunks>)) {
    throw ANTLRException.recognition(e:FailedPredicateException(self, <p.predicate><if(failChunks)>,
    <failChunks><elseif(p.msg)>, <p.msg><endif>))
  }
>>

```

```

ExceptionClause(e, catchArg, catchAction) ::= <<
  catch (<catchArg>) {
    <catchAction>
  }
>>

```

```
// lexer actions are not associated with model objects
```

```
LexerSkipCommand() ::= "skip()"
```

```
LexerMoreCommand() ::= "more()"
```

```
LexerPopModeCommand() ::= "popMode()"
```

```
LexerTypeCommand(arg) ::= "_type = <arg>"
```

```
LexerChannelCommand(arg) ::= "_channel = <arg>"
```

```
LexerModeCommand(arg) ::= "_mode = <arg>"
```

```
LexerPushModeCommand(arg) ::= "pushMode(<arg>)"
```

```
ActionText(t) ::= "<t.text>"
```



```

ActionTemplate(t) ::= "<t.st>"
ArgRef(a) ::= "_localctx.<a.name>"
LocalRef(a) ::= "_localctx.<a.name>"
RetValRef(a) ::= "_localctx.<a.name>"
QRetValRef(a) ::= "<ctx(a)>.<a.dict>.<a.name>"
/** How to translate $tokenLabel */
TokenRef(t) ::= "<ctx(t)>.<t.name>"
LabelRef(t) ::= "<ctx(t)>.<t.name>"
ListLabelRef(t) ::= "<ctx(t)>.<ListLabelName(t.name)>"
SetAttr(s,rhsChunks) ::= "<ctx(s)>.<s.name> = <rhsChunks>"

TokenLabelType() ::= "<file.TokenLabelType; null={Token}>"
InputSymbolType() ::= "<file.InputSymbolType; null={Token}>"

TokenPropertyRef_text(t) ::= "(<ctx(t)>.<t.label> != nil ? <ctx(t)>.<t.label>!.getText()! : \"\")"
TokenPropertyRef_type(t) ::= "(<ctx(t)>.<t.label> != nil ? <ctx(t)>.<t.label>!.getType() : 0)"
TokenPropertyRef_line(t) ::= "(<ctx(t)>.<t.label> != nil ? <ctx(t)>.<t.label>!.getLine() : 0)"
TokenPropertyRef_pos(t) ::= "(<ctx(t)>.<t.label> != nil ? <ctx(t)>.<t.label>!.getCharPositionInLine() : 0)"
TokenPropertyRef_channel(t) ::= "(<ctx(t)>.<t.label> != nil ? <ctx(t)>.<t.label>!.getChannel() : 0)"
TokenPropertyRef_index(t) ::= "(<ctx(t)>.<t.label> != nil ? <ctx(t)>.<t.label>!.getTokenIndex() : 0)"
TokenPropertyRef_int(t) ::= "(<ctx(t)>.<t.label> != nil ? Int(<ctx(t)>.<t.label>!.getText()!) : 0)"

RulePropertyRef_start(r) ::= "(<ctx(r)>.<r.label> != nil ? (<ctx(r)>.<r.label>!.start?.description ?? \"\") : \"\")"
RulePropertyRef_stop(r) ::= "(<ctx(r)>.<r.label> != nil ? (<ctx(r)>.<r.label>!.stop?.description ?? \"\") : \"\")"
RulePropertyRef_text(r) ::= "(<ctx(r)>.<r.label> != nil ? try
_input.getText(<ctx(r)>.<r.label>!.start,<ctx(r)>.<r.label>!.stop) : \"\")"
RulePropertyRef_ctx(r) ::= "<ctx(r)>.<r.label>"
RulePropertyRef_parser(r) ::= "self"

ThisRulePropertyRef_start(r) ::= "_localctx.start"
ThisRulePropertyRef_stop(r) ::= "_localctx.stop"
ThisRulePropertyRef_text(r) ::= "(try _input.getText(_localctx.start, try _input.LT(-1)))"
ThisRulePropertyRef_ctx(r) ::= "_localctx"
ThisRulePropertyRef_parser(r) ::= "self"

NonLocalAttrRef(s) ::= "((<s.ruleName; format=\"cap\">Context)getInvokingContext(<s.ruleIndex>)).<s.name>"
SetNonLocalAttr(s, rhsChunks) ::=
"((<s.ruleName; format=\"cap\">Context)getInvokingContext(<s.ruleIndex>)).<s.name> = <rhsChunks>"

AddToLabelList(a) ::= "<ctx(a.label)>.<a.listName>.append(<labelref(a.label)>)"

TokenDecl(t) ::= "<t.name>: <SwiftTypeMap.(TokenLabelType)>!"
TokenTypeDecl(t) ::= "var <t.name>: Int = 0"
TokenListDecl(t) ::= "<t.name>: [Token] = [Token]()"
RuleContextDecl(r) ::= "<r.name>: <r.ctxName>!"
RuleContextListDecl(rdecl) ::= "<rdecl.name>: [<rdecl.ctxName>] = [<rdecl.ctxName>]()"

ContextTokenGetterDecl(t) ::= <<

```

```

<accessLevelOpenOK(parser)>
func <t.name>() -> TerminalNode? {
  return getToken(<parser.name>.Tokens.<t.name>.rawValue, 0)
}
>>
ContextTokenListGetterDecl(t) ::= <<
<accessLevelOpenOK(parser)>
func <t.name>() -> [TerminalNode] {
  return getToken(<parser.name>.Tokens.<t.name>.rawValue)
}
>>
ContextTokenListIndexedGetterDecl(t) ::= <<
<accessLevelOpenOK(parser)>
func <t.name>(_ i: Int) -> TerminalNode? {
  return getToken(<parser.name>.Tokens.<t.name>.rawValue, i)
}
>>
ContextRuleGetterDecl(r) ::= <<
<accessLevelOpenOK(parser)>
func <r.name>() -> <r.ctxName>? {
  return getRuleContext(<r.ctxName>.self, 0)
}
>>
ContextRuleListGetterDecl(r) ::= <<
<accessLevelOpenOK(parser)>
func <r.name>() -> [<r.ctxName>] {
  return getRuleContexts(<r.ctxName>.self)
}
>>
ContextRuleListIndexedGetterDecl(r) ::= <<
<accessLevelOpenOK(parser)>
func <r.name>(_ i: Int) -> <r.ctxName>? {
  return getRuleContext(<r.ctxName>.self, i)
}
>>

```

```

LexerRuleContext() ::= "RuleContext"

```

```

/** The rule context name is the rule followed by a suffix; e.g.,
 * r becomes rContext.
 */

```

```

RuleContextNameSuffix() ::= "Context"

```

```

ImplicitTokenLabel(tokenName) ::= "_<tokenName>"

```

```

ImplicitRuleLabel(ruleName) ::= "_<ruleName>"

```

```

ImplicitSetLabel(id) ::= "_tset<id>"

```

```

ListLabelName(label) ::= "<label>"

```

```
CaptureNextToken(d) ::= "<d.varName> = try _input.LT(1)"
```

```
CaptureNextTokenType(d) ::= "<d.varName> = try _input.LA(1)"
```

```
StructDecl(struct,ctorAttrs,attrs, getters,dispatchMethods,interfaces,extensionMembers,  
    superClass={ParserRuleContext}) ::= <<
```

```
<accessLevelNotOpen(parser)> class <struct.name>:
```

```
<if(contextSuperClass)><contextSuperClass><else>ParserRuleContext<endif><if(interfaces)>, <interfaces>;  
separator=", "><endif> {
```

```
<attrs:{a | <accessLevelOpenOK(parser)> var <a>}; separator="\n">
```

```
<getters:{g | <g>}; separator="\n">
```

```
<! <if(ctorAttrs)> <accessLevelNotOpen(parser)> init(_ parent: ParserRuleContext,_ invokingState: Int) {  
super.init(parent, invokingState) }<endif> !>
```

```
<if(ctorAttrs)>
```

```
<accessLevelNotOpen(parser)> convenience init(_ parent: ParserRuleContext?, _ invokingState: Int<ctorAttrs:{a |,  
_ <a>}>) {
```

```
self.init(parent, invokingState)
```

```
<struct.ctorAttrs:{a | self.<a.name> = <a.name>;}; separator="\n">
```

```
}
```

```
<endif>
```

```
override <accessLevelOpenOK(parser)>
```

```
func getRuleIndex() -> Int {
```

```
return <parser.name>.RULE_<struct.derivedFromName>
```

```
}
```

```
<if(struct.provideCopyFrom)> <! don't need copy unless we have subclasses !>
```

```
<! <accessLevelNotOpen(parser)> init() { }!>
```

```
<accessLevelOpenOK(parser)>
```

```
func copyFrom(_ ctx: <struct.name>) {
```

```
super.copyFrom(ctx)
```

```
<struct.attrs:{a | self.<a.name> = ctx.<a.name>;}; separator="\n">
```

```
}
```

```
<endif>
```

```
<dispatchMethods; separator="\n">
```

```
<extensionMembers; separator="\n">
```

```
}
```

```
>>
```

```
AltLabelStructDecl(struct,attrs, getters,dispatchMethods) ::= <<
```

```
<accessLevelNotOpen(parser)> class <struct.name>: <currentRule.name; format="cap">Context {
```

```
<attrs:{a | <accessLevelNotOpen(parser)> var <a>}; separator="\n">
```

```
<getters:{g | <g>}; separator="\n">
```

```
<accessLevelNotOpen(parser)>
```

```
init(_ ctx: <currentRule.name; format="cap">Context) {
```

```
super.init()
```

```
copyFrom(ctx)
```

```
}
```

```

<dispatchMethods; separator="\n">
}
>>

ListenerDispatchMethod(method) ::= <<
override <accessLevelOpenOK(parser)>
func <if(method.isEnter)>enter<else>exit<endif>Rule(_ listener: ParseTreeListener) {
if let listener = listener as? <parser.grammarName>Listener {
    listener.<if(method.isEnter)>enter<else>exit<endif><struct.derivedFromName; format="cap">(self)
}
}
>>

VisitorDispatchMethod(method) ::= <<
override <accessLevelOpenOK(parser)>
func accept<T>(<T>(_ visitor: ParseTreeVisitor<T>) -> T? {
if let visitor = visitor as? <parser.grammarName>Visitor {
    return visitor.visit<struct.derivedFromName; format="cap">(self)
}
else if let visitor = visitor as? <parser.grammarName>BaseVisitor {
    return visitor.visit<struct.derivedFromName; format="cap">(self)
}
else {
    return visitor.visitChildren(self)
}
}
>>

AttributeDecl(d) ::= "<d.name>: <SwiftTypeMap.(d.type)><if(d.initValue)> = <d.initValue><else>!<endif>"

/** If we don't know location of label def x, use this template (_localctx as! <x.ctx.name> */
labelref(x) ::= "<if(!x.isLocal)>_localctx.castdown(<x.ctx.name>.self).<endif><x.name>"

/** For any action chunk, what is correctly-typed context struct ptr? */
ctx(actionChunk) ::= "_localctx.castdown(<actionChunk.ctx.name>.self)"

// used for left-recursive rules
recRuleAltPredicate(ruleName,opPrec) ::= "precpred(_ctx, <opPrec>)"
recRuleSetReturnAction(src,name) ::= "$<name>=<src>.<name>"
recRuleSetStopToken() ::= "_ctx!.stop = try _input.LT(-1)"

recRuleAltStartAction(ruleName, ctxName, label, isListLabel) ::= <<
_localctx = <ctxName>Context(_parentctx, _parentState);
<if(label)>
<if(isListLabel)>
_localctx.<label>.append(_prevctx)
<else>
_localctx.<label> = _prevctx

```

```

<endif>
<endif>
<if(label)>_localctx.<label> = _prevctx;<endif>
try pushNewRecursionContext(_localctx, _startState, <parser.name>.RULE_<ruleName>)
>>

recRuleLabeledAltStartAction(ruleName, currentAltLabel, label, isListLabel) ::= <<
_localctx = <currentAltLabel; format="cap">Context( <ruleName; format="cap">Context(_parentctx,
_parentState))
<if(label)>
<if(isListLabel)>
(_localctx as! <currentAltLabel; format="cap">Context).<label>.append(_prevctx)
<else>
(_localctx as! <currentAltLabel; format="cap">Context).<label> = _prevctx
<endif>
<endif>
try pushNewRecursionContext(_localctx, _startState, <parser.name>.RULE_<ruleName>)
>>

recRuleReplaceContext(ctxName) ::= <<
_localctx = <ctxName>Context(_localctx)
_ctx = _localctx
_prevctx = _localctx
>>

recRuleSetPrevCtx() ::= <<
if _parseListeners != nil {
  try triggerExitRuleEvent()
}
_prevctx = _localctx
>>

LexerFile(lexerFile, lexer, namedActions) ::= <<
<fileHeader(lexerFile.grammarFileName, lexerFile.ANTLRVersion)>
<if(lexerFile.genPackage)>
<!package <lexerFile.genPackage>;!>
<endif>
<namedActions.header>
import Antlr4

<lexer>
>>

Lexer(lexer, atn, actionFuncs, sempredFuncs, superClass) ::= <<
<accessLevelOpenOK(lexer)> class <lexer.name>: <superClass; null="Lexer"> {

  internal static var _decisionToDFA: [DFA] = {
    var decisionToDFA = [DFA]()

```

```

let length = <lexer.name>._ATN.getNumberOfDecisions()
for i in 0..<length {
    <! decisionToDFA[i] = DFA(<lexer.name>._ATN.getDecisionState(i)!, i);!>
    decisionToDFA.append(DFA(<lexer.name>._ATN.getDecisionState(i)!, i))
}
return decisionToDFA
}()

```

```

internal static let _sharedContextCache = PredictionContextCache()

```

```

<accessLevelNotOpen(lexer)>

```

```

static let <lexer.tokens:{k | <k>=<lexer.tokens.(k)>} separator=", ", wrap, anchor>

```

```

<if(lexer.channels)>

```

```

<accessLevelNotOpen(lexer)>

```

```

static let <lexer.channels:{k | <k>=<lexer.channels.(k)>} separator=", ", wrap, anchor>

```

```

<endif>

```

```

<if(rest(lexer.modes))>

```

```

<accessLevelNotOpen(lexer)>

```

```

static let <rest(lexer.modes):{m | <m>=<i>} separator=", ", wrap, anchor>

```

```

<endif>

```

```

<accessLevelNotOpen(lexer)>

```

```

static let channelNames: [String] = [

```

```

    "DEFAULT_TOKEN_CHANNEL", "HIDDEN"<if (lexer.channels)>, <lexer.channels:{c | <c>} separator=", ",

```

```

wrap, anchor><endif>

```

```

]

```

```

<accessLevelNotOpen(lexer)>

```

```

static let modeNames: [String] = [

```

```

    <lexer.modes:{m | "<m>"} separator=", ", wrap, anchor>

```

```

]

```

```

<accessLevelNotOpen(lexer)>

```

```

static let ruleNames: [String] = [

```

```

    <lexer.ruleNames:{r | "<r>"} separator=", ", wrap, anchor>

```

```

]

```

```

<vocabulary(lexer.literalNames, lexer.symbolicNames,

```

```

    accessLevelNotOpen(lexer))>

```

```

<namedActions.members>

```

```

override <accessLevelOpenOK(lexer)>

```

```

func getVocabulary() -> Vocabulary {

```

```

    return <lexer.name>.VOCABULARY

```

```

}

```

```

<accessLevelNotOpen(lexer)>

```

```

required init(_ input: CharStream) {
    RuntimeMetaData.checkVersion("<lexerFile.ANTLRVersion>", RuntimeMetaData.VERSION)
    super.init(input)
    _interp = LexerATNSimulator(self, <lexer.name>._ATN, <lexer.name>._decisionToDFA,
<lexer.name>._sharedContextCache)
}

override <accessLevelOpenOK(lexer)>
func getGrammarFileName() -> String { return "<lexer.grammarFileName>" }

override <accessLevelOpenOK(lexer)>
func getRuleNames() -> [String] { return <lexer.name>.ruleNames }

override <accessLevelOpenOK(lexer)>
func getSerializedATN() -> String { return <lexer.name>._serializedATN }

override <accessLevelOpenOK(lexer)>
func getChannelNames() -> [String] { return <lexer.name>.channelNames }

override <accessLevelOpenOK(lexer)>
func getModeNames() -> [String] { return <lexer.name>.modeNames }

override <accessLevelOpenOK(lexer)>
func getATN() -> ATN { return <lexer.name>._ATN }

<dumpActions(lexer, "", actionFuncs, sempredFuncs)>
<atn>

<accessLevelNotOpen(lexer)>
static let _serializedATN: String = <lexer.name>ATN().jsonString

<accessLevelNotOpen(lexer)>
static let _ATN: ATN = ATNDeserializer().deserializeFromJson(_serializedATN)
}
>>

/** Don't need to define anything. The tool generates a XParserATN.swift file (and same for lexer)
 * which is referenced from static field _serializedATN. This json string is passed to
 * deserializeFromJson(). Note this is not the "serialization as array of ints" that other targets
 * do. It is more or less the output of ATNPrinter which gets read back in.
 */
SerializedATN(model) ::= <<
>>

/** Using a type to init value map, try to init a type; if not in table
 * must be an object, default value is "null".
 */
initValue(typeName) ::= <<

```

```
<SwiftTypeInitMap.(typeName)>
```

```
>>
```

```
codeFileExtension() ::= ".swift"
```

```
Found in path(s):
```

```
* /opt/cola/permits/1340076373_1654764617.9754713/0/antlr4-4-7-1-5-jar/org/antlr/v4/tool/templates/codegen/Swift/Swift.stg
```

```
No license file was found, but licenses were detected in source scan.
```

```
<!--
```

```
~ Copyright (c) 2012-2017 The ANTLR Project. All rights reserved.
```

```
~ Use of this file is governed by the BSD 3-clause license that
```

```
~ can be found in the LICENSE.txt file in the project root.
```

```
-->
```

```
Found in path(s):
```

```
* /opt/cola/permits/1340076373_1654764617.9754713/0/antlr4-4-7-1-5-jar/META-INF/maven/org.antlr/antlr4/pom.xml
```

```
No license file was found, but licenses were detected in source scan.
```

```
/*
```

```
* [The "BSD license"]
```

```
* Copyright (c) 2016, Mike Lischke
```

```
* All rights reserved.
```

```
*
```

```
* Redistribution and use in source and binary forms, with or without
```

```
* modification, are permitted provided that the following conditions
```

```
* are met:
```

```
*
```

```
* 1. Redistributions of source code must retain the above copyright
```

```
* notice, this list of conditions and the following disclaimer.
```

```
* 2. Redistributions in binary form must reproduce the above copyright
```

```
* notice, this list of conditions and the following disclaimer in the
```

```
* documentation and/or other materials provided with the distribution.
```

```
* 3. The name of the author may not be used to endorse or promote products
```

```
* derived from this software without specific prior written permission.
```

```
*
```

```
* THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR
```

```
* IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
```

```
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.
```

```
* IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,
```

```
* INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT
```

```
* NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
```

```
* DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
```

```
* THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
```

```
* (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF
```

```
* THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
```



\*/

Found in path(s):

\* /opt/cola/permits/1340076373\_1654764617.9754713/0/antlr4-4-7-1-5-jar/org/antlr/v4/tool/templates/codegen/Cpp/Files.stg

No license file was found, but licenses were detected in source scan.

/\*

\* [The "BSD license"]

\* Copyright (c) 2012-2016 Terence Parr

\* Copyright (c) 2012-2016 Sam Harwell

\* All rights reserved.

\*

\* Redistribution and use in source and binary forms, with or without

\* modification, are permitted provided that the following conditions

\* are met:

\*

\* 1. Redistributions of source code must retain the above copyright

\* notice, this list of conditions and the following disclaimer.

\* 2. Redistributions in binary form must reproduce the above copyright

\* notice, this list of conditions and the following disclaimer in the

\* documentation and/or other materials provided with the distribution.

\* 3. The name of the author may not be used to endorse or promote products

\* derived from this software without specific prior written permission.

\*

\* THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR

\* IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES

\* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.

\* IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,

\* INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT

\* NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,

\* DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY

\* THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT

\* (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF

\* THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

\*/

/\*\* How to generate rules derived from left-recursive rules.

\* These rely on recRuleAltPredicate(),

\* recRuleArg(), recRuleSetResultAction(), recRuleSetReturnAction()

\* templates in main language.stg

\*/

group LeftRecursiveRules;

recRule(ruleName, argName, primaryAlts, opAlts, setResultAction,

userRetvals, leftRecursiveRuleRefLabels) ::=

<<

<ruleName><if(userRetvals)> returns [<userRetvals>]<endif>

```

: ( { } <primaryAlts:{alt | <alt.altText> }; separator="\n    | ">
)
(
    <opAlts; separator="\n    | ">
)*
;
>>

```

```

recRuleAlt(alt, precOption, opPrec, pred) ::= <<
{<pred>}?{\<precOption>=<opPrec>}\> <alt.altText>
>>

```

Found in path(s):

```

* /opt/cola/permits/1340076373_1654764617.9754713/0/antlr4-4-7-1-5-
jar/org/antlr/v4/tool/templates/LeftRecursiveRules.stg

```

No license file was found, but licenses were detected in source scan.

```

/*

```

```

[The "BSD licence"]

```

```

Copyright (c) 2006 Kay Roepke

```

```

All rights reserved.

```

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The name of the author may not be used to endorse or promote products derived from this software without specific prior written permission.

```

THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR
IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.
IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,
INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT
NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF
THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

```

```

*/

```

```

/*

```

```

This file contains the actual layout of the messages emitted by ANTLR.

```

```

This file contains the default format ANTLR uses.

```

```

*/

```

location(file, line, column) ::= "<file>:<line>:<column>:"

message(id, text) ::= "<id> <text>"

report(location, message, type) ::= "<type>(<message.id>): <location> <message.text>"

wantsSingleLineMessage() ::= "false"

Found in path(s):

\* /opt/cola/permits/1340076373\_1654764617.9754713/0/antlr4-4-7-1-5-jar/org/antlr/v4/tool/templates/messages/formats/antlr.stg

## 1.333 hibernate-validator 6.1.5.Final

### 1.333.1 Available under license :

Hibernate Validator, declare and validate application constraints

License: Apache License, Version 2.0

See the license.txt file in the root directory or <<http://www.apache.org/licenses/LICENSE-2.0>>.

Adam Stawicki

Ahmed Al Hafoudh

Alaa Nassef

Andrey Derevyanko

Andrey Rodionov

Asutosh Pandya

Benson Margulies

Brent Douglas

Carlos Vara

Carlo de Wolf

Chris Beckey

Christian Ivan

Dag Hovland

Damir Alibegovic

Dario Seidl

Davide D'Alto

Davide Marchignoli

Denis Tiago

Doug Lea

Emmanuel Bernard

Efthymis Sarbanis

Federico

Federico Mancini

Gavin King

George Gastaldi

Gerhard Petracek

Guillaume Husta

Guillaume Smet  
Gunnar Morling  
Hardy Ferentschik  
Henno Vermeulen  
Hillmer Chona  
Jan-Willem Willebrands  
Jason T. Greene  
Jesper Preuss  
Jiri Bilek  
Julien Furgerot  
Julien May  
Juraci Krohling  
Justin Nauman  
Kathryn Killebrew  
Kazuki Shimizu  
Kevin Pollet  
Khalid Alqinyah  
Lee KyoungIl  
Leonardo Loch Zanivan  
Lucas Pouzac  
Lukas Niemeier  
Mark Hobson  
Marko Bekhta  
Matthias Kurz  
Mert Caliskan  
Michal Fotyga  
Nicola Ferraro  
Nicolas Franois  
Paolo Perrotta  
Pete Muir  
Rob Dickinson  
Sanne Grinovero  
Sebastian Bayerl  
Shahram Goodarzi  
Shane Bryzak  
Shelly McGowan  
Sjaak Derksen  
Steve Ebersole  
Strong Liu  
Tadhg Pearson  
Takashi Aoe  
Tomaz Cerar  
Tommy Johansen  
Victor Rezende dos Santos  
Willi Schnborn  
Xavier Sosnovsky  
Yanming Zhou  
Yoann Rodire

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
  - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.
6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. **Disclaimer of Warranty.** Unless required by applicable law or

agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");



you may not use this file except in compliance with the License.

You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

## 1.334 expression-language 3.0.1-b11

### 1.334.1 Available under license :

COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL) Version 1.0

#### 1. Definitions.

1.1. Contributor. means each individual or entity that creates or contributes to the creation of Modifications.

1.2. Contributor Version. means the combination of the Original Software, prior Modifications used by a Contributor (if any), and the Modifications made by that particular Contributor.

1.3. Covered Software. means (a) the Original Software, or (b) Modifications, or (c) the combination of files containing Original Software with files containing Modifications, in each case including portions thereof.

1.4. Executable. means the Covered Software in any form other than Source Code.

1.5. Initial Developer. means the individual or entity that first makes Original Software available under this License.

1.6. Larger Work. means a work which combines Covered Software or portions thereof with code not governed by the terms of this License.

1.7. License. means this document.

1.8. Licensable. means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed herein.

1.9. Modifications. means the Source Code and Executable form of any of the following:

A. Any file that results from an addition to, deletion from or modification of the contents of a file containing Original Software or previous Modifications;

B. Any new file that contains any part of the Original Software or previous Modification; or

C. Any new file that is contributed or otherwise made available under the terms of this License.

1.10. Original Software. means the Source Code and Executable form of computer software code that is originally released under this License.

1.11. Patent Claims. means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent Licensable by grantor.

1.12. Source Code. means (a) the common form of computer software code in which modifications are made and (b) associated documentation included in or with such code.

1.13. You. (or .Your.) means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License. For legal entities, .You. includes any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, .control. means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

## 2. License Grants.

### 2.1. The Initial Developer Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, the Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Initial Developer, to use, reproduce, modify, display, perform, sublicense and distribute the Original Software (or portions thereof), with or without Modifications, and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using or selling of Original Software, to make, have made, use, practice, sell, and offer for sale, and/or otherwise dispose of the Original Software (or portions thereof).

(c) The licenses granted in Sections 2.1(a) and (b) are effective on the date Initial Developer first distributes or otherwise makes the Original Software available to a third party under the terms of this License.

(d) Notwithstanding Section 2.1(b) above, no patent license is granted: (1) for code that You delete from the Original Software, or (2) for infringements caused by: (i) the modification of the Original Software, or (ii) the combination of the Original Software with other software or devices.

### 2.2. Contributor Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Contributor to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof), either on an unmodified basis, with other Modifications, as Covered Software and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor

either alone and/or in combination with its Contributor Version (or portions of such combination), to make, use, sell, offer for sale, have made, and/or otherwise dispose of: (1) Modifications made by that Contributor (or portions thereof); and (2) the combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).

(c) The licenses granted in Sections 2.2(a) and 2.2(b) are effective on the date Contributor first distributes or otherwise makes the Modifications available to a third party.

(d) Notwithstanding Section 2.2(b) above, no patent license is granted: (1) for any code that Contributor has deleted from the Contributor Version; (2) for infringements caused by: (i) third party modifications of Contributor Version, or (ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or (3) under Patent Claims infringed by Covered Software in the absence of Modifications made by that Contributor.

### 3. Distribution Obligations.

#### 3.1. Availability of Source Code.

Any Covered Software that You distribute or otherwise make available in Executable form must also be made available in Source Code form and that Source Code form must be distributed only under the terms of this License. You must include a copy of this License with every copy of the Source Code form of the Covered Software You distribute or otherwise make available. You must inform recipients of any such Covered Software in Executable form as to how they can obtain such Covered Software in Source Code form in a reasonable manner on or through a medium customarily used for software exchange.

#### 3.2. Modifications.

The Modifications that You create or to which You contribute are governed by the terms of this License. You represent that You believe Your Modifications are Your original creation(s) and/or You have sufficient rights to grant the rights conveyed by this License.

#### 3.3. Required Notices.

You must include a notice in each of Your Modifications that identifies You as the Contributor of the Modification. You may not remove or alter any copyright, patent or trademark notices contained within the Covered Software, or any notices of licensing or any descriptive text giving attribution to any Contributor or the Initial Developer.

#### 3.4. Application of Additional Terms.

You may not offer or impose any terms on any Covered Software in Source Code form that alters or restricts the applicable version of this License or the recipients' rights hereunder. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, you may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it absolutely clear that any such warranty, support, indemnity or liability obligation is offered by You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of warranty, support, indemnity or liability terms You offer.

#### 3.5. Distribution of Executable Versions.

You may distribute the Executable form of the Covered Software under the terms of this License or under the terms of a license of Your choice, which may contain terms different from this License, provided that You are in compliance with the terms of this License and that the license for the Executable form does not attempt to limit or

alter the recipient's rights in the Source Code form from the rights set forth in this License. If You distribute the Covered Software in Executable form under a different license, You must make it absolutely clear that any terms which differ from this License are offered by You alone, not by the Initial Developer or Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer.

### 3.6. Larger Works.

You may create a Larger Work by combining Covered Software with other code not governed by the terms of this License and distribute the Larger Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled for the Covered Software.

## 4. Versions of the License.

### 4.1. New Versions.

Sun Microsystems, Inc. is the initial license steward and may publish revised and/or new versions of this License from time to time. Each version will be given a distinguishing version number. Except as provided in Section 4.3, no one other than the license steward has the right to modify this License.

### 4.2. Effect of New Versions.

You may always continue to use, distribute or otherwise make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. If the Initial Developer includes a notice in the Original Software prohibiting it from being distributed or otherwise made available under any subsequent version of the License, You must distribute and make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. Otherwise, You may also choose to use, distribute or otherwise make the Covered Software available under the terms of any subsequent version of the License published by the license steward.

### 4.3. Modified Versions.

When You are an Initial Developer and You want to create a new license for Your Original Software, You may create and use a modified version of this License if You: (a) rename the license and remove any references to the name of the license steward (except to note that the license differs from this License); and (b) otherwise make it clear that the license contains terms which differ from this License.

## 5. DISCLAIMER OF WARRANTY.

COVERED SOFTWARE IS PROVIDED UNDER THIS LICENSE ON AN .AS IS. BASIS, WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES THAT THE COVERED SOFTWARE IS FREE OF DEFECTS, MERCHANTABILITY, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED SOFTWARE IS WITH YOU. SHOULD ANY COVERED SOFTWARE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED SOFTWARE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

## 6. TERMINATION.

6.1. This License and the rights granted hereunder will terminate automatically if You fail to comply with terms

herein and fail to cure such breach within 30 days of becoming aware of the breach. Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive.

6.2. If You assert a patent infringement claim (excluding declaratory judgment actions) against Initial Developer or a Contributor (the Initial Developer or Contributor against whom You assert such claim is referred to as .Participant.) alleging that the Participant Software (meaning the Contributor Version where the Participant is a Contributor or the Original Software where the Participant is the Initial Developer) directly or indirectly infringes any patent, then any and all rights granted directly or indirectly to You by such Participant, the Initial Developer (if the Initial Developer is not the Participant) and all Contributors under Sections 2.1 and/or 2.2 of this License shall, upon 60 days notice from Participant terminate prospectively and automatically at the expiration of such 60 day notice period, unless if within such 60 day period You withdraw Your claim with respect to the Participant Software against such Participant either unilaterally or pursuant to a written agreement with Participant.

6.3. In the event of termination under Sections 6.1 or 6.2 above, all end user licenses that have been validly granted by You or any distributor hereunder prior to termination (excluding licenses granted to You by any distributor) shall survive termination.

## 7. LIMITATION OF LIABILITY.

UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED SOFTWARE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOST PROFITS, LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTY.S NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

## 8. U.S. GOVERNMENT END USERS.

The Covered Software is a .commercial item., as that term is defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of .commercial computer software. (as that term is defined at 48 C.F.R. ? 252.227-7014(a)(1)) and .commercial computer software documentation. as such terms are used in 48 C.F.R. 12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4 (June 1995), all U.S. Government End Users acquire Covered Software with only those rights set forth herein. This U.S. Government Rights clause is in lieu of, and supersedes, any other FAR, DFAR, or other clause or provision that addresses Government rights in computer software under this License.

## 9. MISCELLANEOUS.

This License represents the complete agreement concerning subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by the law of the jurisdiction specified in a notice contained within the Original

Software (except to the extent applicable law, if any, provides otherwise), excluding such jurisdiction's conflict-of-law provisions. Any litigation relating to this License shall be subject to the jurisdiction of the courts located in the jurisdiction and venue specified in a notice contained within the Original Software, with the losing party responsible for costs, including, without limitation, court costs and reasonable attorneys' fees and expenses. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not apply to this License. You agree that You alone are responsible for compliance with the United States export administration regulations (and the export control laws and regulation of any other countries) when You use, distribute or otherwise make available any Covered Software.

#### 10. RESPONSIBILITY FOR CLAIMS.

As between Initial Developer and the Contributors, each party is responsible for claims and damages arising, directly or indirectly, out of its utilization of rights under this License and You agree to work with Initial Developer and Contributors to distribute such responsibility on an equitable basis. Nothing herein is intended or shall be deemed to constitute any admission of liability.

#### NOTICE PURSUANT TO SECTION 9 OF THE COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL)

The code released under the CDDL shall be governed by the laws of the State of California (excluding conflict-of-law provisions). Any litigation relating to this License shall be subject to the jurisdiction of the Federal Courts of the Northern District of California and the state courts of the State of California, with venue lying in Santa Clara County, California.

The GNU General Public License (GPL) Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc. 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

#### Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

## TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or



binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

#### NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

#### END OF TERMS AND CONDITIONS

#### How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.

#### Copyright (C)

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author

Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'. This is free software, and you are welcome to redistribute it under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program `Gnomovision' (which makes passes at compilers) written by James Hacker.

signature of Ty Coon, 1 April 1989

Ty Coon, President of Vice

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

#### "CLASSPATH" EXCEPTION TO THE GPL VERSION 2

Certain source files distributed by Sun Microsystems, Inc. are subject to the following clarification and special exception to the GPL Version 2, but only where Sun has expressly included in the particular source file's header the words

"Sun designates this particular file as subject to the "Classpath" exception as provided by Sun in the License file that

accompanied this code."

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License Version 2 cover the whole combination.

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module. An independent module is a module which is not derived from or based on this library. If you modify this library, you may extend this exception to your version of the library, but you are not obligated to do so. If you do not wish to do so, delete this exception statement from your version.

## 1.335 micronaut 3.4.1

### 1.335.1 Available under license :

Micronaut includes references to parts of GraalVM 21.0 or later distributed under the UPL license below:

Copyright (c) 2018 - 2021 Oracle and/or its affiliates. All rights reserved

The Universal Permissive License (UPL), Version 1.0

Subject to the condition set forth below, permission is hereby granted to any person obtaining a copy of this software, associated documentation and/or data (collectively the "Software"), free of charge and under any and all copyright rights in the Software, and any and all patent rights owned or freely licensable by each licensor hereunder covering either (i) the unmodified Software as contributed to or provided by such licensor, or (ii) the Larger Works (as defined below), to deal in both

(a) the Software, and

(b) any piece of software and/or hardware listed in the lrgwrks.txt file if one is included with the Software (each a Larger Work to which the Software is contributed by such licensors),

without restriction, including without limitation the rights to copy, create derivative works of, display, perform, and distribute the Software and make, use, sell, offer for sale, import, export, have made, and have sold the Software and the Larger Work(s), and to sublicense the foregoing rights on either these or other terms.

This license is subject to the following condition:

The above copyright notice and either this complete permission notice or at a minimum a reference to the UPL must be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
  - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.
6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. **Disclaimer of Warranty.** Unless required by applicable law or

agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");



you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

## 1.336 json-schema-validator 2.2.14

### 1.336.1 Available under license :

This software is dual-licensed under:

- the Lesser General Public License (LGPL) version 3.0 or, at your option, any later version;
- the Apache Software License (ASL) version 2.0.

The text of both licenses is included (under the names LGPL-3.0.txt and ASL-2.0.txt respectively).

Direct link to the sources:

- LGPL 3.0: <https://www.gnu.org/licenses/lgpl-3.0.txt>
- ASL 2.0: <http://www.apache.org/licenses/LICENSE-2.0.txt>

GNU LESSER GENERAL PUBLIC LICENSE  
Version 3, 29 June 2007

Copyright (C) 2007 Free Software Foundation, Inc. <<http://fsf.org/>>

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

This version of the GNU Lesser General Public License incorporates the terms and conditions of version 3 of the GNU General Public License, supplemented by the additional permissions listed below.

0. Additional Definitions.

As used herein, "this License" refers to version 3 of the GNU Lesser General Public License, and the "GNU GPL" refers to version 3 of the GNU General Public License.

"The Library" refers to a covered work governed by this License, other than an Application or a Combined Work as defined below.

An "Application" is any work that makes use of an interface provided by the Library, but which is not otherwise based on the Library. Defining a subclass of a class defined by the Library is deemed a mode of using an interface provided by the Library.

A "Combined Work" is a work produced by combining or linking an Application with the Library. The particular version of the Library with which the Combined Work was made is also called the "Linked Version".

The "Minimal Corresponding Source" for a Combined Work means the Corresponding Source for the Combined Work, excluding any source code for portions of the Combined Work that, considered in isolation, are based on the Application, and not on the Linked Version.

The "Corresponding Application Code" for a Combined Work means the object code and/or source code for the Application, including any data and utility programs needed for reproducing the Combined Work from the Application, but excluding the System Libraries of the Combined Work.

#### 1. Exception to Section 3 of the GNU GPL.

You may convey a covered work under sections 3 and 4 of this License without being bound by section 3 of the GNU GPL.

#### 2. Conveying Modified Versions.

If you modify a copy of the Library, and, in your modifications, a facility refers to a function or data to be supplied by an Application that uses the facility (other than as an argument passed when the facility is invoked), then you may convey a copy of the modified version:

- a) under this License, provided that you make a good faith effort to ensure that, in the event an Application does not supply the function or data, the facility still operates, and performs whatever part of its purpose remains meaningful, or
- b) under the GNU GPL, with none of the additional permissions of this License applicable to that copy.

#### 3. Object Code Incorporating Material from Library Header Files.

The object code form of an Application may incorporate material from a header file that is part of the Library. You may convey such object code under terms of your choice, provided that, if the incorporated material is not limited to numerical parameters, data structure

layouts and accessors, or small macros, inline functions and templates (ten or fewer lines in length), you do both of the following:

- a) Give prominent notice with each copy of the object code that the Library is used in it and that the Library and its use are covered by this License.
- b) Accompany the object code with a copy of the GNU GPL and this license document.

#### 4. Combined Works.

You may convey a Combined Work under terms of your choice that, taken together, effectively do not restrict modification of the portions of the Library contained in the Combined Work and reverse engineering for debugging such modifications, if you also do each of the following:

- a) Give prominent notice with each copy of the Combined Work that the Library is used in it and that the Library and its use are covered by this License.
- b) Accompany the Combined Work with a copy of the GNU GPL and this license document.
- c) For a Combined Work that displays copyright notices during execution, include the copyright notice for the Library among these notices, as well as a reference directing the user to the copies of the GNU GPL and this license document.
- d) Do one of the following:
  - 0) Convey the Minimal Corresponding Source under the terms of this License, and the Corresponding Application Code in a form suitable for, and under terms that permit, the user to recombine or relink the Application with a modified version of the Linked Version to produce a modified Combined Work, in the manner specified by section 6 of the GNU GPL for conveying Corresponding Source.
  - 1) Use a suitable shared library mechanism for linking with the Library. A suitable mechanism is one that (a) uses at run time a copy of the Library already present on the user's computer system, and (b) will operate properly with a modified version of the Library that is interface-compatible with the Linked Version.
- e) Provide Installation Information, but only if you would otherwise

be required to provide such information under section 6 of the GNU GPL, and only to the extent that such information is necessary to install and execute a modified version of the Combined Work produced by recombining or relinking the Application with a modified version of the Linked Version. (If you use option 4d0, the Installation Information must accompany the Minimal Corresponding Source and Corresponding Application Code. If you use option 4d1, you must provide the Installation Information in the manner specified by section 6 of the GNU GPL for conveying Corresponding Source.)

#### 5. Combined Libraries.

You may place library facilities that are a work based on the Library side by side in a single library together with other library facilities that are not Applications and are not covered by this License, and convey such a combined library under terms of your choice, if you do both of the following:

- a) Accompany the combined library with a copy of the same work based on the Library, uncombined with any other library facilities, conveyed under the terms of this License.
- b) Give prominent notice with the combined library that part of it is a work based on the Library, and explaining where to find the accompanying uncombined form of the same work.

#### 6. Revised Versions of the GNU Lesser General Public License.

The Free Software Foundation may publish revised and/or new versions of the GNU Lesser General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library as you received it specifies that a certain numbered version of the GNU Lesser General Public License "or any later version" applies to it, you have the option of following the terms and conditions either of that published version or of any later version published by the Free Software Foundation. If the Library as you received it does not specify a version number of the GNU Lesser General Public License, you may choose any version of the GNU Lesser General Public License ever published by the Free Software Foundation.

If the Library as you received it specifies that a proxy can decide whether future versions of the GNU Lesser General Public License shall apply, that proxy's public statement of acceptance of any version is permanent authorization for you to choose that version for the

Library.

### Pablo Pinhero

\* Add a "lib" target to the build: jar with all dependencies builtin.

### Corey Sciuto

\* Tests for date-time format attribute; date-time-millis format attribute (now superseded by date-time itself).

### Matt Bishop:

\* Initial OSGi support for maven (now superseded by Gradle).

### Kelvin Pho

\* Pointer collectors for draft v4 keywords (since then moved to -core).

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical

transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable

by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use,

reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.  
Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.
6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. **Disclaimer of Warranty.** Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. **Limitation of Liability.** In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. **Accepting Warranty or Additional Liability.** While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.



## END OF TERMS AND CONDITIONS

### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

# 1.337 apache-groovy 3.0.7

## 1.337.1 Available under license :

Copyright (c) Nicolas Gallagher and Jonathan Neal

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER

LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Apache Groovy

Copyright 2003-2020 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed

with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate

comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

-----

#### ANTLR 2 License

Antlr2 is released in the public domain.  
See licenses/antlr2-license.txt for details.

-----

#### ANTLR 4 License

Antlr4 is released under a BSD 3-clause license.  
See licenses/antlr4-license.txt for details.

-----

#### ASM License

ASM uses a 3-clause BSD license. For details, see licenses/asm-license.txt.

-----

#### Hamcrest License (needed when using optional JUnit dependency)

This product bundles the Hamcrest jar, which is available under a BSD license. For details, see licenses/hamcrest-license.txt.

-----

JAXB License (for optional groovy-jaxb extensions)

This product bundles several JAXB related jars in binary form.

The "javax.activation" jar is available under the CDDL 1.0 license:  
licenses/activation-license.txt

The jaxb-api, jaxb-core and jaxb-impl jars use the CDDL 1.1 license:  
licenses/jaxb-license.txt

-----  
JLine2 License (optional dependency used with groovysh)

This product bundles the JLine2 jar, which is available under a  
BSD License. For details, see licenses/jline2-license.txt.

-----  
javax.servlet.jsp-api License (for groovy-servlet module)

This product bundles the javax.servlet.jsp-api jar in binary form  
which is available under the CDDL 1.1 license:  
licenses/jsp-api-license.txt

-----  
JSR166y License (optionally used by the optional GParas dependency)

This product bundles the jsr166y jar (containing works from  
the JSR-166 EG, Doug Lea, and Jason T. Greene) made available in  
the public domain. For details, see licenses/jsr166y-license.txt.

-----  
JSR223 License

The following classes within this product:

```
org.codehaus.groovy.jsr223.GroovyCompiledScript  
org.codehaus.groovy.jsr223.GroovyScriptEngineFactory  
org.codehaus.groovy.jsr223.GroovyScriptEngineImpl
```

were derived from reference implementation files developed by Sun in  
collaboration with the Groovy community. The reference implementation  
has a BSD-style license. Details can be found in: licenses/jsr223-license.txt

JUnit Licenses (optional dependencies when using Groovy for testing)

This product bundles the JUnit 4 jar, which is available under the Eclipse Public License v1.0. For details, see licenses/junit4-license.txt.

This product bundles several JUnit 5 jars, which are available under the Eclipse Public License v2.0. For details, see licenses/junit5-license.txt.

-----  
normalize.css License

The stylesheet.css file (originally normalize.css) is used by the groovydoc and docgenerator components for groovy-jdk/gapi documentation. It is made available under a MIT License:  
licenses/normalize-stylesheet-license.txt

-----  
javax.servlet.jsp-api License (for groovy-servlet module)

This product bundles the javax.servlet-api jar in binary form which is available under the CDDL 1.0 license:  
licenses/servlet-api-license.txt

-----  
XStream License (optional dependency when serializing AST as XML)

This product bundles the XStream jar, which is available under a "3-clause BSD" license. For details, see licenses/xstream-license.txt.

-----  
This convenience zip embeds Groovy's src and doc zips. See also src/LICENSE and doc/LICENSE files for additional license information.  
Apache Commons Lang  
Copyright 2001-2015 The Apache Software Foundation

This product includes software developed at The Apache Software Foundation (<http://www.apache.org/>).

This product includes software from the Spring Framework, under the Apache License 2.0 (see: `StringUtils.containsWhitespace()`)  
javax.servlet.jsp-api License (for groovy-servlet module)



This product bundles the javax.servlet.jsp-api jar in binary form which is available under the CDDL 1.1 license:

licenses/jsp-api-license.txt

Apache Groovy

Copyright 2003-2020 The Apache Software Foundation

This product includes software developed at The Apache Software Foundation (<http://www.apache.org/>).

This product includes/uses ANTLR2 (<http://www.antlr2.org/>) developed by Terence Parr 1989-2006

This product includes/uses ANTLR4 (<https://github.com/antlr/antlr4>) Copyright (c) 2012-2017 The ANTLR Project. All rights reserved.

This product bundles the javax.servlet.jsp-api jar in binary form which is available under the CDDL 1.1 license and for which the following copyright notice applies Copyright (c) 1997-2013 Oracle and/or its affiliates. All rights reserved.

This product bundles the JUnit4 jar ([junit.org](http://junit.org)) which is available under the terms of the Eclipse Public License v1.0

This product bundles several of the JUnit5 jars ([junit.org](http://junit.org)) which are available under the terms of the Eclipse Public License v2.0

This product embeds the OpenBeans jar within its grooid jar artifacts OpenBeans includes/uses files from Apache Harmony and the following notice applies Copyright 2006, 2010 The Apache Software Foundation.

Portions of Apache Harmony were originally developed by Intel Corporation and are licensed to the Apache Software Foundation under the "Software Grant and Corporate Contribution License Agreement" and for which the following copyright notices apply

(C) Copyright 2005 Intel Corporation

(C) Copyright 2005-2006 Intel Corporation

(C) Copyright 2006 Intel Corporation

This product bundles the javax.servlet-api jar in binary form which is available under the CDDL 1.0 license and for which the following copyright notice applies Copyright (c) 1997-2017 Oracle and/or its affiliates. All rights reserved.

This product bundles icons from the famfamfam.com silk icons set <http://www.famfamfam.com/lab/icons/silk/>

Licensed under the Creative Commons Attribution Licence v2.5

<http://creativecommons.org/licenses/by/2.5/>

javax.servlet.jsp-api License (for groovy-servlet module)

This product bundles the javax.servlet-api jar in binary form

which is available under the CDDL 1.0 license:

licenses/servlet-api-license.txt

ANTLR 2 License

We reserve no legal rights to the ANTLR--it is fully in the public domain. An individual or company may do whatever they wish with source code distributed with ANTLR or the code generated by ANTLR, including the incorporation of ANTLR, or its output, into commercial software.

We encourage users to develop software with ANTLR. However, we do ask that credit is given to us for developing ANTLR. By "credit", we mean that if you use ANTLR or incorporate any source code into one of your programs (commercial product, research project, or otherwise) that you acknowledge this fact somewhere in the documentation, research report, etc... If you like ANTLR and have developed a nice tool with the output, please mention that you developed it using ANTLR. In addition, we ask that the headers remain intact in our source code. As long as these guidelines are kept, we expect to continue enhancing this system and expect to make other tools available as they are completed.

In countries where the Public Domain status of the work may not be valid, the author grants a copyright licence to the general public to deal in the work without restriction and permission to sublicense derivatives under the terms of any (OSI approved) Open Source licence.

The Python parser generator code under antlr/actions/python/ is covered by the 3-clause BSD licence (this part is included in the binary JAR files); the run-time part under lib/python/ is covered by the GNU GPL, version 3 or later (this part is not included in the binary JAR files). See [1] for the full details.

<https://bugs.debian.org/cgi-bin/bugreport.cgi?bug=750643#80%22>

COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL) Version 1.1

## 1. Definitions.

- 1.1. "Contributor" means each individual or entity that creates or contributes to the creation of Modifications.
- 1.2. "Contributor Version" means the combination of the Original Software, prior Modifications used by a Contributor (if any), and the Modifications made by that particular Contributor.
- 1.3. "Covered Software" means (a) the Original Software, or (b) Modifications, or (c) the combination of files containing Original Software with files containing Modifications, in each case including portions thereof.
- 1.4. "Executable" means the Covered Software in any form other than Source Code.
- 1.5. "Initial Developer" means the individual or entity that first makes Original Software available under this License.
- 1.6. "Larger Work" means a work which combines Covered Software or

portions thereof with code not governed by the terms of this License.

1.7. "License" means this document.

1.8. "Licensable" means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed herein.

1.9. "Modifications" means the Source Code and Executable form of any of the following:

A. Any file that results from an addition to, deletion from or modification of the contents of a file containing Original Software or previous Modifications;

B. Any new file that contains any part of the Original Software or previous Modification; or

C. Any new file that is contributed or otherwise made available under the terms of this License.

1.10. "Original Software" means the Source Code and Executable form of computer software code that is originally released under this License.

1.11. "Patent Claims" means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent Licensable by grantor.

1.12. "Source Code" means (a) the common form of computer software code in which modifications are made and (b) associated documentation included in or with such code.

1.13. "You" (or "Your") means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License. For legal entities, "You" includes any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, "control" means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

## 2. License Grants.

### 2.1. The Initial Developer Grant.

Conditioned upon Your compliance with Section 3.1 below and subject

to third party intellectual property claims, the Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Initial Developer, to use, reproduce, modify, display, perform, sublicense and distribute the Original Software (or portions thereof), with or without Modifications, and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using or selling of Original Software, to make, have made, use, practice, sell, and offer for sale, and/or otherwise dispose of the Original Software (or portions thereof).

(c) The licenses granted in Sections 2.1(a) and (b) are effective on the date Initial Developer first distributes or otherwise makes the Original Software available to a third party under the terms of this License.

(d) Notwithstanding Section 2.1(b) above, no patent license is granted: (1) for code that You delete from the Original Software, or (2) for infringements caused by: (i) the modification of the Original Software, or (ii) the combination of the Original Software with other software or devices.

## 2.2. Contributor Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Contributor to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof), either on an unmodified basis, with other Modifications, as Covered Software and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor either alone and/or in combination with its Contributor Version (or portions of such combination), to make, use, sell, offer for sale, have made, and/or otherwise dispose of: (1) Modifications made by that Contributor (or portions thereof); and (2) the combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).

(c) The licenses granted in Sections 2.2(a) and 2.2(b) are effective

on the date Contributor first distributes or otherwise makes the Modifications available to a third party.

(d) Notwithstanding Section 2.2(b) above, no patent license is granted: (1) for any code that Contributor has deleted from the Contributor Version; (2) for infringements caused by: (i) third party modifications of Contributor Version, or (ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or (3) under Patent Claims infringed by Covered Software in the absence of Modifications made by that Contributor.

### 3. Distribution Obligations.

#### 3.1. Availability of Source Code.

Any Covered Software that You distribute or otherwise make available in Executable form must also be made available in Source Code form and that Source Code form must be distributed only under the terms of this License. You must include a copy of this License with every copy of the Source Code form of the Covered Software You distribute or otherwise make available. You must inform recipients of any such Covered Software in Executable form as to how they can obtain such Covered Software in Source Code form in a reasonable manner on or through a medium customarily used for software exchange.

#### 3.2. Modifications.

The Modifications that You create or to which You contribute are governed by the terms of this License. You represent that You believe Your Modifications are Your original creation(s) and/or You have sufficient rights to grant the rights conveyed by this License.

#### 3.3. Required Notices.

You must include a notice in each of Your Modifications that identifies You as the Contributor of the Modification. You may not remove or alter any copyright, patent or trademark notices contained within the Covered Software, or any notices of licensing or any descriptive text giving attribution to any Contributor or the Initial Developer.

#### 3.4. Application of Additional Terms.

You may not offer or impose any terms on any Covered Software in Source Code form that alters or restricts the applicable version of this License or the recipients' rights hereunder. You may choose to offer, and to charge a fee for, warranty, support, indemnity or

liability obligations to one or more recipients of Covered Software. However, you may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it absolutely clear that any such warranty, support, indemnity or liability obligation is offered by You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of warranty, support, indemnity or liability terms You offer.

### 3.5. Distribution of Executable Versions.

You may distribute the Executable form of the Covered Software under the terms of this License or under the terms of a license of Your choice, which may contain terms different from this License, provided that You are in compliance with the terms of this License and that the license for the Executable form does not attempt to limit or alter the recipient's rights in the Source Code form from the rights set forth in this License. If You distribute the Covered Software in Executable form under a different license, You must make it absolutely clear that any terms which differ from this License are offered by You alone, not by the Initial Developer or Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer.

### 3.6. Larger Works.

You may create a Larger Work by combining Covered Software with other code not governed by the terms of this License and distribute the Larger Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled for the Covered Software.

## 4. Versions of the License.

### 4.1. New Versions.

Oracle is the initial license steward and may publish revised and/or new versions of this License from time to time. Each version will be given a distinguishing version number. Except as provided in Section 4.3, no one other than the license steward has the right to modify this License.

### 4.2. Effect of New Versions.

You may always continue to use, distribute or otherwise make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. If

the Initial Developer includes a notice in the Original Software prohibiting it from being distributed or otherwise made available under any subsequent version of the License, You must distribute and make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. Otherwise, You may also choose to use, distribute or otherwise make the Covered Software available under the terms of any subsequent version of the License published by the license steward.

#### 4.3. Modified Versions.

When You are an Initial Developer and You want to create a new license for Your Original Software, You may create and use a modified version of this License if You: (a) rename the license and remove any references to the name of the license steward (except to note that the license differs from this License); and (b) otherwise make it clear that the license contains terms which differ from this License.

#### 5. DISCLAIMER OF WARRANTY.

COVERED SOFTWARE IS PROVIDED UNDER THIS LICENSE ON AN "AS IS" BASIS, WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES THAT THE COVERED SOFTWARE IS FREE OF DEFECTS, MERCHANTABLE, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED SOFTWARE IS WITH YOU. SHOULD ANY COVERED SOFTWARE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED SOFTWARE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

#### 6. TERMINATION.

6.1. This License and the rights granted hereunder will terminate automatically if You fail to comply with terms herein and fail to cure such breach within 30 days of becoming aware of the breach. Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive.

6.2. If You assert a patent infringement claim (excluding declaratory judgment actions) against Initial Developer or a Contributor (the Initial Developer or Contributor against whom You assert such claim is referred to as "Participant") alleging that the Participant Software (meaning the Contributor Version where the Participant is a Contributor or the Original Software where the Participant is the Initial Developer) directly or indirectly

infringes any patent, then any and all rights granted directly or indirectly to You by such Participant, the Initial Developer (if the Initial Developer is not the Participant) and all Contributors under Sections 2.1 and/or 2.2 of this License shall, upon 60 days notice from Participant terminate prospectively and automatically at the expiration of such 60 day notice period, unless if within such 60 day period You withdraw Your claim with respect to the Participant Software against such Participant either unilaterally or pursuant to a written agreement with Participant.

6.3. If You assert a patent infringement claim against Participant alleging that the Participant Software directly or indirectly infringes any patent where such claim is resolved (such as by license or settlement) prior to the initiation of patent infringement litigation, then the reasonable value of the licenses granted by such Participant under Sections 2.1 or 2.2 shall be taken into account in determining the amount or value of any payment or license.

6.4. In the event of termination under Sections 6.1 or 6.2 above, all end user licenses that have been validly granted by You or any distributor hereunder prior to termination (excluding licenses granted to You by any distributor) shall survive termination.

## 7. LIMITATION OF LIABILITY.

UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED SOFTWARE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTY'S NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

## 8. U.S. GOVERNMENT END USERS.

The Covered Software is a "commercial item," as that term is defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of "commercial computer software" (as that term is defined at 48 C.F.R. 252.227-7014(a)(1)) and "commercial computer software documentation"



as such terms are used in 48 C.F.R. 12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4 (June 1995), all U.S. Government End Users acquire Covered Software with only those rights set forth herein. This U.S. Government Rights clause is in lieu of, and supersedes, any other FAR, DFAR, or other clause or provision that addresses Government rights in computer software under this License.

## 9. MISCELLANEOUS.

This License represents the complete agreement concerning subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by the law of the jurisdiction specified in a notice contained within the Original Software (except to the extent applicable law, if any, provides otherwise), excluding such jurisdiction's conflict-of-law provisions. Any litigation relating to this License shall be subject to the jurisdiction of the courts located in the jurisdiction and venue specified in a notice contained within the Original Software, with the losing party responsible for costs, including, without limitation, court costs and reasonable attorneys' fees and expenses. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not apply to this License. You agree that You alone are responsible for compliance with the United States export administration regulations (and the export control laws and regulation of any other countries) when You use, distribute or otherwise make available any Covered Software.

## 10. RESPONSIBILITY FOR CLAIMS.

As between Initial Developer and the Contributors, each party is responsible for claims and damages arising, directly or indirectly, out of its utilization of rights under this License and You agree to work with Initial Developer and Contributors to distribute such responsibility on an equitable basis. Nothing herein is intended or shall be deemed to constitute any admission of liability.

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems,

and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
  - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
  - (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
  - (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. **Disclaimer of Warranty.** Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

#### END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and

limitations under the License.

---

#### AsciiDoc License

This product uses the style.css from asciidoctor.org within documentation. The file is available under the MIT License. For details, see licenses/asciidoc-style-license.txt.

---

#### JQuery License

The following file is used within documentation:

src/spec/assets/css/jquery-2.1.1.min.js

This file is made available under the following MIT license:  
licenses/jquery-js-license.txt

---

#### JSR223 License

The following classes within this product:

org.codehaus.groovy.jsr223.GroovyCompiledScript  
org.codehaus.groovy.jsr223.GroovyScriptEngineFactory  
org.codehaus.groovy.jsr223.GroovyScriptEngineImpl

were derived from reference implementation files developed by Sun in collaboration with the Groovy community. The reference implementation has a BSD-style license. Details can be found in: licenses/jsr223-license.txt

---

#### normalize.css License

The stylesheet.css file (originally normalize.css) is used by the groovydoc and docgenerator components for groovy-jdk/gapi documentation.

It is made available under a MIT License:

licenses/normalize-stylesheet-license.txt

COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL) Version 1.0

#### 1. Definitions.

1.1. Contributor. means each individual or entity that creates or contributes to the creation of Modifications.

1.2. Contributor Version. means the combination of the Original Software, prior Modifications used by a Contributor (if any), and the Modifications made by that particular Contributor.

1.3. Covered Software. means (a) the Original Software, or (b) Modifications, or (c) the combination of files containing Original Software with files containing Modifications, in each case including portions thereof.

1.4. Executable. means the Covered Software in any form other than Source Code.

1.5. Initial Developer. means the individual or entity that first makes Original Software available under this License.

1.6. Larger Work. means a work which combines Covered Software or portions thereof with code not governed by the terms of this License.

1.7. License. means this document.

1.8. Licensable. means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed herein.

1.9. Modifications. means the Source Code and Executable form of any of the following:

A. Any file that results from an addition to, deletion from or modification of the contents of a file containing Original Software or previous Modifications;

B. Any new file that contains any part of the Original Software or previous Modification; or

C. Any new file that is contributed or otherwise made available under the terms of this License.

1.10. Original Software. means the Source Code and Executable form of computer software code that is originally released under this License.

1.11. Patent Claims. means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent Licensable by grantor.

1.12. Source Code. means (a) the common form of computer software code in which modifications are made and (b) associated documentation included in or with such code.

1.13. You. (or .Your.) means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License. For legal entities, .You. includes any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, .control. means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

## 2. License Grants.

### 2.1. The Initial Developer Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, the Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Initial Developer, to use, reproduce, modify, display, perform, sublicense and distribute the Original Software (or portions thereof), with or without Modifications, and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using or selling of Original Software, to make, have made, use, practice, sell, and offer for sale, and/or otherwise dispose of the Original Software (or portions thereof).

(c) The licenses granted in Sections 2.1(a) and (b) are effective on the date Initial Developer first distributes or otherwise makes the Original Software available to a third party under the terms of this License.

(d) Notwithstanding Section 2.1(b) above, no patent license is granted: (1) for code that You delete from the Original Software, or (2) for infringements caused by: (i) the modification of the Original Software, or (ii) the combination of the Original Software with other software or devices.

## 2.2. Contributor Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Contributor to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof), either on an unmodified basis, with other Modifications, as Covered Software and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor either alone and/or in combination with its Contributor Version (or portions of such combination), to make, use, sell, offer for sale, have made, and/or otherwise dispose of: (1) Modifications made by that Contributor (or portions thereof); and (2) the combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).

(c) The licenses granted in Sections 2.2(a) and 2.2(b) are effective on the date Contributor first distributes or otherwise makes the Modifications available to a third party.

(d) Notwithstanding Section 2.2(b) above, no patent license is granted: (1) for any code that Contributor has deleted from the Contributor Version; (2) for infringements caused by: (i) third party modifications of Contributor Version, or (ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or (3) under Patent Claims infringed by Covered Software in the absence of Modifications made by that Contributor.

## 3. Distribution Obligations.

### 3.1. Availability of Source Code.

Any Covered Software that You distribute or otherwise make available in Executable form must also be made available in Source Code form and that Source Code form must be distributed only under the terms of this License. You must include a copy of this License with every copy of the Source Code form of the Covered Software You



distribute or otherwise make available. You must inform recipients of any such Covered Software in Executable form as to how they can obtain such Covered Software in Source Code form in a reasonable manner on or through a medium customarily used for software exchange.

### 3.2. Modifications.

The Modifications that You create or to which You contribute are governed by the terms of this License. You represent that You believe Your Modifications are Your original creation(s) and/or You have sufficient rights to grant the rights conveyed by this License.

### 3.3. Required Notices.

You must include a notice in each of Your Modifications that identifies You as the Contributor of the Modification. You may not remove or alter any copyright, patent or trademark notices contained within the Covered Software, or any notices of licensing or any descriptive text giving attribution to any Contributor or the Initial Developer.

### 3.4. Application of Additional Terms.

You may not offer or impose any terms on any Covered Software in Source Code form that alters or restricts the applicable version of this License or the recipients' rights hereunder. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, you may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it absolutely clear that any such warranty, support, indemnity or liability obligation is offered by You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of warranty, support, indemnity or liability terms You offer.

### 3.5. Distribution of Executable Versions.

You may distribute the Executable form of the Covered Software under the terms of this License or under the terms of a license of Your choice, which may contain terms different from this License, provided that You are in compliance with the terms of this License and that the license for the Executable form does not attempt to limit or alter the recipient's rights in the Source Code form from the rights set forth in this License. If You distribute the Covered Software in Executable form under a different license, You must make it absolutely clear that any terms which differ from this License are offered by You alone, not by the Initial Developer or Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer.

### 3.6. Larger Works.

You may create a Larger Work by combining Covered Software with other code not governed by the terms of this License and distribute the Larger Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled for the Covered Software.

## 4. Versions of the License.

### 4.1. New Versions.

Sun Microsystems, Inc. is the initial license steward and may publish revised and/or new versions of this License from time to time. Each version will be given a distinguishing version number. Except as provided in Section 4.3, no one other than the license steward has the right to modify this License.

### 4.2. Effect of New Versions.

You may always continue to use, distribute or otherwise make the Covered Software available under the terms of

the version of the License under which You originally received the Covered Software. If the Initial Developer includes a notice in the Original Software prohibiting it from being distributed or otherwise made available under any subsequent version of the License, You must distribute and make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. Otherwise, You may also choose to use, distribute or otherwise make the Covered Software available under the terms of any subsequent version of the License published by the license steward.

#### 4.3. Modified Versions.

When You are an Initial Developer and You want to create a new license for Your Original Software, You may create and use a modified version of this License if You: (a) rename the license and remove any references to the name of the license steward (except to note that the license differs from this License); and (b) otherwise make it clear that the license contains terms which differ from this License.

### 5. DISCLAIMER OF WARRANTY.

COVERED SOFTWARE IS PROVIDED UNDER THIS LICENSE ON AN .AS IS. BASIS, WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES THAT THE COVERED SOFTWARE IS FREE OF DEFECTS, MERCHANTABLE, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED SOFTWARE IS WITH YOU. SHOULD ANY COVERED SOFTWARE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED SOFTWARE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

### 6. TERMINATION.

6.1. This License and the rights granted hereunder will terminate automatically if You fail to comply with terms herein and fail to cure such breach within 30 days of becoming aware of the breach. Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive.

6.2. If You assert a patent infringement claim (excluding declaratory judgment actions) against Initial Developer or a Contributor (the Initial Developer or Contributor against whom You assert such claim is referred to as .Participant.) alleging that the Participant Software (meaning the Contributor Version where the Participant is a Contributor or the Original Software where the Participant is the Initial Developer) directly or indirectly infringes any patent, then any and all rights granted directly or indirectly to You by such Participant, the Initial Developer (if the Initial Developer is not the Participant) and all Contributors under Sections 2.1 and/or 2.2 of this License shall, upon 60 days notice from Participant terminate prospectively and automatically at the expiration of such 60 day notice period, unless if within such 60 day period You withdraw Your claim with respect to the Participant Software against such Participant either unilaterally or pursuant to a written agreement with Participant.

6.3. In the event of termination under Sections 6.1 or 6.2 above, all end user licenses that have been validly granted by You or any distributor hereunder prior to termination (excluding licenses granted to You by any distributor) shall survive termination.

### 7. LIMITATION OF LIABILITY.

UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING

NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED SOFTWARE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOST PROFITS, LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTY'S NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

#### 8. U.S. GOVERNMENT END USERS.

The Covered Software is a .commercial item., as that term is defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of .commercial computer software. (as that term is defined at 48 C.F.R. ? 252.227-7014(a)(1)) and .commercial computer software documentation. as such terms are used in 48 C.F.R. 12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4 (June 1995), all U.S. Government End Users acquire Covered Software with only those rights set forth herein. This U.S. Government Rights clause is in lieu of, and supersedes, any other FAR, DFAR, or other clause or provision that addresses Government rights in computer software under this License.

#### 9. MISCELLANEOUS.

This License represents the complete agreement concerning subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by the law of the jurisdiction specified in a notice contained within the Original Software (except to the extent applicable law, if any, provides otherwise), excluding such jurisdiction's conflict-of-law provisions. Any litigation relating to this License shall be subject to the jurisdiction of the courts located in the jurisdiction and venue specified in a notice contained within the Original Software, with the losing party responsible for costs, including, without limitation, court costs and reasonable attorneys' fees and expenses. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not apply to this License. You agree that You alone are responsible for compliance with the United States export administration regulations (and the export control laws and regulation of any other countries) when You use, distribute or otherwise make available any Covered Software.

#### 10. RESPONSIBILITY FOR CLAIMS.

As between Initial Developer and the Contributors, each party is responsible for claims and damages arising, directly or indirectly, out of its utilization of rights under this License and You agree to work with Initial Developer and Contributors to distribute such responsibility on an equitable basis. Nothing herein is intended or shall be deemed to constitute any admission of liability.

NOTICE PURSUANT TO SECTION 9 OF THE COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL)

The code released under the CDDL shall be governed by the laws of the State of California (excluding conflict-of-law provisions). Any litigation relating to this License shall be subject to the jurisdiction of the Federal Courts of the Northern District of California and the state courts of the State of California, with venue lying in Santa Clara County, California.

normalize.css License

The stylesheet.css file (originally normalize.css) is used by the groovydoc and docgenerator components for groovy-jdk/gapi documentation.

It is made available under a MIT License:

licenses/normalize-stylesheet-license.txt

COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL) Version 1.1

## 1. Definitions.

1.1. "Contributor" means each individual or entity that creates or contributes to the creation of Modifications.

1.2. "Contributor Version" means the combination of the Original Software, prior Modifications used by a Contributor (if any), and the Modifications made by that particular Contributor.

1.3. "Covered Software" means (a) the Original Software, or (b) Modifications, or (c) the combination of files containing Original Software with files containing Modifications, in each case including portions thereof.

1.4. "Executable" means the Covered Software in any form other than Source Code.

1.5. "Initial Developer" means the individual or entity that first makes Original Software available under this License.

1.6. "Larger Work" means a work which combines Covered Software or portions thereof with code not governed by the terms of this License.

1.7. "License" means this document.

1.8. "Licensable" means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed herein.

1.9. "Modifications" means the Source Code and Executable form of any of the following:

A. Any file that results from an addition to, deletion from or modification of the contents of a file containing Original Software or previous Modifications;

B. Any new file that contains any part of the Original Software or previous Modification; or

C. Any new file that is contributed or otherwise made available under the terms of this License.

1.10. "Original Software" means the Source Code and Executable form of computer software code that is originally released under this License.

1.11. "Patent Claims" means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent Licensable by grantor.

1.12. "Source Code" means (a) the common form of computer software code in which modifications are made and (b) associated documentation included in or with such code.

1.13. "You" (or "Your") means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License. For legal entities, "You" includes any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, "control" means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

## 2. License Grants.

### 2.1. The Initial Developer Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, the Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Initial Developer, to use, reproduce, modify, display, perform, sublicense and distribute the Original Software (or portions thereof), with or without Modifications, and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using or selling of Original Software, to make, have made, use, practice, sell, and offer for sale, and/or otherwise dispose of the Original Software (or portions thereof).

(c) The licenses granted in Sections 2.1(a) and (b) are effective on

the date Initial Developer first distributes or otherwise makes the Original Software available to a third party under the terms of this License.

(d) Notwithstanding Section 2.1(b) above, no patent license is granted: (1) for code that You delete from the Original Software, or (2) for infringements caused by: (i) the modification of the Original Software, or (ii) the combination of the Original Software with other software or devices.

## 2.2. Contributor Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Contributor to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof), either on an unmodified basis, with other Modifications, as Covered Software and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor either alone and/or in combination with its Contributor Version (or portions of such combination), to make, use, sell, offer for sale, have made, and/or otherwise dispose of: (1) Modifications made by that Contributor (or portions thereof); and (2) the combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).

(c) The licenses granted in Sections 2.2(a) and 2.2(b) are effective on the date Contributor first distributes or otherwise makes the Modifications available to a third party.

(d) Notwithstanding Section 2.2(b) above, no patent license is granted: (1) for any code that Contributor has deleted from the Contributor Version; (2) for infringements caused by: (i) third party modifications of Contributor Version, or (ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or (3) under Patent Claims infringed by Covered Software in the absence of Modifications made by that Contributor.

## 3. Distribution Obligations.

### 3.1. Availability of Source Code.

Any Covered Software that You distribute or otherwise make available in Executable form must also be made available in Source Code form and that Source Code form must be distributed only under the terms of this License. You must include a copy of this License with every copy of the Source Code form of the Covered Software You distribute or otherwise make available. You must inform recipients of any such Covered Software in Executable form as to how they can obtain such Covered Software in Source Code form in a reasonable manner on or through a medium customarily used for software exchange.

### 3.2. Modifications.

The Modifications that You create or to which You contribute are governed by the terms of this License. You represent that You believe Your Modifications are Your original creation(s) and/or You have sufficient rights to grant the rights conveyed by this License.

### 3.3. Required Notices.

You must include a notice in each of Your Modifications that identifies You as the Contributor of the Modification. You may not remove or alter any copyright, patent or trademark notices contained within the Covered Software, or any notices of licensing or any descriptive text giving attribution to any Contributor or the Initial Developer.

### 3.4. Application of Additional Terms.

You may not offer or impose any terms on any Covered Software in Source Code form that alters or restricts the applicable version of this License or the recipients' rights hereunder. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, you may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it absolutely clear that any such warranty, support, indemnity or liability obligation is offered by You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of warranty, support, indemnity or liability terms You offer.

### 3.5. Distribution of Executable Versions.

You may distribute the Executable form of the Covered Software under the terms of this License or under the terms of a license of Your choice, which may contain terms different from this License, provided that You are in compliance with the terms of this License

and that the license for the Executable form does not attempt to limit or alter the recipient's rights in the Source Code form from the rights set forth in this License. If You distribute the Covered Software in Executable form under a different license, You must make it absolutely clear that any terms which differ from this License are offered by You alone, not by the Initial Developer or Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer.

### 3.6. Larger Works.

You may create a Larger Work by combining Covered Software with other code not governed by the terms of this License and distribute the Larger Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled for the Covered Software.

## 4. Versions of the License.

### 4.1. New Versions.

Oracle is the initial license steward and may publish revised and/or new versions of this License from time to time. Each version will be given a distinguishing version number. Except as provided in Section 4.3, no one other than the license steward has the right to modify this License.

### 4.2. Effect of New Versions.

You may always continue to use, distribute or otherwise make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. If the Initial Developer includes a notice in the Original Software prohibiting it from being distributed or otherwise made available under any subsequent version of the License, You must distribute and make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. Otherwise, You may also choose to use, distribute or otherwise make the Covered Software available under the terms of any subsequent version of the License published by the license steward.

### 4.3. Modified Versions.

When You are an Initial Developer and You want to create a new license for Your Original Software, You may create and use a modified version of this License if You: (a) rename the license and remove any references to the name of the license steward (except to



note that the license differs from this License); and (b) otherwise make it clear that the license contains terms which differ from this License.

## 5. DISCLAIMER OF WARRANTY.

COVERED SOFTWARE IS PROVIDED UNDER THIS LICENSE ON AN "AS IS" BASIS, WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES THAT THE COVERED SOFTWARE IS FREE OF DEFECTS, MERCHANTABILITY, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED SOFTWARE IS WITH YOU. SHOULD ANY COVERED SOFTWARE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED SOFTWARE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

## 6. TERMINATION.

6.1. This License and the rights granted hereunder will terminate automatically if You fail to comply with terms herein and fail to cure such breach within 30 days of becoming aware of the breach. Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive.

6.2. If You assert a patent infringement claim (excluding declaratory judgment actions) against Initial Developer or a Contributor (the Initial Developer or Contributor against whom You assert such claim is referred to as "Participant") alleging that the Participant Software (meaning the Contributor Version where the Participant is a Contributor or the Original Software where the Participant is the Initial Developer) directly or indirectly infringes any patent, then any and all rights granted directly or indirectly to You by such Participant, the Initial Developer (if the Initial Developer is not the Participant) and all Contributors under Sections 2.1 and/or 2.2 of this License shall, upon 60 days notice from Participant terminate prospectively and automatically at the expiration of such 60 day notice period, unless if within such 60 day period You withdraw Your claim with respect to the Participant Software against such Participant either unilaterally or pursuant to a written agreement with Participant.

6.3. If You assert a patent infringement claim against Participant alleging that the Participant Software directly or indirectly infringes any patent where such claim is resolved (such as by license or settlement) prior to the initiation of patent infringement litigation, then the reasonable value of the licenses

granted by such Participant under Sections 2.1 or 2.2 shall be taken into account in determining the amount or value of any payment or license.

6.4. In the event of termination under Sections 6.1 or 6.2 above, all end user licenses that have been validly granted by You or any distributor hereunder prior to termination (excluding licenses granted to You by any distributor) shall survive termination.

## 7. LIMITATION OF LIABILITY.

UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED SOFTWARE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTY'S NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

## 8. U.S. GOVERNMENT END USERS.

The Covered Software is a "commercial item," as that term is defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of "commercial computer software" (as that term is defined at 48 C.F.R. 252.227-7014(a)(1)) and "commercial computer software documentation" as such terms are used in 48 C.F.R. 12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4 (June 1995), all U.S. Government End Users acquire Covered Software with only those rights set forth herein. This U.S. Government Rights clause is in lieu of, and supersedes, any other FAR, DFAR, or other clause or provision that addresses Government rights in computer software under this License.

## 9. MISCELLANEOUS.

This License represents the complete agreement concerning subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by the law of the jurisdiction specified in a notice contained within

the Original Software (except to the extent applicable law, if any, provides otherwise), excluding such jurisdiction's conflict-of-law provisions. Any litigation relating to this License shall be subject to the jurisdiction of the courts located in the jurisdiction and venue specified in a notice contained within the Original Software, with the losing party responsible for costs, including, without limitation, court costs and reasonable attorneys' fees and expenses. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not apply to this License. You agree that You alone are responsible for compliance with the United States export administration regulations (and the export control laws and regulation of any other countries) when You use, distribute or otherwise make available any Covered Software.

#### 10. RESPONSIBILITY FOR CLAIMS.

As between Initial Developer and the Contributors, each party is responsible for claims and damages arising, directly or indirectly, out of its utilization of rights under this License and You agree to work with Initial Developer and Contributors to distribute such responsibility on an equitable basis. Nothing herein is intended or shall be deemed to constitute any admission of liability.

-----

#### NOTICE PURSUANT TO SECTION 9 OF THE COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL)

The code released under the CDDL shall be governed by the laws of the State of California (excluding conflict-of-law provisions). Any litigation relating to this License shall be subject to the jurisdiction of the Federal Courts of the Northern District of California and the state courts of the State of California, with venue lying in Santa Clara County, California.

JSR223 License

The following classes within this product:

```
org.codehaus.groovy.jsr223.GroovyCompiledScript
org.codehaus.groovy.jsr223.GroovyScriptEngineFactory
org.codehaus.groovy.jsr223.GroovyScriptEngineImpl
```

were derived from reference implementation files developed by Sun in collaboration with the Groovy community. The reference implementation has a BSD-style license. Details can be found in: licenses/jsr223-license.txt

Revised BSD license

This is a specific instance of the Open Source Initiative (OSI) BSD license template  
<http://www.opensource.org/licenses/bsd-license.php>

Copyright 2004-2009 Brent Fulgham  
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

Neither the name of "The Computer Language Benchmarks Game" nor the name of "The Computer Language Shootout Benchmarks" nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

JLine2 License (optional dependency used with groovysh)

This product bundles the JLine2 jar, which is available under a BSD License. For details, see [licenses/jline2-license.txt](#).

JAXB License (for optional groovy-jaxb extensions)

This product bundles several JAXB related jars in binary form.

The "javax.activation" jar is available under the CDDL 1.0 license:  
[licenses/activation-license.txt](#)

The jaxb-api, jaxb-core and jaxb-impl jars use the CDDL 1.1 license:  
[licenses/jaxb-license.txt](#)

ANTLR 4 License

Antlr4 is released under a BSD 3-clause license.

See licenses/antlr4-license.txt for details.

BSD License

Copyright (c) 2000-2015 www.hamcrest.org

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

Neither the name of Hamcrest nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

The person or persons who have associated work with this document (the "Dedicator" or "Certifier") hereby either (a) certifies that, to the best of his knowledge, the work of authorship identified is in the public domain of the country from which the work is published, or (b) hereby dedicates whatever copyright the dedicator holds in the work of authorship identified below (the "Work") to the public domain. A certifier, moreover, dedicates any copyright interest he may have in the associated work, and for these purposes, is described as a "dedicator" below.

A certifier has taken reasonable steps to verify the copyright status of this work. Certifier recognizes that his good faith efforts may not shield him from liability if in fact the work certified is not in the public domain.

Dedicator makes this dedication for the benefit of the public at large and to the detriment of the Dedicator's heirs and successors. Dedicator intends this

dedication to be an overt act of relinquishment in perpetuity of all present and future rights under copyright law, whether vested or contingent, in the Work. Dedicator understands that such relinquishment of all rights includes the relinquishment of all rights to enforce (by lawsuit or otherwise) those copyrights in the Work.

Dedicator recognizes that, once placed in the public domain, the Work may be freely reproduced, distributed, transmitted, used, modified, built upon, or otherwise exploited by anyone for any purpose, commercial or non-commercial, and in any way, including by methods that have not yet been invented or conceived.

Apache Groovy

Copyright 2003-2020 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

This product includes/uses ANTLR2 (<http://www.antlr2.org/>)  
developed by Terence Parr 1989-2006

This product includes/uses ANTLR4 (<https://github.com/antlr/antlr4>)  
Copyright (c) 2012-2017 The ANTLR Project. All rights reserved.

This product embeds the OpenBeans jar within its grooid jar artifacts  
OpenBeans includes/uses files from Apache Harmony and the following notice applies  
Copyright 2006, 2010 The Apache Software Foundation.

Portions of Apache Harmony were originally developed by Intel Corporation and are licensed to the Apache Software Foundation under the "Software Grant and Corporate Contribution License Agreement" and for which the following copyright notices apply

(C) Copyright 2005 Intel Corporation

(C) Copyright 2005-2006 Intel Corporation

(C) Copyright 2006 Intel Corporation

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all

other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and

subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
  - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
  - (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
  - (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
  - (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed



as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the

Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

-----  
AsciiDoc License

This product uses the style.css from [asciidoctor.org](http://asciidoctor.org) within

documentation. The file is available under the MIT License.  
For details, see licenses/asciidoc-style-license.txt.

---

#### JQuery License

The following file is used within documentation:

src/spec/assets/css/jquery-2.1.1.min.js

This file is made available under the following MIT license:  
licenses/jquery-js-license.txt

---

#### normalize.css License

The stylesheet.css file (originally normalize.css) is used by the  
groovydoc and docgenerator components for groovy-jdk/gapi documentation.

It is made available under a MIT License:  
licenses/normalize-stylesheet-license.txt

#### ASM License

ASM: a very small and fast Java bytecode manipulation framework  
Copyright (c) 2000-2011 INRIA, France Telecom  
All rights reserved.

Redistribution and use in source and binary forms, with or without  
modification, are permitted provided that the following conditions  
are met:

1. Redistributions of source code must retain the above copyright  
notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright  
notice, this list of conditions and the following disclaimer in the  
documentation and/or other materials provided with the distribution.
3. Neither the name of the copyright holders nor the names of its  
contributors may be used to endorse or promote products derived from  
this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS"  
AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE  
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE  
ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE  
LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR

CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Apache Groovy

Copyright 2003-2020 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

This product embeds the OpenBeans jar within its grooid jar artifacts  
OpenBeans includes/uses files from Apache Harmony and the following notice applies  
Copyright 2006, 2010 The Apache Software Foundation.

Portions of Apache Harmony were originally developed by Intel Corporation and are licensed to the Apache Software Foundation under the "Software Grant and Corporate Contribution License Agreement" and for which the following copyright notices apply

(C) Copyright 2005 Intel Corporation

(C) Copyright 2005-2006 Intel Corporation

(C) Copyright 2006 Intel Corporation

Copyright (c) 2003-2006, Joe Walnes

Copyright (c) 2006-2009, 2011 XStream Committers

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. Neither the name of XStream nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED

TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

#### JQuery License

The following file is used within documentation:

`src/spec/assets/css/jquery-2.1.1.min.js`

This file is made available under the following MIT license:

`licenses/jquery-js-license.txt`

////////////////////////////////////

Licensed to the Apache Software Foundation (ASF) under one or more contributor license agreements. See the NOTICE file distributed with this work for additional information regarding copyright ownership. The ASF licenses this file to you under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

////////////////////////////////////

= Contributors

The Groovy team would like to thank the contributors of this documentation (in alphabetical order of last/surname):

- \* <https://github.com/mojavelinux>[Dan Allen]
- \* <https://github.com/and-dmitry>[Dmitry Andreychuk]
- \* <http://hamletdarcy.blogspot.fr/>[Hamlet D'Arcy]
- \* <https://github.com/anshbansal>[Aseem Bansal]
- \* <https://github.com/bura>[Andrey Bloshchetsov]
- \* <https://github.com/JBrownVisualSpection>[J Brown]
- \* <https://github.com/jeffbrown>[Jeff Scott Brown]
- \* <http://twitter.com/CedricChampeau>[Cdric Champeau]
- \* <https://github.com/tobia>[Tobia Conforto]

- \* <https://github.com/ddimitrov>[Dimitar Dimitrov]
- \* <http://twitter.com/werdnagreb>[Andrew Eisenberg]
- \* <https://github.com/erdi>[Marcin Erdmann]
- \* <https://github.com/christoph-frick>[Christoph Frick]
- \* <http://twitter.com/marioggar>[Mario Garca]
- \* <https://github.com/davidmichaekarr>[David Michael Karr]
- \* [http://twitter.com/paulk\\_asert](http://twitter.com/paulk_asert)[Paul King]
- \* <http://twitter.com/glaforge>[Guillaume Laforge]
- \* <http://twitter.com/pledbrook>[Peter Ledbrook]
- \* <http://grantmcconnaughey.github.io/>[Grant McConnaughey]
- \* <https://github.com/eric-milles>[Eric Milles]
- \* <https://github.com/dnahodil>[David Nahodil]
- \* <https://github.com/jnorthr>[James Northrop]
- \* <https://github.com/marcpa00>[Marc Paquette]
- \* <https://github.com/michaelss>[Michael Schuenck]
- \* <https://github.com/PascalSchumacher>[Pascal Schumacher]
- \* <https://github.com/shils>[Shil Sinha]
- \* <https://github.com/stavytskyi>[Maksym Stavytskyi]
- \* <https://twitter.com/asteingr>[Andr Steingre]
- \* [https://twitter.com/daniel\\_sun](https://twitter.com/daniel_sun)[Daniel Sun]
- \* <https://github.com/EPadronU>[Edinson Padrn Urdaneta]
- \* <https://github.com/keeganwitt>[Keegan Witt]

Copyright (c) 2002-2012, the original author or authors.

All rights reserved.

<http://www.opensource.org/licenses/bsd-license.php>

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

Neither the name of JLine nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE

FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.



4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed

with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate

comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

-----

#### NORMALIZE.CSS LICENSE

The following file is used with documentation:

<org/codehaus/groovy/tools/groovydoc/gstringTemplates/topLevel/stylesheet.css>

Copyright (c) Nicolas Gallagher and Jonathan Neal

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Apache License

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions

to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
  - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
  - (b) You must cause any modified files to carry prominent notices

stating that You changed the files; and

- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.
6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. **Disclaimer of Warranty.** Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS,

WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
  
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.

You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

This directory contains generated LICENSE files and snippets used to generate those files. See the assemble.gradle file (updateLicenses task) for details on how this is done.

Snippets have predefined suffix values in their name to determine which files they go into.

LICENSE (the one for source), LICENSE-DOC and LICENSE-JARJAR get snippets containing SRC, DOC and JARJAR respectively.

LICENSE-BINZIP gets JARJAR and BINZIP snippets.

In addition, LICENSE files are generated for these subprojects:

groovy-docgenerator, groovy-groovydoc, groovy-groovysh, groovy-jsr223

Apache Groovy

Copyright 2003-2020 The Apache Software Foundation

This product includes software developed at The Apache Software Foundation (<http://www.apache.org/>).

This product includes/uses ANTLR2 (<http://www.antlr2.org/>) developed by Terence Parr 1989-2006

This product includes/uses ANTLR4 (<https://github.com/antlr/antlr4>) Copyright (c) 2012-2017 The ANTLR Project. All rights reserved.

This product bundles the javax.servlet.jsp-api jar in binary form which is available under the CDDL 1.1 license and for which the following copyright notice applies Copyright (c) 1997-2013 Oracle and/or its affiliates. All rights reserved.

This product bundles the JUnit4 jar (junit.org) which is available under the terms of the Eclipse Public License v1.0

This product bundles several of the JUnit5 jars (junit.org) which are available under the terms of the Eclipse Public License v2.0

This product embeds the OpenBeans jar within its grooid jar artifacts OpenBeans includes/uses files from Apache Harmony and the following notice applies Copyright 2006, 2010 The Apache Software Foundation.

Portions of Apache Harmony were originally developed by Intel Corporation and are licensed to the Apache Software Foundation under the "Software Grant and Corporate Contribution License Agreement" and for which the following copyright notices apply

(C) Copyright 2005 Intel Corporation

(C) Copyright 2005-2006 Intel Corporation

(C) Copyright 2006 Intel Corporation



This product bundles the javax.servlet-api jar in binary form which is available under the CDDL 1.0 license and for which the following copyright notice applies  
Copyright (c) 1997-2017 Oracle and/or its affiliates. All rights reserved.

This product bundles icons from the famfamfam.com silk icons set  
<http://www.famfamfam.com/lab/icons/silk/>  
Licensed under the Creative Commons Attribution Licence v2.5  
<http://creativecommons.org/licenses/by/2.5/>

This convenience zip embeds Groovy's src and doc zips.  
See also src/NOTICE and doc/NOTICE files for additional notice information.

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a

cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,

any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

-----

#### ANTLR 2 License

Antlr2 is released in the public domain.  
See licenses/antlr2-license.txt for details.

-----

#### ANTLR 4 License

Antlr4 is released under a BSD 3-clause license.  
See licenses/antlr4-license.txt for details.

-----

#### ASM License

ASM uses a 3-clause BSD license. For details, see licenses/asm-license.txt.

-----

Hamcrest License (needed when using optional JUnit dependency)

This product bundles the Hamcrest jar, which is available under a BSD license. For details, see licenses/hamcrest-license.txt.

-----  
JAXB License (for optional groovy-jaxb extensions)

This product bundles several JAXB related jars in binary form.

The "javax.activation" jar is available under the CDDL 1.0 license:  
licenses/activation-license.txt

The jaxb-api, jaxb-core and jaxb-impl jars use the CDDL 1.1 license:  
licenses/jaxb-license.txt

-----  
JLine2 License (optional dependency used with groovysh)

This product bundles the JLine2 jar, which is available under a BSD License. For details, see licenses/jline2-license.txt.

-----  
javax.servlet.jsp-api License (for groovy-servlet module)

This product bundles the javax.servlet.jsp-api jar in binary form which is available under the CDDL 1.1 license:  
licenses/jsp-api-license.txt

-----  
JSR166y License (optionally used by the optional GPar dependency)

This product bundles the jsr166y jar (containing works from the JSR-166 EG, Doug Lea, and Jason T. Greene) made available in the public domain. For details, see licenses/jsr166y-license.txt.

-----  
JSR223 License

The following classes within this product:

org.codehaus.groovy.jsr223.GroovyCompiledScript  
org.codehaus.groovy.jsr223.GroovyScriptEngineFactory  
org.codehaus.groovy.jsr223.GroovyScriptEngineImpl

were derived from reference implementation files developed by Sun in collaboration with the Groovy community. The reference implementation has a BSD-style license. Details can be found in: licenses/jsr223-license.txt

-----

JUnit Licenses (optional dependencies when using Groovy for testing)

This product bundles the JUnit 4 jar, which is available under the Eclipse Public License v1.0. For details, see licenses/junit4-license.txt.

This product bundles several JUnit 5 jars, which are available under the Eclipse Public License v2.0. For details, see licenses/junit5-license.txt.

-----

normalize.css License

The stylesheet.css file (originally normalize.css) is used by the groovydoc and docgenerator components for groovy-jdk/gapi documentation. It is made available under a MIT License:  
licenses/normalize-stylesheet-license.txt

-----

javax.servlet.jsp-api License (for groovy-servlet module)

This product bundles the javax.servlet-api jar in binary form which is available under the CDDL 1.0 license:  
licenses/servlet-api-license.txt

-----

XStream License (optional dependency when serializing AST as XML)

This product bundles the XStream jar, which is available under a "3-clause BSD" license. For details, see licenses/xstream-license.txt.

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but



excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
  - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
  - (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
  - (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
  - (d) If the Work includes a "NOTICE" text file as part of its

distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. **Disclaimer of Warranty.** Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. **Limitation of Liability.** In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise,

unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. **Accepting Warranty or Additional Liability.** While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

---

## JSR223 License

The following classes within this product:

```
org.codehaus.groovy.jsr223.GroovyCompiledScript
org.codehaus.groovy.jsr223.GroovyScriptEngineFactory
org.codehaus.groovy.jsr223.GroovyScriptEngineImpl
```

were derived from reference implementation files developed by Sun in collaboration with the Groovy community. The reference implementation has a BSD-style license. Details can be found in: [licenses/jsr223-license.txt](#)  
Copyright jQuery Foundation and other contributors, <https://jquery.org/>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

XStream License (optional dependency when serializing AST as XML)

This product bundles the XStream jar, which is available under a "3-clause BSD" license. For details, see [licenses/xstream-license.txt](#).

## ANTLR 4 License

[The "BSD 3-clause license"]

Copyright (c) 2012-2017 The ANTLR Project. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. Neither the name of the copyright holder nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

NORMALIZE.CSS LICENSE

The following file is used with documentation:

`org/codehaus/groovy/tools/stylesheet.css`

Copyright (c) Nicolas Gallagher and Jonathan Neal

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

////////////////////////////////////

Licensed to the Apache Software Foundation (ASF) under one or more contributor license agreements. See the NOTICE file distributed with this work for additional information regarding copyright ownership. The ASF licenses this file

to you under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

////////////////////////////////////

= License

This work is licensed under the <http://www.apache.org/licenses/LICENSE-2.0> [Apache License, Version 2.0].  
Apache Groovy  
Copyright 2003-2020 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

The Java source files in `src/main/java/org/apache/groovy/util/concurrent/concurrentlinkedhashmap/` are from <https://github.com/ben-manes/concurrentlinkedhashmap> and the following notice applies:  
Copyright 2010-2012 Google Inc. All Rights Reserved.

This product bundles icons from the famfamfam.com silk icons set  
<http://www.famfamfam.com/lab/icons/silk/>  
Licensed under the Creative Commons Attribution Licence v2.5  
<http://creativecommons.org/licenses/by/2.5/>  
Eclipse Public License - v 1.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

## 1. DEFINITIONS

"Contribution" means:

a) in the case of the initial Contributor, the initial code and documentation distributed under this Agreement, and

b) in the case of each subsequent Contributor:

i) changes to the Program, and

ii) additions to the Program;

where such changes and/or additions to the Program originate from and are distributed by that particular Contributor. A Contribution 'originates' from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include additions to the Program which: (i) are separate modules of software distributed in conjunction with the Program under their own license agreement, and (ii) are not derivative works of the Program.

"Contributor" means any person or entity that distributes the Program.

"Licensed Patents" mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement, including all Contributors.

## 2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare derivative works of, publicly display, publicly perform, distribute and sublicense the Contribution of such Contributor, if any, and such derivative works, in source code and object code form.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in source code and object code form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the

patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

### 3. REQUIREMENTS

A Contributor may choose to distribute the Program in object code form under its own license agreement, provided that:

a) it complies with the terms and conditions of this Agreement; and

b) its license agreement:

i) effectively disclaims on behalf of all Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;

ii) effectively excludes on behalf of all Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;

iii) states that any provisions which differ from this Agreement are offered by that Contributor alone and not by any other party; and

iv) states that source code for the Program is available from such Contributor, and informs licensees how to obtain it in a reasonable manner on or through a medium customarily used for software exchange.

When the Program is made available in source code form:

a) it must be made available under this Agreement; and

b) a copy of this Agreement must be included with each copy of the Program.

Contributors may not remove or alter any copyright notices contained within the Program.



Each Contributor must identify itself as the originator of its Contribution, if any, in a manner that reasonably allows subsequent Recipients to identify the originator of the Contribution.

#### 4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

#### 5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible

for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

## 6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

## 7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation

is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to distribute the Program (including its Contributions) under the new version. Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved.

This Agreement is governed by the laws of the State of New York and the intellectual property laws of the United States of America. No party to this Agreement will bring a legal action under this Agreement more than one year after the cause of action arose. Each party waives its rights to a jury trial in any resulting litigation.

JSR166y License (optionally used by the optional GPar dependency)

This product bundles the jsr166y jar (containing works from the JSR-166 EG, Doug Lea, and Jason T. Greene) made available in the public domain. For details, see [licenses/jsr166y-license.txt](#).

ANTLR 2 License

Antlr2 is released in the public domain.

See [licenses/antlr2-license.txt](#) for details.

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or

otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual,

worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents

of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

-----

### ANTLR 2 License

Antlr2 is released in the public domain.  
See licenses/antlr2-license.txt for details.

-----

## ANTLR 4 License

Antlr4 is released under a BSD 3-clause license.  
See licenses/antlr4-license.txt for details.

-----

## ASM License

ASM uses a 3-clause BSD license. For details, see licenses/asm-license.txt.  
Eclipse Public License - v 2.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE (AGREEMENT). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

### 1. Definitions

Contribution means:

- a) in the case of the initial Contributor, the initial content Distributed under this Agreement, and
- b) in the case of each subsequent Contributor:
  - i) changes to the Program, and
  - ii) additions to the Program; where such changes and/or additions to the Program originate from and are Distributed by that particular Contributor. A Contribution originates from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include changes or additions to the Program that are not Modified Works.

Contributor means any person or entity that Distributes the Program.

Licensed Patents mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

Program means the Contributions Distributed in accordance with this Agreement.

Recipient means anyone who receives the Program under this Agreement or any Secondary License (as applicable), including Contributors.

Derivative Works shall mean any work, whether in Source Code or other form, that is based on (or derived from) the Program and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship.

Modified Works shall mean any work in Source Code or other form that results from an addition to, deletion from, or modification of the contents of the Program, including, for purposes of clarity any new file in Source Code form that contains any contents of the Program. Modified Works shall not include works that contain only declarations, interfaces, types, classes, structures, or files of the Program solely in each case in order to link to, bind by name, or subclass the Program or Modified Works thereof.

Distribute means the acts of a) distributing or b) making available in any manner that enables the transfer of a copy.



Source Code means the form of a Program preferred for making modifications, including but not limited to software source code, documentation source, and configuration files.

Secondary License means either the GNU General Public License, Version 2.0, or any later versions of that license, including any exceptions or additional permissions as identified by the initial Contributor.

## 2. Grant of Rights

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, Distribute and sublicense the Contribution of such Contributor, if any, and such Derivative Works.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in Source Code or other form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to Distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

e) Notwithstanding the terms of any Secondary License, no Contributor makes additional grants to any Recipient (other than those set forth in this Agreement) as a result of such Recipient's receipt of the Program under the terms of a Secondary License (if permitted under the terms of Section 3).

## 3. Requirements

3.1 If a Contributor Distributes the Program in any form, then:

a) the Program must also be made available as Source Code, in accordance with section 3.2, and the Contributor must accompany the Program with a statement that the Source Code for the Program is available under this Agreement, and informs Recipients how to obtain it in a reasonable manner on or through a medium customarily used for software exchange; and

b) the Contributor may Distribute the Program under a license different than this Agreement, provided that such license:

i) effectively disclaims on behalf of all other Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;

ii) effectively excludes on behalf of all other Contributors all liability for damages, including direct, indirect, special,

incidental and consequential damages, such as lost profits;

iii) does not attempt to limit or alter the recipients' rights in the Source Code under section 3.2; and

iv) requires any subsequent distribution of the Program by any party to be under a license that satisfies the requirements of this section 3.

### 3.2 When the Program is Distributed as Source Code:

a) it must be made available under this Agreement, or if the Program (i) is combined with other material in a separate file or files made available under a Secondary License, and (ii) the initial Contributor attached to the Source Code the notice described in Exhibit A of this Agreement, then the Program may be made available under the terms of such Secondary Licenses, and

b) a copy of this Agreement must be included with each copy of the Program.

3.3 Contributors may not remove or alter any copyright, patent, trademark, attribution notices, disclaimers of warranty, or limitations of liability (notices) contained within the Program from any copy of the Program which they Distribute, provided that Contributors may add their own appropriate notices.

### 4. Commercial Distribution

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor (Commercial Contributor) hereby agrees to defend and indemnify every other Contributor (Indemnified Contributor) against any losses, damages and costs (collectively Losses) arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

### 5. No Warranty

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, THE PROGRAM IS PROVIDED ON AN AS IS BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

### 6. Disclaimer of Liability

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

#### 7. General

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be Distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to Distribute the Program (including its Contributions) under the new version.

Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved. Nothing in this Agreement is intended to be enforceable by any entity that is not a Contributor or Recipient. No third-party beneficiary rights are created under this Agreement.

#### Exhibit A - Form of Secondary Licenses Notice

This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License, v. 2.0 are satisfied: {name license(s), version(s), and exceptions or additional permissions here}.

Simply including a copy of this Agreement, including this Exhibit A is not sufficient to license the Source Code under Secondary Licenses.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.

COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL) Version 1.0

## 1. Definitions.

1.1. Contributor means each individual or entity that creates or contributes to the creation of Modifications.

1.2. Contributor Version means the combination of the Original Software, prior Modifications used by a Contributor (if any), and the Modifications made by that particular Contributor.

1.3. Covered Software means (a) the Original Software, or (b) Modifications, or (c) the combination of files containing Original Software with files containing Modifications, in each case including portions thereof.

1.4. Executable means the Covered Software in any form other than Source Code.

1.5. Initial Developer means the individual or entity that first makes Original Software available under this License.

1.6. Larger Work means a work which combines Covered Software or portions thereof with code not governed by the terms of this License.

1.7. License means this document.

1.8. Licensable means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed herein.

1.9. Modifications means the Source Code and Executable form of any of the following: A. Any file that results from an addition to, deletion from or modification of the contents of a file containing Original Software or previous Modifications; B. Any new file that contains any part of the Original Software or previous Modification; or C. Any new file that is contributed or otherwise made available under the terms of this License.

1.10. Original Software means the Source Code and Executable form of computer software code that is originally released under this License.

1.11. Patent Claims means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent Licensable by grantor.

1.12. Source Code means (a) the common form of computer software code in which modifications are made and (b) associated documentation included in or with such code.

1.13. You (or Your) means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License. For legal entities, You includes any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, control means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

## 2. License Grants.

2.1. The Initial Developer Grant. Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, the Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Initial Developer, to use, reproduce, modify, display, perform, sublicense and distribute the Original Software (or portions thereof), with or without Modifications, and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using or selling of Original Software, to make, have made, use, practice, sell, and offer for sale, and/or otherwise dispose of the Original Software (or portions thereof);

(c) The licenses granted in Sections 2.1(a) and (b) are effective on the date Initial Developer first distributes or otherwise makes the Original Software available to a third party under the terms of this License;

(d) Notwithstanding Section 2.1(b) above, no patent license is granted: (1) for code that You delete from the Original Software, or (2) for infringements caused by: (i) the modification of the Original Software, or (ii) the combination of the Original Software with other software or devices.

2.2. Contributor Grant. Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Contributor to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof), either on an unmodified basis, with other Modifications, as Covered Software and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor either alone and/or in combination with

its Contributor Version (or portions of such combination), to make, use, sell, offer for sale, have made, and/or otherwise dispose of: (1) Modifications made by that Contributor (or portions thereof); and (2) the combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).

(c) The licenses granted in Sections 2.2(a) and 2.2(b) are effective on the date Contributor first distributes or otherwise makes the Modifications available to a third party.

(d) Notwithstanding Section 2.2(b) above, no patent license is granted: (1) for any code that Contributor has deleted from the Contributor Version; (2) for infringements caused by: (i) third party modifications of Contributor Version, or (ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or (3) under Patent Claims infringed by Covered Software in the absence of Modifications made by that Contributor.

### 3. Distribution Obligations.

3.1. Availability of Source Code. Any Covered Software that You distribute or otherwise make available in Executable form must also be made available in Source Code form and that Source Code form must be distributed only under the terms of this License. You must include a copy of this License with every copy of the Source Code form of the Covered Software You distribute or otherwise make available. You must inform recipients of any such Covered Software in Executable form as to how they can obtain such Covered Software in Source Code form in a reasonable manner on or through a medium customarily used for software exchange.

3.2. Modifications. The Modifications that You create or to which You contribute are governed by the terms of this License. You represent that You believe Your Modifications are Your original creation(s) and/or You have sufficient rights to grant the rights conveyed by this License.

3.3. Required Notices. You must include a notice in each of Your Modifications that identifies You as the Contributor of the Modification. You may not remove or alter any copyright, patent or trademark notices contained within the Covered Software, or any notices of licensing or any descriptive text giving attribution to any Contributor or the Initial Developer.

3.4. Application of Additional Terms. You may not offer or impose any terms on any Covered Software in Source Code form that alters or restricts the applicable version of this License or the recipients rights hereunder. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, you may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it absolutely clear that any such

warranty, support, indemnity or liability obligation is offered by You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of warranty, support, indemnity or liability terms You offer.

3.5. Distribution of Executable Versions. You may distribute the Executable form of the Covered Software under the terms of this License or under the terms of a license of Your choice, which may contain terms different from this License, provided that You are in compliance with the terms of this License and that the license for the Executable form does not attempt to limit or alter the recipients rights in the Source Code form from the rights set forth in this License. If You distribute the Covered Software in Executable form under a different license, You must make it absolutely clear that any terms which differ from this License are offered by You alone, not by the Initial Developer or Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer.

3.6. Larger Works. You may create a Larger Work by combining Covered Software with other code not governed by the terms of this License and distribute the Larger Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled for the Covered Software.

#### 4. Versions of the License.

4.1. New Versions. Sun Microsystems, Inc. is the initial license steward and may publish revised and/or new versions of this License from time to time. Each version will be given a distinguishing version number. Except as provided in Section 4.3, no one other than the license steward has the right to modify this License.

4.2. Effect of New Versions. You may always continue to use, distribute or otherwise make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. If the Initial Developer includes a notice in the Original Software prohibiting it from being distributed or otherwise made available under any subsequent version of the License, You must distribute and make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. Otherwise, You may also choose to use, distribute or otherwise make the Covered Software available under the terms of any subsequent version of the License published by the license steward.

4.3. Modified Versions. When You are an Initial Developer and You want to create a new license for Your Original Software, You may create and use a modified version of this License if You: (a) rename the license and remove any references to the name of the license steward (except to note that the license differs from this License); and (b) otherwise make it clear that the license contains terms which differ from this License.

5. **DISCLAIMER OF WARRANTY.** COVERED SOFTWARE IS PROVIDED UNDER THIS LICENSE ON AN AS IS BASIS, WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES THAT THE COVERED SOFTWARE IS FREE OF DEFECTS, MERCHANTABILITY, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED SOFTWARE IS WITH YOU. SHOULD ANY COVERED SOFTWARE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED SOFTWARE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

6. **TERMINATION.**

6.1. This License and the rights granted hereunder will terminate automatically if You fail to comply with terms herein and fail to cure such breach within 30 days of becoming aware of the breach. Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive.

6.2. If You assert a patent infringement claim (excluding declaratory judgment actions) against Initial Developer or a Contributor (the Initial Developer or Contributor against whom You assert such claim is referred to as Participant) alleging that the Participant Software (meaning the Contributor Version where the Participant is a Contributor or the Original Software where the Participant is the Initial Developer) directly or indirectly infringes any patent, then any and all rights granted directly or indirectly to You by such Participant, the Initial Developer (if the Initial Developer is not the Participant) and all Contributors under Sections 2.1 and/or 2.2 of this License shall, upon 60 days notice from Participant terminate prospectively and automatically at the expiration of such 60 day notice period, unless if within such 60 day period You withdraw Your claim with respect to the Participant Software against such Participant either unilaterally or pursuant to a written agreement with Participant.

6.3. In the event of termination under Sections 6.1 or 6.2 above, all end user licenses that have been validly granted by You or any distributor hereunder prior to termination (excluding licenses granted to You by any distributor) shall survive termination.

7. **LIMITATION OF LIABILITY.** UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED SOFTWARE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOST PROFITS, LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO



LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTY'S NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

8. U.S. GOVERNMENT END USERS. The Covered Software is a commercial item, as that term is defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of commercial computer software (as that term is defined at 48 C.F.R. 252.227-7014(a)(1)) and commercial computer software documentation as such terms are used in 48 C.F.R. 12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4 (June 1995), all U.S. Government End Users acquire Covered Software with only those rights set forth herein. This U.S. Government Rights clause is in lieu of, and supersedes, any other FAR, DFAR, or other clause or provision that addresses Government rights in computer software under this License.

9. MISCELLANEOUS. This License represents the complete agreement concerning subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by the law of the jurisdiction specified in a notice contained within the Original Software (except to the extent applicable law, if any, provides otherwise), excluding such jurisdictions conflict-of-law provisions. Any litigation relating to this License shall be subject to the jurisdiction of the courts located in the jurisdiction and venue specified in a notice contained within the Original Software, with the losing party responsible for costs, including, without limitation, court costs and reasonable attorneys fees and expenses. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not apply to this License. You agree that You alone are responsible for compliance with the United States export administration regulations (and the export control laws and regulation of any other countries) when You use, distribute or otherwise make available any Covered Software.

10. RESPONSIBILITY FOR CLAIMS. As between Initial Developer and the Contributors, each party is responsible for claims and damages arising, directly or indirectly, out of its utilization of rights under this License and You agree to work with Initial Developer and Contributors to distribute such responsibility on an equitable basis. Nothing herein is intended or shall be deemed to constitute any admission of liability.

NOTICE PURSUANT TO SECTION 9 OF THE COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL)

For Covered Software in this distribution, this License shall be governed by the laws of the State of California (excluding conflict-of-law provisions).

Any litigation relating to this License shall be subject to the jurisdiction of the Federal Courts of the Northern District of California and the state courts of the State of California, with venue lying in Santa Clara County, California.

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain

separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the

origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software  
distributed under the License is distributed on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.

-----  
NORMALIZE.CSS LICENSE

The following file is used with documentation:

`org/codehaus/groovy/tools/stylesheet.css`

Copyright (c) Nicolas Gallagher and Jonathan Neal

Permission is hereby granted, free of charge, to any person obtaining a copy of  
this software and associated documentation files (the "Software"), to deal in  
the Software without restriction, including without limitation the rights to  
use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies  
of the Software, and to permit persons to whom the Software is furnished to do  
so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all  
copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR  
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,  
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE  
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER  
LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,  
OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE  
SOFTWARE.

The MIT License

Copyright (C) 2012-2015 Dan Allen, Ryan Waldron and the AsciiDoctor Project

Permission is hereby granted, free of charge, to any person obtaining a copy  
of this software and associated documentation files (the "Software"), to deal  
in the Software without restriction, including without limitation the rights

to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Apache Groovy

Copyright 2003-2020 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

This product includes/uses ANTLR2 (<http://www.antlr2.org/>)  
developed by Terence Parr 1989-2006

This product includes/uses ANTLR4 (<https://github.com/antlr/antlr4>)  
Copyright (c) 2012-2017 The ANTLR Project. All rights reserved.  
Hamcrest License (needed when using optional JUnit dependency)

This product bundles the Hamcrest jar, which is available under a  
BSD license. For details, see [licenses/hamcrest-license.txt](#).

Apache Groovy

Copyright 2003-2020 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

This product bundles icons from the famfamfam.com silk icons set  
<http://www.famfamfam.com/lab/icons/silk/>  
Licensed under the Creative Commons Attribution Licence v2.5  
<http://creativecommons.org/licenses/by/2.5/>  
NORMALIZE.CSS LICENSE

The following file is used with documentation:

[org/codehaus/groovy/tools/groovydoc/gstringTemplates/topLevel/stylesheet.css](#)

Copyright (c) Nicolas Gallagher and Jonathan Neal

Permission is hereby granted, free of charge, to any person obtaining a copy of

this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

JUnit Licenses (optional dependencies when using Groovy for testing)

This product bundles the JUnit 4 jar, which is available under the Eclipse Public License v1.0. For details, see [licenses/junit4-license.txt](#).

This product bundles several JUnit 5 jars, which are available under the Eclipse Public License v2.0. For details, see [licenses/junit5-license.txt](#).

ASM License

ASM uses a 3-clause BSD license. For details, see [licenses/asm-license.txt](#).

Asciidoc License

This product uses the style.css from [asciidoc.org](#) within documentation. The file is available under the MIT License.

For details, see [licenses/asciidoc-style-license.txt](#).

Copyright (c) 2006, Sun Microsystems, Inc.

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- Neither the name of the Sun Microsystems, Inc. nor the names of contributors may be used to endorse or promote products derived from this software without specific prior written permission.



THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

## 1.338 mongo-java-driver 4.3.4

### 1.338.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2008-present MongoDB, Inc.
 * Copyright 2010 The Guava Authors
 * Copyright 2011 The Guava Authors
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
*/opt/cola/permits/1340031619_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-
jar/com/mongodb/annotations/Beta.java
```

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2008-present MongoDB, Inc.
 *
```

- \* Licensed under the Apache License, Version 2.0 (the "License");
- \* you may not use this file except in compliance with the License.
- \* You may obtain a copy of the License at
- \*
- \* <http://www.apache.org/licenses/LICENSE-2.0>
- \*
- \* Unless required by applicable law or agreed to in writing, software
- \* distributed under the License is distributed on an "AS IS" BASIS,
- \* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- \* See the License for the specific language governing permissions and
- \* limitations under the License.
- \*/

Found in path(s):

- \* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/MongoSocketOpenException.java
- \* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/connection/ClusterType.java
- \* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/client/model/BuildersHelper.java
- \* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/connection/PowerOfTwoBufferPool.java
- \* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/client/model/Aggregates.java
- \* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/dns/DnsResolver.java
- \* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/client/model/TextSearchOptions.java
- \* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/management/MBeanServer.java
- \* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/MongoNotPrimaryException.java
- \* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/Timeout.java
- \* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/event/ServerHeartbeatFailedEvent.java
- \* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/client/model/PushOptions.java
- \* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/operation/CommandResultArrayCodec.java
- \* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/operation/MapReduceInlineResultsAsyncCursor.java
- \* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/operation/FindAndDeleteOperation.java
- \* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/operation/ReadOperation.java
- \* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/connection/FutureAsyncCompletionHandler.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/operation/MapReduceHelper.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/connection/ChangeListener.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/operation/InsertOperation.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/AutoEncryptionSettings.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/connection/Connection.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/operation/AggregateOperation.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/connection/QueryProtocol.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/binding/TransactionContext.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/binding/ClusterAwareReadWriteBinding.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/connection/AsynchronousSocketChannelStream.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/connection/ByteBufBsonDocument.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/client/model/changestream/ChangeStreamDocumentCodec.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/bulk/InsertRequest.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/client/model/geojson/codecs/LineStringCodec.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/binding/ReadBinding.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/client/gridfs/model/GridFSFile.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/authentication/NativeAuthenticationHelper.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/operation/DocumentHelper.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/operation/MapReduceWithInlineResultsOperation.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/MongoSecurityException.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/thread/DaemonThreadFactory.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/MongoSocketException.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/bulk/UpdateRequest.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/connection/MongoCredentialWithCache.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/connection/WriteProtocol.java  
\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/connection/ClusterDescriptionHelper.java  
\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/connection/ServerMonitorFactory.java  
\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/client/model/Windows.java  
\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/connection/UnixSocketChannelStream.java  
\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/connection/ReplyHeader.java  
\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/connection/ClusterClock.java  
\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/operation/SyncOperations.java  
\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/connection/netty/NettyStreamFactory.java  
\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/client/model/changestream/OperationTypeCodec.java  
\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/connection/DeleteProtocol.java  
\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/connection/ServerType.java  
\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/diagnostics/logging/Logger.java  
\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/client/model/vault/DataKeyOptions.java  
\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/client/result/UpdateResult.java  
\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/event/CommandListener.java  
\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/connection/Cluster.java  
\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/ReadConcern.java  
\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/client/model/IndexOptionDefaults.java  
\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/diagnostics/logging/package-info.java  
\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/binding/SingleServerBinding.java  
\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/operation/AsyncChangeStreamBatchCursor.java  
\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/event/ServerOpeningEvent.java  
\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/event/ConnectionClosedEvent.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/operation/RenameCollectionOperation.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/client/model/Filters.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/ConnectionString.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/client/result/DeleteResult.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/event/ConnectionRemovedEvent.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/connection/DefaultAuthenticator.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/operation/ChangeStreamBatchCursorHelper.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/connection/ByteBufferBsonOutput.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/session/ClientSession.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/MongoCursorNotFoundException.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/operation/DeleteOperation.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/event/EventListenerHelper.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/client/model/UpdateManyModel.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/DBObjectCodec.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/client/model/ReplaceOneModel.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/client/model/geojson/codecs/PolygonCodec.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/TaggableReadPreference.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/client/model/geojson/codecs/GeometryCollectionCodec.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/client/model/CreateIndexOptions.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/client/model/EstimatedDocumentCountOptions.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/operation/OrderBy.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/operation/EstimatedDocumentCountOperation.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/bulk/BulkWriteError.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/DocumentToDBRefTransformer.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/client/model/geojson/codecs/GeoJsonCodecProvider.java  
\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/operation/CommitTransactionOperation.java  
\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/connection/Pool.java  
\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/connection/SocketStreamHelper.java  
\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/binding/ClusterBinding.java  
\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/operation/DistinctOperation.java  
\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/connection/AuthorizationHeader.java  
\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/binding/AsyncSingleConnectionReadBinding.java  
\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/connection/ResponseCallback.java  
\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/event/ConnectionCreatedEvent.java  
\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/connection/ConnectionPoolSettings.java  
\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/connection/PlainAuthenticator.java  
\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/diagnostics/logging/SLF4JLogger.java  
\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/connection/CommandMessage.java  
\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/client/model/MongoTimeUnit.java  
\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/connection/ConnectionPool.java  
\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/event/ConnectionCheckedOutEvent.java  
\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/connection/AsyncConnection.java  
\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/session/ClientSessionContext.java  
\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/connection/BsonWriterHelper.java  
\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/client/model/CountOptionsHelper.java  
\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/MongoClientSettings.java  
\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/connection/CommandHelper.java  
\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/event/ConnectionPoolClosedEvent.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/bulk/DeleteRequest.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/connection/GetMoreProtocol.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/management/package-info.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/connection/netty/NettyByteBuf.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/operation/MapReduceBatchCursor.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/client/gridfs/model/GridFSUploadOptions.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/event/CommandFailedEvent.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/connection/DnsSrvRecordInitializer.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/connection/ElementExtendingBsonWriter.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/client/model/Sorts.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/operation/CommandResultCodecProvider.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/connection/CompressedHeader.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/WriteError.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/client/model/CountStrategy.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/client/model/CollationAlternate.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/client/model/geojson/PolygonCoordinates.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/connection/ResponseBuffers.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/DuplicateKeyException.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/connection/AsynchronousChannelStream.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/ReadConcernLevel.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/MongoSocketReadTimeoutException.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/connection/AbstractReferenceCounted.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/event/ServerListenerMulticaster.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/connection/ProtocolHelper.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/connection/ServerAddressHelper.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/operation/TransactionOperation.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/UnixServerAddress.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/client/model/geojson/Geometry.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/event/ServerMonitorListener.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/binding/ReadWriteBinding.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/connection/DefaultConnectionPool.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/client/model/UpdateOneModel.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/event/ServerHeartbeatStartedEvent.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/connection/LoadBalancedCluster.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/ServerAddress.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/management/ConnectionPoolStatistics.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/event/ServerMonitorListenerMulticaster.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/operation/ExplainableReadOperation.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/operation/CountOperation.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/operation/FindAndReplaceOperation.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/event/CommandSucceededEvent.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/event/ConnectionPoolClearedEvent.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/management/JMXConnectionPoolListener.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/connection/Server.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/client/model/geojson/codecs/NamedCoordinateReferenceSystemCodec.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/connection/InternalStreamConnection.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/client/model/DeleteOneModel.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/CursorType.java



\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/connection/ServerSettings.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/client/model/BucketOptions.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/client/model/InsertOneOptions.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/AuthenticationMechanism.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/connection/DefaultClusterFactory.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/connection/UsageTrackingInternalConnection.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/operation/CommandResultDocumentCodec.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/MongoNodeIsRecoveringException.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/async/AsyncAggregateResponseBatchCursor.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/connection/ServerDescription.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/async/client/package-info.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/connection/GetMoreMessage.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/validator/ReplacingDocumentFieldNameValidator.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/connection/ClientMetadataHelper.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/client/model/InsertOneModel.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/MongoChangeStreamException.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/operation/FindAndModifyHelper.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/diagnostics/logging/NoOpLogger.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/selector/WritableServerSelector.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/operation/BaseFindAndModifyOperation.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/connection/ClusterableServer.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/connection/TopologyVersion.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/client/model/Facet.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/MongoWriteConcernException.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/binding/AsyncReadWriteBinding.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/operation/CreateIndexesOperation.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/client/model/DeleteManyModel.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/connection/LegacyMessage.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/connection/SslSettings.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/event/ClusterListenerAdapter.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/client/model/gejson/codecs/GeometryDecoderHelper.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/binding/package-info.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/event/CommandListenerMulticaster.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/connection/BaseQueryMessage.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/event/ServerMonitorListenerAdapter.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/connection/LoadBalancedClusterableServerFactory.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/client/model/ReplaceOptions.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/connection/SingleServerCluster.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/operation/CreateViewOperation.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/connection/IdHoldingBsonWriter.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/operation/ListCollectionsOperation.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/client/model/CreateCollectionOptions.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/connection/SaslAuthenticator.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/client/model/gejson/codecs/MultiPointCodec.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/binding/ReferenceCounted.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/connection/ServerMonitor.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/connection/AbstractMultiServerCluster.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/management/ConnectionPoolStatisticsMBean.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/connection/SslHelper.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/connection/X509Authenticator.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/selector/LatencyMinimizingServerSelector.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/operation/ListDatabasesOperation.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/client/model/IndexOptions.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/client/model/CountOptions.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/BasicDBObjectFactory.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/client/model/Accumulators.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/connection/StreamFactoryFactory.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/binding/ConnectionSource.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/connection/ReplyMessage.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/connection/ServerDescriptionChangedListener.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/operation/BsonArrayWrapper.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/client/model/FindOneAndReplaceOptions.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/operation/MapReduceToCollectionOperation.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/client/model/CollationStrength.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/dns/DefaultDnsResolver.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/operation/IndexHelper.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/event/ServerDescriptionChangedEvent.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/operation/ChangeStreamBatchCursor.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/operation/BulkWriteBatch.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/MongoTimeoutException.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/DBRef.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/client/model/changestream/package-info.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/connection/SplittablePayload.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/MongoWriteException.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/operation/CommandReadOperation.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/connection/DefaultServerMonitorFactory.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/MongoInterruptedException.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/client/result/package-info.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/MongoInternalException.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/connection/AsyncWritableByteChannel.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/connection/AsyncCompletionHandler.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/client/model/BucketGranularity.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/operation/FindOperation.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/bulk/BulkWriteResult.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/connection/EventHelper.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/selector/ReadPreferenceServerSelector.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/connection/GSSAPIAuthenticator.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/connection/InsertProtocol.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/client/result/InsertManyResult.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/event/ConnectionReadyEvent.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/operation/QueryHelper.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/connection/BaseCluster.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/async/SingleResultCallback.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/bulk/WriteRequestWithIndex.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/session/BaseClientSessionImpl.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/event/ConnectionPoolOpenedEvent.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/event/ClusterListener.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/session/ServerSessionPool.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/MongoCredential.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/client/model/Variable.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/event/ConnectionCheckedInEvent.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/client/model/vault/EncryptOptions.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/validator/MappedFieldNameValidator.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/WriteConcernResult.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/connection/Compressor.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/client/model/CreateViewOptions.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/connection/InternalConnection.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/bulk/BulkWriteUpsert.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/BasicDBList.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/client/model/Projections.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/client/model/changestream/OperationType.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/validator/NoOpFieldNameValidator.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/client/model/geojson/Position.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/client/model/UnwindOptions.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/connection/InternalConnectionFactory.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/MongoConfigurationException.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/operation/MapReduceInlineResultsCursor.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/client/model/changestream/ChangeStreamDocument.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/event/ConnectionAddedEvent.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/MongoServerException.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/operation/AbortTransactionOperation.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/operation/AggregateToCollectionOperation.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/client/model/Indexes.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/event/ConnectionPoolListener.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/operation/CursorHelper.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/connection/KillCursorsMessage.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/connection/netty/NettyBufferProvider.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/MongoClientException.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/client/model/geojson/Polygon.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/connection/NoOpCommandEventSender.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/client/model/geojson/LineString.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/connection/ConnectionId.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/session/SessionContext.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/connection/AbstractByteBufBsonDocument.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/client/model/changestream/ChangeStreamLevel.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/client/model/GraphLookupOptions.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/MongoExecutionTimeoutException.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/client/model/ValidationLevel.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/client/model/geojson/codecs/PointCodec.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/MongoBulkWriteException.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/client/model/InsertManyOptions.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/operation/MapReduceAsyncBatchCursor.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/ServerCursor.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/client/model/FindOptions.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/client/model/WindowedComputations.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/operation/DropCollectionOperation.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/operation/ChangeStreamOperation.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/capi/MongoCryptHelper.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/connection/SocketStreamFactory.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/connection/InsertMessage.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/session/package-info.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/bulk/IndexRequest.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/connection/BsonWriterDecorator.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/CreateIndexCommitQuorum.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/operation/MapReduceStatistics.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/client/model/gejson/codecs/package-info.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/management/JMXMBeanServer.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/connection/TlsChannelStreamFactoryFactory.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/client/gridfs/codecs/package-info.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/connection/OpCode.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/package-info.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/client/model/gejson/GeoJsonObjectType.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/client/model/CollationCaseFirst.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/client/model/Field.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/connection/ClusterableServerFactory.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/connection/DefaultServerMonitor.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/connection/DnsSrvRecordMonitorFactory.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/connection/QueryResult.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/management/NullMBeanServer.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/event/ServerListener.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/event/ConnectionPoolListenerMulticaster.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/Function.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/binding/AbstractReferenceCounted.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/client/model/geojson/codecs/GeometryCodec.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/connection/InternalConnectionInitializationDescription.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/connection/CompressedMessage.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/connection/AsynchronousSocketChannelStreamFactoryFactory.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/connection/BulkWriteBatchCombiner.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/MongoQueryException.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/client/model/BucketAutoOptions.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/client/model/Collation.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/client/model/FindOneAndDeleteOptions.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/MongoDriverInformation.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/connection/ClusterDescription.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/async/client/ClientSessionBinding.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/connection/ConcurrentPool.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/connection/DnsMultiServerCluster.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/client/gridfs/model/package-info.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/event/ClusterOpeningEvent.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/client/model/geojson/CoordinateReferenceSystemType.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/operation/OperationReadConcernHelper.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/connection/DefaultClusterableServerFactory.java



\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/client/model/geojson/codecs/MultiLineStringCodec.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/operation/AsyncQueryBatchCursor.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/client/model/SimpleExpression.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/connection/NativeAuthenticator.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/BasicDBObject.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/binding/AsyncClusterBinding.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/SubjectProvider.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/client/model/changestream/FullDocument.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/connection/ServerId.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/client/model/geojson/package-info.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/MongoCompressor.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/connection/NoOpSessionContext.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/bulk/BulkWriteInsert.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/event/ServerListenerAdapter.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/management/MBeanServerFactory.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/client/model/geojson/Point.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/selector/PrimaryServerSelector.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/operation/CountDocumentsOperation.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/connection/LoggingCommandEventSender.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/WriteConcernException.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/event/ClusterDescriptionChangedEvent.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/client/model/Window.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/connection/ZlibCompressor.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/connection/ServerConnectionState.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/connection/ServerTuple.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/client/model/ReturnDocument.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/selector/package-info.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/connection/netty/NettyStream.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/binding/AsyncWriteBinding.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/connection/DefaultDnsSrvRecordMonitorFactory.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/connection/SendMessageCallback.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/client/gridfs/model/GridFSDownloadOptions.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/connection/CompositeByteBuf.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/connection/SnappyCompressor.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/connection/MongoWriteConcernWithResponseException.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/connection/SpeculativeAuthenticator.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/bulk/WriteConcernError.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/operation/UpdateOperation.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/TagSet.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/MongoGridFSException.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/ClientSessionOptions.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/assertions/package-info.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/connection/SocketStream.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/validator/UpdateFieldNameValidator.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/MongoCommandException.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/client/model/MapReduceAction.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/session/ServerSession.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/DDBObject.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/event/ConnectionPoolListenerAdapter.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/connection/netty/package-info.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/client/model/package-info.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/connection/DescriptionHelper.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/operation/DropDatabaseOperation.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/client/model/ValidationAction.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/client/model/TimeSeriesGranularity.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/connection/StreamFactory.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/connection/SplittablePayloadBsonWriter.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/event/package-info.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/connection/QueryMessage.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/connection/FieldTrackingBsonWriter.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/connection/DefaultDnsSrvRecordMonitor.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/annotations/package-info.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/connection/ExponentiallyWeightedMovingAverage.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/operation/Operations.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/operation/FindAndUpdateOperation.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/connection/package-info.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/Tag.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/connection/ChangeEvent.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/client/model/BsonField.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/client/model/changestream/TruncatedArray.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/connection/ConnectionGenerationSupplier.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/bulk/WriteRequest.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/operation/package-info.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/operation/AsyncReadOperation.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/DDBObjectCodecProvider.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/MongoSocketWriteException.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/event/ServerClosedEvent.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/client/model/WindowedComputation.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/client/model/IndexModel.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/client/model/ValidationOptions.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/connection/ClusterClockAdvancingSessionContext.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/event/ServerHeartbeatSucceededEvent.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/connection/netty/NettyStreamFactoryFactory.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/connection/SocketSettings.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/selector/ServerSelector.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/connection/DefaultServer.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/MongoSocketReadException.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/DBRefCodec.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/MongoIncompatibleDriverException.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/client/model/geojson/MultiLineString.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/async/AsyncBatchCursor.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/connection/ConnectionDescription.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/client/model/FindOneAndUpdateOptions.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/client/model/CollationMaxVariable.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/event/CommandEvent.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/HexUtils.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/event/ConnectionCheckOutFailedEvent.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/operation/AsyncWriteOperation.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/client/model/changestream/UpdateDescription.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/connection/KillCursorProtocol.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/client/model/TimeSeriesOptions.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/Block.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/DBObjectFactory.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/client/result/InsertOneResult.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/connection/ServerVersion.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/binding/WriteBinding.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/connection/DefaultServerConnection.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/connection/MultiServerCluster.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/selector/CompositeServerSelector.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/event/ClusterListenerMulticaster.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/connection/Stream.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/operation/ExplainHelper.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/ExplainVerbosity.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/connection/ClusterConnectionMode.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/client/model/geojson/codecs/AbstractGeometryCodec.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/event/ConnectionPoolCreatedEvent.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/connection/LoadBalancedServer.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/connection/ZstdCompressor.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/client/model/RenameCollectionOptions.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/client/model/AggregationLevel.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/connection/CommandProtocolImpl.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/MongoException.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/client/model/geojson/codecs/GeometryEncoderHelper.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/client/model/geojson/codecs/MultiPolygonCodec.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/connection/CommandResultCallback.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/event/CommandStartedEvent.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/ReadPreference.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/connection/ScramShaAuthenticator.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/operation/AggregateResponseBatchCursor.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/client/model/geojson/CoordinateReferenceSystem.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/binding/AsyncClusterAwareReadWriteBinding.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/BSONTimestampCodec.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/connection/MessageHeader.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/client/model/geojson/MultiPolygon.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/connection/UpdateMessage.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/KerberosSubjectProvider.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/operation/AsyncExplainableReadOperation.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/connection/MessageSettings.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/connection/UpdateProtocol.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/selector/ServerAddressSelector.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/ErrorCategory.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/ClientEncryptionSettings.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/client/model/MergeOptions.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/connection/Time.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/MongoSocketClosedException.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/connection/AwsAuthenticator.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/operation/BaseWriteOperation.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/WriteConcern.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/operation/QueryBatchCursor.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/operation/WriteOperation.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/connection/IndexMap.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/MongoNamespace.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/bulk/package-info.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/client/gridfs/codecs/GridFSFileCodec.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/connection/DnsSrvRecordMonitor.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/connection/LegacyProtocol.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/operation/DropIndexOperation.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/connection/LevelCountingBsonWriter.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/diagnostics/logging/Loggers.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/event/ConnectionCheckOutStartedEvent.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/connection/AsynchronousSocketChannelStreamFactory.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/operation/OperationHelper.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/operation/ListIndexesOperation.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/BasicDBObjectBuilder.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/operation/CreateCollectionOperation.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/binding/AsyncReadBinding.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/operation/BatchCursor.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/async/ErrorHandlingResultCallback.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/operation/AggregateOperationImpl.java  
\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/operation/AsyncSingleBatchQueryCursor.java  
\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/connection/InternalConnectionInitializer.java  
\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/connection/DeleteMessage.java  
\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/connection/CommandEventSender.java  
\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/client/model/BulkWriteOptions.java  
\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/operation/BsonDocumentWrapperHelper.java  
\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/connection/InternalStreamConnectionFactory.java  
\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/binding/AsyncConnectionSource.java  
\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/client/model/WriteModel.java  
\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/event/ClusterClosedEvent.java  
\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/connection/Authenticator.java  
\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/connection/InternalStreamConnectionInitializer.java  
\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/connection/BufferProvider.java  
\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/connection/CommandProtocol.java  
\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/connection/ConnectionFactory.java  
\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/client/model/UpdateOptions.java  
\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/DBRefCodecProvider.java  
\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/client/model/Updates.java  
\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/client/model/geojson/GeometryCollection.java  
\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/client/gridfs/codecs/GridFSFileCodecProvider.java  
\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/connection/ProtocolExecutor.java  
\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/client/model/DeleteOptions.java  
\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/connection/DecimalFormatHelper.java



\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/operation/CommandOperationHelper.java  
\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/operation/MixedBulkWriteOperation.java  
\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/client/model/geojson/NamedCoordinateReferenceSystem.java  
\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/client/model/vault/package-info.java  
\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/connection/ClusterSettings.java  
\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/connection/CommandResultBaseCallback.java  
\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/client/model/geojson/MultiPoint.java  
\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/connection/ClusterId.java  
\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/client/model/DropIndexOptions.java  
\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/connection/DefaultConnectionFactory.java  
\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/connection/RequestMessage.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2008-present MongoDB, Inc.

\* Copyright (c) 2008-2014 Atlassian Pty Ltd

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/assertions/Assertions.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2008-present MongoDB, Inc.

\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*  
\* Original Work: MIT License, Copyright (c) [2015-2018] all contributors  
\* <https://github.com/marianobarrios/tls-channel>  
\*/

Found in path(s):

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/connection/ExtendedAsynchronousByteChannel.java

No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright 2008-present MongoDB, Inc.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/lang/NonNullApi.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/ServerApiVersion.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/internal/connection/ReadConcernAwareNoOpSessionContext.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-jar/com/mongodb/lang/package-info.java

\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-

jar/com/mongodb/TransactionOptions.java  
\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-  
jar/com/mongodb/internal/async/client/AsyncClientSession.java  
\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-  
jar/com/mongodb/ReadPreferenceHedgeOptions.java  
\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-  
jar/com/mongodb/lang/NonNull.java  
\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-  
jar/com/mongodb/ServerApi.java  
\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-  
jar/com/mongodb/internal/operation/ServerVersionHelper.java  
\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-  
jar/com/mongodb/lang/Nullable.java  
\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-  
jar/com/mongodb/internal/connection/ReadConcernHelper.java  
\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-  
jar/com/mongodb/internal/operation/WriteConcernHelper.java  
No license file was found, but licenses were detected in source scan.

```
/*  
* Copyright 2008-present MongoDB, Inc.  
*  
* Licensed under the Apache License, Version 2.0 (the "License");  
* you may not use this file except in compliance with the License.  
* You may obtain a copy of the License at  
*  
* http://www.apache.org/licenses/LICENSE-2.0  
*  
* Unless required by applicable law or agreed to in writing, software  
* distributed under the License is distributed on an "AS IS" BASIS,  
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
* See the License for the specific language governing permissions and  
* limitations under the License.  
*/
```

```
/*  
* Written by Doug Lea with assistance from members of JCP JSR-166  
* Expert Group and released to the public domain, as explained at  
* http://creativecommons.org/publicdomain/zero/1.0/  
*/
```

```
/**  
 * Returns an array containing all of the elements in this deque, in  
 * proper sequence (from first to last element).  
 *  
 * <p>The returned array will be "safe" in that no references to it are  
 * maintained by this deque. (In other words, this method must allocate  
 * a new array). The caller is thus free to modify the returned array.  
 *  
 * <p>This method acts as bridge between array-based and collection-based
```

```
* APIs.  
*  
* @return an array containing all of the elements in this deque  
*/
```

Found in path(s):

```
* /opt/cola/permits/1340031619_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-  
jar/com/mongodb/internal/connection/ConcurrentLinkedDeque.java
```

No license file was found, but licenses were detected in source scan.

```
/*
```

```
* Copyright 2008-present MongoDB, Inc.
```

```
* Copyright 2017 Tom Bentley
```

```
*
```

```
* Licensed under the Apache License, Version 2.0 (the "License");
```

```
* you may not use this file except in compliance with the License.
```

```
* You may obtain a copy of the License at
```

```
*
```

```
* http://www.apache.org/licenses/LICENSE-2.0
```

```
*
```

```
* Unless required by applicable law or agreed to in writing, software
```

```
* distributed under the License is distributed on an "AS IS" BASIS,
```

```
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
```

```
* See the License for the specific language governing permissions and
```

```
* limitations under the License.
```

```
*/
```

Found in path(s):

```
* /opt/cola/permits/1340031619_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-  
jar/com/mongodb/internal/authentication/SaslPrep.java
```

No license file was found, but licenses were detected in source scan.

```
/*
```

```
* Copyright (c) 2005 Brian Goetz and Tim Peierls
```

```
* Released under the Creative Commons Attribution License
```

```
* (http://creativecommons.org/licenses/by/2.5)
```

```
* Official home: http://www.jcip.net
```

```
*
```

```
* Any republication or derived work distributed in source code form
```

```
* must include this copyright and license notice.
```

```
*/
```

Found in path(s):

```
* /opt/cola/permits/1340031619_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-  
jar/com/mongodb/annotations/NotThreadSafe.java
```

```
* /opt/cola/permits/1340031619_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-  
jar/com/mongodb/annotations/Immutable.java
```

```
* /opt/cola/permits/1340031619_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-
```

jar/com/mongodb/annotations/ThreadSafe.java

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2008-present MongoDB, Inc.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 *
 * Original Work: MIT License, Copyright (c) [2015-2020] all contributors
 * https://github.com/marianobarrios/tls-channel
 */
```

Found in path(s):

```
* /opt/cola/permits/1340031619_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-
jar/com/mongodb/internal/connection/tlschannel/impl/ByteBufferSet.java
* /opt/cola/permits/1340031619_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-
jar/com/mongodb/internal/connection/tlschannel/impl/TlsChannelImpl.java
* /opt/cola/permits/1340031619_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-
jar/com/mongodb/internal/connection/tlschannel/TlsChannel.java
* /opt/cola/permits/1340031619_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-
jar/com/mongodb/internal/connection/tlschannel/SniSslContextFactory.java
* /opt/cola/permits/1340031619_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-
jar/com/mongodb/internal/connection/tlschannel/NeedsWriteException.java
* /opt/cola/permits/1340031619_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-
jar/com/mongodb/internal/connection/tlschannel/NeedsTaskException.java
* /opt/cola/permits/1340031619_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-
jar/com/mongodb/internal/connection/tlschannel/ClientTlsChannel.java
* /opt/cola/permits/1340031619_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-
jar/com/mongodb/internal/connection/tlschannel/impl/ByteBufferUtil.java
* /opt/cola/permits/1340031619_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-
jar/com/mongodb/internal/connection/tlschannel/async/AsynchronousTlsChannelGroup.java
* /opt/cola/permits/1340031619_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-
jar/com/mongodb/internal/connection/tlschannel/NeedsReadException.java
* /opt/cola/permits/1340031619_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-
jar/com/mongodb/internal/connection/tlschannel/package-info.java
* /opt/cola/permits/1340031619_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-
jar/com/mongodb/internal/connection/tlschannel/util/DirectBufferDeallocator.java
* /opt/cola/permits/1340031619_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-
```

jar/com/mongodb/internal/connection/tlschannel/TrackingAllocator.java  
\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-  
jar/com/mongodb/internal/connection/tlschannel/async/AsynchronousTlsChannel.java  
\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-  
jar/com/mongodb/internal/connection/tlschannel/ServerTlsChannel.java  
\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-  
jar/com/mongodb/internal/connection/tlschannel/BufferAllocator.java  
\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-  
jar/com/mongodb/internal/connection/tlschannel/async/package-info.java  
\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-  
jar/com/mongodb/internal/connection/tlschannel/DirectBufferAllocator.java  
\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-  
jar/com/mongodb/internal/connection/tlschannel/TlsChannelBuilder.java  
\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-  
jar/com/mongodb/internal/connection/tlschannel/impl/BufferHolder.java  
\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-  
jar/com/mongodb/internal/connection/tlschannel/async/ExtendedAsynchronousByteChannel.java  
\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-  
jar/com/mongodb/internal/connection/tlschannel/util/Util.java  
\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-  
jar/com/mongodb/internal/connection/tlschannel/TlsChannelFlowControlException.java  
\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-  
jar/com/mongodb/internal/connection/tlschannel/HeapBufferAllocator.java  
\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-  
jar/com/mongodb/internal/connection/tlschannel/impl/TlsExplorer.java  
\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-  
jar/com/mongodb/internal/connection/tlschannel/TlsChannelCallbackException.java  
\* /opt/cola/permits/1340031619\_1654680721.6890783/0/mongodb-driver-core-4-3-4-sources-  
jar/com/mongodb/internal/connection/tlschannel/WouldBlockException.java

## 1.339 kqueue 4.1.48.Final

### 1.339.1 Available under license :

No license file was found, but licenses were detected in source scan.

Manifest-Version: 1.0

Implementation-Title: Netty/Transport/Native/KQueue

Bundle-Description: Netty is an asynchronous event-driven network application framework for rapid development of maintainable high performance protocol servers and clients.

Automatic-Module-Name: io.netty.transport.kqueue

Bundle-License: <http://www.apache.org/licenses/LICENSE-2.0>

Bundle-SymbolicName: io.netty.transport-native-kqueue

Implementation-Version: 4.1.48.Final

Built-By: norman

Bnd-LastModified: 1584440355130

Bundle-ManifestVersion: 2

Implementation-Vendor-Id: io.netty  
Bundle-DocURL: https://netty.io/  
Bundle-Vendor: The Netty Project  
Import-Package: io.netty.buffer;version="[4.1,5)",io.netty.channel,io.netty.channel.socket;version="[4.1,5)",io.netty.channel.unix;version="[4.1,5)",io.netty.util;version="[4.1,5)",io.netty.util.collection;version="[4.1,5)",io.netty.util.concurrent;version="[4.1,5)",io.netty.util.internal;version="[4.1,5)",io.netty.util.internal.logging;version="[4.1,5)",sun.nio.ch;resolution:=optional,org.eclipse.jetty.npn;version="[1,2)";resolution:=optional,org.eclipse.jetty.alpn;version="[1,2)";resolution:=optional  
Require-Capability: osgi.ee;filter="(&(osgi.ee=JavaSE)(version=1.6))"  
Tool: Bnd-2.4.1.201501161923  
Implementation-Vendor: The Netty Project  
Export-Package: io.netty.channel.kqueue;uses:="io.netty.buffer,io.netty.channel,io.netty.channel.socket,io.netty.channel.unix,io.netty.util.concurrent";version="4.1.48"  
Bundle-Name: Netty/Transport/Native/KQueue  
Bundle-Version: 4.1.48.Final  
Created-By: Apache Maven Bundle Plugin  
Build-Jdk: 1.8.0\_232  
Implementation-URL: https://netty.io/netty-transport-native-kqueue/

Found in path(s):

\* /opt/cola/permits/1274704899\_1654760618.2588441/0/netty-transport-native-kqueue-4-1-48-final-jar/META-INF/MANIFEST.MF

No license file was found, but licenses were detected in source scan.

<!--

~ Copyright 2016 The Netty Project

~

~ The Netty Project licenses this file to you under the Apache License,  
~ version 2.0 (the "License"); you may not use this file except in compliance  
~ with the License. You may obtain a copy of the License at:

~

~ <http://www.apache.org/licenses/LICENSE-2.0>

~

~ Unless required by applicable law or agreed to in writing, software  
~ distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
~ WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
~ License for the specific language governing permissions and limitations  
~ under the License.

-->

Found in path(s):

\* /opt/cola/permits/1274704899\_1654760618.2588441/0/netty-transport-native-kqueue-4-1-48-final-jar/META-INF/maven/io.netty/netty-transport-native-kqueue/pom.xml

# 1.340 micronaut-mongodb 4.1.0

## 1.340.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2017-2020 original authors
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * https://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1331473860_1653514577.0135384/0/micronaut-mongo-core-4-1-0-sources-
jar/io/micronaut/configuration/mongo/core/convert/StringToServerAddressConverter.java
* /opt/cola/permits/1331473860_1653514577.0135384/0/micronaut-mongo-core-4-1-0-sources-
jar/io/micronaut/configuration/mongo/core/convert/package-info.java
* /opt/cola/permits/1331473860_1653514577.0135384/0/micronaut-mongo-core-4-1-0-sources-
jar/io/micronaut/configuration/mongo/core/convert/StringToReadConcernConverter.java
* /opt/cola/permits/1331473860_1653514577.0135384/0/micronaut-mongo-core-4-1-0-sources-
jar/io/micronaut/configuration/mongo/core/convert/MongoConverterRegistrar.java
* /opt/cola/permits/1331473860_1653514577.0135384/0/micronaut-mongo-core-4-1-0-sources-
jar/io/micronaut/configuration/mongo/core/convert/StringToWriteConcernConverter.java
* /opt/cola/permits/1331473860_1653514577.0135384/0/micronaut-mongo-core-4-1-0-sources-
jar/io/micronaut/configuration/mongo/core/MongoSettings.java
* /opt/cola/permits/1331473860_1653514577.0135384/0/micronaut-mongo-core-4-1-0-sources-
jar/io/micronaut/configuration/mongo/core/test/AbstractMongoProcessFactory.java
* /opt/cola/permits/1331473860_1653514577.0135384/0/micronaut-mongo-core-4-1-0-sources-
jar/io/micronaut/configuration/mongo/core/DefaultMongoConfiguration.java
* /opt/cola/permits/1331473860_1653514577.0135384/0/micronaut-mongo-core-4-1-0-sources-
jar/io/micronaut/configuration/mongo/core/NamedMongoConfiguration.java
* /opt/cola/permits/1331473860_1653514577.0135384/0/micronaut-mongo-core-4-1-0-sources-
jar/io/micronaut/configuration/mongo/core/AbstractMongoConfiguration.java
* /opt/cola/permits/1331473860_1653514577.0135384/0/micronaut-mongo-core-4-1-0-sources-
jar/io/micronaut/configuration/mongo/core/test/MongoProcessFactory.java
* /opt/cola/permits/1331473860_1653514577.0135384/0/micronaut-mongo-core-4-1-0-sources-
jar/io/micronaut/configuration/mongo/core/DefaultMongoClientSettingsFactory.java
```



\* /opt/cola/permits/1331473860\_1653514577.0135384/0/micronaut-mongo-core-4-1-0-sources-jar/io/micronaut/configuration/mongo/core/convert/StringToReadPreferenceConverter.java

# 1.341 io-swagger-swagger-annotations 2.1.12

## 1.341.1 Available under license :

No license file was found, but licenses were detected in source scan.

Manifest-Version: 1.0

Bundle-Description: swagger-annotations

Automatic-Module-Name: io.swagger.v3.oas.annotations

Bundle-License: "Apache License 2.0";link="http://www.apache.org/licenses/LICENSE-2.0.html"

package: io.swagger

Bundle-SymbolicName: io.swagger.core.v3.swagger-annotations

implementation-version: 2.1.12

Built-By: runner

Bundle-ManifestVersion: 2

Bundle-DocURL: <https://github.com/swagger-api/swagger-core/modules/swagger-annotations>

Import-Package: io.swagger.v3.oas.annotations,io.swagger.v3.oas.annotations.enums,io.swagger.v3.oas.annotations.extensions,io.swagger.v3.oas.annotations.headers,io.swagger.v3.oas.annotations.info,io.swagger.v3.oas.annotations.links,io.swagger.v3.oas.annotations.media,io.swagger.v3.oas.annotations.parameters,io.swagger.v3.oas.annotations.responses,io.swagger.v3.oas.annotations.security,io.swagger.v3.oas.annotations.servers,io.swagger.v3.oas.annotations.tags

Require-Capability: osgi.ee;filter="(&(osgi.ee=JavaSE)(version=1.8))"

Bundle-Developers: fehguy;email="fehguy@gmail.com";name="Tony Tam",web

ron;email="webron@gmail.com";name="Ron Ratovsky"  
url: <https://github.com/swagger-api/swagger-core/modules/swagger-annotations>

mode: development

Export-Package: io.swagger.v3.oas.annotations;uses:="io.swagger.v3.oas.annotations.enums,io.swagger.v3.oas.annotations.extensions,io.swagger.v3.oas.annotations.info,io.swagger.v3.oas.annotations.media,io.swagger.v3.oas.annotations.parameters,io.swagger.v3.oas.annotations.responses,io.swagger.v3.oas.annotations.security,io.swagger.v3.oas.annotations.servers,io.swagger.v3.oas.annotations.tags";version="2.1.12",io.swagger.v3.oas.annotations.callbacks;uses:="io.swagger.v3.oas.annotations,io.swagger.v3.oas.annotations.extensions";version="2.1.12",io.swagger.v3.oas.annotations.enums;version="2.1.12",io.swagger.v3.oas.annotations.extensions;version="2.1.12",io.swagger.v3.oas.annotations.headers;uses:="io.swagger.v3.oas.annotations.media";version="2.1.12",io.swagger.v3.oas.annotations.info;uses:="io.swagger.v3.oas.annotations.extensions";version="2.1.12",io.swagger.v3.oas.annotations.links;uses:="io.swagger.v3.oas.annotations.extensions,io.swagger.v3.oas.annotations.servers,io.swagger.v3.oas.annotations.tags";version="2.1.12",io.swagger.v3.oas.annotations.responses;uses:="io.swagger.v3.oas.annotations.extensions,io.swagger.v3.oas.annotations.servers,io.swagger.v3.oas.annotations.tags";version="2.1.12",io.swagger.v3.oas.annotations.security;uses:="io.swagger.v3.oas.annotations.extensions,io.swagger.v3.oas.annotations.servers,io.swagger.v3.oas.annotations.tags";version="2.1.12",io.swagger.v3.oas.annotations.servers;uses:="io.swagger.v3.oas.annotations.extensions,io.swagger.v3.oas.annotations.tags";version="2.1.12",io.swagger.v3.oas.annotations.tags;uses:="io.swagger.v3.oas.annotations.extensions,io.swagger.v3.oas.annotations.servers,io.swagger.v3.oas.annotations.tags";version="2.1.12"

tions.servers";version="2.1.12",io.swagger.v3.oas.annotations.media;uses:"io.swagger.v3.oas.annotations,io.swagger.v3.oas.annotations.extensions,io.swagger.v3.oas.annotations.headers";version="2.1.12",io.swagger.v3.oas.annotations.parameters;uses:"io.swagger.v3.oas.annotations.extensions,io.swagger.v3.oas.annotations.media";version="2.1.12",io.swagger.v3.oas.annotations.responses;uses:"io.swagger.v3.oas.annotations.extensions,io.swagger.v3.oas.annotations.headers,io.swagger.v3.oas.annotations.links,io.swagger.v3.oas.annotations.media";version="2.1.12",io.swagger.v3.oas.annotations.security;uses:"io.swagger.v3.oas.annotations.enums,io.swagger.v3.oas.annotations.extensions";version="2.1.12",io.swagger.v3.oas.annotations.servers;uses:"io.swagger.v3.oas.annotations.extensions";version="2.1.12",io.swagger.v3.oas.annotations.tags;uses:"io.swagger.v3.oas.annotations,io.swagger.v3.oas.annotations.extensions";version="2.1.12"

Bundle-Name: swagger-annotations

Bundle-Version: 2.1.12

Bundle-SCM: url="https://github.com/swagger-api/swagger-core/modules/swagger-annotations",connection="scm:git:git@github.com:swagger-api/swagger-core.git/modules/swagger-annotations",developer-connection="scm:git:git@github.com:swagger-api/swagger-core.git/modules/swagger-annotations",tag=HEAD

Created-By: Apache Maven 3.8.4

Build-Jdk: 1.8.0\_312

Found in path(s):

\* /opt/cola/permits/1340031602\_1654736977.0737062/0/swagger-annotations-2-1-12-jar/META-INF/MANIFEST.MF

## 1.342 java-classmate classmate-1.5.1

### 1.342.1 Available under license :

Java ClassMate library was originally written by Tatu Saloranta (tatu.saloranta@iki.fi)

Other developers who have contributed code are:

\* Brian Langel

This copy of Java ClassMate library is licensed under Apache (Software) License, version 2.0 ("the License").

See the License for details about distribution rights, and the specific rights regarding derivate works.

You may obtain a copy of the License at:

<http://www.apache.org/licenses/LICENSE-2.0>

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of

the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
  - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
  - (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
  - (c) You must retain, in the Source form of any Derivative Works

that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A

PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

## 1.343 jakarta-ws-rs-api 2.1.6

### 1.343.1 Available under license :

# Notices for the Jakarta RESTful Web Services Project

This content is produced and maintained by the **\*\*Jakarta RESTful Web Services\*\*** project.

\* Project home: <https://projects.eclipse.org/projects/ee4j.jaxrs>

## Trademarks

**\*\*Jakarta RESTful Web Services\*\*** is a trademark of the Eclipse Foundation.

## Copyright

All content is the property of the respective authors or their employers. For more information regarding authorship of content, please consult the listed source code repository logs.

## Declared Project Licenses

This program and the accompanying materials are made available under the terms of the Eclipse Public License v. 2.0 which is available at <http://www.eclipse.org/legal/epl-2.0>. This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License v. 2.0 are satisfied: GNU General Public License, version 2 with the GNU Classpath Exception which is available at <https://www.gnu.org/software/classpath/license.html>.

SPDX-License-Identifier: EPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0

## Source Code

The project maintains the following source code repositories:

\* <https://github.com/eclipse-ee4j/jaxrs-api>

## Third-party Content

This project leverages the following third party content.

javaee-api (7.0)

\* License: Apache-2.0 AND W3C

JUnit (4.11)

\* License: Common Public License 1.0

Mockito (2.16.0)

\* Project: <http://site.mockito.org>

\* Source: <https://github.com/mockito/mockito/releases/tag/v2.16.0>

## Cryptography

Content may contain encryption software. The country in which you are currently may have restrictions on the import, possession, and use, and/or re-export to another country, of encryption software. BEFORE using any encryption software, please check the country's laws, regulations and policies concerning the import, possession, or use, and re-export of encryption software, to see if this is permitted.

# Eclipse Public License - v 2.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

## 1. DEFINITIONS

"Contribution" means:

a) in the case of the initial Contributor, the initial content Distributed under this Agreement, and

b) in the case of each subsequent Contributor:

- i) changes to the Program, and
- ii) additions to the Program;

where such changes and/or additions to the Program originate from and are Distributed by that particular Contributor. A Contribution "originates" from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include changes or additions to the Program that are not Modified Works.

"Contributor" means any person or entity that Distributes the Program.

"Licensed Patents" mean patent claims licensable by a Contributor which



are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions Distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement or any Secondary License (as applicable), including Contributors.

"Derivative Works" shall mean any work, whether in Source Code or other form, that is based on (or derived from) the Program and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship.

"Modified Works" shall mean any work in Source Code or other form that results from an addition to, deletion from, or modification of the contents of the Program, including, for purposes of clarity any new file in Source Code form that contains any contents of the Program. Modified Works shall not include works that contain only declarations, interfaces, types, classes, structures, or files of the Program solely in each case in order to link to, bind by name, or subclass the Program or Modified Works thereof.

"Distribute" means the acts of a) distributing or b) making available in any manner that enables the transfer of a copy.

"Source Code" means the form of a Program preferred for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Secondary License" means either the GNU General Public License, Version 2.0, or any later versions of that license, including any exceptions or additional permissions as identified by the initial Contributor.

## 2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, Distribute and sublicense the Contribution of such Contributor, if any, and such Derivative Works.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in Source Code or other form. This patent license shall

apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to Distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

e) Notwithstanding the terms of any Secondary License, no Contributor makes additional grants to any Recipient (other than those set forth in this Agreement) as a result of such Recipient's receipt of the Program under the terms of a Secondary License (if permitted under the terms of Section 3).

### 3. REQUIREMENTS

3.1 If a Contributor Distributes the Program in any form, then:

a) the Program must also be made available as Source Code, in accordance with section 3.2, and the Contributor must accompany the Program with a statement that the Source Code for the Program is available under this Agreement, and informs Recipients how to obtain it in a reasonable manner on or through a medium customarily used for software exchange; and

b) the Contributor may Distribute the Program under a license different than this Agreement, provided that such license:

i) effectively disclaims on behalf of all other Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness

for a particular purpose;

ii) effectively excludes on behalf of all other Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;

iii) does not attempt to limit or alter the recipients' rights in the Source Code under section 3.2; and

iv) requires any subsequent distribution of the Program by any party to be under a license that satisfies the requirements of this section 3.

### 3.2 When the Program is Distributed as Source Code:

a) it must be made available under this Agreement, or if the Program (i) is combined with other material in a separate file or files made available under a Secondary License, and (ii) the initial Contributor attached to the Source Code the notice described in Exhibit A of this Agreement, then the Program may be made available under the terms of such Secondary Licenses, and

b) a copy of this Agreement must be included with each copy of the Program.

3.3 Contributors may not remove or alter any copyright, patent, trademark, attribution notices, disclaimers of warranty, or limitations of liability ("notices") contained within the Program from any copy of the Program which they Distribute, provided that Contributors may add their own appropriate notices.

## 4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged

intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

## 5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

## 6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

## 7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of

the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be Distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to Distribute the Program (including its Contributions) under the new version.

Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved. Nothing in this Agreement is intended to be enforceable by any entity that is not a Contributor or Recipient. No third-party beneficiary rights are created under this Agreement.

Exhibit A - Form of Secondary Licenses Notice

"This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License, v. 2.0 are satisfied: {name license(s)},

version(s), and exceptions or additional permissions here}."

Simply including a copy of this Agreement, including this Exhibit A is not sufficient to license the Source Code under Secondary Licenses.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.

---

## The GNU General Public License (GPL) Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.  
51 Franklin Street, Fifth Floor  
Boston, MA 02110-1335  
USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis

or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

## TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other

recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

- a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.
- b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.
- c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.



3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

- a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not

signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the

original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

#### NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

## END OF TERMS AND CONDITIONS

### How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.  
Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1335 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type
`show w'. This is free software, and you are welcome to redistribute
it under certain conditions; type `show c' for details.
```

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if

necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program `Gnomovision' (which makes passes at compilers) written by James Hacker.

signature of Ty Coon, 1 April 1989  
Ty Coon, President of Vice

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

---

#### ## CLASSPATH EXCEPTION

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License version 2 cover the whole combination.

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module. An independent module is a module which is not derived from or based on this library. If you modify this library, you may extend this exception to your version of the library, but you are not obligated to do so. If you do not wish to do so, delete this exception statement from your version.

## 1.344 netty-project 4.1.72

### 1.344.1 Available under license :

No license file was found, but licenses were detected in source scan.

Manifest-Version: 1.0

Implementation-Title: Netty/Handler/Proxy

Bundle-Description: Netty is an asynchronous event-driven network application framework for rapid development of maintainable high performance protocol servers and clients.

Automatic-Module-Name: io.netty.handler.proxy

Bundle-License: <https://www.apache.org/licenses/LICENSE-2.0>  
Bundle-SymbolicName: io.netty.handler-proxy  
Implementation-Version: 4.1.72.Final  
Built-By: root  
Bnd-LastModified: 1639393488770  
Bundle-ManifestVersion: 2  
Implementation-Vendor-Id: io.netty  
Bundle-DocURL: <https://netty.io/>  
Bundle-Vendor: The Netty Project  
Import-Package: io.netty.buffer;version="[4.1,5)",io.netty.channel;version="[4.1,5)",io.netty.handler.codec.base64;version="[4.1,5)",io.netty.handler.codec.http;version="[4.1,5)",io.netty.handler.codec.socksv4;version="[4.1,5)",io.netty.handler.codec.socksv5;version="[4.1,5)",io.netty.util;version="[4.1,5)",io.netty.util.concurrent;version="[4.1,5)",io.netty.util.internal;version="[4.1,5)",io.netty.util.internal.logging;version="[4.1,5)",sun.nio.ch;resolution:=optional,org.eclipse.jetty.npn;version="[1,2)";resolution:=optional,org.eclipse.jetty.alpn;version="[1,2)";resolution:=optional  
Require-Capability: osgi.ee;filter="(&(osgi.ee=JavaSE)(version=1.6))"  
Tool: Bnd-2.4.1.201501161923  
Implementation-Vendor: The Netty Project  
Export-Package: io.netty.handler.proxy;uses:="io.netty.channel,io.netty.handler.codec.http,io.netty.util.concurrent";version="4.1.72"  
Bundle-Name: Netty/Handler/Proxy  
Bundle-Version: 4.1.72.Final  
Created-By: Apache Maven Bundle Plugin  
Build-Jdk: 1.8.0\_312  
Implementation-URL: <https://netty.io/netty-handler-proxy/>

Found in path(s):

\* /opt/cola/permits/1340076447\_1654765932.7535594/0/netty-handler-proxy-4-1-72-final-jar/META-INF/MANIFEST.MF

No license file was found, but licenses were detected in source scan.

<!--

~ Copyright 2014 The Netty Project

~

~ The Netty Project licenses this file to you under the Apache License,  
~ version 2.0 (the "License"); you may not use this file except in compliance  
~ with the License. You may obtain a copy of the License at:

~

~ <https://www.apache.org/licenses/LICENSE-2.0>

~

~ Unless required by applicable law or agreed to in writing, software  
~ distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
~ WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
~ License for the specific language governing permissions and limitations  
~ under the License.

-->

Found in path(s):

\* /opt/cola/permits/1340076447\_1654765932.7535594/0/netty-handler-proxy-4-1-72-final-jar/META-INF/maven/io.netty/netty-handler-proxy/pom.xml

# 1.345 dropwizard-configuration-support

## 2.0.25

### 1.345.1 Available under license :

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

#### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

##### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or

Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work



or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work

by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright 2010-2013 Coda Hale and Yammer, Inc., 2014-2020 Dropwizard Team

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

## 1.346 jackson-dataformat-csv 2.13.2

### 1.346.1 Available under license :

Apache-2.0

## 1.347 kafka-streams-avro-serde 6.2.1

### 1.347.1 Available under license :

No license file was found, but licenses were detected in source scan.

<name>Apache License 2.0</name>

<url><http://www.apache.org/licenses/LICENSE-2.0.html></url>

Found in path(s):

\* /opt/cola/permits/1340031463\_1654751864.9308953/0/kafka-streams-avro-serde-6-2-1-jar/META-INF/maven/io.confluent/kafka-streams-avro-serde/pom.xml

## 1.348 logback-core 1.2.10

## 1.348.1 Available under license :

Found license 'Eclipse Public License 1.0' in '\* Copyright (C) 1999-2015, QOS.ch. All rights reserved. \* This program and the accompanying materials are dual-licensed under \* either the terms of the Eclipse Public License v1.0 as published by \* under the terms of the GNU Lesser General Public License version 2.1 \* as published by the Free Software Foundation.'

Found license 'GNU Lesser General Public License' in '\* Copyright (C) 1999-2015, QOS.ch. All rights reserved. \* This program and the accompanying materials are dual-licensed under \* either the terms of the Eclipse Public License v1.0 as published by \* under the terms of the GNU Lesser General Public License version 2.1 \* as published by the Free Software Foundation.'

## 1.349 micronaut-data 3.3.0

### 1.349.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2017-2022 original authors
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * https://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
*/
```

Found in path(s):

```
* /opt/cola/permits/1331474323_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-
jar/io/micronaut/data/operations/HintsCapableRepository.java
```

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2017-2020 original authors
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * https://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
```

- \* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- \* See the License for the specific language governing permissions and
- \* limitations under the License.
- \*/

Found in path(s):

- \* /opt/cola/permits/1331474323\_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/model/naming/NamingStrategies.java
- \* /opt/cola/permits/1331474323\_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/annotation/AutoPopulated.java
- \* /opt/cola/permits/1331474323\_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/annotation/repeatable/WhereSpecifications.java
- \* /opt/cola/permits/1331474323\_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/annotation/event/PreUpdate.java
- \* /opt/cola/permits/1331474323\_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/model/package-info.java
- \* /opt/cola/permits/1331474323\_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/intercept/reactive/SaveAllReactiveInterceptor.java
- \* /opt/cola/permits/1331474323\_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/model/query/QueryParameter.java
- \* /opt/cola/permits/1331474323\_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/model/runtime/BatchOperation.java
- \* /opt/cola/permits/1331474323\_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/repository/GenericRepository.java
- \* /opt/cola/permits/1331474323\_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/annotation/NamingStrategy.java
- \* /opt/cola/permits/1331474323\_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/repository/package-info.java
- \* /opt/cola/permits/1331474323\_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/intercept/reactive/CountReactiveInterceptor.java
- \* /opt/cola/permits/1331474323\_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/model/AssociationUtils.java
- \* /opt/cola/permits/1331474323\_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/annotation/event/PostRemove.java
- \* /opt/cola/permits/1331474323\_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/intercept/annotation/package-info.java
- \* /opt/cola/permits/1331474323\_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/annotation/Where.java
- \* /opt/cola/permits/1331474323\_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/intercept/FindSliceInterceptor.java
- \* /opt/cola/permits/1331474323\_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/annotation/repeatable/TypeDefinitions.java
- \* /opt/cola/permits/1331474323\_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/annotation/sql/package-info.java
- \* /opt/cola/permits/1331474323\_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/model/Pageable.java
- \* /opt/cola/permits/1331474323\_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/model/PersistentProperty.java

\* /opt/cola/permits/1331474323\_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/model/query/builder/QueryBuilder.java

\* /opt/cola/permits/1331474323\_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/annotation/event/PreRemove.java

\* /opt/cola/permits/1331474323\_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/intercept/async/DeleteOneAsyncInterceptor.java

\* /opt/cola/permits/1331474323\_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/intercept/async/package-info.java

\* /opt/cola/permits/1331474323\_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/operations/reactive/package-info.java

\* /opt/cola/permits/1331474323\_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/repository/CrudRepository.java

\* /opt/cola/permits/1331474323\_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/intercept/reactive/UpdateEntityReactiveInterceptor.java

\* /opt/cola/permits/1331474323\_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/annotation/event/EntityEventMapping.java

\* /opt/cola/permits/1331474323\_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/model/Slice.java

\* /opt/cola/permits/1331474323\_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/intercept/UpdateInterceptor.java

\* /opt/cola/permits/1331474323\_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/annotation/Query.java

\* /opt/cola/permits/1331474323\_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/model/AbstractPersistentEntity.java

\* /opt/cola/permits/1331474323\_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/intercept/async/SaveEntityAsyncInterceptor.java

\* /opt/cola/permits/1331474323\_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/model/Association.java

\* /opt/cola/permits/1331474323\_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/annotation/DataTransformer.java

\* /opt/cola/permits/1331474323\_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/annotation/repeatable/JoinSpecifications.java

\* /opt/cola/permits/1331474323\_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/repository/reactive/RxJavaCrudRepository.java

\* /opt/cola/permits/1331474323\_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/intercept/async/FindSliceAsyncInterceptor.java

\* /opt/cola/permits/1331474323\_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/intercept/SaveOneInterceptor.java

\* /opt/cola/permits/1331474323\_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/model/PersistentEntity.java

\* /opt/cola/permits/1331474323\_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/repository/jpa/JpaSpecificationExecutor.java

\* /opt/cola/permits/1331474323\_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/model/query/AssociationQuery.java

\* /opt/cola/permits/1331474323\_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/annotation/Relation.java

\* /opt/cola/permits/1331474323\_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/intercept/reactive/FindAllReactiveInterceptor.java

\* /opt/cola/permits/1331474323\_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/model/DataType.java

\* /opt/cola/permits/1331474323\_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/operations/PrimaryRepositoryOperations.java

\* /opt/cola/permits/1331474323\_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/annotation/QueryHint.java

\* /opt/cola/permits/1331474323\_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/annotation/Id.java

\* /opt/cola/permits/1331474323\_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/intercept/UpdateAllEntitiesInterceptor.java

\* /opt/cola/permits/1331474323\_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/model/runtime/DefaultStoredDataOperation.java

\* /opt/cola/permits/1331474323\_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/model/runtime/RuntimeEmbedded.java

\* /opt/cola/permits/1331474323\_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/model/runtime/StoredDataOperation.java

\* /opt/cola/permits/1331474323\_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/intercept/async/SaveOneAsyncInterceptor.java

\* /opt/cola/permits/1331474323\_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/exceptions/NonUniqueResultException.java

\* /opt/cola/permits/1331474323\_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/model/runtime/PreparedQuery.java

\* /opt/cola/permits/1331474323\_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/model/query/builder/sql/SqlQueryConfiguration.java

\* /opt/cola/permits/1331474323\_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/operations/async/AsyncRepositoryOperations.java

\* /opt/cola/permits/1331474323\_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/repository/reactive/package-info.java

\* /opt/cola/permits/1331474323\_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/annotation/RepositoryConfiguration.java

\* /opt/cola/permits/1331474323\_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/annotation/Repository.java

\* /opt/cola/permits/1331474323\_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/annotation/MappedEntity.java

\* /opt/cola/permits/1331474323\_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/intercept/async/FindOneAsyncInterceptor.java

\* /opt/cola/permits/1331474323\_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/repository/jpa/criteria/SpecificationComposition.java

\* /opt/cola/permits/1331474323\_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/model/query/DefaultQuery.java

\* /opt/cola/permits/1331474323\_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/model/query/package-info.java

\* /opt/cola/permits/1331474323\_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/annotation/Version.java

\* /opt/cola/permits/1331474323\_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/exceptions/DataAccessResourceFailureException.java

\* /opt/cola/permits/1331474323\_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/intercept/reactive/SaveEntityReactiveInterceptor.java

\* /opt/cola/permits/1331474323\_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/model/query/JoinPath.java

\* /opt/cola/permits/1331474323\_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/intercept/ExistsByInterceptor.java

\* /opt/cola/permits/1331474323\_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/intercept/reactive/FindPageReactiveInterceptor.java

\* /opt/cola/permits/1331474323\_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/model/query/builder/sql/Dialect.java

\* /opt/cola/permits/1331474323\_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/model/DefaultPageable.java

\* /opt/cola/permits/1331474323\_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/operations/RepositoryOperations.java

\* /opt/cola/permits/1331474323\_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/operations/package-info.java

\* /opt/cola/permits/1331474323\_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/repository/async/AsyncCrudRepository.java

\* /opt/cola/permits/1331474323\_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/intercept/FindOptionalInterceptor.java

\* /opt/cola/permits/1331474323\_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/model/query/Criteria.java

\* /opt/cola/permits/1331474323\_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/model/query/builder/QueryResult.java

\* /opt/cola/permits/1331474323\_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/intercept/reactive/FindOneReactiveInterceptor.java

\* /opt/cola/permits/1331474323\_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/intercept/IterableResultInterceptor.java

\* /opt/cola/permits/1331474323\_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/model/runtime/StoredQuery.java

\* /opt/cola/permits/1331474323\_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/model/Embedded.java

\* /opt/cola/permits/1331474323\_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/model/Page.java

\* /opt/cola/permits/1331474323\_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/intercept/FindStreamInterceptor.java

\* /opt/cola/permits/1331474323\_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/model/runtime/convert/package-info.java

\* /opt/cola/permits/1331474323\_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/repository/PageableRepository.java

\* /opt/cola/permits/1331474323\_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/operations/async/AsyncCapableRepository.java

\* /opt/cola/permits/1331474323\_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/model/runtime/DeleteBatchOperation.java

\* /opt/cola/permits/1331474323\_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/model/query/QueryModel.java

\* /opt/cola/permits/1331474323\_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/intercept/async/ExistsByAsyncInterceptor.java

\* /opt/cola/permits/1331474323\_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/intercept/async/DeleteAllAsyncInterceptor.java



\* /opt/cola/permits/1331474323\_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/model/query/factory/package-info.java

\* /opt/cola/permits/1331474323\_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/exceptions/EmptyResultException.java

\* /opt/cola/permits/1331474323\_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/model/runtime/UpdateOperation.java

\* /opt/cola/permits/1331474323\_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/repository/reactive/ReactiveStreamsCrudRepository.java

\* /opt/cola/permits/1331474323\_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/intercept/package-info.java

\* /opt/cola/permits/1331474323\_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/exceptions/OptimisticLockException.java

\* /opt/cola/permits/1331474323\_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/annotation/MappedProperty.java

\* /opt/cola/permits/1331474323\_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/annotation/Expandable.java

\* /opt/cola/permits/1331474323\_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/intercept/SaveEntityInterceptor.java

\* /opt/cola/permits/1331474323\_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/model/query/builder/package-info.java

\* /opt/cola/permits/1331474323\_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/annotation/event/PrePersist.java

\* /opt/cola/permits/1331474323\_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/exceptions/package-info.java

\* /opt/cola/permits/1331474323\_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/intercept/reactive/ExistsByReactiveInterceptor.java

\* /opt/cola/permits/1331474323\_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/model/runtime/RuntimePersistentProperty.java

\* /opt/cola/permits/1331474323\_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/intercept/async/UpdateAsyncInterceptor.java

\* /opt/cola/permits/1331474323\_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/intercept/DataIntroductionAdvice.java

\* /opt/cola/permits/1331474323\_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/intercept/reactive/UpdateAllEntitiesReactiveInterceptor.java

\* /opt/cola/permits/1331474323\_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/annotation/Embeddable.java

\* /opt/cola/permits/1331474323\_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/model/runtime/EntityInstanceOperation.java

\* /opt/cola/permits/1331474323\_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/repository/jpa/kotlin/CoroutineJpaSpecificationExecutor.kt

\* /opt/cola/permits/1331474323\_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/intercept/async/FindByIdAsyncInterceptor.java

\* /opt/cola/permits/1331474323\_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/intercept/async/SaveAllAsyncInterceptor.java

\* /opt/cola/permits/1331474323\_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/exceptions/DataAccessException.java

\* /opt/cola/permits/1331474323\_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/model/query/factory/Projections.java

\* /opt/cola/permits/1331474323\_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/annotation/EmbeddedId.java

\* /opt/cola/permits/1331474323\_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/annotation/Join.java

\* /opt/cola/permits/1331474323\_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/intercept/async/UpdateEntityAsyncInterceptor.java

\* /opt/cola/permits/1331474323\_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/annotation/repeatable/package-info.java

\* /opt/cola/permits/1331474323\_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/model/Sort.java

\* /opt/cola/permits/1331474323\_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/annotation/DateCreated.java

\* /opt/cola/permits/1331474323\_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/annotation/event/PostLoad.java

\* /opt/cola/permits/1331474323\_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/model/query/builder/AbstractSqlLikeQueryBuilder.java

\* /opt/cola/permits/1331474323\_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/model/runtime/package-info.java

\* /opt/cola/permits/1331474323\_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/model/query/ProjectionList.java

\* /opt/cola/permits/1331474323\_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/annotation/DateUpdated.java

\* /opt/cola/permits/1331474323\_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/intercept/annotation/DataMethod.java

\* /opt/cola/permits/1331474323\_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/intercept/async/CountAsyncInterceptor.java

\* /opt/cola/permits/1331474323\_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/model/DefaultSort.java

\* /opt/cola/permits/1331474323\_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/intercept/DeleteOneInterceptor.java

\* /opt/cola/permits/1331474323\_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/exceptions/MappingException.java

\* /opt/cola/permits/1331474323\_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/model/runtime/AbstractPreparedDataOperation.java

\* /opt/cola/permits/1331474323\_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/annotation/TypeDef.java

\* /opt/cola/permits/1331474323\_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/intercept/reactive/UpdateReactiveInterceptor.java

\* /opt/cola/permits/1331474323\_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/model/runtime/RuntimeAssociation.java

\* /opt/cola/permits/1331474323\_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/model/runtime/UpdateBatchOperation.java

\* /opt/cola/permits/1331474323\_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/annotation/Transient.java

\* /opt/cola/permits/1331474323\_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/operations/reactive/ReactiveCapableRepository.java

\* /opt/cola/permits/1331474323\_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/intercept/FindAllInterceptor.java

\* /opt/cola/permits/1331474323\_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/intercept/async/FindPageAsyncInterceptor.java

\* /opt/cola/permits/1331474323\_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/intercept/reactive/DeleteOneReactiveInterceptor.java

\* /opt/cola/permits/1331474323\_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/model/runtime/InsertBatchOperation.java

\* /opt/cola/permits/1331474323\_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/model/runtime/RuntimePersistentEntity.java

\* /opt/cola/permits/1331474323\_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/intercept/FindPageInterceptor.java

\* /opt/cola/permits/1331474323\_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/annotation/GeneratedValue.java

\* /opt/cola/permits/1331474323\_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/model/query/builder/sql/package-info.java

\* /opt/cola/permits/1331474323\_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/model/PersistentElement.java

\* /opt/cola/permits/1331474323\_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/intercept/DataInterceptor.java

\* /opt/cola/permits/1331474323\_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/intercept/UpdateEntityInterceptor.java

\* /opt/cola/permits/1331474323\_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/model/naming/NamingStrategy.java

\* /opt/cola/permits/1331474323\_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/intercept/async/UpdateAllEntriesAsyncInterceptor.java

\* /opt/cola/permits/1331474323\_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/intercept/reactive/FindByIdReactiveInterceptor.java

\* /opt/cola/permits/1331474323\_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/intercept/DeleteAllInterceptor.java

\* /opt/cola/permits/1331474323\_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/operations/reactive/ReactiveRepositoryOperations.java

\* /opt/cola/permits/1331474323\_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/model/DefaultSlice.java

\* /opt/cola/permits/1331474323\_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/annotation/event/PostPersist.java

\* /opt/cola/permits/1331474323\_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/model/runtime/PreparedDataOperation.java

\* /opt/cola/permits/1331474323\_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/intercept/FindByIdInterceptor.java

\* /opt/cola/permits/1331474323\_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/annotation/TypeRole.java

\* /opt/cola/permits/1331474323\_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/intercept/async/FindAllAsyncInterceptor.java

\* /opt/cola/permits/1331474323\_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/model/query/builder/sql/SqlQueryBuilder.java

\* /opt/cola/permits/1331474323\_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/model/DefaultPage.java

\* /opt/cola/permits/1331474323\_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/intercept/RepositoryMethodKey.java

\* /opt/cola/permits/1331474323\_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/intercept/SaveAllInterceptor.java  
\* /opt/cola/permits/1331474323\_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/intercept/reactive/DeleteAllReactiveInterceptor.java  
\* /opt/cola/permits/1331474323\_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/model/query/builder/jpa/package-info.java  
\* /opt/cola/permits/1331474323\_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/model/runtime/InsertOperation.java  
\* /opt/cola/permits/1331474323\_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/model/query/builder/jpa/JpaQueryBuilder.java  
\* /opt/cola/permits/1331474323\_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/model/runtime/DeleteOperation.java  
\* /opt/cola/permits/1331474323\_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/model/runtime/PagedQuery.java  
\* /opt/cola/permits/1331474323\_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/repository/async/package-info.java  
\* /opt/cola/permits/1331474323\_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/annotation/event/PostUpdate.java  
\* /opt/cola/permits/1331474323\_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/annotation/sql/SqlMembers.java  
\* /opt/cola/permits/1331474323\_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/model/query/factory/Restrictions.java  
\* /opt/cola/permits/1331474323\_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/model/naming/package-info.java  
\* /opt/cola/permits/1331474323\_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/intercept/CountInterceptor.java  
\* /opt/cola/permits/1331474323\_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/model/query/DefaultProjectionList.java  
\* /opt/cola/permits/1331474323\_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/operations/async/package-info.java  
\* /opt/cola/permits/1331474323\_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/model/runtime/EntityOperation.java  
\* /opt/cola/permits/1331474323\_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/intercept/reactive/SaveOneReactiveInterceptor.java  
\* /opt/cola/permits/1331474323\_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/annotation/package-info.java  
\* /opt/cola/permits/1331474323\_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/intercept/FindOneInterceptor.java  
\* /opt/cola/permits/1331474323\_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/intercept/reactive/FindSliceReactiveInterceptor.java  
\* /opt/cola/permits/1331474323\_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/annotation/repeatable/QueryHints.java  
\* /opt/cola/permits/1331474323\_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/intercept/annotation/DataMethodQueryParameter.java  
\* /opt/cola/permits/1331474323\_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-jar/io/micronaut/data/intercept/reactive/package-info.java

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2017-2021 original authors
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * https://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1331474323_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-
jar/io/micronaut/data/model/jpa/criteria/IExpression.java
* /opt/cola/permits/1331474323_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-
jar/io/micronaut/data/event/EntityEventContext.java
* /opt/cola/permits/1331474323_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-
jar/io/micronaut/data/model/jpa/criteria/impl/QueryResultPersistentEntityCriteriaQuery.java
* /opt/cola/permits/1331474323_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-
jar/io/micronaut/data/operations/reactive/BlockingReactorRepositoryOperations.java
* /opt/cola/permits/1331474323_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-
jar/io/micronaut/data/model/jpa/criteria/impl/predicate/DisjunctionPredicate.java
* /opt/cola/permits/1331474323_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-
jar/io/micronaut/data/repository/kotlin/CoroutineCrudRepository.kt
* /opt/cola/permits/1331474323_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-
jar/io/micronaut/data/model/jpa/criteria/impl/AbstractPersistentEntityCriteriaQuery.java
* /opt/cola/permits/1331474323_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-
jar/io/micronaut/data/model/jpa/criteria/impl/SelectionVisitor.java
* /opt/cola/permits/1331474323_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-
jar/io/micronaut/data/model/jpa/criteria/impl/selection/AggregateExpression.java
* /opt/cola/permits/1331474323_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-
jar/io/micronaut/data/model/jpa/criteria/PersistentEntityCriteriaQuery.java
* /opt/cola/permits/1331474323_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-
jar/io/micronaut/data/model/jpa/criteria/impl/ParameterExpressionImpl.java
* /opt/cola/permits/1331474323_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-
jar/io/micronaut/data/model/jpa/criteria/impl/AbstractCriteriaBuilder.java
* /opt/cola/permits/1331474323_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-
jar/io/micronaut/data/model/jpa/criteria/impl/util/Joiner.java
* /opt/cola/permits/1331474323_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-
jar/io/micronaut/data/model/jpa/criteria/impl/selection/CompoundSelection.java
* /opt/cola/permits/1331474323_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-
jar/io/micronaut/data/model/runtime/convert/AttributeConverter.java
* /opt/cola/permits/1331474323_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-
```

jar/io/micronaut/data/model/jpa/criteria/PersistentEntityCriteriaBuilder.java  
\* /opt/cola/permits/1331474323\_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-  
jar/io/micronaut/data/model/jpa/criteria/impl/CriteriaUtils.java  
\* /opt/cola/permits/1331474323\_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-  
jar/io/micronaut/data/model/jpa/criteria/PersistentEntityPath.java  
\* /opt/cola/permits/1331474323\_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-  
jar/io/micronaut/data/model/jpa/criteria/IPredicate.java  
\* /opt/cola/permits/1331474323\_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-  
jar/io/micronaut/data/model/jpa/criteria/impl/predicate/PersistentPropertyInValuesPredicate.java  
\* /opt/cola/permits/1331474323\_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-  
jar/io/micronaut/data/model/jpa/criteria/PersistentEntityFrom.java  
\* /opt/cola/permits/1331474323\_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-  
jar/io/micronaut/data/model/jpa/criteria/PersistentEntityCriteriaUpdate.java  
\* /opt/cola/permits/1331474323\_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-  
jar/io/micronaut/data/model/runtime/AttributeConverterRegistry.java  
\* /opt/cola/permits/1331474323\_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-  
jar/io/micronaut/data/event/QueryEventContext.java  
\* /opt/cola/permits/1331474323\_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-  
jar/io/micronaut/data/model/jpa/criteria/impl/AbstractPersistentEntityCriteriaUpdate.java  
\* /opt/cola/permits/1331474323\_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-  
jar/io/micronaut/data/model/PersistentPropertyPath.java  
\* /opt/cola/permits/1331474323\_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-  
jar/io/micronaut/data/event/listeners/PostUpdateEventListener.java  
\* /opt/cola/permits/1331474323\_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-  
jar/io/micronaut/data/model/jpa/criteria/impl/predicate/PersistentPropertyUnaryPredicate.java  
\* /opt/cola/permits/1331474323\_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-  
jar/io/micronaut/data/operations/reactive/ReactorReactiveRepositoryOperations.java  
\* /opt/cola/permits/1331474323\_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-  
jar/io/micronaut/data/model/jpa/criteria/PersistentEntityJoin.java  
\* /opt/cola/permits/1331474323\_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-  
jar/io/micronaut/data/repository/jpa/criteria/DeleteSpecification.java  
\* /opt/cola/permits/1331474323\_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-  
jar/io/micronaut/data/event/listeners/PostPersistEventListener.java  
\* /opt/cola/permits/1331474323\_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-  
jar/io/micronaut/data/repository/jpa/criteria/PredicateSpecification.java  
\* /opt/cola/permits/1331474323\_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-  
jar/io/micronaut/data/repository/jpa/reactive/ReactorJpaSpecificationExecutor.java  
\* /opt/cola/permits/1331474323\_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-  
jar/io/micronaut/data/model/jpa/criteria/impl/IdExpression.java  
\* /opt/cola/permits/1331474323\_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-  
jar/io/micronaut/data/annotation/Indexes.java  
\* /opt/cola/permits/1331474323\_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-  
jar/io/micronaut/data/model/jpa/criteria/impl/predicate/PersistentPropertyInPredicate.java  
\* /opt/cola/permits/1331474323\_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-  
jar/io/micronaut/data/model/PersistentAssociationPath.java  
\* /opt/cola/permits/1331474323\_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-  
jar/io/micronaut/data/annotation/Index.java  
\* /opt/cola/permits/1331474323\_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-

jar/io/micronaut/data/model/jpa/criteria/impl/selection/AbstractPersistentPropertyExpression.java  
\* /opt/cola/permits/1331474323\_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-  
jar/io/micronaut/data/model/runtime/PropertyAutoPopulator.java  
\* /opt/cola/permits/1331474323\_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-  
jar/io/micronaut/data/model/jpa/criteria/impl/PersistentPropertyOrder.java  
\* /opt/cola/permits/1331474323\_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-  
jar/io/micronaut/data/model/jpa/criteria/impl/predicate/PersistentPropertyBetweenPredicate.java  
\* /opt/cola/permits/1331474323\_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-  
jar/io/micronaut/data/event/listeners/PreRemoveEventListener.java  
\* /opt/cola/permits/1331474323\_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-  
jar/io/micronaut/data/model/jpa/criteria/impl/predicate/PersistentPropertyBinaryPredicate.java  
\* /opt/cola/permits/1331474323\_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-  
jar/io/micronaut/data/model/runtime/RuntimeEntityRegistry.java  
\* /opt/cola/permits/1331474323\_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-  
jar/io/micronaut/data/model/jpa/criteria/PersistentEntityRoot.java  
\* /opt/cola/permits/1331474323\_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-  
jar/io/micronaut/data/model/query/BindingContextImpl.java  
\* /opt/cola/permits/1331474323\_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-  
jar/io/micronaut/data/repository/jpa/async/AsyncJpaSpecificationExecutor.java  
\* /opt/cola/permits/1331474323\_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-  
jar/io/micronaut/data/model/query/BindingParameter.java  
\* /opt/cola/permits/1331474323\_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-  
jar/io/micronaut/data/model/jpa/criteria/impl/predicate/PredicateBinaryOp.java  
\* /opt/cola/permits/1331474323\_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-  
jar/io/micronaut/data/model/jpa/criteria/impl/AbstractPersistentPropertyPath.java  
\* /opt/cola/permits/1331474323\_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-  
jar/io/micronaut/data/model/jpa/criteria/ISelection.java  
\* /opt/cola/permits/1331474323\_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-  
jar/io/micronaut/data/model/jpa/criteria/impl/PredicateVisitable.java  
\* /opt/cola/permits/1331474323\_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-  
jar/io/micronaut/data/repository/jpa/criteria/QuerySpecification.java  
\* /opt/cola/permits/1331474323\_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-  
jar/io/micronaut/data/model/jpa/criteria/impl/query/QueryModelSelectionVisitor.java  
\* /opt/cola/permits/1331474323\_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-  
jar/io/micronaut/data/model/jpa/criteria/impl/LiteralExpression.java  
\* /opt/cola/permits/1331474323\_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-  
jar/io/micronaut/data/repository/jpa/criteria/UpdateSpecification.java  
\* /opt/cola/permits/1331474323\_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-  
jar/io/micronaut/data/model/jpa/criteria/impl/AbstractPersistentEntityCriteriaDelete.java  
\* /opt/cola/permits/1331474323\_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-  
jar/io/micronaut/data/model/jpa/criteria/impl/AbstractPersistentEntityJoinSupport.java  
\* /opt/cola/permits/1331474323\_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-  
jar/io/micronaut/data/model/jpa/criteria/impl/predicate/ConjunctionPredicate.java  
\* /opt/cola/permits/1331474323\_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-  
jar/io/micronaut/data/event/EntityEventListener.java  
\* /opt/cola/permits/1331474323\_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-  
jar/io/micronaut/data/operations/reactive/ReactorReactiveCapableRepository.java  
\* /opt/cola/permits/1331474323\_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-

jar/io/micronaut/data/event/PersistenceEventException.java  
\* /opt/cola/permits/1331474323\_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-  
jar/io/micronaut/data/model/runtime/QueryParameterBinding.java  
\* /opt/cola/permits/1331474323\_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-  
jar/io/micronaut/data/event/listeners/PostRemoveEventListener.java  
\* /opt/cola/permits/1331474323\_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-  
jar/io/micronaut/data/model/jpa/criteria/impl/predicate/ExpressionBinaryPredicate.java  
\* /opt/cola/permits/1331474323\_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-  
jar/io/micronaut/data/model/jpa/criteria/impl/selection/AliasedSelection.java  
\* /opt/cola/permits/1331474323\_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-  
jar/io/micronaut/data/model/jpa/criteria/impl/selection/AbstractNumericalPersistentPropertyExpression.java  
\* /opt/cola/permits/1331474323\_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-  
jar/io/micronaut/data/model/jpa/criteria/impl/QueryModelPersistentEntityCriteriaQuery.java  
\* /opt/cola/permits/1331474323\_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-  
jar/io/micronaut/data/model/jpa/criteria/impl/predicate/PredicateUnaryOp.java  
\* /opt/cola/permits/1331474323\_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-  
jar/io/micronaut/data/model/query/builder/QueryParameterBinding.java  
\* /opt/cola/permits/1331474323\_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-  
jar/io/micronaut/data/event/listeners/PrePersistEventListener.java  
\* /opt/cola/permits/1331474323\_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-  
jar/io/micronaut/data/model/jpa/criteria/impl/SelectionVisitable.java  
\* /opt/cola/permits/1331474323\_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-  
jar/io/micronaut/data/repository/jpa/reactive/ReactiveStreamsJpaSpecificationExecutor.java  
\* /opt/cola/permits/1331474323\_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-  
jar/io/micronaut/data/model/jpa/criteria/impl/selection/AggregateType.java  
\* /opt/cola/permits/1331474323\_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-  
jar/io/micronaut/data/model/jpa/criteria/impl/predicate/AbstractPersistentPropertyPredicate.java  
\* /opt/cola/permits/1331474323\_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-  
jar/io/micronaut/data/model/jpa/criteria/impl/PredicateVisitor.java  
\* /opt/cola/permits/1331474323\_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-  
jar/io/micronaut/data/event/PersistenceEventContext.java  
\* /opt/cola/permits/1331474323\_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-  
jar/io/micronaut/data/model/jpa/criteria/PersistentEntityCriteriaDelete.java  
\* /opt/cola/permits/1331474323\_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-  
jar/io/micronaut/data/event/listeners/PreUpdateEventListener.java  
\* /opt/cola/permits/1331474323\_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-  
jar/io/micronaut/data/repository/reactive/ReactorCrudRepository.java  
\* /opt/cola/permits/1331474323\_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-  
jar/io/micronaut/data/model/jpa/criteria/impl/query/QueryModelPredicateVisitor.java  
\* /opt/cola/permits/1331474323\_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-  
jar/io/micronaut/data/model/jpa/criteria/impl/predicate/NegatedPredicate.java  
\* /opt/cola/permits/1331474323\_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-  
jar/io/micronaut/data/model/jpa/criteria/impl/predicate/AbstractPredicate.java  
\* /opt/cola/permits/1331474323\_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-  
jar/io/micronaut/data/model/jpa/criteria/PersistentAssociationPath.java  
\* /opt/cola/permits/1331474323\_1653513905.8667567/0/micronaut-data-model-3-3-0-sources-  
jar/io/micronaut/data/model/jpa/criteria/PersistentPropertyPath.java



# 1.350 dropwizard-utility-classes 2.0.25

## 1.350.1 Available under license :

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications

represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without

modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. **Trademarks.** This License does not grant permission to use the trade

names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
  
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
  
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier

identification within third-party archives.

Copyright 2010-2013 Coda Hale and Yammer, Inc., 2014-2020 Dropwizard Team

Licensed under the Apache License, Version 2.0 (the "License");

you may not use this file except in compliance with the License.

You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software

distributed under the License is distributed on an "AS IS" BASIS,

WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

See the License for the specific language governing permissions and

limitations under the License.

## 1.351 json-path 4.3.3

### 1.351.1 Available under license :

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2020 the original author or authors.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1340076254\_1654622358.780958/0/json-path-4-3-3-sources-2-jar/io/restassured/path/json/mapper/factory/DefaultYassonObjectMapperFactory.java

\* /opt/cola/permits/1340076254\_1654622358.780958/0/json-path-4-3-3-sources-2-jar/io/restassured/internal/path/json/mapping/JsonPathJsonbObjectDeserializer.groovy

\* /opt/cola/permits/1340076254\_1654622358.780958/0/json-path-4-3-3-sources-2-jar/io/restassured/path/json/mapper/factory/JsonbObjectMapperFactory.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2019 the original author or authors.  
 \*  
 \* Licensed under the Apache License, Version 2.0 (the "License");  
 \* you may not use this file except in compliance with the License.  
 \* You may obtain a copy of the License at  
 \*  
 \* <http://www.apache.org/licenses/LICENSE-2.0>  
 \*  
 \* Unless required by applicable law or agreed to in writing, software  
 \* distributed under the License is distributed on an "AS IS" BASIS,  
 \* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
 \* See the License for the specific language governing permissions and  
 \* limitations under the License.  
 \*/

Found in path(s):

\* /opt/cola/permits/1340076254\_1654622358.780958/0/json-path-4-3-3-sources-2-jar/io/restassured/internal/path/json/JsonPrettifier.groovy  
 \* /opt/cola/permits/1340076254\_1654622358.780958/0/json-path-4-3-3-sources-2-jar/io/restassured/path/json/mapper/factory/Jackson1ObjectMapperFactory.java  
 \* /opt/cola/permits/1340076254\_1654622358.780958/0/json-path-4-3-3-sources-2-jar/io/restassured/path/json/config/JsonPathConfig.java  
 \* /opt/cola/permits/1340076254\_1654622358.780958/0/json-path-4-3-3-sources-2-jar/io/restassured/internal/path/json/ConfigurableJsonSlurper.groovy  
 \* /opt/cola/permits/1340076254\_1654622358.780958/0/json-path-4-3-3-sources-2-jar/io/restassured/path/json/mapper/factory/JohnzonObjectMapperFactory.java  
 \* /opt/cola/permits/1340076254\_1654622358.780958/0/json-path-4-3-3-sources-2-jar/io/restassured/internal/path/json/mapping/JsonPathJohnzonObjectDeserializer.groovy  
 \* /opt/cola/permits/1340076254\_1654622358.780958/0/json-path-4-3-3-sources-2-jar/io/restassured/path/json/mapper/factory/DefaultJackson1ObjectMapperFactory.java  
 \* /opt/cola/permits/1340076254\_1654622358.780958/0/json-path-4-3-3-sources-2-jar/io/restassured/path/json/mapper/factory/DefaultGsonObjectMapperFactory.java  
 \* /opt/cola/permits/1340076254\_1654622358.780958/0/json-path-4-3-3-sources-2-jar/io/restassured/path/json/mapper/factory/GsonObjectMapperFactory.java  
 \* /opt/cola/permits/1340076254\_1654622358.780958/0/json-path-4-3-3-sources-2-jar/io/restassured/path/json/exception/JsonPathException.java  
 \* /opt/cola/permits/1340076254\_1654622358.780958/0/json-path-4-3-3-sources-2-jar/io/restassured/internal/path/json/mapping/JsonPathGsonObjectDeserializer.groovy  
 \* /opt/cola/permits/1340076254\_1654622358.780958/0/json-path-4-3-3-sources-2-jar/io/restassured/internal/path/json/mapping/JsonPathJackson2ObjectDeserializer.groovy  
 \* /opt/cola/permits/1340076254\_1654622358.780958/0/json-path-4-3-3-sources-2-jar/io/restassured/path/json/mapper/factory/Jackson2ObjectMapperFactory.java  
 \* /opt/cola/permits/1340076254\_1654622358.780958/0/json-path-4-3-3-sources-2-jar/io/restassured/internal/path/json/mapping/JsonPathJackson1ObjectDeserializer.groovy  
 \* /opt/cola/permits/1340076254\_1654622358.780958/0/json-path-4-3-3-sources-2-jar/io/restassured/path/json/config/JsonParserType.java  
 \* /opt/cola/permits/1340076254\_1654622358.780958/0/json-path-4-3-3-sources-2-jar/io/restassured/path/json/mapper/factory/DefaultJackson2ObjectMapperFactory.java

```
* /opt/cola/permits/1340076254_1654622358.780958/0/json-path-4-3-3-sources-2-
jar/io/restassured/path/json/mapper/factory/DefaultJohnzonObjectMapperFactory.java
* /opt/cola/permits/1340076254_1654622358.780958/0/json-path-4-3-3-sources-2-
jar/io/restassured/path/json/JsonPath.java
* /opt/cola/permits/1340076254_1654622358.780958/0/json-path-4-3-3-sources-2-
jar/io/restassured/internal/path/json/JSONAssertion.groovy
* /opt/cola/permits/1340076254_1654622358.780958/0/json-path-4-3-3-sources-2-
jar/io/restassured/path/json/mapping/JsonPathObjectDeserializer.java
```

No license file was found, but licenses were detected in source scan.

```
/*
```

```
* Copyright 2019,2020 the original author or authors.
```

```
*
```

```
* Licensed under the Apache License, Version 2.0 (the "License");
```

```
* you may not use this file except in compliance with the License.
```

```
* You may obtain a copy of the License at
```

```
*
```

```
* http://www.apache.org/licenses/LICENSE-2.0
```

```
*
```

```
* Unless required by applicable law or agreed to in writing, software
```

```
* distributed under the License is distributed on an "AS IS" BASIS,
```

```
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
```

```
* See the License for the specific language governing permissions and
```

```
* limitations under the License.
```

```
*/
```

Found in path(s):

```
* /opt/cola/permits/1340076254_1654622358.780958/0/json-path-4-3-3-sources-2-
jar/io/restassured/internal/path/json/mapping/JsonObjectDeserializer.groovy
```

## 1.352 cloudevents---core 2.1.1

### 1.352.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
<!--
```

```
~ Copyright 2018-Present The CloudEvents Authors
```

```
~ <p>
```

```
~ Licensed under the Apache License, Version 2.0 (the "License");
```

```
~ you may not use this file except in compliance with the License.
```

```
~ You may obtain a copy of the License at
```

```
~ <p>
```

```
~ http://www.apache.org/licenses/LICENSE-2.0
```

```
~ <p>
```

```
~ Unless required by applicable law or agreed to in writing, software
```

```
~ distributed under the License is distributed on an "AS IS" BASIS,
```

```
~ WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
```

~ See the License for the specific language governing permissions and  
~ limitations under the License.  
~  
-->

Found in path(s):

\* /opt/cola/permits/1337070066\_1654221700.3755271/0/cloudevents-core-2-1-1-jar/META-INF/maven/io.cloudevents/cloudevents-core/pom.xml

# 1.353 apache-kafka 3.0.0

## 1.353.1 Available under license :

Apache Kafka  
Copyright 2021 The Apache Software Foundation.

This product includes software developed at  
The Apache Software Foundation (<https://www.apache.org/>).

This distribution has a binary dependency on jersey, which is available under the CDDL License. The source code of jersey can be found at <https://github.com/jersey/jersey/>.

This distribution has a binary test dependency on jqwik, which is available under the Eclipse Public License 2.0. The source code can be found at <https://github.com/jlink/jqwik>.

The streams-scala (streams/streams-scala) module was donated by Lightbend and the original code was copyrighted by them:

Copyright (C) 2018 Lightbend Inc. <<https://www.lightbend.com>>  
Copyright (C) 2017-2018 Alexis Seigneurin.

This project contains the following code copied from Apache Hadoop:  
clients/src/main/java/org/apache/kafka/common/utils/PureJavaCrc32C.java  
Some portions of this file Copyright (c) 2004-2006 Intel Corporation and licensed under the BSD license.

This project contains the following code copied from Apache Hive:  
streams/src/main/java/org/apache/kafka/streams/state/internals/Murmur3.java

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.



"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but

excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. **Grant of Copyright License.** Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. **Grant of Patent License.** Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. **Redistribution.** You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
  - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
  - (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
  - (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
  - (d) If the Work includes a "NOTICE" text file as part of its

distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise,

unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. **Accepting Warranty or Additional Liability.** While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

# 1.354 spring-data-commons 2.5.1

## 1.354.1 Available under license :

Spring Data Commons 2.5.1 (2021.0.1)  
Copyright (c) [2010-2019] Pivotal Software, Inc.

This product is licensed to you under the Apache License, Version 2.0 (the "License").  
You may not use this product except in compliance with the License.

This product may include a number of subcomponents with separate copyright notices and license terms. Your use of the source code for these subcomponents is subject to the terms and conditions of the subcomponent's license, as noted in the LICENSE file.

Apache License  
Version 2.0, January 2004  
<https://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You

institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.  
Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.
6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. **Disclaimer of Warranty.** Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. **Limitation of Liability.** In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. **Accepting Warranty or Additional Liability.** While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS



APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<https://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

=====

To the extent any open source subcomponents are licensed under the EPL and/or other similar licenses that require the source code and/or modifications to source code to be made available (as would be noted above), you may obtain a copy of the source code corresponding to the binaries for such open source components and modifications thereto, if any, (the "Source Files"), by downloading the Source Files from <https://www.springsource.org/download>, or by sending a request, with your name and address to: VMware, Inc., 3401 Hillview Avenue, Palo Alto, CA 94304, United States of America or email [info@vmware.com](mailto:info@vmware.com). All such requests should clearly specify: OPEN SOURCE FILES REQUEST, Attention General Counsel. VMware shall mail a copy of the Source Files to you on a CD or equivalent physical medium. This offer to obtain a copy of the Source Files is valid for three years from the date you acquired this Software product.

# 1.355 classgraph 4.8.65

## 1.355.1 Available under license :

The MIT License (MIT)

Copyright (c) 2019 Luke Hutchison

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.356 java-uuid-generator java-uuid-generator-4.0.1

### 1.356.1 Available under license :

This copy of Java UUID Generator (JUG) library is licensed under Apache (Software) License, version 2.0 ("the License").

See the License for details about distribution rights, and the specific rights regarding derivate works.

You may obtain a copy of the License at:

<http://www.apache.org/licenses/LICENSE-2.0>

Java UUID generator library has been written by Tatu Saloranta (tatu.saloranta@iki.fi)

Other developers who have contributed code are:

\* Eric Bie contributed extensive unit test suite which has helped ensure high implementation quality

## 1.357 micrometer-bom 1.8.0

### 1.357.1 Available under license :

-----  
This product includes 'ANTLR', which is released under the following license(s):

BSD-3 <<http://opensource.org/licenses/BSD-3-Clause>>

-----

This product includes 'ASM', which is released under the following license(s):

ASM (BSD-3) <<http://asm.ow2.org/license.html>>

-----

This product includes 'Apache Cassandra', which is released under the following license(s):

Apache License 2.0 <<http://www.apache.org/licenses/LICENSE-2.0>>

-----

This product includes 'Apache Commons CLI', which is released under the following license(s):

Apache License 2.0 <<http://www.apache.org/licenses/LICENSE-2.0>>

-----

This product includes 'Apache Commons Codec', which is released under the following license(s):

Apache License 2.0 <<http://www.apache.org/licenses/LICENSE-2.0>>

-----

This product includes 'Apache Commons Logging', which is released under the following license(s):

Apache License 2.0 <<http://www.apache.org/licenses/LICENSE-2.0>>

-----

This product includes 'GSON', which is released under the following license(s):

Apache License 2.0 <<http://www.apache.org/licenses/LICENSE-2.0>>

-----

This product includes 'Guava', which is released under the following license(s):

Apache License 2.0 <<http://www.apache.org/licenses/LICENSE-2.0>>

-----

This product includes 'HttpClient', which is released under the following license(s):

Apache License 2.0 <<http://www.apache.org/licenses/LICENSE-2.0>>

-----

This product includes 'JAXB', which is released under the following license(s):

CDDL-1.0 <<https://opensource.org/licenses/CDDL-1.0>>

-----

This product includes 'JRegex', which is released under the following license(s):

BSD-3 <<http://opensource.org/licenses/BSD-3-Clause>>

-----  
This product includes 'JSON.simple', which is released under the following license(s):  
Apache License 2.0 <<http://www.apache.org/licenses/LICENSE-2.0>>

-----  
This product includes 'Jackson', which is released under the following license(s):  
Apache License 2.0 <<http://www.apache.org/licenses/LICENSE-2.0>>

-----  
This product includes 'Javassist', which is released under the following license(s):  
Apache License 2.0 <<http://www.apache.org/licenses/LICENSE-2.0>>

-----  
This product includes 'LogBack', which is released under the following license(s):  
Eclipse Public License 1.0 <<http://www.eclipse.org/legal/epl-v10.html>>

-----  
This product includes 'Reflections', which is released under the following license(s):  
Do What The Fuck You Want To Public License (WTFPL) <<http://www.wtfpl.net>>

-----  
This product includes 'SLF4J', which is released under the following license(s):  
The MIT License (MIT) <<http://opensource.org/licenses/MIT>>

-----  
This product includes 'SnakeYAML', which is released under the following license(s):  
Apache License 2.0 <<http://www.apache.org/licenses/LICENSE-2.0>>

-----  
All other components of this product are: Copyright (c) 2010-2017 New Relic, Inc. All rights reserved.

Certain inventions disclosed in this file may be claimed within patents owned or patent applications filed by New Relic, Inc. or third parties. Subject to the terms of this notice, New Relic grants you a nonexclusive, nontransferable license, without the right to sublicense, to (a) install and execute one copy of these files on any number of workstations owned or controlled by you and (b) distribute verbatim copies of these files to third parties. As a condition to the foregoing grant, you must provide this notice along with each copy you distribute and you must not remove, alter, or obscure this notice.

All other use, reproduction, modification, distribution, or other exploitation of these files is strictly prohibited, except as may be set forth in a separate written license agreement between you and New Relic. The terms of any such license agreement will control over this notice. The license stated above will be automatically terminated and revoked if you exceed its scope or violate any of the terms of this notice.

This License does not grant permission to use the trade names, trademarks, service marks, or product names of New Relic, except as required for reasonable and customary use in describing the origin of this file and reproducing the content of this notice. You may not mark or brand this file with any trade name, trademarks, service marks, or product names other than the original brand (if any) provided by New Relic.

Unless otherwise expressly agreed by New Relic in a separate written license agreement, these files are provided AS IS, WITHOUT WARRANTY OF ANY KIND, including without any implied warranties of MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, TITLE, or NON-INFRINGEMENT. As a condition to your use of these files, you are solely responsible for such use. New Relic will have no liability to you for direct, indirect, consequential, incidental, special, or punitive damages or for lost profits or data.

Micrometer

Copyright (c) 2017-Present VMware, Inc. All Rights Reserved.

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<https://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

-----  
This product contains a modified portion of 'io.netty.util.internal.logging',  
in the Netty/Common library distributed by The Netty Project:

- \* Copyright 2013 The Netty Project
- \* License: Apache License v2.0
- \* Homepage: <https://netty.io>

This product contains a modified portion of 'StringUtils.isBlank()',  
in the Commons Lang library distributed by The Apache Software Foundation:

- \* Copyright 2001-2019 The Apache Software Foundation

\* License: Apache License v2.0

\* Homepage: <https://commons.apache.org/proper/commons-lang/>

This product contains a modified portion of 'JsonUtf8Writer',  
in the Moshi library distributed by Square, Inc:

\* Copyright 2010 Google Inc.

\* License: Apache License v2.0

\* Homepage: <https://github.com/square/moshi>

This product contains a modified portion of the 'org.springframework.lang'  
package in the Spring Framework library, distributed by VMware, Inc:

\* Copyright 2002-2019 the original author or authors.

\* License: Apache License v2.0

\* Homepage: <https://spring.io/projects/spring-framework>

All components of this product are: Copyright (c) 2010-2015 New Relic, Inc. All rights reserved.

Certain inventions disclosed in this file may be claimed within patents owned or patent applications filed by New Relic, Inc. or third parties. Subject to the terms of this notice, New Relic grants you a nonexclusive, nontransferable license, without the right to sublicense, to (a) install and execute one copy of these files on any number of workstations owned or controlled by you and (b) distribute verbatim copies of these files to third parties. As a condition to the foregoing grant, you must provide this notice along with each copy you distribute and you must not remove, alter, or obscure this notice.

All other use, reproduction, modification, distribution, or other exploitation of these files is strictly prohibited, except as may be set forth in a separate written license agreement between you and New Relic. The terms of any such license agreement will control over this notice. The license stated above will be automatically terminated and revoked if you exceed its scope or violate any of the terms of this notice.

This License does not grant permission to use the trade names, trademarks, service marks, or product names of New Relic, except as required for reasonable and customary use in describing the origin of this file and reproducing the content of this notice. You may not mark or brand this file with any trade name, trademarks, service marks, or product names other than the original brand (if any) provided by New Relic.

Unless otherwise expressly agreed by New Relic in a separate written license agreement, these files are provided AS IS, WITHOUT WARRANTY OF ANY KIND, including without any implied warranties of MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, TITLE, or NON-INFRINGEMENT. As a condition to your use of these files, you are solely responsible for such use. New Relic will have no liability to you for direct, indirect, consequential, incidental, special, or punitive damages or for lost profits or data.

Apache License

Version 2.0, January 2004

<https://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner

or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. **Grant of Copyright License.** Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. **Grant of Patent License.** Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. **Redistribution.** You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
  - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
  - (b) You must cause any modified files to carry prominent notices stating that You changed the files; and



- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.
6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions

of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "{}" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright {yyyy} {name of copyright owner}

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<https://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

# 1.358 micronaut-r2dbc 2.0.0

## 1.358.1 Available under license :

mcr.microsoft.com/mssql/server:2017-CU12

Apache License

Version 2.0, January 2004

<https://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a

copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct

or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of

this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following

boilerplate notice, with the fields enclosed by brackets "[ ]"  
replaced with your own identifying information. (Don't include  
the brackets!) The text should be enclosed in the appropriate  
comment syntax for the file format. We also recommend that a  
file or class name and description of purpose be included on the  
same "printed page" as the copyright notice for easier  
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software  
distributed under the License is distributed on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.

## 1.359 javassist 3\_26\_0\_ga

### 1.359.1 Available under license :

GNU LESSER GENERAL PUBLIC LICENSE  
Version 2.1, February 1999

Copyright (C) 1991, 1999 Free Software Foundation, Inc.  
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA  
Everyone is permitted to copy and distribute verbatim copies  
of this license document, but changing it is not allowed.

[This is the first released version of the Lesser GPL. It also counts  
as the successor of the GNU Library Public License, version 2, hence  
the version number 2.1.]

#### Preamble

The licenses for most software are designed to take away your  
freedom to share and change it. By contrast, the GNU General Public  
Licenses are intended to guarantee your freedom to share and change  
free software--to make sure the software is free for all its users.

This license, the Lesser General Public License, applies to some  
specially designated software packages--typically libraries--of the  
Free Software Foundation and other authors who decide to use it. You

can use it too, but we suggest you first think carefully about whether this license or the ordinary General Public License is the better strategy to use in any particular case, based on the explanations below.

When we speak of free software, we are referring to freedom of use, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish); that you receive source code or can get it if you want it; that you can change the software and use pieces of it in new free programs; and that you are informed that you can do these things.

To protect your rights, we need to make restrictions that forbid distributors to deny you these rights or to ask you to surrender these rights. These restrictions translate to certain responsibilities for you if you distribute copies of the library or if you modify it.

For example, if you distribute copies of the library, whether gratis or for a fee, you must give the recipients all the rights that we gave you. You must make sure that they, too, receive or can get the source code. If you link other code with the library, you must provide complete object files to the recipients, so that they can relink them with the library after making changes to the library and recompiling it. And you must show them these terms so they know their rights.

We protect your rights with a two-step method: (1) we copyright the library, and (2) we offer you this license, which gives you legal permission to copy, distribute and/or modify the library.

To protect each distributor, we want to make it very clear that there is no warranty for the free library. Also, if the library is modified by someone else and passed on, the recipients should know that what they have is not the original version, so that the original author's reputation will not be affected by problems that might be introduced by others.

Finally, software patents pose a constant threat to the existence of any free program. We wish to make sure that a company cannot effectively restrict the users of a free program by obtaining a restrictive license from a patent holder. Therefore, we insist that any patent license obtained for a version of the library must be consistent with the full freedom of use specified in this license.

Most GNU software, including some libraries, is covered by the ordinary GNU General Public License. This license, the GNU Lesser General Public License, applies to certain designated libraries, and is quite different from the ordinary General Public License. We use this license for certain libraries in order to permit linking those



libraries into non-free programs.

When a program is linked with a library, whether statically or using a shared library, the combination of the two is legally speaking a combined work, a derivative of the original library. The ordinary General Public License therefore permits such linking only if the entire combination fits its criteria of freedom. The Lesser General Public License permits more lax criteria for linking other code with the library.

We call this license the "Lesser" General Public License because it does Less to protect the user's freedom than the ordinary General Public License. It also provides other free software developers Less of an advantage over competing non-free programs. These disadvantages are the reason we use the ordinary General Public License for many libraries. However, the Lesser license provides advantages in certain special circumstances.

For example, on rare occasions, there may be a special need to encourage the widest possible use of a certain library, so that it becomes a de-facto standard. To achieve this, non-free programs must be allowed to use the library. A more frequent case is that a free library does the same job as widely used non-free libraries. In this case, there is little to gain by limiting the free library to free software only, so we use the Lesser General Public License.

In other cases, permission to use a particular library in non-free programs enables a greater number of people to use a large body of free software. For example, permission to use the GNU C Library in non-free programs enables many more people to use the whole GNU operating system, as well as its variant, the GNU/Linux operating system.

Although the Lesser General Public License is Less protective of the users' freedom, it does ensure that the user of a program that is linked with the Library has the freedom and the wherewithal to run that program using a modified version of the Library.

The precise terms and conditions for copying, distribution and modification follow. Pay close attention to the difference between a "work based on the library" and a "work that uses the library". The former contains code derived from the library, whereas the latter must be combined with the library in order to run.

GNU LESSER GENERAL PUBLIC LICENSE  
TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License Agreement applies to any software library or other

program which contains a notice placed by the copyright holder or other authorized party saying it may be distributed under the terms of this Lesser General Public License (also called "this License"). Each licensee is addressed as "you".

A "library" means a collection of software functions and/or data prepared so as to be conveniently linked with application programs (which use some of those functions and data) to form executables.

The "Library", below, refers to any such software library or work which has been distributed under these terms. A "work based on the Library" means either the Library or any derivative work under copyright law: that is to say, a work containing the Library or a portion of it, either verbatim or with modifications and/or translated straightforwardly into another language. (Hereinafter, translation is included without limitation in the term "modification".)

"Source code" for a work means the preferred form of the work for making modifications to it. For a library, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the library.

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running a program using the Library is not restricted, and output from such a program is covered only if its contents constitute a work based on the Library (independent of the use of the Library in a tool for writing it). Whether that is true depends on what the Library does and what the program that uses the Library does.

1. You may copy and distribute verbatim copies of the Library's complete source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and distribute a copy of this License along with the Library.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Library or any portion of it, thus forming a work based on the Library, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

- a) The modified work must itself be a software library.
  
- b) You must cause the files modified to carry prominent notices stating that you changed the files and the date of any change.
  
- c) You must cause the whole of the work to be licensed at no charge to all third parties under the terms of this License.
  
- d) If a facility in the modified Library refers to a function or a table of data to be supplied by an application program that uses the facility, other than as an argument passed when the facility is invoked, then you must make a good faith effort to ensure that, in the event an application does not supply such function or table, the facility still operates, and performs whatever part of its purpose remains meaningful.

(For example, a function in a library to compute square roots has a purpose that is entirely well-defined independent of the application. Therefore, Subsection 2d requires that any application-supplied function or table used by this function must be optional: if the application does not supply it, the square root function must still compute square roots.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Library, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Library, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Library.

In addition, mere aggregation of another work not based on the Library with the Library (or with a work based on the Library) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may opt to apply the terms of the ordinary GNU General Public License instead of this License to a given copy of the Library. To do this, you must alter all the notices that refer to this License, so that they refer to the ordinary GNU General Public License, version 2,

instead of to this License. (If a newer version than version 2 of the ordinary GNU General Public License has appeared, then you can specify that version instead if you wish.) Do not make any other change in these notices.

Once this change is made in a given copy, it is irreversible for that copy, so the ordinary GNU General Public License applies to all subsequent copies and derivative works made from that copy.

This option is useful when you wish to copy part of the code of the Library into a program that is not a library.

4. You may copy and distribute the Library (or a portion or derivative of it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange.

If distribution of object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place satisfies the requirement to distribute the source code, even though third parties are not compelled to copy the source along with the object code.

5. A program that contains no derivative of any portion of the Library, but is designed to work with the Library by being compiled or linked with it, is called a "work that uses the Library". Such a work, in isolation, is not a derivative work of the Library, and therefore falls outside the scope of this License.

However, linking a "work that uses the Library" with the Library creates an executable that is a derivative of the Library (because it contains portions of the Library), rather than a "work that uses the library". The executable is therefore covered by this License. Section 6 states terms for distribution of such executables.

When a "work that uses the Library" uses material from a header file that is part of the Library, the object code for the work may be a derivative work of the Library even though the source code is not. Whether this is true is especially significant if the work can be linked without the Library, or if the work is itself a library. The threshold for this to be true is not precisely defined by law.

If such an object file uses only numerical parameters, data structure layouts and accessors, and small macros and small inline functions (ten lines or less in length), then the use of the object file is unrestricted, regardless of whether it is legally a derivative

work. (Executables containing this object code plus portions of the Library will still fall under Section 6.)

Otherwise, if the work is a derivative of the Library, you may distribute the object code for the work under the terms of Section 6. Any executables containing that work also fall under Section 6, whether or not they are linked directly with the Library itself.

6. As an exception to the Sections above, you may also combine or link a "work that uses the Library" with the Library to produce a work containing portions of the Library, and distribute that work under terms of your choice, provided that the terms permit modification of the work for the customer's own use and reverse engineering for debugging such modifications.

You must give prominent notice with each copy of the work that the Library is used in it and that the Library and its use are covered by this License. You must supply a copy of this License. If the work during execution displays copyright notices, you must include the copyright notice for the Library among them, as well as a reference directing the user to the copy of this License. Also, you must do one of these things:

a) Accompany the work with the complete corresponding machine-readable source code for the Library including whatever changes were used in the work (which must be distributed under Sections 1 and 2 above); and, if the work is an executable linked with the Library, with the complete machine-readable "work that uses the Library", as object code and/or source code, so that the user can modify the Library and then relink to produce a modified executable containing the modified Library. (It is understood that the user who changes the contents of definitions files in the Library will not necessarily be able to recompile the application to use the modified definitions.)

b) Use a suitable shared library mechanism for linking with the Library. A suitable mechanism is one that (1) uses at run time a copy of the library already present on the user's computer system, rather than copying library functions into the executable, and (2) will operate properly with a modified version of the library, if the user installs one, as long as the modified version is interface-compatible with the version that the work was made with.

c) Accompany the work with a written offer, valid for at least three years, to give the same user the materials specified in Subsection 6a, above, for a charge no more than the cost of performing this distribution.

d) If distribution of the work is made by offering access to copy from a designated place, offer equivalent access to copy the above specified materials from the same place.

e) Verify that the user has already received a copy of these materials or that you have already sent this user a copy.

For an executable, the required form of the "work that uses the Library" must include any data and utility programs needed for reproducing the executable from it. However, as a special exception, the materials to be distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

It may happen that this requirement contradicts the license restrictions of other proprietary libraries that do not normally accompany the operating system. Such a contradiction means you cannot use both them and the Library together in an executable that you distribute.

7. You may place library facilities that are a work based on the Library side-by-side in a single library together with other library facilities not covered by this License, and distribute such a combined library, provided that the separate distribution of the work based on the Library and of the other library facilities is otherwise permitted, and provided that you do these two things:

a) Accompany the combined library with a copy of the same work based on the Library, uncombined with any other library facilities. This must be distributed under the terms of the Sections above.

b) Give prominent notice with the combined library of the fact that part of it is a work based on the Library, and explaining where to find the accompanying uncombined form of the same work.

8. You may not copy, modify, sublicense, link with, or distribute the Library except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense, link with, or distribute the Library is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

9. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or

distribute the Library or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Library (or any work based on the Library), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Library or works based on it.

10. Each time you redistribute the Library (or any work based on the Library), the recipient automatically receives a license from the original licensor to copy, distribute, link with or modify the Library subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties with this License.

11. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Library at all. For example, if a patent license would not permit royalty-free redistribution of the Library by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Library.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply, and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

12. If the distribution and/or use of the Library is restricted in certain countries either by patents or by copyrighted interfaces, the

original copyright holder who places the Library under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

13. The Free Software Foundation may publish revised and/or new versions of the Lesser General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Library does not specify a license version number, you may choose any version ever published by the Free Software Foundation.

14. If you wish to incorporate parts of the Library into other free programs whose distribution conditions are incompatible with these, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

#### NO WARRANTY

15. BECAUSE THE LIBRARY IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE LIBRARY, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE LIBRARY "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE LIBRARY IS WITH YOU. SHOULD THE LIBRARY PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE LIBRARY AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE LIBRARY (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE LIBRARY TO OPERATE WITH ANY OTHER SOFTWARE), EVEN IF



SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

## END OF TERMS AND CONDITIONS

### How to Apply These Terms to Your New Libraries

If you develop a new library, and you want it to be of the greatest possible use to the public, we recommend making it free software that everyone can redistribute and change. You can do so by permitting redistribution under these terms (or, alternatively, under the terms of the ordinary General Public License).

To apply these terms, attach the following notices to the library. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the library's name and a brief idea of what it does.>  
Copyright (C) <year> <name of author>

This library is free software; you can redistribute it and/or modify it under the terms of the GNU Lesser General Public License as published by the Free Software Foundation; either version 2.1 of the License, or (at your option) any later version.

This library is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Lesser General Public License for more details.

You should have received a copy of the GNU Lesser General Public License along with this library; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA

Also add information on how to contact you by electronic and paper mail.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the library, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the library 'Frob' (a library for tweaking knobs) written by James Random Hacker.

<signature of Ty Coon>, 1 April 1990  
Ty Coon, President of Vice

That's all there is to it!

```
/*
* Javassist, a Java-bytecode translator toolkit.
* Copyright (C) 1999- Shigeru Chiba. All Rights Reserved.
*
* The contents of this file are subject to the Mozilla Public License Version
* 1.1 (the "License"); you may not use this file except in compliance with
* the License. Alternatively, the contents of this file may be used under
* the terms of the GNU Lesser General Public License Version 2.1 or later,
* or the Apache License Version 2.0.
*
* Software distributed under the License is distributed on an "AS IS" basis,
* WITHOUT WARRANTY OF ANY KIND, either express or implied. See the License
* for the specific language governing rights and limitations under the
* License.
*/
```

## 1.360 micronaut-gcp 4.1.1

### 1.360.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
* Copyright 2017-2020 original authors
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
```

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1331473977\_1653513089.549853/0/micronaut-gcp-common-4-1-1-sources-jar/io/micronaut/gcp/GoogleCloudConfiguration.java  
\* /opt/cola/permits/1331473977\_1653513089.549853/0/micronaut-gcp-common-4-1-1-sources-jar/io/micronaut/discovery/cloud/gcp/GoogleComputeMetadataKeys.java  
\* /opt/cola/permits/1331473977\_1653513089.549853/0/micronaut-gcp-common-4-1-1-sources-jar/io/micronaut/gcp/credentials/GoogleCredentialsConfiguration.java  
\* /opt/cola/permits/1331473977\_1653513089.549853/0/micronaut-gcp-common-4-1-1-sources-jar/io/micronaut/discovery/cloud/gcp/GoogleComputeInstanceMetadataResolver.java  
\* /opt/cola/permits/1331473977\_1653513089.549853/0/micronaut-gcp-common-4-1-1-sources-jar/io/micronaut/gcp/UserAgentHeaderProvider.java  
\* /opt/cola/permits/1331473977\_1653513089.549853/0/micronaut-gcp-common-4-1-1-sources-jar/io/micronaut/gcp/condition/RequiresProjectIdCondition.java  
\* /opt/cola/permits/1331473977\_1653513089.549853/0/micronaut-gcp-common-4-1-1-sources-jar/io/micronaut/discovery/cloud/gcp/package-info.java  
\* /opt/cola/permits/1331473977\_1653513089.549853/0/micronaut-gcp-common-4-1-1-sources-jar/io/micronaut/gcp/Modules.java  
\* /opt/cola/permits/1331473977\_1653513089.549853/0/micronaut-gcp-common-4-1-1-sources-jar/io/micronaut/discovery/cloud/gcp/GoogleComputeNetworkInterface.java  
\* /opt/cola/permits/1331473977\_1653513089.549853/0/micronaut-gcp-common-4-1-1-sources-jar/io/micronaut/discovery/cloud/gcp/GoogleComputeInstanceMetadata.java  
\* /opt/cola/permits/1331473977\_1653513089.549853/0/micronaut-gcp-common-4-1-1-sources-jar/io/micronaut/discovery/cloud/gcp/GoogleComputeMetadataConfiguration.java  
\* /opt/cola/permits/1331473977\_1653513089.549853/0/micronaut-gcp-common-4-1-1-sources-jar/io/micronaut/gcp/credentials/GoogleCredentialsFactory.java  
\* /opt/cola/permits/1331473977\_1653513089.549853/0/micronaut-gcp-common-4-1-1-sources-jar/io/micronaut/gcp/condition/RequiresGoogleProjectId.java

## 1.361 wire-schema 3.6.0

### 1.361.1 Available under license :

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2014 Square, Inc.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

- \* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
  - \* See the License for the specific language governing permissions and
  - \* limitations under the License.
- \*/

Found in path(s):

- \* /opt/cola/permits/1340031715\_1654618469.2355554/0/wire-schema-3-6-0-sources-1-jar/commonMain/com/squareup/wire/schema/internal/parser/FieldElement.kt
- \* /opt/cola/permits/1340031715\_1654618469.2355554/0/wire-schema-3-6-0-sources-1-jar/commonMain/com/squareup/wire/schema/internal/parser/OneOfElement.kt
- \* /opt/cola/permits/1340031715\_1654618469.2355554/0/wire-schema-3-6-0-sources-1-jar/commonMain/com/squareup/wire/schema/internal/parser/EnumConstantElement.kt
- \* /opt/cola/permits/1340031715\_1654618469.2355554/0/wire-schema-3-6-0-sources-1-jar/commonMain/com/squareup/wire/schema/internal/parser/RpcElement.kt

No license file was found, but licenses were detected in source scan.

/\*

- \* Copyright (C) 2017 Square, Inc.
  - \*
  - \* Licensed under the Apache License, Version 2.0 (the "License");
  - \* you may not use this file except in compliance with the License.
  - \* You may obtain a copy of the License at
  - \*
  - \* <http://www.apache.org/licenses/LICENSE-2.0>
  - \*
  - \* Unless required by applicable law or agreed to in writing, software
  - \* distributed under the License is distributed on an "AS IS" BASIS,
  - \* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
  - \* See the License for the specific language governing permissions and
  - \* limitations under the License.
- \*/

Found in path(s):

- \* /opt/cola/permits/1340031715\_1654618469.2355554/0/wire-schema-3-6-0-sources-1-jar/commonMain/com/squareup/wire/schema/internal/parser/OptionReader.kt

No license file was found, but licenses were detected in source scan.

/\*

- \* Copyright (C) 2019 Square, Inc.
- \*
- \* Licensed under the Apache License, Version 2.0 (the "License");
- \* you may not use this file except in compliance with the License.
- \* You may obtain a copy of the License at
- \*
- \* <http://www.apache.org/licenses/LICENSE-2.0>
- \*
- \* Unless required by applicable law or agreed to in writing, software
- \* distributed under the License is distributed on an "AS IS" BASIS,

- \* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
  - \* See the License for the specific language governing permissions and
  - \* limitations under the License.
- \*/

Found in path(s):

- \* /opt/cola/permits/1340031715\_1654618469.2355554/0/wire-schema-3-6-0-sources-1-jar/commonMain/com/squareup/wire/schema/Loader.kt
- \* /opt/cola/permits/1340031715\_1654618469.2355554/0/wire-schema-3-6-0-sources-1-jar/jvmMain/com/squareup/wire/schema/internal/UtilJVM.kt
- \* /opt/cola/permits/1340031715\_1654618469.2355554/0/wire-schema-3-6-0-sources-1-jar/commonMain/com/squareup/wire/schema/FileLinker.kt
- \* /opt/cola/permits/1340031715\_1654618469.2355554/0/wire-schema-3-6-0-sources-1-jar/jvmMain/com/squareup/wire/schema/CoreLoader.kt
- \* /opt/cola/permits/1340031715\_1654618469.2355554/0/wire-schema-3-6-0-sources-1-jar/commonMain/com/squareup/wire/schema/SemVer.kt

No license file was found, but licenses were detected in source scan.

/\*

- \* Copyright (C) 2016 Square, Inc.
  - \*
  - \* Licensed under the Apache License, Version 2.0 (the "License");
  - \* you may not use this file except in compliance with the License.
  - \* You may obtain a copy of the License at
  - \*
  - \* <http://www.apache.org/licenses/LICENSE-2.0>
  - \*
  - \* Unless required by applicable law or agreed to in writing, software
  - \* distributed under the License is distributed on an "AS IS" BASIS,
  - \* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
  - \* See the License for the specific language governing permissions and
  - \* limitations under the License.
- \*/

Found in path(s):

- \* /opt/cola/permits/1340031715\_1654618469.2355554/0/wire-schema-3-6-0-sources-1-jar/commonMain/com/squareup/wire/schema/internal/parser/SyntaxReader.kt
- \* /opt/cola/permits/1340031715\_1654618469.2355554/0/wire-schema-3-6-0-sources-1-jar/commonMain/com/squareup/wire/schema/EnclosingType.kt
- \* /opt/cola/permits/1340031715\_1654618469.2355554/0/wire-schema-3-6-0-sources-1-jar/commonMain/com/squareup/wire/schema/Reserved.kt
- \* /opt/cola/permits/1340031715\_1654618469.2355554/0/wire-schema-3-6-0-sources-1-jar/commonMain/com/squareup/wire/schema/internal/parser/ReservedElement.kt
- \* /opt/cola/permits/1340031715\_1654618469.2355554/0/wire-schema-3-6-0-sources-1-jar/commonMain/com/squareup/wire/schema/internal/parser/GroupElement.kt

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2013 Square, Inc.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1340031715\_1654618469.2355554/0/wire-schema-3-6-0-sources-1-jar/commonMain/com/squareup/wire/schema/internal/parser/EnumElement.kt  
\* /opt/cola/permits/1340031715\_1654618469.2355554/0/wire-schema-3-6-0-sources-1-jar/commonMain/com/squareup/wire/schema/internal/parser/ServiceElement.kt  
\* /opt/cola/permits/1340031715\_1654618469.2355554/0/wire-schema-3-6-0-sources-1-jar/commonMain/com/squareup/wire/schema/internal/parser/ProtoParser.kt  
\* /opt/cola/permits/1340031715\_1654618469.2355554/0/wire-schema-3-6-0-sources-1-jar/commonMain/com/squareup/wire/schema/internal/parser/ProtoFileElement.kt  
\* /opt/cola/permits/1340031715\_1654618469.2355554/0/wire-schema-3-6-0-sources-1-jar/commonMain/com/squareup/wire/schema/internal/parser/TypeElement.kt  
\* /opt/cola/permits/1340031715\_1654618469.2355554/0/wire-schema-3-6-0-sources-1-jar/commonMain/com/squareup/wire/schema/internal/parser/ExtendElement.kt  
\* /opt/cola/permits/1340031715\_1654618469.2355554/0/wire-schema-3-6-0-sources-1-jar/commonMain/com/squareup/wire/schema/internal/parser/ExtensionsElement.kt  
\* /opt/cola/permits/1340031715\_1654618469.2355554/0/wire-schema-3-6-0-sources-1-jar/commonMain/com/squareup/wire/schema/internal/Util.kt  
\* /opt/cola/permits/1340031715\_1654618469.2355554/0/wire-schema-3-6-0-sources-1-jar/commonMain/com/squareup/wire/schema/internal/parser/OptionElement.kt  
\* /opt/cola/permits/1340031715\_1654618469.2355554/0/wire-schema-3-6-0-sources-1-jar/commonMain/com/squareup/wire/schema/internal/parser/MessageElement.kt

No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright (C) 2015 Square, Inc.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software

- \* distributed under the License is distributed on an "AS IS" BASIS,
- \* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- \* See the License for the specific language governing permissions and
- \* limitations under the License.
- \*/

Found in path(s):

- \* /opt/cola/permits/1340031715\_1654618469.2355554/0/wire-schema-3-6-0-sources-1-jar/commonMain/com/squareup/wire/schema/MessageType.kt
- \* /opt/cola/permits/1340031715\_1654618469.2355554/0/wire-schema-3-6-0-sources-1-jar/commonMain/com/squareup/wire/schema/MarkSet.kt
- \* /opt/cola/permits/1340031715\_1654618469.2355554/0/wire-schema-3-6-0-sources-1-jar/commonMain/com/squareup/wire/schema/PruningRules.kt
- \* /opt/cola/permits/1340031715\_1654618469.2355554/0/wire-schema-3-6-0-sources-1-jar/commonMain/com/squareup/wire/schema/ProtoMember.kt
- \* /opt/cola/permits/1340031715\_1654618469.2355554/0/wire-schema-3-6-0-sources-1-jar/commonMain/com/squareup/wire/schema/Rpc.kt
- \* /opt/cola/permits/1340031715\_1654618469.2355554/0/wire-schema-3-6-0-sources-1-jar/commonMain/com/squareup/wire/schema/OneOf.kt
- \* /opt/cola/permits/1340031715\_1654618469.2355554/0/wire-schema-3-6-0-sources-1-jar/commonMain/com/squareup/wire/schema/Pruner.kt
- \* /opt/cola/permits/1340031715\_1654618469.2355554/0/wire-schema-3-6-0-sources-1-jar/commonMain/com/squareup/wire/schema/Extend.kt
- \* /opt/cola/permits/1340031715\_1654618469.2355554/0/wire-schema-3-6-0-sources-1-jar/commonMain/com/squareup/wire/schema/Options.kt
- \* /opt/cola/permits/1340031715\_1654618469.2355554/0/wire-schema-3-6-0-sources-1-jar/commonMain/com/squareup/wire/schema/ProtoType.kt
- \* /opt/cola/permits/1340031715\_1654618469.2355554/0/wire-schema-3-6-0-sources-1-jar/commonMain/com/squareup/wire/schema/Field.kt
- \* /opt/cola/permits/1340031715\_1654618469.2355554/0/wire-schema-3-6-0-sources-1-jar/commonMain/com/squareup/wire/schema/EnumType.kt
- \* /opt/cola/permits/1340031715\_1654618469.2355554/0/wire-schema-3-6-0-sources-1-jar/commonMain/com/squareup/wire/schema/EnumConstant.kt
- \* /opt/cola/permits/1340031715\_1654618469.2355554/0/wire-schema-3-6-0-sources-1-jar/commonMain/com/squareup/wire/schema/Location.kt
- \* /opt/cola/permits/1340031715\_1654618469.2355554/0/wire-schema-3-6-0-sources-1-jar/commonMain/com/squareup/wire/schema/ProtoFile.kt
- \* /opt/cola/permits/1340031715\_1654618469.2355554/0/wire-schema-3-6-0-sources-1-jar/commonMain/com/squareup/wire/schema/Extensions.kt
- \* /opt/cola/permits/1340031715\_1654618469.2355554/0/wire-schema-3-6-0-sources-1-jar/commonMain/com/squareup/wire/schema/Schema.kt
- \* /opt/cola/permits/1340031715\_1654618469.2355554/0/wire-schema-3-6-0-sources-1-jar/commonMain/com/squareup/wire/schema/Service.kt
- \* /opt/cola/permits/1340031715\_1654618469.2355554/0/wire-schema-3-6-0-sources-1-jar/commonMain/com/squareup/wire/schema/Linker.kt
- \* /opt/cola/permits/1340031715\_1654618469.2355554/0/wire-schema-3-6-0-sources-1-jar/commonMain/com/squareup/wire/schema/SchemaException.kt
- \* /opt/cola/permits/1340031715\_1654618469.2355554/0/wire-schema-3-6-0-sources-1-

jar/commonMain/com/squareup/wire/schema/SchemaProtoAdapterFactory.kt  
\* /opt/cola/permits/1340031715\_1654618469.2355554/0/wire-schema-3-6-0-sources-1-  
jar/commonMain/com/squareup/wire/schema/Type.kt  
No license file was found, but licenses were detected in source scan.

```
/*  
* Copyright (C) 2020 Square, Inc.  
*  
* Licensed under the Apache License, Version 2.0 (the "License");  
* you may not use this file except in compliance with the License.  
* You may obtain a copy of the License at  
*  
* http://www.apache.org/licenses/LICENSE-2.0  
*  
* Unless required by applicable law or agreed to in writing, software  
* distributed under the License is distributed on an "AS IS" BASIS,  
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
* See the License for the specific language governing permissions and  
* limitations under the License.  
*/
```

Found in path(s):

```
* /opt/cola/permits/1340031715_1654618469.2355554/0/wire-schema-3-6-0-sources-1-  
jar/jvmMain/com/squareup/wire/schema/EmittingRules.kt  
* /opt/cola/permits/1340031715_1654618469.2355554/0/wire-schema-3-6-0-sources-1-  
jar/jvmMain/com/squareup/wire/schema/ClaimedDefinitions.kt  
* /opt/cola/permits/1340031715_1654618469.2355554/0/wire-schema-3-6-0-sources-1-  
jar/commonMain/com/squareup/wire/schema/CoreLoader.kt  
* /opt/cola/permits/1340031715_1654618469.2355554/0/wire-schema-3-6-0-sources-1-  
jar/jvmMain/com/squareup/wire/schema/Multimap.kt  
* /opt/cola/permits/1340031715_1654618469.2355554/0/wire-schema-3-6-0-sources-1-  
jar/commonMain/com/squareup/wire/schema/SyntaxRules.kt  
* /opt/cola/permits/1340031715_1654618469.2355554/0/wire-schema-3-6-0-sources-1-  
jar/commonMain/com/squareup/wire/schema/ErrorCollector.kt  
* /opt/cola/permits/1340031715_1654618469.2355554/0/wire-schema-3-6-0-sources-1-  
jar/commonMain/com/squareup/wire/schema/Multimap.kt  
* /opt/cola/permits/1340031715_1654618469.2355554/0/wire-schema-3-6-0-sources-1-  
jar/jvmMain/com/squareup/wire/schema/internal/JvmLanguages.kt  
* /opt/cola/permits/1340031715_1654618469.2355554/0/wire-schema-3-6-0-sources-1-  
jar/commonMain/com/squareup/wire/schema/internal/DagChecker.kt  
* /opt/cola/permits/1340031715_1654618469.2355554/0/wire-schema-3-6-0-sources-1-  
jar/commonMain/com/squareup/wire/schema/internal/TypeMover.kt  
* /opt/cola/permits/1340031715_1654618469.2355554/0/wire-schema-3-6-0-sources-1-  
jar/commonMain/com/squareup/wire/schema/CycleChecker.kt
```



# 1.362 commons-compress 1.21

## 1.362.1 Available under license :

Apache Commons Compress

Copyright 2002-2021 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<https://www.apache.org/>).

---

The files in the package `org.apache.commons.compress.archivers.sevenz`  
were derived from the LZMA SDK, version 9.20 (C/ and CPP/7zip/),  
which has been placed in the public domain:

"LZMA SDK is placed in the public domain." (<http://www.7-zip.org/sdk.html>)

---

The test file `lbzip2_32767.bz2` has been copied from `libbzip2`'s source  
repository:

This program, "bzip2", the associated library "libbzip2", and all  
documentation, are copyright (C) 1996-2019 Julian R Seward. All  
rights reserved.

Redistribution and use in source and binary forms, with or without  
modification, are permitted provided that the following conditions  
are met:

1. Redistributions of source code must retain the above copyright  
notice, this list of conditions and the following disclaimer.
2. The origin of this software must not be misrepresented; you must  
not claim that you wrote the original software. If you use this  
software in a product, an acknowledgment in the product  
documentation would be appreciated but is not required.
3. Altered source versions must be plainly marked as such, and must  
not be misrepresented as being the original software.
4. The name of the author may not be used to endorse or promote  
products derived from this software without specific prior written  
permission.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS  
OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED

WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Julian Seward, [jseward@acm.org](mailto:jseward@acm.org)

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work

(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses

granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]"

replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

## 1.363 spring-data-mongodb 3.2.1

### 1.363.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*  
* Copyright 2015-2021 the original author or authors.  
*  
* Licensed under the Apache License, Version 2.0 (the "License");  
* you may not use this file except in compliance with the License.  
* You may obtain a copy of the License at  
*  
* https://www.apache.org/licenses/LICENSE-2.0  
*  
* Unless required by applicable law or agreed to in writing, software  
* distributed under the License is distributed on an "AS IS" BASIS,  
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
* See the License for the specific language governing permissions and  
* limitations under the License.  
*/
```

Found in path(s):

```
* /opt/cola/permits/1340031868_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-  
jar/org/springframework/data/mongodb/config/MongoClientParser.java  
* /opt/cola/permits/1340031868_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-  
jar/org/springframework/data/mongodb/config/MongoCredentialPropertyEditor.java
```

\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/core/geo/GeoJsonMultiLineString.java  
\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/core/geo/GeoJsonGeometryCollection.java  
\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/util/MongoClientVersion.java  
\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/core/query/MongoRegexCreator.java  
\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/core/geo/GeoJsonPoint.java  
\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/config/ReadPreferencePropertyEditor.java  
\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/util/MongoDbErrorCodes.java  
\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/core/aggregation/AggregationExpression.java  
\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/core/geo/GeoJsonMultiPoint.java  
\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/core/geo/GeoJsonLineString.java  
\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/core/geo/GeoJson.java  
\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/core/aggregation/AggregationFunctionExpressions.java  
\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/BulkOperationException.java  
\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/core/DefaultWriteConcernResolver.java  
\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/core/geo/GeoJsonMultiPolygon.java  
\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/core/BulkOperations.java  
\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/core/MongoClientFactoryBean.java  
\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/config/GeoJsonConfiguration.java  
\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/core/DefaultBulkOperations.java  
\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/core/geo/GeoJsonModule.java  
\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/core/convert/MongoExampleMapper.java  
\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/repository/query/DtoInstantiatingConverter.java  
\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/core/geo/GeoJsonPolygon.java

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2018-2021 the original author or authors.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * https://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1340031868_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-
jar/org/springframework/data/mongodb/core/aggregation/ObjectOperators.java
* /opt/cola/permits/1340031868_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-
jar/org/springframework/data/mongodb/core/validation/Validator.java
* /opt/cola/permits/1340031868_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-
jar/org/springframework/data/mongodb/core/mapping/MongoId.java
* /opt/cola/permits/1340031868_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-
jar/org/springframework/data/mongodb/core/messaging/SubscriptionRequest.java
* /opt/cola/permits/1340031868_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-
jar/org/springframework/data/mongodb/core/ReactiveMapReduceOperationSupport.java
* /opt/cola/permits/1340031868_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-
jar/org/springframework/data/mongodb/core/messaging/TailableCursorTask.java
* /opt/cola/permits/1340031868_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-
jar/org/springframework/data/mongodb/core/schema/IdentifiableJsonSchemaProperty.java
* /opt/cola/permits/1340031868_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-
jar/org/springframework/data/mongodb/repository/support/QuerydslMongoOps.java
* /opt/cola/permits/1340031868_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-
jar/org/springframework/data/mongodb/core/ReactiveMapReduceOperationExtensions.kt
* /opt/cola/permits/1340031868_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-
jar/org/springframework/data/mongodb/MongoSessionProvider.java
* /opt/cola/permits/1340031868_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-
jar/org/springframework/data/mongodb/core/ReactiveMongoContext.java
* /opt/cola/permits/1340031868_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-
jar/org/springframework/data/mongodb/MongoTransactionManager.java
* /opt/cola/permits/1340031868_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-
jar/org/springframework/data/mongodb/config/AbstractMongoClientConfiguration.java
* /opt/cola/permits/1340031868_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-
jar/org/springframework/data/mongodb/core/mapping/FieldType.java
* /opt/cola/permits/1340031868_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-
jar/org/springframework/data/mongodb/core/schema/UntypedJsonSchemaObject.java
* /opt/cola/permits/1340031868_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-
```



jar/org/springframework/data/mongodb/core/query/UpdateDefinition.java  
\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-  
jar/org/springframework/data/mongodb/core/schema/MongoJsonSchema.java  
\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-  
jar/org/springframework/data/mongodb/MongoTransactionException.java  
\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-  
jar/org/springframework/data/mongodb/core/AggregationUtil.java  
\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-  
jar/org/springframework/data/mongodb/core/PropertyOperations.java  
\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-  
jar/org/springframework/data/mongodb/core/aggregation/PrefixingDelegatingAggregationOperationContext.java  
\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-  
jar/org/springframework/data/mongodb/repository/query/QueryUtils.java  
\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-  
jar/org/springframework/data/mongodb/core/messaging/Message.java  
\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-  
jar/org/springframework/data/mongodb/core/ChangeStreamOptions.java  
\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-  
jar/org/springframework/data/mongodb/core/validation/JsonSchemaValidator.java  
\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-  
jar/org/springframework/data/mongodb/core/ReactiveSessionScoped.java  
\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-  
jar/org/springframework/data/mongodb/MongoResourceHolder.java  
\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-  
jar/org/springframework/data/mongodb/SessionSynchronization.java  
\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-  
jar/org/springframework/data/mongodb/core/messaging/ChangeStreamRequest.java  
\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-  
jar/org/springframework/data/mongodb/core/messaging/Subscription.java  
\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-  
jar/org/springframework/data/mongodb/core/ReactiveMapReduceOperation.java  
\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-  
jar/org/springframework/data/mongodb/core/convert/NoOpDbRefResolver.java  
\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-  
jar/org/springframework/data/mongodb/core/MappedDocument.java  
\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-  
jar/org/springframework/data/mongodb/core/schema/JsonSchemaObject.java  
\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-  
jar/org/springframework/data/mongodb/core/ExecutableMapReduceOperationSupport.java  
\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-  
jar/org/springframework/data/mongodb/core/messaging/TailableCursorRequest.java  
\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-  
jar/org/springframework/data/mongodb/core/messaging/ChangeStreamTask.java  
\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-  
jar/org/springframework/data/mongodb/core/ExecutableMapReduceOperationExtensions.kt  
\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-  
jar/org/springframework/data/mongodb/core/MongoDatabaseFactorySupport.java  
\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-

jar/org/springframework/data/mongodb/core/SessionScoped.java  
\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-  
jar/org/springframework/data/mongodb/core/MongoDbFactorySupport.java  
\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-  
jar/org/springframework/data/mongodb/core/ChangeStreamEvent.java  
\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-  
jar/org/springframework/data/mongodb/core/messaging/Task.java  
\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-  
jar/org/springframework/data/mongodb/core/messaging/Cancelable.java  
\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-  
jar/org/springframework/data/mongodb/core/messaging/LazyMappingDelegatingMessage.java  
\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-  
jar/org/springframework/data/mongodb/repository/query/BooleanUtil.java  
\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-  
jar/org/springframework/data/mongodb/core/schema/DocumentJsonSchema.java  
\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-  
jar/org/springframework/data/mongodb/core/messaging/MessageListenerContainer.java  
\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-  
jar/org/springframework/data/mongodb/repository/support/QuerydslFetchableMongodbQuery.java  
\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-  
jar/org/springframework/data/mongodb/core/schema/JsonSchemaProperty.java  
\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-  
jar/org/springframework/data/mongodb/core/messaging/MessageListener.java  
\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-  
jar/org/springframework/data/mongodb/core/index/ReactiveMongoPersistentEntityIndexCreator.java  
\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-  
jar/org/springframework/data/mongodb/core/ReactiveSessionCallback.java  
\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-  
jar/org/springframework/data/mongodb/core/messaging/DefaultMessageListenerContainer.java  
\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-  
jar/org/springframework/data/mongodb/core/query/TypedCriteriaExtensions.kt  
\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-  
jar/org/springframework/data/mongodb/core/aggregation/ConvertOperators.java  
\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-  
jar/org/springframework/data/mongodb/core/EntityOperations.java  
\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-  
jar/org/springframework/data/mongodb/core/messaging/SimpleMessage.java  
\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-  
jar/org/springframework/data/mongodb/core/validation/CriteriaValidator.java  
\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-  
jar/org/springframework/data/mongodb/core/SessionCallback.java  
\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-  
jar/org/springframework/data/mongodb/core/schema/DefaultMongoJsonSchema.java  
\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-  
jar/org/springframework/data/mongodb/core/SimpleMongoClientDbFactory.java  
\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-  
jar/org/springframework/data/mongodb/core/FindAndReplaceOptions.java  
\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-

jar/org/springframework/data/mongodb/ClientSessionException.java  
\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-  
jar/org/springframework/data/mongodb/core/ExecutableMapReduceOperation.java  
\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-  
jar/org/springframework/data/mongodb/MongoDatabaseUtils.java  
\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-  
jar/org/springframework/data/mongodb/core/query/KPropertyPath.kt  
\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-  
jar/org/springframework/data/mongodb/core/SimpleMongoClientDatabaseFactory.java  
\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-  
jar/org/springframework/data/mongodb/core/convert/JsonSchemaMapper.java  
\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-  
jar/org/springframework/data/mongodb/core/schema/TypedJsonSchemaObject.java  
\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-  
jar/org/springframework/data/mongodb/core/validation/DocumentValidator.java  
\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-  
jar/org/springframework/data/mongodb/SessionAwareMethodInterceptor.java  
\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-  
jar/org/springframework/data/mongodb/core/convert/MongoJsonSchemaMapper.java  
\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-  
jar/org/springframework/data/mongodb/core/messaging/CursorReadingTask.java  
\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-  
jar/org/springframework/data/mongodb/core/messaging/TaskFactory.java  
\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-  
jar/org/springframework/data/mongodb/core/index/ReactiveIndexOperationsProvider.java  
No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2016-2021 the original author or authors.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <https://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-  
jar/org/springframework/data/mongodb/core/aggregation/ArithmeticOperators.java  
\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-  
jar/org/springframework/data/mongodb/repository/query/ReactiveMongoParameterAccessor.java

\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/core/IndexConverters.java

\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/core/aggregation/ReplaceRootOperation.java

\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/config/AbstractReactiveMongoConfiguration.java

\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/repository/ExistsQuery.java

\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/repository/CountQuery.java

\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/core/aggregation/InheritingExposedFieldsAggregationOperationContext.java

\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/repository/support/SimpleReactiveMongoRepository.java

\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/repository/support/ReactiveMongoRepositoryFactoryBean.java

\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/config/MongoConfigurationSupport.java

\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/ReactiveMongoDatabaseFactory.java

\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/core/aggregation/BooleanOperators.java

\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/core/aggregation/BucketAutoOperation.java

\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/core/aggregation/LookupOperation.java

\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/core/aggregation/SetOperators.java

\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/repository/query/ReactiveStringBasedMongoQuery.java

\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/core/aggregation/GraphLookupOperation.java

\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/repository/support/ReactiveMongoRepositoryFactory.java

\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/core/ReactiveMongoClientFactoryBean.java

\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/core/index/PartialIndexFilter.java

\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/core/aggregation/AccumulatorOperators.java

\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/core/index/IndexOperationsProvider.java

\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/core/DefaultReactiveIndexOperations.java

\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/core/aggregation/NestedDelegatingExpressionAggregationOperationContext.java

\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/core/ReactiveDatabaseCallback.java

\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/core/SimpleReactiveMongoDatabaseFactory.java

\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/core/aggregation/BucketOperation.java

\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/core/aggregation/ComparisonOperators.java

\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/core/query/MetricConversion.java

\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/repository/query/ReactivePartTreeMongoQuery.java

\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/repository/Tailable.java

\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/repository/query/ReactiveMongoQueryExecution.java

\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/core/GeoCommandStatistics.java

\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/core/aggregation/StringOperators.java

\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/core/ReactiveMongoClientSettingsFactoryBean.java

\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/repository/config/EnableReactiveMongoRepositories.java

\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/core/DefaultIndexOperationsProvider.java

\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/repository/ReactiveMongoRepository.java

\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/repository/config/ReactiveMongoRepositoriesRegistrar.java

\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/core/aggregation/VariableOperators.java

\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/core/ReactiveMongoTemplate.java

\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/core/index/ReactiveIndexOperations.java

\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/core/FindPublisherPreparer.java

\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/core/aggregation/CountOperation.java

\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/repository/config/ReactiveMongoRepositoryConfigurationExtension.java

\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/core/ReactiveCollectionCallback.java

\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/core/aggregation/ConditionalOperators.java

\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/repository/DeleteQuery.java

\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/core/ReactiveMongoOperations.java  
\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/repository/query/AbstractReactiveMongoQuery.java  
\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/repository/query/MongoQueryExecution.java  
\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/core/aggregation/LiteralOperators.java  
\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/core/aggregation/FacetOperation.java  
\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/core/aggregation/DataTypeOperators.java  
\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/repository/query/ReactiveMongoQueryMethod.java  
\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/core/aggregation/OutOperation.java  
\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/core/aggregation/BucketOperationSupport.java  
\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/core/aggregation/AggregationSpELEExpression.java  
\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/core/aggregation/ArrayOperators.java  
\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/util/BsonUtils.java  
\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/core/index/IndexFilter.java  
\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/core/aggregation/AggregationOperationRenderer.java  
\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/core/aggregation/DateOperators.java  
\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/core/index/IndexOperationsAdapter.java  
\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/core/spel/NotOperatorNode.java  
No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2018-2021 the original author or authors.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

```

* See the License for the specific language governing permissions and
* limitations under the License.
*/
/**
* {@code QuerydslAbstractMongoDbQuery} provides a base class for general Querydsl query implementation.
* <p>
* Original implementation source {@link com.querydsl.mongodb.AbstractMongoDbQuery} by {@literal The
Querydsl Team}
* (<a href="http://www.querydsl.com/team">http://www.querydsl.com/team</a>) licensed under the Apache
License, Version
* 2.0.
* </p>
* Modified for usage with {@link MongoDbDocumentSerializer}.
*
* @param <Q> concrete subtype
* @author Iain W
* @author Mark Paluch
* @author Christoph Strobl
* @since 2.1
*/

```

Found in path(s):

```

* /opt/cola/permits/1340031868_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-
jar/org/springframework/data/mongodb/repository/support/QuerydslAbstractMongoDbQuery.java

```

No license file was found, but licenses were detected in source scan.

```

/*
* Copyright 2002-2021 the original author or authors.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

```

Found in path(s):

```

* /opt/cola/permits/1340031868_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-
jar/org/springframework/data/mongodb/core/index/IndexInfo.java

```

```

* /opt/cola/permits/1340031868_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-
jar/org/springframework/data/mongodb/monitor/GlobalLockMetrics.java

```

```

* /opt/cola/permits/1340031868_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-

```

```
jar/org/springframework/data/mongodb/monitor/BackgroundFlushingMetrics.java
* /opt/cola/permits/1340031868_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-
jar/org/springframework/data/mongodb/monitor/AbstractMonitor.java
* /opt/cola/permits/1340031868_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-
jar/org/springframework/data/mongodb/monitor/ConnectionMetrics.java
* /opt/cola/permits/1340031868_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-
jar/org/springframework/data/mongodb/monitor/OperationCounters.java
* /opt/cola/permits/1340031868_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-
jar/org/springframework/data/mongodb/monitor/BtreeIndexCounters.java
* /opt/cola/permits/1340031868_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-
jar/org/springframework/data/mongodb/repository/query/PartTreeMongoQuery.java
* /opt/cola/permits/1340031868_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-
jar/org/springframework/data/mongodb/core/CursorPreparer.java
* /opt/cola/permits/1340031868_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-
jar/org/springframework/data/mongodb/monitor/AssertMetrics.java
* /opt/cola/permits/1340031868_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-
jar/org/springframework/data/mongodb/monitor/MemoryMetrics.java
No license file was found, but licenses were detected in source scan.
```

```
/*
* Copyright 2008-2021 the original author or authors.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
/**
* JsonTokenType implementation borrowed from <a href=
* "https://github.com/mongodb/mongo-java-
driver/blob/master/bson/src/main/org/bson/json/JsonTokenType.java">MongoDB
* Inc.</a> licensed under the Apache License, Version 2.0. <br />
*
* @author Jeff Yemin
* @author Ross Lawley
* @since 2.2
*/
```

Found in path(s):

```
* /opt/cola/permits/1340031868_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-
jar/org/springframework/data/mongodb/util/json/JsonTokenType.java
```



No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2008-2021 the original author or authors.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 *     https://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
/**
 * JsonBuffer implementation borrowed from <a href=
 * "https://github.com/mongodb/mongo-java-
 * driver/blob/master/bson/src/main/org/bson/json/DateTimeFormatter.java">MongoDB
 * Inc.</a> licensed under the Apache License, Version 2.0. <br />
 * Formatted and modified.
 *
 * @author Jeff Yemin
 * @author Ross Lawley
 * @since 2.2
 */
```

Found in path(s):

```
*/opt/cola/permits/1340031868_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-
jar/org/springframework/data/mongodb/util/json/DateTimeFormatter.java
```

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2008-2021 the original author or authors.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 *     https://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
```

```
*/
/**
 * A {@link Codec} implementation that allows binding parameters to placeholders or SpEL expressions when
 decoding a
 * JSON String. <br />
 * Modified version of <a href=
 * "https://github.com/mongodb/mongo-java-
 driver/blob/master/bson/src/main/org/bson/codecs/DocumentCodec.java">MongoDB
 * Inc. DocumentCodec</a> licensed under the Apache License, Version 2.0. <br />
 *
 * @author Jeff Yemin
 * @author Ross Lawley
 * @author Ralph Schaer
 * @author Christoph Strobl
 * @since 2.2
 */
```

Found in path(s):

```
* /opt/cola/permits/1340031868_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-
jar/org/springframework/data/mongodb/util/json/ParameterBindingDocumentCodec.java
```

No license file was found, but licenses were detected in source scan.

```
<!--
```

```
~ Copyright 2019-2021 the original author or authors.
```

```
~
```

```
~ Licensed under the Apache License, Version 2.0 (the "License");
```

```
~ you may not use this file except in compliance with the License.
```

```
~ You may obtain a copy of the License at
```

```
~
```

```
~ https://www.apache.org/licenses/LICENSE-2.0
```

```
~
```

```
~ Unless required by applicable law or agreed to in writing, software
```

```
~ distributed under the License is distributed on an "AS IS" BASIS,
```

```
~ WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
```

```
~ See the License for the specific language governing permissions and
```

```
~ limitations under the License.
```

```
-->
```

Found in path(s):

```
* /opt/cola/permits/1340031868_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-
jar/org/springframework/data/mongodb/config/spring-mongo-2.2.xsd
```

```
* /opt/cola/permits/1340031868_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-
jar/org/springframework/data/mongodb/config/spring-mongo-3.0.xsd
```

No license file was found, but licenses were detected in source scan.

```
/*
```

```
* Copyright 2011-2021 the original author or authors.
```

```
*
```

- \* Licensed under the Apache License, Version 2.0 (the "License");
- \* you may not use this file except in compliance with the License.
- \* You may obtain a copy of the License at
- \*
- \* <https://www.apache.org/licenses/LICENSE-2.0>
- \*
- \* Unless required by applicable law or agreed to in writing, software
- \* distributed under the License is distributed on an "AS IS" BASIS,
- \* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- \* See the License for the specific language governing permissions and
- \* limitations under the License.
- \*/

Found in path(s):

- \* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/core/MongoOperations.java
- \* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/repository/query/MongoParametersParameterAccessor.java
- \* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/repository/support/IndexEnsuringQueryCreationListener.java
- \* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/gridfs/GridFsResource.java
- \* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/MongoDbFactory.java
- \* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/core/mapping/CachingMongoPersistentProperty.java
- \* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/core/index/IndexDirection.java
- \* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/MongoDatabaseFactory.java
- \* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/config/MongoTemplateParser.java
- \* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/core/MongoAdmin.java
- \* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/repository/query/StringBasedMongoQuery.java
- \* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/core/convert/MappingMongoConverter.java
- \* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/gridfs/GridFsTemplate.java
- \* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/core/convert/AbstractMongoConverter.java
- \* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/repository/Near.java
- \* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/core/mapping/event/BeforeConvertEvent.java
- \* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/core/index/IndexOperations.java

\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/core/mapping/event/AfterLoadEvent.java

\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/core/WriteConcernResolver.java

\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/core/mapping/MongoMappingContext.java

\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/core/mapreduce/GroupByResults.java

\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/core/index/MongoMappingEventPublisher.java

\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/gridfs/GridFsOperations.java

\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/repository/Query.java

\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/core/mapping/MongoSimpleTypes.java

\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/core/mapping/Field.java

\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/repository/query/MongoParameterAccessor.java

\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/repository/support/MappingMongoEntityInformation.java

\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/config/ServerAddressPropertyEditor.java

\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/repository/query/MongoEntityInformation.java

\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/config/MongoParsingUtils.java

\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/core/mapping/MongoPersistentProperty.java

\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/MongoCollectionUtils.java

\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/core/index/CompoundIndexes.java

\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/core/mapping/DBRef.java

\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/core/convert/MongoTypeMapper.java

\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/core/mapping/event/MongoMappingEvent.java

\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/core/index/IndexDefinition.java

\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/gridfs/GridFsCriteria.java

\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/repository/support/SpringDataMongoDbSerializer.java

\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/core/convert/QueryMapper.java

\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/core/index/CompoundIndex.java

\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/core/mapping/event/LoggingEventListener.java

\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/core/mapreduce/MapReduceResults.java

\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/core/query/NearQuery.java

\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/config/MongoDbFactoryParser.java

\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/repository/cdi/MongoRepositoryExtension.java

\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/core/index/IndexPredicate.java

\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/core/index/MongoPersistentEntityIndexCreator.java

\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/core/mapping/BasicMongoPersistentEntity.java

\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/core/DefaultIndexOperations.java

\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/core/MongoAction.java

\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/config/MongoJmxParser.java

\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/repository/support/QuerydslMongoRepository.java

\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/core/MongoActionOperation.java

\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/core/convert/MongoConverters.java

\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/config/MappingMongoConverterParser.java

\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/core/index/Indexed.java

\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/config/MongoNamespaceHandler.java

\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/gridfs/AntPath.java

\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/core/mapping/BasicMongoPersistentProperty.java

\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/repository/query/MongoParameters.java

\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/config/WriteConcernPropertyEditor.java

\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/core/mapping/event/AfterSaveEvent.java

\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/config/BeanNames.java

\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/core/mapping/Document.java  
\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/core/convert/DefaultMongoTypeMapper.java  
\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/repository/support/QuerydslRepositorySupport.java  
\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/core/mapping/MongoPersistentEntity.java  
\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/core/mapping/event/AbstractMongoEventListener.java  
\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/repository/support/MongoAnnotationProcessor.java  
\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/core/mapping/event/BeforeSaveEvent.java  
\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/repository/query/MongoQueryMethod.java  
\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/core/convert/CustomConversions.java  
\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/core/mapping/event/AfterConvertEvent.java  
\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/repository/query/ConvertingParameterAccessor.java  
\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/core/MongoAdminOperations.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2016-2018. the original author or authors.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/core/aggregation/AbstractAggregationExpression.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2013-2021 the original author or authors.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <https://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/core/aggregation/TypeBasedAggregationOperationContext.java  
\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/core/convert/DefaultDbRefResolver.java  
\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/core/aggregation/FieldsExposingAggregationOperation.java  
\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/core/index/GeoSpatialIndexType.java  
\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/core/aggregation/Field.java  
\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/core/aggregation/LimitOperation.java  
\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/core/aggregation/MatchOperation.java  
\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/core/convert/DbRefResolver.java  
\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/core/spel/MethodReferenceNode.java  
\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/core/aggregation/ExposedFields.java  
\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/core/mapping/event/AbstractDeleteEvent.java  
\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/core/spel/ExpressionTransformer.java  
\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/config/EnableMongoAuditing.java  
\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/core/aggregation/TypedAggregation.java  
\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/core/convert/DocumentAccessor.java  
\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/core/mapping/event/AfterDeleteEvent.java

\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/config/MongoAuditingRegistrar.java

\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/core/spel/LiteralNode.java

\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/core/aggregation/AggregationResults.java

\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/util/DBObjectUtils.java

\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/core/aggregation/GroupOperation.java

\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/core/aggregation/AggregationOperation.java

\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/core/convert/UpdateMapper.java

\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/core/aggregation/Aggregation.java

\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/core/MongoDataIntegrityViolationException.java

\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/core/aggregation/AggregationExpressionTransformer.java

\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/core/mapping/event/BeforeDeleteEvent.java

\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/LazyLoadingException.java

\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/core/aggregation/UnwindOperation.java

\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/core/aggregation/GeoNearOperation.java

\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/core/aggregation/ExposedFieldsAggregationOperationContext.java

\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/config/GridFsTemplateParser.java

\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/core/aggregation/ProjectionOperation.java

\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/core/aggregation/Fields.java

\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/core/aggregation/SortOperation.java

\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/core/spel/ExpressionNode.java

\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/core/spel/OperatorNode.java

\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/core/aggregation/SpelExpressionTransformer.java

\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/core/aggregation/AggregationOperationContext.java

\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/core/aggregation/SkipOperation.java



\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/core/convert/DbRefResolverCallback.java  
\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/core/spel/ExpressionTransformationContextSupport.java  
No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2018-2021 the original author or authors.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

/\*\*

\* <p>

\* Serializes the given Querydsl query to a Document query for MongoDB.

\* </p>

\* <p>

\* Original implementation source { @link com.querydsl.mongodb.MongoDbSerializer } by { @literal The Querydsl Team }

\* (<a href="http://www.querydsl.com/team">http://www.querydsl.com/team</a>) licensed under the Apache License, Version

\* 2.0.

\* </p>

\* Modified to use { @link Document } instead of { @link com.mongodb.DBObject }, updated nullable types and code format. Use

\* Bson specific types and add { @link QuerydslMongoOps#NO\_MATCH }.

\*

\* @author Iaimw

\* @author Mark Paluch

\* @author Christoph Strobl

\* @author Mikhail Kaduchka

\* @author Enrique Leon Molina

\* @since 2.1

\*/

Found in path(s):

\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/repository/support/MongodbDocumentSerializer.java

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2008-2021 the original author or authors.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 *     https://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
/**
 * JsonBuffer implementation borrowed from <a href=
 * "https://github.com/mongodb/mongo-java-
 * driver/blob/master/bson/src/main/org/bson/json/JsonBuffer.java">MongoDB
 * Inc.</a> licensed under the Apache License, Version 2.0. <br />
 * Formatted and modified.
 *
 * @author Jeff Yemin
 * @author Ross Lawley
 * @since 2.2
 */
```

Found in path(s):

```
*/opt/cola/permits/1340031868_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-
jar/org/springframework/data/mongodb/util/json/JsonBuffer.java
```

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2012-2021 the original author or authors.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 *     https://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
```

\*/

Found in path(s):

\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/core/index/DurationStyle.java  
\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/core/query/SerializationUtils.java  
\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/core/convert/DocumentPropertyAccessor.java  
\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/repository/cdi/MongoRepositoryBean.java  
\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/repository/config/MongoRepositoryConfigurationExtension.java  
\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/core/index/IndexField.java  
\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/core/mapping/event/AuditingEventListener.java  
\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/core/mapping/event/ValidatingMongoEventListener.java  
\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/repository/query/SimpleMongoEntityMetadata.java  
\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/config/MongoAuditingBeanDefinitionParser.java  
\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/repository/config/MongoRepositoriesRegistrar.java  
\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/repository/config/EnableMongoRepositories.java  
\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/config/StringToWriteConcernConverter.java  
\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/repository/query/MongoEntityMetadata.java  
\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/monitor/ServerInfo.java  
\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/core/WriteResultChecking.java  
\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/repository/support/SpringDataMongoDbQuery.java  
No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2020-2021 the original author or authors.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <https://www.apache.org/licenses/LICENSE-2.0>  
\*

- \* Unless required by applicable law or agreed to in writing, software
- \* distributed under the License is distributed on an "AS IS" BASIS,
- \* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- \* See the License for the specific language governing permissions and
- \* limitations under the License.
- \*/

Found in path(s):

- \* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/core/mapping/event/AfterSaveCallback.java
- \* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/core/mapping/event/AfterConvertCallback.java
- \* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/core/mapping/event/ReactiveAfterConvertCallback.java
- \* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/SpringDataMongoDB.java
- \* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/core/aggregation/DocumentEnhancingOperation.java
- \* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/repository/query/DefaultSpELExpressionEvaluator.java
- \* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/core/aggregation/AddFieldsOperation.java
- \* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/core/mapping/ShardingStrategy.java
- \* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/core/aggregation/ScriptOperators.java
- \* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/gridfs/GridFsObject.java
- \* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/core/mapping/ShardKey.java
- \* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/config/EnableReactiveMongoAuditing.java
- \* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/core/aggregation/UnionWithOperation.java
- \* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/config/PersistentEntitiesFactoryBean.java
- \* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/config/UUIDRepresentationPropertyEditor.java
- \* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/core/mapping/event/ReactiveAfterSaveCallback.java
- \* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/gridfs/GridFsUpload.java
- \* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/gridfs/ReactiveGridFsUpload.java
- \* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/core/QueryOperations.java
- \* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/config/ReactiveMongoAuditingRegistrar.java

\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/repository/support/CachingExpressionParser.java  
\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/core/aggregation/RedactOperation.java  
\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/core/aggregation/AggregationPipeline.java  
\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/core/aggregation/MergeOperation.java  
\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/core/mapping/Sharded.java  
\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/core/query/KPropertyPathExtensions.kt  
No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2010-2021 the original author or authors.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <https://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/repository/MongoRepository.java  
\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/InvalidMongoDbApiUsageException.java  
\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/core/MongoExceptionTranslator.java  
\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/core/query/BasicQuery.java  
\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/core/query/Query.java  
\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/core/convert/MongoWriter.java  
\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/core/CollectionOptions.java  
\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/core/mapreduce/GroupBy.java  
\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-

jar/org/springframework/data/mongodb/core/query/CriteriaDefinition.java  
\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-  
jar/org/springframework/data/mongodb/core/mapreduce/MapReduceTiming.java  
\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-  
jar/org/springframework/data/mongodb/repository/support/MongoRepositoryFactoryBean.java  
\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-  
jar/org/springframework/data/mongodb/core/query/Update.java  
\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-  
jar/org/springframework/data/mongodb/UncategorizedMongoDbException.java  
\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-  
jar/org/springframework/data/mongodb/core/index/GeospatialIndex.java  
\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-  
jar/org/springframework/data/mongodb/core/convert/MongoConverter.java  
\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-  
jar/org/springframework/data/mongodb/core/query/Field.java  
\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-  
jar/org/springframework/data/mongodb/repository/query/MongoQueryCreator.java  
\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-  
jar/org/springframework/data/mongodb/core/FindAndModifyOptions.java  
\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-  
jar/org/springframework/data/mongodb/core/CollectionCallback.java  
\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-  
jar/org/springframework/data/mongodb/core/DocumentCallbackHandler.java  
\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-  
jar/org/springframework/data/mongodb/core/query/Criteria.java  
\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-  
jar/org/springframework/data/mongodb/repository/query/AbstractMongoQuery.java  
\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-  
jar/org/springframework/data/mongodb/core/mapreduce/MapReduceCounts.java  
\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-  
jar/org/springframework/data/mongodb/repository/support/MongoRepositoryFactory.java  
\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-  
jar/org/springframework/data/mongodb/core/DbCallback.java  
\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-  
jar/org/springframework/data/mongodb/core/MongoTemplate.java  
\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-  
jar/org/springframework/data/mongodb/core/index/Index.java  
\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-  
jar/org/springframework/data/mongodb/repository/support/SimpleMongoRepository.java  
\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-  
jar/org/springframework/data/mongodb/core/query/BasicUpdate.java  
\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-  
jar/org/springframework/data/mongodb/core/mapreduce/MapReduceOptions.java  
\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-  
jar/org/springframework/data/mongodb/core/index/GeoSpatialIndexed.java  
No license file was found, but licenses were detected in source scan.

/\*

```
* Copyright 2008-2021 the original author or authors.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
/**
 * Parses the string representation of a JSON object into a set of {@link JsonToken}-derived objects. <br />
 * JsonScanner implementation borrowed from <a href=
 * "https://github.com/mongodb/mongo-java-
 * driver/blob/master/bson/src/main/org/bson/json/JsonScanner.java">MongoDB
 * Inc.</a> licensed under the Apache License, Version 2.0. <br />
 * Formatted and modified to allow reading Spring Data specific placeholder values.
 *
 * @author Jeff Yemin
 * @author Trisha Gee
 * @author Robert Guo
 * @author Ross Lawley
 * @author Christoph Strobl
 * @since 2.2
 */
```

Found in path(s):

```
* /opt/cola/permits/1340031868_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-
jar/org/springframework/data/mongodb/util/json/JsonScanner.java
```

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2019-2021 the original author or authors.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * https://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
```

\* limitations under the License.

\*/

Found in path(s):

- \* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/repository/query/StringBasedAggregation.java
- \* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/gridfs/ReactiveGridFsOperations.java
- \* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/repository/support/ReactiveSpringDataMongoDbQuery.java
- \* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/ReactiveMongoTransactionManager.java
- \* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/core/ReactiveChangeStreamOperationExtensions.kt
- \* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/repository/support/QuerydslPredicateExecutorSupport.java
- \* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/gridfs/ReactiveGridFsTemplate.java
- \* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/util/json/ParameterBindingContext.java
- \* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/repository/query/ReactiveStringBasedAggregation.java
- \* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/repository/Aggregation.java
- \* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/ReactiveMongoDatabaseUtils.java
- \* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/core/index/HashIndexed.java
- \* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/core/mapping/event/BeforeSaveCallback.java
- \* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/repository/query/CollationUtils.java
- \* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/repository/query/AggregationUtils.java
- \* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/core/ReactiveChangeStreamOperation.java
- \* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/core/MongoClientSettingsFactoryBean.java
- \* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/core/MongoJsonSchemaCreator.java
- \* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/core/aggregation/RelaxedTypeBasedAggregationOperationContext.java
- \* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/core/mapping/event/AuditingEntityCallback.java
- \* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/config/ConnectionStringPropertyEditor.java
- \* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/core/aggregation/ReplaceWithOperation.java



\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/core/ReadPreferenceAware.java  
\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/core/mapping/event/ReactiveAuditingEntityCallback.java  
\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/gridfs/GridFsOperationsSupport.java  
\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/core/ReactiveChangeStreamOperationSupport.java  
\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/core/mapping/event/BeforeConvertCallback.java  
\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/config/ReadConcernPropertyEditor.java  
\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/core/MongoEncryptionSettingsFactoryBean.java  
\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/core/aggregation/UnsetOperation.java  
\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/ReactiveMongoResourceHolder.java  
\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/core/aggregation/AggregationUpdate.java  
\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/core/aggregation/SetOperation.java  
\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/core/index/HashedIndex.java  
\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/core/CountQuery.java  
\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/repository/support/ReactiveQuerydslMongoPredicateExecutor.java  
\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/core/mapping/event/ReactiveBeforeConvertCallback.java  
\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/util/json/ValueProvider.java  
\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/core/mapping/event/ReactiveBeforeSaveCallback.java  
\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/core/MappingMongoJsonSchemaCreator.java  
\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/gridfs/ReactiveGridFsResource.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2017-2021 the original author or authors.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

- \*
- \* Unless required by applicable law or agreed to in writing, software
- \* distributed under the License is distributed on an "AS IS" BASIS,
- \* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- \* See the License for the specific language governing permissions and
- \* limitations under the License.
- \*/

Found in path(s):

- \* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/core/ReactiveFindOperationExtensions.kt
- \* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/core/ReactiveFindOperationSupport.java
- \* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/core/ReactiveRemoveOperationExtensions.kt
- \* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/core/ReactiveAggregationOperationExtensions.kt
- \* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/core/ReactiveAggregationOperationSupport.java
- \* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/core/ExecutableInsertOperationSupport.java
- \* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/core/ReactiveAggregationOperation.java
- \* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/core/MongoOperationsExtensions.kt
- \* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/core/ExecutableAggregationOperation.java
- \* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/core/ExecutableFindOperation.java
- \* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/core/ExecutableFindOperationSupport.java
- \* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/core/ReactiveFindOperation.java
- \* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/core/ReactiveInsertOperationExtensions.kt
- \* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/repository/support/QuerydslMongoPredicateExecutor.java
- \* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/core/query/Collation.java
- \* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/core/aggregation/AggregationUtils.java
- \* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/core/FluentMongoOperations.java
- \* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/core/ExecutableAggregationOperationSupport.java
- \* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/core/ExecutableFindOperationExtensions.kt
- \* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-

jar/org/springframework/data/mongodb/core/ReactiveRemoveOperationSupport.java  
\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-  
jar/org/springframework/data/mongodb/core/ReactiveUpdateOperationExtensions.kt  
\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-  
jar/org/springframework/data/mongodb/core/query/UntypedExampleMatcher.java  
\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-  
jar/org/springframework/data/mongodb/repository/support/MongoEntityInformationSupport.java  
\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-  
jar/org/springframework/data/mongodb/core/ExecutableUpdateOperation.java  
\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-  
jar/org/springframework/data/mongodb/core/ReactiveInsertOperationSupport.java  
\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-  
jar/org/springframework/data/mongodb/core/ExecutableRemoveOperationSupport.java  
\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-  
jar/org/springframework/data/mongodb/core/aggregation/SortByCountOperation.java  
\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-  
jar/org/springframework/data/mongodb/core/ReactiveFluentMongoOperations.java  
\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-  
jar/org/springframework/data/mongodb/core/ExecutableRemoveOperationExtensions.kt  
\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-  
jar/org/springframework/data/mongodb/core/ReactiveUpdateOperation.java  
\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-  
jar/org/springframework/data/mongodb/core/aggregation/SampleOperation.java  
\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-  
jar/org/springframework/data/mongodb/core/ReactiveInsertOperation.java  
\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-  
jar/org/springframework/data/mongodb/core/ReactiveMongoOperationsExtensions.kt  
\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-  
jar/org/springframework/data/mongodb/core/ReactiveUpdateOperationSupport.java  
\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-  
jar/org/springframework/data/mongodb/core/ExecutableInsertOperation.java  
\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-  
jar/org/springframework/data/mongodb/core/convert/MongoCustomConversions.java  
\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-  
jar/org/springframework/data/mongodb/core/ExecutableAggregationOperationExtensions.kt  
\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-  
jar/org/springframework/data/mongodb/core/ExecutableRemoveOperation.java  
\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-  
jar/org/springframework/data/mongodb/core/ExecutableUpdateOperationExtensions.kt  
\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-  
jar/org/springframework/data/mongodb/core/ReactiveRemoveOperation.java  
\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-  
jar/org/springframework/data/mongodb/core/ExecutableUpdateOperationSupport.java  
\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-  
jar/org/springframework/data/mongodb/core/ExecutableInsertOperationExtensions.kt  
\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-  
jar/org/springframework/data/mongodb/CodecRegistryProvider.java  
\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-

jar/org/springframework/data/mongodb/core/query/CriteriaExtensions.kt

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2008-2021 the original author or authors.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

/\*\*

\* Reads a JSON and evaluates placeholders and SpEL expressions. Modified version of [MongoDB Inc.](#)

\* [https://github.com/mongodb/mongo-java-](https://github.com/mongodb/mongo-java-driver/blob/master/bson/src/main/org/bson/json/JsonReader.java)

[driver/blob/master/bson/src/main/org/bson/json/JsonReader.java](https://github.com/mongodb/mongo-java-driver/blob/master/bson/src/main/org/bson/json/JsonReader.java)

\* [MongoDB Inc.](#) [JsonReader](#) licensed under the Apache License, Version 2.0.

\*

\* @author Jeff Yemin

\* @author Ross Lawley

\* @author Trisha Gee

\* @author Robert Guo

\* @author Florian Buecklers

\* @author Brendon Puntin

\* @author Christoph Strobl

\* @since 2.2

\*/

Found in path(s):

\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-

jar/org/springframework/data/mongodb/util/json/ParameterBindingJsonReader.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2008-2021 the original author or authors.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.

\*/

/\*\*

\* JsonToken implementation borrowed from <a href=  
\* "https://github.com/mongodb/mongo-java-  
driver/blob/master/bson/src/main/org/bson/json/JsonToken.java">MongoDB  
\* Inc.</a> licensed under the Apache License, Version 2.0. <br />

\*

\* @author Jeff Yemin

\* @author Ross Lawley

\* @since 2.2

\*/

Found in path(s):

\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-  
jar/org/springframework/data/mongodb/util/json/JsonToken.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2014-2021 the original author or authors.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-  
jar/org/springframework/data/mongodb/core/convert/ObjectPath.java

\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-  
jar/org/springframework/data/mongodb/repository/config/MongoRepositoryConfigNamespaceHandler.java

\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-  
jar/org/springframework/data/mongodb/core/index/TextIndexDefinition.java

\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-  
jar/org/springframework/data/mongodb/core/query/GeoCommand.java

\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-

jar/org/springframework/data/mongodb/core/script/ExecutableMongoScript.java  
\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-  
jar/org/springframework/data/mongodb/core/aggregation/AggregationOptions.java  
\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-  
jar/org/springframework/data/mongodb/core/mapping/TextScore.java  
\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-  
jar/org/springframework/data/mongodb/repository/Meta.java  
\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-  
jar/org/springframework/data/mongodb/core/geo/Sphere.java  
\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-  
jar/org/springframework/data/mongodb/core/index/IndexResolver.java  
\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-  
jar/org/springframework/data/mongodb/core/ScriptOperations.java  
\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-  
jar/org/springframework/data/mongodb/core/mapping/Language.java  
\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-  
jar/org/springframework/data/mongodb/core/convert/DefaultDbRefResolverCallback.java  
\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-  
jar/org/springframework/data/mongodb/core/convert/GeoConverters.java  
\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-  
jar/org/springframework/data/mongodb/core/script/NamedMongoScript.java  
\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-  
jar/org/springframework/data/mongodb/core/index/TextIndexed.java  
\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-  
jar/org/springframework/data/mongodb/core/query/Meta.java  
\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-  
jar/org/springframework/data/mongodb/core/convert/DefaultDbRefProxyHandler.java  
\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-  
jar/org/springframework/data/mongodb/core/query/TextQuery.java  
\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-  
jar/org/springframework/data/mongodb/core/DefaultScriptOperations.java  
\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-  
jar/org/springframework/data/mongodb/core/convert/DbRefProxyHandler.java  
\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-  
jar/org/springframework/data/mongodb/core/index/CompoundIndexDefinition.java  
\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-  
jar/org/springframework/data/mongodb/core/index/MongoPersistentEntityIndexResolver.java  
\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-  
jar/org/springframework/data/mongodb/core/convert/LazyLoadingProxy.java  
\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-  
jar/org/springframework/data/mongodb/core/query/TextCriteria.java  
\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-  
jar/org/springframework/data/mongodb/core/convert/ValueResolver.java  
\* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-  
jar/org/springframework/data/mongodb/core/query/Term.java

No license file was found, but licenses were detected in source scan.

/\*

```
* Copyright 2018-2021 the original author or authors.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*   https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
/**
 * {@code QuerydslJoinBuilder} is a builder for join constraints.
 *
 * <p>
 * Original implementation source {@link com.querydsl.mongodb.JoinBuilder} by {@literal The Querydsl Team}
 * (<a href="http://www.querydsl.com/team">http://www.querydsl.com/team</a>) licensed under the Apache
 * License, Version
 * 2.0.
 * </p>
 * Modified for usage with {@link QuerydslAbstractMongoDbQuery}.
 *
 * @param <Q>
 * @param <T>
 * @author tiwe
 * @author Mark Paluch
 * @author Christoph Strobl
 * @since 2.1
 */
```

Found in path(s):

```
* /opt/cola/permits/1340031868_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-
jar/org/springframework/data/mongodb/repository/support/QuerydslJoinBuilder.java
No license file was found, but licenses were detected in source scan.
```

```
/*
 * Copyright 2021 the original author or authors.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 *   https://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
```

- \* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- \* See the License for the specific language governing permissions and
- \* limitations under the License.
- \*/

Found in path(s):

- \* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/core/mapping/Unwrapped.java
- \* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/core/geo/GeoJsonSerializersModule.java
- \* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/core/mapping/UnwrapEntityContext.java
- \* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/core/mapping/UnwrappedMongoPersistentProperty.java
- \* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/BindableMongoExpression.java
- \* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/core/mapping/UnwrappedMongoPersistentEntity.java
- \* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/MongoExpression.java
- \* /opt/cola/permits/1340031868\_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-jar/org/springframework/data/mongodb/util/DotPath.java

No license file was found, but licenses were detected in source scan.

/\*

- \* Copyright 2018-2021 the original author or authors.
- \*
- \* Licensed under the Apache License, Version 2.0 (the "License");
- \* you may not use this file except in compliance with the License.
- \* You may obtain a copy of the License at
- \*
- \* <https://www.apache.org/licenses/LICENSE-2.0>
- \*

- \* Unless required by applicable law or agreed to in writing, software
- \* distributed under the License is distributed on an "AS IS" BASIS,
- \* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- \* See the License for the specific language governing permissions and
- \* limitations under the License.

\*/

/\*\*

- \* {`QuerydslAnyEmbeddedBuilder`} is a builder for constraints on embedded objects.
- \* `<p>`
- \* Original implementation source {`@link com.querydsl.mongodb.AnyEmbeddedBuilder`} by {`@literal The Querydsl Team`}
- \* (`<a href="http://www.querydsl.com/team">http://www.querydsl.com/team</a>`) licensed under the Apache License, Version
- \* 2.0.
- \* `</p>`



```
* Modified for usage with { @link QuerydslAbstractMongoDbQuery }.
*
* @param <Q> query type
* @author tiwe
* @author Mark Paluch
* @author Christoph Strobl
* @since 2.1
*/
```

Found in path(s):

```
* /opt/cola/permits/1340031868_1654618376.3676672/0/spring-data-mongodb-3-2-1-sources-
jar/org/springframework/data/mongodb/repository/support/QuerydslAnyEmbeddedBuilder.java
```

## 1.364 jersey-media-json-jackson 2.31

### 1.364.1 Available under license :

```
# Notice for Jersey Json Jackson module
```

This content is produced and maintained by the Eclipse Jersey project.

```
* https://projects.eclipse.org/projects/ee4j.jersey
```

```
## Trademarks
```

Eclipse Jersey is a trademark of the Eclipse Foundation.

```
## Copyright
```

All content is the property of the respective authors or their employers. For more information regarding authorship of content, please consult the listed source code repository logs.

```
## Declared Project Licenses
```

This program and the accompanying materials are made available under the terms of the Eclipse Public License v. 2.0 which is available at <http://www.eclipse.org/legal/epl-2.0>. This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License v. 2.0 are satisfied: GNU General Public License, version 2 with the GNU Classpath Exception which is available at <https://www.gnu.org/software/classpath/license.html>.

SPDX-License-Identifier: EPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0

```
## Source Code
```

The project maintains the following source code repositories:

```
* https://github.com/eclipse-ee4j/jersey
```

## ## Third-party Content

Jackson JAX-RS Providers version 2.10.1

\* License: Apache License, 2.0

\* Project: <https://github.com/FasterXML/jackson-jaxrs-providers>

\* Copyright: (c) 2009-2011 FasterXML, LLC. All rights reserved unless otherwise indicated.

# Notice for Jersey

This content is produced and maintained by the Eclipse Jersey project.

\* Project home: <https://projects.eclipse.org/projects/ee4j.jersey>

## ## Trademarks

Eclipse Jersey is a trademark of the Eclipse Foundation.

## ## Copyright

All content is the property of the respective authors or their employers. For more information regarding authorship of content, please consult the listed source code repository logs.

## ## Declared Project Licenses

This program and the accompanying materials are made available under the terms of the Eclipse Public License v. 2.0 which is available at <http://www.eclipse.org/legal/epl-2.0>. This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License v. 2.0 are satisfied: GNU General Public License, version 2 with the GNU Classpath Exception which is available at <https://www.gnu.org/software/classpath/license.html>.

SPDX-License-Identifier: EPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0

## ## Source Code

The project maintains the following source code repositories:

\* <https://github.com/eclipse-ee4j/jersey>

## ## Third-party Content

Angular JS, v1.6.6

\* License MIT (<http://www.opensource.org/licenses/mit-license.php>)

\* Project: <http://angularjs.org>

\* Copyright: (c) 2010-2017 Google, Inc.

aopalliance Version 1

\* License: all the source code provided by AOP Alliance is Public Domain.

\* Project: <http://aopalliance.sourceforge.net>

\* Copyright: Material in the public domain is not protected by copyright

#### Bean Validation API 2.0.2

- \* License: Apache License, 2.0
- \* Project: <http://beanvalidation.org/1.1/>
- \* Copyright: 2009, Red Hat, Inc. and/or its affiliates, and individual contributors
- \* by the @authors tag.

#### Hibernate Validator CDI, 6.1.2.Final

- \* License: Apache License, 2.0
- \* Project: <https://beanvalidation.org/>
- \* Repackaged in org.glassfish.jersey.server.validation.internal.hibernate

#### Bootstrap v3.3.7

- \* License: MIT license (<https://github.com/twbs/bootstrap/blob/master/LICENSE>)
- \* Project: <http://getbootstrap.com>
- \* Copyright: 2011-2016 Twitter, Inc

#### Google Guava Version 18.0

- \* License: Apache License, 2.0
- \* Copyright (C) 2009 The Guava Authors

#### javax.inject Version: 1

- \* License: Apache License, 2.0
- \* Copyright (C) 2009 The JSR-330 Expert Group

#### Javassist Version 3.25.0-GA

- \* License: Apache License, 2.0
- \* Project: <http://www.javassist.org/>
- \* Copyright (C) 1999- Shigeru Chiba. All Rights Reserved.

#### Jackson JAX-RS Providers Version 2.10.1

- \* License: Apache License, 2.0
- \* Project: <https://github.com/FasterXML/jackson-jaxrs-providers>
- \* Copyright: (c) 2009-2011 FasterXML, LLC. All rights reserved unless otherwise indicated.

#### jQuery v1.12.4

- \* License: [jquery.org/license](http://jquery.org/license)
- \* Project: [jquery.org](http://jquery.org)
- \* Copyright: (c) jQuery Foundation

#### jQuery Barcode plugin 0.3

- \* License: MIT & GPL (<http://www.opensource.org/licenses/mit-license.php> & <http://www.gnu.org/licenses/gpl.html>)
- \* Project: <http://www.pasella.it/projects/jquery/barcode>
- \* Copyright: (c) 2009 Antonello Pasella [antonello.pasella@gmail.com](mailto:antonello.pasella@gmail.com)

#### JSR-166 Extension - JEP 266

- \* License: CC0

- \* No copyright
- \* Written by Doug Lea with assistance from members of JCP JSR-166 Expert Group and released to the public domain, as explained at <http://creativecommons.org/publicdomain/zero/1.0/>

KineticJS, v4.7.1

- \* License: MIT license (<http://www.opensource.org/licenses/mit-license.php>)
- \* Project: <http://www.kineticjs.com>, <https://github.com/ericdrowell/KineticJS>
- \* Copyright: Eric Rowell

org.objectweb.asm Version 8.0

- \* License: Modified BSD (<http://asm.objectweb.org/license.html>)
- \* Copyright (c) 2000-2011 INRIA, France Telecom. All rights reserved.

org.osgi.core version 6.0.0

- \* License: Apache License, 2.0
- \* Copyright (c) OSGi Alliance (2005, 2008). All Rights Reserved.

org.glassfish.jersey.server.internal.monitoring.core

- \* License: Apache License, 2.0
- \* Copyright (c) 2015-2018 Oracle and/or its affiliates. All rights reserved.
- \* Copyright 2010-2013 Coda Hale and Yammer, Inc.

W3.org documents

- \* License: W3C License
  - \* Copyright: Copyright (c) 1994-2001 World Wide Web Consortium, (Massachusetts Institute of Technology, Institut National de Recherche en Informatique et en Automatique, Keio University). All Rights Reserved.
- <http://www.w3.org/Consortium/Legal/>  
# Eclipse Public License - v 2.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

## 1. DEFINITIONS

"Contribution" means:

a) in the case of the initial Contributor, the initial content Distributed under this Agreement, and

b) in the case of each subsequent Contributor:

- i) changes to the Program, and
- ii) additions to the Program;

where such changes and/or additions to the Program originate from and are Distributed by that particular Contributor. A Contribution "originates" from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include changes or additions to the Program that

are not Modified Works.

"Contributor" means any person or entity that Distributes the Program.

"Licensed Patents" mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions Distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement or any Secondary License (as applicable), including Contributors.

"Derivative Works" shall mean any work, whether in Source Code or other form, that is based on (or derived from) the Program and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship.

"Modified Works" shall mean any work in Source Code or other form that results from an addition to, deletion from, or modification of the contents of the Program, including, for purposes of clarity any new file in Source Code form that contains any contents of the Program. Modified Works shall not include works that contain only declarations, interfaces, types, classes, structures, or files of the Program solely in each case in order to link to, bind by name, or subclass the Program or Modified Works thereof.

"Distribute" means the acts of a) distributing or b) making available in any manner that enables the transfer of a copy.

"Source Code" means the form of a Program preferred for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Secondary License" means either the GNU General Public License, Version 2.0, or any later versions of that license, including any exceptions or additional permissions as identified by the initial Contributor.

## 2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, Distribute and sublicense the Contribution of such Contributor, if any, and such Derivative Works.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in Source Code or other form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to Distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

e) Notwithstanding the terms of any Secondary License, no Contributor makes additional grants to any Recipient (other than those set forth in this Agreement) as a result of such Recipient's receipt of the Program under the terms of a Secondary License (if permitted under the terms of Section 3).

### 3. REQUIREMENTS

3.1 If a Contributor Distributes the Program in any form, then:

a) the Program must also be made available as Source Code, in accordance with section 3.2, and the Contributor must accompany the Program with a statement that the Source Code for the Program is available under this Agreement, and informs Recipients how to obtain it in a reasonable manner on or through a medium customarily used for software exchange; and

b) the Contributor may Distribute the Program under a license

different than this Agreement, provided that such license:

- i) effectively disclaims on behalf of all other Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;
- ii) effectively excludes on behalf of all other Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;
- iii) does not attempt to limit or alter the recipients' rights in the Source Code under section 3.2; and
- iv) requires any subsequent distribution of the Program by any party to be under a license that satisfies the requirements of this section 3.

### 3.2 When the Program is Distributed as Source Code:

- a) it must be made available under this Agreement, or if the Program (i) is combined with other material in a separate file or files made available under a Secondary License, and (ii) the initial Contributor attached to the Source Code the notice described in Exhibit A of this Agreement, then the Program may be made available under the terms of such Secondary Licenses, and
- b) a copy of this Agreement must be included with each copy of the Program.

3.3 Contributors may not remove or alter any copyright, patent, trademark, attribution notices, disclaimers of warranty, or limitations of liability ("notices") contained within the Program from any copy of the Program which they Distribute, provided that Contributors may add their own appropriate notices.

## 4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits

and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

## 5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

## 6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.



## 7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be Distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to Distribute the Program (including its Contributions) under the new version.

Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved. Nothing in this Agreement is intended to be enforceable by any entity that is not a Contributor or Recipient. No third-party beneficiary rights are created under this Agreement.

## Exhibit A - Form of Secondary Licenses Notice

"This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License, v. 2.0 are satisfied: {name license(s), version(s), and exceptions or additional permissions here}."

Simply including a copy of this Agreement, including this Exhibit A is not sufficient to license the Source Code under Secondary Licenses.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.

---

## The GNU General Public License (GPL) Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.  
51 Franklin Street, Fifth Floor  
Boston, MA 02110-1335  
USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

### Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone

to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

## TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source code along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties

who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

#### NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL

DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

## END OF TERMS AND CONDITIONS

### How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.  
Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1335 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author  
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'. This is free software, and you are welcome to redistribute it under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands



you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program `Gnomovision' (which makes passes at compilers) written by James Hacker.

signature of Ty Coon, 1 April 1989  
Ty Coon, President of Vice

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

---

#### ## CLASSPATH EXCEPTION

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License version 2 cover the whole combination.

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module. An independent module is a module which is not derived from or based on this library. If you modify this library, you may extend this exception to your version of the library, but you are not obligated to do so. If you do not wish to do so, delete this exception statement from your version.

## 1.365 micronaut-coherence 3.0.1

### 1.365.1 Available under license :

No license file was found, but licenses were detected in source scan.

#

```
# Copyright 2017-2020 original authors
#
# Licensed under the Apache License, Version 2.0 (the "License");
# you may not use this file except in compliance with the License.
# You may obtain a copy of the License at
#
# https://www.apache.org/licenses/LICENSE-2.0
#
# Unless required by applicable law or agreed to in writing, software
# distributed under the License is distributed on an "AS IS" BASIS,
# WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
# See the License for the specific language governing permissions and
# limitations under the License.
#
```

io.micronaut.coherence.config.MicronautSystemPropertyResolver

Found in path(s):

```
* /opt/cola/permits/1331473926_1653068590.7919037/0/micronaut-coherence-3-0-1-sources-jar/META-INF/services/com.tangosol.coherence.config.SystemPropertyResolver
No license file was found, but licenses were detected in source scan.
```

```
/*
```

```
* Copyright 2017-2020 original authors
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):

```
* /opt/cola/permits/1331473926_1653068590.7919037/0/micronaut-coherence-3-0-1-sources-jar/io/micronaut/coherence/config/CoherenceDefaultProperties.java
* /opt/cola/permits/1331473926_1653068590.7919037/0/micronaut-coherence-3-0-1-sources-jar/io/micronaut/coherence/namespaces/BeanBuilder.java
* /opt/cola/permits/1331473926_1653068590.7919037/0/micronaut-coherence-3-0-1-sources-jar/io/micronaut/coherence/messaging/package-info.java
* /opt/cola/permits/1331473926_1653068590.7919037/0/micronaut-coherence-3-0-1-sources-jar/io/micronaut/coherence/CoherenceContext.java
* /opt/cola/permits/1331473926_1653068590.7919037/0/micronaut-coherence-3-0-1-sources-
```

jar/io/micronaut/coherence/grpc/GrpcServerBuilder.java  
\* /opt/cola/permits/1331473926\_1653068590.7919037/0/micronaut-coherence-3-0-1-sources-  
jar/io/micronaut/coherence/SessionType.java  
\* /opt/cola/permits/1331473926\_1653068590.7919037/0/micronaut-coherence-3-0-1-sources-  
jar/io/micronaut/coherence/namespaces/BeanProcessor.java  
\* /opt/cola/permits/1331473926\_1653068590.7919037/0/micronaut-coherence-3-0-1-sources-  
jar/io/micronaut/coherence/messaging/SubscriberExecutorServiceConfig.java  
\* /opt/cola/permits/1331473926\_1653068590.7919037/0/micronaut-coherence-3-0-1-sources-  
jar/io/micronaut/coherence/config/MicronautSystemPropertyResolver.java  
\* /opt/cola/permits/1331473926\_1653068590.7919037/0/micronaut-coherence-3-0-1-sources-  
jar/io/micronaut/coherence/namespaces/package-info.java  
\* /opt/cola/permits/1331473926\_1653068590.7919037/0/micronaut-coherence-3-0-1-sources-  
jar/io/micronaut/coherence/package-info.java  
\* /opt/cola/permits/1331473926\_1653068590.7919037/0/micronaut-coherence-3-0-1-sources-  
jar/io/micronaut/coherence/SessionConfigurationProvider.java  
\* /opt/cola/permits/1331473926\_1653068590.7919037/0/micronaut-coherence-3-0-1-sources-  
jar/io/micronaut/coherence/AbstractSessionConfigurationBean.java  
\* /opt/cola/permits/1331473926\_1653068590.7919037/0/micronaut-coherence-3-0-1-sources-  
jar/io/micronaut/coherence/namespaces/MicronautNamespaceHandler.java  
\* /opt/cola/permits/1331473926\_1653068590.7919037/0/micronaut-coherence-3-0-1-sources-  
jar/io/micronaut/coherence/messaging/TopicKey.java  
\* /opt/cola/permits/1331473926\_1653068590.7919037/0/micronaut-coherence-3-0-1-sources-  
jar/io/micronaut/coherence/JsonSerializerFactory.java  
\* /opt/cola/permits/1331473926\_1653068590.7919037/0/micronaut-coherence-3-0-1-sources-  
jar/io/micronaut/coherence/grpc/GrpcServerConfigurer.java  
\* /opt/cola/permits/1331473926\_1653068590.7919037/0/micronaut-coherence-3-0-1-sources-  
jar/io/micronaut/coherence/grpc/package-info.java  
\* /opt/cola/permits/1331473926\_1653068590.7919037/0/micronaut-coherence-3-0-1-sources-  
jar/io/micronaut/coherence/SerializerFactories.java  
\* /opt/cola/permits/1331473926\_1653068590.7919037/0/micronaut-coherence-3-0-1-sources-  
jar/io/micronaut/coherence/SessionConfigurationBean.java  
\* /opt/cola/permits/1331473926\_1653068590.7919037/0/micronaut-coherence-3-0-1-sources-  
jar/io/micronaut/coherence/InjectorImpl.java

No license file was found, but licenses were detected in source scan.

```
#  
# Copyright 2017-2020 original authors  
#  
# Licensed under the Apache License, Version 2.0 (the "License");  
# you may not use this file except in compliance with the License.  
# You may obtain a copy of the License at  
#  
# https://www.apache.org/licenses/LICENSE-2.0  
#  
# Unless required by applicable law or agreed to in writing, software  
# distributed under the License is distributed on an "AS IS" BASIS,  
# WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
# See the License for the specific language governing permissions and
```

# limitations under the License.

#

io.micronaut.coherence.grpc.GrpcServerBuilder\$GrpcServerBuilderProviderBean

Found in path(s):

\* /opt/cola/permits/1331473926\_1653068590.7919037/0/micronaut-coherence-3-0-1-sources-jar/META-INF/services/com.oracle.coherence.grpc.proxy.GrpcServerBuilderProvider

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2017-2021 original authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1331473926\_1653068590.7919037/0/micronaut-coherence-3-0-1-sources-jar/io/micronaut/coherence/FilterFactories.java

\* /opt/cola/permits/1331473926\_1653068590.7919037/0/micronaut-coherence-3-0-1-sources-jar/io/micronaut/coherence/ExtractorFactory.java

\* /opt/cola/permits/1331473926\_1653068590.7919037/0/micronaut-coherence-3-0-1-sources-jar/io/micronaut/coherence/annotation/Updated.java

\* /opt/cola/permits/1331473926\_1653068590.7919037/0/micronaut-coherence-3-0-1-sources-jar/io/micronaut/coherence/annotation/WhereFilter.java

\* /opt/cola/permits/1331473926\_1653068590.7919037/0/micronaut-coherence-3-0-1-sources-jar/io/micronaut/coherence/event/EventArgumentBinder.java

\* /opt/cola/permits/1331473926\_1653068590.7919037/0/micronaut-coherence-3-0-1-sources-jar/io/micronaut/coherence/NamedTopicFactories.java

\* /opt/cola/permits/1331473926\_1653068590.7919037/0/micronaut-coherence-3-0-1-sources-jar/io/micronaut/coherence/annotation/Activated.java

\* /opt/cola/permits/1331473926\_1653068590.7919037/0/micronaut-coherence-3-0-1-sources-jar/io/micronaut/coherence/annotation/MapEventTransformerBinding.java

\* /opt/cola/permits/1331473926\_1653068590.7919037/0/micronaut-coherence-3-0-1-sources-jar/io/micronaut/coherence/annotation/Committed.java

\* /opt/cola/permits/1331473926\_1653068590.7919037/0/micronaut-coherence-3-0-1-sources-jar/io/micronaut/coherence/annotation/CoherenceEventListener.java

\* /opt/cola/permits/1331473926\_1653068590.7919037/0/micronaut-coherence-3-0-1-sources-

jar/io/micronaut/coherence/messaging/binders/ElementBinder.java  
\* /opt/cola/permits/1331473926\_1653068590.7919037/0/micronaut-coherence-3-0-1-sources-  
jar/io/micronaut/coherence/annotation/Scope.java  
\* /opt/cola/permits/1331473926\_1653068590.7919037/0/micronaut-coherence-3-0-1-sources-  
jar/io/micronaut/coherence/event/package-info.java  
\* /opt/cola/permits/1331473926\_1653068590.7919037/0/micronaut-coherence-3-0-1-sources-  
jar/io/micronaut/coherence/annotation/Utils.java  
\* /opt/cola/permits/1331473926\_1653068590.7919037/0/micronaut-coherence-3-0-1-sources-  
jar/io/micronaut/coherence/annotation/AnnotationLiteral.java  
\* /opt/cola/permits/1331473926\_1653068590.7919037/0/micronaut-coherence-3-0-1-sources-  
jar/io/micronaut/coherence/annotation/SerializerFormat.java  
\* /opt/cola/permits/1331473926\_1653068590.7919037/0/micronaut-coherence-3-0-1-sources-  
jar/io/micronaut/coherence/annotation/Departed.java  
\* /opt/cola/permits/1331473926\_1653068590.7919037/0/micronaut-coherence-3-0-1-sources-  
jar/io/micronaut/coherence/annotation/Removed.java  
\* /opt/cola/permits/1331473926\_1653068590.7919037/0/micronaut-coherence-3-0-1-sources-  
jar/io/micronaut/coherence/annotation/Stopping.java  
\* /opt/cola/permits/1331473926\_1653068590.7919037/0/micronaut-coherence-3-0-1-sources-  
jar/io/micronaut/coherence/annotation/ChainedExtractor.java  
\* /opt/cola/permits/1331473926\_1653068590.7919037/0/micronaut-coherence-3-0-1-sources-  
jar/io/micronaut/coherence/annotation/Syncing.java  
\* /opt/cola/permits/1331473926\_1653068590.7919037/0/micronaut-coherence-3-0-1-sources-  
jar/io/micronaut/coherence/annotation/PropertyExtractor.java  
\* /opt/cola/permits/1331473926\_1653068590.7919037/0/micronaut-coherence-3-0-1-sources-  
jar/io/micronaut/coherence/annotation/Started.java  
\* /opt/cola/permits/1331473926\_1653068590.7919037/0/micronaut-coherence-3-0-1-sources-  
jar/io/micronaut/coherence/FilterFactory.java  
\* /opt/cola/permits/1331473926\_1653068590.7919037/0/micronaut-coherence-3-0-1-sources-  
jar/io/micronaut/coherence/annotation/Stopped.java  
\* /opt/cola/permits/1331473926\_1653068590.7919037/0/micronaut-coherence-3-0-1-sources-  
jar/io/micronaut/coherence/annotation/Recovered.java  
\* /opt/cola/permits/1331473926\_1653068590.7919037/0/micronaut-coherence-3-0-1-sources-  
jar/io/micronaut/coherence/annotation/Departing.java  
\* /opt/cola/permits/1331473926\_1653068590.7919037/0/micronaut-coherence-3-0-1-sources-  
jar/io/micronaut/coherence/annotation/Error.java  
\* /opt/cola/permits/1331473926\_1653068590.7919037/0/micronaut-coherence-3-0-1-sources-  
jar/io/micronaut/coherence/annotation/ParticipantName.java  
\* /opt/cola/permits/1331473926\_1653068590.7919037/0/micronaut-coherence-3-0-1-sources-  
jar/io/micronaut/coherence/messaging/exceptions/CoherenceSubscriberException.java  
\* /opt/cola/permits/1331473926\_1653068590.7919037/0/micronaut-coherence-3-0-1-sources-  
jar/io/micronaut/coherence/MapEventTransformerFactory.java  
\* /opt/cola/permits/1331473926\_1653068590.7919037/0/micronaut-coherence-3-0-1-sources-  
jar/io/micronaut/coherence/annotation/FilterBinding.java  
\* /opt/cola/permits/1331473926\_1653068590.7919037/0/micronaut-coherence-3-0-1-sources-  
jar/io/micronaut/coherence/annotation/Synced.java  
\* /opt/cola/permits/1331473926\_1653068590.7919037/0/micronaut-coherence-3-0-1-sources-  
jar/io/micronaut/coherence/messaging/binders/AnnotatedElementBinder.java  
\* /opt/cola/permits/1331473926\_1653068590.7919037/0/micronaut-coherence-3-0-1-sources-

jar/io/micronaut/coherence/event/EventArgumentBinderRegistry.java  
\* /opt/cola/permits/1331473926\_1653068590.7919037/0/micronaut-coherence-3-0-1-sources-  
jar/io/micronaut/coherence/annotation/Starting.java  
\* /opt/cola/permits/1331473926\_1653068590.7919037/0/micronaut-coherence-3-0-1-sources-  
jar/io/micronaut/coherence/annotation/ConfigUri.java  
\* /opt/cola/permits/1331473926\_1653068590.7919037/0/micronaut-coherence-3-0-1-sources-  
jar/io/micronaut/coherence/annotation/Inserted.java  
\* /opt/cola/permits/1331473926\_1653068590.7919037/0/micronaut-coherence-3-0-1-sources-  
jar/io/micronaut/coherence/annotation/SubscriberGroup.java  
\* /opt/cola/permits/1331473926\_1653068590.7919037/0/micronaut-coherence-3-0-1-sources-  
jar/io/micronaut/coherence/annotation/Synchronous.java  
\* /opt/cola/permits/1331473926\_1653068590.7919037/0/micronaut-coherence-3-0-1-sources-  
jar/io/micronaut/coherence/annotation/CommittingRemote.java  
\* /opt/cola/permits/1331473926\_1653068590.7919037/0/micronaut-coherence-3-0-1-sources-  
jar/io/micronaut/coherence/event/ExecutableMethodMapListener.java  
\* /opt/cola/permits/1331473926\_1653068590.7919037/0/micronaut-coherence-3-0-1-sources-  
jar/io/micronaut/coherence/annotation/Assigned.java  
\* /opt/cola/permits/1331473926\_1653068590.7919037/0/micronaut-coherence-3-0-1-sources-  
jar/io/micronaut/coherence/FactoryQualifier.java  
\* /opt/cola/permits/1331473926\_1653068590.7919037/0/micronaut-coherence-3-0-1-sources-  
jar/io/micronaut/coherence/annotation/ScopeName.java  
\* /opt/cola/permits/1331473926\_1653068590.7919037/0/micronaut-coherence-3-0-1-sources-  
jar/io/micronaut/coherence/annotation/Committing.java  
\* /opt/cola/permits/1331473926\_1653068590.7919037/0/micronaut-coherence-3-0-1-sources-  
jar/io/micronaut/coherence/annotation/Processor.java  
\* /opt/cola/permits/1331473926\_1653068590.7919037/0/micronaut-coherence-3-0-1-sources-  
jar/io/micronaut/coherence/annotation/CommitStrategy.java  
\* /opt/cola/permits/1331473926\_1653068590.7919037/0/micronaut-coherence-3-0-1-sources-  
jar/io/micronaut/coherence/annotation/Connecting.java  
\* /opt/cola/permits/1331473926\_1653068590.7919037/0/micronaut-coherence-3-0-1-sources-  
jar/io/micronaut/coherence/annotation/CoherenceTopicListener.java  
\* /opt/cola/permits/1331473926\_1653068590.7919037/0/micronaut-coherence-3-0-1-sources-  
jar/io/micronaut/coherence/annotation/Executed.java  
\* /opt/cola/permits/1331473926\_1653068590.7919037/0/micronaut-coherence-3-0-1-sources-  
jar/io/micronaut/coherence/messaging/CoherencePublisherIntroductionAdvice.java  
\* /opt/cola/permits/1331473926\_1653068590.7919037/0/micronaut-coherence-3-0-1-sources-  
jar/io/micronaut/coherence/annotation/Executing.java  
\* /opt/cola/permits/1331473926\_1653068590.7919037/0/micronaut-coherence-3-0-1-sources-  
jar/io/micronaut/coherence/annotation/SessionName.java  
\* /opt/cola/permits/1331473926\_1653068590.7919037/0/micronaut-coherence-3-0-1-sources-  
jar/io/micronaut/coherence/annotation/CoherencePublisher.java  
\* /opt/cola/permits/1331473926\_1653068590.7919037/0/micronaut-coherence-3-0-1-sources-  
jar/io/micronaut/coherence/ExtractorFactories.java  
\* /opt/cola/permits/1331473926\_1653068590.7919037/0/micronaut-coherence-3-0-1-sources-  
jar/io/micronaut/coherence/annotation/CommittingLocal.java  
\* /opt/cola/permits/1331473926\_1653068590.7919037/0/micronaut-coherence-3-0-1-sources-  
jar/io/micronaut/coherence/event/BaseExecutableMethodObserver.java  
\* /opt/cola/permits/1331473926\_1653068590.7919037/0/micronaut-coherence-3-0-1-sources-

jar/io/micronaut/coherence/messaging/SubscriberExceptionHandler.java  
\* /opt/cola/permits/1331473926\_1653068590.7919037/0/micronaut-coherence-3-0-1-sources-  
jar/io/micronaut/coherence/messaging/binders/TypedElementBinder.java  
\* /opt/cola/permits/1331473926\_1653068590.7919037/0/micronaut-coherence-3-0-1-sources-  
jar/io/micronaut/coherence/annotation/Inserting.java  
\* /opt/cola/permits/1331473926\_1653068590.7919037/0/micronaut-coherence-3-0-1-sources-  
jar/io/micronaut/coherence/annotation/PofExtractor.java  
\* /opt/cola/permits/1331473926\_1653068590.7919037/0/micronaut-coherence-3-0-1-sources-  
jar/io/micronaut/coherence/messaging/binders/ElementValueBinder.java  
\* /opt/cola/permits/1331473926\_1653068590.7919037/0/micronaut-coherence-3-0-1-sources-  
jar/io/micronaut/coherence/event/CoherenceEventListenerProcessor.java  
\* /opt/cola/permits/1331473926\_1653068590.7919037/0/micronaut-coherence-3-0-1-sources-  
jar/io/micronaut/coherence/annotation/AlwaysFilter.java  
\* /opt/cola/permits/1331473926\_1653068590.7919037/0/micronaut-coherence-3-0-1-sources-  
jar/io/micronaut/coherence/annotation/Destroyed.java  
\* /opt/cola/permits/1331473926\_1653068590.7919037/0/micronaut-coherence-3-0-1-sources-  
jar/io/micronaut/coherence/annotation/Deleted.java  
\* /opt/cola/permits/1331473926\_1653068590.7919037/0/micronaut-coherence-3-0-1-sources-  
jar/io/micronaut/coherence/annotation/Rollback.java  
\* /opt/cola/permits/1331473926\_1653068590.7919037/0/micronaut-coherence-3-0-1-sources-  
jar/io/micronaut/coherence/event/AnnotatedMapListener.java  
\* /opt/cola/permits/1331473926\_1653068590.7919037/0/micronaut-coherence-3-0-1-sources-  
jar/io/micronaut/coherence/annotation/Arrived.java  
\* /opt/cola/permits/1331473926\_1653068590.7919037/0/micronaut-coherence-3-0-1-sources-  
jar/io/micronaut/coherence/annotation/Truncated.java  
\* /opt/cola/permits/1331473926\_1653068590.7919037/0/micronaut-coherence-3-0-1-sources-  
jar/io/micronaut/coherence/messaging/CoherenceTopicListenerProcessor.java  
\* /opt/cola/permits/1331473926\_1653068590.7919037/0/micronaut-coherence-3-0-1-sources-  
jar/io/micronaut/coherence/annotation/ExtractorBinding.java  
\* /opt/cola/permits/1331473926\_1653068590.7919037/0/micronaut-coherence-3-0-1-sources-  
jar/io/micronaut/coherence/annotation/Created.java  
\* /opt/cola/permits/1331473926\_1653068590.7919037/0/micronaut-coherence-3-0-1-sources-  
jar/io/micronaut/coherence/annotation/ServiceName.java  
\* /opt/cola/permits/1331473926\_1653068590.7919037/0/micronaut-coherence-3-0-1-sources-  
jar/io/micronaut/coherence/messaging/binders/DefaultTopicBinder.java  
\* /opt/cola/permits/1331473926\_1653068590.7919037/0/micronaut-coherence-3-0-1-sources-  
jar/io/micronaut/coherence/annotation/View.java  
\* /opt/cola/permits/1331473926\_1653068590.7919037/0/micronaut-coherence-3-0-1-sources-  
jar/io/micronaut/coherence/annotation/Topic.java  
\* /opt/cola/permits/1331473926\_1653068590.7919037/0/micronaut-coherence-3-0-1-sources-  
jar/io/micronaut/coherence/annotation/Replicating.java  
\* /opt/cola/permits/1331473926\_1653068590.7919037/0/micronaut-coherence-3-0-1-sources-  
jar/io/micronaut/coherence/annotation/Updating.java  
\* /opt/cola/permits/1331473926\_1653068590.7919037/0/micronaut-coherence-3-0-1-sources-  
jar/io/micronaut/coherence/annotation/CacheName.java  
\* /opt/cola/permits/1331473926\_1653068590.7919037/0/micronaut-coherence-3-0-1-sources-  
jar/io/micronaut/coherence/annotation/Name.java  
\* /opt/cola/permits/1331473926\_1653068590.7919037/0/micronaut-coherence-3-0-1-sources-

jar/io/micronaut/coherence/annotation/Backlog.java  
\* /opt/cola/permits/1331473926\_1653068590.7919037/0/micronaut-coherence-3-0-1-sources-  
jar/io/micronaut/coherence/messaging/binders/ElementArgumentBinderRegistry.java  
\* /opt/cola/permits/1331473926\_1653068590.7919037/0/micronaut-coherence-3-0-1-sources-  
jar/io/micronaut/coherence/annotation/Removing.java  
\* /opt/cola/permits/1331473926\_1653068590.7919037/0/micronaut-coherence-3-0-1-sources-  
jar/io/micronaut/coherence/annotation/Activating.java  
\* /opt/cola/permits/1331473926\_1653068590.7919037/0/micronaut-coherence-3-0-1-sources-  
jar/io/micronaut/coherence/event/EventObserverSupport.java  
\* /opt/cola/permits/1331473926\_1653068590.7919037/0/micronaut-coherence-3-0-1-sources-  
jar/io/micronaut/coherence/CoherenceFactory.java  
\* /opt/cola/permits/1331473926\_1653068590.7919037/0/micronaut-coherence-3-0-1-sources-  
jar/io/micronaut/coherence/annotation/Lite.java  
\* /opt/cola/permits/1331473926\_1653068590.7919037/0/micronaut-coherence-3-0-1-sources-  
jar/io/micronaut/coherence/annotation/MapName.java  
\* /opt/cola/permits/1331473926\_1653068590.7919037/0/micronaut-coherence-3-0-1-sources-  
jar/io/micronaut/coherence/annotation/Topics.java  
\* /opt/cola/permits/1331473926\_1653068590.7919037/0/micronaut-coherence-3-0-1-sources-  
jar/io/micronaut/coherence/event/ExecutableMethodEventObserver.java  
\* /opt/cola/permits/1331473926\_1653068590.7919037/0/micronaut-coherence-3-0-1-sources-  
jar/io/micronaut/coherence/annotation/Disposing.java  
\* /opt/cola/permits/1331473926\_1653068590.7919037/0/micronaut-coherence-3-0-1-sources-  
jar/io/micronaut/coherence/annotation/Disconnected.java  
\* /opt/cola/permits/1331473926\_1653068590.7919037/0/micronaut-coherence-3-0-1-sources-  
jar/io/micronaut/coherence/annotation/Lost.java  
\* /opt/cola/permits/1331473926\_1653068590.7919037/0/micronaut-coherence-3-0-1-sources-  
jar/io/micronaut/coherence/NamedCacheFactories.java  
\* /opt/cola/permits/1331473926\_1653068590.7919037/0/micronaut-coherence-3-0-1-sources-  
jar/io/micronaut/coherence/MapEventTransformerFactories.java  
No license file was found, but licenses were detected in source scan.

```
#  
# Copyright 2017-2020 original authors  
#  
# Licensed under the Apache License, Version 2.0 (the "License");  
# you may not use this file except in compliance with the License.  
# You may obtain a copy of the License at  
#  
# https://www.apache.org/licenses/LICENSE-2.0  
#  
# Unless required by applicable law or agreed to in writing, software  
# distributed under the License is distributed on an "AS IS" BASIS,  
# WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
# See the License for the specific language governing permissions and  
# limitations under the License.  
#
```



io.micronaut.coherence.grpc.GrpcServerConfigurer\$GrpcServerConfigurationBean

Found in path(s):

\* /opt/cola/permits/1331473926\_1653068590.7919037/0/micronaut-coherence-3-0-1-sources-jar/META-INF/services/com.oracle.coherence.grpc.proxy.GrpcServerConfiguration  
No license file was found, but licenses were detected in source scan.

```
#  
# Copyright 2017-2020 original authors  
#  
# Licensed under the Apache License, Version 2.0 (the "License");  
# you may not use this file except in compliance with the License.  
# You may obtain a copy of the License at  
#  
# https://www.apache.org/licenses/LICENSE-2.0  
#  
# Unless required by applicable law or agreed to in writing, software  
# distributed under the License is distributed on an "AS IS" BASIS,  
# WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
# See the License for the specific language governing permissions and  
# limitations under the License.  
#
```

io.micronaut.coherence.InjectorImpl

Found in path(s):

\* /opt/cola/permits/1331473926\_1653068590.7919037/0/micronaut-coherence-3-0-1-sources-jar/META-INF/services/com.oracle.coherence.inject.Injector

## 1.366 apache-kafka 3.0.0

### 1.366.1 Available under license :

DO WHAT THE FUCK YOU WANT TO PUBLIC LICENSE  
Version 2, December 2004

Copyright (C) 2004 Sam Hocevar <sam@hocevar.net>

Everyone is permitted to copy and distribute verbatim or modified copies of this license document, and changing it is allowed as long as the name is changed.

DO WHAT THE FUCK YOU WANT TO PUBLIC LICENSE  
TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. You just DO WHAT THE FUCK YOU WANT TO.  
Zstd-jni: JNI bindings to Zstd Library

Copyright (c) 2015-present, Luben Karavelov/ All rights reserved.

## BSD License

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

\* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

\* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Copyright (c) 2002-2018, the original author or authors.

All rights reserved.

<https://opensource.org/licenses/BSD-3-Clause>

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

Neither the name of JLine nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY

AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work

(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses

granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]"

replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

-----  
This project bundles some components that are also licensed under the Apache License Version 2.0:

audience-annotations-0.5.0  
commons-cli-1.4  
commons-lang3-3.8.1  
jackson-annotations-2.12.3  
jackson-core-2.12.3  
jackson-databind-2.12.3  
jackson-dataformat-csv-2.12.3  
jackson-datatype-jdk8-2.12.3  
jackson-jaxrs-base-2.12.3  
jackson-jaxrs-json-provider-2.12.3  
jackson-module-jaxb-annotations-2.12.3  
jackson-module-paranamer-2.10.5  
jackson-module-scala\_2.13-2.12.3  
jakarta.validation-api-2.0.2  
javassist-3.27.0-GA  
jetty-client-9.4.43.v20210629  
jetty-continuation-9.4.43.v20210629  
jetty-http-9.4.43.v20210629  
jetty-io-9.4.43.v20210629  
jetty-security-9.4.43.v20210629  
jetty-server-9.4.43.v20210629  
jetty-servlet-9.4.43.v20210629  
jetty-servlets-9.4.43.v20210629

jetty-util-9.4.43.v20210629  
jetty-util-ajax-9.4.43.v20210629  
jersey-common-2.34  
jersey-server-2.34  
log4j-1.2.17  
lz4-java-1.7.1  
maven-artifact-3.8.1  
metrics-core-4.1.12.1  
netty-buffer-4.1.62.Final  
netty-codec-4.1.62.Final  
netty-common-4.1.62.Final  
netty-handler-4.1.62.Final  
netty-resolver-4.1.62.Final  
netty-transport-4.1.62.Final  
netty-transport-native-epoll-4.1.62.Final  
netty-transport-native-unix-common-4.1.62.Final  
plexus-utils-3.2.1  
rocksdbjni-6.19.3  
scala-collection-compat\_2.13-2.4.4  
scala-library-2.13.6  
scala-logging\_2.13-3.9.3  
scala-reflect-2.13.6  
scala-java8-compat\_2.13-1.0.0  
snappy-java-1.1.8.1  
zookeeper-3.6.3  
zookeeper-jute-3.6.3

=====  
This product bundles various third-party components under other open source licenses. This section summarizes those components and their licenses. See [licenses/](#) for text of these licenses.

-----  
Eclipse Distribution License - v 1.0  
see: [licenses/eclipse-distribution-license-1.0](#)

jakarta.activation-api-1.2.1  
jakarta.xml.bind-api-2.3.2

-----  
Eclipse Public License - v 2.0  
see: [licenses/eclipse-public-license-2.0](#)

jakarta.annotation-api-1.3.5  
jakarta.ws.rs-api-2.1.6  
javax.ws.rs-api-2.1.1  
hk2-api-2.6.1  
hk2-locator-2.6.1



hk2-utils-2.6.1  
osgi-resource-locator-1.0.3  
aopalliance-repackaged-2.6.1  
jakarta.inject-2.6.1  
jersey-container-servlet-2.34  
jersey-container-servlet-core-2.34  
jersey-client-2.34  
jersey-hk2-2.34  
jersey-media-jaxb-2.31

-----  
CDDL 1.1 + GPLv2 with classpath exception  
see: licenses/CDDL+GPL-1.1

javax.servlet-api-3.1.0  
jaxb-api-2.3.0  
activation-1.1.1

-----  
MIT License

argparse4j-0.7.0, see: licenses/argparse-MIT  
jopt-simple-5.0.4, see: licenses/jopt-simple-MIT  
slf4j-api-1.7.30, see: licenses/slf4j-MIT  
slf4j-log4j12-1.7.30, see: licenses/slf4j-MIT

-----  
BSD 2-Clause

zstd-jni-1.5.0-2 see: licenses/zstd-jni-BSD-2-clause

-----  
BSD 3-Clause

jline-3.12.1, see: licenses/jline-BSD-3-clause  
paranamer-2.8, see: licenses/paranamer-BSD-3-clause

-----  
Do What The F\*ck You Want To Public License  
see: licenses/DWTFYWTPL

reflections-0.9.12

/\*

\* Copyright (C) 2011-2017 Tatsuhiro Tsujikawa

\*

\* Permission is hereby granted, free of charge, to any person

\* obtaining a copy of this software and associated documentation

\* files (the "Software"), to deal in the Software without

\* restriction, including without limitation the rights to use, copy,  
\* modify, merge, publish, distribute, sublicense, and/or sell copies  
\* of the Software, and to permit persons to whom the Software is  
\* furnished to do so, subject to the following conditions:  
\*  
\* The above copyright notice and this permission notice shall be  
\* included in all copies or substantial portions of the Software.  
\*  
\* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,  
\* EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF  
\* MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND  
\* NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS  
\* BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN  
\* ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN  
\* CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE  
\* SOFTWARE.  
\*/

Apache Kafka

Copyright 2021 The Apache Software Foundation.

This product includes software developed at  
The Apache Software Foundation (<https://www.apache.org/>).

This distribution has a binary dependency on jersey, which is available under the CDDL  
License. The source code of jersey can be found at <https://github.com/jersey/jersey/>.

This distribution has a binary test dependency on jqwik, which is available under  
the Eclipse Public License 2.0. The source code can be found at  
<https://github.com/jlink/jqwik>.

The streams-scala (streams/streams-scala) module was donated by Lightbend and the original code was copyrighted  
by them:

Copyright (C) 2018 Lightbend Inc. <<https://www.lightbend.com>>

Copyright (C) 2017-2018 Alexis Seigneurin.

This project contains the following code copied from Apache Hadoop:

clients/src/main/java/org/apache/kafka/common/utils/PureJavaCrc32C.java

Some portions of this file Copyright (c) 2004-2006 Intel Corporation and licensed under the BSD license.

This project contains the following code copied from Apache Hive:

streams/src/main/java/org/apache/kafka/streams/state/internals/Murmur3.java

/\*

The MIT License

Copyright (c) 2004-2016 Paul R. Holser, Jr.

Permission is hereby granted, free of charge, to any person obtaining  
a copy of this software and associated documentation files (the

"Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

\*/

Apache Kafka

Copyright 2021 The Apache Software Foundation.

This product includes software developed at  
The Apache Software Foundation (<https://www.apache.org/>).

This distribution has a binary dependency on jersey, which is available under the CDDL License. The source code of jersey can be found at <https://github.com/jersey/jersey/>.

This distribution has a binary test dependency on jqwik, which is available under the Eclipse Public License 2.0. The source code can be found at <https://github.com/jlink/jqwik>.

The streams-scala (streams/streams-scala) module was donated by Lightbend and the original code was copyrighted by them:

Copyright (C) 2018 Lightbend Inc. <<https://www.lightbend.com>>

Copyright (C) 2017-2018 Alexis Seigneurin.

This project contains the following code copied from Apache Hadoop:

clients/src/main/java/org/apache/kafka/common/utils/PureJavaCrc32C.java

Some portions of this file Copyright (c) 2004-2006 Intel Corporation and licensed under the BSD license.

This project contains the following code copied from Apache Hive:

streams/src/main/java/org/apache/kafka/streams/state/internals/Murmur3.java

```
// -----  
// NOTICE file corresponding to the section 4d of The Apache License,  
// Version 2.0, in this case for  
// -----
```

```
# Notices for Eclipse GlassFish
```

This content is produced and maintained by the Eclipse GlassFish project.

\* Project home: <https://projects.eclipse.org/projects/ee4j.glassfish>

## ## Trademarks

Eclipse GlassFish, and GlassFish are trademarks of the Eclipse Foundation.

## ## Copyright

All content is the property of the respective authors or their employers. For more information regarding authorship of content, please consult the listed source code repository logs.

## ## Declared Project Licenses

This program and the accompanying materials are made available under the terms of the Eclipse Public License v. 2.0 which is available at <http://www.eclipse.org/legal/epl-2.0>. This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License v. 2.0 are satisfied: GNU General Public License, version 2 with the GNU Classpath Exception which is available at <https://www.gnu.org/software/classpath/license.html>.

SPDX-License-Identifier: EPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0

## ## Source Code

The project maintains the following source code repositories:

- \* <https://github.com/eclipse-ee4j/glassfish-ha-api>
- \* <https://github.com/eclipse-ee4j/glassfish-logging-annotation-processor>
- \* <https://github.com/eclipse-ee4j/glassfish-shoal>
- \* <https://github.com/eclipse-ee4j/glassfish-cdi-porting-tck>
- \* <https://github.com/eclipse-ee4j/glassfish-jsftemplating>
- \* <https://github.com/eclipse-ee4j/glassfish-hk2-extra>
- \* <https://github.com/eclipse-ee4j/glassfish-hk2>
- \* <https://github.com/eclipse-ee4j/glassfish-fightersfish>

## ## Third-party Content

This project leverages the following third party content.

None

## ## Cryptography

Content may contain encryption software. The country in which you are currently may have restrictions on the import, possession, and use, and/or re-export to another country, of encryption software. BEFORE using any encryption software, please check the country's laws, regulations and policies concerning the import, possession, or use, and re-export of encryption software, to see if this is permitted.

Apache Yetus - Audience Annotations  
Copyright 2015-2017 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

Apache Commons CLI  
Copyright 2001-2017 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

Apache Commons Lang  
Copyright 2001-2018 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

# Jackson JSON processor

Jackson is a high-performance, Free/Open Source JSON processing library. It was originally written by Tatu Saloranta ([tatu.saloranta@iki.fi](mailto:tatu.saloranta@iki.fi)), and has been in development since 2007. It is currently developed by a community of developers, as well as supported commercially by FasterXML.com.

## Licensing

Jackson core and extension components may licensed under different licenses. To find the details that apply to this artifact see the accompanying LICENSE file. For more information, including possible other licensing options, contact FasterXML.com (<http://fasterxml.com>).

## Credits

A list of contributors may be found from CREDITS file, which is included in some artifacts (usually source distributions); but is always available

from the source code management (SCM) system project uses.

#### # Notices for Eclipse Project for JAF

This content is produced and maintained by the Eclipse Project for JAF project.

\* Project home: <https://projects.eclipse.org/projects/ee4j.jaf>

#### ## Copyright

All content is the property of the respective authors or their employers. For more information regarding authorship of content, please consult the listed source code repository logs.

#### ## Declared Project Licenses

This program and the accompanying materials are made available under the terms of the Eclipse Distribution License v. 1.0, which is available at <http://www.eclipse.org/org/documents/edl-v10.php>.

SPDX-License-Identifier: BSD-3-Clause

#### ## Source Code

The project maintains the following source code repositories:

\* <https://github.com/eclipse-ee4j/jaf>

#### ## Third-party Content

This project leverages the following third party content.

JUnit (4.12)

\* License: Eclipse Public License

#### # Notices for Jakarta Annotations

This content is produced and maintained by the Jakarta Annotations project.

\* Project home: <https://projects.eclipse.org/projects/ee4j.ca>

#### ## Trademarks

Jakarta Annotations is a trademark of the Eclipse Foundation.

## ## Declared Project Licenses

This program and the accompanying materials are made available under the terms of the Eclipse Public License v. 2.0 which is available at <http://www.eclipse.org/legal/epl-2.0>. This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License v. 2.0 are satisfied: GNU General Public License, version 2 with the GNU Classpath Exception which is available at <https://www.gnu.org/software/classpath/license.html>.

SPDX-License-Identifier: EPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0

## ## Source Code

The project maintains the following source code repositories:

\* <https://github.com/eclipse-ee4j/common-annotations-api>

## ## Third-party Content

## ## Cryptography

Content may contain encryption software. The country in which you are currently may have restrictions on the import, possession, and use, and/or re-export to another country, of encryption software. BEFORE using any encryption software, please check the country's laws, regulations and policies concerning the import, possession, or use, and re-export of encryption software, to see if this is permitted.

## # Notices for the Jakarta RESTful Web Services Project

This content is produced and maintained by the **\*\*Jakarta RESTful Web Services\*\*** project.

\* Project home: <https://projects.eclipse.org/projects/ee4j.jaxrs>

## ## Trademarks

**\*\*Jakarta RESTful Web Services\*\*** is a trademark of the Eclipse Foundation.

## ## Copyright

All content is the property of the respective authors or their employers. For more information regarding authorship of content, please consult the listed source code repository logs.

## ## Declared Project Licenses

This program and the accompanying materials are made available under the terms of the Eclipse Public License v. 2.0 which is available at <http://www.eclipse.org/legal/epl-2.0>. This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License v. 2.0 are satisfied: GNU General Public License, version 2 with the GNU Classpath Exception which is available at <https://www.gnu.org/software/classpath/license.html>.

SPDX-License-Identifier: EPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0

## ## Source Code

The project maintains the following source code repositories:

\* <https://github.com/eclipse-ee4j/jaxrs-api>

## ## Third-party Content

This project leverages the following third party content.

javaee-api (7.0)

\* License: Apache-2.0 AND W3C

JUnit (4.11)

\* License: Common Public License 1.0

Mockito (2.16.0)

\* Project: <http://site.mockito.org>

\* Source: <https://github.com/mockito/mockito/releases/tag/v2.16.0>

## ## Cryptography

Content may contain encryption software. The country in which you are currently may have restrictions on the import, possession, and use, and/or re-export to another country, of encryption software. BEFORE using any encryption software, please check the country's laws, regulations and policies concerning the import, possession, or use, and re-export of encryption software, to see if this is permitted.

# Notices for Eclipse Project for JAXB

This content is produced and maintained by the Eclipse Project for JAXB project.



\* Project home: <https://projects.eclipse.org/projects/ee4j.jaxb>

## ## Trademarks

Eclipse Project for JAXB is a trademark of the Eclipse Foundation.

## ## Copyright

All content is the property of the respective authors or their employers. For more information regarding authorship of content, please consult the listed source code repository logs.

## ## Declared Project Licenses

This program and the accompanying materials are made available under the terms of the Eclipse Distribution License v. 1.0 which is available at <http://www.eclipse.org/org/documents/edl-v10.php>.

SPDX-License-Identifier: BSD-3-Clause

## ## Source Code

The project maintains the following source code repositories:

\* <https://github.com/eclipse-ee4j/jaxb-api>

## ## Third-party Content

This project leverages the following third party content.

None

## ## Cryptography

Content may contain encryption software. The country in which you are currently may have restrictions on the import, possession, and use, and/or re-export to another country, of encryption software. BEFORE using any encryption software, please check the country's laws, regulations and policies concerning the import, possession, or use, and re-export of encryption software, to see if this is permitted.

## # Notice for Jersey

This content is produced and maintained by the Eclipse Jersey project.

\* Project home: <https://projects.eclipse.org/projects/ee4j.jersey>

## ## Trademarks

Eclipse Jersey is a trademark of the Eclipse Foundation.

## ## Copyright

All content is the property of the respective authors or their employers. For more information regarding authorship of content, please consult the listed source code repository logs.

## ## Declared Project Licenses

This program and the accompanying materials are made available under the terms of the Eclipse Public License v. 2.0 which is available at <http://www.eclipse.org/legal/epl-2.0>. This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License v. 2.0 are satisfied: GNU General Public License, version 2 with the GNU Classpath Exception which is available at <https://www.gnu.org/software/classpath/license.html>.

SPDX-License-Identifier: EPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0

## ## Source Code

The project maintains the following source code repositories:

- \* <https://github.com/eclipse-ee4j/jersey>

## ## Third-party Content

Angular JS, v1.6.6

- \* License MIT (<http://www.opensource.org/licenses/mit-license.php>)
- \* Project: <http://angularjs.org>
- \* Copyright: (c) 2010-2017 Google, Inc.

aopalliance Version 1

- \* License: all the source code provided by AOP Alliance is Public Domain.
- \* Project: <http://aopalliance.sourceforge.net>
- \* Copyright: Material in the public domain is not protected by copyright

Bean Validation API 2.0.2

- \* License: Apache License, 2.0
- \* Project: <http://beanvalidation.org/1.1/>
- \* Copyright: 2009, Red Hat, Inc. and/or its affiliates, and individual contributors
- \* by the @authors tag.

Hibernate Validator CDI, 6.1.2.Final

- \* License: Apache License, 2.0
- \* Project: <https://beanvalidation.org/>
- \* Repackaged in `org.glassfish.jersey.server.validation.internal.hibernate`

Bootstrap v3.3.7

- \* License: MIT license (<https://github.com/twbs/bootstrap/blob/master/LICENSE>)
- \* Project: <http://getbootstrap.com>
- \* Copyright: 2011-2016 Twitter, Inc

Google Guava Version 18.0

- \* License: Apache License, 2.0
- \* Copyright (C) 2009 The Guava Authors

javax.inject Version: 1

- \* License: Apache License, 2.0
- \* Copyright (C) 2009 The JSR-330 Expert Group

Javassist Version 3.25.0-GA

- \* License: Apache License, 2.0
- \* Project: <http://www.javassist.org/>
- \* Copyright (C) 1999- Shigeru Chiba. All Rights Reserved.

Jackson JAX-RS Providers Version 2.10.1

- \* License: Apache License, 2.0
- \* Project: <https://github.com/FasterXML/jackson-jaxrs-providers>
- \* Copyright: (c) 2009-2011 FasterXML, LLC. All rights reserved unless otherwise indicated.

jQuery v1.12.4

- \* License: [jquery.org/license](http://jquery.org/license)
- \* Project: [jquery.org](http://jquery.org)
- \* Copyright: (c) jQuery Foundation

jQuery Barcode plugin 0.3

- \* License: MIT & GPL (<http://www.opensource.org/licenses/mit-license.php> & <http://www.gnu.org/licenses/gpl.html>)
- \* Project: <http://www.pasella.it/projects/jquery/barcode>
- \* Copyright: (c) 2009 Antonello Pasella [antonello.pasella@gmail.com](mailto:antonello.pasella@gmail.com)

JSR-166 Extension - JEP 266

- \* License: CC0
- \* No copyright
- \* Written by Doug Lea with assistance from members of JCP JSR-166 Expert Group and released to the public domain, as explained at <http://creativecommons.org/publicdomain/zero/1.0/>

KineticJS, v4.7.1

- \* License: MIT license (<http://www.opensource.org/licenses/mit-license.php>)
- \* Project: <http://www.kineticjs.com>, <https://github.com/ericdrowell/KineticJS>
- \* Copyright: Eric Rowell

org.objectweb.asm Version 8.0

- \* License: Modified BSD (<http://asm.objectweb.org/license.html>)
- \* Copyright (c) 2000-2011 INRIA, France Telecom. All rights reserved.

org.osgi.core version 6.0.0

\* License: Apache License, 2.0

\* Copyright (c) OSGi Alliance (2005, 2008). All Rights Reserved.

org.glassfish.jersey.server.internal.monitoring.core

\* License: Apache License, 2.0

\* Copyright (c) 2015-2018 Oracle and/or its affiliates. All rights reserved.

\* Copyright 2010-2013 Coda Hale and Yammer, Inc.

W3.org documents

\* License: W3C License

\* Copyright: Copyright (c) 1994-2001 World Wide Web Consortium, (Massachusetts Institute of Technology, Institut National de Recherche en Informatique et en Automatique, Keio University). All Rights Reserved.

<http://www.w3.org/Consortium/Legal/>

=====  
Jetty Web Container  
Copyright 1995-2018 Mort Bay Consulting Pty Ltd.  
=====

The Jetty Web Container is Copyright Mort Bay Consulting Pty Ltd  
unless otherwise noted.

Jetty is dual licensed under both

\* The Apache 2.0 License

<http://www.apache.org/licenses/LICENSE-2.0.html>

and

\* The Eclipse Public 1.0 License

<http://www.eclipse.org/legal/epl-v10.html>

Jetty may be distributed under either license.

-----  
Eclipse

The following artifacts are EPL.

\* org.eclipse.jetty.orbit:org.eclipse.jdt.core

The following artifacts are EPL and ASL2.

\* org.eclipse.jetty.orbit:javax.security.auth.message

The following artifacts are EPL and CDDL 1.0.

\* org.eclipse.jetty.orbit:javax.mail.glassfish

-----

Oracle

The following artifacts are CDDL + GPLv2 with classpath exception.

<https://glassfish.dev.java.net/nonav/public/CDDL+GPL.html>

\* javax.servlet:javax.servlet-api

\* javax.annotation:javax.annotation-api

\* javax.transaction:javax.transaction-api

\* javax.websocket:javax.websocket-api

-----

Oracle OpenJDK

If ALPN is used to negotiate HTTP/2 connections, then the following artifacts may be included in the distribution or downloaded when ALPN module is selected.

\* java.sun.security.ssl

These artifacts replace/modify OpenJDK classes. The modifications are hosted at github and both modified and original are under GPL v2 with classpath exceptions.

<http://openjdk.java.net/legal/gplv2+ce.html>

-----

OW2

The following artifacts are licensed by the OW2 Foundation according to the terms of <http://asm.ow2.org/license.html>

org.ow2.asm:asm-commons

org.ow2.asm:asm

-----

Apache

The following artifacts are ASL2 licensed.

org.apache.taglibs:taglibs-standard-spec

org.apache.taglibs:taglibs-standard-impl

-----

## MortBay

The following artifacts are ASL2 licensed. Based on selected classes from following Apache Tomcat jars, all ASL2 licensed.

org.mortbay.jasper:apache-jsp  
org.apache.tomcat:tomcat-jasper  
org.apache.tomcat:tomcat-juli  
org.apache.tomcat:tomcat-jsp-api  
org.apache.tomcat:tomcat-el-api  
org.apache.tomcat:tomcat-jasper-el  
org.apache.tomcat:tomcat-api  
org.apache.tomcat:tomcat-util-scan  
org.apache.tomcat:tomcat-util

org.mortbay.jasper:apache-el  
org.apache.tomcat:tomcat-jasper-el  
org.apache.tomcat:tomcat-el-api

-----

## Mortbay

The following artifacts are CDDL + GPLv2 with classpath exception.

<https://glassfish.dev.java.net/nonav/public/CDDL+GPL.html>

org.eclipse.jetty.toolchain:jetty-schemas

-----

## Assorted

The UnixCrypt.java code implements the one way cryptography used by Unix systems for simple password protection. Copyright 1996 Aki Yoshida, modified April 2001 by Iris Van den Broeke, Daniel Deville.

Permission to use, copy, modify and distribute UnixCrypt for non-commercial or commercial purposes and without fee is granted provided that the copyright notice appears in all copies.

## Apache log4j

Copyright 2007 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

Maven Artifact

Copyright 2001-2019 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

This product includes software developed by the Indiana University  
Extreme! Lab (<http://www.extreme.indiana.edu/>).

This product includes software developed by  
The Apache Software Foundation (<http://www.apache.org/>).

This product includes software developed by  
ThoughtWorks (<http://www.thoughtworks.com/>).

This product includes software developed by  
javolution (<http://javolution.org/>).

This product includes software developed by  
Rome (<https://rome.dev.java.net/>).

Scala

Copyright (c) 2002-2020 EPFL

Copyright (c) 2011-2020 Lightbend, Inc.

Scala includes software developed at  
LAMP/EPFL (<https://lamp.epfl.ch/>) and  
Lightbend, Inc. (<https://www.lightbend.com/>).

Licensed under the Apache License, Version 2.0 (the "License").  
Unless required by applicable law or agreed to in writing, software  
distributed under the License is distributed on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.

This software includes projects with other licenses -- see `doc/LICENSE.md`.

Apache ZooKeeper - Server

Copyright 2008-2021 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

Apache ZooKeeper - Jute  
Copyright 2008-2021 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

The Netty Project

=====

Please visit the Netty web site for more information:

\* <https://netty.io/>

Copyright 2014 The Netty Project

The Netty Project licenses this file to you under the Apache License,  
version 2.0 (the "License"); you may not use this file except in compliance  
with the License. You may obtain a copy of the License at:

<https://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software  
distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
License for the specific language governing permissions and limitations  
under the License.

Also, please refer to each LICENSE.<component>.txt file, which is located in  
the 'license' directory of the distribution file, for the license terms of the  
components that this product depends on.

-----  
This product contains the extensions to Java Collections Framework which has  
been derived from the works by JSR-166 EG, Doug Lea, and Jason T. Greene:

\* LICENSE:

\* <license/LICENSE.jsr166y.txt> (Public Domain)

\* HOMEPAGE:

\* <http://gee.cs.oswego.edu/cgi-bin/viewcvs.cgi/jsr166/>

\* <http://viewvc.jboss.org/cgi-bin/viewvc.cgi/jboss/cache/experimental/jsr166/>

This product contains a modified version of Robert Harder's Public Domain  
Base64 Encoder and Decoder, which can be obtained at:

\* LICENSE:

\* <license/LICENSE.base64.txt> (Public Domain)

\* HOMEPAGE:



\* <http://iharder.sourceforge.net/current/java/base64/>

This product contains a modified portion of 'Webbit', an event based WebSocket and HTTP server, which can be obtained at:

\* LICENSE:

\* [license/LICENSE.webbit.txt](#) (BSD License)

\* HOMEPAGE:

\* <https://github.com/joewalnes/webbit>

This product contains a modified portion of 'SLF4J', a simple logging facade for Java, which can be obtained at:

\* LICENSE:

\* [license/LICENSE.slf4j.txt](#) (MIT License)

\* HOMEPAGE:

\* <https://www.slf4j.org/>

This product contains a modified portion of 'Apache Harmony', an open source Java SE, which can be obtained at:

\* NOTICE:

\* [license/NOTICE.harmony.txt](#)

\* LICENSE:

\* [license/LICENSE.harmony.txt](#) (Apache License 2.0)

\* HOMEPAGE:

\* <https://archive.apache.org/dist/harmony/>

This product contains a modified portion of 'jzip2', a Java bzip2 compression and decompression library written by Matthew J. Francis. It can be obtained at:

\* LICENSE:

\* [license/LICENSE.jzip2.txt](#) (MIT License)

\* HOMEPAGE:

\* <https://code.google.com/p/jzip2/>

This product contains a modified portion of 'libdivsufsort', a C API library to construct the suffix array and the Burrows-Wheeler transformed string for any input string of a constant-size alphabet written by Yuta Mori. It can be obtained at:

\* LICENSE:

\* [license/LICENSE.libdivsufsort.txt](#) (MIT License)

\* HOMEPAGE:

\* <https://github.com/y-256/libdivsufsort>

This product contains a modified portion of Nitsan Wakart's 'JCTools', Java Concurrency Tools for the JVM, which can be obtained at:

- \* LICENSE:
  - \* license/LICENSE.jctools.txt (ASL2 License)
- \* HOMEPAGE:
  - \* <https://github.com/JCTools/JCTools>

This product optionally depends on 'JZlib', a re-implementation of zlib in pure Java, which can be obtained at:

- \* LICENSE:
  - \* license/LICENSE.jzlib.txt (BSD style License)
- \* HOMEPAGE:
  - \* <http://www.jcraft.com/jzlib/>

This product optionally depends on 'Compress-LZF', a Java library for encoding and decoding data in LZF format, written by Tatu Saloranta. It can be obtained at:

- \* LICENSE:
  - \* license/LICENSE.compress-lzf.txt (Apache License 2.0)
- \* HOMEPAGE:
  - \* <https://github.com/ning/compress>

This product optionally depends on 'lz4', a LZ4 Java compression and decompression library written by Adrien Grand. It can be obtained at:

- \* LICENSE:
  - \* license/LICENSE.lz4.txt (Apache License 2.0)
- \* HOMEPAGE:
  - \* <https://github.com/jpountz/lz4-java>

This product optionally depends on 'lzma-java', a LZMA Java compression and decompression library, which can be obtained at:

- \* LICENSE:
  - \* license/LICENSE.lzma-java.txt (Apache License 2.0)
- \* HOMEPAGE:
  - \* <https://github.com/jponge/lzma-java>

This product contains a modified portion of 'jfastlz', a Java port of FastLZ compression and decompression library written by William Kinney. It can be obtained at:

- \* LICENSE:
  - \* license/LICENSE.jfastlz.txt (MIT License)
- \* HOMEPAGE:
  - \* <https://code.google.com/p/jfastlz/>

This product contains a modified portion of and optionally depends on 'Protocol Buffers', Google's data interchange format, which can be obtained at:

- \* LICENSE:
  - \* license/LICENSE.protobuf.txt (New BSD License)
- \* HOMEPAGE:
  - \* <https://github.com/google/protobuf>

This product optionally depends on 'Bouncy Castle Crypto APIs' to generate a temporary self-signed X.509 certificate when the JVM does not provide the equivalent functionality. It can be obtained at:

- \* LICENSE:
  - \* license/LICENSE.bouncycastle.txt (MIT License)
- \* HOMEPAGE:
  - \* <https://www.bouncycastle.org/>

This product optionally depends on 'Snappy', a compression library produced by Google Inc, which can be obtained at:

- \* LICENSE:
  - \* license/LICENSE.snappy.txt (New BSD License)
- \* HOMEPAGE:
  - \* <https://github.com/google/snappy>

This product optionally depends on 'JBoss Marshalling', an alternative Java serialization API, which can be obtained at:

- \* LICENSE:
  - \* license/LICENSE.jboss-marshalling.txt (Apache License 2.0)
- \* HOMEPAGE:
  - \* <https://github.com/jboss-remoting/jboss-marshalling>

This product optionally depends on 'Caliper', Google's micro-benchmarking framework, which can be obtained at:

- \* LICENSE:
  - \* license/LICENSE.caliper.txt (Apache License 2.0)
- \* HOMEPAGE:
  - \* <https://github.com/google/caliper>

This product optionally depends on 'Apache Commons Logging', a logging framework, which can be obtained at:

- \* LICENSE:
  - \* license/LICENSE.commons-logging.txt (Apache License 2.0)
- \* HOMEPAGE:
  - \* <https://commons.apache.org/logging/>

This product optionally depends on 'Apache Log4J', a logging framework, which can be obtained at:

- \* LICENSE:
- \* license/LICENSE.log4j.txt (Apache License 2.0)
- \* HOMEPAGE:
- \* <https://logging.apache.org/log4j/>

This product optionally depends on 'Aalto XML', an ultra-high performance non-blocking XML processor, which can be obtained at:

- \* LICENSE:
- \* license/LICENSE.aalto-xml.txt (Apache License 2.0)
- \* HOMEPAGE:
- \* <http://wiki.fasterxml.com/AaltoHome>

This product contains a modified version of 'HPACK', a Java implementation of the HTTP/2 HPACK algorithm written by Twitter. It can be obtained at:

- \* LICENSE:
- \* license/LICENSE.hpack.txt (Apache License 2.0)
- \* HOMEPAGE:
- \* <https://github.com/twitter/hpack>

This product contains a modified version of 'HPACK', a Java implementation of the HTTP/2 HPACK algorithm written by Cory Benfield. It can be obtained at:

- \* LICENSE:
- \* license/LICENSE.hyper-hpack.txt (MIT License)
- \* HOMEPAGE:
- \* <https://github.com/python-hyper/hpack/>

This product contains a modified version of 'HPACK', a Java implementation of the HTTP/2 HPACK algorithm written by Tatsuhiro Tsujikawa. It can be obtained at:

- \* LICENSE:
- \* license/LICENSE.nghttp2-hpack.txt (MIT License)
- \* HOMEPAGE:
- \* <https://github.com/nghttp2/nghttp2/>

This product contains a modified portion of 'Apache Commons Lang', a Java library provides utilities for the java.lang API, which can be obtained at:

- \* LICENSE:
- \* license/LICENSE.commons-lang.txt (Apache License 2.0)
- \* HOMEPAGE:
- \* <https://commons.apache.org/proper/commons-lang/>

This product contains the Maven wrapper scripts from 'Maven Wrapper', that provides an easy way to ensure a user

has everything necessary to run the Maven build.

\* LICENSE:

\* license/LICENSE.mvn-wrapper.txt (Apache License 2.0)

\* HOMEPAGE:

\* <https://github.com/takari/maven-wrapper>

This product contains the dnsinfo.h header file, that provides a way to retrieve the system DNS configuration on MacOS.

This private header is also used by Apple's open source mDNSResponder (<https://opensource.apple.com/tarballs/mDNSResponder/>).

\* LICENSE:

\* license/LICENSE.dnsinfo.txt (Apple Public Source License 2.0)

\* HOMEPAGE:

\* <https://www.opensource.apple.com/source/configd/configd-453.19/dnsinfo/dnsinfo.h>

Copyright (c) 2004-2017 QOS.ch

All rights reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but

excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. **Grant of Copyright License.** Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. **Grant of Patent License.** Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. **Redistribution.** You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
  - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
  - (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
  - (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
  - (d) If the Work includes a "NOTICE" text file as part of its

distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. **Disclaimer of Warranty.** Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. **Limitation of Liability.** In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise,



unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. **Accepting Warranty or Additional Liability.** While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

[ ParaNamer used to be 'Pubic Domain', but since it includes a small piece of ASM it is now the same license as that: BSD ]

Portions copyright (c) 2006-2018 Paul Hammant & ThoughtWorks Inc  
Portions copyright (c) 2000-2007 INRIA, France Telecom  
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. Neither the name of the copyright holders nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

## 1.367 swagger-models 1.6.2

### 1.367.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
package io.swagger.models;
```

```
import com.fasterxml.jackson.annotation.JsonAnyGetter;  
import com.fasterxml.jackson.annotation.JsonAnySetter;
```

```
import java.util.LinkedHashMap;  
import java.util.Map;
```

```
public class License {  
    private Map<String, Object> vendorExtensions = new LinkedHashMap<String, Object>();  
    private String name;
```

```

private String url;

public License name(String name) {
    setName(name);
    return this;
}

public License url(String url) {
    setUrl(url);
    return this;
}

public String getName() {
    return name;
}

public void setName(String name) {
    this.name = name;
}

public String getUrl() {
    return url;
}

public void setUrl(String url) {
    this.url = url;
}

@JsonAnyGetter
public Map<String, Object> getVendorExtensions() {
    return vendorExtensions;
}

@JsonAnySetter
public void setVendorExtension(String name, Object value) {
    if (name.startsWith("x-")) {
        vendorExtensions.put(name, value);
    }
}

public void setVendorExtensions(Map<String, Object> vendorExtensions) {
    this.vendorExtensions = vendorExtensions;
}

@Override
public int hashCode() {
    final int prime = 31;
    int result = 1;

```

```

    result = prime * result + ((name == null) ? 0 : name.hashCode());
    result = prime * result + ((url == null) ? 0 : url.hashCode());
    result = prime * result + ((vendorExtensions == null) ? 0 : vendorExtensions.hashCode());
    return result;
}

```

@Override

```

public boolean equals(Object obj) {
    if (this == obj) {
        return true;
    }
    if (obj == null) {
        return false;
    }
    if (getClass() != obj.getClass()) {
        return false;
    }
    License other = (License) obj;
    if (name == null) {
        if (other.name != null) {
            return false;
        }
    } else if (!name.equals(other.name)) {
        return false;
    }
    if (url == null) {
        if (other.url != null) {
            return false;
        }
    } else if (!url.equals(other.url)) {
        return false;
    }
    if (vendorExtensions == null) {
        if (other.vendorExtensions != null) {
            return false;
        }
    } else if (!vendorExtensions.equals(other.vendorExtensions)) {
        return false;
    }
    return true;
}
}

```

Found in path(s):

\* /opt/cola/permits/1340031769\_1654618404.1267035/0/swagger-models-1-6-2-sources-1-jar/io/swagger/models/License.java

No license file was found, but licenses were detected in source scan.

```

package io.swagger.models;

import com.fasterxml.jackson.annotation.JsonAnyGetter;
import com.fasterxml.jackson.annotation.JsonAnySetter;

import java.util.LinkedHashMap;
import java.util.Map;

public class Info {
    private String description;
    private String version;
    private String title;
    private String termsOfService;
    private Contact contact;
    private License license;
    private Map<String, Object> vendorExtensions = new LinkedHashMap<String, Object>();

    public Info version(String version) {
        this.setVersion(version);
        return this;
    }

    public Info title(String title) {
        this.setTitle(title);
        return this;
    }

    public Info description(String description) {
        this.setDescription(description);
        return this;
    }

    public Info termsOfService(String termsOfService) {
        this.setTermsOfService(termsOfService);
        return this;
    }

    public Info contact(Contact contact) {
        this.setContact(contact);
        return this;
    }

    public Info license(License license) {
        this.setLicense(license);
        return this;
    }

    public String getDescription() {

```

```
    return description;
}

public void setDescription(String description) {
    this.description = description;
}

public String getVersion() {
    return version;
}

public void setVersion(String version) {
    this.version = version;
}

public String getTitle() {
    return title;
}

public void setTitle(String title) {
    this.title = title;
}

public String getTermsOfService() {
    return termsOfService;
}

public void setTermsOfService(String termsOfService) {
    this.termsOfService = termsOfService;
}

public Contact getContact() {
    return contact;
}

public void setContact(Contact contact) {
    this.contact = contact;
}

public License getLicense() {
    return license;
}

public void setLicense(License license) {
    this.license = license;
}

public Info mergeWith(Info info) {
```

```

if (info != null) {
    if (this.description == null) {
        this.description = info.description;
    }
    if (this.version == null) {
        this.version = info.version;
    }
    if (this.title == null) {
        this.title = info.title;
    }
    if (this.termsOfService == null) {
        this.termsOfService = info.termsOfService;
    }
    if (this.contact == null) {
        this.contact = info.contact;
    }
    if (this.license == null) {
        this.license = info.license;
    }
    if (this.vendorExtensions == null) {
        this.vendorExtensions = info.vendorExtensions;
    }
}
return this;
}

```

@JsonAnyGetter

```

public Map<String, Object> getVendorExtensions() {
    return vendorExtensions;
}

```

@JsonAnySetter

```

public void setVendorExtension(String name, Object value) {
    if (name.startsWith("x-")) {
        vendorExtensions.put(name, value);
    }
}

```

```

public void setVendorExtensions(Map<String, Object> vendorExtensions) {
    this.vendorExtensions = vendorExtensions;
}

```

@Override

```

public int hashCode() {
    final int prime = 31;
    int result = 1;
    result = prime * result + ((contact == null) ? 0 : contact.hashCode());
    result = prime * result

```

```

        + ((description == null) ? 0 : description.hashCode());
result = prime * result + ((license == null) ? 0 : license.hashCode());
result = prime * result
        + ((termsOfService == null) ? 0 : termsOfService.hashCode());
result = prime * result + ((title == null) ? 0 : title.hashCode());
result = prime * result
        + ((vendorExtensions == null) ? 0 : vendorExtensions.hashCode());
result = prime * result + ((version == null) ? 0 : version.hashCode());
return result;
}

```

@Override

```

public boolean equals(Object obj) {
    if (this == obj) {
        return true;
    }
    if (obj == null) {
        return false;
    }
    if (getClass() != obj.getClass()) {
        return false;
    }
    Info other = (Info) obj;
    if (contact == null) {
        if (other.contact != null) {
            return false;
        }
    } else if (!contact.equals(other.contact)) {
        return false;
    }
    if (description == null) {
        if (other.description != null) {
            return false;
        }
    } else if (!description.equals(other.description)) {
        return false;
    }
    if (license == null) {
        if (other.license != null) {
            return false;
        }
    } else if (!license.equals(other.license)) {
        return false;
    }
    if (termsOfService == null) {
        if (other.termsOfService != null) {
            return false;
        }
    }
}

```



```

    } else if (!termsOfService.equals(other.termsOfService)) {
        return false;
    }
    if (title == null) {
        if (other.title != null) {
            return false;
        }
    } else if (!title.equals(other.title)) {
        return false;
    }
    if (vendorExtensions == null) {
        if (other.vendorExtensions != null) {
            return false;
        }
    } else if (!vendorExtensions.equals(other.vendorExtensions)) {
        return false;
    }
    if (version == null) {
        if (other.version != null) {
            return false;
        }
    } else if (!version.equals(other.version)) {
        return false;
    }
    return true;
}
}

```

Found in path(s):

\* /opt/cola/permits/1340031769\_1654618404.1267035/0/swagger-models-1-6-2-sources-1-jar/io/swagger/models/Info.java

# 1.368 google-guice 4.0

## 1.368.1 Available under license :

Struts 2 Core

Copyright 2000-2010 Apache Software Foundation

This product includes software developed at

The Apache Software Foundation (<http://www.apache.org/>).

Copyright 2001-2005 (C) MetaStuff, Ltd. All Rights Reserved.

Redistribution and use of this software and associated documentation ("Software"), with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain copyright statements and notices. Redistributions must also contain a copy of this document.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The name "DOM4J" must not be used to endorse or promote products derived from this Software without prior written permission of MetaStuff, Ltd. For written permission, please contact [dom4j-info@metastuff.com](mailto:dom4j-info@metastuff.com).
4. Products derived from this Software may not be called "DOM4J" nor may "DOM4J" appear in their names without prior written permission of MetaStuff, Ltd. DOM4J is a registered trademark of MetaStuff, Ltd.
5. Due credit should be given to the DOM4J Project - <http://www.dom4j.org>

THIS SOFTWARE IS PROVIDED BY METASTUFF, LTD. AND CONTRIBUTORS ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL METASTUFF, LTD. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
  - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
  - (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
  - (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
  - (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special,

incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright 1999-2005 The Apache Software Foundation

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

ASM: a very small and fast Java bytecode manipulation framework  
Copyright (c) 2000,2002,2003 INRIA, France Telecom  
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. Neither the name of the copyright holders nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Apache Jakarta Commons IO

Copyright 2001-2007 The Apache Software Foundation

This product includes software developed by  
The Apache Software Foundation (<http://www.apache.org/>).

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the

outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable



copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and

do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise

designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
  - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
  - (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
  - (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
  - (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must

include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly

negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

This product includes software developed by  
The Apache Software Foundation (<http://www.apache.org/>).

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including



the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
  - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.
6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. **Disclaimer of Warranty.** Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each

Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. **Limitation of Liability.** In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. **Accepting Warranty or Additional Liability.** While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

Specification: JSR-000220 Enterprise JavaBeans v.3.0 ("Specification")

Version: 3.0

Status: Final Release

Release: 8 May 2006

Copyright 2006 SUN MICROSYSTEMS, INC.

4150 Network Circle, Santa Clara, California 95054, U.S.A

All rights reserved.

#### LIMITED LICENSE GRANTS

1. **\_License for Evaluation Purposes\_.** Sun hereby grants you a fully-paid, non-exclusive, non-transferable, worldwide, limited license (without the right to sublicense), under Sun's applicable intellectual property rights to view, download, use and reproduce the Specification only for the purpose of internal evaluation. This includes (i) developing applications intended to run on an implementation of the Specification, provided that such applications do not themselves implement any portion(s) of the Specification, and (ii) discussing the Specification with any third party; and (iii) excerpting brief portions of the Specification in oral or written communications which discuss the Specification provided that such excerpts do not in the aggregate constitute a significant portion of the Specification.

2. **\_License for the Distribution of Compliant Implementations\_.** Sun also grants you a perpetual, nonexclusive, non-transferable, worldwide, fully paid-up, royalty free, limited license (without the right to

sublicense) under any applicable copyrights or, subject to the provisions of subsection 4 below, patent rights it may have covering the Specification to create and/or distribute an Independent Implementation of the Specification that: (a) fully implements the Specification including all its required interfaces and functionality; (b) does not modify, subset, superset or otherwise extend the Licensor Name Space, or include any public or protected packages, classes, Java interfaces, fields or methods within the Licensor Name Space other than those required/authorized by the Specification or Specifications being implemented; and (c) passes the Technology Compatibility Kit (including satisfying the requirements of the applicable TCK Users Guide) for such Specification ("Compliant Implementation"). In addition, the foregoing license is expressly conditioned on your not acting outside its scope. No license is granted hereunder for any other purpose (including, for example, modifying the Specification, other than to the extent of your fair use rights, or distributing the Specification to third parties). Also, no right, title, or interest in or to any trademarks, service marks, or trade names of Sun or Suns licensors is granted hereunder. Java, and Java-related logos, marks and names are trademarks or registered trademarks of Sun Microsystems, Inc. in the U.S. and other countries.

3. Pass-through Conditions. You need not include limitations (a)-(c) from the previous paragraph or any other particular "pass through" requirements in any license You grant concerning the use of your Independent Implementation or products derived from it. However, except with respect to Independent Implementations (and products derived from them) that satisfy limitations (a)-(c) from the previous paragraph, You may neither: (a) grant or otherwise pass through to your licensees any licenses under Suns applicable intellectual property rights; nor (b) authorize your licensees to make any claims concerning their implementations compliance with the Specification in question.

4. Reciprocity Concerning Patent Licenses.

a. With respect to any patent claims covered by the license granted under subparagraph 2 above that would be infringed by all technically feasible implementations of the Specification, such license is conditioned upon your offering on fair, reasonable and non-discriminatory terms, to any party seeking it from You, a perpetual, non-exclusive, non-transferable, worldwide license under Your patent rights which are or would be infringed by all technically feasible implementations of the Specification to develop, distribute and use a Compliant Implementation.

b With respect to any patent claims owned by Sun and covered by the license granted under subparagraph 2, whether or not their infringement can be avoided in a technically feasible manner when implementing the Specification, such license shall terminate with respect to such claims if You initiate a claim against Sun that it has, in the course of performing its responsibilities as the Specification Lead, induced any other entity to infringe Your patent rights.

c Also with respect to any patent claims owned by Sun and covered by the license granted under subparagraph 2 above, where the infringement of such claims can be avoided in a technically feasible manner when implementing the Specification such license, with respect to such claims, shall terminate if You initiate a claim against Sun that its making, having made, using, offering to sell, selling or importing a Compliant Implementation infringes Your patent rights.

5. Definitions. For the purposes of this Agreement: "Independent Implementation" shall mean an implementation of the Specification that neither derives from any of Suns source code or binary code materials nor, except with an appropriate and separate license from Sun, includes any of Suns source code or binary code materials; "Licensor Name Space" shall mean the public class or interface declarations whose names begin with "java", "javax", "com.sun" or their equivalents in any subsequent naming convention adopted by Sun through the Java Community Process, or any recognized successors or replacements thereof; and "Technology Compatibility Kit" or "TCK" shall mean the test suite and accompanying TCK Users Guide provided by Sun which corresponds to the Specification and that was available either (i) from Sun 120 days before the first release of Your Independent Implementation that allows its use for commercial purposes, or (ii) more recently than 120 days from such release but against

which You elect to test Your implementation of the Specification.

This Agreement will terminate immediately without notice from Sun if you breach the Agreement or act outside the scope of the licenses granted above.

#### DISCLAIMER OF WARRANTIES

THE SPECIFICATION IS PROVIDED "AS IS". SUN MAKES NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO, WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, NONINFRINGEMENT (INCLUDING AS A CONSEQUENCE OF ANY PRACTICE OR IMPLEMENTATION OF THE SPECIFICATION), OR THAT THE CONTENTS OF THE SPECIFICATION ARE SUITABLE FOR ANY PURPOSE. This document does not represent any commitment to release or implement any portion of the Specification in any product. In addition, the Specification could include technical inaccuracies or typographical errors.

#### LIMITATION OF LIABILITY

TO THE EXTENT NOT PROHIBITED BY LAW, IN NO EVENT WILL SUN OR ITS LICENSORS BE LIABLE FOR ANY DAMAGES, INCLUDING WITHOUT LIMITATION, LOST REVENUE, PROFITS OR DATA, OR FOR SPECIAL, INDIRECT, CONSEQUENTIAL, INCIDENTAL OR PUNITIVE DAMAGES, HOWEVER CAUSED AND REGARDLESS OF THE THEORY OF LIABILITY, ARISING OUT OF OR RELATED IN ANY WAY TO YOUR HAVING, IMPLEMENTING OR OTHERWISE USING THE SPECIFICATION, EVEN IF SUN AND/OR ITS LICENSORS HAVE BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

You will indemnify, hold harmless, and defend Sun and its licensors from any claims arising or resulting from: (i) your use of the Specification; (ii) the use or distribution of your Java application, applet and/or implementation; and/or (iii) any claims that later versions or releases of any Specification furnished to you are incompatible with the Specification provided to you under this license.

#### RESTRICTED RIGHTS LEGEND

U.S. Government: If this Specification is being acquired by or on behalf of the U.S. Government or by a U.S. Government prime contractor or subcontractor (at any tier), then the Government's rights in the Software and accompanying documentation shall be only as set forth in this license; this is in accordance with 48 C.F.R. 227.7201 through 227.7202-4 (for Department of Defense (DoD) acquisitions) and with 48 C.F.R. 2.101 and 12.212 (for non-DoD acquisitions).

#### REPORT

If you provide Sun with any comments or suggestions concerning the Specification ("Feedback"), you hereby: (i) agree that such Feedback is provided on a non-proprietary and non-confidential basis, and (ii) grant Sun a perpetual, non-exclusive, worldwide, fully paid-up, irrevocable license, with the right to sublicense through multiple levels of sublicensees, to incorporate, disclose, and use without limitation the Feedback for any purpose.

#### GENERAL TERMS

Any action related to this Agreement will be governed by California law and controlling U.S. federal law. The U.N. Convention for the International Sale of Goods and the choice of law rules of any jurisdiction will not apply.

The Specification is subject to U.S. export control laws and may be subject to export or import regulations in other countries. Licensee agrees to comply strictly with all such laws and regulations and acknowledges that it has the responsibility to obtain such licenses to export, re-export or import as may be required after delivery to Licensee.

This Agreement is the parties' entire agreement relating to its subject matter. It supersedes all prior or contemporaneous oral or written communications, proposals, conditions, representations and warranties and prevails over any conflicting or additional terms of any quote, order, acknowledgment, or other communication.

between the parties relating to its subject matter during the term of this Agreement. No modification to this Agreement will be binding, unless in writing and signed by an authorized representative of each party.

Rev. April, 2006

Sun/Final/Full

This product includes software developed by  
The Apache Software Foundation (<http://www.apache.org/>).

Apache Struts

Copyright 2000-2007 The Apache Software Foundation

This product includes software developed by  
The Apache Software Foundation (<http://www.apache.org/>).  
domTT (<http://www.mojavelinux.com/projects/domtooltip/>).

The binary distributions includes the following third party software:

FreeMarker (<http://freemarker.org/>).

OGNL (<http://www.opensymphony.com/ognl/>).

XWork (<http://www.opensymphony.com/xwork/>).

```
=====
== NOTICE file corresponding to the section 4 d of           ==
== the Apache License, Version 2.0,                          ==
== in this case for the Apache Ant distribution.              ==
=====
```

This product includes software developed by  
The Apache Software Foundation (<http://www.apache.org/>).

This product includes also software developed by :

- the W3C consortium (<http://www.w3c.org>) ,
- the SAX project (<http://www.saxproject.org>)

Please read the different LICENSE files present in the root directory of  
this distribution.

```
/* =====
* The OpenSymphony Software License, Version 1.1
*
* (this license is derived and fully compatible with the Apache Software
* License - see http://www.apache.org/LICENSE.txt)
*
* Copyright (c) 2001-2004 The OpenSymphony Group. All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
* notice, this list of conditions and the following disclaimer.
*
```

- \* 2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- \*
- \* 3. The end-user documentation included with the redistribution, if any, must include the following acknowledgment:  
 \* "This product includes software developed by the OpenSymphony Group (<http://www.opensymphony.com/>)."  
 \* Alternately, this acknowledgment may appear in the software itself, if and wherever such third-party acknowledgments normally appear.
- \*
- \* 4. The names "OpenSymphony" and "The OpenSymphony Group" must not be used to endorse or promote products derived from this software without prior written permission. For written permission, please contact [license@opensymphony.com](mailto:license@opensymphony.com).
- \*
- \* 5. Products derived from this software may not be called "OpenSymphony" or "XWork", nor may "OpenSymphony" or "XWork" appear in their name, without prior written permission of the OpenSymphony Group.
- \*
- \* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE APACHE SOFTWARE FOUNDATION OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
- \* =====
- \* /

Apache Felix Main  
 Copyright 2010 The Apache Software Foundation

#### I. Included Software

This product includes software developed at  
 The Apache Software Foundation (<http://www.apache.org/>).  
 Licensed under the Apache License 2.0.

This product includes software developed at  
 The OSGi Alliance (<http://www.osgi.org/>).

Copyright (c) OSGi Alliance (2000, 2009).  
Licensed under the Apache License 2.0.

## II. Used Software

This product uses software developed at  
The OSGi Alliance (<http://www.osgi.org/>).  
Copyright (c) OSGi Alliance (2000, 2009).  
Licensed under the Apache License 2.0.

This product uses software developed at  
The Codehaus (<http://www.codehaus.org>)  
Licensed under the Apache License 2.0.

## III. License Summary

- Apache License 2.0

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,  
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by  
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all  
other entities that control, are controlled by, or are under common  
control with that entity. For the purposes of this definition,  
"control" means (i) the power, direct or indirect, to cause the  
direction or management of such entity, whether by contract or  
otherwise, or (ii) ownership of fifty percent (50%) or more of the  
outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity  
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,  
including but not limited to software source code, documentation  
source, and configuration files.

"Object" form shall mean any form resulting from mechanical



transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable

by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use,

reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.  
Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.
6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. **Disclaimer of Warranty.** Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. **Limitation of Liability.** In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. **Accepting Warranty or Additional Liability.** While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Apache Commons Lang

Copyright 2001-2008 The Apache Software Foundation

This product includes software developed by  
The Apache Software Foundation (<http://www.apache.org/>).  
Apache Commons FileUpload  
Copyright 2002-2008 The Apache Software Foundation

This product includes software developed by  
The Apache Software Foundation (<http://www.apache.org/>).

/\*

\* Apache License  
\* Version 2.0, January 2004  
\* <http://www.apache.org/licenses/>

\* TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION  
\*

\* 1. Definitions.

\*

\* "License" shall mean the terms and conditions for use, reproduction,  
\* and distribution as defined by Sections 1 through 9 of this document.

\*  
\* "Licensor" shall mean the copyright owner or entity authorized by  
\* the copyright owner that is granting the License.  
\*  
\* "Legal Entity" shall mean the union of the acting entity and all  
\* other entities that control, are controlled by, or are under common  
\* control with that entity. For the purposes of this definition,  
\* "control" means (i) the power, direct or indirect, to cause the  
\* direction or management of such entity, whether by contract or  
\* otherwise, or (ii) ownership of fifty percent (50%) or more of the  
\* outstanding shares, or (iii) beneficial ownership of such entity.  
\*  
\* "You" (or "Your") shall mean an individual or Legal Entity  
\* exercising permissions granted by this License.  
\*  
\* "Source" form shall mean the preferred form for making modifications,  
\* including but not limited to software source code, documentation  
\* source, and configuration files.  
\*  
\* "Object" form shall mean any form resulting from mechanical  
\* transformation or translation of a Source form, including but  
\* not limited to compiled object code, generated documentation,  
\* and conversions to other media types.  
\*  
\* "Work" shall mean the work of authorship, whether in Source or  
\* Object form, made available under the License, as indicated by a  
\* copyright notice that is included in or attached to the work  
\* (an example is provided in the Appendix below).  
\*  
\* "Derivative Works" shall mean any work, whether in Source or Object  
\* form, that is based on (or derived from) the Work and for which the  
\* editorial revisions, annotations, elaborations, or other modifications  
\* represent, as a whole, an original work of authorship. For the purposes  
\* of this License, Derivative Works shall not include works that remain  
\* separable from, or merely link (or bind by name) to the interfaces of,  
\* the Work and Derivative Works thereof.  
\*  
\* "Contribution" shall mean any work of authorship, including  
\* the original version of the Work and any modifications or additions  
\* to that Work or Derivative Works thereof, that is intentionally  
\* submitted to Licensor for inclusion in the Work by the copyright owner  
\* or by an individual or Legal Entity authorized to submit on behalf of  
\* the copyright owner. For the purposes of this definition, "submitted"  
\* means any form of electronic, verbal, or written communication sent  
\* to the Licensor or its representatives, including but not limited to  
\* communication on electronic mailing lists, source code control systems,  
\* and issue tracking systems that are managed by, or on behalf of, the  
\* Licensor for the purpose of discussing and improving the Work, but

\* excluding communication that is conspicuously marked or otherwise  
\* designated in writing by the copyright owner as "Not a Contribution."  
\*

\* "Contributor" shall mean Licensor and any individual or Legal Entity  
\* on behalf of whom a Contribution has been received by Licensor and  
\* subsequently incorporated within the Work.  
\*

\* 2. Grant of Copyright License. Subject to the terms and conditions of  
\* this License, each Contributor hereby grants to You a perpetual,  
\* worldwide, non-exclusive, no-charge, royalty-free, irrevocable  
\* copyright license to reproduce, prepare Derivative Works of,  
\* publicly display, publicly perform, sublicense, and distribute the  
\* Work and such Derivative Works in Source or Object form.  
\*

\* 3. Grant of Patent License. Subject to the terms and conditions of  
\* this License, each Contributor hereby grants to You a perpetual,  
\* worldwide, non-exclusive, no-charge, royalty-free, irrevocable  
\* (except as stated in this section) patent license to make, have made,  
\* use, offer to sell, sell, import, and otherwise transfer the Work,  
\* where such license applies only to those patent claims licensable  
\* by such Contributor that are necessarily infringed by their  
\* Contribution(s) alone or by combination of their Contribution(s)  
\* with the Work to which such Contribution(s) was submitted. If You  
\* institute patent litigation against any entity (including a  
\* cross-claim or counterclaim in a lawsuit) alleging that the Work  
\* or a Contribution incorporated within the Work constitutes direct  
\* or contributory patent infringement, then any patent licenses  
\* granted to You under this License for that Work shall terminate  
\* as of the date such litigation is filed.  
\*

\* 4. Redistribution. You may reproduce and distribute copies of the  
\* Work or Derivative Works thereof in any medium, with or without  
\* modifications, and in Source or Object form, provided that You  
\* meet the following conditions:  
\*

\* (a) You must give any other recipients of the Work or  
\* Derivative Works a copy of this License; and  
\*

\* (b) You must cause any modified files to carry prominent notices  
\* stating that You changed the files; and  
\*

\* (c) You must retain, in the Source form of any Derivative Works  
\* that You distribute, all copyright, patent, trademark, and  
\* attribution notices from the Source form of the Work,  
\* excluding those notices that do not pertain to any part of  
\* the Derivative Works; and  
\*

\* (d) If the Work includes a "NOTICE" text file as part of its

\* distribution, then any Derivative Works that You distribute must  
\* include a readable copy of the attribution notices contained  
\* within such NOTICE file, excluding those notices that do not  
\* pertain to any part of the Derivative Works, in at least one  
\* of the following places: within a NOTICE text file distributed  
\* as part of the Derivative Works; within the Source form or  
\* documentation, if provided along with the Derivative Works; or,  
\* within a display generated by the Derivative Works, if and  
\* wherever such third-party notices normally appear. The contents  
\* of the NOTICE file are for informational purposes only and  
\* do not modify the License. You may add Your own attribution  
\* notices within Derivative Works that You distribute, alongside  
\* or as an addendum to the NOTICE text from the Work, provided  
\* that such additional attribution notices cannot be construed  
\* as modifying the License.

\* You may add Your own copyright statement to Your modifications and  
\* may provide additional or different license terms and conditions  
\* for use, reproduction, or distribution of Your modifications, or  
\* for any such Derivative Works as a whole, provided Your use,  
\* reproduction, and distribution of the Work otherwise complies with  
\* the conditions stated in this License.

\* 5. Submission of Contributions. Unless You explicitly state otherwise,  
\* any Contribution intentionally submitted for inclusion in the Work  
\* by You to the Licensor shall be under the terms and conditions of  
\* this License, without any additional terms or conditions.  
\* Notwithstanding the above, nothing herein shall supersede or modify  
\* the terms of any separate license agreement you may have executed  
\* with Licensor regarding such Contributions.

\* 6. Trademarks. This License does not grant permission to use the trade  
\* names, trademarks, service marks, or product names of the Licensor,  
\* except as required for reasonable and customary use in describing the  
\* origin of the Work and reproducing the content of the NOTICE file.

\* 7. Disclaimer of Warranty. Unless required by applicable law or  
\* agreed to in writing, Licensor provides the Work (and each  
\* Contributor provides its Contributions) on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or  
\* implied, including, without limitation, any warranties or conditions  
\* of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A  
\* PARTICULAR PURPOSE. You are solely responsible for determining the  
\* appropriateness of using or redistributing the Work and assume any  
\* risks associated with Your exercise of permissions under this License.

\* 8. Limitation of Liability. In no event and under no legal theory,  
\* whether in tort (including negligence), contract, or otherwise,

\* unless required by applicable law (such as deliberate and grossly  
\* negligent acts) or agreed to in writing, shall any Contributor be  
\* liable to You for damages, including any direct, indirect, special,  
\* incidental, or consequential damages of any character arising as a  
\* result of this License or out of the use or inability to use the  
\* Work (including but not limited to damages for loss of goodwill,  
\* work stoppage, computer failure or malfunction, or any and all  
\* other commercial damages or losses), even if such Contributor  
\* has been advised of the possibility of such damages.

\*  
\* 9. Accepting Warranty or Additional Liability. While redistributing  
\* the Work or Derivative Works thereof, You may choose to offer,  
\* and charge a fee for, acceptance of support, warranty, indemnity,  
\* or other liability obligations and/or rights consistent with this  
\* License. However, in accepting such obligations, You may act only  
\* on Your own behalf and on Your sole responsibility, not on behalf  
\* of any other Contributor, and only if You agree to indemnify,  
\* defend, and hold each Contributor harmless for any liability  
\* incurred by, or claims asserted against, such Contributor by reason  
\* of your accepting any such warranty or additional liability.

\* END OF TERMS AND CONDITIONS

\* APPENDIX: How to apply the Apache License to your work.

\* To apply the Apache License to your work, attach the following  
\* boilerplate notice, with the fields enclosed by brackets "[]"  
\* replaced with your own identifying information. (Don't include  
\* the brackets!) The text should be enclosed in the appropriate  
\* comment syntax for the file format. We also recommend that a  
\* file or class name and description of purpose be included on the  
\* same "printed page" as the copyright notice for easier  
\* identification within third-party archives.

\* Copyright [yyyy] [name of copyright owner]

\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at

\* <http://www.apache.org/licenses/LICENSE-2.0>

\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.

\*/



FreeMarker 1.x was released under the LGPL license. Later, by community consensus, we have switched over to a BSD-style license. As of FreeMarker 2.2pre1, the original author, Benjamin Geer, has relinquished the copyright in behalf of Visigoth Software Society. The current copyright holder is the Visigoth Software Society.

-----  
Copyright (c) 2003 The Visigoth Software Society. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. The end-user documentation included with the redistribution, if any, must include the following acknowledgement:  
"This product includes software developed by the  
Visigoth Software Society (<http://www.visigoths.org/>)."  
Alternately, this acknowledgement may appear in the software itself, if and wherever such third-party acknowledgements normally appear.
3. Neither the name "FreeMarker", "Visigoth", nor any of the names of the project contributors may be used to endorse or promote products derived from this software without prior written permission. For written permission, please contact [visigoths@visigoths.org](mailto:visigoths@visigoths.org).
4. Products derived from this software may not be called "FreeMarker" or "Visigoth" nor may "FreeMarker" or "Visigoth" appear in their names without prior written permission of the Visigoth Software Society.

THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE VISIGOTH SOFTWARE SOCIETY OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

-----  
This software consists of voluntary contributions made by many individuals on behalf of the Visigoth Software Society. For more information on the Visigoth Software Society, please see <http://www.visigoths.org/>

/\* =====

\* The Apache Software License, Version 1.1

\*  
 \* Copyright (c) 2000-2002 The Apache Software Foundation. All rights  
 \* reserved.  
 \*  
 \* Redistribution and use in source and binary forms, with or without  
 \* modification, are permitted provided that the following conditions  
 \* are met:  
 \*  
 \* 1. Redistributions of source code must retain the above copyright  
 \* notice, this list of conditions and the following disclaimer.  
 \*  
 \* 2. Redistributions in binary form must reproduce the above copyright  
 \* notice, this list of conditions and the following disclaimer in  
 \* the documentation and/or other materials provided with the  
 \* distribution.  
 \*  
 \* 3. The end-user documentation included with the redistribution,  
 \* if any, must include the following acknowledgment:  
 \* "This product includes software developed by the  
 \* Apache Software Foundation (<http://www.apache.org/>)."  
 \* Alternately, this acknowledgment may appear in the software itself,  
 \* if and wherever such third-party acknowledgments normally appear.  
 \*  
 \* 4. The names "Apache" and "Apache Software Foundation", "Jakarta-Oro"  
 \* must not be used to endorse or promote products derived from this  
 \* software without prior written permission. For written  
 \* permission, please contact [apache@apache.org](mailto:apache@apache.org).  
 \*  
 \* 5. Products derived from this software may not be called "Apache"  
 \* or "Jakarta-Oro", nor may "Apache" or "Jakarta-Oro" appear in their  
 \* name, without prior written permission of the Apache Software Foundation.  
 \*  
 \* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED  
 \* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES  
 \* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE  
 \* DISCLAIMED. IN NO EVENT SHALL THE APACHE SOFTWARE FOUNDATION OR  
 \* ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,  
 \* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT  
 \* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF  
 \* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND  
 \* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,  
 \* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT  
 \* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF  
 \* SUCH DAMAGE.  
 \* =====  
 \*  
 \* This software consists of voluntary contributions made by many  
 \* individuals on behalf of the Apache Software Foundation. For more

\* information on the Apache Software Foundation, please see  
\* <<http://www.apache.org/>>.  
\*/

XWork: Core

Copyright 2000-2010 Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

/\* =====

\* The OpenSymphony Software License, Version 1.1

\*

\* (this license is derived and fully compatible with the Apache Software  
\* License - see <http://www.apache.org/LICENSE.txt>)

\*

\* Copyright (c) 2001-2004 The OpenSymphony Group. All rights reserved.

\*

\* Redistribution and use in source and binary forms, with or without  
\* modification, are permitted provided that the following conditions

\* are met:

\*

\* 1. Redistributions of source code must retain the above copyright  
\* notice, this list of conditions and the following disclaimer.

\*

\* 2. Redistributions in binary form must reproduce the above copyright  
\* notice, this list of conditions and the following disclaimer in  
\* the documentation and/or other materials provided with the  
\* distribution.

\*

\* 3. The end-user documentation included with the redistribution,  
\* if any, must include the following acknowledgment:

\* "This product includes software developed by the

\* OpenSymphony Group (<http://www.opensymphony.com/>)."

\* Alternately, this acknowledgment may appear in the software itself,  
\* if and wherever such third-party acknowledgments normally appear.

\*

\* 4. The names "OpenSymphony" and "The OpenSymphony Group"  
\* must not be used to endorse or promote products derived from this

\* software without prior written permission. For written

\* permission, please contact [license@opensymphony.com](mailto:license@opensymphony.com) .

\*

\* 5. Products derived from this software may not be called "OpenSymphony"

\* or "OGNL", nor may "OpenSymphony" or "OGNL" appear in their

\* name, without prior written permission of the OpenSymphony Group.

\*

\* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED

\* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES

\* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE

\* DISCLAIMED. IN NO EVENT SHALL THE APACHE SOFTWARE FOUNDATION OR  
\* ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,  
\* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT  
\* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF  
\* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND  
\* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,  
\* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT  
\* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF  
\* SUCH DAMAGE.

\* =====  
\*/

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a

copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct

or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of

this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following

boilerplate notice, with the fields enclosed by brackets "[ ]"  
replaced with your own identifying information. (Don't include  
the brackets!) The text should be enclosed in the appropriate  
comment syntax for the file format. We also recommend that a  
file or class name and description of purpose be included on the  
same "printed page" as the copyright notice for easier  
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software  
distributed under the License is distributed on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.

## 1.369 jacoco v0.8.6

### 1.369.1 Available under license :

License

=====

Copyright (c) 2009, 2020 Mountainminds GmbH & Co. KG and Contributors

The JaCoCo Java Code Coverage Library and all included documentation is made  
available by Mountainminds GmbH & Co. KG, Munich. Except indicated below, the  
Content is provided to you under the terms and conditions of the Eclipse Public  
License Version 2.0 ("EPL"). A copy of the EPL is available at  
[\[https://www.eclipse.org/legal/epl-2.0/\]](https://www.eclipse.org/legal/epl-2.0/)(<https://www.eclipse.org/legal/epl-2.0/>).

Please visit

[\[http://www.jacoco.org/jacoco/trunk/doc/license.html\]](http://www.jacoco.org/jacoco/trunk/doc/license.html)(<http://www.jacoco.org/jacoco/trunk/doc/license.html>)  
for the complete license information including third party licenses and trademarks.

## 1.370 apache-commons-lang 3.11

### 1.370.1 Available under license :

Apache Commons Lang

Copyright 2001-2020 The Apache Software Foundation



This product includes software developed at  
The Apache Software Foundation (<https://www.apache.org/>).

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of,

the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software  
distributed under the License is distributed on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.

Cisco and the Cisco logo are trademarks or registered trademarks of Cisco and/or its affiliates in the U.S. and other countries. To view a list of Cisco trademarks, go to this URL: [www.cisco.com/go/trademarks](http://www.cisco.com/go/trademarks). Third-party trademarks mentioned are the property of their respective owners. The use of the word partner does not imply a partnership relationship between Cisco and any other company. (1110R)

©2022 Cisco Systems, Inc. All rights reserved.